CITATION REPORT List of articles citing

Depression of the glycemic index by high levels of beta-glucan fiber in two functional foods tested in type 2 diabetes

DOI: 10.1038/sj.ejcn.1601367 European Journal of Clinical Nutrition, 2002, 56, 622-8.

Source: https://exaly.com/paper-pdf/34723582/citation-report.pdf

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
257	Saengshik, a formulated health food, decreases blood glucose and increases survival rate in streptozotocin-induced diabetic rats. 2004 , 7, 162-7		12
256	Low glycaemic index diets for coronary heart disease. 2004 , CD004467		46
255	Phytate content is reduced and Eglucanase activity suppressed in malted barley steeped with lactic acid at high temperature. 2004 , 84, 653-662		33
254	Trends in Dietary Fibre Research and Development. 2004 , 33, 39-62		35
253	Analysing starch digestion. 2004 , 575-589		1
252	Impact of 'functional food'. 2005 , 57, 73-83		2
251	The potential use of cereal (1->3,1->4)-Ed-glucans as functional food ingredients. 2005 , 42, 1-13		361
250	Digestion of barley malt porridges in a gastrointestinal model: Iron dialysability, iron uptake by Caco-2 cells and degradation of Eglucan. 2005 , 42, 243-254		18
249	Dietary fibre, glycaemic response, and diabetes. 2005 , 49, 560-70		270
248	Carbohydrates and dietary fiber. 2005 , 231-61		23
247	Effects of flax fiber on laxation and glycemic response in healthy volunteers. 2005, 8, 508-11		37
246	Glycemic responses of oat bran products in type 2 diabetic patients. 2005 , 15, 255-61		133
245	A Whole Crop Biorefinery System: A Closed System for the Manufacture of Non-food Products from Cereals. 165-191		2
244	Comparison of hormone and glucose responses of overweight women to barley and oats. 2005 , 24, 182	2-8	54
243	Consumption of Both Resistant Starch and '-Glucan Improves Postprandial Plasma Glucose and Insulin in Women. 2006 , 29, 976-981		154
242	Post-prandial responses to cereal products enriched with barley beta-glucan. 2006 , 25, 313-20		84
241	Targeting postprandial hyperglycemia. 2006 , 55, 1263-81		62

(2008-2006)

240	men. 2006 , 26, 644-650		91
239	Biomedical issues of dietary fiber beta-glucan. 2006 , 21, 781-9		54
238	PDA-assisted low glycemic index dietary intervention for type II diabetes: a pilot study. <i>European Journal of Clinical Nutrition</i> , 2006 , 60, 1235-43	5.2	27
237	Continuous glucose monitoring a novel approach to the determination of the glycaemic index of foods (DEGIF 1) determination of the glycaemic index of foods by means of the CGMS. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2006 , 114, 68-74	2.3	14
236	EGlucans. 2007 , 131-152		
235	Quels types de produits cfàliers pour le petit djeuner ?. 2007 , 42, 309-319		5
234	Aspects qualitatifs des apports glucidiques : index glychique des aliments et fibres alimentaires. 2007 , 1, 21-25		2
233	Effect of commercial breakfast fibre cereals compared with corn flakes on postprandial blood glucose, gastric emptying and satiety in healthy subjects: a randomized blinded crossover trial. 2007 , 6, 22		53
232	Argumentos a favor de la incorporacifi de los ED-glucanos a la alimentacifi. 2007 , 54, 315-324		1
231	Impact of wheat and oat polysaccharides provided as rolls on the digestion and absorption processes in the small intestine of pigs. 2007 , 87, 2399-2408		16
230	The effect of beta-glucan on the glycemic and insulin index. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 779-85	5.2	79
229	Breakfast cereals and risk of type 2 diabetes in the Physicians' Health Study I. 2007 , 15, 3039-44		60
228	Cereal Eglucans in diet and health. 2007 , 46, 230-238		349
227	Changes caused by genotype and environmental conditions in beta-glucan content of spring barley for dietetically beneficial human nutrition. 2008 , 63, 111-7		29
226	Oat: unique among the cereals. 2008 , 47, 68-79		286
225	Physicochemical properties of hull-less barley fibre-rich fractions varying in particle size and their potential as functional ingredients in two-layer flat bread. 2008 , 108, 561-70		81
224	Determination of the glycaemic index of various staple carbohydrate-rich foods in the UK diet. <i>European Journal of Clinical Nutrition</i> , 2008 , 62, 279-85	5.2	53
223	Muesli with 4 g oat beta-glucans lowers glucose and insulin responses after a bread meal in healthy subjects. <i>European Journal of Clinical Nutrition</i> , 2008 , 62, 600-7	5.2	60

222	Evaluation of potential mechanisms by which dietary fibre additions reduce the predicted glycaemic index of fresh pastas. 2008 , 43, 2151-2162	95
221	Nutritional value of bread: Influence of processing, food interaction and consumer perception. 2008 , 48, 243-257	284
220	Effect of muesli with 4 g oat beta-glucan on postprandial blood glucose, gastric emptying and satiety in healthy subjects: a randomized crossover trial. 2008 , 27, 470-5	53
219	The glycemic index of bread and biscuits is markedly reduced by the addition of a proprietary fiber mixture to the ingredients. 2008 , 18, 602-5	31
218	Converting oats to high-fibre products for use in functional foods Names are necessary to report factually on available data; however, the USDA neither guarantees nor warrants the standard of the product, and the use of the name by USDA implies no approval of the product to the exclusion of others that may also be suitable. All programmes and services of the US Department of Agriculture	
217	Impact of sugar replacers on cognitive performance and function in rats. 2008 , 100, 1004-10 sex, age, marital s. 2008 , 476-454	4
216	Issues surrounding health claims for barley. 2008 , 138, 1237S-43S	66
215	Comparable postprandial glucose reductions with viscous fiber blend enriched biscuits in healthy subjects and patients with diabetes mellitus: acute randomized controlled clinical trial. 2008 , 49, 772-82	47
214	Beta-glucans in the treatment of diabetes and associated cardiovascular risks. 2008, 4, 1265-72	102
213	Visồ retrospectiva em fibras alimentares com lifase em beta-glucanas no tratamento do diabetes. 2009 , 45, 11-20	7
212	Glycaemic index of four commercially available breads in Malaysia. 2009 , 60, 487-96	8
211	Cereal 🛮 glucans. 2009 , 615-652	1
210	Oat beta-glucan increases postprandial cholecystokinin levels, decreases insulin response and extends subjective satiety in overweight subjects. 2009 , 53, 1343-51	122
209	Fiber facts: benefits and recommendations for individuals with type 2 diabetes. 2009 , 9, 405-11	36
208	The consumption of bread enriched with betaglucan reduces LDL-cholesterol and improves insulin resistance in patients with type 2 diabetes. 2009 , 35, 115-20	78
207	Effects of steeping and anaerobic treatment on GABA (Eminobutyric acid) content in germinated waxy hull-less barley. 2009 , 42, 1712-1716	78
206	Postprandial blood glucose response in relation to gastric emptying and satiety in healthy subjects. 2009 , 53, 249-52	14
205	New method development for nanoparticle extraction of water-soluble beta-(1>3)-D-glucan from edible mushrooms, Sparassis crispa and Phellinus linteus. 2009 , 57, 2147-54	49

(2011-2009)

204	Lowering the glycemic index of white bread using a white bean extract. 2009 , 8, 52	34
203	Physicochemical properties of beta-glucan in differently processed oat foods influence glycemic response. 2009 , 57, 8831-8	113
202	Increases in peptide Y-Y levels following oat beta-glucan ingestion are dose-dependent in overweight adults. 2009 , 29, 705-9	58
201	Slowly digestible starch: concept, mechanism, and proposed extended glycemic index. 2009 , 49, 852-67	260
200	Factors Influencing EGlucan Levels and Molecular Weight in Cereal-Based Products. 2009, 86, 290-301	76
199	Oat EGlucan. 2009 ,	
198	Controlling the delivery of glucose in foods. 2009 , 547-571	2
197	Reduction of postprandial glycemia by the novel viscous polysaccharide PGX, in a dose-dependent manner, independent of food form. 2010 , 29, 92-8	26
196	Oat beta-glucan supplementation does not enhance the effectiveness of an energy-restricted diet in overweight women. 2010 , 103, 1212-22	78
195	The chemical and digestive properties of a soluble glucan from Agrobacterium sp. ZX09. 2010 , 82, 623-628	73
194	Beta-glucan extracts inhibit the in vitro intestinal uptake of long-chain fatty acids and cholesterol and down-regulate genes involved in lipogenesis and lipid transport in rats. 2010 , 21, 695-701	55
193	Development of oat-based markers from barley and wheat microsatellites. 2010 , 53, 458-71	24
192	New hypotheses for the health-protective mechanisms of whole-grain cereals: what is beyond fibre?. 2010 , 23, 65-134	671
191	Effect of adding the novel fiber, PGX[], to commonly consumed foods on glycemic response, glycemic index and GRIP: a simple and effective strategy for reducing post prandial blood glucose levelsa randomized, controlled trial. 2010 , 9, 58	42
190	Extraction and characterization of beta-D-glucan from oat for industrial utilization. <i>International Journal of Biological Macromolecules</i> , 2010 , 46, 304-9	115
189	Medicinal plants from Jordan in the treatment of diabetes: traditional uses vs. in vitro and in vivo evaluationspart 2. 2011 , 77, 1210-20	24
188	Glycemic index and phenolics of partially-baked frozen bread with sourdough. 2011 , 62, 26-33	31
187	Results of a 90-day safety assessment study in mice fed a glucan produced by Agrobacterium sp. ZX09. 2011 , 49, 2377-84	40

186	Hypoglycemic effects and biochemical mechanisms of oat products on streptozotocin-induced diabetic mice. 2011 , 59, 8895-900		36
185	Characterization and antioxidant activity of the complex of tea polyphenols and oat Eglucan. 2011 , 59, 10737-46		71
184	β-glucans and their significance for the preparation of functional foods – a review. 2011 , 29, 1-14		53
183	Dietary Shiitake Mushroom (Lentinus edodes) Prevents Fat Deposition and Lowers Triglyceride in Rats Fed a High-Fat Diet. 2011 , 2011, 258051		22
182	Scientific Opinion on the substantiation of health claims related to beta-glucans from oats and barley and maintenance of normal blood LDL-cholesterol concentrations (ID 1236, 1299), increase in satiety leading to a reduction in energy intake (ID 851, 852. 2011 , 9, 2207		173
181	Meta-analysis of the effect of Eglucan intake on blood cholesterol and glucose levels. 2011 , 27, 1008-16		112
180	The physiological roles of dietary fibre. <i>Food Hydrocolloids</i> , 2011 , 25, 238-250	10.6	266
179	Rheological properties of Salecan as a new source of thickening agent. <i>Food Hydrocolloids</i> , 2011 , 25, 1719-1725	10.6	89
178	Influence of the soluble fibres inulin and oat Eglucan on quality of dough and bread. 2011 , 232, 405-413		133
177	Reduced viscosity Barley Educan versus placebo: a randomized controlled trial of the effects on insulin sensitivity for individuals at risk for diabetes mellitus. 2011 , 8, 58		22
176	Diet high in oat Eglucan activates the gut-hypothalamic (PYYENPY) axis and increases satiety in diet-induced obesity in mice. 2011 , 55, 1118-21		32
175	Hypoglycaemic effects and inhibitory effect on intestinal disaccharidases of oat beta-glucan in streptozotocin-induced diabetic mice. 2011 , 129, 1066-71		52
174	High dietary glycemic index and low fiber content are associated with metabolic syndrome in patients with type 2 diabetes. 2011 , 30, 141-8		30
173	Metabolic Effects of Eglucans Addition to Corn Maize Flour. 2011 , 451-461		O
172	Barley Educans and Fiber-Rich Fractions as Functional Ingredients in Flat and Pan Breads. 2011 , 337-353		1
171	Effect of EGlucan on Technological, Sensory, and Structural Properties of Durum Wheat Pasta. 2012 , 89, 84-93		24
170	Whole grain consumption has a modest effect on the development of diabetes in the Goto-Kakisaki rat. 2012 , 107, 192-201		18
169	Potential effects of nichi glucan as a food supplement for diabetes mellitus and hyperlipidemia: preliminary findings from the study on three patients from India. 2012 , 2012, 895370		9

	Beta glucan: health benefits in obesity and metabolic syndrome. 2012 , 2012, 851362		215
167	Protective effects of beta glucan and gliclazide on brain tissue and sciatic nerve of diabetic rats induced by streptozosin. 2012 , 2012, 230342		39
166	Starch and fiber properties affect their kinetics of digestion and thereby digestive physiology in pigs. 2012 , 90 Suppl 4, 49-58		45
165	Dietary Fiber and Availability of Nutrients: A Case Study on Yoghurt as a Food Model. 2012 ,		
164	Nutraceutical Properties and Health Benefits of Oats. 2012 , 21-36		6
163	Dietary fiber for the treatment of type 2 diabetes mellitus: a meta-analysis. 2012 , 25, 16-23		168
162	Perspective of Educan as Functional Ingredient for Food Industry. 2012 , 02,		27
161	Genome-wide association study for oat (Avena sativa L.) beta-glucan concentration using germplasm of worldwide origin. 2012 , 125, 1687-96		48
160	Sugar and dietary fibre composition influence, by different hormonal response, the satiating capacity of a fruit-based and a Eglucan-enriched beverage. 2012 , 3, 67-75		47
159	Formulating breads for specific dietary requirements. 2012 , 711-735		4
158	Beta glucan: a valuable functional ingredient in foods. 2012 , 52, 201-12		129
158 157	Beta glucan: a valuable functional ingredient in foods. 2012 , 52, 201-12 Impact of dietary fibre-enriched ready-to-eat extruded snacks on the postprandial glycaemic response of non-diabetic patients. 2012 , 56, 834-7		129
	Impact of dietary fibre-enriched ready-to-eat extruded snacks on the postprandial glycaemic		
157	Impact of dietary fibre-enriched ready-to-eat extruded snacks on the postprandial glycaemic response of non-diabetic patients. 2012 , 56, 834-7		31
157 156	Impact of dietary fibre-enriched ready-to-eat extruded snacks on the postprandial glycaemic response of non-diabetic patients. 2012 , 56, 834-7 Oat fibre: overview on their main biological properties. 2012 , 234, 563-569	3.4	31
157 156 155	Impact of dietary fibre-enriched ready-to-eat extruded snacks on the postprandial glycaemic response of non-diabetic patients. 2012, 56, 834-7 Oat fibre: overview on their main biological properties. 2012, 234, 563-569 Comparison of baking tests using wholemeal and white wheat flour. 2012, 234, 845-851 Interaction of barley Eglucan and tea polyphenols on glucose metabolism in	3.4	31 11 6
157 156 155	Impact of dietary fibre-enriched ready-to-eat extruded snacks on the postprandial glycaemic response of non-diabetic patients. 2012, 56, 834-7 Oat fibre: overview on their main biological properties. 2012, 234, 563-569 Comparison of baking tests using wholemeal and white wheat flour. 2012, 234, 845-851 Interaction of barley Eglucan and tea polyphenols on glucose metabolism in streptozotocin-induced diabetic rats. <i>Journal of Food Science</i> , 2012, 77, H128-34	3.4	31 11 6 30

150	Extrusion of Hulled Barley Affecting Educan and Properties of Extrudates. 2013, 6, 1374-1389		49
149	Food-based ingredients to modulate blood glucose. 2013 , 70, 181-227		14
148	Starch properties, in vitro digestibility and sensory evaluation of fresh egg pasta produced from oat, teff and wheat flour. 2013 , 58, 156-163		48
147	Improvement of fasting plasma glucose level after ingesting moderate amount of dietary fiber in Japanese men with mild hyperglycemia and visceral fat obesity. 2013 , 10, 129-41		9
146	The increasing use of barley and barley by-products in the production of healthier baked goods. 2013 , 29, 124-134		95
145	Attenuation of glycemic responses by oat Eglucan solutions and viscoelastic gels is dependent on molecular weight distribution. 2013 , 4, 401-8		15
144	Review of human studies investigating the post-prandial blood-glucose lowering ability of oat and barley food products. <i>European Journal of Clinical Nutrition</i> , 2013 , 67, 310-7	5.2	177
143	Avena sativa. 2013 , 218-242		3
142	Ready-to-eat snack products: the role of extrusion technology in developing consumer acceptable and nutritious snacks. 2013 , 48, 893-902		162
141	In vivo effect of oat cereal Eglucan on metabolic indexes and satiety-related hormones in diet-induced obesity C57-Bl mice. 2013 , 57, 1291-4		21
140	Diverse effects of oats on cholesterol metabolism in C57BL/6 mice correlate with expression of hepatic bile acid-producing enzymes. 2013 , 52, 1755-69		32
139	Avena sativa (Oat), a potential neutraceutical and therapeutic agent: an overview. 2013, 53, 126-44		125
138	Oats. 2013 , 243-283e		6
137	Slowly Digestible Starch and Health Benefits. 2013 , 111-130		О
136	Effects of Avena nuda L. on metabolic control and cardiovascular disease risk among Chinese patients with diabetes and meeting metabolic syndrome criteria: secondary analysis of a randomized clinical trial. <i>European Journal of Clinical Nutrition</i> , 2013 , 67, 1291-7	5.2	26
135	Selected Functional Foods for Potential in Disease Treatment and Their Regulatory Issues. 2013 , 16, 397-415		15
134	Effects of Oats on Carbohydrate Metabolism. 2013 , 281-297		2
133	Slowly Digestible Starch and Health Benefits. 2013 , 111-130		1

(2015-2013)

The Carrageenan Dietary Fiber Suplementation in Feed to Improving Blood Lipid Parameters of Hypercholesterolemic Mice. **2013**, 17,

131	. 2013,		8
130	. 2014,		9
129	Microenzymatic Evaluation of Oat (Avena sativa L.) EGlucan for High-Throughput Phenotyping. 2014 , 91, 183-188		2
128	Long-term effect of dietary fibre intake on glycosylated haemoglobin A1c level and glycaemic control status among Chinese patients with type 2 diabetes mellitus. 2014 , 17, 1858-64		8
127	Development of a standard test for dough-making properties of oat cultivars. 2014 , 59, 56-61		10
126	An evidence-based systematic review of beta-glucan by the natural standard research collaboration. 2014 , 11, 361-475		4
125	Glycemic effect of oat and barley beta-glucan when incorporated into a snack bar: a dose escalation study. 2014 , 33, 442-9		11
124	Similar metabolic responses in pigs and humans to breads with different contents and compositions of dietary fibers: a metabolomics study. 2014 , 99, 941-9		56
123	Evaluation of glycosidic bond cleavage and formation of oxo groups in oxidized barley mixed-linkage Eglucans using tritium labelling. <i>Food Research International</i> , 2014 , 66, 115-122	7	7
122	Pharmacology and Health Benefits of Bioactive Food Sources. 2014 , 437-462		1
121	Extruded Product Based on Oat and Fenugreek and their Storage Stability. 2015 , 11, 78-84		9
120	The Metabolic Effects of Oats Intake in Patients with Type 2 Diabetes: A Systematic Review and Meta-Analysis. <i>Nutrients</i> , 2015 , 7, 10369-87	6.7	48
119	Wholegrain barley Eglucan fermentation does not improve glucose tolerance in rats fed a high-fat diet. 2015 , 35, 162-8		21
118	Therapeutic potential of flavonoids and their mechanism of action against microbial and viral infections review. <i>Food Research International</i> , 2015 , 77, 221-235	7	112
117	A Systematic Review of the Efficacy of Bioactive Compounds in Cardiovascular Disease: Carbohydrates, Active Lipids and Nitrogen Compounds. 2015 , 66, 168-181		16
116	A high-glycemic index, low-fiber breakfast affects the postprandial plasma glucose, insulin, and ghrelin responses of patients with type 2 diabetes in a randomized clinical trial. 2015 , 145, 736-41		29
115	Evaluation of rheological, physicochemical, thermal, mechanical and sensory properties of oat-based gluten free cookies. 2015 , 162, 1-8		49

114	Study of the effects of a diet supplemented with active components on lipid and glycemic profiles. 2015 , 31, 180-6	8
113	Effect of Wheat Flour Noodles with Powder on Glycemic Response in Healthy Subjects. 2016 , 21, 165-170	3
112	Mechanisms Whereby Whole Grain Cereals Modulate the Prevention of Type 2 Diabetes. 2016 , 87-103	2
111	Nutraceutical aspects of Eglucan with application in food products. 2016 , 387-425	2
110	High Molecular Weight Barley EGlucan Alters Gut Microbiota Toward Reduced Cardiovascular Disease Risk. 2016 , 7, 129	101
109	Sustaining Effect of Intensive Nutritional Intervention Combined with Health Education on Dietary Behavior and Plasma Glucose in Type 2 Diabetes Mellitus Patients. <i>Nutrients</i> , 2016 , 8,	2
108	The art of attrition: development of robust oat microsatellites. 2016 , 135, 323-334	3
107	Effect of serving size and addition of sugar on the glycemic response elicited by oatmeal: A randomized, cross-over study. 2016 , 16, 48-54	13
106	Impact of protein-rich meals on glycaemic response of rice. 2016 , 115, 1194-201	14
105	The Effects of Breakfast Consumption and Composition on Metabolic Wellness with a Focus on Carbohydrate Metabolism. 2016 , 7, 613S-21S	27
104	Salivary concentration of N-acylethanolamines upon food mastication and after meal consumption: Influence of food dietary fiber. <i>Food Research International</i> , 2016 , 89, 186-193	13
103	Japanese traditional dietary fungus koji Aspergillus oryzae functions as a prebiotic for Blautia coccoides through glycosylceramide: Japanese dietary fungus koji is a new prebiotic. 2016 , 5, 1321	22
102	The Impact of Oat Quality on White Salted Noodles Containing Oat Flour. 2016 , 93, 282-292	15
101	InFiQuS: Making the Best of Leftovers. 2016 , 341-370	
100	Physical and functional characteristics of extrudates prepared from fenugreek and oats. 2016 , 2,	О
99	Development and parameter optimization of health promising extrudate based on fenugreek oat and pea. 2016 , 14, 34-40	27
98	Glycemic index and microstructure analysis of a newly developed fiber enriched cookie. 2016 , 7, 464-74	17
97	Assessment of technological characteristics of non-fat yoghurt manufactured with prebiotics and probiotic strains. 2016 , 53, 864-71	7

96	Impact of Diet Composition on Blood Glucose Regulation. 2016 , 56, 541-90		92
95	Chemical Composition of Covered and Naked Spring Barley Varieties and Their Potential for Food Production. 2017 , 67, 151-158		22
94	In vitro measurements of luminal viscosity and glucose/maltose bioaccessibility for oat bran, instant oats, and steel cut oats. <i>Food Hydrocolloids</i> , 2017 , 70, 293-303	10.6	14
93	Ghrelin, CCK, GLP-1, and PYY(3-36): Secretory Controls and Physiological Roles in Eating and Glycemia in Health, Obesity, and After RYGB. 2017 , 97, 411-463		268
92	Identification of weak and gender specific effects in a short 3´weeks intervention study using barley and oat mixed linkage Eglucan dietary supplements: a human fecal metabolome study by GC-MS. 2017 , 13, 108		9
91	Low glycaemic index diets for the prevention of cardiovascular disease. 2017 , 7, CD004467		25
90	Promising Effects of Beta-Glucans on Metabolism and on the Immune Responses: Review Article. 2017 , 13, 62-72		9
89	Clinical and Physiological Perspectives of EGlucans: The Past, Present, and Future. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	102
88	A Multifunctional Bread Rich in Beta Glucans and Low in Starch Improves Metabolic Control in Type 2 Diabetes: A Controlled Trial. <i>Nutrients</i> , 2017 , 9,	6.7	31
87	Barley: Grain-Quality Characteristics and Management of Quality Requirements. 2017, 195-234		6
86	Introduction. 2018 , 1-50		3
85	Nutritional property of starch in a whole-grain-like structural form. 2018 , 79, 113-117		12
84	EGlucan as a Food Ingredient. 2018, 351-381		8
83	Effects of amlodipine and valsartan on glibenclamide-treated streptozotocin-induced diabetic rats. 2018 , 106, 566-574		3
82	Beta Glucan as Therapeutic Food. 2018 , 239-256		1
81	A critical review on the impacts of Eglucans on gut microbiota and human health. 2018, 61, 101-110		119
80	Pregelatinized starches enriched in slowly digestible and resistant fractions. 2018, 97, 187-192		7
79	Major cereal carbohydrates in relation to intestinal health of monogastric animals: A review. 2019 , 5, 331-339		19

78	Impact of oat processing on glycaemic and insulinaemic responses in healthy humans: a randomised clinical trial. 2019 , 121, 1264-1270		9
77	EGlucan, a dietary fiber in effective prevention of lifestyle diseases (An insight. 2019 , 19, 100187		19
76	Barley Educans and Educan-Enriched Fractions as Functional Ingredients in Flat and Pan Breads. 2019 , 347-363		1
75	Interdisciplinary Approaches to Food Digestion. 2019,		2
74	Influence of Physical and Structural Aspects of Food on Starch Digestion. 2019, 303-336		
73	Low glycemic index ingredients and modified starches in food products. 2019 , 167-195		2
72	Chapter 10 Beta-glucans and beta-glucanase in animal nutrition, do we understand their full effects?. 2019 , 171-191		1
71	Genomic insights from the first chromosome-scale assemblies of oat (Avena spp.) diploid species. 2019 , 17, 92		21
70	Promising effects of Eglucans on glyceamic control in diabetes. 2019 , 83, 159-166		31
69	Protective potential of Avena sativa seed mucilaginous extract against hyperlipidemia indicated by improved biomarkers and histopathology. 2019 , 13, 1-8		2
68	Hydrolysis of beta-glucan in oat flour during subcritical-water extraction. 2020, 308, 125670		16
67	Viscoelastic properties of durum wheat doughs enriched with soluble dietary fibres in relation to pasta-making performance and glycaemic response of spaghetti. <i>Food Hydrocolloids</i> , 2020 , 102, 105613	10.6	18
66	Physicochemical, Sensory, and Cooking Qualities of Pasta Enriched with Oat EGlucans, Xanthan Gum, and Vital Gluten. <i>Foods</i> , 2020 , 9,	4.9	6
65	Dietary Fibres and the Management of Obesity and Metabolic Syndrome: The RESOLVE Study. <i>Nutrients</i> , 2020 , 12,	6.7	11
64	Cereal [Glucan as a Functional Ingredient. 2020 , 109-122		О
63	The effect of beta-glucan supplementation on glycemic control and variability in adolescents with type 1 diabetes mellitus. 2020 , 169, 108464		4
62	Food hydrocolloids: Functional, nutraceutical and novel applications for delivery of bioactive compounds. <i>International Journal of Biological Macromolecules</i> , 2020 , 165, 554-567	7.9	27
61	Understanding the nutrient composition and nutritional functions of highland barley (Qingke): A review. 2020 , 103, 109-117		30

(2011-2020)

60	Current Evidence to Propose Different Food Supplements for Weight Loss: A Comprehensive Review. <i>Nutrients</i> , 2020 , 12,	6.7	17
59	EGlucan Metabolic and Immunomodulatory Properties and Potential for Clinical Application. 2020 , 6,		30
58	Effect of Different Amounts of Hybrid Barley in Diets on the Growth Performance and Selected Biochemical Parameters of Blood Serum Characterizing Health Status in Fattening Pigs. 2020 , 10,		0
57	Effectiveness of probiotics, prebiotics, and prebiotic-like components in common functional foods. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2020 , 19, 1908-1933	16.4	36
56	Effects of xyloglucan with different molar masses on glucose in blood. <i>Food Hydrocolloids</i> , 2020 , 108, 105727	10.6	3
55	Polysaccharides in food industry. 2021 , 47-96		2
54	Synthesis of functional oligosaccharides and their derivatives through cocultivation and cellular NTP regeneration. <i>Advances in Applied Microbiology</i> , 2021 , 115, 35-63	4.9	1
53	Dietary Gums. 2021 , 187-208		Ο
52	The effect of oat Eglucan on postprandial blood glucose and insulin responses: a systematic review and meta-analysis. <i>European Journal of Clinical Nutrition</i> , 2021 , 75, 1540-1554	5.2	12
51	Improving nutritional value of products with flour of the hulless barley cultivar Kornelijalas an ingredient. Zemdirbyste, 2021, 108, 43-50	1.1	1
50	Characterization of oat bran Eglucan with special reference to efficacy study to elucidate its health claims for diabetic patients. <i>Food Science and Technology</i> , 2021 , 41, 105-112	2	2
49	Insights on the Functional Role of Beta-Glucans in Fungal Immunity Using Receptor-Deficient Mouse Models. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
48	The effect of oat bran consumption on gestational diabetes: a randomized controlled clinical trial. <i>BMC Endocrine Disorders</i> , 2021 , 21, 67	3.3	3
47	EGlucans as a panacea for a healthy heart? Their roles in preventing and treating cardiovascular diseases. <i>International Journal of Biological Macromolecules</i> , 2021 , 177, 176-203	7.9	8
46	Oat-Based Foods: Chemical Constituents, Glycemic Index, and the Effect of Processing. <i>Foods</i> , 2021 , 10,	4.9	9
45	Oat Intake and Risk of Type 2 Diabetes, Cardiovascular Disease and All-Cause Mortality: A Systematic Review and Meta-Analysis. <i>Nutrients</i> , 2021 , 13,	6.7	4
44	CHAPTER 12: Oats as a Functional Food for Health. 2011 , 255-273		4
43	CHAPTER 15: Oat Dietary Fiber: Commercial Processes and Functional Attributes. 2011 , 321-332		1

42	Oatmeal particle size alters glycemic index but not as a function of gastric emptying rate. <i>American Journal of Physiology - Renal Physiology</i> , 2017 , 313, G239-G246	5.1	21
41	The use of cereal beta-glucans to control diabetes and cardiovascular disease. 2004 , 402-421		3
40	Mining whole grains for functional components. Food Science and Technology Bulletin, 2007, 4, 67-86		3
39	Fiber Compounds and Human Health. Current Pharmaceutical Design, 2017, 23, 2835-2849	3.3	8
38	The Manufacture of Low Fat Labneh Containing Barley EGlucan 1-Chemical Composition, Microbiological Evaluation and Sensory Properties. <i>Current Research in Dairy Sciences</i> , 2008 , 1, 1-12		7
37	Glycemic responses to glycemia-targeted specialized-nutrition beverages with varying carbohydrates compared to a standard nutritional beverage in adults with type 2 diabetes. <i>Advances in Bioscience and Biotechnology (Print)</i> , 2013 , 04, 1-10	0.9	9
36	Functional Foods: Can Food Technology Help in the Prevention and Treatment of Diabetes?. <i>Food and Nutrition Sciences (Print)</i> , 2013 , 04, 827-837	0.4	2
35	DETERMINATION OF THE GLYCAEMIC INDEX OF SELECTED FOODS (WHITE BREAD AND CEREAL BARS) IN HEALTHY PERSONS. <i>Biomedical Papers of the Medical Faculty of the University Palacky&#x0301;, Olomouc, Czechoslovakia,</i> 2004 , 148, 17-25	1.7	10
34	Empfehlungen zur Ernfärung von Personen mit Typ-2-Diabetes mellitus. <i>Diabetologie Und Stoffwechsel</i> , 2021 , 16, S255-S289	0.7	О
33	CHAPTER 13: Current and Potential Health Claims for Oat Products. 2011 , 275-300		1
32	Oat (Avena sativa L.). 2011 , 142-156		
31	Cloning and Analysis of EGlucan Synthase Gene AsCSLH in Avena sativa L <i>Acta Agronomica Sinica(China)</i> , 2011 , 37, 723-728	1.4	
30	Dietary Fiber in Health and Disease. 2012 , 197-203		
29	Formulating breads for specific dietary requirements. 2012 , 691-719		
28	Effect of Substitution of EGlucans on the Glycemic Response and Thermal Properties of Four Common Starches. <i>International Journal of Agricultural Science and Food Technology</i> , 009-015	0.3	
27	Chapter 5 Functional Properties of Cereal Cell Wall Polysaccharides. 2016 , 193-256		
26	Hypoglycemic Effect Study of a Combination of Some Stipulated Spices in Alloxan Induced Diabetic Wistar Albino Rats along with Nutritional Value Evaluation. <i>Journal of Diabetes Mellitus</i> , 2018 , 08, 43-53	3 ^{0.5}	1
25	Estimation of glycemic index of developed Heartdiabocare functional snack. <i>Food Science Research Journal</i> , 2018 , 9, 42-47	Ο	

24	Variation in EGlucan, Protein and Fat Concentration of Oats Created in Latvia. <i>Proceedings of the Latvian Academy of Sciences</i> , 2018 , 72, 71-74	0.3	1
23	Dietary Fiber and Diabetes. Food Engineering Series, 2020, 201-218	0.5	1
22	Biorefinery for Innovative Production of Bioactive Compounds from Vegetable Biomass. 2020 , 89-128		1
21	Valorization of cereal by-product hemicelluloses: Fractionation and purity considerations <i>Food Research International</i> , 2022 , 151, 110818	7	3
20	Opportunities for Commercialization of High-Protein Barley: Case of New Variety Kornelija (Rural Sustainability Research, 2021, 46, 75-89	0.3	
19	Sprouted Hulless Barley Grains and their Application Possibilities for the Functional Sweet Snacks Development. <i>Proceedings of the Latvian Academy of Sciences</i> , 2022 , 76, 116-123	0.3	
18	Dietary recommendations for persons with type 2 diabetes mellitus <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2022 ,	2.3	
17	Effects of Spaghetti Differing in Soluble Fiber and Protein Content on Glycemic Responses in Humans: A Randomized Clinical Trial in Healthy Subjects <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	Ο
16	Application of Hull-Less Barley Variety Kornelijal Grains for Yogurt Development. <i>Proceedings of the Latvian Academy of Sciences</i> , 2021 , 75, 432-437	0.3	
15	In-Vitro Study on Fermentation Characteristics of Different Hulless Barley Cultivar Flakes. <i>Proceedings of the Latvian Academy of Sciences</i> , 2021 , 75, 438-443	0.3	
14	Empfehlungen zur Ernürung von Personen mit Diabetes mellitus Typ´2.		
13	Effect and mechanism of glycerol monostearate dimer (GMS-D) and baking-treatment on the structure, in vitro digestion of gelatinized potato starch-GMS-D. <i>Journal of Food Science</i> ,	3.4	
12	The Functionality of EGlucans and Fibers in Cereals. 2022 , 139-160		О
11	Low Glycaemic Index Cereal Grain Functional Foods. 2022 , 335-377		Ο
10	Effect of sorghum and barley-containing bread on plasma total polyphenols, antioxidant status and inflammation in healthy subjects.		0
9	Short-Term Effects of Traditional Greek Meals: Lentils with Lupins, Trahana with Tomato Sauce and Halva with Currants and Dried Figs on Postprandial Glycemic Responses Randomized Clinical Trial in Healthy Humans. 2022 , 19, 11502		Ο
8	Empfehlungen zur Ernflrung von Personen mit Typ-2-Diabetes mellitus. 2022 , 17, S256-S290		0
7	Effects of different processing methods on the nutrition content of dietary fiber powder made from purple wheat bran.		Ο

6	Cow Milk in Human Nutrition and the Emergence of Plant-Based Milk Alternatives. 2023, 12, 99	1
5	The comparison of polymorphism among Avena species revealed by retrotransposon-based DNA markers and soluble carbohydrates in seeds.	O
4	Diversity of fibers in common foods: Key to advancing dietary research. 2023 , 139, 108495	O
3	Changes in physio-biochemical parameters and expression of metallothioneins in Avena sativa L. in response to drought. 2023 , 13,	O
2	Beneficial glycaemic effects of barley bread compared to wheat bread in type 2 diabetes.	O
1	Ethnobotany and Phytopharmacology of Avena sativa: A Qualitative Review. 2022 , 2, 56-74	О