

CITATION REPORT

List of articles citing

Fatty acid and sn-2 fatty acid composition in human milk from Granada (Spain) and in infant formulas

DOI: 10.1038/sj.ejcn.1601470

European Journal of Clinical Nutrition, 2002, 56, 1242-54.

Source: <https://exaly.com/paper-pdf/34723654/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
146	Recent References. 2003 , 19, 219-224		
145	The source of long-chain PUFA in formula supplements does not affect the fatty acid composition of plasma lipids in full-term infants. <i>Journal of Nutrition</i> , 2004 , 134, 868-73	4.1	41
144	Lipid composition in human breast milk from Granada (Spain): changes during lactation. 2005 , 21, 467-73		98
143	Influence of dietary source of docosahexaenoic and arachidonic acids on their incorporation into membrane phospholipids of red blood cells in term infants. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2006 , 74, 143-8	2.8	12
142	Temporal changes in dietary fats: role of n-6 polyunsaturated fatty acids in excessive adipose tissue development and relationship to obesity. 2006 , 45, 203-36		344
141	Modification of fatty acid and sterol composition of caprine milk for use as infant formula. <i>International Dairy Journal</i> , 2007 , 17, 1434-1440	3.5	7
140	The clinical effect of a new infant formula in term infants with constipation: a double-blind, randomized cross-over trial. 2007 , 6, 8		69
139	Conjugated linoleic acid determination in human milk by fast-gas chromatography. 2007 , 602, 122-30		35
138	A critique of paradoxes in current advice on dietary lipids. 2008 , 47, 77-106		94
137	Volatile compounds and fatty acid profiles in commercial milk-based infant formulae by static headspace gas chromatography: Evolution after opening the packet. <i>Food Chemistry</i> , 2008 , 107, 558-569 ^{8.5}	8.5	22
136	Fatty acid profile of human milk of Portuguese lactating women: prospective study from the 1st to the 16th week of lactation. 2008 , 53, 50-6		22
135	Dietary arachidonic acid dose-dependently increases the arachidonic acid concentration in human milk. <i>Journal of Nutrition</i> , 2008 , 138, 2190-7	4.1	30
134	Stability during storage of LC-PUFA-supplemented infant formula containing single cell oil or egg yolk. <i>Food Chemistry</i> , 2009 , 113, 484-492	8.5	16
133	Alpha-linolenic acid and its conversion to longer chain n-3 fatty acids: benefits for human health and a role in maintaining tissue n-3 fatty acid levels. 2009 , 48, 355-74		373
132	Optimized synthesis of 1,3-dioleoyl-2-palmitoylglycerol-rich triacylglycerol via interesterification catalyzed by a lipase from <i>Thermomyces lanuginosus</i> . 2010 , 27, 38-45		67
131	Mineral and nutritional analysis of Polish infant formulas. 2010 , 23, 424-431		23
130	Establishment of an evaluation model for human milk fat substitutes. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 642-9	5.7	49

129	Composition and distribution of fatty acids in triglycerides from goat infant formulas with milk fat. 2010 , 93, 2857-62		27
128	Modifications of stearidonic acid soybean oil by enzymatic acidolysis for the production of human milk fat analogues. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 13300-10	5.7	32
127	Differences in fat content and fatty acid proportions among colostrum, transitional, and mature milk from women delivering very preterm, preterm, and term infants. 2011 , 30, 116-23		70
126	Preparation and characterization of 1,3-dioleoyl-2-palmitoylglycerol. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 5714-9	5.7	45
125	Fatty acid composition in preterm and term breast milk. <i>International Journal of Food Sciences and Nutrition</i> , 2012 , 63, 318-25	3.7	20
124	Oxidative stability and triacylglycerols structure of lipid fraction from cookies for infants. <i>International Journal of Food Sciences and Nutrition</i> , 2012 , 63, 296-302	3.7	6
123	[Profile of triacylglycerols and percentage of palmitic acid at the sn-2 in breast milk substitutes]. 2012 , 110, 227-30		8
122	Nuevas fuentes dietarias de ácido alfa-linolénico: una visión crítica. 2012 , 39, 79-87		1
121	Trends in fatty acids positional distribution in human colostrum, transitional, and mature milk. <i>European Food Research and Technology</i> , 2012 , 235, 325-332	3.4	31
120	Comparison of the fatty acid composition of transitional and mature milk of mothers who delivered healthy full-term babies, preterm babies and full-term small for gestational age infants. <i>European Journal of Clinical Nutrition</i> , 2013 , 67, 966-71	5.2	16
119	Synthesis of Infant Formula Fat Analogs Enriched with DHA from Extra Virgin Olive Oil and Tripalmitin. <i>JAOCS, Journal of the American Oil Chemists Society</i> , 2013 , 90, 1311-1318	1.8	29
118	Production and Characterization of DHA and GLA-Enriched Structured Lipid from Palm Olein for Infant Formula Use. <i>JAOCS, Journal of the American Oil Chemists Society</i> , 2013 , 90, 1141-1149	1.8	15
117	Enzymatic synthesis of extra virgin olive oil based infant formula fat analogues containing ARA and DHA: one-stage and two-stage syntheses. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 10590-8	5.7	23
116	Synthesis of structured lipid enriched with omega fatty acids and sn-2 palmitic acid by enzymatic esterification and its incorporation in powdered infant formula. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 4455-63	5.7	30
115	Model for human milk fat substitute evaluation based on triacylglycerol composition profile. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 167-75	5.7	62
114	Application of the calorimetric and spectroscopic methods in analytical evaluation of the human milk fat substitutes. 2014 , 118, 841-848		22
113	1,3-Dioleoyl-2-palmitoylglycerol-rich human milk fat substitutes: Production, purification, characterization and modeling of the formulation. 2014 , 116, 282-290		18
112	Effect of chemotherapy on the microbiota and metabolome of human milk, a case report. 2014 , 2, 24		67

111	Enrichment of Refined Olive Oil with Palmitic and Docosahexaenoic Acids to Produce a Human Milk Fat Analogue. <i>JAOCS, Journal of the American Oil Chemists Society</i> , 2014 , 91, 1377-1385	1.8	22
110	Influence of C16:0 and long-chain saturated fatty acids on normal variation of bovine milk fat triacylglycerol structure. 2014 , 97, 4542-51		36
109	Tandem mass spectrometric analysis of human milk triacylglycerols from normal weight and overweight mothers on different diets. <i>Food Chemistry</i> , 2014 , 146, 583-90	8.5	36
108	Emulsifying triglycerides with dairy phospholipids instead of soy lecithin modulates gut lipase activity. 2015 , 117, 1522-1539		28
107	Beta-palmitate - a natural component of human milk in supplemental milk formulas. 2016 , 15, 28		34
106	Enzymatic Synthesis of Refined Olive Oil-Based Structured Lipid Containing Omega -3 and -6 Fatty Acids for Potential Application in Infant Formula. 2015 , 80, H2578-84		7
105	Changes of the lipid fraction during fruit development in hazelnuts (<i>Corylus avellana</i> L.) grown in Poland. 2015 , 117, 710-717		10
104	Longitudinal Study of Cytokine Expression, Lipid Profile and Neuronal Growth Factors in Human Breast Milk from Term and Preterm Deliveries. <i>Nutrients</i> , 2015 , 7, 8577-91	6.7	37
103	Enzymatic preparation of human milk fat substitutes and their oxidation stability. 2015 , 64, 275-81		11
102	Enzymatic Synthesis of Infant Formula Fat Analog Enriched with Capric Acid. <i>JAOCS, Journal of the American Oil Chemists Society</i> , 2015 , 92, 1003-1014	1.8	25
101	Optimization and validation of HPLC-MS method to identify and quantify triacylglycerol molecular species in human milk. 2015 , 7, 4362-4370		14
100	Infant formula. 2015 , 285-315		9
99	Infant formula interface and fat source impact on neonatal digestion and gut microbiota. 2015 , 117, 1500-1512		43
98	The Dietary Composition of Women Who Delivered Healthy Full-Term Infants, Preterm Infants, and Full-Term Infants Who Were Small for Gestational Age. 2015 , 17, 495-502		6
97	The Role of Avocados in Maternal Diets during the Periconceptional Period, Pregnancy, and Lactation. <i>Nutrients</i> , 2016 , 8,	6.7	13
96	Red blood cell membrane fatty acid composition in infants fed formulas with different lipid profiles. 2016 , 100, 11-5		5
95	Influence of duration of gestation on fatty acid profiles of human milk. 2016 , 118, 1775-1787		10
94	Erucic acid in feed and food. 2016 , 14, e04593		27

93	Holder pasteurization impacts the proteolysis, lipolysis and disintegration of human milk under in vitro dynamic term newborn digestion. 2016 , 88, 263-275		45
92	Enzymatic Synthesis of High sn-2 DHA and ARA Modified Oils for the Formulation of Infant Formula Fat Analogues. <i>JAACS, Journal of the American Oil ChemistspSociety</i> , 2016 , 93, 383-395	1.8	17
91	Preparation of Infant Formula Fat Analog Containing Capric Acid and Enriched with DHA and ARA at the sn-2 Position. <i>JAACS, Journal of the American Oil ChemistspSociety</i> , 2016 , 93, 531-542	1.8	22
90	Linoleic Acid and Alpha-Linolenic Acid Have Central Roles in Brain Energy Substrate Provision, Endogenous Lipid Production, Immune and Repair Function, via Peroxisomal Beta-Oxidation-Related Pathways?. 2016 , 413-428		3
89	The role of Omega-3 docosapentaenoic acid in pregnancy and early development. 2016 , 118, 1692-1701		10
88	Evaluation of fatty acid composition in commercial infant formulas on the Chinese market: A comparative study based on fat source and stage. <i>International Dairy Journal</i> , 2016 , 63, 42-51	3.5	38
87	Effect of enzymatic interesterification on physiochemical and thermal properties of fat used in cookies. 2016 , 74, 99-105		16
86	Infant Formula Fat Analogs and Human Milk Fat: New Focus on Infant Developmental Needs. 2016 , 7, 139-65		62
85	Enzymatic Modification of Anhydrous Milkfat with n-3 and n-6 Fatty Acids for Potential Use in Infant Formula: Comparison of Methods. <i>JAACS, Journal of the American Oil ChemistspSociety</i> , 2016 , 93, 251-265	1.8	11
84	Palm oil and human health. Meeting report of NFI: Nutrition Foundation of Italy symposium. <i>International Journal of Food Sciences and Nutrition</i> , 2017 , 68, 643-655	3.7	22
83	Importance of the regiospecific distribution of long-chain saturated fatty acids on gut comfort, fat and calcium absorption in infants. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2017 , 121, 40-51 ^{2.8}		24
82	Polar lipid of donkey milk fat: Phospholipid, ceramide and cholesterol composition. 2017 , 57, 16-23		20
81	Branched chain fatty acids positional distribution in human milk fat and common human food fats and uptake in human intestinal cells. 2017 , 29, 172-177		10
80	Towards infant formula biomimetic of human milk structure and digestive behaviour. 2017 , 24, D206		15
79	Use of GC and PDSC methods to characterize human milk fat substitutes obtained from lard and milk thistle oil mixtures. 2017 , 130, 319-327		17
78	Lipid profile of different infant formulas for infants. <i>PLoS ONE</i> , 2017 , 12, e0177812	3.7	26
77	The impact of lactation and gestational age on the composition of branched-chain fatty acids in human breast milk. 2018 , 9, 1747-1754		8
76	Enzymatic production of trans-free shortening from coix seed oil, fully hydrogenated palm oil and Cinnamomum camphora seed oil. <i>Food Bioscience</i> , 2018 , 22, 1-8	4.9	22

75	Fatty Acid Profile and the sn-2 Position Distribution in Triacylglycerols of Breast Milk during Different Lactation Stages. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 3118-3126	5.7	40
74	Evaluation of sn-2 fatty acid composition in commercial infant formulas on the Chinese market: A comparative study based on fat source and stage. <i>Food Chemistry</i> , 2018 , 242, 29-36	8.5	42
73	Association between sn-2 fatty acid profiles of breast milk and development of the infant intestinal microbiome. 2018 , 9, 1028-1037		28
72	Compositional Dynamics of the Milk Fat Globule and Its Role in Infant Development. 2018 , 6, 313		89
71	Macronutrient and micronutrient composition of breast milk from women of different ages and dietary habits in Shanghai area. <i>International Dairy Journal</i> , 2018 , 85, 27-34	3.5	3
70	Designer and Functional Food Lipids in Dietary Regimes: Current Trends and Future Prospects. 2018 , 283-316		
69	Pediatric Age Palm Oil Consumption. 2018 , 15,		8
68	Fatty acid positional distribution in colostrum and mature milk of women living in Inner Mongolia, North Jiangsu and Guangxi of China. 2018 , 9, 4234-4245		12
67	Vers des formules infantiles biomimétiques de la structure du lait maternel et de son comportement digestif ?. 2018 , 53, 218-231		3
66	Milk lipidomics: What we know and what we don't. 2018 , 71, 70-85		60
65	Fatty acid composition of breast milk in Galicia (NW Spain): A cross-country comparison. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2018 , 135, 102-114	2.8	20
64	Triacylglycerol containing medium-chain fatty acids (MCFA-TAG): The gap between human milk and infant formulas. <i>International Dairy Journal</i> , 2019 , 99, 104545	3.5	10
63	Quantification of Nervonic Acid in Human Milk in the First 30 Days of Lactation: Influence of Lactation Stages and Comparison with Infant Formulae. <i>Nutrients</i> , 2019 , 11,	6.7	8
62	1,3-Dioleoyl-2-palmitoylglycerol-rich triacylglycerol characterization by three processing methods. 2019 , 22, 1156-1171		4
61	Optimizing a detection method for estimating polyunsaturated fatty acid in human milk based on colorimetric sensors. 2019 , 2, 624-628		3
60	A Study on the Relationship of Fat Content in Human Milk on Carotenoids Content and Fatty Acid Compositions in Korea. <i>Nutrients</i> , 2019 , 11,	6.7	10
59	Quantification of 1,3-olein-2-palmitin (OPO) and Palmitic Acid in -2 Position of Triacylglycerols in Human Milk by Liquid Chromatography Coupled with Mass Spectrometry. <i>Molecules</i> , 2018 , 24,	4.8	11
58	Comparison of bovine milk fat and vegetable fat for infant formula: Implications for infant health. <i>International Dairy Journal</i> , 2019 , 92, 37-49	3.5	43

57	The Synthesis Followed by Spectral and Calorimetric Evaluation of Stability of Human Milk Fat Substitutes Obtained from Thistle Milk and Lard. 2019 , 2019, 5417962		6
56	Formulation and Characterization of Human Milk Fat Substitutes Made from Blends of Refined Palm Olein, and Soybean, Olive, Fish, and Virgin Coconut Oils. <i>JAOCS, Journal of the American Oil Chemists Society</i> , 2019 , 96, 555-569	1.8	4
55	Free fatty acid release from vegetable and bovine milk fat-based infant formulas and human milk during two-phase in vitro digestion. 2019 , 10, 2102-2113		12
54	Human milk fat substitutes: Past achievements and current trends. 2019 , 74, 69-86		55
53	A Comparison of Changes in the Fatty Acid Profile of Human Milk of Spanish Lactating Women during the First Month of Lactation Using Gas Chromatography-Mass Spectrometry. A Comparison with Infant Formulas. <i>Nutrients</i> , 2019 , 11,	6.7	10
52	Palm Oil and Beta-palmitate in Infant Formula: A Position Paper by the European Society for Paediatric Gastroenterology, Hepatology, and Nutrition (ESPGHAN) Committee on Nutrition. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2019 , 68, 742-760	2.8	18
51	Microbial Communities in Human Milk Relate to Measures of Maternal Weight. 2019 , 10, 2886		17
50	From Natural Triacylglycerols to Novel Structured Lipids Containing n-3 Long-Chain Polyunsaturated Fatty Acids. 2019 , 225-235		1
49	Early-life intake of major trace elements, bisphenol A, tetrabromobisphenol A and fatty acids: Comparing human milk and commercial infant formulas. 2019 , 169, 246-255		21
48	Fatty acid positional distribution (sn-2 fatty acids) and phospholipid composition in Chinese breast milk from colostrum to mature stage. 2019 , 121, 65-73		12
47	The dispersive micro-solid phase extraction method for MS-based lipidomics of human breast milk. 2020 , 152, 104269		10
46	Effect of lactation stages and dietary intake on the fatty acid composition of human milk (A study in northeast China). <i>International Dairy Journal</i> , 2020 , 101, 104580	3.5	8
45	Human milk fatty acid profile across lactational stages after term and preterm delivery: A pooled data analysis. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2020 , 156, 102023	2.8	21
44	Production of Structured Triacylglycerol via Enzymatic Interesterification of Medium-Chain Triacylglycerol and Soybean Oil Using a Pilot-Scale Solvent-Free Packed Bed Reactor. <i>JAOCS, Journal of the American Oil Chemists Society</i> , 2020 , 97, 271-280	1.8	8
43	Application of the similarity index to evaluate fat composition and structure in infant formulas. <i>International Dairy Journal</i> , 2020 , 111, 104834	3.5	1
42	Facile and Green Production of Human Milk Fat Substitute through Fermentation. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 9368-9376	5.7	2
41	Lipase-mediated production of 1-oleoyl-2-palmitoyl-3-linoleoylglycerol by a two-step method. <i>Food Bioscience</i> , 2020 , 36, 100678	4.9	3
40	Translation of EU Food Law and Nutrient Reference Values Into Practice: the German Dietary Scheme for the First Year of Life. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2020 , 71, 550-556	2.8	5

39	Lipid Compositions in Infant Formulas Affect the Solubilization of Antimalarial Drugs Artefenomel (OZ439) and Ferroquine during Digestion. <i>Molecular Pharmaceutics</i> , 2020 , 17, 2749-2759	5.6	7
38	Human milk pasteurisation reduces pre-lipolysis but not digestive lipolysis and moderately decreases intestinal lipid uptake in a combination of preterm infant in vitro models. <i>Food Chemistry</i> , 2020 , 329, 126927	8.5	3
37	Breast Milk Lipids and Fatty Acids in Regulating Neonatal Intestinal Development and Protecting against Intestinal Injury. <i>Nutrients</i> , 2020 , 12,	6.7	26
36	High Sn-2 Docosahexaenoic Acid Lipids for Brain Benefits, and Their Enzymatic Syntheses: A Review. <i>Engineering</i> , 2020 , 6, 424-431	9.7	10
35	Is fatty acid composition of breast milk different in various populations? A systematic review and meta-analysis. <i>International Journal of Food Sciences and Nutrition</i> , 2020 , 71, 909-920	3.7	8
34	Lipids in Infant Formula. 2020 , 1-55		
33	Effects of Chemical Composition and Microstructure in Human Milk and Infant Formulas on Lipid Digestion. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 5462-5470	5.7	6
32	Changes in the fatty acid content of Egyptian human milk across the lactation stages and in comparison with Chinese human milk. <i>European Food Research and Technology</i> , 2021 , 247, 1035-1048	3.4	3
31	Comparison of Thermal Characteristics and Fatty Acids Composition in Raw and Roasted Cocoa Beans from Peru (Criollo) and Ecuador (Forastero). <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 2698	2.6	4
30	An Integrative Approach of an In Vitro Measurement of the Digestibility of Triacylglycerols of Human Milk. <i>Molecules</i> , 2021 , 26,	4.8	1
29	Simulated In Vitro Infant Gastrointestinal Digestion of Infant Formulas Containing Different Fat Sources and Human Milk: Differences in Lipid Profiling and Free Fatty Acid Release. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 6799-6809	5.7	1
28	Human Milk Fat Substitutes from Lard and Hemp Seed Oil Mixtures. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 7014	2.6	0
27	Comparative Analysis of Lipid Digestion Characteristics in Human, Bovine, and Caprine Milk Based on Simulated Infant Gastrointestinal Digestion. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 10104-10113	5.7	13
26	In vitro dynamic digestion of model infant formulae containing lactoferrin and medium chain triacylglycerols. <i>Food Hydrocolloids</i> , 2021 , 118, 106787	10.6	1
25	A Scoping Review of Clinical Studies in Infants Fed Formulas Containing Palm Oil or Palm Olein and Sn-2 Palmitate. <i>Journal of Nutrition</i> , 2021 , 151, 2997-3035	4.1	1
24	High beta-palmitate fat controls the intestinal inflammatory response and limits intestinal damage in mucin Muc2 deficient mice. <i>PLoS ONE</i> , 2013 , 8, e65878	3.7	19
23	Comparison of Seed Oil Characteristics from Korean Ginseng, Chinese Ginseng (<i>Panax ginseng</i> C.A. Meyer) and American Ginseng (<i>Panax quinquefolium</i> L.). <i>Preventive Nutrition and Food Science</i> , 2010 , 15, 275-281	2.4	7
22	Determination of Positional Fatty Acid and Triacylglycerol Compositions of Selected Infant Formulas. <i>Journal of the Korean Society of Food Science and Nutrition</i> , 2011 , 40, 1256-1264	1.5	1

21	Macronutrient content and fatty acid composition and their positional distribution in human breast milk from Zhejiang Province, China in different lactation periods.. <i>Food Science and Nutrition</i> , 2021 , 9, 6746-6761	3.2	0
20	12. An overview of the composition of bottle feeds. <i>Human Health Handbooks</i> , 2014 , 189-208		
19	Determination of the Fatty Acid Profile of Breast Milk from Nursing Mothers in Bungoma County, Kenya. <i>Food and Nutrition Sciences (Print)</i> , 2016 , 07, 661-670	0.4	0
18	Study of the Properties of Human Milk Fat Substitutes Using DSC and GC Methods. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 319	2.6	1
17	Production of human milk fat substitute by engineered strains of .. <i>Metabolic Engineering Communications</i> , 2022 , 14, e00192	6.5	1
16	Preparation of Human Milk Fat Substitutes: A Review.. <i>Life</i> , 2022 , 12,	3	0
15	Opportunities for milk and milk-related systems as Slow-cost excipient drug delivery materials.. <i>Advanced Drug Delivery Reviews</i> , 2022 , 114139	18.5	1
14	Effect of Crushing Peanuts on Fatty Acid and Phenolic Bioaccessibility: A Long-Term Study.. <i>Antioxidants</i> , 2022 , 11,	7.1	3
13	Impact of pasteurization on the self-assembly of human milk lipids during digestion.. <i>Journal of Lipid Research</i> , 2022 , 100183	6.3	0
12	The Role of Dietary Fats in the Development and Prevention of Necrotizing Enterocolitis.. <i>Nutrients</i> , 2021 , 14,	6.7	1
11	Image_1.PDF. 2019 ,		
10	Fatty Acid Composition of Milk from Mothers with Normal Weight, Obesity, or Gestational Diabetes. 2022 , 12, 1093		1
9	A concept formula with large, milk phospholipid-coated lipid droplets enriched with milk fat decreases palmitic acid and calcium levels in stools of healthy, term infants. 2200018		
8	Profiles of total and sn-2 fatty acid of human mature milk and their correlated factors: A cross-sectional study in China. 9,		0
7	Human Milk Lipid Profiles Around the World: a Systematic Review and Meta-Analysis.		2
6	Effects of Proteins and Mineral Ions on the Physicochemical Properties of 1,3-Dioleoyl-2-Palmitoylglycerol Emulsion to Mimic a Liquid Infant Formula. 9,		0
5	Improvements in extraction yield by solid phase lipid extraction from liquid infant formula and human milk, and the fatty acid distribution in milk TAG analyzed by joint JOCS/AOCS official method Ch 3a-19. 9,		0
4	Analysis of human milk fatty acid composition and its correlation with diet pattern (A study in Tibetan population gathering area). 2022 , 105046		0

- 3 Fats in Human Milk: 2022 Updates on Chemical Composition. **2022**, 1, 384-396 ○
- 2 Association between Adherence to the Healthy Food Pyramid and Breast Milk Fatty Acids in the First Month of Lactation. **2022**, 14, 5280 ○
- 1 Similarity index and soap forming capacity in milk fat- and OPO-containing infant formulas. **2023**, 141, 105619 ○