

CITATION REPORT

List of articles citing

Functional profiling of the *Saccharomyces cerevisiae* genome

DOI: 10.1038/nature00935
Nature, 2002, 418, 387-91.

Source: <https://exaly.com/paper-pdf/34728423/citation-report.pdf>

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2314	Clinical pathologic conference; pinealoma. 1953 , 3, 226-30		
2313	A copper connection to the uptake of platinum anticancer drugs. 2002 , 99, 13963-5		15
2312	Predicting the effects of gene deletion. 2002 , 4, 101-103		1
2311	Orthologs of a novel archaeal and of the bacterial peptidyl-tRNA hydrolase are nonessential in yeast. 2002 , 99, 16707-12		55
2310	Promoter-trapping in <i>Saccharomyces cerevisiae</i> by radiation-assisted fragment insertion. 2002 , 30, e136		12
2309	Characteristic genome rearrangements in experimental evolution of <i>Saccharomyces cerevisiae</i> . 2002 , 99, 16144-9		449
2308	A genomic approach to studying cell-size homeostasis in yeast. 2002 , 3, REVIEWS1028		6
2307	Parallel phenotypic analysis of sporulation and postgermination growth in <i>Saccharomyces cerevisiae</i> . 2002 , 99, 15530-5		134
2306	Identifying essential genes in fungal pathogens of humans. 2002 , 10, 456-62		18
2305	Novel strategies in antifungal lead discovery. 2002 , 5, 466-71		18
2304	Proteomic approaches for the global analysis of proteins. 2002 , 33, 1308-16		35
2303	FunSpec: a web-based cluster interpreter for yeast. 2002 , 3, 35		315
2302	Using mouse forward genetics to define novel target space. 2002 , 1, 130-138		1
2301	Cancer therapeutics in yeast. 2002 , 2, 267-73		35
2300	Functional Profiling of a Yeast Genome. 2002 , 106, 867		
2299	Gene expression profiling using advanced mass spectrometric approaches. 2002 , 37, 1185-98		33
2298	Upstream - news in genomics. 2002 , 3, 398-404		

2297	A framework for integrating the songbird brain. 2002 , 188, 961-80	24
2296	Prospects for functional genomics in <i>Schizosaccharomyces pombe</i> . 2002 , 42, 73-84	19
2295	Gene function on a genomic scale. 2002 , 782, 151-63	4
2294	Current awareness on yeast. 2002 , 19, 1373-80	
2293	Treasures and traps in genome-wide data sets: case examples from yeast. 2002 , 3, 653-61	63
2292	Fully functional. 2002 , 3, 645-645	
2291	Sequence variation and the biological function of genes: methodological and biological considerations. 2002 , 782, 3-25	12
2290	Making yeast tremble: yeast models as tools to study neurodegenerative disorders. 2003 , 4, 133-46	32
2289	The German cDNA network: cDNAs, functional genomics and proteomics. 2003 , 4, 87-96	12
2288	Use1p is a yeast SNARE protein required for retrograde traffic to the ER. 2003 , 22, 3664-74	73
2287	A novel eukaryotic factor for cytosolic Fe-S cluster assembly. 2003 , 22, 4826-35	138
2286	Chemical genomic profiling of biological networks using graph theory and combinations of small molecule perturbations. 2003 , 125, 10543-5	52
2285	PCR-based methods facilitate targeted gene manipulations and cloning procedures. 2003 , 44, 115-23	58
2284	Integrated analysis of yeast regulatory sequences for biologically linked clusters of genes. 2003 , 3, 125-34	25
2283	Impact of genome-wide functional analyses on cell biology research. 2003 , 15, 6-13	21
2282	Global approaches to protein-protein interactions. 2003 , 15, 199-205	86
2281	Microbial genomics: all that you can't leave behind. 2003 , 13, R571-3	3
2280	An array of insights: application of DNA chip technology in the study of cell biology. 2003 , 13, 151-6	49

2279	Functional genomics and proteomics: charting a multidimensional map of the yeast cell. 2003 , 13, 344-56	102
2278	Early phosphorylation events in biotic stress. 2003 , 6, 334-8	51
2277	Overexpression analysis of plant transcription factors. 2003 , 6, 430-40	156
2276	Target validation through high throughput proteomics analysis. 2003 , 2, 217-223	
2275	Small scale functional genomics of the blackleg fungus, <i>Leptosphaeria maculans</i> : analysis of a 38 kb region. 2003 , 32, 511	14
2274	Integrating 'omic' information: a bridge between genomics and systems biology. 2003 , 19, 551-60	363
2273	Mitochondrial genomes: anything goes. 2003 , 19, 709-16	434
2272	The <i>Drosophila</i> kinesin-I associated protein YETI binds both kinesin subunits. 2003 , 95, 595-602	8
2271	Evolution of duplicate genes versus genetic robustness against null mutations. 2003 , 19, 354-6	84
2270	Chromatin remodeling as a guide to transcriptional regulatory networks in mammals. 2003 , 88, 684-94	27
2269	Growing Yeast for Fun and Profit: Use of <i>Saccharomyces Cerevisiae</i> as a Model System in Drug Discovery. 9-39	0
2268	Current Awareness on Comparative and Functional Genomics. 2003 , 4, 161-168	3
2267	Screening of two complementary collections of <i>Saccharomyces cerevisiae</i> to identify enzymes involved in stereo-selective reductions of specific carbonyl compounds: an alternative to protein purification. 2003 , 33, 163-172	32
2266	An optimized protocol for metabolome analysis in yeast using direct infusion electrospray mass spectrometry. 2003 , 62, 929-37	192
2265	The budding index of <i>Saccharomyces cerevisiae</i> deletion strains identifies genes important for cell cycle progression. 2003 , 223, 253-8	23
2264	Yeast functional analysis: identification of two essential genes involved in ER to Golgi trafficking. 2003 , 4, 607-17	29
2263	Large-scale essential gene identification in <i>Candida albicans</i> and applications to antifungal drug discovery. 2003 , 50, 167-81	371
2262	Coordinate repression of regulators of embryonic identity by PICKLE during germination in <i>Arabidopsis</i> . 2003 , 35, 33-43	152

2261	Environmental stresses can alleviate the average deleterious effect of mutations. 2003 , 2, 14		95
2260	Functional genomics of cell morphology using RNA interference: pick your style, broad or deep. 2003 , 2, 25		10
2259	Novel cytochromes P450 applications arising from the directed-evolution of recombinant micro-organisms. 2003 , 37, 264-7		8
2258	Automated screening in environmental arrays allows analysis of quantitative phenotypic profiles in <i>Saccharomyces cerevisiae</i> . 2003 , 20, 53-67		197
2257	Parallel analysis of tagged deletion mutants efficiently identifies genes involved in endoplasmic reticulum biogenesis. 2003 , 20, 881-92		24
2256	Genotype to phenotype: a technological challenge. 2003 , 142, 33-39		17
2255	Role of duplicate genes in genetic robustness against null mutations. <i>Nature</i> , 2003 , 421, 63-6	50.4	670
2254	From genomics to proteomics. <i>Nature</i> , 2003 , 422, 193-7	50.4	734
2253	Functional proteomic identification of DNA replication proteins by induced proteolysis in vivo. <i>Nature</i> , 2003 , 423, 720-4	50.4	221
2252	Evolutionary capacitance as a general feature of complex gene networks. <i>Nature</i> , 2003 , 424, 549-52	50.4	387
2251	Organization of cell assemblies in the hippocampus. <i>Nature</i> , 2003 , 424, 552-6	50.4	630
2250	Global analysis of protein localization in budding yeast. <i>Nature</i> , 2003 , 425, 686-91	50.4	3330
2249	Plant genetics: a decade of integration. 2003 , 33 Suppl, 294-304		31
2248	Tailoring the genome: the power of genetic approaches. 2003 , 33 Suppl, 276-84		62
2247	Trans-acting regulatory variation in <i>Saccharomyces cerevisiae</i> and the role of transcription factors. 2003 , 35, 57-64		505
2246	DNA helicase gene interaction network defined using synthetic lethality analyzed by microarray. 2003 , 35, 277-86		173
2245	New tools for functional mammalian cancer genetics. 2003 , 3, 781-9		247
2244	New technologies to assess genotype-phenotype relationships. 2003 , 4, 309-14		177

2243	Comparative genomics, minimal gene-sets and the last universal common ancestor. 2003 , 1, 127-36	468
2242	A sense of closeness: protein detection by proximity ligation. 2003 , 14, 82-6	57
2241	Fungal genomics beyond <i>Saccharomyces cerevisiae</i> ?. 2003 , 14, 226-31	27
2240	Enabling inverse metabolic engineering through genomics. 2003 , 14, 484-90	24
2239	Using the yeast genome-wide gene-deletion collection for systematic genetic screens. 2004 , 241, 143-61	2
2238	Multidrug efflux pumps and resistance: regulation and evolution. 2003 , 6, 446-51	167
2237	Dosage sensitivity and the evolution of gene families in yeast. <i>Nature</i> , 2003 , 424, 194-7	50.4 647
2236	Mapping eIF5A binding sites for Dys1 and Lia1: in vivo evidence for regulation of eIF5A hypusination. 2003 , 555, 464-8	34
2235	A panoramic view of yeast noncoding RNA processing. 2003 , 113, 919-33	212
2234	Cell cycle regulated transport controlled by alterations in the nuclear pore complex. 2003 , 115, 813-23	130
2233	Ribosome assembly in eukaryotes. 2003 , 313, 17-42	487
2232	Human wild-type SEDL protein functionally complements yeast Trs20p but some naturally occurring SEDL mutants do not. 2003 , 320, 137-44	30
2231	A chemical genomics approach to understanding drug action. 2003 , 24, 444-6	32
2230	Genome-wide insertional mutagenesis of <i>Arabidopsis thaliana</i> . 2003 , 301, 653-7	4165
2229	Problems with enzymic bioprocessing of foodstuffs. 2003 , 14, 109-110	4
2228	Functional redundancy of Spb1p and a snR52-dependent mechanism for the 2'-O-ribose methylation of a conserved rRNA position in yeast. 2003 , 12, 1309-15	40
2227	Assigning function to yeast proteins by integration of technologies. 2003 , 12, 1353-65	236
2226	The top genes: on the distance from transcript to function in yeast glycolysis. 2003 , 6, 198-201	31

2225	In yeast sterol biosynthesis the 3-keto reductase protein (Erg27p) is required for oxidosqualene cyclase (Erg7p) activity. 2003 , 1633, 68-74	31
2224	In search of the minimal Escherichia coli genome. 2003 , 11, 6-8	24
2223	The proteome of Saccharomyces cerevisiae mitochondria. 2003 , 100, 13207-12	753
2222	Tackling an essential problem in functional proteomics of Saccharomyces cerevisiae. 2003 , 4, 230	5
2221	Probing the yeast proteome for RNA-processing factors. 2003 , 4, 229	2
2220	Reinvestigation of the Saccharomyces cerevisiae genome annotation by comparison to the genome of a related fungus: Ashbya gossypii. 2003 , 4, R45	91
2219	Use of a genome-wide approach to identify new genes that control resistance of Saccharomyces cerevisiae to ionizing radiation. 2003 , 160, 14-24	57
2218	Cell Cycle Checkpoint Control Protocols. 2003 ,	
2217	YHR150w and YDR479c encode peroxisomal integral membrane proteins involved in the regulation of peroxisome number, size, and distribution in Saccharomyces cerevisiae. 2003 , 161, 321-32	73
2216	Toward a functional annotation of the human genome using artificial transcription factors. 2003 , 13, 2708-16	13
2215	Genetic Improvement of Baker's Yeasts. 2003 , 3, 213-240	1
2214	Experimental determination and system level analysis of essential genes in Escherichia coli MG1655. 2003 , 185, 5673-84	598
2213	Roles of Candida albicans Dfg5p and Dcw1p cell surface proteins in growth and hypha formation. 2003 , 2, 746-55	98
2212	A postgenomic method for predicting essential genes at subsaturation levels of mutagenesis: application to Mycobacterium tuberculosis. 2003 , 100, 7213-8	292
2211	Identification of essential genes in the human fungal pathogen Aspergillus fumigatus by transposon mutagenesis. 2003 , 2, 247-55	56
2210	Rrp47p is an exosome-associated protein required for the 3' processing of stable RNAs. 2003 , 23, 6982-92	134
2209	Signal pathway integration in the switch from the mitotic cell cycle to meiosis in yeast. 2003 , 116, 2137-47	108
2208	Gene loss, protein sequence divergence, gene dispensability, expression level, and interactivity are correlated in eukaryotic evolution. 2003 , 13, 2229-35	314

2207	Spatial and temporal dynamics of budding yeast mitochondria lacking the division component Fis1p. 2003 , 116, 2005-14	82
2206	Large-scale discovery of induced point mutations with high-throughput TILLING. 2003 , 13, 524-30	420
2205	Widespread cytoplasmic mRNA transport in yeast: identification of 22 bud-localized transcripts using DNA microarray analysis. 2003 , 100, 11429-34	239
2204	Pex11-related proteins in peroxisome dynamics: a role for the novel peroxin Pex27p in controlling peroxisome size and number in <i>Saccharomyces cerevisiae</i> . 2003 , 14, 4089-102	80
2203	A sequence-based map of <i>Arabidopsis</i> genes with mutant phenotypes. 2003 , 131, 409-18	75
2202	Use of mixture models in a microarray-based screening procedure for detecting differentially represented yeast mutants. 2003 , 2, Article1	62
2201	A genomewide screen in <i>Saccharomyces cerevisiae</i> for genes that suppress the accumulation of mutations. 2003 , 100, 11529-34	226
2200	Functional distinctions between IMP dehydrogenase genes in providing mycophenolate resistance and guanine prototrophy to yeast. 2003 , 278, 28470-8	54
2199	Genome-wide expression profiling of the response to polyene, pyrimidine, azole, and echinocandin antifungal agents in <i>Saccharomyces cerevisiae</i> . 2003 , 278, 34998-5015	159
2198	Predicting phenotype from patterns of annotation. 2003 , 19 Suppl 1, i183-9	23
2197	Comprehensive transposon mutant library of <i>Pseudomonas aeruginosa</i> . 2003 , 100, 14339-44	864
2196	Equilibrium distribution of mutators in the single fitness peak model. 2003 , 91, 138105	21
2195	Genomics. Defining genes in the genomics era. 2003 , 300, 258-60	89
2194	DNA arrays: applications and implications for circadian biology. 2003 , 18, 96-105	29
2193	The <i>Arabidopsis</i> SeedGenes Project. 2003 , 31, 90-3	107
2192	The putative GTPases Nog1p and Lsg1p are required for 60S ribosomal subunit biogenesis and are localized to the nucleus and cytoplasm, respectively. 2003 , 23, 4344-55	116
2191	Yeast Pak1 kinase associates with and activates Snf1. 2003 , 23, 3909-17	128
2190	Complete, 12-subunit RNA polymerase II at 4.1-Å resolution: implications for the initiation of transcription. 2003 , 100, 6969-73	227

2189	Molecular characterization of Ypi1, a novel <i>Saccharomyces cerevisiae</i> type 1 protein phosphatase inhibitor. 2003 , 278, 47744-52	57
2188	Regulation of ENA1 Na(+)-ATPase gene expression by the Ppz1 protein phosphatase is mediated by the calcineurin pathway. 2003 , 2, 937-48	52
2187	Rds3p is required for stable U2 snRNP recruitment to the splicing apparatus. 2003 , 23, 7339-49	24
2186	In vivo analysis of nucleolar proteins modified by the yeast arginine methyltransferase Hmt1/Rmt1p. 2003 , 9, 746-59	42
2185	Yeast genes that enhance the toxicity of a mutant huntingtin fragment or alpha-synuclein. 2003 , 302, 1769-72	357
2184	Aha1 binds to the middle domain of Hsp90, contributes to client protein activation, and stimulates the ATPase activity of the molecular chaperone. 2003 , 278, 17228-35	166
2183	Methylthioadenosine phosphorylase regulates ornithine decarboxylase by production of downstream metabolites. 2003 , 278, 49868-73	68
2182	High-resolution yeast phenomics resolves different physiological features in the saline response. 2003 , 100, 15724-9	178
2181	Expression deconvolution: a reinterpretation of DNA microarray data reveals dynamic changes in cell populations. 2003 , 100, 10370-5	104
2180	Similarities and differences in genome-wide expression data of six organisms. 2004 , 2, E9	258
2179	A region within a luminal loop of <i>Saccharomyces cerevisiae</i> Ycf1p directs proteolytic processing and substrate specificity. 2003 , 2, 588-98	32
2178	"Chemogenomics: tools for protein families" and "Chemical genomics: chemical and biological integration". 2003 , 4, 15-8	3
2177	Ini, a small nuclear protein that enhances the response of the connexin43 gene to estrogen. 2003 , 144, 3148-58	21
2176	Use of gene networks from full genome microarray libraries to identify functionally relevant drug-affected genes and gene regulation cascades. 2003 , 10, 19-25	40
2175	<i>Saccharomyces</i> gene deletion project: applications and use in the study of protein kinases and phosphatases. 2003 , 366, 403-18	1
2174	Negative regulation of calcineurin signaling by Hrr25p, a yeast homolog of casein kinase I. 2003 , 17, 2698-708	63
2173	[Yeast, a model for understanding mitochondrial diseases?]. 2003 , 19, 146-8	
2172	. 2004 ,	4

2171	Implications of gene networks for understanding resilience and vulnerability in the kidney branching program. 2004 , 19, 339-47	27
2170	pRS yeast vectors with a LYS2 marker. 2004 , 36, 212-3	9
2169	Analysis of structural robustness of metabolic networks. 2004 , 1, 114-20	73
2168	Chemical genetics for therapeutic target mining. 2004 , 8, 653-61	14
2167	GO::TermFinder--open source software for accessing Gene Ontology information and finding significantly enriched Gene Ontology terms associated with a list of genes. 2004 , 20, 3710-5	1381
2166	Identification of Ald6p as the target of a class of small-molecule suppressors of FK506 and their use in network dissection. 2004 , 101, 7868-73	21
2165	Technique review: how to use RNA interference. 2004 , 3, 68-83	15
2164	Snf7p, a component of the ESCRT-III protein complex, is an upstream member of the RIM101 pathway in <i>Candida albicans</i> . 2004 , 3, 1609-18	58
2163	Hph1p and Hph2p, novel components of calcineurin-mediated stress responses in <i>Saccharomyces cerevisiae</i> . 2004 , 3, 695-704	64
2162	DBRF-MEGN method: an algorithm for deducing minimum equivalent gene networks from large-scale gene expression profiles of gene deletion mutants. 2004 , 20, 2662-75	17
2161	A genome-wide telomere screen in yeast: the long and short of it all. 2004 , 101, 9515-6	8
2160	Revealing modularity and organization in the yeast molecular network by integrated analysis of highly heterogeneous genomewide data. 2004 , 101, 2981-6	298
2159	Cti6 is an Rpd3-Sin3 histone deacetylase-associated protein required for growth under iron-limiting conditions in <i>Saccharomyces cerevisiae</i> . 2004 , 279, 30298-306	33
2158	ESF1 is required for 18S rRNA synthesis in <i>Saccharomyces cerevisiae</i> . 2004 , 32, 1993-9	14
2157	The protein kinase Snf1 is required for tolerance to the ribonucleotide reductase inhibitor hydroxyurea. 2004 , 24, 2560-72	42
2156	Copper and iron are the limiting factors for growth of the yeast <i>Saccharomyces cerevisiae</i> in an alkaline environment. 2004 , 279, 19698-704	97
2155	Characterization of the calcium-mediated response to alkaline stress in <i>Saccharomyces cerevisiae</i> . 2004 , 279, 43614-24	151
2154	Gene expression profiling reflects physiological processes in salt acclimation of <i>Synechocystis</i> sp. strain PCC 6803. 2004 , 136, 3290-300	108

2153	Comparative genomic hybridization provides new insights into the molecular taxonomy of the <i>Saccharomyces sensu stricto</i> complex. 2004 , 14, 1043-51	56
2152	The <i>Saccharomyces cerevisiae</i> TAN1 gene is required for N4-acetylcytidine formation in tRNA. 2004 , 10, 712-9	52
2151	GermOnline, a cross-species community knowledgebase on germ cell differentiation. 2004 , 32, D560-7	22
2150	Neuropathy target esterase and its yeast homologue degrade phosphatidylcholine to glycerophosphocholine in living cells. 2004 , 279, 24024-33	163
2149	The yeast splicing factor Prp40p contains functional leucine-rich nuclear export signals that are essential for splicing. 2004 , 166, 53-65	17
2148	<i>C. elegans</i> pro-1 activity is required for soma/germline interactions that influence proliferation and differentiation in the germ line. 2004 , 131, 1267-78	41
2147	The FunCat, a functional annotation scheme for systematic classification of proteins from whole genomes. 2004 , 32, 5539-45	862
2146	Genetic interactions of DST1 in <i>Saccharomyces cerevisiae</i> suggest a role of TFIIIS in the initiation-elongation transition. 2004 , 166, 1215-27	42
2145	Genome-wide mRNA surveillance is coupled to mRNA export. 2004 , 18, 2652-62	86
2144	The gene for soluble N-ethylmaleimide sensitive factor attachment protein alpha is mutated in hydrocephaly with hop gait (hyh) mice. 2004 , 101, 1748-53	54
2143	SYM1 is the stress-induced <i>Saccharomyces cerevisiae</i> ortholog of the mammalian kidney disease gene Mpv17 and is required for ethanol metabolism and tolerance during heat shock. 2004 , 3, 620-31	45
2142	A triad of subunits from the Gal11/tail domain of Srb mediator is an in vivo target of transcriptional activator Gcn4p. 2004 , 24, 6871-86	109
2141	Transcriptional transitions during <i>Dictyostelium</i> spore germination. 2004 , 3, 1101-10	24
2140	Global transposon mutagenesis and essential gene analysis of <i>Helicobacter pylori</i> . 2004 , 186, 7926-35	259
2139	Pheromone signaling mechanisms in yeast: a prototypical sex machine. 2004 , 306, 1508-9	80
2138	Peroxisome-null yeast cells are hypersensitive to oxidative stress and are genomically unstable. 2004 , 279, 23207-13	97
2137	GSK-3 kinases enhance calcineurin signaling by phosphorylation of RCNs. 2004 , 18, 35-47	126
2136	ORFeome cloning and systems biology: standardized mass production of the parts from the parts-list. 2004 , 14, 2001-9	63

2135	Analysis of beta-1,3-glucan assembly in <i>Saccharomyces cerevisiae</i> using a synthetic interaction network and altered sensitivity to caspofungin. 2004 , 167, 35-49	138
2134	Identification of factors regulating poly(A) tail synthesis and maturation. 2004 , 24, 4196-206	48
2133	The fission yeast kinetochore component Spc7 associates with the EB1 family member Mal3 and is required for kinetochore-spindle association. 2004 , 15, 5255-67	35
2132	A genome-wide screen identifies genes required for centromeric cohesion. 2004 , 303, 1367-70	226
2131	Control of yeast filamentous-form growth by modules in an integrated molecular network. 2004 , 14, 380-90	72
2130	Intensity-based analysis of two-colour microarrays enables efficient and flexible hybridization designs. 2004 , 32, e41	31
2129	An orderly retreat: Dedifferentiation is a regulated process. 2004 , 101, 7005-10	42
2128	Finding new components of the target of rapamycin (TOR) signaling network through chemical genetics and proteome chips. 2004 , 101, 16594-9	208
2127	A mutation in human topoisomerase II alpha whose expression is lethal in DNA repair-deficient yeast cells. 2004 , 279, 25947-54	11
2126	The specificities of four yeast dihydrouridine synthases for cytoplasmic tRNAs. 2004 , 279, 17850-60	76
2125	Localization to the proteasome is sufficient for degradation. 2004 , 279, 21415-20	86
2124	Coenzyme A biosynthesis: reconstruction of the pathway in archaea and an evolutionary scenario based on comparative genomics. 2004 , 21, 1242-51	95
2123	Multivesicular body-ESCRT components function in pH response regulation in <i>Saccharomyces cerevisiae</i> and <i>Candida albicans</i> . 2004 , 15, 5528-37	144
2122	S-phase checkpoint genes safeguard high-fidelity sister chromatid cohesion. 2004 , 15, 1724-35	116
2121	Identification and characterization of a novel cytoplasm protein ICF45 that is involved in cell cycle regulation. 2004 , 279, 53498-505	21
2120	Regulatory network connecting two glucose signal transduction pathways in <i>Saccharomyces cerevisiae</i> . 2004 , 3, 221-31	126
2119	Functional characterization of the <i>Saccharomyces cerevisiae</i> VHS3 gene: a regulatory subunit of the Ppz1 protein phosphatase with novel, phosphatase-unrelated functions. 2004 , 279, 34421-30	31
2118	Pex30p, Pex31p, and Pex32p form a family of peroxisomal integral membrane proteins regulating peroxisome size and number in <i>Saccharomyces cerevisiae</i> . 2004 , 15, 665-77	92

2117	SCMD: <i>Saccharomyces cerevisiae</i> Morphological Database. 2004 , 32, D319-22	72
2116	Genome-wide analysis of mRNA stability using transcription inhibitors and microarrays reveals posttranscriptional control of ribosome biogenesis factors. 2004 , 24, 5534-47	269
2115	A graph-theoretic approach to testing associations between disparate sources of functional genomics data. 2004 , 20, 3353-62	39
2114	PROPHECY--a database for high-resolution phenomics. 2005 , 33, D369-73	24
2113	A genome-wide screen for <i>Saccharomyces cerevisiae</i> deletion mutants that affect telomere length. 2004 , 101, 8658-63	268
2112	A genome-wide screen in <i>Saccharomyces cerevisiae</i> reveals altered transport as a mechanism of resistance to the anticancer drug bleomycin. 2004 , 64, 1102-9	89
2111	Identification of genes required for embryo development in <i>Arabidopsis</i> . 2004 , 135, 1206-20	378
2110	RPAP1, a novel human RNA polymerase II-associated protein affinity purified with recombinant wild-type and mutated polymerase subunits. 2004 , 24, 7043-58	63
2109	Applicability of tandem affinity purification MudPIT to pathway proteomics in yeast. 2004 , 3, 226-37	116
2108	A small CDC25 dual-specificity tyrosine-phosphatase isoform in <i>Arabidopsis thaliana</i> . 2004 , 101, 13380-5	103
2107	Specificity of prion assembly in vivo. [PSI ⁺] and [PIN ⁺] form separate structures in yeast. 2004 , 279, 51042-8	77
2106	Genetic interactions with C-terminal domain (CTD) kinases and the CTD of RNA Pol II suggest a role for ESS1 in transcription initiation and elongation in <i>Saccharomyces cerevisiae</i> . 2004 , 167, 93-105	32
2105	Identification of Edc3p as an enhancer of mRNA decapping in <i>Saccharomyces cerevisiae</i> . 2004 , 166, 729-39	122
2104	CYGD: the Comprehensive Yeast Genome Database. 2005 , 33, D364-8	242
2103	Gene interactions in the DNA damage-response pathway identified by genome-wide RNA-interference analysis of synthetic lethality. 2004 , 101, 12992-6	48
2102	Analysis of sequence, map position, and gene expression reveals conserved essential genes for iron uptake in <i>Arabidopsis</i> and tomato. 2004 , 136, 4169-83	69
2101	Bipolar orientation of chromosomes in <i>Saccharomyces cerevisiae</i> is monitored by Mad1 and Mad2, but not by Mad3. 2004 , 101, 10655-60	27
2100	Characterization of synthetic DNA bar codes in <i>Saccharomyces cerevisiae</i> gene-deletion strains. 2004 , 101, 11046-51	64

2099	Negative regulation of phosphatidylinositol 4,5-bisphosphate levels by the INP51-associated proteins TAX4 and IRS4. 2004 , 279, 39604-10	19
2098	Genetic Engineering: Principles and Methods. 2004 ,	0
2097	Analyzing cellular biochemistry in terms of molecular networks. 2004 , 73, 1051-87	120
2096	Reconstruction and validation of <i>Saccharomyces cerevisiae</i> iND750, a fully compartmentalized genome-scale metabolic model. 2004 , 14, 1298-309	487
2095	Synergistic computational and experimental proteomics approaches for more accurate detection of active serine hydrolases in yeast. 2004 , 3, 209-25	42
2094	E pluribus unum, ex uno plura: quantitative and single-gene perspectives on the study of behavior. 2004 , 27, 79-105	30
2093	Molecular networks in model systems. 2004 , 5, 177-87	18
2092	'Conserved hypothetical' proteins: prioritization of targets for experimental study. 2004 , 32, 5452-63	279
2091	The PEN1 syntaxin defines a novel cellular compartment upon fungal attack and is required for the timely assembly of papillae. 2004 , 15, 5118-29	303
2090	Gid8p (Dcr1p) and Dcr2p function in a common pathway to promote START completion in <i>Saccharomyces cerevisiae</i> . 2004 , 3, 1627-38	15
2089	DNA display II. Genetic manipulation of combinatorial chemistry libraries for small-molecule evolution. 2004 , 2, E174	95
2088	DNA display I. Sequence-encoded routing of DNA populations. 2004 , 2, E173	100
2087	Concerted assembly and cloning of multiple DNA segments using in vitro site-specific recombination: functional analysis of multi-segment expression clones. 2004 , 14, 2111-20	107
2086	An analysis of determinants of amino acids substitution rates in bacterial proteins. 2004 , 21, 108-16	204
2085	<i>Cryptococcus neoformans</i> virulence gene discovery through insertional mutagenesis. 2004 , 3, 420-9	161
2084	Acidophilic structure and killing mechanism of the <i>Pichia farinosa</i> killer toxin SMKT. 2004 , 189-214	3
2083	Modeling the function of bacterial virulence factors in <i>Saccharomyces cerevisiae</i> . 2004 , 3, 827-34	39
2082	Characterization of the products of the genes SNO1 and SNZ1 involved in pyridoxine synthesis in <i>Saccharomyces cerevisiae</i> . 2004 , 271, 745-52	61

2081	The serine/threonine protein phosphatase SIT4 modulates yeast-to-hypha morphogenesis and virulence in <i>Candida albicans</i> . 2004 , 51, 691-709		72
2080	Editorial policy on genome-scale analyses. 2004 , 52, 311-312		1
2079	Physiological characterization of <i>Saccharomyces cerevisiae</i> kha1 deletion mutants. 2005 , 55, 588-600		73
2078	Microsatellite PCR profiling of <i>Saccharomyces cerevisiae</i> strains during wine fermentation. 2004 , 38, 315-20		35
2077	Principles of transcriptional control in the metabolic network of <i>Saccharomyces cerevisiae</i> . 2004 , 22, 86-92		207
2076	Systematic genome-wide screens of gene function. 2004 , 5, 11-22		261
2075	Network biology: understanding the cell's functional organization. 2004 , 5, 101-13		5439
2074	Maximizing the potential of functional genomics. 2004 , 5, 190-201		79
2073	PRMT3 is a ribosomal protein methyltransferase that affects the cellular levels of ribosomal subunits. 2004 , 23, 2641-50		129
2072	RNAi in a postmodern, postgenomic era. 2004 , 23, 8336-9		14
2071	Genomic instability and cancer: scanning the <i>Caenorhabditis elegans</i> genome for tumor suppressors. 2004 , 23, 8366-75		12
2070	Towards full employment: using RNAi to find roles for the redundant. 2004 , 23, 8346-52		10
2069	Functional genomic hypothesis generation and experimentation by a robot scientist. <i>Nature</i> , 2004 , 427, 247-52	50.4	341
2068	A resource for large-scale RNA-interference-based screens in mammals. <i>Nature</i> , 2004 , 428, 427-31	50.4	561
2067	A large-scale RNAi screen in human cells identifies new components of the p53 pathway. <i>Nature</i> , 2004 , 428, 431-7	50.4	842
2066	Evidence for dynamically organized modularity in the yeast protein-protein interaction network. <i>Nature</i> , 2004 , 430, 88-93	50.4	1381
2065	Temporal difference models describe higher-order learning in humans. <i>Nature</i> , 2004 , 429, 664-7	50.4	488
2064	Metabolic network analysis of the causes and evolution of enzyme dispensability in yeast. <i>Nature</i> , 2004 , 429, 661-4	50.4	290

2063	PTK7/CCK-4 is a novel regulator of planar cell polarity in vertebrates. <i>Nature</i> , 2004 , 430, 93-8	50.4	383
2062	Cell size and nucleoid organization of engineered <i>Escherichia coli</i> cells with a reduced genome. 2005 , 55, 137-49		184
2061	Crystal structure of <i>A. fulgidus</i> Rio2 defines a new family of serine protein kinases. 2004 , 12, 1585-94		66
2060	The <i>Mycobacterium tuberculosis</i> complex transcriptome of attenuation. 2004 , 84, 197-204		41
2059	Effects of depletion and overexpression of the <i>Trypanosoma brucei</i> ribonuclease L inhibitor homologue. 2004 , 133, 137-41		25
2058	Nutritional genomics in yeast models. 2004 , 20, 166-72		4
2057	Genomic filtering: an approach to discovering novel antiparasitics. 2004 , 20, 462-8		58
2056	Genomics applications to biotech traits: a revolution in progress?. 2004 , 7, 226-30		38
2055	Upstream plasticity and downstream robustness in evolution of molecular networks. 2004 , 4, 9		41
2054	Cell cycle goes global. 2004 , 16, 602-13		25
2053	Minibioreactors. 2004 , 26, 1-10		155
2052	Molecular genetics approaches in yeast to study amyloid diseases. 2004 , 23, 49-60		35
2051	Global mapping of the yeast genetic interaction network. 2004 , 303, 808-13		1700
2050	A reverse genetic approach for generating gene replacement mutants in <i>Ustilago maydis</i> . 2004 , 272, 216-26		134
2049	Hym1p affects cell cycle progression in <i>Saccharomyces cerevisiae</i> . 2004 , 46, 183-92		7
2048	Crystal structure of the YGR205w protein from <i>Saccharomyces cerevisiae</i> : close structural resemblance to <i>E. coli</i> pantothenate kinase. 2004 , 54, 776-83		12
2047	Has the yo-yo stopped? An assessment of human protein-coding gene number. 2004 , 4, 1712-26		75
2046	Alanine : glyoxylate aminotransferase of <i>Saccharomyces cerevisiae</i> -encoding gene AGX1 and metabolic significance. 2004 , 21, 63-73		26

2045	Large-scale screening of yeast mutants for sensitivity to the IMP dehydrogenase inhibitor 6-azauracil. 2004 , 21, 241-8	60
2044	Interrelationships among Atg proteins during autophagy in <i>Saccharomyces cerevisiae</i> . 2004 , 21, 1057-65	34
2043	Site-specific genomic (SSG) and random domain-localized (RDL) mutagenesis in yeast. 2004 , 4, 7	20
2042	ABT1-associated protein (ABTAP), a novel nuclear protein conserved from yeast to mammals, represses transcriptional activation by ABT1. 2004 , 93, 788-806	2
2041	Quantitative genome-wide analysis of yeast deletion strain sensitivities to oxidative and chemical stress. 2004 , 5, 216-24	60
2040	Genome-wide analysis of the effects of heat shock on a <i>Saccharomyces cerevisiae</i> mutant with a constitutively activated cAMP-dependent pathway. 2004 , 5, 419-31	21
2039	Directional ligation of long-flanking homology regions to selection cassettes for efficient targeted gene-disruption in <i>Candida albicans</i> . 2004 , 4, 841-7	5
2038	Mapping phenotypic landscapes using DNA micro-arrays. 2004 , 6, 177-85	10
2037	From large networks to small molecules. 2004 , 8, 81-90	91
2036	High-throughput phenotypic profiling of gene-environment interactions by quantitative growth curve analysis in <i>Saccharomyces cerevisiae</i> . 2004 , 327, 23-34	38
2035	A theory of optimal differential gene expression. 2004 , 76, 261-78	16
2034	Identification of 315 genes essential for early zebrafish development. 2004 , 101, 12792-7	654
2033	Discrimination of modes of action of antifungal substances by use of metabolic footprinting. 2004 , 70, 6157-65	69
2032	Isolation and transcriptional regulation of the <i>Kluyveromyces lactis</i> FBA1 (fructose-1,6-bisphosphate aldolase) gene. 2004 , 50, 645-52	2
2031	Chemogenomic profiling: identifying the functional interactions of small molecules in yeast. 2004 , 101, 793-8	422
2030	Recurrence time statistics: versatile tools for genomic DNA sequence analysis. 2004 , 40-51	
2029	Multi-knockout genetic network analysis: the Rad6 example.	6
2028	Cardiolipin is not required for Bax-mediated cytochrome c release from yeast mitochondria. 2004 , 279, 1100-7	65

2027	Gene co-expression network topology provides a framework for molecular characterization of cellular state. 2004 , 20, 2242-50	261
2026	Genomics, Proteomics, and Clinical Bacteriology. 2004 ,	2
2025	Modeling and analysis of heterogeneous regulation in biological networks. 2004 , 11, 1034-49	23
2024	Proteomics and disease--the challenges for technology and discovery. 2004 , 3, 167-78	67
2023	Lessons from the genome sequence of <i>Neurospora crassa</i> : tracing the path from genomic blueprint to multicellular organism. 2004 , 68, 1-108	492
2022	Role of the yeast Rrp1 protein in the dynamics of pre-ribosome maturation. 2004 , 10, 813-27	73
2021	On systems thinking, systems biology, and the in silico plant. 2004 , 134, 909-11	103
2020	Systematic mutagenesis of the <i>Escherichia coli</i> genome. 2004 , 186, 4921-30	172
2019	Chromatin targets: reading and writing the cancer cell epigenome. 2004 , 1, 43-48	
2018	Plant genomics: the third wave. 2004 , 5, 443-77	59
2017	Development of image processing program for yeast cell morphology. 2004 , 1, 695-709	55
2016	Glutathione, altruistic metabolite in fungi. 2004 , 49, 1-76	205
2015	Advances in Fungal Biotechnology for Industry, Agriculture, and Medicine. 2004 ,	20
2014	Fungal cell wall chitinases and glucanases. 2004 , 150, 2029-2035	377
2013	The BDGP gene disruption project: single transposon insertions associated with 40% of <i>Drosophila</i> genes. 2004 , 167, 761-81	668
2012	Integrating phenotypic and expression profiles to map arsenic-response networks. 2004 , 5, R95	143
2011	Large-scale exploration of growth inhibition caused by overexpression of genomic fragments in <i>Saccharomyces cerevisiae</i> . 2004 , 5, R72	30
2010	The uses of genome-wide yeast mutant collections. 2004 , 5, 229	83

2009	Systematic quantification of gene interactions by phenotypic array analysis. 2004 , 5, R49	54
2008	Enriching for direct regulatory targets in perturbed gene-expression profiles. 2004 , 5, R29	9
2007	A comprehensive evolutionary classification of proteins encoded in complete eukaryotic genomes. 2004 , 5, R7	602
2006	CDK activity antagonizes Whi5, an inhibitor of G1/S transcription in yeast. 2004 , 117, 899-913	340
2005	Exploration of essential gene functions via titratable promoter alleles. 2004 , 118, 31-44	475
2004	Robustness of cellular functions. 2004 , 118, 675-85	803
2003	Development through the eyes of functional genomics. 2004 , 14, 336-42	12
2002	Genome-wide high-throughput screens in functional genomics. 2004 , 14, 470-6	41
2001	Analysis of gene network regulating yeast multidrug resistance by artificial activation of transcription factors: involvement of Pdr3 in salt tolerance. 2004 , 332, 51-9	27
2000	Genome-scale identification of conditionally essential genes in E. coli by DNA microarrays. 2004 , 322, 347-54	31
1999	Three modules of zebrafish Mind bomb work cooperatively to promote Delta ubiquitination and endocytosis. 2004 , 267, 361-73	57
1998	Cellular pathology of Niemann-Pick type C disease. 2004 , 15, 445-54	83
1997	The promise of functional genomics: completing the encyclopedia of a cell. 2004 , 7, 546-54	39
1996	Integrative studies put cell wall synthesis on the yeast functional map. 2004 , 7, 617-23	20
1995	Necessity's sharp pinch. 2004 , 15, 166-8	
1994	Hot spots for modulating toxicity identified by genomic phenotyping and localization mapping. 2004 , 16, 117-25	82
1993	A robust toolkit for functional profiling of the yeast genome. 2004 , 16, 487-96	257
1992	Genome-wide RNAi analysis of growth and viability in Drosophila cells. 2004 , 303, 832-5	611

1991	New genetic strategies for protein discovery based on whole-genome sequences. 2004 , 3, 57-63	
1990	High-definition macromolecular composition of yeast RNA-processing complexes. 2004 , 13, 225-39	321
1989	Bacterial genomes for the masses: relevance to the clinical laboratory. 2004 , 266, 3-15	1
1988	Functional profiling: from microarrays via cell-based assays to novel tumor relevant modulators of the cell cycle. 2005 , 65, 7733-42	18
1987	Integration of Genomic and Phenotypic Data. 2005 , 83-97	1
1986	Dissecting cancer pathways and vulnerabilities with RNAi. 2005 , 70, 435-44	27
1985	Gene Silencing as a Tool for the Identification of Gene Function in Fungi. 2005 , 93-116	
1984	[Yeast as a model system for drug discovery]. 2005 , 125, 213-8	1
1983	Cellular factors required for protection from hyperoxia toxicity in <i>Saccharomyces cerevisiae</i> . 2005 , 388, 93-101	58
1982	The RIO kinases: an atypical protein kinase family required for ribosome biogenesis and cell cycle progression. 2005 , 1754, 14-24	81
1981	De novo synthesis of monoterpenes by <i>Saccharomyces cerevisiae</i> wine yeasts. 2005 , 243, 107-15	185
1980	Resolution and repeatability of phenotypic assays by automated growth curve analysis in yeast and bacteria. 2005 , 344, 138-40	10
1979	Fluorescence based assay of GAL system in yeast <i>Saccharomyces cerevisiae</i> . 2005 , 244, 105-10	10
1978	Strain engineering for stereoselective bioreduction of dicarbonyl compounds by yeast reductases. 2005 , 5, 513-25	38
1977	Using genome-wide transcriptional profiling to elucidate small-molecule mechanism. 2005 , 9, 25-30	47
1976	From drug to protein: using yeast genetics for high-throughput target discovery. 2005 , 9, 20-4	22
1975	A genome-wide overexpression screen in yeast for small-molecule target identification. 2005 , 12, 55-63	91
1974	Stress tolerance in fungi -- to kill a spoilage yeast. 2005 , 16, 225-30	38

1973	The Yeast Systems Biology Network: mating communities. 2005 , 16, 356-60	18
1972	Baker's yeast as a tool for the development of antifungal kinase inhibitors--targeting protein kinase C and the cell integrity pathway. 2005 , 1754, 171-82	45
1971	Yeast evolution and comparative genomics. 2005 , 59, 135-53	106
1970	The biological limitations of transcriptomics in elucidating stress and stress responses. 2005 , 18, 901-10	191
1969	The Rad4 homologue YDR314C is essential for strand-specific repair of RNA polymerase I-transcribed rDNA in <i>Saccharomyces cerevisiae</i> . 2005 , 56, 1518-26	11
1968	Requirement of aminoacyl-tRNA synthetases for gametogenesis and embryo development in <i>Arabidopsis</i> . 2005 , 44, 866-78	100
1967	Functional annotation and network reconstruction through cross-platform integration of microarray data. 2005 , 23, 238-43	118
1966	Dissecting dispensability. 2005 , 37, 214-5	5
1965	Dynamin in disease. 2005 , 37, 215-6	18
1964	Epistasis analysis with global transcriptional phenotypes. 2005 , 37, 471-7	89
1963	Large-scale in vivo flux analysis shows rigidity and suboptimal performance of <i>Bacillus subtilis</i> metabolism. 2005 , 37, 636-40	263
1962	The synthetic genetic interaction spectrum of essential genes. 2005 , 37, 1147-52	185
1961	Quantitative trait loci mapped to single-nucleotide resolution in yeast. 2005 , 37, 1333-40	192
1960	Elucidating mechanisms of drug-induced toxicity. 2005 , 4, 410-20	239
1959	Maintenance of structure and function of mitochondrial Hsp70 chaperones requires the chaperone Hep1. 2005 , 24, 1046-56	81
1958	Full-genome RNAi profiling of early embryogenesis in <i>Caenorhabditis elegans</i> . <i>Nature</i> , 2005 , 434, 462-9	50.4 717
1957	Genomics: frontiers of gene function. <i>Nature</i> , 2005 , 434, 444-5	50.4 1
1956	Earth science: a different kind of foreshock. <i>Nature</i> , 2005 , 434, 445-7	50.4 1

1955	Autophosphorylation of <i>Archaeoglobus fulgidus</i> Rio2 and crystal structures of its nucleotide-metal ion complexes. 2005 , 272, 2800-10	39
1954	Structure and activity of the atypical serine kinase Rio1. 2005 , 272, 3698-713	45
1953	High-throughput two-hybrid analysis. The promise and the peril. 2005 , 272, 5391-9	151
1952	Starvation triggers the delivery of the endoplasmic reticulum to the vacuole via autophagy in yeast. 2005 , 6, 56-65	135
1951	A yeast model system for functional analysis of the Niemann-Pick type C protein 1 homolog, Ncr1p. 2005 , 6, 907-17	31
1950	RNAi as a tool to study cell biology: building the genome-phenome bridge. 2005 , 17, 3-8	37
1949	Ndj1p-dependent epigenetic resetting of telomere size in yeast meiosis. 2005 , 15, 231-7	24
1948	High-throughput target discovery using cell-based genetics. 2005 , 10, 53-60	15
1947	Finding the target after screening the phenotype. 2005 , 10, 513-9	108
1946	Analysis of gene expression profile in yeast aging chronologically. 2005 , 126, 11-6	18
1945	X-ray structure of RLI, an essential twin cassette ABC ATPase involved in ribosome biogenesis and HIV capsid assembly. 2005 , 13, 649-59	64
1944	Converging on a general model of protein evolution. 2005 , 23, 485-7	23
1943	Engineering drought and salinity tolerance in plants: lessons from genome-wide expression profiling in <i>Arabidopsis</i> . 2005 , 23, 547-52	108
1942	Development and application of proteomics technologies in <i>Saccharomyces cerevisiae</i> . 2005 , 23, 598-604	38
1941	The yeast kinome displays scale free topology with functional hub clusters. 2005 , 6, 271	9
1940	Correlation and prediction of gene expression level from amino acid and dipeptide composition of its protein. 2005 , 6, 59	38
1939	Mining published lists of cancer related microarray experiments: identification of a gene expression signature having a critical role in cell-cycle control. 2005 , 6 Suppl 4, S14	16
1938	Microarray karyotyping of commercial wine yeast strains reveals shared, as well as unique, genomic signatures. 2005 , 6, 53	98

1937	Distributed robustness versus redundancy as causes of mutational robustness. 2005 , 27, 176-88	216
1936	Protein Interaction-Targeted Drug Discovery. 2005 , 323-345	
1935	In silico analysis for transcription factors with Zn(II)(2)C(6) binuclear cluster DNA-binding domains in <i>Candida albicans</i> . 2005 , 6, 345-56	15
1934	Comparison of the yeast proteome to other fungal genomes to find core fungal genes. 2005 , 60, 475-83	40
1933	Homozygous diploid deletion strains of <i>Saccharomyces cerevisiae</i> that determine lag phase and dehydration tolerance. 2005 , 67, 816-26	6
1932	The yeast VPS genes affect telomere length regulation. 2005 , 47, 18-28	36
1931	The YJR127C/ZMS1 gene product is involved in glycerol-based respiratory growth of the yeast <i>Saccharomyces cerevisiae</i> . 2005 , 48, 235-46	17
1930	Lethality and synthetic lethality in the genome-wide metabolic network of <i>Escherichia coli</i> . 2005 , 237, 401-11	46
1929	Influence of chronological aging on the survival and nucleotide content of <i>Saccharomyces cerevisiae</i> cells grown in different conditions: occurrence of a high concentration of UDP-N-acetylglucosamine in stationary cells grown in 2% glucose. 2005 , 5, 387-98	8
1928	Genomic analysis of MAP kinase cascades in <i>Arabidopsis</i> defense responses. 2005 , 23, 331-343	40
1927	Crystallization and preliminary X-ray diffraction analysis of NADPH-dependent thioredoxin reductase I from <i>Saccharomyces cerevisiae</i> . 2005 , 61, 387-90	6
1926	Genome-wide screening for genes whose deletions confer sensitivity to mutagenic purine base analogs in yeast. 2005 , 6, 31	17
1925	Deciphering structure and topology of conserved COG2042 orphan proteins. 2005 , 5, 3	6
1924	Human Lsg1 defines a family of essential GTPases that correlates with the evolution of compartmentalization. 2005 , 3, 21	44
1923	Crystal structure of YHI9, the yeast member of the phenazine biosynthesis PhzF enzyme superfamily. 2005 , 60, 778-86	10
1922	Genome-wide survey of non-essential genes required for slowed DNA synthesis-induced filamentous growth in yeast. 2005 , 22, 79-90	30
1921	YPL.db2: the Yeast Protein Localization database, version 2.0. 2005 , 22, 213-8	26
1920	Doxycycline, the drug used to control the tet-regulatable promoter system, has no effect on global gene expression in <i>Saccharomyces cerevisiae</i> . 2005 , 22, 565-9	45

1919	Characterization of GPI14/YJR013w mutation that induces the cell wall integrity signalling pathway and results in increased protein production in <i>Saccharomyces cerevisiae</i> . 2005 , 22, 993-1009	14
1918	Genetic/genomic evidence for a key role of polarized endocytosis in filamentous differentiation of <i>S. cerevisiae</i> . 2005 , 22, 1143-53	3
1917	Identification and characterization of protein subcomplexes in yeast. 2005 , 5, 2082-9	18
1916	Functional genomics in <i>Saccharomyces cerevisiae</i> . 2005 ,	
1915	Completed Genomes and the Tree of Life. 2005 , 395-435	
1914	Seven years of yeast microarray analysis. 2005 ,	
1913	Chemical and Genetic Methods to Validate Targets in Nonmammalian Organisms. 2005 , 185-197	
1912	. 2005 ,	13
1911	Tools for integrative genomics: Genome-wide RNAi and expression profiling in <i>Drosophila</i> . 2005 , 433-446	
1910	Eukaryotic Genomes: Fungi. 2005 , 502-537	
1909	Towards Integrative Functional Genomics Using Yeast as a Reference Model. 2005 , 9-29	1
1908	Modeling and Analysis of Heterogeneous Regulation in Biological Networks. 2005 , 98-113	4
1907	A latent variable model for chemogenomic profiling. 2005 , 21, 3286-93	50
1906	Transcriptional compensation for gene loss plays a minor role in maintaining genetic robustness in <i>Saccharomyces cerevisiae</i> . 2005 , 171, 829-33	16
1905	Gene expression profiling and phenotype analyses of <i>S. cerevisiae</i> in response to changing copper reveals six genes with new roles in copper and iron metabolism. 2005 , 22, 356-67	59
1904	Estimating gene regulatory networks and protein-protein interactions of <i>Saccharomyces cerevisiae</i> from multiple genome-wide data. 2005 , 21 Suppl 2, ii206-12	26
1903	Microarray phenotyping in <i>Dictyostelium</i> reveals a regulon of chemotaxis genes. 2005 , 21, 4371-7	22
1902	Two-component signal transduction pathways regulating growth and cell cycle progression in a bacterium: a system-level analysis. 2005 , 3, e334	308

1901	Yeast glutamine-fructose-6-phosphate aminotransferase (Gfa1) requires methionine aminopeptidase activity for proper function. 2005 , 280, 14356-60	10
1900	Predicting gene function through systematic analysis and quality assessment of high-throughput data. 2005 , 21, 1644-52	21
1899	Genome-wide requirements for resistance to functionally distinct DNA-damaging agents. 2005 , 1, e24	136
1898	Yeast model uncovers dual roles of mitochondria in action of artemisinin. 2005 , 1, e36	200
1897	Quantitative analysis of genetic and neuronal multi-perturbation experiments. 2005 , 1, e64	27
1896	Ubiquitin binding by a variant Jab1/MPN domain in the essential pre-mRNA splicing factor Prp8p. 2006 , 12, 292-302	63
1895	Comparing the Dictyostelium and Entamoeba genomes reveals an ancient split in the Conosa lineage. 2005 , 1, e71	35
1894	Comparative genomics of centrality and essentiality in three eukaryotic protein-interaction networks. 2005 , 22, 803-6	470
1893	Retroviruses and yeast retrotransposons use overlapping sets of host genes. 2005 , 15, 641-54	74
1892	Esf2p, a U3-associated factor required for small-subunit processome assembly and compaction. 2005 , 25, 5523-34	30
1891	Activator Gcn4p and Cyc8p/Tup1p are interdependent for promoter occupancy at ARG1 in vivo. 2005 , 25, 11171-83	21
1890	Random mutagenesis of proximal mouse chromosome 5 uncovers predominantly embryonic lethal mutations. 2005 , 15, 1095-105	51
1889	Caenorhabditis elegans decapping proteins: localization and functional analysis of Dcp1, Dcp2, and Dcp5 during embryogenesis. 2005 , 16, 5880-90	55
1888	Components of the ESCRT pathway, DFG16, and YGR122w are required for Rim101 to act as a corepressor with Nrg1 at the negative regulatory element of the DIT1 gene of Saccharomyces cerevisiae. 2005 , 25, 6772-88	67
1887	Natural transposon mutagenesis of clinical isolates of Mycobacterium tuberculosis: how many genes does a pathogen need?. 2005 , 187, 6726-32	27
1886	Regulation of telomere length by an N-terminal region of the yeast telomerase reverse transcriptase. 2005 , 25, 9103-14	16
1885	Proteasomal ATPase-associated factor 1 negatively regulates proteasome activity by interacting with proteasomal ATPases. 2005 , 25, 3842-53	41
1884	Interactions between Mad1p and the nuclear transport machinery in the yeast Saccharomyces cerevisiae. 2005 , 16, 4362-74	63

1883	ESCRT-I components of the endocytic machinery are required for Rim101-dependent ambient pH regulation in the yeast <i>Yarrowia lipolytica</i> . 2005 , 151, 3627-3637	37
1882	Gene essentiality and the topology of protein interaction networks. 2005 , 272, 1721-5	82
1881	Theoretical models of selection and mutation on quantitative traits. 2005 , 360, 1411-25	251
1880	Repressors Nrg1 and Nrg2 regulate a set of stress-responsive genes in <i>Saccharomyces cerevisiae</i> . 2005 , 4, 1882-91	63
1879	Functional genomics of eukaryotic photosynthesis using insertional mutagenesis of <i>Chlamydomonas reinhardtii</i> . 2005 , 137, 545-56	162
1878	Viruses activate a genetically conserved cell death pathway in a unicellular organism. 2005 , 170, 391-9	84
1877	Novel response to microtubule perturbation in meiosis. 2005 , 25, 4767-81	41
1876	A family portrait of the RIO kinases. 2005 , 280, 37297-300	73
1875	Genetic instability induced by overexpression of DNA ligase I in budding yeast. 2005 , 171, 427-41	31
1874	Improved microarray methods for profiling the Yeast Knockout strain collection. 2005 , 33, e103	47
1873	Forward in reverse: how reverse genetics complements chemical genetics. 2005 , 6, 429-34	6
1872	Protein kinase A regulates constitutive expression of small heat-shock genes in an Msn2/4p-independent and Hsf1p-dependent manner in <i>Saccharomyces cerevisiae</i> . 2005 , 169, 1203-14	50
1871	The Shwachman-Bodian-Diamond syndrome protein family is involved in RNA metabolism. 2005 , 280, 19213-20	89
1870	Structural basis for interaction between the Ubp3 deubiquitinating enzyme and its Bre5 cofactor. 2005 , 280, 29176-85	21
1869	Molecular population genetics of redundant floral-regulatory genes in <i>Arabidopsis thaliana</i> . 2005 , 22, 91-103	53
1868	Identification of functional transcription factor binding sites using closely related <i>Saccharomyces</i> species. 2005 , 15, 701-9	45
1867	Moving toward a systems biology approach to the study of fungal pathogenesis in the rice blast fungus <i>Magnaporthe grisea</i> . 2005 , 57, 177-215	15
1866	The BRCA2-interacting protein BCCIP functions in RAD51 and BRCA2 focus formation and homologous recombinational repair. 2005 , 25, 1949-57	75

1865	Raf60, a novel component of the Rpd3 histone deacetylase complex required for Rpd3 activity in <i>Saccharomyces cerevisiae</i> . 2005 , 280, 42552-6	12
1864	Biochemical and genetic analysis of the yeast proteome with a movable ORF collection. 2005 , 19, 2816-26	387
1863	Gene disruption in the budding yeast <i>Saccharomyces cerevisiae</i> . 2006 , 313, 129-44	23
1862	Computational characterization of proteins. 2005 , 2, 129-38	0
1861	Mechanisms of haploinsufficiency revealed by genome-wide profiling in yeast. 2005 , 169, 1915-25	379
1860	<i>Drosophila</i> nutrigenomics can provide clues to human gene-nutrient interactions. 2005 , 25, 499-522	40
1859	Recurrence time statistics: versatile tools for genomic DNA sequence analysis. 2005 , 3, 677-96	9
1858	Computational Genome Analysis. 2005 ,	2
1857	Cyclic peptides, a chemical genetics tool for biologists. 2005 , 4, 552-5	44
1856	Structural and mutational analysis of the SBDS protein family. Insight into the leukemia-associated Shwachman-Diamond Syndrome. 2005 , 280, 19221-9	89
1855	Specialization of the HOG pathway and its impact on differentiation and virulence of <i>Cryptococcus neoformans</i> . 2005 , 16, 2285-300	212
1854	Synthetic genetic array analysis in <i>Saccharomyces cerevisiae</i> . 2006 , 313, 171-92	351
1853	Tor2 directly phosphorylates the AGC kinase Ypk2 to regulate actin polarization. 2005 , 25, 7239-48	171
1852	Regulatory Genomics. 2005 ,	1
1851	Loss of dispensable genes is not adaptive in yeast. 2005 , 102, 17670-4	23
1850	Relationship of DFG16 to the Rim101p pH response pathway in <i>Saccharomyces cerevisiae</i> and <i>Candida albicans</i> . 2005 , 4, 890-9	73
1849	The <i>Arabidopsis</i> WAVY GROWTH 2 protein modulates root bending in response to environmental stimuli. 2005 , 17, 537-47	45
1848	Atg17 functions in cooperation with Atg1 and Atg13 in yeast autophagy. 2005 , 16, 2544-53	264

1847	Changing perspectives in yeast research nearly a decade after the genome sequence. 2005 , 15, 1611-9	32
1846	Metabolic functions of duplicate genes in <i>Saccharomyces cerevisiae</i> . 2005 , 15, 1421-30	184
1845	Pex3p initiates the formation of a preperoxisomal compartment from a subdomain of the endoplasmic reticulum in <i>Saccharomyces cerevisiae</i> . 2005 , 280, 34933-9	136
1844	Multiple endonucleases function to repair covalent topoisomerase I complexes in <i>Saccharomyces cerevisiae</i> . 2005 , 170, 591-600	91
1843	Analysis of mutations induced by carbon ions in <i>Arabidopsis thaliana</i> . 2005 , 56, 587-96	123
1842	Nuclear import of the histone acetyltransferase complex SAS-I in <i>Saccharomyces cerevisiae</i> . 2005 , 118, 1473-84	13
1841	The essential WD40 protein Cia1 is involved in a late step of cytosolic and nuclear iron-sulfur protein assembly. 2005 , 25, 10833-41	106
1840	Genetic analysis reveals a role for the C terminus of the <i>Saccharomyces cerevisiae</i> GTPase Snu114 during spliceosome activation. 2005 , 170, 1063-80	62
1839	Interactions of the yeast SF3b splicing factor. 2005 , 25, 10745-54	35
1838	Genetic networks. 2005 , 138, 542-4	3
1837	Evidence that Spt10 and Spt21 of <i>Saccharomyces cerevisiae</i> play distinct roles in vivo and functionally interact with MCB-binding factor, SCB-binding factor and Snf1. 2005 , 170, 87-94	20
1836	The glutamine residue of the conserved GGQ motif in <i>Saccharomyces cerevisiae</i> release factor eRF1 is methylated by the product of the YDR140w gene. 2005 , 280, 2439-45	71
1835	Multifunctional genes. 2005 , 1, 2005.0003	9
1834	Gene function prediction from congruent synthetic lethal interactions in yeast. 2005 , 1, 2005.0026	101
1833	Lessons from <i>Escherichia coli</i> genes similarly regulated in response to nitrogen and sulfur limitation. 2005 , 102, 3453-8	34
1832	Insights into TOR function and rapamycin response: chemical genomic profiling by using a high-density cell array method. 2005 , 102, 7215-20	125
1831	High-dimensional and large-scale phenotyping of yeast mutants. 2005 , 102, 19015-20	223
1830	Genome-wide RNAi screen reveals a specific sensitivity of IRES-containing RNA viruses to host translation inhibition. 2005 , 19, 445-52	175

1829	The novel ATP-binding cassette protein ARB1 is a shuttling factor that stimulates 40S and 60S ribosome biogenesis. 2005 , 25, 9859-73	51
1828	New multiple-deletion method for the <i>Corynebacterium glutamicum</i> genome, using a mutant lox sequence. 2005 , 71, 8472-80	81
1827	Computational architecture of the yeast regulatory network. 2005 , 2, S94-100	18
1826	Inhibition of translation initiation by volatile anesthetics involves nutrient-sensitive GCN-independent and -dependent processes in yeast. 2005 , 16, 3727-39	28
1825	Data mining tools for the <i>Saccharomyces cerevisiae</i> morphological database. 2005 , 33, W753-7	14
1824	Global analysis of yeast RNA processing identifies new targets of RNase III and uncovers a link between tRNA 5' end processing and tRNA splicing. 2005 , 33, 3048-56	25
1823	Ancestral paralogs and pseudoparalogs and their role in the emergence of the eukaryotic cell. 2005 , 33, 4626-38	134
1822	Reduction of nucleosome assembly during new DNA synthesis impairs both major pathways of double-strand break repair. 2005 , 33, 4928-39	27
1821	The essential WD-repeat protein Rsa4p is required for rRNA processing and intra-nuclear transport of 60S ribosomal subunits. 2005 , 33, 5728-39	40
1820	Improved statistical analysis of budding yeast TAG microarrays revealed by defined spike-in pools. 2005 , 33, e140	8
1819	Detection and discovery of RNA modifications using microarrays. 2005 , 33, e2	41
1818	Metabolic genomics. 2005 , 50, 1-39	3
1817	Antimycotic drug discovery in the age of genomics. 2005 , 5, 365-86	3
1816	Scale-free networks in cell biology. 2005 , 118, 4947-57	812
1815	Phenotypic screening of <i>Escherichia coli</i> K-12 Tn5 insertion libraries, using whole-genome oligonucleotide microarrays. 2005 , 71, 451-9	40
1814	Inactivation of the mitochondrial heat shock protein zim17 leads to aggregation of matrix hsp70s followed by pleiotropic effects on morphology and protein biogenesis. 2005 , 351, 206-18	58
1813	PCR-based gene disruption and recombinatory marker excision to produce modified industrial <i>Saccharomyces cerevisiae</i> without added sequences. 2005 , 63, 193-204	13
1812	The TOR and EGO protein complexes orchestrate microautophagy in yeast. 2005 , 19, 15-26	276

1811	Mediator expression profiling epistasis reveals a signal transduction pathway with antagonistic submodules and highly specific downstream targets. 2005 , 19, 511-22	171
1810	Roles of eukaryotic ribosomal proteins in maturation and transport of pre-18S rRNA and ribosome function. 2005 , 20, 263-75	237
1809	Regulation of yeast glycogen phosphorylase by the cyclin-dependent protein kinase Pho85p. 2005 , 329, 161-7	12
1808	Yeast adaptation to 2,4-dichlorophenoxyacetic acid involves increased membrane fatty acid saturation degree and decreased OLE1 transcription. 2005 , 330, 271-8	32
1807	Identification of an unconventional nuclear localization signal in human ribosomal protein S2. 2005 , 335, 146-53	17
1806	Characterization of a novel autophagy-specific gene, ATG29. 2005 , 338, 1884-9	85
1805	Navigating the chaperone network: an integrative map of physical and genetic interactions mediated by the hsp90 chaperone. 2005 , 120, 715-27	642
1804	Exploration of the function and organization of the yeast early secretory pathway through an epistatic miniarray profile. 2005 , 123, 507-19	706
1803	The impact of antimalarial drug resistance mutations on parasite fitness, and its implications for the evolution of resistance. 2005 , 8, 43-50	55
1802	Re-analysis of data and its integration. 2005 , 579, 1802-7	7
1801	Compensatory regulation among ER chaperones in <i>C. elegans</i> . 2005 , 579, 3063-8	53
1800	RNA silencing in fungi: mechanisms and applications. 2005 , 579, 5950-7	142
1799	RNA silencing as a tool for exploring gene function in ascomycete fungi. 2005 , 42, 275-83	234
1798	Construction and characterization of <i>Pichia pastoris</i> strains for labeling aromatic amino acids in recombinant proteins. 2005 , 41, 266-74	14
1797	Proteomic and phosphoproteomic approaches to understand plant-pathogen interactions. 2005 , 66, 3-11	27
1796	Studying phospholipid metabolism using yeast systematic and chemical genetics. 2005 , 36, 102-8	8
1795	Yeast as a model for medical and medicinal research. 2005 , 26, 265-73	152
1794	Hsp90: a chaperone for protein folding and gene regulation. 2005 , 83, 703-10	108

1793 Chapter 11 Protein bioinformatics. **2005**, 487-500

1792 Toward predictive models of mammalian cells. **2005**, 34, 319-49 69

1791 A global view of pleiotropy and phenotypically derived gene function in yeast. **2005**, 1, 2005.0001 232

1790 Antifungal Agents. **2005**, 5

1789 Natural products and antifungal drug discovery. **2005**, 118, 83-109 11

1788 New targets and screening approaches in antimicrobial drug discovery. **2005**, 105, 759-74 148

1787 Yeast Protocol. **2005**, 3

1786 The design of transcription-factor binding sites is affected by combinatorial regulation. **2005**, 6, R103 46

1785 Large-scale ¹³C-flux analysis reveals mechanistic principles of metabolic network robustness to null mutations in yeast. **2005**, 6, R49 249

1784 Combinatorial RNA interference in *Caenorhabditis elegans* reveals that redundancy between gene duplicates can be maintained for more than 80 million years of evolution. **2006**, 7, R69 71

1783 Statistical methods and software for the analysis of highthroughput reverse genetic assays using flow cytometry readouts. **2006**, 7, R77 19

1782 What makes species unique? The contribution of proteins with obscure features. **2006**, 7, R57 54

1781 Influence of metabolic network structure and function on enzyme evolution. **2006**, 7, R39 132

1780 Systematic profiling of cellular phenotypes with spotted cell microarrays reveals mating-pheromone response genes. **2006**, 7, R6 35

1779 Encyclopedic Reference of Genomics and Proteomics in Molecular Medicine. **2006**, 1043-1051

1778 Encyclopedic Reference of Genomics and Proteomics in Molecular Medicine. **2006**, 1240-1240

1777 Fungal Genomics. **2006**, 5

1776 RNA Towards Medicine. **2006**,

1775	Encyclopedic Reference of Genomics and Proteomics in Molecular Medicine. 2006 , 1053-1058	
1774	Relating three-dimensional structures to protein networks provides evolutionary insights. 2006 , 314, 1938-41	388
1773	Encyclopedic Reference of Genomics and Proteomics in Molecular Medicine. 2006 , 1160-1174	7
1772	Encyclopedic Reference of Genomics and Proteomics in Molecular Medicine. 2006 , 1002-1008	
1771	Genomic approaches for investigating mechanisms of genotoxicity. 2006 , 16, 69-77	2
1770	Screening for genetic modifiers of amyloid toxicity in yeast. 2006 , 412, 201-22	14
1769	Calcineurin, Mpk1 and Hog1 MAPK pathways independently control fludioxonil antifungal sensitivity in <i>Cryptococcus neoformans</i> . 2006 , 152, 591-604	100
1768	The cytostat: A new way to study cell physiology in a precisely defined environment. 2006 , 126, 163-72	29
1767	Analysis of hybridization on the molecular barcode GeneChip microarray. 2006 , 348, 689-96	5
1766	Using the topology of metabolic networks to predict viability of mutant strains. 2006 , 91, 2304-11	56
1765	Construction of <i>Escherichia coli</i> K-12 in-frame, single-gene knockout mutants: the Keio collection. 2006 , 2, 2006.0008	5133
1764	Biosynthesis of isoprenoids, polyunsaturated fatty acids and flavonoids in <i>Saccharomyces cerevisiae</i> . 2006 , 5, 20	73
1763	The limits of reductionism in medicine: could systems biology offer an alternative?. 2006 , 3, e208	286
1762	Genomic approaches for identifying DNA damage response pathways in <i>S. cerevisiae</i> . 2006 , 409, 213-35	2
1761	Yeast as a model for human disease. 2006 , Chapter 15, Unit 15.6	27
1760	An entropic characterization of protein interaction networks and cellular robustness. 2006 , 3, 843-50	30
1759	Encyclopedic Reference of Genomics and Proteomics in Molecular Medicine. 2006 , 1160-1160	
1758	The dawn of fungal pathogen genomics. 2006 , 44, 337-66	86

1757	Yeast AMID homologue Ndi1p displays respiration-restricted apoptotic activity and is involved in chronological aging. 2006 , 17, 1802-11	111
1756	Prevalent structural disorder in <i>E. coli</i> and <i>S. cerevisiae</i> proteomes. 2006 , 5, 1996-2000	102
1755	Integrated analysis of regulatory and metabolic networks reveals novel regulatory mechanisms in <i>Saccharomyces cerevisiae</i> . 2006 , 16, 627-35	174
1754	Analysing the metabolic capabilities of <i>Desulfovibrio</i> species through genetic manipulation. 2006 , 23, 157-74	8
1753	Targeted disruption of the mouse <i>Asna1</i> gene results in embryonic lethality. 2006 , 580, 3889-94	40
1752	A DNA integrity network in the yeast <i>Saccharomyces cerevisiae</i> . 2006 , 124, 1069-81	456
1751	Exploring the mode-of-action of bioactive compounds by chemical-genetic profiling in yeast. 2006 , 126, 611-25	403
1750	Characterizing pathogenic processes in Batten disease: use of small eukaryotic model systems. 2006 , 1762, 906-19	24
1749	Sphingolipid biosynthesis in pathogenic fungi: identification and characterization of the 3-ketosphinganine reductase activity of <i>Candida albicans</i> and <i>Aspergillus fumigatus</i> . 2006 , 1761, 52-63	10
1748	Fcf1p and Fcf2p are novel nucleolar <i>Saccharomyces cerevisiae</i> proteins involved in pre-rRNA processing. 2006 , 346, 546-54	18
1747	Aovps24, a homologue of VPS24, is required for vacuolar formation which could maintain proper growth and development in the filamentous fungus <i>Aspergillus oryzae</i> . 2006 , 347, 970-8	11
1746	A new SUMO ligase in the DNA damage response. 2006 , 5, 138-41	11
1745	Uncovering a hidden distributed architecture behind scale-free transcriptional regulatory networks. 2006 , 360, 204-12	61
1744	Mapping pathways and phenotypes by systematic gene overexpression. 2006 , 21, 319-30	502
1743	A high-throughput method to measure the sensitivity of yeast cells to genotoxic agents in liquid cultures. 2006 , 606, 92-105	32
1742	Experimental Design and Analysis of Microarray Data. 2006 , 1-36	2
1741	Quantitative genetic analysis in <i>Saccharomyces cerevisiae</i> using epistatic miniarray profiles (E-MAPs) and its application to chromatin functions. 2006 , 40, 344-52	67
1740	Models for navigating biological complexity in breeding improved crop plants. 2006 , 11, 587-93	291

1739	The genome of the filamentous fungus <i>Ashbya gossypii</i> : annotation and evolutionary implications. 197-232	2
1738	Yeast-based functional genomics and proteomics technologies: the first 15 years and beyond. 2006 , 40, 625-44	69
1737	Engineering RNA-based circuits. 2006 , 423-45	
1736	Functional partitioning of yeast co-expression networks after genome duplication. 2006 , 4, e109	106
1735	Using the yeast gene deletion collection to customize gene expression. 2006 , 40, 728, 730, 732 passim	2
1734	Metalloproteases. 2006 ,	
1733	Functional Genomics Requires Ecology. 2006 , 173-215	5
1732	Identification of a mitochondrial transporter for pyrimidine nucleotides in <i>Saccharomyces cerevisiae</i> : bacterial expression, reconstitution and functional characterization. 2006 , 393, 441-6	70
1731	Yeast Protein Interactome topology provides framework for coordinated-functionality. 2006 , 34, 2812-9	33
1730	Systems pharmacogenomics in yeast. 2006 , 7, 255-9	3
1729	Topology of protein interaction networks and cell physiology. 2006 ,	
1728	Gene Distribution in the Human Genome. 2006 ,	
1727	Structure of ribose 5-phosphate isomerase from <i>Plasmodium falciparum</i> . 2006 , 62, 427-31	11
1726	Comprehensive curation and analysis of global interaction networks in <i>Saccharomyces cerevisiae</i> . 2006 , 5, 11	246
1725	Matrix-suppressed laser desorption/ionisation mass spectrometry and its suitability for metabolome analyses. 2006 , 20, 1192-8	61
1724	The relative merits of the tetO2 and tetO7 promoter systems for the functional analysis of heterologous genes in yeast and a compilation of essential yeast genes with tetO2 promoter substitutions. 2006 , 23, 325-31	14
1723	Yeast systems biology to unravel the network of life. 2006 , 23, 227-38	57
1722	Rsf1p is required for an efficient metabolic shift from fermentative to glycerol-based respiratory growth in <i>S. cerevisiae</i> . 2009 , 26, 95-110	13

1721	Fungal heat-shock proteins in human disease. 2006 , 30, 53-88	103
1720	Why does <i>Kluyveromyces lactis</i> not grow under anaerobic conditions? Comparison of essential anaerobic genes of <i>Saccharomyces cerevisiae</i> with the <i>Kluyveromyces lactis</i> genome. 2006 , 6, 393-403	53
1719	Identification and classification of genes required for tolerance to high-sucrose stress revealed by genome-wide screening of <i>Saccharomyces cerevisiae</i> . 2006 , 6, 249-67	45
1718	The genome-wide screening of yeast deletion mutants to identify the genes required for tolerance to ethanol and other alcohols. 2006 , 6, 744-50	123
1717	Integration of transcriptomic and metabolic analyses for understanding the global responses of low-temperature winemaking fermentations. 2006 , 6, 1167-83	91
1716	Ammonium permease-based sensing mechanism for rapid ammonium activation of the protein kinase A pathway in yeast. 2006 , 59, 1485-505	95
1715	A stress regulatory network for co-ordinated activation of proteasome expression mediated by yeast heat shock transcription factor. 2006 , 60, 240-51	99
1714	Yeast ribosomal P0 protein has two separate binding sites for P1/P2 proteins. 2006 , 60, 386-400	68
1713	Role of protein phosphatases 2C on tolerance to lithium toxicity in the yeast <i>Saccharomyces cerevisiae</i> . 2006 , 62, 263-77	38
1712	A trial of phenome analysis using 4000 Ds-insertional mutants in gene-coding regions of <i>Arabidopsis</i> . 2006 , 47, 640-51	96
1711	Microarray-based method for monitoring yeast overexpression strains reveals small-molecule targets in TOR pathway. 2006 , 2, 103-9	81
1710	Multiple knockout analysis of genetic robustness in the yeast metabolic network. 2006 , 38, 993-8	156
1709	A pooling-deconvolution strategy for biological network elucidation. 2006 , 3, 183-9	32
1708	A unique and universal molecular barcode array. 2006 , 3, 601-3	99
1707	High-throughput and sensitive assay to measure yeast cell growth: a bench protocol for testing genotoxic agents. 2006 , 1, 1922-8	48
1706	A microarray-based protocol for monitoring the growth of yeast overexpression strains. 2006 , 1, 569-76	10
1705	Mendelian disorders deserve more attention. 2006 , 7, 277-82	168
1704	Moving forward in reverse: genetic technologies to enable genome-wide phenomic screens in <i>Arabidopsis</i> . 2006 , 7, 524-36	197

1703	Signature-tagged mutagenesis: barcoding mutants for genome-wide screens. 2006 , 7, 929-39		100
1702	Applied systems biology and malaria. 2006 , 4, 145-51		31
1701	Robust Salmonella metabolism limits possibilities for new antimicrobials. <i>Nature</i> , 2006 , 440, 303-7	50.4	287
1700	Genome-wide genetic analysis of polyploidy in yeast. <i>Nature</i> , 2006 , 443, 541-7	50.4	260
1699	Amplification of histone genes by circular chromosome formation in <i>Saccharomyces cerevisiae</i> . <i>Nature</i> , 2006 , 443, 1003-7	50.4	66
1698	Hsp90 at the crossroads of genetics and epigenetics. 2006 , 16, 742-9		18
1697	A text-mining analysis of the human phenome. 2006 , 14, 535-42		470
1696	The Nfs1 interacting protein Isd11 has an essential role in Fe/S cluster biogenesis in mitochondria. 2006 , 25, 174-83		180
1695	Essential role of Isd11 in mitochondrial iron-sulfur cluster synthesis on Isu scaffold proteins. 2006 , 25, 184-95		181
1694	Transferrin receptor-like proteins control the degradation of a yeast metal transporter. 2006 , 25, 662-72		70
1693	p97 functions as an auxiliary factor to facilitate TM domain extraction during CFTR ER-associated degradation. 2006 , 25, 4557-66		53
1692	Comparative modeling and analysis of microfluidic and conventional DNA microarrays. 2006 , 348, 284-93		41
1691	Genomics for environmental microbiology. 2006 , 17, 229-35		58
1690	Experimental approaches to identify genetic networks. 2006 , 17, 472-80		16
1689	Essential genes on metabolic maps. 2006 , 17, 448-56		92
1688	Role of selection in fixation of gene duplications. 2006 , 239, 141-51		152
1687	Metabolic screening of <i>Saccharomyces cerevisiae</i> single knockout strains reveals unexpected mobilization of metabolic potential. 2006 , 41, 2170-2179		15
1686	Identification of lethal cluster of genes in the yeast transcription network. 2006 , 364, 557-564		18

1685	Metabolomics and Systems Biology in <i>Saccharomyces cerevisiae</i> . 2006 , 3-18	6
1684	Protein misfolding, functional amyloid, and human disease. 2006 , 75, 333-66	5002
1683	Yeast as a drug discovery platform in Huntington's and Parkinson's diseases. 2006 , 1, 258-69	47
1682	Review of fungal chitinases. 2006 , 161, 345-60	228
1681	A homozygous diploid subset of commercial wine yeast strains. 2006 , 89, 27-37	110
1680	Rapid depletion of mutant eukaryotic initiation factor 5A at restrictive temperature reveals connections to actin cytoskeleton and cell cycle progression. 2006 , 275, 264-76	52
1679	Direct interaction of <i>Saccharomyces cerevisiae</i> Faa1p with the Omi/HtrA protease orthologue Ynm3p alters lipid homeostasis. 2006 , 275, 330-43	13
1678	Genetic pleiotropy in <i>Saccharomyces cerevisiae</i> quantified by high-resolution phenotypic profiling. 2006 , 275, 605-14	17
1677	Computational prediction of genomic functional cores specific to different microbes. 2006 , 63, 733-46	27
1676	Evolution of +1 programmed frameshifting signals and frameshift-regulating tRNAs in the order Saccharomycetales. 2006 , 63, 545-61	23
1675	Coordinate regulation of multiple and distinct biosynthetic pathways by TOR and PKA kinases in <i>S. cerevisiae</i> . 2006 , 49, 281-93	40
1674	Roles of the RAM signaling network in cell cycle progression in <i>Saccharomyces cerevisiae</i> . 2006 , 49, 384-92	16
1673	Kre29p is a novel nuclear protein involved in DNA repair and mitotic fidelity in <i>Candida glabrata</i> . 2006 , 50, 11-22	8
1672	Deletion of RNQ1 gene reveals novel functional relationship between divergently transcribed Bik1p/CLIP-170 and Sfi1p in spindle pole body separation. 2006 , 50, 347-66	11
1671	The Nudix hydrolase superfamily. 2006 , 63, 123-43	436
1670	Global approaches to study Golgi function. 2006 , 18, 438-43	23
1669	Use of constraint-based modeling for the prediction and validation of antimicrobial targets. 2006 , 71, 1026-35	32
1668	An evolutionary scenario for one of the largest yeast gene families. 2006 , 22, 10-5	21

1667	Global synthetic-lethality analysis and yeast functional profiling. 2006 , 22, 56-63	126
1666	Similar gene expression profiles do not imply similar tissue functions. 2006 , 22, 132-8	49
1665	Charging it up: global analysis of protein phosphorylation. 2006 , 22, 545-54	116
1664	Genomics of the filamentous fungi [moving from the shadow of the bakers yeast. 2006 , 20, 10-14	5
1663	Non-random clustering of stress-related genes during evolution of the <i>S. cerevisiae</i> genome. 2006 , 6, 58	13
1662	Towards the identification of essential genes using targeted genome sequencing and comparative analysis. 2006 , 7, 265	96
1661	Analyzing the dose-dependence of the <i>Saccharomyces cerevisiae</i> global transcriptional response to methyl methanesulfonate and ionizing radiation. 2006 , 7, 305	31
1660	Further understanding human disease genes by comparing with housekeeping genes and other genes. 2006 , 7, 31	107
1659	Gene connectivity, function, and sequence conservation: predictions from modular yeast co-expression networks. 2006 , 7, 40	258
1658	Gene expression and survival changes in <i>Saccharomyces cerevisiae</i> during suspension culture. 2006 , 93, 1050-9	13
1657	The structure and synthesis of the fungal cell wall. 2006 , 28, 799-808	795
1656	Neuroproteomics - the tasks lying ahead. 2006 , 27, 2819-29	37
1655	The proteins of human chromosome 21. 2006 , 142C, 196-205	52
1654	Phenotypic activation to discover biological pathways and kinase substrates. 2006 , 5, 1397-402	17
1653	Phenotypic effects of membrane protein overexpression in <i>Saccharomyces cerevisiae</i> . 2006 , 103, 11148-53	30
1652	High-resolution spatial normalization for microarrays containing embedded technical replicates. 2006 , 22, 3054-60	15
1651	Linking uracil base excision repair and 5-fluorouracil toxicity in yeast. 2006 , 34, 140-51	1531
1650	Predicting essential genes in fungal genomes. 2006 , 16, 1126-35	84

1649	5. Mechanisms of disordered granulopoiesis in congenital neutropenia. 2006 , 74, 133-76	6
1648	Transcriptional profiling of the protein phosphatase 2C family in yeast provides insights into the unique functional roles of Ptc1. 2006 , 281, 35057-69	50
1647	Slx4 regulates DNA damage checkpoint-dependent phosphorylation of the BRCT domain protein Rtt107/Esc4. 2006 , 17, 539-48	75
1646	Heterologous expression implicates a GATA factor in regulation of nitrogen metabolic genes and ion homeostasis in the halotolerant yeast <i>Debaryomyces hansenii</i> . 2006 , 5, 1388-98	16
1645	Telomere length as a quantitative trait: genome-wide survey and genetic mapping of telomere length-control genes in yeast. 2006 , 2, e35	144
1644	In vivo robustness analysis of cell division cycle genes in <i>Saccharomyces cerevisiae</i> . 2006 , 2, e111	79
1643	Functional profiling reveals that only a small number of phytochrome-regulated early-response genes in <i>Arabidopsis</i> are necessary for optimal deetiolation. 2006 , 18, 2157-71	81
1642	The PINc domain protein Utp24, a putative nuclease, is required for the early cleavage steps in 18S rRNA maturation. 2006 , 103, 9464-9	72
1641	Higher duplicability of less important genes in yeast genomes. 2006 , 23, 144-51	70
1640	Protein function, connectivity, and duplicability in yeast. 2006 , 23, 30-9	69
1639	Encyclopedic Reference of Genomics and Proteomics in Molecular Medicine. 2006 , 1009-1009	
1638	Genomic analysis of the Opi- phenotype. 2006 , 173, 621-34	31
1637	Many expressed genes in bacteria and yeast are transcribed only once per cell cycle. 2006 , 20, 1721-3	37
1636	Encyclopedic Reference of Genomics and Proteomics in Molecular Medicine. 2006 , 1009-1009	
1635	From genomes to systems: the path with yeast. 2006 , 361, 477-82	26
1634	A unique fungal two-component system regulates stress responses, drug sensitivity, sexual development, and virulence of <i>Cryptococcus neoformans</i> . 2006 , 17, 3122-35	187
1633	Insertional mutagenesis in zebrafish: genes for development, genes for disease. 2006 , 5, 19-23	15
1632	Slx9p facilitates efficient ITS1 processing of pre-rRNA in <i>Saccharomyces cerevisiae</i> . 2006 , 12, 2005-13	18

1631	Glc7/protein phosphatase 1 regulatory subunits can oppose the Ipl1/aurora protein kinase by redistributing Glc7. 2006 , 26, 2648-60	88
1630	Mitogen-activated protein kinase Hog1 is essential for the response to arsenite in <i>Saccharomyces cerevisiae</i> . 2006 , 5, 1826-30	36
1629	Snf1-dependent and Snf1-independent pathways of constitutive ADH2 expression in <i>Saccharomyces cerevisiae</i> . 2006 , 172, 2123-38	11
1628	Detecting functional modules in the yeast protein-protein interaction network. 2006 , 22, 2283-90	294
1627	The F-box protein Dia2 overcomes replication impedance to promote genome stability in <i>Saccharomyces cerevisiae</i> . 2006 , 174, 1709-27	42
1626	The integral membrane protein Pom34p functionally links nucleoporin subcomplexes. 2006 , 172, 1441-57	45
1625	Tho1, a novel hnRNP, and Sub2 provide alternative pathways for mRNP biogenesis in yeast THO mutants. 2006 , 26, 4387-98	36
1624	Nonredundant roles of mitochondria-associated F-box proteins Mfb1 and Mdm30 in maintenance of mitochondrial morphology in yeast. 2006 , 17, 3745-55	59
1623	Pex19p binds Pex30p and Pex32p at regions required for their peroxisomal localization but separate from their peroxisomal targeting signals. 2006 , 281, 14805-12	22
1622	Functional genomics of genes with small open reading frames (sORFs) in <i>S. cerevisiae</i> . 2006 , 16, 365-73	150
1621	Balance between transcription and RNA degradation is vital for <i>Saccharomyces cerevisiae</i> mitochondria: reduced transcription rescues the phenotype of deficient RNA degradation. 2006 , 17, 1184-93	34
1620	A genomewide screen for petite-negative yeast strains yields a new subunit of the i-AAA protease complex. 2006 , 17, 213-26	65
1619	Smc5p promotes faithful chromosome transmission and DNA repair in <i>Saccharomyces cerevisiae</i> . 2006 , 172, 2185-200	29
1618	Natural isolates of <i>Saccharomyces cerevisiae</i> display complex genetic variation in sporulation efficiency. 2006 , 174, 985-97	82
1617	Origins and impact of constraints in evolution of gene families. 2006 , 16, 1529-36	47
1616	Encyclopedic Reference of Genomics and Proteomics in Molecular Medicine. 2006 , 1188-1188	
1615	Ccr4 contributes to tolerance of replication stress through control of CRT1 mRNA poly(A) tail length. 2006 , 119, 5178-92	53
1614	Nutrition and Developmental Biology Implications for Public Health. 2006 , 64, 60-71	12

1613	The murine ortholog of notchless, a direct regulator of the notch pathway in <i>Drosophila melanogaster</i> , is essential for survival of inner cell mass cells. 2006 , 26, 3541-9	18
1612	A global topology map of the <i>Saccharomyces cerevisiae</i> membrane proteome. 2006 , 103, 11142-7	113
1611	Contribution of the histone H3 and H4 amino termini to Gcn4p- and Gcn5p-mediated transcription in yeast. 2006 , 281, 9755-64	11
1610	The dynamin-like protein Vps1p of the yeast <i>Saccharomyces cerevisiae</i> associates with peroxisomes in a Pex19p-dependent manner. 2006 , 281, 12817-23	35
1609	Signaling alkaline pH stress in the yeast <i>Saccharomyces cerevisiae</i> through the Wsc1 cell surface sensor and the Slr2 MAPK pathway. 2006 , 281, 39785-95	92
1608	<i>Saccharomyces cerevisiae</i> Sit4 phosphatase is active irrespective of the nitrogen source provided, and Gln3 phosphorylation levels become nitrogen source-responsive in a sit4-deleted strain. 2006 , 281, 37980-92	46
1607	Global analysis of gene function in yeast by quantitative phenotypic profiling. 2006 , 2, 2006.0001	106
1606	Expression and functional profiling reveal distinct gene classes involved in fatty acid metabolism. 2006 , 2, 2006.0009	39
1605	Deciphering principles of transcription regulation in eukaryotic genomes. 2006 , 2, 2006.0012	58
1604	Chromosome-wide analysis of gene function by RNA interference in the african trypanosome. 2006 , 5, 1539-49	71
1603	Importin-beta family members mediate alpharetrovirus gag nuclear entry via interactions with matrix and nucleocapsid. 2006 , 80, 1798-806	46
1602	Encyclopedic Reference of Genomics and Proteomics in Molecular Medicine. 2006 , 1020-1020	
1601	Encyclopedic Reference of Genomics and Proteomics in Molecular Medicine. 2006 , 1204-1208	1
1600	Depletion of type IA regulatory subunit (R1alpha) of protein kinase A (PKA) in mammalian cells and tissues activates mTOR and causes autophagic deficiency. 2006 , 15, 2962-71	80
1599	High-throughput transposon mutagenesis of <i>Corynebacterium glutamicum</i> and construction of a single-gene disruptant mutant library. 2006 , 72, 3750-5	82
1598	A high-throughput gene knockout procedure for <i>Neurospora</i> reveals functions for multiple transcription factors. 2006 , 103, 10352-10357	873
1597	Small open reading frames: not so small anymore. 2006 , 16, 314-5	7
1596	Effects of depleting the essential central metabolic enzyme fructose-1,6-bisphosphate aldolase on the growth and viability of <i>Candida albicans</i> : implications for antifungal drug target discovery. 2006 , 5, 1371-7	64

1595	Two glucose-sensing pathways converge on Rgt1 to regulate expression of glucose transporter genes in <i>Saccharomyces cerevisiae</i> . 2006 , 281, 26144-9	75
1594	Direct evolution of genetic robustness in microRNA. 2006 , 103, 6593-8	69
1593	Thioredoxin is required for deoxyribonucleotide pool maintenance during S phase. 2006 , 281, 15058-63	51
1592	Inhibition of a spliceosome turnover pathway suppresses splicing defects. 2006 , 103, 13700-5	52
1591	The transcriptional response of the yeast Na(+)-ATPase ENA1 gene to alkaline stress involves three main signaling pathways. 2006 , 281, 36632-42	69
1590	Cell wall assembly in <i>Saccharomyces cerevisiae</i> . 2006 , 70, 317-43	570
1589	Encyclopedic Reference of Genomics and Proteomics in Molecular Medicine. 2006 , 1135-1140	1
1588	Experimental and computational assessment of conditionally essential genes in <i>Escherichia coli</i> . 2006 , 188, 8259-71	205
1587	Encyclopedic Reference of Genomics and Proteomics in Molecular Medicine. 2006 , 1115-1115	
1586	Encyclopedic Reference of Genomics and Proteomics in Molecular Medicine. 2006 , 1153-1160	3
1585	A network of protein interactions determines polyglutamine toxicity. 2006 , 103, 11051-6	125
1584	Linking DNA-binding proteins to their recognition sequences by using protein microarrays. 2006 , 103, 9940-5	57
1583	Proliferating human cells hypomorphic for origin recognition complex 2 and pre-replicative complex formation have a defect in p53 activation and Cdk2 kinase activation. 2006 , 281, 6253-60	25
1582	STABILIZED1, a stress-upregulated nuclear protein, is required for pre-mRNA splicing, mRNA turnover, and stress tolerance in <i>Arabidopsis</i> . 2006 , 18, 1736-49	155
1581	Genomewide gain-of-function genetic screen identifies functionally active genes in mouse embryonic stem cells. 2006 , 103, 6946-51	86
1580	Characterization of Mmp37p, a <i>Saccharomyces cerevisiae</i> mitochondrial matrix protein with a role in mitochondrial protein import. 2006 , 17, 4051-62	51
1579	Genome-scale analysis reveals Sst2 as the principal regulator of mating pheromone signaling in the yeast <i>Saccharomyces cerevisiae</i> . 2006 , 5, 330-46	47
1578	A large-scale full-length cDNA analysis to explore the budding yeast transcriptome. 2006 , 103, 17846-51	198

1577	The systems biology of infection in animal models bears fruit. 2006 , 103, 9377-8	1
1576	An ordered, nonredundant library of <i>Pseudomonas aeruginosa</i> strain PA14 transposon insertion mutants. 2006 , 103, 2833-8	707
1575	Functional genomics of wine yeast <i>Saccharomyces cerevisiae</i> . 2007 , 53, 65-121	25
1574	Mate finding, mating, and population dynamics in a planktonic copepod <i>Oithona davisae</i> : There are too few males. 2007 , 52, 1511-1522	72
1573	References. 2007 , 238-257	
1572	Peroxisome function regulates growth on glucose in the basidiomycete fungus <i>Cryptococcus neoformans</i> . 2007 , 6, 60-72	69
1571	Characterization, kinetics, and crystal structures of fructose-1,6-bisphosphate aldolase from the human parasite, <i>Giardia lamblia</i> . 2007 , 282, 4859-4867	40
1570	Genetic determinants of mitochondrial response to arsenic in yeast <i>Saccharomyces cerevisiae</i> . 2007 , 67, 9740-9	19
1569	Automated data integration for developmental biological research. 2007 , 134, 3227-38	6
1568	Inhibition of APCCdh1 activity by Cdh1/Acm1/Bmh1 ternary complex formation. 2007 , 282, 5237-48	29
1567	Phenylalanine biosynthesis in <i>Arabidopsis thaliana</i> . Identification and characterization of arogenate dehydratases. 2007 , 282, 30827-35	88
1566	Identification of yeast proteins necessary for cell-surface function of a potassium channel. 2007 , 104, 18079-84	44
1565	Systematic genome instability screens in yeast and their potential relevance to cancer. 2007 , 104, 3925-30	126
1564	Plasticity of genetic interactions in metabolic networks of yeast. 2007 , 104, 2307-12	160
1563	Development of a highly efficient gene targeting system induced by transient repression of YKU80 expression in <i>Candida glabrata</i> . 2007 , 6, 1239-47	69
1562	The Significance of Biology for Human Development: A Developmental Psychobiological Systems View. 2007 ,	8
1561	Determinants of protein abundance and translation efficiency in <i>S. cerevisiae</i> . 2007 , 3, e248	98
1560	Organelle turnover by autophagy. 2007 , 28, 67	

1559	Protein coevolution and isoexpression in yeast macromolecular complexes. 2007 , 2007, 58721	8
1558	Frequent gain and loss of functional transcription factor binding sites. 2007 , 3, e99	122
1557	A first-principles model of early evolution: emergence of gene families, species, and preferred protein folds. 2007 , 3, e139	50
1556	Genome-wide fitness test and mechanism-of-action studies of inhibitory compounds in <i>Candida albicans</i> . 2007 , 3, e92	178
1555	Chemical genomic profiling for identifying intracellular targets of toxicants producing Parkinson's disease. 2007 , 95, 182-7	13
1554	Characterization of protein hubs by inferring interacting motifs from protein interactions. 2007 , 3, 1761-71	40
1553	Novel roles for selected genes in meiotic DNA processing. 2007 , 3, e222	29
1552	Chemogenomics of Sensitivity and Resistance to Anticancer Drugs. 2007 , 5, 11-19	
1551	PROPHECY--a yeast phenome database, update 2006. 2007 , 35, D463-7	20
1550	Evaluation of predicted network modules in yeast metabolism using NMR-based metabolite profiling. 2007 , 17, 510-9	61
1549	Comparative genome analysis across a kingdom of eukaryotic organisms: specialization and diversification in the fungi. 2007 , 17, 1809-22	75
1548	Genetic analysis of SUMOylation in <i>Arabidopsis</i> : conjugation of SUMO1 and SUMO2 to nuclear proteins is essential. 2007 , 145, 119-34	208
1547	Systems biology approach to integrative comparative genomics. 2007 , 4, 107-19	22
1546	Modeling and Simulating Metabolic Networks. 755-805	11
1545	A chemogenomic screening of sulfanilamide-hypersensitive <i>Saccharomyces cerevisiae</i> mutants uncovers ABZ2, the gene encoding a fungal aminodeoxychorismate lyase. 2007 , 6, 2102-11	22
1544	Regulation of the nuclear poly(A)-binding protein by arginine methylation in fission yeast. 2007 , 282, 7552-62	54
1543	Modelling genotype-phenotype relationships and human disease with genetic interaction networks. 2007 , 210, 1559-66	51
1542	Cellular processes and pathways that protect <i>Saccharomyces cerevisiae</i> cells against the plasma membrane-perturbing compound chitosan. 2007 , 6, 600-8	51

1541	Why are there still over 1000 uncharacterized yeast genes?. 2007 , 176, 7-14	109
1540	Role of the Vps34p-interacting protein Ade5,7p in hyphal growth and virulence of <i>Candida albicans</i> . 2007 , 153, 2351-2362	4
1539	Multiple basic helix-loop-helix proteins regulate expression of the ENO1 gene of <i>Saccharomyces cerevisiae</i> . 2007 , 6, 786-96	13
1538	Current progress in network research: toward reference networks for key model organisms. 2007 , 8, 318-32	39
1537	Ninety-six haploid yeast strains with individual disruptions of open reading frames between YOR097C and YOR192C, constructed for the <i>Saccharomyces</i> genome deletion project, have an additional mutation in the mismatch repair gene MSH3. 2007 , 177, 1951-3	19
1536	A genomic screen in yeast reveals novel aspects of nonstop mRNA metabolism. 2007 , 177, 773-84	57
1535	Systematic condition-dependent annotation of metabolic genes. 2007 , 17, 1626-33	17
1534	Analysis of a ferric uptake regulator (Fur) mutant of <i>Desulfovibrio vulgaris</i> Hildenborough. 2007 , 73, 5389-400	64
1533	Pathway redundancy and protein essentiality revealed in the <i>Saccharomyces cerevisiae</i> interaction networks. 2007 , 3, 104	78
1532	Exploring the functional landscape of gene expression: directed search of large microarray compendia. 2007 , 23, 2692-9	202
1531	Utp8p is a nucleolar tRNA-binding protein that forms a complex with components of the nuclear tRNA export machinery in <i>Saccharomyces cerevisiae</i> . 2007 , 18, 3845-59	27
1530	Rapid evolution exposes the boundaries of domain structure and function in natively unfolded FG nucleoporins. 2007 , 6, 272-82	69
1529	Complex genetic changes in strains of <i>Saccharomyces cerevisiae</i> derived by selection in the laboratory. 2007 , 177, 449-56	3
1528	Correlation between transcript profiles and fitness of deletion mutants in anaerobic chemostat cultures of <i>Saccharomyces cerevisiae</i> . 2007 , 153, 877-886	23
1527	1 Introduction to Functional Analysis in Yeast. 2007 , 36, 1-21	1
1526	24 Bioinformatic Prediction of Yeast Gene Function. 2007 , 597-628	3
1525	Host factors that control long terminal repeat retrotransposons in <i>Saccharomyces cerevisiae</i> : implications for regulation of mammalian retroviruses. 2007 , 6, 1069-80	28
1524	KEG1/YFR042w encodes a novel Kre6-binding endoplasmic reticulum membrane protein responsible for beta-1,6-glucan synthesis in <i>Saccharomyces cerevisiae</i> . 2007 , 282, 34315-24	18

1523	An Arabidopsis homolog of yeast ATG6/VPS30 is essential for pollen germination. 2007 , 143, 1132-9	129
1522	Genetic interaction screens advance in reverse. 2007 , 21, 137-42	7
1521	Identification of mutations that decrease the stability of a fragment of <i>Saccharomyces cerevisiae</i> chromosome III lacking efficient replicators. 2007 , 177, 1445-58	7
1520	Top-down phenomics of <i>Arabidopsis thaliana</i> : metabolic profiling by one- and two-dimensional nuclear magnetic resonance spectroscopy and transcriptome analysis of albino mutants. 2007 , 282, 18532-18547	55
1519	Lipid perturbations sensitize osmotic down-shock activated Ca ²⁺ influx, a yeast "deletome" analysis. 2007 , 21, 1813-20	9
1518	Hse1, a component of the yeast Hrs-STAM ubiquitin-sorting complex, associates with ubiquitin peptidases and a ligase to control sorting efficiency into multivesicular bodies. 2007 , 18, 324-35	59
1517	Appearances can be deceiving: phenotypes of knockout mice. 2007 , 6, 91-103	149
1516	Backup without redundancy: genetic interactions reveal the cost of duplicate gene loss. 2007 , 3, 86	115
1515	Construction of consecutive deletions of the <i>Escherichia coli</i> chromosome. 2007 , 3, 132	110
1514	Calling cards for DNA-binding proteins. 2007 , 17, 1202-9	23
1513	DNA Microarrays in Glycobiology. 2007 , 427-448	1
1512	17 Chemical Genomic Tools for Understanding Gene Function and Drug Action. 2007 , 387-709	7
1511	A statistical framework for the analysis of microarray probe-level data. 2007 , 1, 333	19
1510	Evaluation of stress response in sulphate-reducing bacteria through genome analysis. 141-166	6
1509	Genomic Network Tomography. 2007 ,	
1508	dSLAM analysis of genome-wide genetic interactions in <i>Saccharomyces cerevisiae</i> . 2007 , 41, 206-21	50
1507	Genomics and the development of new diagnostics and anti- <i>Candida</i> drugs. 2007 , 15, 310-7	21
1506	High level production of the <i>Magnaporthe grisea</i> fructose 1,6-bisphosphate aldolase enzyme in <i>Escherichia coli</i> using a small volume bench-top fermentor. 2007 , 51, 110-9	7

1505	The emergence of yeast lipidomics. 2007 , 1771, 241-54	58
1504	EOS1, whose deletion confers sensitivity to oxidative stress, is involved in N-glycosylation in <i>Saccharomyces cerevisiae</i> . 2007 , 353, 293-8	12
1503	Cis1/Atg31 is required for autophagosome formation in <i>Saccharomyces cerevisiae</i> . 2007 , 356, 405-10	83
1502	Diverse cellular functions of the Hsp90 molecular chaperone uncovered using systems approaches. 2007 , 131, 121-35	383
1501	Protein complexity, gene duplicability and gene dispensability in the yeast genome. 2007 , 387, 109-17	12
1500	Characterization of a novel alternatively spliced human transcript encoding an N-terminally truncated Vps24 protein that suppresses the effects of Bax in an ESCRT independent manner in yeast. 2007 , 391, 233-41	16
1499	Getting connected: analysis and principles of biological networks. 2007 , 21, 1010-24	380
1498	Ablation of ribosomal protein L22 selectively impairs alphabeta T cell development by activation of a p53-dependent checkpoint. 2007 , 26, 759-72	144
1497	Infection-related gene expression in <i>Candida albicans</i> . 2007 , 10, 307-13	113
1496	Scm3 is essential to recruit the histone h3 variant cse4 to centromeres and to maintain a functional kinetochore. 2007 , 26, 853-65	192
1495	rRNA modifications in an intersubunit bridge of the ribosome strongly affect both ribosome biogenesis and activity. 2007 , 28, 965-77	157
1494	Engineering primary metabolic pathways of industrial micro-organisms. 2007 , 129, 6-29	86
1493	Metabolic flux screening of <i>Saccharomyces cerevisiae</i> single knockout strains on glucose and galactose supports elucidation of gene function. 2007 , 132, 395-404	27
1492	Systems-level insights into cellular regulation: inferring, analysing, and modelling intracellular networks. 2007 , 1, 61-77	44
1491	Biological impacts and context of network theory. 2007 , 210, 1548-58	98
1490	Chemical- and Irradiation-Induced Mutants and TILLING. 2007 , 148-180	9
1489	Genomics, systems biology and drug development for infectious diseases. 2007 , 3, 841-8	18
1488	Rice Functional Genomics. 2007 ,	

1487	Eukaryotic Membranes and Cytoskeleton. 2007,	3
1486	Broad network-based predictability of <i>Saccharomyces cerevisiae</i> gene loss-of-function phenotypes. 2007, 8, R258	71
1485	Application of the comprehensive set of heterozygous yeast deletion mutants to elucidate the molecular basis of cellular chromium toxicity. 2007, 8, R268	47
1484	Impacts of yeast metabolic network structure on enzyme evolution. 2007, 8, 407	17
1483	My 2,000 best films: parallel phenotyping of <i>Dictyostelium</i> development. 2007, 8, 220	
1482	Global transcriptional responses of fission and budding yeast to changes in copper and iron levels: a comparative study. 2007, 8, R73	44
1481	Comparative analysis indicates regulatory neofunctionalization of yeast duplicates. 2007, 8, R50	73
1480	Mitochondria. 2007,	5
1479	Origin of phenotypes: genes and transcripts. 2007, 17, 682-90	141
1478	Number of different binary functions generated by NK-Kauffman networks and the emergence of genetic robustness. 2007, 48, 083506	4
1477	Both mammalian PIG-M and PIG-X are required for growth of GPI14-disrupted yeast. 2007, 142, 123-9	13
1476	Human GPR107 and murine Gpr108 are members of the LUSTR family of proteins found in both plants and animals, having similar topology to G-protein coupled receptors. 2007, 18, 235-41	15
1475	Systematic genome reductions: theoretical and experimental approaches. 2007, 107, 3498-513	46
1474	25 Yeast Genetic Strain and Plasmid Collections. 2007, 36, 629-666	172
1473	Data Mining in Biomedicine. 2007,	27
1472	Metabolic Engineering [Applications, Methods, and Challenges]. 2007, 73-118	8
1471	<i>Saccharomyces cerevisiae</i> : a versatile eukaryotic system in virology. 2007, 6, 32	30
1470	Interpreting physiological responses to environmental change through gene expression profiling. 2007, 210, 1584-92	89

1469	Saccharomyces cerevisiae as a model organism to study mitochondrial biology: general considerations and basic procedures. 2007 , 372, 81-90	30
1468	Data acquisition, analysis, and mining: Integrative tools for discerning metabolic function in Saccharomyces cerevisiae. 2007 , 159-187	
1467	E. coli metabolomics: capturing the complexity of a simple model. 2007 , 189-234	3
1466	GENERATION OF TRANSGENIC ANIMALS. 2007 , 3-26	4
1465	Direct selection on genetic robustness revealed in the yeast transcriptome. 2007 , 2, e911	18
1464	An improved, bias-reduced probabilistic functional gene network of baker's yeast, Saccharomyces cerevisiae. 2007 , 2, e988	152
1463	Chemical Biology. 2007 , 129-149	1
1462	Genomics. 2007 , 1-25	
1461	Genome-scale analysis of Saccharomyces cerevisiae metabolism and ethanol production in fed-batch culture. 2007 , 97, 1190-204	101
1460	Integrating genome-scale data for gene essentiality prediction. 2007 , 4, 2618-30	4
1459	Mechanism-of-action determination of GMP synthase inhibitors and target validation in Candida albicans and Aspergillus fumigatus. 2007 , 14, 1163-75	62
1458	Extracting viability landscapes from mutagen-response experiments. 2007 , 245, 37-43	2
1457	Stripped-down DNA repair in a highly reduced parasite. 2007 , 8, 24	29
1456	Growth control of the eukaryote cell: a systems biology study in yeast. 2007 , 6, 4	208
1455	A global analysis of genetic interactions in Caenorhabditis elegans. 2007 , 6, 8	120
1454	Comparative genomics of the environmental stress response in ascomycete fungi. 2007 , 24, 961-76	157
1453	Functional genomics of commercial baker's yeasts that have different abilities for sugar utilization and high-sucrose tolerance under different sugar conditions. 2007 , 24, 901-11	15
1452	Matrix-assisted laser desorption/ionization time-of-flight mass spectrometry for metabolic flux analyses using isotope-labeled ethanol. 2007 , 21, 336-42	8

1451	Dihydroxyacetone-induced death is accompanied by advanced glycation endproduct formation in selected proteins of <i>Saccharomyces cerevisiae</i> and <i>Caenorhabditis elegans</i> . 2007 , 7, 3764-74	15
1450	Systematic pathway analysis using high-resolution fitness profiling of combinatorial gene deletions. 2007 , 39, 199-206	254
1449	Epistatic buffering of fitness loss in yeast double deletion strains. 2007 , 39, 550-4	101
1448	Genome-wide functional analysis of pathogenicity genes in the rice blast fungus. 2007 , 39, 561-5	183
1447	Evolution of chromosome organization driven by selection for reduced gene expression noise. 2007 , 39, 945-9	158
1446	A genomic integration method to visualize localization of endogenous mRNAs in living yeast. 2007 , 4, 409-12	102
1445	SCALEs: multiscale analysis of library enrichment. 2007 , 4, 87-93	84
1444	Genome-wide analysis of barcoded <i>Saccharomyces cerevisiae</i> gene-deletion mutants in pooled cultures. 2007 , 2, 2958-74	164
1443	Exploring genetic interactions and networks with yeast. 2007 , 8, 437-49	449
1442	Cex1p is a novel cytoplasmic component of the <i>Saccharomyces cerevisiae</i> nuclear tRNA export machinery. 2007 , 26, 288-300	39
1441	Structural insights into a new homodimeric self-activated GTPase family. 2007 , 8, 569-75	41
1440	Pleiotropy and GAL pathway degeneration in yeast. 2007 , 20, 1333-8	10
1439	Fow2, a Zn(II)2Cys6-type transcription regulator, controls plant infection of the vascular wilt fungus <i>Fusarium oxysporum</i> . 2007 , 63, 737-53	47
1438	Systematic capsule gene disruption reveals the central role of galactose metabolism on <i>Cryptococcus neoformans</i> virulence. 2007 , 64, 771-81	97
1437	Cwp2p, the plasma membrane receptor for <i>Pichia membranifaciens</i> killer toxin. 2007 , 64, 831-43	24
1436	Effective killing of the human pathogen <i>Candida albicans</i> by a specific inhibitor of non-essential mitotic kinesin Kip1p. 2007 , 65, 347-62	13
1435	Disruption of iron homeostasis in <i>Saccharomyces cerevisiae</i> by high zinc levels: a genome-wide study. 2007 , 65, 521-37	76
1434	Genome-wide analysis of T-DNA integration into the chromosomes of <i>Magnaporthe oryzae</i> . 2007 , 66, 371-82	69

1433	Methodological improvements in the expression of foreign genes and in gene replacement in the phytopathogenic fungus <i>Botrytis cinerea</i> . 2007 , 8, 811-6	14
1432	Nup53p is a target of two mitotic kinases, Cdk1p and Hrr25p. 2007 , 8, 647-60	36
1431	A negative relationship between mutation pleiotropy and fitness effect in yeast. 2007 , 61, 1495-9	42
1430	Identification and classification of genes required for tolerance to freeze-thaw stress revealed by genome-wide screening of <i>Saccharomyces cerevisiae</i> deletion strains. 2007 , 7, 244-53	54
1429	Phytochrome-regulated Gene Expression. 2007 , 49, 11-20	37
1428	Accurate, precise modeling of cell proliferation kinetics from time-lapse imaging and automated image analysis of agar yeast culture arrays. 2007 , 1, 3	34
1427	TagSmart: analysis and visualization for yeast mutant fitness data measured by tag microarrays. 2007 , 8, 128	
1426	Relationship between insertion/deletion (indel) frequency of proteins and essentiality. 2007 , 8, 227	28
1425	Assembly rules for protein networks derived from phylogenetic-statistical analysis of whole genomes. 2007 , 7 Suppl 1, S16	12
1424	The use of global transcriptional analysis to reveal the biological and cellular events involved in distinct development phases of <i>Trichophyton rubrum</i> conidial germination. 2007 , 8, 100	53
1423	A yeast model for target-primed (non-LTR) retrotransposition. 2007 , 8, 263	10
1422	Gene discovery and transcript analyses in the corn smut pathogen <i>Ustilago maydis</i> : expressed sequence tag and genome sequence comparison. 2007 , 8, 334	48
1421	e-Fungi: a data resource for comparative analysis of fungal genomes. 2007 , 8, 426	24
1420	<i>Schistosoma mansoni</i> : Heterologous complementation of a yeast null mutant by SmRbx, a protein similar to a RING box protein involved in ubiquitination. 2007 , 116, 440-9	7
1419	Tvp38, Tvp23, Tvp18 and Tvp15: novel membrane proteins in the Tlg2-containing Golgi/endosome compartments of <i>Saccharomyces cerevisiae</i> . 2007 , 313, 688-97	27
1418	Application of advanced technologies in ageing research. 2007 , 128, 149-60	1
1417	Metabolic reconstruction and analysis for parasite genomes. 2007 , 23, 548-54	32
1416	Yeast systems biology: modelling the winemaker's art. 2007 , 25, 349-55	26

1415	Alternative pathway approach for automating analysis and validation of cell perturbation networks and design of perturbation experiments. 2007 , 1115, 267-85	4
1414	16 High-Throughput Strain Construction and Systematic Synthetic Lethal Screening in <i>Saccharomyces cerevisiae</i> . 2007 , 36, 369-707	61
1413	Genetics of <i>Candida albicans</i> , a diploid human fungal pathogen. 2007 , 41, 193-211	91
1412	<i>Escherichia coli</i> minimum genome factory. 2007 , 46, 157-67	77
1411	The long physiological reach of the yeast vacuolar H ⁺ -ATPase. 2007 , 39, 415-21	76
1410	Underexpression of the plant NOTCHLESS gene, encoding a WD-repeat protein, causes pleiotropic phenotype during plant development. 2007 , 225, 1107-20	18
1409	SLipid-induced cell dysfunction and cell death: lessons from yeast. 2007 , 9, 455-61	30
1408	Haploid deletion strains of <i>Saccharomyces cerevisiae</i> that determine survival during space flight. 2007 , 60, 460-471	9
1407	Size control goes global. 2007 , 18, 341-50	58
1406	Conditional chromosome splitting in <i>Saccharomyces cerevisiae</i> using the homing endonuclease PI-SceI. 2008 , 79, 699-706	4
1405	Random genome deletion methods applicable to prokaryotes. 2008 , 79, 519-26	6
1404	PCR-mediated one-step deletion of targeted chromosomal regions in haploid <i>Saccharomyces cerevisiae</i> . 2008 , 80, 545-53	15
1403	Allelism of <i>Saccharomyces cerevisiae</i> gene PSO10, involved in error-prone repair of psoralen-induced DNA damage, with SUMO ligase-encoding MMS21. 2008 , 53, 361-71	4
1402	Chemogenetic fingerprinting by analysis of cellular growth dynamics. 2008 , 8, 3	34
1401	Genome-wide screening of the genes required for tolerance to vanillin, which is a potential inhibitor of bioethanol fermentation, in <i>Saccharomyces cerevisiae</i> . 2008 , 1, 3	75
1400	Identification of molecular pathways affected by pterostilbene, a natural dimethylether analog of resveratrol. 2008 , 1, 7	35
1399	A <i>Caenorhabditis elegans</i> genetic-interaction map wiggles into view. 2008 , 7, 8	4
1398	<i>C. elegans</i> dss-1 is functionally conserved and required for oogenesis and larval growth. 2008 , 8, 51	25

1397	Reduced body weight is a common effect of gene knockout in mice. 2008 , 9, 4	71
1396	Quantitative assessment of the structural bias in protein-protein interaction assays. 2008 , 8, 4657-67	21
1395	Mechanisms of copper toxicity in <i>Saccharomyces cerevisiae</i> determined by microarray analysis. 2008 , 23, 599-606	28
1394	A novel stepwise analysis procedure of genome-wide expression profiles identifies transcript signatures of thiamine genes as classifiers of mitochondrial mutants. 2008 , 25, 129-40	1
1393	Possible roles of vacuolar H ⁺ -ATPase and mitochondrial function in tolerance to air-drying stress revealed by genome-wide screening of <i>Saccharomyces cerevisiae</i> deletion strains. 2008 , 25, 179-90	36
1392	A genetic screen for <i>Saccharomyces cerevisiae</i> mutants affecting proteasome function, using a ubiquitin-independent substrate. 2008 , 25, 199-217	14
1391	Exometabolic and transcriptional response in relation to phenotype and gene copy number in respiration-related deletion mutants of <i>S. cerevisiae</i> . 2008 , 25, 661-72	6
1390	Identification of common traits in improved xylose-growing <i>Saccharomyces cerevisiae</i> for inverse metabolic engineering. 2008 , 25, 835-47	44
1389	Coactivator requirements for p53-dependent transcription in the yeast <i>Saccharomyces cerevisiae</i> . 2008 , 122, 942-6	13
1388	Transcriptional regulation of changes in growth, cell cycle, and gene expression of <i>Saccharomyces cerevisiae</i> due to changes in buoyancy. 2008 , 100, 334-43	9
1387	Gene duplications, robustness and evolutionary innovations. 2008 , 30, 367-73	88
1386	The art of community detection. 2008 , 30, 934-8	66
1385	Genome Evolution. 2008 , 407-438	
1384	In silico network topology-based prediction of gene essentiality. 2008 , 387, 1049-1055	21
1383	Importance of systems biology in engineering microbes for biofuel production. 2008 , 19, 228-34	109
1382	PAP inhibitor with in vivo efficacy identified by <i>Candida albicans</i> genetic profiling of natural products. 2008 , 15, 363-74	67
1381	Genome-scale analysis of anti-metabolite directed strain engineering. 2008 , 10, 109-20	20
1380	Parallel mapping of genotypes to phenotypes contributing to overall biological fitness. 2008 , 10, 382-93	23

1379	Chemical-genetic approaches for exploring the mode of action of natural products. 2008 , 66, 237, 239-71	17
1378	Evolution of protein-coding genes in <i>Drosophila</i> . 2008 , 24, 114-23	206
1377	The <i>Saccharomyces cerevisiae</i> Wss1 protein is only present in mother cells. 2008 , 282, 100-4	5
1376	Coenzyme A biosynthesis: an antimicrobial drug target. 2008 , 32, 56-106	186
1375	Use of the TRP1 auxotrophic marker for gene disruption and phenotypic analysis in yeast: a note of warning. 2008 , 8, 2-5	14
1374	A TSC22-like motif defines a novel antiapoptotic protein family. 2008 , 8, 540-63	27
1373	Fis1 deficiency selects for compensatory mutations responsible for cell death and growth control defects. 2008 , 15, 1838-46	54
1372	Histone chaperone specificity in Rtt109 activation. 2008 , 15, 957-64	56
1371	A consensus yeast metabolic network reconstruction obtained from a community approach to systems biology. 2008 , 26, 1155-60	471
1370	Inn1 couples contraction of the actomyosin ring to membrane ingression during cytokinesis in budding yeast. 2008 , 10, 395-406	63
1369	Mature ribosomes are selectively degraded upon starvation by an autophagy pathway requiring the Ubp3p/Bre5p ubiquitin protease. 2008 , 10, 602-10	530
1368	Network pharmacology: the next paradigm in drug discovery. 2008 , 4, 682-90	2255
1367	Combination chemical genetics. 2008 , 4, 674-81	142
1366	A Cdc7 kinase inhibitor restricts initiation of DNA replication and has antitumor activity. 2008 , 4, 357-65	144
1365	Evolutionary plasticity of genetic interaction networks. 2008 , 40, 390-1	107
1364	Identification and characterization of high-flux-control genes of yeast through competition analyses in continuous cultures. 2008 , 40, 113-7	82
1363	Plasmid-chromosome shuffling for non-deletion alleles in yeast. 2008 , 5, 167-9	6
1362	A systematic library for comprehensive overexpression screens in <i>Saccharomyces cerevisiae</i> . 2008 , 5, 239-41	141

1361	Yeast Barcoders: a chemogenomic application of a universal donor-strain collection carrying bar-code identifiers. 2008 , 5, 719-25	85
1360	A comprehensive strategy enabling high-resolution functional analysis of the yeast genome. 2008 , 5, 711-8	376
1359	PCR-based gene targeting in <i>Candida albicans</i> . 2008 , 3, 1414-21	33
1358	Tuning gene expression to changing environments: from rapid responses to evolutionary adaptation. 2008 , 9, 583-93	647
1357	Unravelling the association of partial T-cell immunodeficiency and immune dysregulation. 2008 , 8, 545-58	104
1356	Nutrition and developmental biology—implications for public health. 2006 , 64, S60-71; discussion S72-91	1
1355	Large-scale phenotyping of transgenic tobacco plants (<i>Nicotiana tabacum</i>) to identify essential leaf functions. 2008 , 6, 246-63	16
1354	Rines/RNF180, a novel RING finger gene-encoded product, is a membrane-bound ubiquitin ligase. 2008 , 13, 397-409	30
1353	Silencing the crowd: high-throughput functional genomics in <i>Magnaporthe oryzae</i> . 2008 , 68, 1341-4	6
1352	The pairwise disconnectivity index as a new metric for the topological analysis of regulatory networks. 2008 , 9, 227	26
1351	Using a logical model to predict the growth of yeast. 2008 , 9, 97	15
1350	Complex evolution of the DAL5 transporter family. 2008 , 9, 164	11
1349	Global mRNA expression analysis in myosin II deficient strains of <i>Saccharomyces cerevisiae</i> reveals an impairment of cell integrity functions. 2008 , 9, 34	12
1348	RNomics and Modomics in the halophilic archaea <i>Haloferax volcanii</i> : identification of RNA modification genes. 2008 , 9, 470	57
1347	Buffering by gene duplicates: an analysis of molecular correlates and evolutionary conservation. 2008 , 9, 609	16
1346	Characterization of the <i>Shewanella oneidensis</i> Fur gene: roles in iron and acid tolerance response. 2008 , 9 Suppl 1, S11	42
1345	Transcriptome profiling of <i>Saccharomyces cerevisiae</i> mutants lacking C2H2 zinc finger proteins. 2008 , 9 Suppl 1, S14	6
1344	A simple principle concerning the robustness of protein complex activity to changes in gene expression. 2008 , 2, 1	70

1343	Three factors underlying incorrect in silico predictions of essential metabolic genes. 2008 , 2, 14	18
1342	Can single knockouts accurately single out gene functions?. 2008 , 2, 50	32
1341	The effects of protein interactions, gene essentiality and regulatory regions on expression variation. 2008 , 2, 54	14
1340	Structural similarity of genetically interacting proteins. 2008 , 2, 69	3
1339	A molecular interpretation of genetic interactions in yeast. 2008 , 582, 1245-50	9
1338	Chronological aging-induced apoptosis in yeast. 2008 , 1783, 1280-5	75
1337	The <i>Neurospora crassa</i> UVS-3 epistasis group encodes homologues of the ATR/ATRIP checkpoint control system. 2008 , 7, 213-29	8
1336	Identification of pathways controlling DNA damage induced mutation in <i>Saccharomyces cerevisiae</i> . 2008 , 7, 801-10	22
1335	Yeast genes involved in cadmium tolerance: Identification of DNA replication as a target of cadmium toxicity. 2008 , 7, 1262-75	45
1334	A molecular bar-coded DNA repair resource for pooled toxicogenomic screens. 2008 , 7, 1855-68	6
1333	Genetic analysis of CHK1 and CHK2 homologues revealed a unique cross talk between ATM and ATR pathways in <i>Neurospora crassa</i> . 2008 , 7, 1951-61	13
1332	Understanding mechanisms of toxicity: insights from drug discovery research. 2008 , 227, 163-78	81
1331	Evolution of gene sequence and gene expression are not correlated in yeast. 2008 , 24, 109-13	66
1330	Iron-sulfur cluster biogenesis and human disease. 2008 , 24, 398-407	290
1329	Comparative approach to analysis of gene essentiality. 2008 , 416, 459-66	5
1328	Classifying transcription factor targets and discovering relevant biological features. 2008 , 3, 22	7
1327	Chemostat-based micro-array analysis in baker's yeast. 2009 , 54, 257-311	47
1326	The construction of systematic in-frame, single-gene knockout mutant collection in <i>Escherichia coli</i> K-12. 2008 , 416, 171-81	39

1325	Microbial Gene Essentiality: Protocols and Bioinformatics. 2008,	4
1324	Prioritizing functional modules mediating genetic perturbations and their phenotypic effects: a global strategy. 2008, 9, R174	4
1323	Model-driven analysis of experimentally determined growth phenotypes for 465 yeast gene deletion mutants under 16 different conditions. 2008, 9, R140	43
1322	Modeling synthetic lethality. 2008, 9, R135	42
1321	Transcriptome analysis reveals new insight into appressorium formation and function in the rice blast fungus <i>Magnaporthe oryzae</i> . 2008, 9, R85	129
1320	Membrane transporters and protein traffic networks differentially affecting metal tolerance: a genomic phenotyping study in yeast. 2008, 9, R67	75
1319	Predicting gene function in a hierarchical context with an ensemble of classifiers. 2008, 9 Suppl 1, S3	98
1318	Modern Genome Annotation. 2008,	3
1317	Practical Bioinformatics. 2008,	
1316	A Unified Scoring Scheme for Detecting Essential Proteins in Protein Interaction Networks. 2008,	11
1315	Gene essentiality analysis based on DEG, a database of essential genes. 2008, 416, 391-400	25
1314	Genomics. 2008,	
1313	The transmembrane segment of Tom20 is recognized by Mim1 for docking to the mitochondrial TOM complex. 2008, 376, 694-704	85
1312	Toward a comprehensive temperature-sensitive mutant repository of the essential genes of <i>Saccharomyces cerevisiae</i> . 2008, 30, 248-58	165
1311	A genetic interaction map of RNA-processing factors reveals links between Sem1/Dss1-containing complexes and mRNA export and splicing. 2008, 32, 735-46	205
1310	Identifying essential genes in <i>Arabidopsis thaliana</i> . 2008, 13, 483-91	176
1309	Genomic, evolutionary, and expression analyses of <i>cee</i> , an ancient gene involved in normal growth and development. 2008, 91, 315-25	10
1308	Is chemical genetics the new frontier for malaria biology?. 2008, 29, 51-6	11

1307	Yeast chemical genomics and drug discovery: an update. 2008 , 29, 499-504	77
1306	The chemical genomic portrait of yeast: uncovering a phenotype for all genes. 2008 , 320, 362-5	769
1305	Global screening of genes essential for growth in high-pressure and cold environments: searching for basic adaptive strategies using a yeast deletion library. 2008 , 178, 851-72	64
1304	Sumoylation in <i>Aspergillus nidulans</i> : sumO inactivation, overexpression and live-cell imaging. 2008 , 45, 728-37	33
1303	Eukaryotic nuclear structure explains the evolutionary rate difference of ribosome export factors. 2008 , 421, 7-13	1
1302	Exported proteins required for virulence and rigidity of <i>Plasmodium falciparum</i> -infected human erythrocytes. 2008 , 134, 48-61	367
1301	The GET complex mediates insertion of tail-anchored proteins into the ER membrane. 2008 , 134, 634-45	351
1300	Real-time redox measurements during endoplasmic reticulum stress reveal interlinked protein folding functions. 2008 , 135, 933-47	234
1299	The Yeast <i>Saccharomyces cerevisiae</i> : a versatile model system for the identification and characterization of bacterial virulence proteins. 2008 , 4, 8-15	67
1298	Predictive behavior within microbial genetic networks. 2008 , 320, 1313-7	315
1297	Linking the kinome and phosphorylome--a comprehensive review of approaches to find kinase targets. 2008 , 4, 920-33	40
1296	Significant conservation of synthetic lethal genetic interaction networks between distantly related eukaryotes. 2008 , 105, 16653-8	143
1295	Optimized protein extraction methods for proteomic analysis of <i>Rhizoctonia solani</i> . 2008 , 100, 867-75	33
1294	The Alpha Project: a model system for systems biology research. 2008 , 2, 222-33	10
1293	Bipolarity of the <i>Saccharomyces Cerevisiae</i> Genome. 2008 ,	
1292	All-terrain droplet actuation. 2008 , 8, 672-7	138
1291	Development of a novel oligonucleotide array-based transcription factor assay platform for genome-wide active transcription factor profiling in <i>Saccharomyces cerevisiae</i> . 2008 , 7, 1315-25	4
1290	Baker's yeast as a tool for the development of antifungal drugs which target cell integrity - an update. 2008 , 3, 931-43	12

1289	Application of affinity selection/mass spectrometry to determine the structural isomer of parnafungins responsible for binding polyadenosine polymerase. 2008 , 130, 16704-10	25
1288	Isolation and structure elucidation of parnafungins, antifungal natural products that inhibit mRNA polyadenylation. 2008 , 130, 7060-6	64
1287	Dicistronic tRNA-5S rRNA genes in <i>Yarrowia lipolytica</i> : an alternative TFIIIA-independent way for expression of 5S rRNA genes. 2008 , 36, 5832-44	23
1286	Yeast ribosomal protein L10 helps coordinate tRNA movement through the large subunit. 2008 , 36, 6187-98	29
1285	The class V myosin motor protein, Myo2, plays a major role in mitochondrial motility in <i>Saccharomyces cerevisiae</i> . 2008 , 181, 119-30	90
1284	Anoxia-induced suspended animation in budding yeast as an experimental paradigm for studying oxygen-regulated gene expression. 2008 , 7, 1795-808	7
1283	Variations in stress sensitivity and genomic expression in diverse <i>S. cerevisiae</i> isolates. 2008 , 4, e1000223	150
1282	<i>Saccharomyces cerevisiae</i> Yta7 regulates histone gene expression. 2008 , 179, 291-304	33
1281	Handbook of Large-Scale Random Networks. 2008 ,	7
1280	A chemical genomic screen in <i>Saccharomyces cerevisiae</i> reveals a role for diphthamidation of translation elongation factor 2 in inhibition of protein synthesis by sordarin. 2008 , 52, 1623-9	20
1279	Multiple yeast genes, including Paf1 complex genes, affect telomere length via telomerase RNA abundance. 2008 , 28, 4152-61	35
1278	Cmc1p is a conserved mitochondrial twin CX9C protein involved in cytochrome c oxidase biogenesis. 2008 , 28, 4354-64	47
1277	Synthetic lethal screens identify gene silencing processes in yeast and implicate the acetylated amino terminus of Sir3 in recognition of the nucleosome core. 2008 , 28, 3861-72	46
1276	The 2008 George W. Beadle Award. Mark Johnston. 2008 , 178, 1129-30	
1275	Involvement of <i>Saccharomyces cerevisiae</i> Avo3p/Tsc11p in maintaining TOR complex 2 integrity and coupling to downstream signaling. 2008 , 7, 1328-43	12
1274	Assessing the functional structure of genomic data. 2008 , 24, i330-8	10
1273	<i>Arabidopsis</i> mutants and the network of microtubule-associated functions. 2008 , 1, 888-98	55
1272	A complete collection of single-gene deletion mutants of <i>Acinetobacter baylyi</i> ADP1. 2008 , 4, 174	234

1271	Beer and bread to brains and beyond: can yeast cells teach us about neurodegenerative disease?. 2008 , 16, 52-62	37
1270	Inferring the Function of Genes from Synthetic Lethal Mutations. 2008 ,	4
1269	Molecular Mechanisms of Neurotransmitter Release. 2008 ,	3
1268	An engineered <i>Saccharomyces cerevisiae</i> strain binds the broadly neutralizing human immunodeficiency virus type 1 antibody 2G12 and elicits mannose-specific gp120-binding antibodies. 2008 , 82, 6447-57	61
1267	New connections across pathways and cellular processes: industrialized mutant screening reveals novel associations between diverse phenotypes in <i>Arabidopsis</i> . 2008 , 146, 1482-500	70
1266	ROBUSTNESS IN SCALE-FREE NETWORKS: COMPARING DIRECTED AND UNDIRECTED NETWORKS. 2008 , 19, 717-726	10
1265	Superoxide anions regulate TORC1 and its ability to bind Fpr1:rapamycin complex. 2008 , 105, 15166-71	41
1264	Genome-wide analysis of sterol-lipid storage and trafficking in <i>Saccharomyces cerevisiae</i> . 2008 , 7, 401-14	45
1263	CYP56 (Dit2p) in <i>Candida albicans</i> : characterization and investigation of its role in growth and antifungal drug susceptibility. 2008 , 52, 3718-24	27
1262	Interactions between stressful environment and gene deletions alleviate the expected average loss of fitness in yeast. 2008 , 178, 2105-11	30
1261	Parcs is a dual regulator of cell proliferation and apaf-1 function. 2008 , 283, 24400-5	10
1260	Dual role of NRSF/REST in activation and repression of the glucocorticoid response. 2008 , 283, 110-119	29
1259	Modulation of yeast Sln1 kinase activity by the CCW12 cell wall protein. 2008 , 283, 1962-73	23
1258	Cleavage of the signaling mucin Msb2 by the aspartyl protease Yps1 is required for MAPK activation in yeast. 2008 , 181, 1073-81	92
1257	Identification of genes involved in the toxic response of <i>Saccharomyces cerevisiae</i> against iron and copper overload by parallel analysis of deletion mutants. 2008 , 101, 140-51	61
1256	Pervasive and persistent redundancy among duplicated genes in yeast. 2008 , 4, e1000113	122
1255	Systematic analysis of pleiotropy in <i>C. elegans</i> early embryogenesis. 2008 , 4, e1000003	21
1254	Global transcriptome and deletome profiles of yeast exposed to transition metals. 2008 , 4, e1000053	120

1253	Mechanisms of cell cycle control revealed by a systematic and quantitative overexpression screen in <i>S. cerevisiae</i> . 2008 , 4, e1000120	50
1252	The extensive and condition-dependent nature of epistasis among whole-genome duplicates in yeast. 2008 , 18, 1092-9	84
1251	Inference of protein complex activities from chemical-genetic profile and its applications: predicting drug-target pathways. 2008 , 4, e1000162	10
1250	Spontaneous reaction silencing in metabolic optimization. 2008 , 4, e1000236	34
1249	Why do hubs in the yeast protein interaction network tend to be essential: reexamining the connection between the network topology and essentiality. 2008 , 4, e1000140	291
1248	A genetic screen for increased loss of heterozygosity in <i>Saccharomyces cerevisiae</i> . 2008 , 179, 1179-95	62
1247	Role of acetyl coenzyme A synthesis and breakdown in alternative carbon source utilization in <i>Candida albicans</i> . 2008 , 7, 1733-41	44
1246	HOPS proofreads the trans-SNARE complex for yeast vacuole fusion. 2008 , 19, 2500-8	103
1245	Genetic networks for the functional study of genomes. 2008 , 7, 249-63	11
1244	Towards a mutation in every gene in <i>Caenorhabditis elegans</i> . 2008 , 7, 195-204	42
1243	Genetic and structural analysis of Hmg2p-induced endoplasmic reticulum remodeling in <i>Saccharomyces cerevisiae</i> . 2008 , 19, 4506-20	16
1242	Threonine biosynthetic genes are essential in <i>Cryptococcus neoformans</i> . 2008 , 154, 2767-2775	29
1241	Selection to minimise noise in living systems and its implications for the evolution of gene expression. 2008 , 4, 170	156
1240	Nuclear export competence of pre-40S subunits in fission yeast requires the ribosomal protein Rps2. 2008 , 36, 6132-42	16
1239	DOA1/UFD3 plays a role in sorting ubiquitinated membrane proteins into multivesicular bodies. 2008 , 283, 21599-611	39
1238	Dispersed mutations in histone H3 that affect transcriptional repression and chromatin structure of the <i>CHA1</i> promoter in <i>Saccharomyces cerevisiae</i> . 2008 , 7, 1649-60	8
1237	A yeast exosome cofactor, Mpp6, functions in RNA surveillance and in the degradation of noncoding RNA transcripts. 2008 , 28, 5446-57	75
1236	Stress-activated genomic expression changes serve a preparative role for impending stress in yeast. 2008 , 19, 4580-7	214

1235	Organization of the pre-autophagosomal structure responsible for autophagosome formation. 2008 , 19, 2039-50	200
1234	Chromatin-associated genes protect the yeast genome from Ty1 insertional mutagenesis. 2008 , 178, 197-214	67
1233	Localization and interaction of the proteins constituting the GAL genetic switch in <i>Saccharomyces cerevisiae</i> . 2008 , 7, 2061-8	23
1232	Disrupting vesicular trafficking at the endosome attenuates transcriptional activation by Gcn4. 2008 , 28, 6796-818	19
1231	<i>Aspergillus nidulans</i> ArfB plays a role in endocytosis and polarized growth. 2008 , 7, 1278-88	42
1230	Mgr3p and Mgr1p are adaptors for the mitochondrial i-AAA protease complex. 2008 , 19, 5387-97	43
1229	A Review of Systems Biology Perspective on Genetic Regulatory Networks with Examples. 2008 , 3, 197-225	25
1228	Finding friends and enemies in an enemies-only network: a graph diffusion kernel for predicting novel genetic interactions and co-complex membership from yeast genetic interactions. 2008 , 18, 1991-2004	70
1227	In vivo and in vitro approaches for studying the yeast mitochondrial RNA degradosome complex. 2008 , 447, 463-88	13
1226	Secondary Assays for Testing the Mode of Action of Natural Products with Bioactivity Against Fungi. 2008 , 46, 16-25	3
1225	Histone H3 lysine 56 acetylation by Rtt109 is crucial for chromosome positioning. 2008 , 183, 641-51	34
1224	Exploring Core/Periphery Structures in Protein Interaction Networks Provides Structure-Property Relation Insights. 2008 ,	
1223	Predicting synthetic rescues in metabolic networks. 2008 , 4, 168	107
1222	Novel Sfp1 transcriptional regulation of <i>Saccharomyces cerevisiae</i> gene expression changes during spaceflight. 2008 , 8, 1071-8	10
1221	Mathematical contributions to dynamics and optimization of gene-environment networks. 2008 , 57, 353-377	22
1220	Environmental and life sciences: gene-environment networks optimization, games and control a survey on recent achievements. 2008 , 5, 197-233	7
1219	Protein synthesis and assembly in mitochondrial disorders. 2008 , 8, 1335-50	24
1218	Mapping key features of transcriptional regulatory circuitry in embryonic stem cells. 2008 , 73, 183-93	32

1217	Comparative evolutionary histories of the fungal chitinase gene family reveal non-random size expansions and contractions due to adaptive natural selection. 2008 , 4, 47-60	56
1216	Assessing the evolution of gene expression using microarray data. 2008 , 4, 139-52	3
1215	Yeast Cells as a Discovery Platform for Parkinson's Disease and other Protein Misfolding Diseases. 2008 , 505-536	
1214	Network hubs buffer environmental variation in <i>Saccharomyces cerevisiae</i> . 2008 , 6, e264	209
1213	Chromatin- and transcription-related factors repress transcription from within coding regions throughout the <i>Saccharomyces cerevisiae</i> genome. 2008 , 6, e277	222
1212	Off-target effects of psychoactive drugs revealed by genome-wide assays in yeast. 2008 , 4, e1000151	71
1211	Chemical-genetic profiling of imidazo[1,2-a]pyridines and -pyrimidines reveals target pathways conserved between yeast and human cells. 2008 , 4, e1000284	31
1210	Systematic validation and atomic force microscopy of non-covalent short oligonucleotide barcode microarrays. 2008 , 3, e1546	11
1209	Discovery and expansion of gene modules by seeking isolated groups in a random graph process. 2008 , 3, e3358	1
1208	Parasites lead to evolution of robustness against gene loss in host signaling networks. 2008 , 4, 202	20
1207	Origins and evolution of modern biochemistry: insights from genomes and molecular structure. 2008 , 13, 5212-40	15
1206	Yeast Features: Identifying Significant Features Shared Among Yeast Proteins for Functional Genomics. 2008 ,	
1205	Project Considerations. 2008 , 175-217	
1204	Using yeast as a model system for the genetic dissection of Pynuclein toxicity. 2008 , 433-448	
1203	. 2009 ,	7
1202	. 2009 ,	7
1201	Self-reporting cells. 2009 , 46, 356-7	
1200	Evidence for Avt6 as a vacuolar exporter of acidic amino acids in <i>Saccharomyces cerevisiae</i> cells. 2009 , 55, 409-17	21

1199	A Gateway platform for functional genomics in <i>Haloferax volcanii</i> : deletion of three tRNA modification genes. 2009 , 2, 211-9	18
1198	Fault tolerance in protein interaction networks: stable bipartite subgraphs and redundant pathways. 2009 , 4, e5364	24
1197	The ELG1 clamp loader plays a role in sister chromatid cohesion. 2009 , 4, e5497	48
1196	Sulfur metabolism actively promotes initiation of cell division in yeast. 2009 , 4, e8018	12
1195	Metabolic flux correlations, genetic interactions, and disease. 2009 , 16, 291-302	6
1194	Studying <i>Populus</i> Defenses Against Insect Herbivores in the Post-Genomic Era. 2009 , 28, 335-345	10
1193	On the robustness of NK-Kauffman networks against changes in their connections and Boolean functions. 2009 , 50, 043513	5
1192	Transformation and isolation of allelic exchange mutants of <i>Chlamydia psittaci</i> using recombinant DNA introduced by electroporation. 2009 , 106, 292-7	83
1191	New mutant phenotype data curation system in the <i>Saccharomyces</i> Genome Database. 2009 , 2009, bap001	19
1190	The novel conserved mitochondrial inner-membrane protein MTGM regulates mitochondrial morphology and cell proliferation. 2009 , 122, 2252-62	38
1189	Robustness perspective on network-based prediction of gene essentiality. 2009 ,	
1188	Quantitative phenotyping via deep barcode sequencing. 2009 , 19, 1836-42	223
1187	The rate of cell growth is governed by cell cycle stage. 2009 , 23, 1408-22	105
1186	Identification of a basic helix-loop-helix-type transcription regulator gene in <i>Aspergillus oryzae</i> by systematically deleting large chromosomal segments. 2009 , 75, 5943-51	15
1185	The yeast AAA+ chaperone Hsp104 is part of a network that links the actin cytoskeleton with the inheritance of damaged proteins. 2009 , 29, 3738-45	59
1184	Spp382p interacts with multiple yeast splicing factors, including possible regulators of Prp43 DEXD/H-Box protein function. 2009 , 183, 195-206	23
1183	Design of 240,000 orthogonal 25mer DNA barcode probes. 2009 , 106, 2289-94	101
1182	Asymmetric signal transduction through paralogs that comprise a genetic switch for sugar sensing in <i>Saccharomyces cerevisiae</i> . 2009 , 284, 29635-43	24

1181	Co-expression among constituents of a motif in the protein-protein interaction network. 2009 , 7, 1-17	10
1180	Genome structure of a <i>Saccharomyces cerevisiae</i> strain widely used in bioethanol production. 2009 , 19, 2258-70	186
1179	Expression profiling of hypothetical genes in <i>Desulfovibrio vulgaris</i> leads to improved functional annotation. 2009 , 37, 2926-39	20
1178	Population genomics of intron splicing in 38 <i>Saccharomyces cerevisiae</i> genome sequences. 2009 , 1, 466-78	15
1177	Utp9p facilitates Msn5p-mediated nuclear reexport of retrograded tRNAs in <i>Saccharomyces cerevisiae</i> . 2009 , 20, 5007-25	27
1176	Positive selection for elevated gene expression noise in yeast. 2009 , 5, 299	78
1175	Homogeneous decomposition of protein interaction networks: refining the description of intra-modular interactions. 2009 , 25, 926-32	1
1174	Testing of chromosomal clumping of gene properties. 2009 , 8, Article 19	
1173	A network modeling approach to analysis of the Th2 memory responses underlying human atopic disease. 2009 , 182, 6011-21	30
1172	Phenotypic consequences of purine nucleotide imbalance in <i>Saccharomyces cerevisiae</i> . 2009 , 183, 529-38, 1SI-7SI	29
1171	Conserved network of proteins essential for bacterial viability. 2009 , 191, 4732-49	61
1170	Yeast Genomics for Bread, Beer, Biology, Bucks and Breath. 2009 , 473-485	
1169	Telomerase is essential to alleviate pif1-induced replication stress at telomeres. 2009 , 183, 779-91	22
1168	Chitinases are essential for sexual development but not vegetative growth in <i>Cryptococcus neoformans</i> . 2009 , 8, 1692-705	29
1167	Mapping gene associations in human mitochondria using clinical disease phenotypes. 2009 , 5, e1000374	60
1166	Systematic identification of balanced transposition polymorphisms in <i>Saccharomyces cerevisiae</i> . 2009 , 5, e1000502	5
1165	A phenotypic profile of the <i>Candida albicans</i> regulatory network. 2009 , 5, e1000783	292
1164	A genome-wide screen for regulators of TORC1 in response to amino acid starvation reveals a conserved Npr2/3 complex. 2009 , 5, e1000515	112

1163	How eukaryotic genes are transcribed. 2009 , 44, 117-41	119
1162	Endoplasmic reticulum-associated secretory proteins Sec20p, Sec39p, and Dsl1p are involved in peroxisome biogenesis. 2009 , 8, 830-43	62
1161	A trans-membrane segment inside the ribosome exit tunnel triggers RAMP4 recruitment to the Sec61p translocase. 2009 , 185, 889-902	40
1160	The universal YrdC/Sua5 family is required for the formation of threonylcarbamoyladenosine in tRNA. 2009 , 37, 2894-909	118
1159	Role of the cell wall integrity and filamentous growth mitogen-activated protein kinase pathways in cell wall remodeling during filamentous growth. 2009 , 8, 1118-33	38
1158	Computationally driven, quantitative experiments discover genes required for mitochondrial biogenesis. 2009 , 5, e1000407	113
1157	Directing experimental biology: a case study in mitochondrial biogenesis. 2009 , 5, e1000322	31
1156	GrowMatch: an automated method for reconciling in silico/in vivo growth predictions. 2009 , 5, e1000308	169
1155	Tethering recombination initiation proteins in <i>Saccharomyces cerevisiae</i> promotes double strand break formation. 2009 , 182, 447-58	5
1154	Training set expansion: an approach to improving the reconstruction of biological networks from limited and uneven reliable interactions. 2009 , 25, 243-50	18
1153	Utilizing gene pair orientations for HMM-based analysis of promoter array ChIP-chip data. 2009 , 25, 2118-25	7
1152	A systematic screen for transcriptional regulators of the yeast cell cycle. 2009 , 181, 435-46	20
1151	Learning a prior on regulatory potential from eQTL data. 2009 , 5, e1000358	151
1150	Heterologous expression studies of <i>Saccharomyces cerevisiae</i> reveal two distinct trypanosomatid CaaX protease activities and identify their potential targets. 2009 , 8, 1891-900	17
1149	Comparative genomics using microarrays reveals divergence and loss of virulence-associated genes in host-specific strains of the insect pathogen <i>Metarhizium anisopliae</i> . 2009 , 8, 888-98	27
1148	Stringent mating-type-regulated auxotrophy increases the accuracy of systematic genetic interaction screens with <i>Saccharomyces cerevisiae</i> mutant arrays. 2009 , 181, 289-300	13
1147	Are sex-biased genes more dispensable?. 2009 , 5, 409-12	49
1146	Efficient gene replacements in <i>Toxoplasma gondii</i> strains deficient for nonhomologous end joining. 2009 , 8, 520-9	202

1145	The signaling mucins Msb2 and Hkr1 differentially regulate the filamentation mitogen-activated protein kinase pathway and contribute to a multimodal response. 2009 , 20, 3101-14	72
1144	Synthetic lethal genetic interactions that decrease somatic cell proliferation in <i>Caenorhabditis elegans</i> identify the alternative RFC CTF18 as a candidate cancer drug target. 2009 , 20, 5306-13	26
1143	LINE-like retrotransposition in <i>Saccharomyces cerevisiae</i> . 2009 , 181, 301-11	17
1142	Exploring the mode of action of antimicrobial peptide MUC7 12-mer by fitness profiling of <i>Saccharomyces cerevisiae</i> genomewide mutant collection. 2009 , 53, 3762-9	8
1141	The tRNA modification complex elongator regulates the Cdc42-dependent mitogen-activated protein kinase pathway that controls filamentous growth in yeast. 2009 , 8, 1362-72	21
1140	Comparative functional genomic analysis identifies distinct and overlapping sets of genes required for resistance to monomethylarsonous acid (MMAIII) and arsenite (AsIII) in yeast. 2009 , 111, 424-36	36
1139	A heritable switch in carbon source utilization driven by an unusual yeast prion. 2009 , 23, 2320-32	135
1138	Precise gene-dose alleles for chemical genetics. 2009 , 182, 623-6	14
1137	Predicting genetic interactions with random walks on biological networks. 2009 , 10, 17	43
1136	Towards the prediction of essential genes by integration of network topology, cellular localization and biological process information. 2009 , 10, 290	127
1135	Core and periphery structures in protein interaction networks. 2009 , 10 Suppl 4, S8	26
1134	Evolutionary constraints permeate large metabolic networks. 2009 , 9, 231	25
1133	Novel insights into iron metabolism by integrating deletome and transcriptome analysis in an iron deficiency model of the yeast <i>Saccharomyces cerevisiae</i> . 2009 , 10, 130	26
1132	A comparative analysis of DNA barcode microarray feature size. 2009 , 10, 471	11
1131	Insights into distinct regulatory modes of nucleosome positioning. 2009 , 10, 602	3
1130	Exploring and dissecting genome-wide gene expression responses of <i>Penicillium chrysogenum</i> to phenylacetic acid consumption and penicillinG production. 2009 , 10, 75	64
1129	Reverse genetics through random mutagenesis in <i>Histoplasma capsulatum</i> . 2009 , 9, 236	14
1128	An evaluation of minimal cellular functions to sustain a bacterial cell. 2009 , 3, 111	13

1127	Efficiency of complex production in changing environment. 2009 , 3, 3	8
1126	Information processing in the transcriptional regulatory network of yeast: functional robustness. 2009 , 3, 35	23
1125	Exploiting gene deletion fitness effects in yeast to understand the modular architecture of protein complexes under different growth conditions. 2009 , 3, 74	13
1124	Knowledge based identification of essential signaling from genome-scale siRNA experiments. 2009 , 3, 80	11
1123	Msh1p counteracts oxidative lesion-induced instability of mtDNA and stimulates mitochondrial recombination in <i>Saccharomyces cerevisiae</i> . 2009 , 8, 318-29	21
1122	Dissecting the DNA damage response using functional genomics approaches in <i>S. cerevisiae</i> . 2009 , 8, 1110-7	4
1121	A picture is worth a thousand words: genomics to phenomics in the yeast <i>Saccharomyces cerevisiae</i> . 2009 , 583, 1656-61	29
1120	Systems biology from a yeast omics perspective. 2009 , 583, 3895-9	39
1119	Disruption of ubiquitin-related genes in laboratory yeast strains enhances ethanol production during sake brewing. 2009 , 107, 636-40	17
1118	In Silico Genome-Scale Metabolic Models: The Constraint-Based Approach and Its Applications. 193-233	
1117	Yeast as a Prototype for Systems Biology. 287-353	
1116	Chemical Genomics Based on Yeast Genetics. 223-238	
1115	An evolutionary model for the origin of modularity in a complex gene network. 2009 , 312, 75-82	6
1114	Apprehending multicellularity: regulatory networks, genomics, and evolution. 2009 , 87, 143-64	13
1113	Shadows of complexity: what biological networks reveal about epistasis and pleiotropy. 2009 , 31, 220-7	117
1112	Cyk3 acts in actomyosin ring independent cytokinesis by recruiting Inn1 to the yeast bud neck. 2009 , 282, 437-51	40
1111	Molecular Cloning, Expression, and Polyclonal Antibody Production of a Novel Flavin-Containing Monooxygenase from <i>Thellungiella halophila</i> . 2009 , 27, 94-101	
1110	Mutations and lethality in simulated prebiotic networks. 2009 , 69, 568-78	11

1109	Aconitase overexpression changes the product ratio of citric acid production by <i>Yarrowia lipolytica</i> . 2009 , 81, 1087-96	58
1108	Proteomic insights into adaptive responses of <i>Saccharomyces cerevisiae</i> to the repeated vacuum fermentation. 2009 , 83, 909-23	19
1107	Advances in molecular methods to alter chromosomes and genome in the yeast <i>Saccharomyces cerevisiae</i> . 2009 , 84, 1045-52	9
1106	Functional characterization of ribosomal protein L15 from <i>Saccharomyces cerevisiae</i> . 2009 , 55, 111-25	9
1105	The BEM46-like protein appears to be essential for hyphal development upon ascospore germination in <i>Neurospora crassa</i> and is targeted to the endoplasmic reticulum. 2009 , 55, 151-61	13
1104	Genetic analysis of coenzyme A biosynthesis in the yeast <i>Saccharomyces cerevisiae</i> : identification of a conditional mutation in the pantothenate kinase gene CAB1. 2009 , 55, 163-73	30
1103	Comprehensive and quantitative analysis of yeast deletion mutants defective in apical and isotropic bud growth. 2009 , 55, 365-80	38
1102	Knockout of the DNA ligase IV homolog gene in the sphingoid base producing yeast <i>Pichia ciferrii</i> significantly increases gene targeting efficiency. 2009 , 55, 381-9	27
1101	Production of polyunsaturated fatty acids in yeast <i>Saccharomyces cerevisiae</i> and its relation to alkaline pH tolerance. 2009 , 26, 167-84	31
1100	A QPCR-based reporter system to study post-transcriptional regulation via the 3' untranslated region of mRNA in <i>Saccharomyces cerevisiae</i> . 2009 , 26, 407-13	3
1099	Interaction networks: lessons from large-scale studies in yeast. 2009 , 9, 4799-811	7
1098	Recent advances in yeast organelle and membrane proteomics. 2009 , 9, 4731-43	22
1097	The Use of Sequence-Derived QSPR Descriptors for Predicting Highly Connected Proteins (Hubs) in Protein-Protein Interactions. 2009 , 28, 509-519	5
1096	A microfluidic device to acquire high-magnification microphotographs of yeast cells. 2009 , 4, 5	9
1095	Atg17 recruits Atg9 to organize the pre-autophagosomal structure. 2009 , 14, 525-38	119
1094	Sua5p a single-stranded telomeric DNA-binding protein facilitates telomere replication. 2009 , 28, 1466-78	31
1093	Reduction of nitrate in <i>Shewanella oneidensis</i> depends on atypical NAP and NRF systems with NapB as a preferred electron transport protein from CymA to NapA. 2009 , 3, 966-76	97
1092	A molecular barcoded yeast ORF library enables mode-of-action analysis of bioactive compounds. 2009 , 27, 369-77	201

1091	Modularity of MAP kinases allows deformation of their signalling pathways. 2009 , 11, 484-91	50
1090	Moonlighting proteins Hal3 and Vhs3 form a heteromeric PPCDC with Ykl088w in yeast CoA biosynthesis. 2009 , 5, 920-8	38
1089	Global discovery of adaptive mutations. 2009 , 6, 581-3	23
1088	A general life-death selection strategy for dissecting protein functions. 2009 , 6, 813-6	38
1087	m-TAG: a PCR-based genomic integration method to visualize the localization of specific endogenous mRNAs in vivo in yeast. 2009 , 4, 1274-84	34
1086	The exosome contains domains with specific endoribonuclease, exoribonuclease and cytoplasmic mRNA decay activities. 2009 , 16, 56-62	227
1085	Deletion of host histone acetyltransferases and deacetylases strongly affects Agrobacterium-mediated transformation of <i>Saccharomyces cerevisiae</i> . 2009 , 298, 228-33	14
1084	Low frequency of mutations with strongly deleterious but nonlethal fitness effects. 2009 , 63, 2164-71	18
1083	Regulated transcription of the <i>Saccharomyces cerevisiae</i> phosphatidylinositol biosynthetic gene, PIS1, yields pleiotropic effects on phospholipid synthesis. 2009 , 9, 552-64	9
1082	Dissecting the pleiotropic consequences of a quantitative trait nucleotide. 2009 , 9, 713-22	22
1081	Generation of a large set of genetically tractable haploid and diploid <i>Saccharomyces</i> strains. 2009 , 9, 1217-25	95
1080	NQR1 controls lifespan by regulating the promotion of respiratory metabolism in yeast. 2009 , 8, 140-51	33
1079	Estimating novel potential drug targets of <i>Plasmodium falciparum</i> by analysing the metabolic network of knock-out strains in silico. 2009 , 9, 351-8	61
1078	Logical analysis of the budding yeast cell cycle. 2009 , 257, 543-59	52
1077	Application and analysis of structure-switching aptamers for small molecule quantification. 2009 , 638, 213-9	10
1076	Stress-tolerance of baker's-yeast (<i>Saccharomyces cerevisiae</i>) cells: stress-protective molecules and genes involved in stress tolerance. 2009 , 53, 155-64	67
1075	Systems-level approaches for identifying and analyzing genetic interaction networks in <i>Escherichia coli</i> and extensions to other prokaryotes. 2009 , 5, 1439-55	29
1074	Genome sequence of the lager brewing yeast, an interspecies hybrid. 2009 , 16, 115-29	233

1073	Essential core of protein-protein interaction network in Escherichia coli. 2009 , 8, 1925-31	27
1072	Imaging-based live cell yeast screen identifies novel factors involved in peroxisome assembly. 2009 , 8, 20-7	32
1071	Genome-wide analysis of Candida albicans gene expression patterns during infection of the mammalian kidney. 2009 , 46, 210-9	78
1070	Mitochondrial dysfunction leads to nuclear genome instability via an iron-sulfur cluster defect. 2009 , 137, 1247-58	303
1069	Disorder, promiscuity, and toxic partnerships. 2009 , 138, 16-8	23
1068	Mechanistic role of ergosterol in membrane rigidity and cycloheximide resistance in Saccharomyces cerevisiae. 2009 , 1788, 743-52	115
1067	An essential line of inquiry. 2009 , 14, 414-415	2
1066	Corrigendum: Does chromatin remodeling mark systemic acquired resistance?. 2009 , 14, 415	1
1065	Comprehensive genetic analysis of transcription factor pathways using a dual reporter gene system in budding yeast. 2009 , 48, 258-64	21
1064	The 20S proteasome as an assembly platform for the 19S regulatory complex. 2009 , 394, 320-8	44
1063	Genomics enabled approaches in strain engineering. 2009 , 12, 223-30	39
1062	Two-color cell array screen reveals interdependent roles for histone chaperones and a chromatin boundary regulator in histone gene repression. 2009 , 35, 340-51	73
1061	Cse4 is part of an octameric nucleosome in budding yeast. 2009 , 35, 794-805	140
1060	Rrp17p is a eukaryotic exonuclease required for 5' end processing of Pre-60S ribosomal RNA. 2009 , 36, 768-81	64
1059	Animal Systems Biology: Towards a Systems View of Development in C. Elegans. 137-165	
1058	Systematic mapping of genetic interaction networks. 2009 , 43, 601-25	206
1057	Pathogenic mechanisms of allergic inflammation: atopic asthma as a paradigm. 2009 , 104, 51-113	16
1056	Comprehensive characterization of genes required for protein folding in the endoplasmic reticulum. 2009 , 323, 1693-7	517

1055	Systems Biology and Biotechnology of Escherichia coli. 2009 ,	18
1054	Machine Learning and Genetic Regulatory Networks: A Review and a Roadmap. 2009 , 3-34	3
1053	Foundations of Computational, Intelligence Volume 1. 2009 ,	1
1052	On the fate of early endosomes. 2009 , 390, 753-9	47
1051	Evolutionary Biology. 2009 ,	3
1050	Plant Systems Biology. 2009 ,	3
1049	Yeast Biotechnology: Diversity and Applications. 2009 ,	33
1048	Identification of secondary targets of N-containing bisphosphonates in mammalian cells via parallel competition analysis of the barcoded yeast deletion collection. 2009 , 10, R93	21
1047	Genome-wide deletion mutant analysis reveals genes required for respiratory growth, mitochondrial genome maintenance and mitochondrial protein synthesis in <i>Saccharomyces cerevisiae</i> . 2009 , 10, R95	136
1046	Evolutionary rates and centrality in the yeast gene regulatory network. 2009 , 10, R35	58
1045	Reconstructing the ubiquitin network: cross-talk with other systems and identification of novel functions. 2009 , 10, R33	29
1044	The Envirostat - a new bioreactor concept. 2009 , 9, 576-85	52
1043	Yeast Functional Genomics and Proteomics. 2009 ,	1
1042	Trafficking Inside Cells. 2009 ,	8
1041	How We Study Protein Transport. 2009 , 15-41	5
1040	Fluconazole modulates membrane rigidity, heterogeneity, and water penetration into the plasma membrane in <i>Saccharomyces cerevisiae</i> . 2009 , 48, 8494-504	68
1039	An Image Informatics Method for Automated Quantitative Analysis of Phenotype Visual Similarities. 2009 , 2009, 96-99	4
1038	Computational methods for discovering gene networks from expression data. 2009 , 10, 408-23	135

1037	Systematic phenome analysis of Escherichia coli multiple-knockout mutants reveals hidden reactions in central carbon metabolism. 2009 , 5, 306	112
1036	High-confidence mapping of chemical compounds and protein complexes reveals novel aspects of chemical stress response in yeast. 2010 , 6, 175-81	12
1035	Prediction of conditional gene essentiality through graph theoretical analysis of genome-wide functional linkages. 2009 , 5, 1936-42	21
1034	Mining gene functional networks to improve mass-spectrometry-based protein identification. 2009 , 25, 2955-61	31
1033	A network-based method for predicting gene-nutrient interactions and its application to yeast amino-acid metabolism. 2009 , 5, 1732-9	6
1032	Explorations in topology-delving underneath the surface of genetic interaction maps. 2009 , 5, 1473-81	10
1031	Correlation between TCA cycle flux and glucose uptake rate during respiro-fermentative growth of Saccharomyces cerevisiae. 2009 , 155, 3827-3837	77
1030	Rational extension of the ribosome biogenesis pathway using network-guided genetics. 2009 , 7, e1000213	130
1029	Testing temperature-induced proteomic changes in the plant-associated bacterium Pseudomonas fluorescens SBW25. 2010 , 2, 396-402	4
1028	Essential pathway identification: from in silico analysis to potential antifungal targets in Aspergillus fumigatus. 2009 , 47 Suppl 1, S80-7	15
1027	Functional Genomics. 460-514	
1026	Functional conservation of tRNase ZL among Saccharomyces cerevisiae, Schizosaccharomyces pombe and humans. 2009 , 422, 483-92	26
1025	References. 2009 , 265-312	
1024	?????????????????. 2009 , 47, 269-274	
1023	The arrestin fold: variations on a theme. 2009 , 10, 133-42	65
1022	Assay Development for Antimicrobial Drug Discovery. 2009 ,	
1021	Implications of the dominant role of transporters in drug uptake by cells. 2009 , 9, 163-81	76
1020	Saturation of the human phenome. 2010 , 11, 482-99	24

1019	Pooled RNAi Screens - Technical and Biological Aspects. 2010 , 11, 162-7	16
1018	Comprehensive Phenotype Analysis of Budding Yeast under Baking-associated Stresses and Breeding of Stress-tolerant Baker's yeast. 2010 , 57, 367-371	
1017	Reconstruction and flux-balance analysis of the Plasmodium falciparum metabolic network. 2010 , 6, 408	101
1016	Unraveling condition-dependent networks of transcription factors that control metabolic pathway activity in yeast. 2010 , 6, 432	49
1015	KINETIC MODELLING OF DNA REPLICATION INITIATION IN BUDDING YEAST. 2010 ,	2
1014	Systems Biology and TOR. 2010 , 28, 317-348	1
1013	Ref2, a regulatory subunit of the yeast protein phosphatase 1, is a novel component of cation homoeostasis. 2010 , 426, 355-64	12
1012	Functional genomics of pollen tube-pistil interactions in Arabidopsis. 2010 , 38, 593-7	21
1011	A scalable, fully automated process for construction of sequence-ready barcoded libraries for 454. 2010 , 11, R15	80
1010	Integrated multilaboratory systems biology reveals differences in protein metabolism between two reference yeast strains. 2010 , 1, 145	78
1009	Protein homeostasis and the phenotypic manifestation of genetic diversity: principles and mechanisms. 2010 , 44, 189-216	137
1008	Current Progress in Static and Dynamic Modeling of Biological Networks. 2010 , 13-73	3
1007	Agrobacterium-mediated gene disruption using split-marker in Grosmannia clavigera, a mountain pine beetle associated pathogen. 2010 , 56, 297-307	33
1006	TORC1 kinase and the S-phase cyclin Clb5 collaborate to promote mitotic spindle assembly and DNA replication in <i>S. cerevisiae</i> . 2010 , 56, 479-93	2
1005	Use of the <i>Aspergillus oryzae</i> actin gene promoter in a novel reporter system for exploring antifungal compounds and their target genes. 2010 , 87, 1829-40	9
1004	A trial of minimization of chromosome 7 in <i>Aspergillus oryzae</i> by multiple chromosomal deletions. 2010 , 283, 1-12	9
1003	Global gene expression analysis of <i>Aspergillus nidulans</i> reveals metabolic shift and transcription suppression under hypoxia. 2010 , 284, 415-24	39
1002	Genome-wide expression changes in <i>Saccharomyces cerevisiae</i> in response to high-LET ionizing radiation. 2010 , 162, 855-70	10

1001	A survey of yeast genomic assays for drug and target discovery. 2010 , 127, 156-64	93
1000	Nervous yeast: modeling neurotoxic cell death. 2010 , 35, 135-44	58
999	MCL-CAW: a refinement of MCL for detecting yeast complexes from weighted PPI networks by incorporating core-attachment structure. 2010 , 11, 504	44
998	Examination of the relationship between essential genes in PPI network and hub proteins in reverse nearest neighbor topology. 2010 , 11, 505	51
997	Comparative genomics of metabolic networks of free-living and parasitic eukaryotes. 2010 , 11, 217	7
996	Drug target prediction and prioritization: using orthology to predict essentiality in parasite genomes. 2010 , 11, 222	62
995	A genomic approach highlights common and diverse effects and determinants of susceptibility on the yeast <i>Saccharomyces cerevisiae</i> exposed to distinct antimicrobial peptides. 2010 , 10, 289	29
994	A yeast's eye view of mammalian reproduction: cross-species gene co-expression in meiotic prophase. 2010 , 4, 125	6
993	Improving the iMM904 <i>S. cerevisiae</i> metabolic model using essentiality and synthetic lethality data. 2010 , 4, 178	81
992	Identifying essential genes in bacterial metabolic networks with machine learning methods. 2010 , 4, 56	81
991	Protein secretion: unconventional exit by exophagy. 2010 , 20, R415-8	49
990	Eukaryotic evolution: the importance of being archaeobacterial. 2010 , 20, R1078-9	1
989	The <i>Saccharomyces cerevisiae</i> RAD9, RAD17 and RAD24 genes are required for suppression of mutagenic post-replicative repair during chronic DNA damage. 2010 , 9, 824-34	17
988	Maintenance and expression of the <i>S. cerevisiae</i> mitochondrial genome—from genetics to evolution and systems biology. 2010 , 1797, 1086-98	59
987	From phenotype to gene: detecting disease-specific gene functional modules via a text-based human disease phenotype network construction. 2010 , 584, 3635-43	14
986	Deciphering cellular functions of protein phosphatases by comparison of gene expression profiles in <i>Saccharomyces cerevisiae</i> . 2010 , 109, 433-41	7
985	Toxicogenomics using yeast DNA microarrays. 2010 , 110, 511-22	30
984	Evolutionary Genomics of Yeasts. 2010 , 95-120	

983	A high-throughput screen for chemical inhibitors of exocytic transport in yeast. 2010 , 11, 1291-301	5
982	Improved network performance via antagonism: From synthetic rescues to multi-drug combinations. 2010 , 32, 236-245	25
981	It's the machine that matters: Predicting gene function and phenotype from protein networks. 2010 , 73, 2277-89	101
980	Model organisms--A historical perspective. 2010 , 73, 2054-63	53
979	Production of novel antioxidative phenolic amides through heterologous expression of the plant's chlorogenic acid biosynthesis genes in yeast. 2010 , 12, 223-32	30
978	A comparative view of metabolite and substrate stress and tolerance in microbial bioprocessing: From biofuels and chemicals, to biocatalysis and bioremediation. 2010 , 12, 307-31	435
977	Chemical genomic approaches to study model microbes. 2010 , 17, 624-32	16
976	Natural immunity to cancer in humans. 2010 , 22, 215-22	129
975	Development of a dual-aptamer-based multiplex protein biosensor. 2010 , 25, 2663-8	23
974	Selective control of amino acid metabolism by the GCN2 eIF2 kinase pathway in <i>Saccharomyces cerevisiae</i> . 2010 , 11, 29	26
973	Shotgun proteomics data from multiple organisms reveals remarkable quantitative conservation of the eukaryotic core proteome. 2010 , 10, 1297-306	51
972	Multiple bHLH proteins regulate CIT2 expression in <i>Saccharomyces cerevisiae</i> . 2010 , 27, 345-59	9
971	The deletion of YLR042c improves ethanolic xylose fermentation by recombinant <i>Saccharomyces cerevisiae</i> . 2010 , 27, 741-51	10
970	Combined chemical and genetic approach to inhibit proteolysis by the proteasome. 2010 , 27, 965-74	37
969	Multicopy suppression of oxidant-sensitive eos1 mutation by IZH2 in <i>Saccharomyces cerevisiae</i> and the involvement of Eos1 in zinc homeostasis. 2010 , 10, 259-69	5
968	Involvement of Snf7p and Rim101p in the transcriptional regulation of TIR1 and other anaerobically upregulated genes in <i>Saccharomyces cerevisiae</i> . 2010 , 10, 367-84	2
967	Genetic interactions among the Arl1 GTPase and intracellular Na(+)/H(+) antiporters in pH homeostasis and cation detoxification. 2010 , 10, 802-11	10
966	Barcode technology in yeast: application to pharmacogenomics. 2010 , 10, 1083-9	13

965	The biological activity of the wine anthocyanins delphinidin and petunidin is mediated through Msn2 and Msn4 in <i>Saccharomyces cerevisiae</i> . 2010 , 10, 858-69	9
964	Global analysis of functional relationships between histone point mutations and the effects of histone deacetylase inhibitors. 2010 , 15, 553-94	5
963	The Rpd3L HDAC complex is essential for the heat stress response in yeast. 2010 , 76, 1049-62	54
962	Molecular organization of the COG vesicle tethering complex. 2010 , 17, 1292-7	67
961	Fermenting knowledge: the history of winemaking, science and yeast research. 2010 , 11, 914-20	73
960	Quantitative reactivity profiling predicts functional cysteines in proteomes. <i>Nature</i> , 2010 , 468, 790-5	50.4 1056
959	Analysis of a genome-wide set of gene deletions in the fission yeast <i>Schizosaccharomyces pombe</i> . 2010 , 28, 617-623	510
958	Rapid profiling of a microbial genome using mixtures of barcoded oligonucleotides. 2010 , 28, 856-62	236
957	YB-1 is capable of forming extended nanofibrils. 2010 , 75, 115-20	18
956	Shaking up genome engineering. 2010 , 28, 812-3	2
955	The expanding family of dendritic cell subsets. 2010 , 28, 813-5	23
954	<i>Caenorhabditis elegans</i> EFA-6 limits microtubule growth at the cell cortex. 2010 , 12, 1235-41	45
953	Tah18 transfers electrons to Dre2 in cytosolic iron-sulfur protein biogenesis. 2010 , 6, 758-65	157
952	Ten years of genetics and genomics: what have we achieved and where are we heading?. 2010 , 11, 723-33	50
951	Identification of conditionally essential genes for growth of <i>Pseudomonas putida</i> KT2440 on minimal medium through the screening of a genome-wide mutant library. 2010 , 12, 1468-85	55
950	The cotton ATP synthase ϵ subunit is required to maintain a higher ATP/ADP ratio that facilitates rapid fibre cell elongation. 2010 , 12, 903-9	19
949	Adaptation of experimental yeast populations to stressful conditions in relation to population size. 2010 , 23, 791-6	53
948	. 2010 ,	4

947	. 2010 ,	28
946	Minimal cell: the biologist's point of view. 26-46	
945	Towards a systems approach in the genetic analysis of archaea: Accelerating mutant construction and phenotypic analysis in <i>Haloferax volcanii</i> . 2010 , 2010, 426239	27
944	Improved reconstruction of in silico gene regulatory networks by integrating knockout and perturbation data. 2010 , 5, e8121	73
943	Genes confer similar robustness to environmental, stochastic, and genetic perturbations in yeast. 2010 , 5, e9035	68
942	Allele interaction--single locus genetics meets regulatory biology. 2010 , 5, e9379	17
941	Reconstruction and validation of RefRec: a global model for the yeast molecular interaction network. 2010 , 5, e10662	9
940	A chemical genetic screen for modulators of asymmetrical 2,2'-dimeric naphthoquinones cytotoxicity in yeast. 2010 , 5, e10846	16
939	Genomic binding profiling of the fission yeast stress-activated MAPK Sty1 and the bZIP transcriptional activator Atf1 in response to H ₂ O ₂ . 2010 , 5, e11620	46
938	Critical role of 7,8-didemethyl-8-hydroxy-5-deazariboflavin for photoreactivation in <i>Chlamydomonas reinhardtii</i> . 2010 , 285, 32467-75	12
937	Comprehensive reanalysis of transcription factor knockout expression data in <i>Saccharomyces cerevisiae</i> reveals many new targets. 2010 , 38, 4768-77	75
936	Activation of Atg1 kinase in autophagy by regulated phosphorylation. 2010 , 6, 1168-78	51
935	DMR1 (CCM1/YGR150C) of <i>Saccharomyces cerevisiae</i> encodes an RNA-binding protein from the pentatricopeptide repeat family required for the maintenance of the mitochondrial 15S ribosomal RNA. 2010 , 184, 959-73	19
934	Identification and analysis of the interaction between Edc3 and Dcp2 in <i>Saccharomyces cerevisiae</i> . 2010 , 30, 1446-56	53
933	Quantitative cell array screening to identify regulators of gene expression. 2010 , 9, 13-23	2
932	The transposon <i>impala</i> is activated by low temperatures: use of a controlled transposition system to identify genes critical for viability of <i>Aspergillus fumigatus</i> . 2010 , 9, 438-48	23
931	The C-terminal region of eukaryotic translation initiation factor 3a (eIF3a) promotes mRNA recruitment, scanning, and, together with eIF3j and the eIF3b RNA recognition motif, selection of AUG start codons. 2010 , 30, 4415-34	74
930	Prm1 targeting to contact sites enhances fusion during mating in <i>Saccharomyces cerevisiae</i> . 2010 , 9, 1538-48	11

929	Global approaches for finding small RNA and small open reading frame functions. 2010 , 192, 26-8	4
928	Ssz1 restores endoplasmic reticulum-associated protein degradation in cells expressing defective cdc48-ufd1-npl4 complex by upregulating cdc48. 2010 , 184, 695-706	10
927	Mdm36 is a mitochondrial fission-promoting protein in <i>Saccharomyces cerevisiae</i> . 2010 , 21, 2443-52	38
926	Effect of the deletion of qmoABC and the promoter-distal gene encoding a hypothetical protein on sulfate reduction in <i>Desulfovibrio vulgaris</i> Hildenborough. 2010 , 76, 5500-9	79
925	The HOG pathway dictates the short-term translational response after hyperosmotic shock. 2010 , 21, 3080-92	62
924	Small RNAs and small proteins involved in resistance to cell envelope stress and acid shock in <i>Escherichia coli</i> : analysis of a bar-coded mutant collection. 2010 , 192, 59-67	76
923	Experimental genomics of fitness in yeast. 2010 , 277, 1459-67	33
922	P-body components are required for Ty1 retrotransposition during assembly of retrotransposition-competent virus-like particles. 2010 , 30, 382-98	60
921	Why Dom34 stimulates growth of cells with defects of 40S ribosomal subunit biosynthesis. 2010 , 30, 5562-71	31
920	Mutational analysis of <i>Candida albicans</i> SNF7 reveals genetically separable Rim101 and ESCRT functions and demonstrates divergence in bro1-domain protein interactions. 2010 , 184, 673-94	14
919	Detection of heterozygous mutations in the genome of mismatch repair defective diploid yeast using a Bayesian approach. 2010 , 186, 493-503	21
918	Cross-species chemogenomic profiling reveals evolutionarily conserved drug mode of action. 2010 , 6, 451	108
917	Homoserine toxicity in <i>Saccharomyces cerevisiae</i> and <i>Candida albicans</i> homoserine kinase (thr1Delta) mutants. 2010 , 9, 717-28	26
916	Posttranslational regulation impacts the fate of duplicated genes. 2010 , 107, 2967-71	48
915	Phosphorylation-dependent activation of peroxisome proliferator protein PEX11 controls peroxisome abundance. 2010 , 285, 6670-80	55
914	Integrating high-throughput genetic interaction mapping and high-content screening to explore yeast spindle morphogenesis. 2010 , 188, 69-81	81
913	CYSTM, a novel cysteine-rich transmembrane module with a role in stress tolerance across eukaryotes. 2010 , 26, 149-52	33
912	Modularity and directionality in genetic interaction maps. 2010 , 26, i228-36	23

911	Structure and function of the GINS complex, a key component of the eukaryotic replisome. 2010 , 425, 489-500	85
910	Autophosphorylation within the Atg1 activation loop is required for both kinase activity and the induction of autophagy in <i>Saccharomyces cerevisiae</i> . 2010 , 185, 871-82	69
909	Pho85 kinase, a cyclin-dependent kinase, regulates nuclear accumulation of the Rim101 transcription factor in the stress response of <i>Saccharomyces cerevisiae</i> . 2010 , 9, 943-51	15
908	Fungal homoserine kinase (<i>thr1Delta</i>) mutants are attenuated in virulence and die rapidly upon threonine starvation and serum incubation. 2010 , 9, 729-37	30
907	A universal TagModule collection for parallel genetic analysis of microorganisms. 2010 , 38, e146	46
906	The requirement for the highly conserved G-1 residue of <i>Saccharomyces cerevisiae</i> tRNA ^{His} can be circumvented by overexpression of tRNA ^{His} and its synthetase. 2010 , 16, 1068-77	29
905	Selection systems based on dominant-negative transcription factors for precise genetic engineering. 2010 , 38, e183	3
904	High-throughput profiling of amino acids in strains of the <i>Saccharomyces cerevisiae</i> deletion collection. 2010 , 20, 1288-96	26
903	Comparative analysis of transcriptome and fitness profiles reveals general and condition-specific cellular functions involved in adaptation to environmental change in <i>Saccharomyces cerevisiae</i> . 2010 , 14, 603-14	8
902	Recursive expectation-maximization clustering: a method for identifying buffering mechanisms composed of phenomic modules. 2010 , 20, 026103	9
901	Memory T Cells. 2010 ,	1
900	Eukaryotic genes of archaeobacterial origin are more important than the more numerous eubacterial genes, irrespective of function. 2010 , 107, 17252-5	64
899	Pathway analysis of <i>Candida albicans</i> survival and virulence determinants in a murine infection model. 2010 , 107, 22044-9	95
898	Environmental and Physiological Insights from Microbial Genome Sequences. 2010 , 325-339	
897	Derepression of INO1 transcription requires cooperation between the Ino2p-Ino4p heterodimer and Cbf1p and recruitment of the ISW2 chromatin-remodeling complex. 2010 , 9, 1845-55	18
896	Environmental dependency of gene knockouts on phenotype microarray analysis in <i>Escherichia coli</i> . 2010 , 8 Suppl 1, 83-99	8
895	Mitochondrial enzyme rhodanese is essential for 5 S ribosomal RNA import into human mitochondria. 2010 , 285, 30792-803	69
894	The DEAD-box RNA helicase-like Utp25 is an SSU processome component. 2010 , 16, 2156-69	34

893	Identification of Ypk1 as a novel selective substrate for nitrogen starvation-triggered proteolysis requiring autophagy system and endosomal sorting complex required for transport (ESCRT) machinery components. 2010 , 285, 36984-94	11
892	Structural characterization of the Get4/Get5 complex and its interaction with Get3. 2010 , 107, 12127-32	65
891	BUD22 affects Ty1 retrotransposition and ribosome biogenesis in <i>Saccharomyces cerevisiae</i> . 2010 , 185, 1193-205	31
890	Genome-wide screen in <i>Saccharomyces cerevisiae</i> identifies vacuolar protein sorting, autophagy, biosynthetic, and tRNA methylation genes involved in life span regulation. 2010 , 6, e1001024	122
889	Need-based up-regulation of protein levels in response to deletion of their duplicate genes. 2010 , 8, e1000347	59
888	How to understand the cell by breaking it: network analysis of gene perturbation screens. 2010 , 6, e1000655	45
887	An extensive circuitry for cell wall regulation in <i>Candida albicans</i> . 2010 , 6, e1000752	148
886	Evolution under fluctuating environments explains observed robustness in metabolic networks. 2010 , 6, e1000907	43
885	Redundancy and the evolution of cis-regulatory element multiplicity. 2010 , 6, e1000848	17
884	Evolution of gene regulatory networks by fluctuating selection and intrinsic constraints. 2010 , 6, e1000873	22
883	Gene annotation and drug target discovery in <i>Candida albicans</i> with a tagged transposon mutant collection. 2010 , 6, e1001140	73
882	Global genotype-phenotype correlations in <i>Pseudomonas aeruginosa</i> . 2010 , 6, e1001074	10
881	The cellular robustness by genetic redundancy in budding yeast. 2010 , 6, e1001187	49
880	Functional toxicogenomics: mechanism-centered toxicology. 2010 , 11, 4796-813	44
879	G-quadruplex DNA sequences are evolutionarily conserved and associated with distinct genomic features in <i>Saccharomyces cerevisiae</i> . 2010 , 6, e1000861	170
878	Multiple functional domains of the yeast 1,3-beta-glucan synthase subunit Fks1p revealed by quantitative phenotypic analysis of temperature-sensitive mutants. 2010 , 184, 1013-24	49
877	Combined zebrafish-yeast chemical-genetic screens reveal gene-copper-nutrition interactions that modulate melanocyte pigmentation. 2010 , 3, 639-51	36
876	Alternatives to Conventional Toxicology Testing. 2010 , 247-259	

875	S. pombe genome deletion project: an update. 2010 , 9, 2399-402	32
874	Actin and cellular architecture at a glance. 2010 , 123, 155-8	7
873	A genetic engineering solution to the "arginine conversion problem" in stable isotope labeling by amino acids in cell culture (SILAC). 2010 , 9, 1567-77	59
872	Illuminating transcription pathways using fluorescent reporter genes and yeast functional genomics. 2010 , 1, 76-80	3
871	MRC1-dependent scaling of the budding yeast DNA replication timing program. 2010 , 20, 781-90	48
870	Functional genomics, proteomics, and regulatory DNA analysis in isogenic settings using zinc finger nuclease-driven transgenesis into a safe harbor locus in the human genome. 2010 , 20, 1133-42	243
869	Helicobacter pylori CagA inhibits endocytosis of cytotoxin VacA in host cells. 2010 , 3, 605-17	31
868	Large-scale reverse genetics in Arabidopsis: case studies from the Chloroplast 2010 Project. 2010 , 152, 529-40	81
867	Systems biology of industrial microorganisms. 2010 , 120, 51-99	12
866	Integrative responses to high pH stress in S. cerevisiae. 2010 , 14, 517-23	39
865	Exploring gene function and drug action using chemogenomic dosage assays. 2010 , 470, 233-55	24
864	Advanced microscopy of microbial cells. 2011 , 124, 21-54	7
863	Synthetic genetic array (SGA) analysis in Saccharomyces cerevisiae and Schizosaccharomyces pombe. 2010 , 470, 145-79	136
862	Further developments towards a genome-scale metabolic model of yeast. 2010 , 4, 145	81
861	Reverse genetics in eukaryotes. 2010 , 102, 561-80	51
860	Functional Genomics: Uncovering Cellular and Subcellular Mechanisms of Action. 2010 , 717-729	
859	Mechanisms, regulation and consequences of protein SUMOylation. 2010 , 428, 133-45	456
858	Insights into the specificity of thioredoxin reductase-thioredoxin interactions. A structural and functional investigation of the yeast thioredoxin system. 2010 , 49, 3317-26	50

857	Yeast expression proteomics by high-resolution mass spectrometry. 2010 , 470, 259-80	8
856	A toolkit of protein-fragment complementation assays for studying and dissecting large-scale and dynamic protein-protein interactions in living cells. 2010 , 470, 335-68	38
855	Quantitative genetic interaction mapping using the E-MAP approach. 2010 , 470, 205-31	72
854	Alkali metal cation transport and homeostasis in yeasts. 2010 , 74, 95-120	209
853	Systematic analysis of essential genes reveals important regulators of G protein signaling. 2010 , 38, 746-57	23
852	A consensus of core protein complex compositions for <i>Saccharomyces cerevisiae</i> . 2010 , 38, 916-28	64
851	Hos1 deacetylates Smc3 to close the cohesin acetylation cycle. 2010 , 39, 677-88	84
850	Cdc7 kinase - a new target for drug development. 2010 , 46, 33-40	56
849	Nhp6: a small but powerful effector of chromatin structure in <i>Saccharomyces cerevisiae</i> . 2010 , 1799, 175-80	61
848	Understanding gene essentiality by finely characterizing hubs in the yeast protein interaction network. 2010 , 401, 112-6	11
847	Metabolic control of antifungal drug resistance. 2010 , 47, 81-93	26
846	In vivo analysis of mtDNA replication defects in yeast. 2010 , 51, 426-36	41
845	Genomic evolution of domesticated microorganisms. 2010 , 1, 397-414	47
844	Why do essential proteins tend to be clustered in the yeast interactome network?. 2010 , 6, 871-7	7
843	Genotype to phenotype: a complex problem. 2010 , 328, 469	289
842	Exploration of synthetic lethal interactions as cancer drug targets. 2010 , 6, 1789-802	12
841	Ultrafast high-pressure AC electro-osmotic pumps for portable biomedical microfluidics. 2010 , 10, 80-5	73
840	Novel genes exhibit distinct patterns of function acquisition and network integration. 2010 , 11, R127	60

839	Global fitness profiling of fission yeast deletion strains by barcode sequencing. 2010 , 11, R60	59
838	Systematic analysis of genome-wide fitness data in yeast reveals novel gene function and drug action. 2010 , 11, R30	83
837	Biosystems Engineering I. 2010 ,	2
836	The next frontier of systems biology: higher-order and interspecies interactions. 2010 , 11, 208	12
835	Alterations in DNA replication and histone levels promote histone gene amplification in <i>Saccharomyces cerevisiae</i> . 2010 , 184, 985-97	18
834	Predicting conserved essential genes in bacteria: in silico identification of putative drug targets. 2010 , 6, 2482-9	44
833	Robustness and evolvability in natural chemical resistance: identification of novel systems properties, biochemical mechanisms and regulatory interactions. 2010 , 6, 1475-91	10
832	Predictive tools for the evaluation of microbial effects on drugs during gastrointestinal passage. 2010 , 6, 747-60	6
831	Introduction to focus issue: genetic interactions. 2010 , 20, 026101	3
830	Exploiting the determinants of stochastic gene expression in <i>Saccharomyces cerevisiae</i> for genome-wide prediction of expression noise. 2010 , 107, 10472-7	28
829	The Analysis of Yeast Cell Morphology Using a Robot Scientist. 2010 ,	
828	Defining genome maintenance pathways using functional genomic approaches. 2011 , 46, 327-41	4
827	The synthetic genetic interaction network reveals small molecules that target specific pathways in <i>Saccharomyces cerevisiae</i> . 2011 , 7, 2019-30	6
826	Phenomic and transcriptomic analyses reveal that autophagy plays a major role in desiccation tolerance in <i>Saccharomyces cerevisiae</i> . 2011 , 7, 139-49	29
825	A passage through systems biology to systems medicine: adoption of middle-out rational approaches towards the understanding of therapeutic outcomes in cancer. 2011 , 136, 663-78	18
824	Resilience of protein-protein interaction networks as determined by their large-scale topological features. 2011 , 7, 1263-9	9
823	Understanding centrality-lethality rule in yeast Protein-Protein Interaction network by topological property. 2011 ,	
822	Exploring Centrality-Lethality Rule from Evolution Constraint on Essential Hub and Nonessential Hub in Yeast Protein-Protein Interaction Network. 2011 ,	

821	Control of chromatin structure by spt6: different consequences in coding and regulatory regions. 2011 , 31, 531-41	53
820	Parsimonious discovery of synergistic drug combinations. 2011 , 6, 1391-8	19
819	High-efficiency homologous recombination in the oil-producing alga <i>Nannochloropsis</i> sp. 2011 , 108, 21265-9	350
818	Signal Transduction Protocols. 2011 ,	5
817	Advanced methods for high-throughput microscopy screening of genetically modified yeast libraries. 2011 , 781, 127-59	64
816	DNA Chip Analysis in Genome Discovery. 2011 , 24-42	2
815	High-throughput yeast plasmid overexpression screen. 2011 ,	4
814	Mitochondrial metabolism is central for response and resistance of <i>Saccharomyces cerevisiae</i> to exposure to a glyphosate-based herbicide. 2020 , 262, 114359	3
813	Abundances of transcripts, proteins, and metabolites in the cell cycle of budding yeast reveal coordinate control of lipid metabolism. 2020 , 31, 1069-1084	10
812	High expression in maize pollen correlates with genetic contributions to pollen fitness as well as with coordinated transcription from neighboring transposable elements. 2020 , 16, e1008462	16
811	CATS: Cas9-assisted tag switching. A high-throughput method for exchanging genomic peptide tags in yeast. 2020 , 21, 221	2
810	Yeast as a Model to Understand Actin-Mediated Cellular Functions in Mammals-Illustrated with Four Actin Cytoskeleton Proteins. 2020 , 9,	2
809	The Polymorphic PolyQ Tail Protein of the Mediator Complex, Med15, Regulates the Variable Response to Diverse Stresses. 2020 , 21,	5
808	Genomic Considerations for the Modification of for Biofuel and Metabolite Biosynthesis. 2020 , 8,	8
807	Inferring essential proteins from centrality in interconnected multilayer networks. 2020 , 557, 124853	1
806	Significance-Based Essential Protein Discovery. 2020 , PP,	3
805	Exploring whole-genome duplicate gene retention with complex genetic interaction analysis. 2020 , 368,	24
804	The kinase <i>Isr1</i> negatively regulates hexosamine biosynthesis in <i>S. cerevisiae</i> . 2020 , 16, e1008840	2

803	Targeted Identification of Protein Interactions in Eukaryotic mRNA Translation. 2020 , 20, e1900177	
802	Genetic screens in isogenic mammalian cell lines without single cell cloning. 2020 , 11, 752	29
801	Network Embedding the Protein-Protein Interaction Network for Human Essential Genes Identification. 2020 , 11,	10
800	Data libraries - the missing element for modeling biological systems. 2020 , 287, 4594-4601	0
799	Ab Initio Construction and Evolutionary Analysis of Protein-Coding Gene Families with Partially Homologous Relationships: Closely Related Drosophila Genomes as a Case Study. 2020 , 12, 185-202	1
798	Global gene expression changes induced by knockout of a protease gene cluster in <i>Helicoverpa armigera</i> with CRISPR/Cas9. 2020 , 122, 104023	4
797	. 2020 , 8, 33977-33989	3
796	Cross-Species Complementation of Nonessential Yeast Genes Establishes Platforms for Testing Inhibitors of Human Proteins. 2020 , 214, 735-747	5
795	Cysteine Toxicity Drives Age-Related Mitochondrial Decline by Altering Iron Homeostasis. 2020 , 180, 296-310.e18	55
794	The negative cofactor 2 complex is a key regulator of drug resistance in <i>Aspergillus fumigatus</i> . 2020 , 11, 427	41
793	Genes Contribute to Environmental Stress Tolerance but Sensibilize Yeast Cells to Azoles. 2020 , 11, 38	8
792	Multi-model functionalization of disease-associated PTEN missense mutations identifies multiple molecular mechanisms underlying protein dysfunction. 2020 , 11, 2073	15
791	Methionine Dependence of Cancer. 2020 , 10,	33
790	Engineering chimeric diterpene synthases and isoprenoid biosynthetic pathways enables high-level production of miltiradiene in yeast. 2020 , 60, 87-96	30
789	SCRaMBLEing of a Synthetic Yeast Chromosome with Clustered Essential Genes Reveals Synthetic Lethal Interactions. 2020 , 9, 1181-1189	6
788	Perturbing proteomes at single residue resolution using base editing. 2020 , 11, 1871	26
787	Translation Inhibition by Rocaglates Activates a Species-Specific Cell Death Program in the Emerging Fungal Pathogen <i>Candida auris</i> . 2020 , 11,	16
786	Pan-active imidazolopiperazine antimalarials target the <i>Plasmodium falciparum</i> intracellular secretory pathway. 2020 , 11, 1780	10

785	A processive phosphorylation circuit with multiple kinase inputs and mutually diversional routes controls G1/S decision. 2020 , 11, 1836	6
784	Critical slowing down and attractive manifold: A mechanism for dynamic robustness in the yeast cell-cycle process. 2020 , 101, 042405	2
783	Adaptive Laboratory Evolution and Reverse Engineering of Single-Vitamin Prototrophies in <i>Saccharomyces cerevisiae</i> . 2020 , 86,	11
782	Small-Molecule Acetylation by GCN5-Related -Acetyltransferases in Bacteria. 2020 , 84,	11
781	A Genome-Wide Screen for Genes Affecting Spontaneous Direct-Repeat Recombination in. 2020 , 10, 1853-1867	1
780	Supply and demand-heme synthesis, salvage and utilization by Apicomplexa. 2021 , 288, 382-404	5
779	Expression-based prediction of human essential genes and candidate lncRNAs in cancer cells. 2021 , 37, 396-403	3
778	High-resolution yeast quiescence profiling in human-like media reveals complex influences of auxotrophy and nutrient availability. 2021 , 43, 941-964	3
777	OGEE v3: Online GENE Essentiality database with increased coverage of organisms and human cell lines. 2021 , 49, D998-D1003	14
776	DEG 15, an update of the Database of Essential Genes that includes built-in analysis tools. 2021 , 49, D677-D686	4
775	High-Throughput Functional Genomics for Energy Production. 2021 , 67, 7-14	1
774	Multi-omics Analysis of CRISPRi-Knockdowns Identifies Mechanisms that Buffer Decreases of Enzymes in <i>E. coli</i> Metabolism. 2021 , 12, 56-67.e6	18
773	Identification of Evolutionarily Conserved Nuclear Matrix Proteins and Their Prokaryotic Origins. 2021 , 20, 518-530	0
772	<i>Saccharomyces</i> spores are born prepolarized to outgrow away from spore-spore connections and penetrate the ascus wall. 2021 , 38, 90-101	2
771	Identification and characterization of proteinase B as an unstable factor for neutral lactase in the enzyme preparation from <i>Kluyveromyces lactis</i> . 2021 , 131, 20-26	1
770	Copper metabolism in <i>Saccharomyces cerevisiae</i> : an update. 2021 , 34, 3-14	12
769	Yeast Protocols. 2021 ,	
768	tRNA-modifying enzyme mutations induce codon-specific mistranslation and protein aggregation in yeast. 2021 , 18, 563-575	4

767	Compacting a synthetic yeast chromosome arm. 2021 , 22, 5	3
766	Systematic High-Content Screening of Fluorescently Tagged Yeast Double Mutant Strains. 2021 , 2381, 57-78	
765	ESGA: synthetic genetic array analysis for systematically screening and quantifying trigenic interactions in yeast. 2021 , 16, 1219-1250	1
764	Translational control of lipogenesis links protein synthesis and phosphoinositide signaling with nuclear division.	
763	Robustness and Evolvability in Transcriptional Regulation. 2021 , 197-219	
762	SUMO mediated regulation of transcription factors as a mechanism for transducing environmental cues into cellular signaling in plants. 2021 , 78, 2641-2664	6
761	Functional and transcriptional profiling of non-coding RNAs in yeast reveal context-dependent phenotypes and in trans effects on the protein regulatory network. 2021 , 17, e1008761	7
760	Functions of Essential Genes and a Scale-Free Protein Interaction Network Revealed by Structure-Based Function and Interaction Prediction for a Minimal Genome. 2021 , 20, 1178-1189	7
759	Guanosine triphosphate links MYC-dependent metabolic and ribosome programs in small-cell lung cancer. 2021 , 131,	15
758	2nSILAC for Quantitative Proteomics of Prototrophic Baker's Yeast. 2021 , 2228, 253-270	
757	Experimental Evolution to Understand the Interplay Between Genetics and Adaptation. 2021 , 115-134	1
756	High-Throughput Imaging of Arrays of Fluorescently Tagged Yeast Mutant Strains. 2021 , 2304, 221-242	0
755	The Fungal Chitinases. 2021 , 23-31	2
754	Improving the Level of the Tyrosine Biosynthesis Pathway in through Knockout and Atmospheric and Room Temperature Plasma (ARTP) Mutagenesis. 2021 , 10, 49-62	1
753	A standard knockout procedure alters expression of adjacent loci at the translational level. 2021 , 49, 11134-11144	2
752	Phenotypic and molecular evolution across 10,000 generations in laboratory budding yeast populations. 2021 , 10,	14
751	Trigenic Synthetic Genetic Array (ESGA) Technique for Complex Interaction Analysis. 2021 , 2212, 377-400	0
750	Insulin's Discovery: New Insights on Its Hundredth Birthday: From Insulin Action and Clearance to Sweet Networks. 2021 , 22,	1

749	Methylation of Q105 on histone H2A is part of a dynamic regulatory mechanism integrating metabolism with ribosome biogenesis through recruitment of Nhp2.	
748	Variation in Pleiotropic Hub Gene Expression Is Associated with Interspecific Differences in Head Shape and Eye Size in <i>Drosophila</i> . 2021 , 38, 1924-1942	6
747	Essential Protein Recognition via Community Significance. 2021 , 18, 2788-2794	
746	Chemical-Genetic Interactions as a Means to Characterize Drug Synergy. 2021 , 2381, 243-263	0
745	Exploiting Spermidine -Hydroxycinnamoyltransferase Diversity and Substrate Promiscuity to Produce Various Trihydroxycinnamoyl Spermidines and Analogues in Engineered Yeast. 2021 , 10, 286-296	1
744	CRISPRi screens reveal genes modulating yeast growth in lignocellulose hydrolysate. 2021 , 14, 41	5
743	Defining the Yeast Resistome through in vitro Evolution and Whole Genome Sequencing.	1
742	Chemical rescue of mutant proteins in living cells by naturally occurring small molecules.	
741	Endogenous 2IP/Plasmid Editing for Pathway Engineering in. 2021 , 12, 631462	2
740	Network-based gene deletion analysis identifies candidate genes and molecular mechanism involved in clear cell renal cell carcinoma. 2021 , 100, 1	0
739	Rare versus common diseases: a false dichotomy in precision medicine. 2021 , 6, 19	1
738	Proteome plasticity in response to persistent environmental change.	0
737	The box C/D snoRNP assembly factor Bcd1 interacts with the histone chaperone Rtt106 and controls its transcription dependent activity. 2021 , 12, 1859	1
736	CEGSO: Boosting Essential Proteins Prediction by Integrating Protein Complex, Gene Expression, Gene Ontology, Subcellular Localization and Orthology Information. 2021 , 13, 349-361	3
735	Stimulation of adaptive gene amplification by origin firing under replication fork constraint.	0
734	psiCLIP reveals dynamic RNA binding by DEAH-box helicases before and after exon ligation. 2021 , 12, 1488	2
733	Ethylzingerone, a Novel Compound with Antifungal Activity. 2021 , 65,	
732	A genome-scale CRISPR interference guide library enables comprehensive phenotypic profiling in yeast. 2021 , 22, 205	6

731	Serial propagation in water-in-oil emulsions selects for <i>Saccharomyces cerevisiae</i> strains with a reduced cell size or an increased biomass yield on glucose. 2021 , 64, 1-14	4
730	SCRaMble: A Study of Its Robustness and Challenges through Enhancement of Hygromycin B Resistance in a Semi-Synthetic Yeast. 2021 , 8,	3
729	Establishment of genomic library technology mediated by non-homologous end joining mechanism in <i>Yarrowia lipolytica</i> . 2021 , 1	5
728	Genome-wide screens in yeast models towards understanding chronological lifespan regulation. 2021 ,	3
727	Engineered yeast genomes accurately assembled from pure and mixed samples. 2021 , 12, 1485	0
726	Protein context shapes the specificity of SH3 domain-mediated interactions in vivo. 2021 , 12, 1597	7
725	Modeling DNA trapping of anticancer therapeutic targets using missense mutations identifies dominant synthetic lethal interactions. 2021 , 118,	1
724	A case of convergent-gene interference in the budding yeast knockout library causing chromosome instability. 2021 , 11,	0
723	Gene essentiality prediction based on chaos game representation and spiking neural networks. 2021 , 144, 110649	2
722	Genomic and Targeted Approaches Unveil the Cell Membrane as a Major Target of the Antifungal Cytotoxin Amantelide A. 2021 , 22, 1790-1799	2
721	disrupts intracellular lipid homeostasis in human iPSC-derived glia. 2021 , 13,	35
720	Identifying essential genes across eukaryotes by machine learning.	1
719	The S-Phase Cyclin Clb5 Promotes rRNA Gene (rDNA) Stability by Maintaining Replication Initiation Efficiency in rDNA. 2021 , 41,	2
718	Identification of significant protein in protein-protein interaction of Alzheimer disease using top-k representative skyline query. 2021 , 9, 126-132	0
717	Essential Genes of the Parasitic Apicomplexa. 2021 , 37, 304-316	5
716	A Perspective on Synthetic Biology in Drug Discovery and Development-Current Impact and Future Opportunities. 2021 , 26, 581-603	5
715	Genetic interaction between glyoxylate pathway regulator UCC1 and La-motif-encoding SRO9 regulates stress response and growth rate improvement in <i>Saccharomyces cerevisiae</i> . 2021 , 35, e22781	2
714	A Mycobacterial Systems Resource for the Research Community. 2021 , 12,	5

713	The chaperone-binding activity of the mitochondrial surface receptor Tom70 protects the cytosol against mitoprotein-induced stress. 2021 , 35, 108936	19
712	<i>Saccharomyces cerevisiae</i> Requires To Produce 4-Hydroxy-5-Methylfuran-3(2H)-One, a Mimic of the Bacterial Quorum-Sensing Autoinducer AI-2. 2021 , 12,	3
711	Genome-wide toxicogenomic study of the lanthanides sheds light on the selective toxicity mechanisms associated with critical materials. 2021 , 118,	8
710	Characterization of the Survival Influential Genes in Carcinogenesis. 2021 , 22,	
709	Machine learning approach to gene essentiality prediction: a review. 2021 , 22,	5
708	Genome-wide screening of genes associated with momilactone B sensitivity in the fission yeast <i>Schizosaccharomyces pombe</i> . 2021 , 11,	0
707	A novel essential protein identification method based on PPI networks and gene expression data. 2021 , 22, 248	8
706	Essential genes from genome-wide screenings as a resource for neuropsychiatric disorders gene discovery. 2021 , 11, 317	0
705	Fur4 mediated uracil-scavenging to screen for surface protein regulators.	3
704	Amyloids: The History of Toxicity and Functionality. 2021 , 10,	3
703	Kel1 is a phosphorylation-regulated noise suppressor of the pheromone signaling pathway.	
702	Engineering heterologous molybdenum-cofactor-biosynthesis and nitrate-assimilation pathways enables nitrate utilization by <i>Saccharomyces cerevisiae</i> . 2021 , 65, 11-29	3
701	Environmental robustness of the global yeast genetic interaction network. 2021 , 372,	9
700	Identification of Pex34p as a component of the peroxisomal de novo biogenesis machinery in yeast.	
699	Natural variants suppress mutations in hundreds of essential genes. 2021 , 17, e10138	2
698	Analyzing Phenotype Microarray Data for <i>Escherichia coli</i> Using an Infinite Relational Model. 2021 ,	
697	A deep dive into the RecQ interactome: something old and something new. 2021 , 67, 761-767	0
696	Accelerating biological insight for understudied genes. 2021 ,	1

695	The pentose phosphate pathway in industrially relevant fungi: crucial insights for bioprocessing. 2021 , 105, 4017-4031	3
694	Quantitative proteomics identifies the universally conserved ATPase Ola1p as a positive regulator of heat shock response in <i>Saccharomyces cerevisiae</i> .	
693	Rapid screening method of <i>Saccharomyces cerevisiae</i> mutants using calcofluor white and aniline blue. 2021 , 52, 1077-1086	1
692	Production of octanoic acid in <i>Saccharomyces cerevisiae</i> : Investigation of new precursor supply engineering strategies and intrinsic limitations. 2021 , 118, 3046-3057	1
691	Genome-wide imaging screen uncovers molecular determinants of arsenite-induced protein aggregation and toxicity. 2021 , 134,	3
690	Single-cell image analysis to explore cell-to-cell heterogeneity in isogenic populations. 2021 , 12, 608-621	0
689	A genome-scale yeast library with inducible expression of individual genes. 2021 , 17, e10207	7
688	Novel centrality metrics for studying essentiality in protein-protein interaction networks based on group structures.	0
687	LncRNA DINOR is a virulence factor and global regulator of stress responses in <i>Candida auris</i> . 2021 , 6, 842-851	6
686	Identification of essential genes in <i>Caenorhabditis elegans</i> through whole genome sequencing of legacy mutant collections.	
685	Short homology-directed repair using optimized Cas9 in the pathogen <i>Cryptococcus neoformans</i> enables rapid gene deletion and tagging.	
684	A genome-wide portrait of pervasive drug contaminants. 2021 , 11, 12487	0
683	The bZIP Transcription Factor HapX Is Post-Translationally Regulated to Control Iron Homeostasis in. 2021 , 22,	0
682	Genetic interaction between F-box motif encoding YDR131C and retrograde signaling-related RTG1 regulates the stress response and apoptosis in <i>Saccharomyces cerevisiae</i> . 2021 , 35, e22864	2
681	Yeast Ssd1 is a non-enzymatic member of the RNase II family with an alternative RNA recognition site. 2021 ,	2
680	The RNA-binding protein Puf5 contributes to buffering of mRNA upon chromatin-mediated changes in nascent transcription. 2021 , 134,	
679	Essential Protein Prediction Based on node2vec and XGBoost. 2021 , 28, 687-700	1
678	Identification of green lineage osmotic stress pathways.	0

677	Improving Measures of Chemical Structural Similarity Using Machine Learning on Chemical-Genetic Interactions. 2021 , 61, 4156-4172	1
676	Essential Protein Prediction Based on Shuffled Frog-Leaping Algorithm. 2021 , 30, 704-711	1
675	A synthetic lethal screen identifies HDAC4 as a potential target in MELK overexpressing cancers.	
674	Model-based identification of conditionally-essential genes from transposon-insertion sequencing data.	
673	Prediction of Genetic Groups within through Cell Morphology Using a Deep Learning Tool. 2021 , 7,	
672	Ancestry analysis indicates two different sets of essential genes in eukaryotic model species. 2021 , 21, 523-531	
671	Legionella pneumophila LegC7 effector protein drives aberrant endoplasmic reticulum:endosome contacts in yeast. 2021 , 22, 284-302	0
670	Biological Characteristics of and Strains. 2021 , 22,	1
669	Genome-wide genotype-phenotype associations in microbes. 2021 , 132, 1-8	1
668	Chemical rescue of mutant proteins in living <i>Saccharomyces cerevisiae</i> cells by naturally occurring small molecules. 2021 , 11,	0
667	Frameshifting at collided ribosomes is modulated by elongation factor eEF3 and by Integrated Stress Response regulators Gcn1 and Gcn20.	
666	Assembling stable syntrophic <i>Escherichia coli</i> communities by comprehensively identifying beneficiaries of secreted goods. 2021 , 12, 1064-1078.e7	4
665	Translational autoregulation of the <i>S. cerevisiae</i> high-affinity polyamine transporter Hol1. 2021 , 81, 3904-3918.e6	
664	A high-throughput screening method for the discovery of <i>Saccharomyces</i> and non- <i>Saccharomyces</i> yeasts with potential in the brewing industry. 2021 , 5, 72-80	0
663	An SR protein is essential for activating DNA repair in malaria parasites. 2021 , 134,	0
662	Population-level survey of loss-of-function mutations revealed that background dependent fitness genes are rare and functionally related in yeast.	2
661	A standard knockout procedure alters expression of adjacent loci at the translational level.	
660	Mutant resources for functional genomics in <i>Dictyostelium discoideum</i> using REMI-seq technology. 2021 , 19, 172	3

659	Top-down, knowledge-based genetic reduction of yeast central carbon metabolism.	0
658	Proteome plasticity in response to persistent environmental change. 2021 , 81, 3294-3309.e12	4
657	, the conserved mitochondrial YihA GTPase family member, is required for de novo Cox1 synthesis at suboptimal temperatures in. 2021 , 32, ar16	0
656	Structural basis for the initiation of COPII vesicle biogenesis. 2021 , 29, 859-872.e6	4
655	The ethanol tolerance in <i>Saccharomyces cerevisiae</i> under a phenomics perspective.	1
654	Harnessing model organism genomics to underpin the machine learning-based prediction of essential genes in eukaryotes - Biotechnological implications. 2021 , 107822	0
653	Investigation of RNA metabolism through large-scale genetic interaction profiling in yeast. 2021 , 49, 8535-8555	0
652	Fur4-mediated uracil-scavenging to screen for surface protein regulators. 2021 , 22, 397-408	4
651	Comprehensive prediction of robust synthetic lethality between paralog pairs in cancer cell lines. 2021 ,	7
650	Pathway of Hsp70 interactions at the ribosome. 2021 , 12, 5666	1
649	Identification of essential genes in <i>Caenorhabditis elegans</i> through whole-genome sequencing of legacy mutant collections. 2021 , 11,	0
648	A synthetic lethal screen identifies HDAC4 as a potential target in MELK overexpressing cancers. 2021 , 11,	0
647	An iteration model for identifying essential proteins by combining comprehensive PPI network with biological information. 2021 , 22, 430	0
646	A single chromosome strain of <i>S. cerevisiae</i> exhibits diminished ethanol metabolism and tolerance. 2021 , 22, 688	0
645	Quantitative proteomics identifies the universally conserved ATPase Oia1p as a positive regulator of heat shock response in <i>Saccharomyces cerevisiae</i> . 2021 , 297, 101050	0
644	Remodelling of Nucleus-Vacuole Junctions During Metabolic and Proteostatic Stress. 2021 , 4, 25152564211016608	
643	How to Select a Mate: Kel1 is a Phosphorylation-Regulated Suppressor of the Pheromone Signaling Pathway.	
642	Invertebrate Models in Arsenic Research. 469-493	2

641	Mechanisms of suppression: The wiring of genetic resilience. 2017 , 39, 1700042	20
640	Correlations between Quantitative Measures of Genome Evolution, Expression and Function. 2006 , 133-144	2
639	Cryptococcus neoformans Pathogenicity. 2006 , 237-266	2
638	Yeast functional genomics and metabolic engineering: past, present and future. 2003 , 331-360	2
637	Principles of Targeted Mutagenesis in the Moss Physcomitrella Patens. 2004 , 37-49	9
636	Approaches for identification of fungal genes essential for plant disease. 2004 , 26, 85-103	3
635	Encyclopedia of Complexity and Systems Science. 2009 , 9105-9124	1
634	Molecular interaction network of the Hsp90 chaperone system. 2007 , 594, 27-36	60
633	Origins and evolution of the actin cytoskeleton. 2007 , 607, 97-110	9
632	Biotechnology Approaches To Engineering Drought Tolerant Crop. 2007 , 333-357	7
631	Escherichia coli Genome Engineering and Minimization for the Construction of a Bioengine. 2009 , 19-40	6
630	Memory T-cell responses and survival in human cancer: remember to stay alive. 2010 , 684, 166-77	8
629	Metabolome and Proteome Profiling for Microbial Characterization. 2003 , 9-38	4
628	Targeted gene deletion in Saccharomyces cerevisiae and Schizosaccharomyces pombe. 2014 , 1163, 45-73	6
627	SILAC labeling of yeast for the study of membrane protein complexes. 2014 , 1188, 23-46	7
626	Synthetic genetic array analysis for global mapping of genetic networks in yeast. 2014 , 1205, 143-68	23
625	Chemical genetic and chemogenomic analysis in yeast. 2014 , 1205, 169-86	1
624	Phenomic assessment of genetic buffering by kinetic analysis of cell arrays. 2014 , 1205, 187-208	7

623	Chemical genomic profiling via barcode sequencing to predict compound mode of action. 2015 , 1263, 299-318	22
622	Gene essentiality analysis based on DEG 10, an updated database of essential genes. 2015 , 1279, 219-33	30
621	Discovering essential domains in essential genes. 2015 , 1279, 235-45	1
620	Identification of essential genes and synthetic lethal gene combinations in Escherichia coli K-12. 2015 , 1279, 45-65	20
619	An integrated machine-learning model to predict prokaryotic essential genes. 2015 , 1279, 137-51	3
618	Combining the Optimized Yeast Cytosine Deaminase Protein Fragment Complementation Assay and an In Vitro Cdk1 Targeting Assay to Study the Regulation of the β Tubulin Complex. 2016 , 1342, 237-57	1
617	Genetic Screens for Determination of Mechanism of Action. 2016 , 1356, 165-72	2
616	Identification of Links Between Cellular Pathways by Genetic Interaction Mapping (GIM). 2016 , 1361, 325-43	3
615	On the Mapping of Epistatic Genetic Interactions in Natural Isolates: Combining Classical Genetics and Genomics. 2016 , 1361, 345-60	1
614	Yeast Systems Biology: The Continuing Challenge of Eukaryotic Complexity. 2019 , 2049, 3-13	1
613	Epi-ID: Systematic and Direct Screening for Chromatin Regulators in Yeast by Barcode-ChIP-Seq. 2019 , 2049, 87-103	3
612	Genetic Improvement of Wine Yeasts. 2019 , 315-342	1
611	Yeast as a Model System to Study DNA Damage and DNA Repair. 2008 , 445-453	3
610	The applications of systematic in-frame, single-gene knockout mutant collection of Escherichia coli K-12. 2008 , 416, 183-94	32
609	High-throughput creation of a whole-genome collection of yeast knockout strains. 2008 , 416, 205-20	14
608	Analysis of genetic interactions on a genome-wide scale in budding yeast: diploid-based synthetic lethality analysis by microarray. 2008 , 416, 221-47	7
607	Statistical analysis of fitness data determined by TAG hybridization on microarrays. 2008 , 416, 369-81	2
606	Multipurpose transposon insertion libraries for large-scale analysis of gene function in yeast. 2008 , 416, 117-29	6

605	Roles of SNARE Proteins in Synaptic Vesicle Fusion. 2008 , 35-59	3
604	SGAM: an array-based approach for high-resolution genetic mapping in <i>Saccharomyces cerevisiae</i> . 2009 , 548, 37-53	15
603	Reporter-based synthetic genetic array analysis: a functional genomics approach for investigating the cell cycle in <i>Saccharomyces cerevisiae</i> . 2009 , 548, 55-73	3
602	Chemogenomic approaches to elucidation of gene function and genetic pathways. 2009 , 548, 115-43	12
601	Exploiting yeast genetics to inform therapeutic strategies for Huntington's disease. 2009 , 548, 161-74	13
600	Clone-based functional genomics. 2009 , 553, 141-77	2
599	Visualizing endogenous mRNAs in living yeast using m-TAG, a PCR-based RNA aptamer integration method, and fluorescence microscopy. 2011 , 714, 237-47	5
598	Linearizer gene circuits with negative feedback regulation. 2011 , 734, 81-100	4
597	Yeast systems biology: the challenge of eukaryotic complexity. 2011 , 759, 3-28	10
596	The automated cell: compound and environment screening system (ACCESS) for chemogenomic screening. 2011 , 759, 239-69	21
595	Competition experiments coupled with high-throughput analyses for functional genomics studies in yeast. 2011 , 759, 271-82	5
594	Contributions of <i>Saccharomyces cerevisiae</i> to understanding mammalian gene function and therapy. 2011 , 759, 501-23	12
593	Signature-tagged mutagenesis to characterize genes through competitive selection of bar-coded genome libraries. 2011 , 765, 225-52	3
592	Genetic Transformation of Filamentous Fungi: Achievements and Challenges. 2020 , 123-164	5
591	Ess-NEXG: Predict Essential Proteins by Constructing a Weighted Protein Interaction Network Based on Node Embedding and XGBoost. 2020 , 95-104	1
590	Protein-protein interactions: analysis and prediction. 2008 , 353-410	1
589	Gene Expression Engineering. 2016 , 7-30	1
588	Genome-Wide Identification of Essential Proteins by Integrating RNA-seq, Subcellular Location and Complexes Information. 2017 , 375-384	1

587	Encyclopedia of Signaling Molecules. 2018 , 2429-2451	1
586	RNAi applications in target validation. 2007 , 1-21	9
585	Toward Understanding the Structure and Function of Cellular Interaction Networks. 2008 , 239-275	1
584	Finding Missing tRNA Modification Genes: A Comparative Genomics Goldmine. 2008 , 169-190	2
583	RNA interference in mammalian cell systems. 2008 , 320, 1-19	19
582	Comparative Evolutionary Histories of Fungal Chitinases. 2009 , 323-337	1
581	Gene Function Prediction and Functional Network: The Role of Gene Ontology. 2012 , 123-162	1
580	A Comparison of Network Characteristics in Metabolic and Manufacturing Systems. 2013 , 141-150	3
579	Fungal Genomics for Energy and Environment. 2013 , 11-27	4
578	1 Yeast as a Model for Systems Biology Studies on Complex Diseases. 2014 , 3-30	1
577	Evolvability and Self-Replication of Genetic Information in Liposomes. 2011 , 275-287	2
576	Telomeres and Aging in the Yeast Model System. 2006 , 191-205	1
575	Glycoside hydrolase family 18 chitinases: The known and the unknown. 2020 , 43, 107553	26
574	Stress sensor Ire1 deploys a divergent transcriptional program in response to lipid bilayer stress. 2020 , 219,	22
573	Nuclear envelope-vacuole contacts mitigate nuclear pore complex assembly stress. 2020 , 219,	9
572	Premature Termination Codon-Bearing mRNA Mediates Genetic Compensation Response. 2020 ,	3
571	Large-scale functional genomic analysis of sporulation and meiosis in <i>Saccharomyces cerevisiae</i> . 2003 , 163, 47-54	184
570	Genetic diversity in yeast assessed with whole-genome oligonucleotide arrays. 2003 , 163, 79-89	148

569	A <i>Saccharomyces cerevisiae</i> genome-wide mutant screen for altered sensitivity to K1 killer toxin. 2003 , 163, 875-94	123
568	Functional genomics reveals relationships between the retrovirus-like Ty1 element and its host <i>Saccharomyces cerevisiae</i> . 2003 , 164, 867-79	77
567	Genetic interactions with CLF1 identify additional pre-mRNA splicing factors and a link between activators of yeast vesicular transport and splicing. 2003 , 164, 895-907	42
566	Suppression of a defect in mitochondrial protein import identifies cytosolic proteins required for viability of yeast cells lacking mitochondrial DNA. 2003 , 165, 35-45	46
565	Identification of Edc3p as an Enhancer of mRNA Decapping in <i>Saccharomyces cerevisiae</i> . 2004 , 166, 729-739	17
564	Protein quality control degron-containing substrates are differentially targeted in the cytoplasm and nucleus by ubiquitin ligases. 2021 , 217, 1-19	3
563	Suboptimal Global Transcriptional Response Increases the Harmful Effects of Loss-of-Function Mutations. 2021 , 38, 1137-1150	2
562	Biochemical evidence for diverse strategies in the inner kinetochore. 2020 , 10, 200284	7
561	Pan-genome analyses of model fungal species. 2019 , 5,	31
560	Identifying glycoside hydrolase family 18 genes in the mycoparasitic fungal species <i>Clonostachys rosea</i> . 2015 , 161, 1407-19	43
559	The impact of ERAD on recombinant protein secretion in <i>Pichia pastoris</i> (syn <i>Komagataella</i> spp.). 2018 , 164, 453-463	13
558	Measuring error rates in genomic perturbation screens: gold standards for human functional genomics.	0
557	Systematic Functional Annotation and Visualization of Biological Networks.	3
556	Highly parallel genome variant engineering with CRISPR/Cas9 in eukaryotic cells.	3
555	Patterns of conservation and diversification in the fungal polarization network.	1
554	High-throughput creation and functional profiling of eukaryotic DNA sequence variant libraries using CRISPR/Cas9.	1
553	Systematic humanization of the yeast cytoskeleton discerns functionally replaceable from divergent human genes.	1
552	Abundances of transcripts, proteins, and metabolites in the cell cycle of budding yeast reveals coordinate control of lipid metabolism.	1

551	Biases and Blind-Spots in Genome-Wide CRISPR Knockout Screens.	4
550	Melon ethylene-mediated transcriptome and methylome dynamics provide insights to volatile production.	1
549	Translational control of methionine and serine metabolic pathways underpin the paralog-specific phenotypes of Rpl22 ribosomal protein mutants in cell division and replicative longevity.	1
548	Adaptive laboratory evolution and reverse engineering of single-vitamin prototrophies in <i>Saccharomyces cerevisiae</i> .	1
547	Ice2 promotes ER membrane biogenesis in yeast by inhibiting the conserved lipin phosphatase complex.	3
546	A genome-scale CRISPR interference guide library enables comprehensive phenotypic profiling in yeast.	5
545	PsiCLIP reveals dynamic RNA binding by DEAH-box helicases before and after exon ligation.	1
544	OmicsDB::Pathogens - A database for exploring functional networks of plant pathogens.	1
543	Nuclear envelope-vacuole contacts mitigate nuclear pore complex assembly stress.	1
542	Functional and transcriptional profiling of non-coding RNAs in yeast reveal context-dependent phenotypes and widespread in trans effects on the protein regulatory network.	1
541	Extensive 5' Surveillance Guards Against Non-Canonical NAD-Caps of Nuclear mRNAs in Yeast.	2
540	Genome-wide analysis of DNA replication and DNA double strand breaks by TrAEL-seq.	1
539	The mitochondrial surface receptor Tom70 protects the cytosol against mitoprotein-induced stress.	3
538	A tractable bottom-up model of the yeast polarity genotype-phenotype map for evolutionary relevant predictions.	0
537	Comprehensive prediction of robust synthetic lethality between paralog pairs in cancer cell lines.	0
536	Translational control of MPS1 links protein synthesis with the initiation of cell division and spindle pole body duplication in yeast.	1
535	Identifying chemogenetic interactions from CRISPR knockout screens with drugZ.	1
534	Identification of changing ribosome protein compositions using cryo-EM and mass spectrometry.	1

533	A generalizable experimental framework for automated cell growth and laboratory evolution.	2
532	The evolutionary traceability of proteins.	1
531	Comprehensive variant effect predictions of single nucleotide variants in model organisms.	5
530	Messenger RNAs transcribed from yeast linear cytoplasmic plasmids possess unconventional 5' and 3' UTRs and suggest a novel mechanism of translation.	2
529	Hierarchical organization of the human cell from a cancer coessentiality network.	5
528	Single cell functional genomics reveals the importance of mitochondria in cell-to-cell variation in proliferation, drug resistance and mutation outcome.	1
527	Evolutionary trade-offs between unicellularity and multicellularity in budding yeast.	1
526	Systematic assessment of GFP tag position on protein localization and growth fitness in yeast.	1
525	Forecasting bacterial survival-success and adaptive evolution through multi-omics stress-response mapping, network analyses and machine learning.	2
524	Combining transcriptomic and fitness data reveals additive and mostly adaptive plastic responses of gene expression to multiple stress in <i>Tribolium castaneum</i> .	1
523	Fitness Benefits of Loss of Heterozygosity in <i>Saccharomyces</i> Hybrids.	2
522	A stress response that allows highly mutated eukaryotic cells to survive and proliferate.	0
521	A new pathway of pre-tRNA surveillance in yeast.	1
520	Gene regulatory network reconstruction using single-cell RNA sequencing of barcoded genotypes in diverse environments.	6
519	REMI-seq: Development of methods and resources for functional genomics in <i>Dictyostelium</i> .	1
518	CRISPR/Cas9 Treatment Causes Extended TP53-Dependent Cell Cycle Arrest In Human Cells.	2
517	MCHM acts as a hydrotrope, altering the balance of metals in yeast.	1
516	Peroxiredoxin promotes longevity and H ₂ O ₂ -resistance in yeast through redox-modulation of protein kinase A.	1

515	Identification of evolutionarily conserved nuclear matrix proteins and their prokaryotic origins.	1
514	Exploiting homologous recombination increases SATAY efficiency for loss- and gain-of-function screening.	3
513	Genome-wide screen uncovers novel pathways for tRNA processing and nuclear-cytoplasmic dynamics. 2015 , 29, 2633-44	24
512	High-throughput mouse knockouts provide a functional analysis of the genome. 2003 , 68, 311-5	14
511	Systems approaches applied to the study of <i>Saccharomyces cerevisiae</i> and <i>Halobacterium</i> sp. 2003 , 68, 345-57	9
510	Genomic perspective and cancer. 2003 , 68, 417-24	0
509	Harvesting the genome's bounty: integrative genomics. 2003 , 68, 431-43	8
508	Studying Evolution Using Genome Sequence Data. 11-33	1
507	Functional Genomic Approaches to Fungal Pathogenesis, Drug Target Validation, and Antifungal Drug Discovery. 627-642	1
506	Insights in Antifungal Drug Discovery. 387-401	2
505	Polymerase δ deficiency causes syndromic immunodeficiency with replicative stress. 2019 , 129, 4194-4206	20
504	DeeplyEssential: a deep neural network for predicting essential genes in microbes. 2020 , 21, 367	7
503	Systematic Phenotyping of Plant Development in <i>Arabidopsis thaliana</i> . 2016 , 121-151	5
502	Networks of fibers and factors: regulation of capsule formation in <i>Cryptococcus neoformans</i> . 2016 , 5,	8
501	single-copy plasmids for auxotrophy compensation, multiple marker selection, and for designing metabolically cooperating communities. 2016 , 5, 2351	17
500	Investigating the role of Rts1 in DNA replication initiation. 2018 , 3, 23	0
499	Trait variation in yeast is defined by population history. 2011 , 7, e1002111	230
498	Binding of the Fkh1 Forkhead Associated Domain to a Phosphopeptide within the Mph1 DNA Helicase Regulates Mating-Type Switching in Budding Yeast. 2016 , 12, e1006094	10

497	Reverse Chemical Genetics: Comprehensive Fitness Profiling Reveals the Spectrum of Drug Target Interactions. 2016 , 12, e1006275	10
496	Somatic Mutation Patterns in Hemizygous Genomic Regions Unveil Purifying Selection during Tumor Evolution. 2016 , 12, e1006506	16
495	Power provides protection: Genetic robustness in yeast depends on the capacity to generate energy. 2017 , 13, e1006768	1
494	Genetic compensation: A phenomenon in search of mechanisms. 2017 , 13, e1006780	362
493	A conserved role for the ESCRT membrane budding complex in LINE retrotransposition. 2017 , 13, e1006837	7
492	Two separate pathways regulate protein stability of ATM/ATR-related protein kinases Mec1 and Tel1 in budding yeast. 2017 , 13, e1006873	7
491	Genetic evidence for a link between glycolysis and DNA replication. 2007 , 2, e447	53
490	Mapping genetically compensatory pathways from synthetic lethal interactions in yeast. 2008 , 3, e1922	36
489	Chromatin regulation and gene centrality are essential for controlling fitness pleiotropy in yeast. 2009 , 4, e8086	2
488	NOF1 encodes an Arabidopsis protein involved in the control of rRNA expression. 2010 , 5, e12829	30
487	MoSfl1 is important for virulence and heat tolerance in <i>Magnaporthe oryzae</i> . 2011 , 6, e19951	37
486	The C-terminal domain of the novel essential protein Gcp is critical for interaction with another essential protein YeaZ of <i>Staphylococcus aureus</i> . 2011 , 6, e20163	8
485	SWI/SNF and Asf1 independently promote derepression of the DNA damage response genes under conditions of replication stress. 2011 , 6, e21633	7
484	Efficient construction of homozygous diploid strains identifies genes required for the hyper-filamentous phenotype in <i>Saccharomyces cerevisiae</i> . 2011 , 6, e26584	8
483	Molecular foundations of reproductive lethality in <i>Arabidopsis thaliana</i> . 2011 , 6, e28398	70
482	Mitochondrial electron transport is the cellular target of the oncology drug elesclomol. 2012 , 7, e29798	80
481	The role of the Parkinson's disease gene PARK9 in essential cellular pathways and the manganese homeostasis network in yeast. 2012 , 7, e34178	35
480	Sodium selenide toxicity is mediated by O ₂ -dependent DNA breaks. 2012 , 7, e36343	44

479	A genome-wide over-expression screen identifies genes involved in phagocytosis in the human protozoan parasite, <i>Entamoeba histolytica</i> . 2012 , 7, e43025	7
478	The genetic basis of natural variation in oenological traits in <i>Saccharomyces cerevisiae</i> . 2012 , 7, e49640	58
477	High-throughput screening for growth inhibitors using a yeast model of familial paraganglioma. 2013 , 8, e56827	17
476	A new method for the discovery of essential proteins. 2013 , 8, e58763	58
475	The role of protein interactions in mediating essentiality and synthetic lethality. 2013 , 8, e62866	8
474	Size of gene specific inverted repeat--dependent gene deletion In <i>Saccharomyces cerevisiae</i> . 2013 , 8, e72137	4
473	Quantifying condition-dependent intracellular protein levels enables high-precision fitness estimates. 2013 , 8, e75320	4
472	A genome-wide screen identifies yeast genes required for tolerance to technical toxaphene, an organochlorinated pesticide mixture. 2013 , 8, e81253	11
471	Inferring gene dependency network specific to phenotypic alteration based on gene expression data and clinical information of breast cancer. 2014 , 9, e92023	7
470	A New Method for Identifying Essential Proteins Based on Network Topology Properties and Protein Complexes. 2016 , 11, e0161042	33
469	Identification of Yeast Mutants Exhibiting Altered Sensitivity to Valinomycin and Nigericin Demonstrate Pleiotropic Effects of Ionophores on Cellular Processes. 2016 , 11, e0164175	4
468	A three-way approach for protein function classification. 2017 , 12, e0171702	8
467	Properties of genes essential for mouse development. 2017 , 12, e0178273	13
466	A new computational strategy for identifying essential proteins based on network topological properties and biological information. 2017 , 12, e0182031	12
465	Genetic variation in Dip5, an amino acid permease, and Pdr5, a multiple drug transporter, regulates glyphosate resistance in <i>S. cerevisiae</i> . 2017 , 12, e0187522	12
464	Regulatory and evolutionary adaptation of yeast to acute lethal ethanol stress. 2020 , 15, e0239528	4
463	Genetic interaction profiles of regulatory kinases differ between environmental conditions and cellular states. 2020 , 16, e9167	9
462	Systematic genetics and single-cell imaging reveal widespread morphological pleiotropy and cell-to-cell variability. 2020 , 16, e9243	14

461	Systematic analysis of bypass suppression of essential genes. 2020 , 16, e9828	13
460	Functional analysis of lipid metabolism genes in wine yeasts during alcoholic fermentation at low temperature. 2014 , 1, 365-375	10
459	Network dynamics of the yeast methyltransferome. 2019 , 6, 356-369	1
458	Sulforaphane alters the acidification of the yeast vacuole. 2020 , 7, 129-138	2
457	Systematic analysis of nuclear gene function in respiratory growth and expression of the mitochondrial genome in. 2020 , 7, 234-249	5
456	Regulatory Roles of Rpl22 in Hematopoiesis: An Old Dog with New Tricks. 2015 , 35, 379-400	9
455	Effects of an unusual poison identify a lifespan role for Topoisomerase 2 in. 2017 , 9, 68-97	6
454	Cell cycle regulation of condensin Smc4. 2019 , 10, 263-276	7
453	Reconstruction and analysis of genome-scale metabolic model of weak Crabtree positive yeast <i>Lachancea kluyveri</i> .	1
452	A Non-Amyloid Prion Particle that Activates a Heritable Gene Expression Program.	1
451	Direct Capture Technologies for Genomics-Guided Discovery of Natural Products. 2016 , 16, 1695-704	4
450	Hsp70 Escort Protein: More Than a Regulator of Mitochondrial Hsp70. 2018 , 16, 64-73	2
449	A Survey on Computational Methods for Essential Proteins and Genes Prediction. 2019 , 14, 211-225	6
448	Complex Ligation Using Homologous Recombination and High-efficiency Plasmid Rescue from. 2015 , 5,	19
447	Unbiased yeast screens identify cellular pathways affected in Niemann-Pick disease type C. 2020 , 3,	2
446	A network of human functional gene interactions from knockout fitness screens in cancer cells. 2019 , 2,	36
445	Yeast as a touchstone in post-genomic research: strategies for integrative analysis in functional genomics. 2004 , 37, 93-106	46
444	Genetic interactions in translational research on cancer. 2011 , 1, 14	3

443	Coupling between the DEAD-box RNA helicases Ded1p and eIF4A. 2016 , 5,	34
442	Transient protein-protein interactions perturb metabolome and cause gene dosage toxicity. 2016 , 5,	34
441	Eukaryotic translation initiation factor 3 plays distinct roles at the mRNA entry and exit channels of the ribosomal preinitiation complex. 2016 , 5,	33
440	Functional mapping of yeast genomes by saturated transposition. 2017 , 6,	76
439	Single cell functional genomics reveals the importance of mitochondria in cell-to-cell phenotypic variation. 2019 , 8,	13
438	Multi-protein bridging factor 1(Mbf1), Rps3 and Asc1 prevent stalled ribosomes from frameshifting. 2018 , 7,	22
437	A combination of transcription factors mediates inducible interchromosomal contacts. 2019 , 8,	8
436	The endonuclease Cue2 cleaves mRNAs at stalled ribosomes during No Go Decay. 2019 , 8,	69
435	Translational control of one-carbon metabolism underpins ribosomal protein phenotypes in cell division and longevity. 2020 , 9,	9
434	Reconstitution reveals two paths of force transmission through the kinetochore. 2020 , 9,	5
433	Evolved bacterial resistance against fluoropyrimidines can lower chemotherapy impact in the host. 2020 , 9,	4
432	Peroxiredoxin promotes longevity and HO-resistance in yeast through redox-modulation of protein kinase A. 2020 , 9,	10
431	Identification of a novel deletion mutant strain in that results in a microsatellite instability phenotype. 2012 ,	2
430	Hsp90 interaction networks in fungi-tools and techniques. 2021 , 21,	0
429	Short homology-directed repair using optimized Cas9 in the pathogen <i>Cryptococcus neoformans</i> enables rapid gene deletion and tagging. 2021 ,	1
428	YeastMate: Neural network-assisted segmentation of mating and budding events in <i>S. cerevisiae</i> .	0
427	Multi-omics analysis of multiple glucose-sensing receptor systems in yeast.	
426	A Novel Collaborative Filtering Model-Based Method for Identifying Essential Proteins. 2021 , 12, 763153	

425	Modelling The Fitness Landscapes of a SCRaMbLEd Yeast Genome. 2021,	0
424	Systems-level effects of allosteric perturbations to a model molecular switch. <i>Nature</i> , 2021 , 599, 152-157. <small>50.4</small>	1
423	Identification of a novel modulator of the actin cytoskeleton, mitochondria, nutrient metabolism and lifespan in yeast.	0
422	Ice2 promotes ER membrane biogenesis in yeast by inhibiting the conserved lipin phosphatase complex. 2021 , 40, e107958	5
421	Translational control of lipogenesis links protein synthesis and phosphoinositide signaling with nuclear division in <i>Saccharomyces cerevisiae</i> . 2021,	1
420	Systematic identification of yeast mutants with increased rates of cell death reveals rapid stochastic necrosis associated with cell division.	1
419	Cnm1 mediates nucleus-mitochondria contact site formation in response to phospholipid levels. 2021 , 220,	6
418	High-throughput functional characterization of protein phosphorylation sites in yeast. 2021,	3
417	Biochemical Genetics. 2001 , 1473-1527	
416	Yeasts and food spoilage. 2003 , 273-295	
415	Genomics of Filamentous Fungi. 2004 , 15-29	
414	Deletion Mapping.	
413	Yeast Deletion Project (YDPM). 2004,	
412	From Yeast Methuselah Genes to Evolutionary Medicine. 2006 , 219-228	
411	[Study of animal viruses in yeast]. 2006 , 56, 9-16	
410	Expression Analysis In Vivo.	
409	Paradigmatic Role of Galactose Switch. 2008 , 175-214	
408	Statistical methods for building random transposon mutagenesis libraries. 2008 , 416, 339-54	

407 Sequence and Genome Bioinformatics. 1812-1844

406 Transcription Factors. 1

405 Functional Genomic Approaches for Studying Genotoxicity and Carcinogenesis. **2008**, 207-221

404 Encyclopedia of Complexity and Systems Science. **2009**, 3964-3985

403 A Network Approach for HIV-1 Drug Resistance Prevention. **2009**, 782-788

402 Integration of metabolic reactions and gene regulation. **2009**, 553, 265-85

401 Encyclopedia of Complexity and Systems Science. **2009**, 570-589

400 Resources for Escherichia coli Systems Biology. **2009**, 87-97

399 Chapter 4. The Biology of DEAH/RHA Proteins and Their Mechanism of Action. **2010**, 99-120

1

398 Purification and Antibody Preparation and Analysis of Different Domains of GPDH Proteins from *Dunaliella salina**. **2010**, 2009, 202-206

397 Omics Technologies and Their Input for the Comprehension of Metabolic Systems Particularly Pertaining to Yeast Organisms. **2010**, 105-122

396 Phenome analysis of root development in *Arabidopsis*. **2010**, 27, 345-347

395 Genomewide Profiling of Rapamycin Sensitivity in *Saccharomyces cerevisiae* on Synthetic Medium. **2010**, 8, 177-184

394 Towards Elucidation of the *Escherichia coli* K-12 Unknownome. **2011**, 289-305

393 Prediction of Essential Genes by Mining Gene Ontology Semantics. **2011**, 49-60

392 [Current status of theoretical studies on essential genes in microbes]. **2012**, 34, 420-30

0

391 Strain Improvement via Evolutionary Engineering. 111-131

390 Robustness and Specificity in Signal Transduction via Physiologic Protein Interaction Networks. **2012**, 2, S3.001

4

- 389 Anti-Carbohydrate HIV Vaccine Design. **2014**, 143-176
- 388 Development of Novel Molecules for the Control of Plant Pathogenic Fungi in Agriculture. **2014**, 315-325 1
- 387 Analysis of Chaperone Network Throughput. **2014**, 3-23
- 386 The *Candida albicans* Hsp90 Chaperone Network Is Environmentally Flexible and Evolutionarily Divergent. **2014**, 185-204 1
- 385 Cool Tools 3: Large-Scale Genetic Interaction Screening in *Candida albicans*. 497-500
- 384 Essential Genes in *Aspergillus fumigatus*. 39-59
- 383 Genetic and Proteomic Analysis of Fungal Virulence. 643-655
- 382 Genomic Perspectives on the Fungal Kingdom. 657-666
- 381 Postgenomic Strategies for Genetic Analysis: Insight from *Saccharomyces cerevisiae* and *Candida albicans*. 35-P1
- 380 Principles and Practice of DNA Microarray Technology. 978-994
- 379 siRNA screening of nuclear proteins. **2015**, 1262, 333-48
- 378 Encyclopedia of Complexity and Systems Science. **2015**, 1-25
- 377 Systems Biology Approaches for Studying Sphingolipid Signaling. **2015**, 297-311
- 376 Gene Transfer in *Mycobacterium tuberculosis*: Shuttle Plasmids to Enlightenment. 1-25
- 375 Chapter 6: General Functions of Polyamines and Their Possible Modes of Action in Fungi and Other Organisms. **2015**, 108-129
- 374 Encyclopedia of Signaling Molecules. **2016**, 1-23
- 373 Engineering Central Metabolism for Production of Higher Alcohol-based Biofuels. **2016**, 1-34 2
- 372 Novel DNA and RNA Elements. **2016**, 65-99 1

- 371 Tunable bet hedging in yeast responses to osmotic stress.
- 370 *Neurospora: A Gateway to Biology*. **2016**, 207-226
- 369 Mapping paths: new approaches to dissect eukaryotic signaling circuitry. **2016**, 5,
- 368 Transient protein-protein interactions perturb E.coli metabolome and cause gene dosage toxicity.
- 367 Bartender: an ultrafast and accurate clustering algorithm to count barcode and amplicon reads. 1
- 366 Eukaryotic translation initiation factor 3 plays distinct roles at the mRNA entry and exit channels of the ribosomal preinitiation complex.
- 365 Inferability of transcriptional networks from large scale gene deletion studies.
- 364 Deciphering the genic basis of environmental adaptations by simultaneous forward and reverse genetics in *Saccharomyces cerevisiae*. 0
- 363 Experimental evolution reveals favored adaptive routes to cell aggregation in yeast.
- 362 Spatial Analysis of Functional Enrichment (SAFE) in Large Biological Networks.
- 361 Systems Metabolic Engineering of *Saccharomyces cerevisiae* for Production of Biochemicals from Biomass. **2017**, 31-65
- 360 Prediction of intracellular target with morphological profiling. **2017**, 42, 91-98
- 359 Predicting Essential Proteins Based on Gene Expression Data, Subcellular Localization and PPI Data. **2017**, 92-105 3
- 358 Large-scale rewiring in a yeast hybrid.
- 357 Contextual diversity of the human cell-essential proteome.
- 356 Genome-scale genetic interactions position the Mitotic Exit Network as a major antagonist of transient Topoisomerase II deficiency.
- 355 Functional Annotation of Chemical Libraries across Diverse Biological Processes. 1
- 354 Improving prediction of compound function from chemical structure using chemical-genetic networks. 2

353 Genomics of cellular proliferation under periodic stress.

352 Pooled CRISPR interference screens enable high-throughput functional genomics study and elucidate new rules for guide RNA library design in *Escherichia coli*. 2

351 Phenotype-driven transitions in regulatory network structure.

350 Phosphate is the third nutrient monitored by TOR in *Candida albicans* and provides a target for fungal-specific indirect TOR inhibition. 0

349 Cellular adaptation through fitness-directed transcriptional tuning.

348 Linkage mapping of yeast cross protection connects gene expression variation to a higher-order organismal trait.

347 ESCRT-III acts in scissioning new peroxisomes from the ER. 1

346 Multi-omic mitoprotease profiling defines a role for Oct1p in coenzyme Q production.

345 Role for Ribosome-Associated Complex and Stress-Seventy subfamily B (RAC-Ssb) in integral membrane protein translation.

344 Mapping DNA damage-dependent genetic interactions in yeast via party mating and barcode fusion genetics.

343 Functional genomics of lipid metabolism in the oleaginous yeast *Rhodospiridium toruloides*.

342 Control of Genetic Parasites Mediated Through Nucleoporin Evolution.

341 New insights on human essential genes based on integrated analysis.

340 Detection and Degradation of Nonsense-mediated mRNA Decay Substrates Involve Two Distinct Upf1-bound Complexes.

339 Dissection of yeast pleiotropic drug resistance regulation reveals links between cell cycle regulation and control of drug pump expression.

338 Yeast Genomic Screens Identify Kinesins as Potential Targets of the *Pseudomonas syringae* Type III Effector, HopZ1a.

337 Combinatorial Genetic Control of Rpd3S through histone H3K4 and H3K36 Methylation in Budding Yeast.

336 Multi-protein Bridging Factor 1 (Mbf1), Rps3 and Asc1 prevent stalled ribosomes from frameshifting.

- 335 Minor isozymes tailor yeast metabolism to carbon availability.
- 334 A combination of transcription factors mediates inducible interchromosomal pairing.
- 333 Nutritional and Meiotic Induction of Heritable Stress Resistant States in Budding Yeast.
- 332 The essential genome of the crenarchaeal model *Sulfolobus islandicus*. 1
- 331 A genome-wide algal mutant library reveals a global view of genes required for eukaryotic photosynthesis.
- 330 Nutritional and meiotic induction of transiently heritable stress resistant states in budding yeast. **2018**, 5, 511-521 2
- 329 Perturbations of transcription and gene expression-associated processes alter distribution of cell size values in *Saccharomyces cerevisiae*.
- 328 Minimization of a harmful cross-talk between mitotic checkpoint silencing and error correction. 0
- 327 Predicting complex genetic phenotypes using error propagation in weighted networks.
- 326 On translational control by ribosome speed in *S. cerevisiae*.
- 325 Widespread Prion-Based Control of Growth and Differentiation Strategies in *Saccharomyces Cerevisiae*. 0
- 324 Multiplexed electron microscopy by fluorescent barcoding allows screening for ultrastructural phenotype.
- 323 Effects of phenotypic robustness on adaptive evolutionary dynamics. 0
- 322 Molecular Basis of Complex Heritability in Natural Genotype-to-Phenotype Relationships.
- 321 Comparative analysis of Synthetic Physical Interactions with the yeast centrosome.
- 320 Molecular chaperones accelerate the evolution of their protein clients in yeast.
- 319 Extensive loss of cell cycle and DNA repair genes in an ancient lineage of bipolar budding yeasts. 1
- 318 Analysis of novel hyperosmotic shock response suggests Beads in liquid cytosol structure.

- 317 The Zymoseptoria tritici ORFeome: a functional genomics community resource.
- 316 Chaperone-Mediated Reflux of Secretory Proteins to the Cytosol During Endoplasmic Reticulum Stress. 1
- 315 DeeplyEssential: A Deep Neural Network for Predicting Essential Genes in Microbes. 0
- 314 Involvement of multiple influx and efflux transporters in the accumulation of cationic fluorescent dyes by *Escherichia coli*. 1
- 313 The absence of F-box motif Encoding Gene SAF1 and Chromatin Associated factor CTF8 together contributes to MMS Resistant and HU Sensitive phenotype in *S. cerevisiae*.
- 312 The fitness cost of mismatch repair mutators in *Saccharomyces cerevisiae*: partitioning the mutational load.
- 311 The polymorphic PolyQ tail protein of the Mediator Complex, Med15, regulates variable response to stress.
- 310 Loss of F-box Motif Encoding Gene SAF1 and RRM3 Together Leads to Synthetic Growth Defect and Sensitivity to HU, MMS in *S.cerevisiae*.
- 309 Genome Profiling for Aflatoxin B1 Resistance in *Saccharomyces cerevisiae* Reveals a Role for the CSM2/SHU Complex in Tolerance of Aflatoxin B1-associated DNA Damage.
- 308 Advancing functional genetics through *Agrobacterium*-mediated insertional mutagenesis and CRISPR/Cas9 in the commensal and pathogenic yeast *Malassezia furfur*.
- 307 COSPLAY: An expandable toolbox for combinatorial and swift generation of expression plasmids in yeast.
- 306 Genetic screens in isogenic mammalian cell lines without single cell cloning. 0
- 305 Cytotoxicity of 1-deoxysphingolipid Unraveled by Genome-wide Genetic Screens and Lipidomics.
- 304 The endonuclease Cue2 cleaves mRNAs at stalled ribosomes during No Go Decay. 0
- 303 Absence of Replication fork associated factor CTF4 and F-box motif Encoding Gene SAF1 leads to reduction in Cell Size and Stress Tolerance Phenotype in *S. cerevisiae*. 0
- 302 Stress-Induced Expression is Enriched for Evolutionarily Young Genes in Diverse Budding Yeasts.
- 301 Perturbing proteomes at single residue resolution using base editing.
- 300 A humanized yeast phenomic model of deoxycytidine kinase to predict genetic buffering of nucleoside analog cytotoxicity.

- 299 Regulation of lipid saturation without sensing membrane fluidity. 0
- 298 Paralog buffering contributes to the variable essentiality of genes in cancer cell lines. 0
- 297 AMPK regulates ESCRT-dependent microautophagy of proteasomes concomitant with proteasome storage granule assembly during glucose starvation.
- 296 Exploring endocytic compartment morphology with systematic genetics and single cell image analysis.
- 295 Comparing the utility of in vivo transposon mutagenesis approaches in yeast species to infer gene essentiality. 0
- 294 Pan-active imidazolopiperazine antimalarials target the *Plasmodium falciparum* intracellular secretory pathway. 1
- 293 ER stress sensor Ire1 deploys a divergent transcriptional program in response to lipid bilayer stress.
- 292 Highly expressed maize pollen genes display coordinated expression with neighboring transposable elements and contribute to pollen fitness. 0
- 291 Multi-model functionalization of disease-associated PTEN missense mutations identifies multiple molecular mechanisms underlying protein dysfunction. 0
- 290 Translational regulation of Pmt1 and Pmt2 by Bfr1 affects unfolded protein O-mannosylation.
- 289 LiP-Quant, an automated chemoproteomic approach to identify drug targets in complex proteomes.
- 288 Reduction of the *Saccharomyces cerevisiae* Genome: Challenges and Perspectives. **2020**, 117-139 1
- 287 *Saccharomyces cerevisiae* as Model Organism to Study Biological Activities of Nanoparticles. **2020**, 101-115 1
- 286 The kinase Isr1 negatively regulates hexosamine biosynthesis in *S. cerevisiae*.
- 285 Population dynamics analysis of *Saccharomyces cerevisiae* deletion library during fed-batch cultivation using Bar-seq.
- 284 Systematic approach for assessing whether undeletable chromosomal regions in *Saccharomyces cerevisiae* are required for cell viability. **2020**, 10, 73 1
- 283 Hypomodified tRNA in evolutionarily distant yeasts can trigger rapid tRNA decay to activate the general amino acid control response, but with different consequences.
- 282 Protein context shapes the specificity of domain-peptide interactions in vivo.

- 281 Co-evolution of Eukaryotic-like Vps4 and ESCRT-III Subunits in the Asgard Archaea.
- 280 Suppressors of mRNA decapping defects isolated by experimental evolution ameliorate transcriptome disruption without restoring mRNA decay.
- 279 Pex14p phosphorylation modulates import of citrate synthase 2 into peroxisomes in *Saccharomyces cerevisiae*.
- 278 The S-phase Cyclin Clb5 Promotes rDNA Stability by Maintaining Replication Initiation Efficiency in rDNA.
- 277 Chemical-genetic interactions with the proline analog L-azetidine-2-carboxylic acid in *Saccharomyces cerevisiae*.
- 276 The RNA-binding protein Puf5 buffers mRNA levels against chromatin-mediated changes in nascent transcription.
- 275 A Single Chromosome Strain of *S. cerevisiae* Exhibits Diminished Ethanol Metabolism and Tolerance.
- 274 Transcription factor-target relationships complicated by knockout analysis.
- 273 Oxidative Stress Responses and Nutrient Starvation in MCHM Treated *Saccharomyces cerevisiae*.
- 272 Genome-Wide Imaging-Based Phenomic Screening Using Yeast (*Saccharomyces cerevisiae*) Strain Collections. **2021**, 2196, 85-95
- 271 DIA-based systems biology approach unveils novel E3-dependent responses to a metabolic shift.
- 270 Yeast: A Model Organism for Antimicrobial Drug Discovery. **2020**, 545-557
- 269 Potassium Homeostasis. **2020**, 11-18 1
- 268 Translational control as a novel regulator of gradient sensing and chemotropism in yeast.
- 267 A genome-scale yeast library with inducible expression of individual genes. 0
- 266 CAF-1 and Rtt101p function within the replication-coupled chromatin assembly network to promote H4 K16ac, preventing ectopic silencing. **2020**, 16, e1009226 0
- 265 A New Scheme for Essential Proteins Identification in Dynamic Weighted Protein-Protein Interaction Networks. **2020**, 195-206
- 264 Accurate Prediction of Human Essential Proteins Using Ensemble Deep Learning. **2021**, PP, 0

- 263 Transcription for Protein Biosynthesis. **2020**, 477-508
- 262 Biophysical basis of cellular multi-specificity encoded in a model molecular switch.
- 261 Variation in a pleiotropic hub gene drives morphological evolution: Insights from interspecific differences in head shape and eye size in *Drosophila*. 0
- 260 Phenotypic associations among cell cycle genes in *Saccharomyces cerevisiae*.
- 259 A genome-wide screen for genes affecting spontaneous direct-repeat recombination in *Saccharomyces cerevisiae*.
- 258 Deletion of Autophagy gene ATG1 and F-box motif encoding gene YDR131C together leads to Synthetic Growth Defects and Flocculation behaviour in *Saccharomyces cerevisiae*.
- 257 Cwc27, associated with retinal degeneration, functions as a splicing factor in vivo. **2021**, 3
- 256 tRNA-modifying enzyme mutations induce codon-specific mistranslation and protein aggregation in yeast.
- 255 Expression attenuation as a mechanism of robustness to gene duplication in protein complexes.
- 254 *Saccharomyces* spores are born prepolarized to outgrow away from spore-spore connections and penetrate the ascus wall.
- 253 Seamless genome editing in human pluripotent stem cells using custom endonuclease-based gene targeting and the piggyBac transposon. **2013**, 8, 2061-2078 0
- 252 Comparative Genomics. **2005**, 411-455
- 251 The Connectivity of Large Genetic Networks. **2006**, 40-52
- 250 Reliable and Specific Protein Function Prediction by Combining Homology with Genomic(s) Context. **2006**, 13-29
- 249 Structures in Molecular Networks. **2004**, 181-193
- 248 Deciphering the Structures of Genomic DNA Sequences Using Recurrence Time Statistics. **2007**, 321-337
- 247 Proteases of the Rhomboid Family in the Yeast *Saccharomyces Cerevisiae*. **2007**, 79-88
- 246 Investigation of RNA metabolism through large-scale genetic interaction profiling in yeast.

- 245 Phenotypic and molecular evolution across 10,000 generations in laboratory budding yeast populations.
- 244 Genetically controlled mtDNA editing prevents ROS damage by arresting oxidative phosphorylation. 0
- 243 *Legionella pneumophila* LegC7 effector protein drives aberrant ER:endosome fusion in yeast.
- 242 SAICAR-dependent and independent effects of ADSL deficiency on neurodevelopment.
- 241 Diverse natural variants suppress mutations in hundreds of essential genes.
- 240 *Saccharomyces cerevisiae* Requires CFF1 to Produce 4-hydroxy-5-methylfuran-3(2H)-one, a Mimic of the Bacterial Quorum-Sensing Autoinducer AI-2.
- 239 Using Metabolic Engineering to Connect Molecular Biology Techniques to Societal Challenges. **2020**, 11, 577004 1
- 238 Yeast Still a Beast: Diverse Applications of CRISPR/Cas Editing Technology in. **2017**, 90, 643-651 8
- 237 A genome-wide screen in identifies Tannic Acid-sensitive mutants. **2021**, 2021,
- 236 'Applying the Auxin-Based Degron System for the Inducible, Reversible and Complete Protein Degradation in *Komagataella phaffii*'.
- 235 Assessment of genotoxic chemicals using chemogenomic profiling based on gene-knockout library in *Saccharomyces cerevisiae*. **2021**, 79, 105278 0
- 234 Identifying essential genes across eukaryotes by machine learning. **2021**, 3, lqab110 2
- 233 Functional classification and validation of yeast prenylation motifs using machine learning and genetic reporters.
- 232 Deletion of two genes improves heterologous secretion of fungal lignin-degrading heme peroxidases in *S. cerevisiae*.
- 231 Unraveling the kinetochore nanostructure in *Schizosaccharomyces pombe* using multi-color single-molecule localization microscopy. 1
- 230 A versatile new ubiquitin detection and purification tool derived from a bacterial deubiquitylase.
- 229 Distinct ribosome states trigger diverse mRNA quality control pathways. 0
- 228 Stimulation of adaptive gene amplification by origin firing under replication fork constraint.. **2022**, 0

- 227 Transcriptome and Metabolome Profiling of a Novel Isolate G32 (Chlorophyta) Displaying Enhanced Starch Accumulation at High Growth Rate Under Mixotrophic Condition.. **2021**, 12, 760307 0
- 226 Exploration of Methanomethylophilus alvus pyrrolysyl-tRNA synthetase activity in yeast.
- 225 Better Link Prediction for Protein-Protein Interaction Networks. **2020**, 0
- 224 Genome-wide imaging screen uncovers molecular determinants of arsenite-induced protein aggregation and toxicity and an important role for transcriptional and translational control.
- 223 Unexpected growth of a classic yeast auxotroph. 0
- 222 The Ecology and Evolution of the Baker's Yeast .. **2022**, 13, 0
- 221 Active site center redesign increases protein stability preserving catalysis.
- 220 Predicting Essential Proteins Based on Integration of Local Fuzzy Fractal Dimension and Subcellular Location Information.. **2022**, 13, 0
- 219 Integrating an ER Stress Reporter for Monitoring Genome-Wide UPR-ER in Budding Yeast.. **2022**, 2378, 189-201
- 218 Evolution enhances mutational robustness and suppresses the emergence of a new phenotype: A new computational approach for studying evolution.. **2022**, 18, e1009796 1
- 217 Construction of Ajmalicine and Sanguinarine de novo Biosynthetic Pathways using Stable Integration Sites in Yeast.. **2022**, 1
- 216 Synthetic Refactor of Essential Genes Decodes Functionally Constrained Sequences in Yeast Genome.
- 215 Multi-Omics Analysis of Multiple Glucose-Sensing Receptor Systems in Yeast.. **2022**, 12, 3
- 214 High-throughput Growth Measurements of Yeast Exposed to Visible Light.. **2022**, 12, e4292
- 213 Endoplasmic reticulum-translocation is essential for APOL1 cellular toxicity.. **2022**, 25, 103717
- 212 Gradients in gene essentiality reshape antibacterial research.. **2022**,
- 211 Metabolic Engineering of for High-Level Friedelin Genetic Manipulation.. **2022**, 10, 805429 2
- 210 Pathway specific effects of ADSL deficiency on neurodevelopment.. **2022**, 11, 1

- 209 From Petri Plates to Petri Nets, a revolution in yeast biology.. **2022**,
- 208 Genomic Characterization of the Titan-like Cell Producing , the First Novel Eukaryote Isolated from the International Space Station.. **2022**, 8, 0
- 207 Vom Bierbrauen zur Forschung im 21. Jahrhundert. **2022**, 28, 11-13
- 206 Adaptive laboratory evolution in *S. cerevisiae* highlights role of transcription factors in fungal xenobiotic resistance.. **2022**, 5, 128 1
- 205 Identification of potential drug targets by detangling protein-protein interaction network. **2022**, 159-168
- 204 YeastMate: Neural network-assisted segmentation of mating and budding events in *S. cerevisiae*.. **2022**, 0
- 203 The Yeast Lifespan Machine: a microfluidic platform for automated replicative lifespan measurements. 1
- 202 Trends in Arabidopsis Research post genome sequencing- A Scientometric study.
- 201 Checks and balances of the RTG pathway under arginine deprivation and canavanine exposure in *Saccharomyces cerevisiae*.
- 200 Synthetic lethality between toxic amino acids, retrograde target genes and chaperones in *Saccharomyces cerevisiae*. 0
- 199 TraDIS-validate: a method for curating ordered gene-replacement libraries.
- 198 A Genome-Wide Screen Reveals That Endocytic Genes Are Important for Pma1p Asymmetry during Cell Division in .. **2022**, 23,
- 197 A lipid viewpoint in the plant endoplasmic reticulum stress response.. **2022**, 1
- 196 Transcriptome Analysis Reveals that MAPK Signaling Pathway Mediates Salt Tolerance of YMR253C ORF in *Saccharomyces cerevisiae*.. **2022**, 79, 126
- 195 Recovering false negatives in CRISPR fitness screens with JLOE.
- 194 Evidence that conserved essential genes are enriched for pro-longevity factors. 0
- 193 Erg25 Controls Host-Cholesterol Uptake Mediated by Aus1p-Associated Sterol-Rich Membrane Domains in .. **2022**, 10, 820675 3
- 192 Transposon insertional mutagenesis of diverse yeast strains suggests coordinated gene essentiality polymorphisms.. **2022**, 13, 1490 0

191	Model-based identification of conditionally-essential genes from transposon-insertion sequencing data.. 2022 , 18, e1009273	0
190	The physiology and genetics of bacterial responses to antibiotic combinations.. 2022 ,	3
189	Phenomics approaches to understand genetic networks and gene function in yeast.. 2022 ,	0
188	Adaptation of the yeast gene knockout collection is near-perfectly predicted by fitness and diminishing return epistasis.	0
187	Deletion of autophagy related, ATG1 and F-box motif encoding YDR131C, together, lead to synthetic growth defects and flocculation behavior in <i>Saccharomyces cerevisiae</i> .. 2022 , e23064	
186	Analyses of HIV proteases variants at the threshold of viability reveals relationships between processing efficiency and fitness.. 2021 , 7, veab103	0
185	A data library of <i>Candida albicans</i> functional genomic screens. 2021 , 21,	0
184	SURF6 Nucleolar Protein: Known Properties and Possible Functions. 2021 , 11, 544-558	
183	and Negatively Interact during Oxidative Stress.. 2021 , 9,	
182	Frameshifting at collided ribosomes is modulated by elongation factor eEF3 and by Integrated Stress Response regulators Gcn1 and Gcn20.. 2021 ,	2
181	Comparative proteomic analysis of <i>Fusarium oxysporum</i> f. sp. <i>ubense</i> strains (Foc R1 and Foc TR4) provides better insights into mechanisms of their virulence, habitat adaptation and pathogenesis.	
180	Kel1 is a phosphorylation-regulated noise suppressor of the pheromone signaling pathway.. 2021 , 37, 110186	1
179	Molecular Responses to High Hydrostatic Pressure in Eukaryotes: Genetic Insights from Studies on .. 2021 , 10,	1
178	Exploration of Pyrrolysyl-tRNA Synthetase Activity in Yeast.. 2022 ,	2
177	rDNA array length is a major determinant of replicative lifespan in budding yeast.. 2022 , 119, e2119593119	1
176	Genome-Wide Identification of Cellular Pathways and Key Genes That Respond to Sodium Bicarbonate Stress in .. 2022 , 13, 831973	
175	Semantic clustering analysis of E3-ubiquitin ligases in gastrointestinal tract defines genes ontology clusters with tissue expression patterns.. 2022 , 22, 186	
174	DataSheet_1.pdf. 2019 ,	

173 Table_1.xlsx. 2019,

172 Table_2.xlsx. 2019,

171 Table_3.xlsx. 2019,

170 Image_1.JPEG. 2019,

169 Image_2.JPEG. 2019,

168 Table_1.DOCX. 2019,

167 Table_2.DOCX. 2019,

166 Table_3.DOCX. 2019,

165 Data_Sheet_1.docx. 2019,

164 Data_Sheet_1.docx. 2020,

163 Data_Sheet_1.pdf. 2019,

162 Data_Sheet_1.docx. 2020,

161 Data_Sheet_1.pdf. 2019,

160 DataSheet_1.pdf. 2019,

159 Impact of Genome Reduction in Microsporidia.. 2022, 114, 1-42

1

158 Post-transcriptional regulation during stress.. 2022,

0

157 Genome-wide screen for enhanced noncanonical amino acid incorporation in yeast.

0

156 Green Leaf Volatile -2-Hexenal Inhibits the Growth of by Inducing Membrane Damage, ROS Accumulation, and Cell Dysfunction.. 2022,

0

- 155 Antifungal Thiazolidines: Synthesis and Biological Evaluation of Mycosidine Congeners. **2022**, 15, 563 ○
- 154 Profiling Yeast Deletion Strains Using Sample Multiplexing and Network-Based Analyses.. **2022**, ○
- 153 Genetic characterization of a missense mutation in the X-linked TAF7L gene identified in an oligozoospermic man.. **2022**, ○
- 152 Image-Based Analysis Revealing the Molecular Mechanism of Peroxisome Dynamics in Plants.. **2022**, 10, 883491 ○
- 151 Role of High Mobility Group B protein HmbA, orthologue of yeast Nhp6p in *Aspergillus nidulans*.
- 150 Discovery and identification of genes involved in DNA damage repair in yeast.. **2022**, 146549 ○
- 149 Overexpression of adenosine 5'-monophosphate deaminase increased umami substance L-homoserine 5'-mononucleotide and promoted *Neopyropia yezoensis* quality. **2022**, 65, 102737
- 148 Genetic bases for the metabolism of the DMS precursor S-methylmethionine by *Saccharomyces cerevisiae*. **2022**, 106, 104041 ○
- 147 An Integrated Approach Reveals DNA Damage and Proteotoxic Stress as Main Effects of Proton Radiation in *S. cerevisiae*. **2022**, 23, 5493 ○
- 146 Identification of a modulator of the actin cytoskeleton, mitochondria, nutrient metabolism and lifespan in yeast.. **2022**, 13, 2706 ○
- 145 Zng1 is a GTP-dependent zinc transferase needed for activation of methionine aminopeptidase.. **2022**, 39, 110834 4
- 144 LncRNAs of *Saccharomyces cerevisiae* bypass the cell cycle arrest imposed by ethanol stress.. **2022**, 18, e1010081 1
- 143 ER translocation of suboptimal targeting sequences depends on Sec61/Sbh1 and its phosphorylation. 1
- 142 Integration of metabolism and regulation reveals rapid adaptability to growth on non-native substrates. ○
- 141 Fine tuning Acetyl-CoA Carboxylase 1 activity through localization: Functional genomics reveal a role for the lysine acetyltransferase NuA4 and sphingolipid metabolism in regulating Acc1 activity and localization. ○
- 140 The structural basis of Cdc7-Dbf4 kinase dependent targeting and phosphorylation of the MCM2-7 double hexamer. **2022**, 13, ○
- 139 Production of nascent ribosome precursors within the nucleolar microenvironment of *Saccharomyces cerevisiae*. ○
- 138 Synthetic negative genome screen of the GPN-loop GTPase NPA3 in *Saccharomyces cerevisiae*. ○

- 137 Genomic Approaches to Antifungal Drug Target Identification and Validation. **2022**, 76,
- 136 Intracellular level of *S. cerevisiae* Rad51 is regulated via proteolysis in a SUMO- and ubiquitin-dependent manner.
- 135 A Stress Response that Allows Highly Mutated Eukaryotic Cells to Survive and Proliferate.
- 134 The metabolite-controlled ubiquitin conjugase Ubc8 promotes mitochondrial protein import by enhancing assembly of the TOM complex.
- 133 The Proteomic Landscape of Genome-Wide Genetic Perturbations. 2
- 132 Evidence that conserved essential genes are enriched for pro-longevity factors. 0
- 131 Biased random walk with restart for essential proteins prediction.
- 130 Genome-wide analysis of heat stress-stimulated transposon mobility in the human fungal pathogen *Cryptococcus deneoformans*.
- 129 Novel Promising Antifungal Target Proteins for Conquering Invasive Fungal Infections. 13, 0
- 128 Diethyl phthalate (DEP) perturbs nitrogen metabolism in *Saccharomyces cerevisiae*. **2022**, 12,
- 127 Humanized yeast to model human biology, disease and evolution. **2022**, 15, 1
- 126 Functional classification and validation of yeast prenylation motifs using machine learning and genetic reporters. **2022**, 17, e0270128 0
- 125 Cytostatic effects of structurally different ginsenosides on yeast cells with altered sterol biosynthesis and transport. **2022**, 1864, 183993
- 124 A versatile new tool derived from a bacterial deubiquitylase to detect and purify ubiquitylated substrates and their interacting proteins. **2022**, 20, e3001501 0
- 123 Use of a ubiquitous gene-editing tool in budding yeast causes off-target repression of neighboring gene protein synthesis.
- 122 A multiplexed, three-dimensional pooling and next-generation sequencing strategy for creating barcoded mutant arrays: construction of a *Schizosaccharomyces pombe* transposon insertion library.
- 121 Systematic Identification of Essential Genes Required for Yeast Cell Wall Integrity: Involvement of the RSC Remodelling Complex. **2022**, 8, 718 1
- 120 Epigenetic feedback on noisy expression boosts evolvability.

- 119 Insertion orientation within the cassette affects gene-targeting success during ends-out recombination in the yeast *Saccharomyces cerevisiae*.
- 118 No evidence that synonymous mutations in yeast genes are mostly deleterious. 0
- 117 Genome-wide identification of resistance genes and transcriptome regulation in yeast to accommodate ammonium toxicity. **2022**, 23,
- 116 Genetically controlled mtDNA deletions prevent ROS damage by arresting oxidative phosphorylation. 11, 1
- 115 Modelling the fitness landscapes of a SCRaMbLEd yeast genome. **2022**, 219, 104730 0
- 114 Clonal development, not aggregation, drives the transition to multicellularity in an isogenic model system.
- 113 Genomewide identification of subtelomeric silencing factors in budding yeast.
- 112 Dynamic metabolome profiling uncovers potential TOR signaling genes.
- 111 Defect-buffering cellular plasticity increases robustness of metazoan embryogenesis. **2022**, 1
- 110 The SWC4 subunit of the SWR1 chromatin remodeling complex is involved in varying virulence of *Metarhizium brunneum* isolates offering role of epigenetic regulation of pathogenicity. **2022**, 13, 1252-1269 0
- 109 Phenotypic similarity is a measure of functional redundancy within homologous gene families.
- 108 Comparative chemical genomic profiling across plant-based hydrolysate toxins reveals widespread antagonism in fitness contributions. 0
- 107 The epitranscriptome in ageing and stress resistance: a systematic review. **2022**, 101700 0
- 106 Proteotoxicity caused by perturbed protein complexes underlies hybrid incompatibility in yeast. **2022**, 13, 0
- 105 Dually targeted proteins regulate proximity between peroxisomes and partner organelles.
- 104 Distinct elongation stalls during translation are linked with distinct pathways for mRNA degradation. 11, 1
- 103 CRI-SPA Δ mating based CRISPR-Cas9 assisted method for high-throughput genetic modification of yeast strain libraries.
- 102 Extreme sensitivity of fitness to environmental conditions; lessons from #1BigBatch. 0

- 101 Origins, evolution, and physiological implications of de novo genes in yeast. ○
- 100 A deep learning framework for identifying essential proteins based on multiple biological information. **2022**, 23, ○
- 99 Fungal resilience and host-pathogen interactions: Future perspectives and opportunities.
- 98 Synthetic refactor of essential genes decodes functionally constrained sequences in yeast genome. **2022**, 104982 ○
- 97 Active site center redesign increases protein stability preserving catalysis in thioredoxin. **2022**, 31, ○
- 96 Rule-Based Pruning and In Silico Identification of Essential Proteins in Yeast PPIN. **2022**, 11, 2648 1
- 95 Overexpression profiling reveals cellular requirements in context of genetic backgrounds and environments.
- 94 Modulation of the cell wall protein Ecm33p in yeast *Saccharomyces cerevisiae* improves the production of small metabolites. ○
- 93 Genetic-interaction screens uncover novel biological roles and regulators of transcription factors in fission yeast. ○
- 92 Inositol pyrophosphate-controlled kinetochore architecture and mitotic entry in *S. pombe*.
- 91 Applying the auxin-based degron system for the inducible, reversible and complete protein degradation in *Komagataella phaffii*. **2022**, 25, 104888 1
- 90 Exploring conditional gene essentiality through systems genetics approaches in yeast. **2022**, 76, 101963 1
- 89 An ultra high-throughput, massively multiplexable, single-cell RNA-seq platform in yeasts. ○
- 88 Identification of Genes Promoting Growth of *Ustilago maydis* on Biomolecules Released from Cells Killed by Oxidation. **2022**, 8, 957 ○
- 87 Molecular fingerprints of polar narcotic chemicals based on heterozygous essential gene knockout library in *Saccharomyces cerevisiae*. **2022**, 308, 136343 ○
- 86 Cellular Interactions Networking in Interactive Models of Diseases. **2022**, 1-21 ○
- 85 Genetic Screens of an Anti-Candida Natural Product Using the Heterozygous *Saccharomyces cerevisiae* Mutant Library. **2022**, 141-149 ○
- 84 A Non-local Graph Neural Network for Identification of Essential Proteins. **2022**, ○

- 83 The RNA polymerase II subunit Rpb9 activates ATG1 transcription and autophagy. ○
- 82 The continuing evolution of barcode applications: Functional toxicology to cell lineage. 153537022211216 ○
- 81 Adaptation of the yeast gene knockout collection is near-perfectly predicted by fitness and diminishing return epistasis. ○
- 80 Loss-of-function mutation survey revealed that genes with background-dependent fitness are rare and functionally related in yeast. **2022**, 119, ○
- 79 Recycling of cell surface membrane proteins from yeast endosomes is regulated by ubiquitinated Ist1. **2022**, 221, 1
- 78 Transport of acylated anthocyanins by the Arabidopsis ATP-binding cassette transporters AtABCC1, AtABCC2, and AtABCC14. **2022**, 174, ○
- 77 Inositol Pyrophosphate-Controlled Kinetochore Architecture and Mitotic Entry in *S. pombe*. **2022**, 8, 933 ○
- 76 Top-Down, Knowledge-Based Genetic Reduction of Yeast Central Carbon Metabolism. ○
- 75 A Theory for High-Throughput Genetic Interaction Screening. ○
- 74 CRISPR Technologies: A Tool for Engineering Microbes. **2022**, 145-160 ○
- 73 The NPR/Hal family of protein kinases in yeasts: biological role, phylogeny and regulation under environmental challenges. **2022**, 20, 5698-5712 ○
- 72 The role of the *Aspergillus nidulans* high mobility group B protein HmbA, the orthologue of *Saccharomyces cerevisiae* Nhp6p. **2022**, 12, ○
- 71 Proteome effects of genome-wide single gene perturbations. **2022**, 13, ○
- 70 Fungal Hal3 (and Its Close Relative Cab3) as Moonlighting Proteins. **2022**, 8, 1066 ○
- 69 The metabolite-controlled ubiquitin conjugase Ubc8 promotes mitochondrial protein import. **2023**, 6, e202201526 ○
- 68 *Saccharomyces cerevisiae* as a Model System for Eukaryotic Cell Biology, from Cell Cycle Control to DNA Damage Response. **2022**, 23, 11665 1
- 67 High-Throughput Screening of the *Saccharomyces cerevisiae* Genome for 2-Amino-3-Methylimidazo [4,5-f] Quinoline Resistance Identifies Colon Cancer-Associated Genes. ○
- 66 Phosphate Starvation Signaling Increases Mitochondrial Membrane Potential through Respiration-independent Mechanisms. ○

- 65 A higher plant FAD synthetase is fused to an inactivated FAD pyrophosphatase. **2022**, 102626 ○
- 64 Genome-wide base editor screen identifies regulators of protein abundance in yeast. 11, 1 ○
- 63 S-glutathionylation of fructose-1,6-bisphosphate aldolase confers nitrosative stress tolerance on yeast cells via a metabolic switch. **2022**, 193, 319-329 ○
- 62 AIBP Regulates Metabolism of Ketone and Lipids but Not Mitochondrial Respiration. **2022**, 11, 3643 ○
- 61 Differential contributions of the proteasome, autophagy, and chaperones to the clearance of arsenite-induced protein aggregates in yeast. **2022**, 102680 ○
- 60 Genome-Wide Screen for Enhanced Noncanonical Amino Acid Incorporation in Yeast. ○
- 59 Co-occurrence of essential gene dispensability and bypass suppressor mutations across species. ○
- 58 Identification of Putative Protein Complexes in Protein-Protein Interaction Networks. **2022**, 77-99 ○
- 57 Detecting the metabolism of individual yeast mutant strain cells when aged, stressed or treated with antioxidants with diamond magnetometry. **2023**, 48, 101704 ○
- 56 A synthetic genetic array screen for interactions with the RNA helicase DED1 during cell stress in budding yeast. ○
- 55 Global analysis of the yeast knock-out phenome. ○
- 54 DNA SYNTHESIS AND SYNTHETIC GENOME. **2023**, 157-181 ○
- 53 Structural Role of Plasma Membrane Sterols in Osmotic Stress Tolerance of Yeast *Saccharomyces cerevisiae*. **2022**, 12, 1278 ○
- 52 Lipid Biosynthesis Perturbation Impairs Endoplasmic Reticulum-Associated Degradation. ○
- 51 Bidirectional promoter activity from expression cassettes can drive off-target repression of neighboring gene translation. 11, ○
- 50 Utilization of *Saccharomyces cerevisiae* as a Source of Natural Food Additives. **2023**, 185-214 ○
- 49 Impact of direct physical association and motility on fitness of a synthetic interkingdom microbial community. ○
- 48 Dynamic metabolome profiling uncovers potential TOR signaling genes. 12, ○

- 47 Essential non-coding genes: A new playground of bioinformatics. **2023**, 18, ○
- 46 Active compensation for changes in TDH3 expression mediated by direct regulators of TDH3 in *Saccharomyces cerevisiae*. ○
- 45 Many Paths to Anticipatory Behavior: Anticipatory Model Acquisition Across Phylogenetic and Ontogenetic Timescales. 1
- 44 A Suite of New Strain Construction Vectors for Gene Expression Knockdown in Budding Yeast. ○
- 43 Sec61 channel subunit Sbh1/Sec61 promotes ER translocation of proteins with suboptimal targeting sequences and is fine-tuned by phosphorylation. **2023**, 102895 ○
- 42 EMDS: predicting essential miRNAs based on deep learning and sequences. **2022**, ○
- 41 Proteins with amino acid repeats constitute rapidly evolvable and human-specific essentialome. ○
- 40 High-throughput functional profiling of the human fungal pathogen *Candida albicans* genome **2022**, 104025 ○
- 39 High throughput mutagenesis and screening for yeast engineering. **2022**, 16, ○
- 38 Deadenylation rate is not a major determinant of RNA degradation in yeast. ○
- 37 Best Practices in Designing, Sequencing, and Identifying Random DNA Barcodes. ○
- 36 Archaea/eukaryote-specific ribosomal proteins - guardians of a complex structure. **2023**, 21, 1249-1261 ○
- 35 Proteomics and Its Scope to Study Salt Stress Tolerance in Quinoa. **2023**, 473-482 ○
- 34 Global analysis of aging-related protein structural changes uncovers enzyme polymerization-based control of longevity. ○
- 33 Complexity and self-organization in the evolution of cell polarization. **2023**, 136, ○
- 32 Ginsenoside Rg1 Delays Chronological Aging in a Yeast Model via CDC19- and SDH2-Mediated Cellular Metabolism. **2023**, 12, 296 ○
- 31 Dynamic coalescence of yeast Heat Shock Protein genes bypasses the requirement for actin. ○
- 30 Unraveling the kinetochore nanostructure in *Schizosaccharomyces pombe* using multi-color SMLM imaging. **2023**, 222, ○

- 29 Cellular Interactions Networking in Interactive Models of Diseases. **2023**, 65-85
- 28 Identification, classification and expression analysis of the Ras superfamily genes in the Pacific white shrimp, *Litopenaeus vannamei*. 10,
- 27 Continuous and Discrete Similarity Coefficient for Identifying Essential Proteins Using Gene Expression Data. **2023**, 6, 185-200
- 26 Generation, storage, and utilizations of mutant libraries. **2023**, 403-420
- 25 Epistasis supports viability under extensive gene-dose insufficiency following chromosome loss.
- 24 iEssLnc: quantitative estimation of lncRNA gene essentialities with meta-path-guided random walks on the lncRNA-protein interaction network.
- 23 Delving into the molecular initiating event of cadmium toxification via the dose-dependent functional genomics approach in *Saccharomyces cerevisiae*. **2023**, 323, 121287
- 22 A comprehensive in vivo screen of yeast farnesyltransferase activity reveals broad reactivity across a majority of CXXX sequences.
- 21 Genetic Screen Uncovers a Dual Role for Phospholipids in Mitochondrial-Derived Compartment Biogenesis.
- 20 Identifying Targets of Selection in Laboratory Evolution Experiments.
- 19 Novel *Saccharomyces cerevisiae* × *Saccharomyces mikatae* Hybrids for Non-alcoholic Beer Production. **2023**, 9, 221
- 18 Point mutations of homologs as an adaptive solution to the gene loss. **2023**,
- 17 Novel Scheme for Essential Proteins Identification Based on Improved Multicriteria Decision Making.
- 16 HAP1, a new revolutionary cell model for gene editing using CRISPR-Cas9. 11,
- 15 Fit-Seq2.0: An Improved Software for High-Throughput Fitness Measurements Using Pooled Competition Assays.
- 14 *Saccharomyces cerevisiae* as a tool for deciphering Hsp90 molecular chaperone function.
- 13 GenoPipe: identifying the genotype of origin within (epi)genomic datasets.
- 12 An unknown essential function of tRNA splicing endonuclease is linked to the integrated stress response and intron debranching.

- 11 A comprehensive map of hotspots of de novo telomere addition in *Saccharomyces cerevisiae*. 0
- 10 Metabolic regulation of misfolded protein import into mitochondria. 0
- 9 Improving and Going Beyond Reference Genomes. **2023**, 255-326 0
- 8 A tractable physical model for the yeast polarity predicts epistasis and fitness. **2023**, 378, 2
- 7 Multiple intermolecular interactions facilitate rapid evolution of essential genes. 0
- 6 Quantitative analysis of tRNA abundance and modifications by nanopore RNA sequencing. 0
- 5 Broad functional profiling of fission yeast proteins using phenomics and machine learning. 0
- 4 Archaeal self-activating GPN-loop GTPases involve a lock-switch-rock mechanism for GTP hydrolysis. 0
- 3 The proteomic landscape of genome-wide genetic perturbations. **2023**, 0
- 2 Insufficient evidence for non-neutrality of synonymous mutations. **2023**, 616, E8-E9 0
- 1 Identification of discriminant features from stationary pattern of nucleotide bases and their application to essential gene classification. 14, 0