

# CITATION REPORT

List of articles citing

**Review: Improving cement-based materials by using silica fume**

**DOI: 10.1023/a:1013889725971**

**Journal of Materials Science, 2002, 37, 673-682.**

**Source:** <https://exaly.com/paper-pdf/34800682/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
115	Electric polarization and depolarization in cement-based materials, studied by apparent electrical resistance measurement. <b>2004</b> , 34, 481-485		104
114	Microstructural effect of the shrinkage of cement-based materials during hydration, as indicated by electrical resistivity measurement. <b>2004</b> , 34, 1893-1897		10
113	Electrically conductive cement-based materials. <b>2004</b> , 16, 167-176		104
112	Dispersion of Short Fibers in Cement. <b>2005</b> , 17, 379-383		121
111	Self-sensing of flexural damage and strain in carbon fiber reinforced cement and effect of embedded steel reinforcing bars. <b>2006</b> , 44, 1496-1502		82
110	Development of the mechanical properties of an Ultra-High Performance Fiber Reinforced Concrete (UHPFRC). <b>2006</b> , 36, 1362-1370		296
109	Investigations on the preparation and mechanical properties of the nano-alumina reinforced cement composite. <b>2006</b> , 60, 356-359		240
108	Partial replacement of carbon fiber by carbon black in multifunctional cement matrix composites. <b>2007</b> , 45, 505-513		128
107	Electrical-resistance-based damage self-sensing in carbon fiber reinforced cement. <b>2007</b> , 45, 710-716		78
106	Thermal expansion of fumed silica/cyanate ester nanocomposites. <b>2008</b> , 109, 647-653		40
105	Controlling and increasing the inherent voltage in cement paste. <b>2009</b> , 21, 31-37		12
104	Short-term tensile creep and shrinkage of ultra-high performance concrete. <b>2009</b> , 31, 147-152		78
103	Correlation among sintering process, porosity, and creep deformation of refractory concrete. <i>Journal of Materials Science</i> , <b>2009</b> , 44, 2844-2850	4.3	3
102	Microstructure and macroscopic properties of hybrid carbon nanofiber/silica fume cement composites. <b>2009</b> , 69, 1310-1318		188
101	Influence of ultradispersed silicas on Portland cement hydration. <b>2010</b> , 83, 208-213		6
100	Thermal analysis and microstructure of Portland cement-fly ash-silica fume pastes. <b>2010</b> , 99, 487-493		84
99	High performance concrete with Czech metakaolin: Experimental analysis of strength, toughness and durability characteristics. <i>Construction and Building Materials</i> , <b>2010</b> , 24, 1404-1411	6.7	89

98	Unprecedented vibration damping with high values of loss modulus and loss tangent, exhibited by cement matrix graphite network composite. <b>2010</b> , 48, 1457-1464		42
97	REDUCTION OF CEMENT CONSUMPTION BY THE AID OF SILICA NANO-PARTICLES (INVESTIGATION ON CONCRETE PROPERTIES). <b>2012</b> , 18, 416-425		63
96	Structure of Portland Cement Pastes Blended with Sonicated Silica Fume. <b>2012</b> , 24, 1295-1304		23
95	Effect of ground granulated blast-furnace slag (GGBFS) and silica fume (SF) on chloride migration through concrete subjected to repeated loading. <b>2012</b> , 55, 3102-3108		5
94	Removal of methylene blue from aqueous solution by a carbon-microsilica composite adsorbent. <b>2012</b> , 29, 775-780		4
93	Preparation and characterization of the carbon microsilica composite sorbent. <b>2012</b> , 23, 215-219		9
92	Effect of micrometric and nanometric viscoelastic inclusions on mechanical damping behavior of cementitious composites. <i>Construction and Building Materials</i> , <b>2012</b> , 35, 444-451	6.7	16
91	Influence of polyolefin fibers on the engineering properties of cement-based composites containing silica fume. <b>2012</b> , 37, 569-576		32
90	Establishment of the durability indices for cement-based composite containing supplementary cementitious materials. <b>2012</b> , 37, 28-39		54
89	Increase of the reactivity of densified silica fume by sonication treatment. <b>2012</b> , 19, 1099-107		26
88	Effect of silica fume addition and repeated loading on chloride diffusion coefficient of concrete. <b>2013</b> , 46, 1183-1191		4
87	Comparative evaluation of cement-matrix composites with distributed versus networked exfoliated graphite. <b>2013</b> , 63, 446-453		20
86	Development of green ultra-high performance fiber reinforced concrete containing ultrafine palm oil fuel ash. <i>Construction and Building Materials</i> , <b>2013</b> , 48, 379-389	6.7	84
85	Microscopic reinforcement for cement based composite materials. <i>Construction and Building Materials</i> , <b>2013</b> , 40, 14-25	6.7	71
84	Sound Absorption and Friction Responses of Nanoconcrete for Rigid Pavements. <b>2013</b> , 2369, 87-94		9
83	Retrofitting Bond of Damaged Concrete Surface in Harbour Structures. <b>2013</b> , 684, 177-181		
82	Properties of Self-Consolidating Concrete Made with High Volumes of Supplementary Cementitious Materials. <b>2013</b> , 25, 1579-1586		39
81	A Review on Nanomaterial Dispersion, Microstructure, and Mechanical Properties of Carbon Nanotube and Nanofiber Reinforced Cementitious Composites. <b>2013</b> , 2013, 1-19		207

80	Mechanical characteristics of hardened concrete with different mineral admixtures: a review. <b>2014</b> , 2014, 875082		40
79	Engineering Properties and Correlation Analysis of Fiber Cementitious Materials. <b>2014</b> , 7, 7423-7435		18
78	Influence of palm oil fuel ash on ultimate flexural and uniaxial tensile strength of green ultra-high performance fiber reinforced cementitious composites. <b>2014</b> , 54, 694-701		35
77	Effect of w/c and temperature on the early-stage hydration heat development in Portland-limestone cement. <i>Construction and Building Materials</i> , <b>2014</b> , 50, 140-147	6.7	46
76	Interface-derived extraordinary viscous behavior of exfoliated graphite. <b>2014</b> , 68, 646-652		27
75	Properties prediction of ultra high performance concrete using blended cement hydration model. <i>Construction and Building Materials</i> , <b>2014</b> , 64, 1-10	6.7	34
74	Thermal conductivity of lime mortars and calcined diatoms. Parameters influencing their performance and comparison with the traditional lime and mortars containing crushed marble used as renders. <b>2014</b> , 76, 422-428		23
73	Viscoelastic Behavior of Silica Particle Compacts under Dynamic Compression. <b>2014</b> , 26, 551-553		7
72	Effect of Fiber Length on Direct Tensile and Impact Strength of Cementitious Materials Containing Silica Fume. <b>2015</b> , 764-765, 37-41		
71	Engineering Properties of Fiber Cementitious Materials. <b>2015</b> , 764-765, 42-46		
70	An investigation of CaSi silica fume characteristics and its possible utilization in cement-based and alkali-activated materials. <i>Construction and Building Materials</i> , <b>2015</b> , 101, 456-465	6.7	6
69	Nano-modification to improve the ductility of cementitious composites. <b>2015</b> , 76, 170-179		73
68	Thermogravimetry analysis, compressive strength and thermal conductivity tests of non-autoclaved aerated Portland cement fly ash silica fume concrete. <b>2015</b> , 122, 11-20		15
67	Carbonation of Silicate Minerals and Industrial Wastes and Their Potential Use as Sustainable Construction Materials. <b>2015</b> , 295-322		19
66	High-performance fiber-reinforced concrete: a review. <i>Journal of Materials Science</i> , <b>2016</b> , 51, 6517-6551	4.3	231
65	Mechanical, durability and hygrothermal properties of concrete produced using Portland cement-ceramic powder blends. <b>2016</b> , 17, 105-115		29
64	Complementary Effect of Heat Treatment and Steel Fibers on Mechanical and Microstructural Properties of High-Performance Concrete. <b>2016</b> , 41, 3969-3981		6
63	Sound absorption enhancement using solid-solid interfaces in a non-porous cement-based structural material. <b>2016</b> , 95, 453-461		11

62	Comparative study of effect of raw and densified silica fume in the paste, mortar and concrete. <i>Construction and Building Materials</i> , <b>2016</b> , 105, 82-93	6.7	107
61	A review of exfoliated graphite. <i>Journal of Materials Science</i> , <b>2016</b> , 51, 554-568	4.3	144
60	Synergistic effects of micro-silica and nano-silica on strength and microstructure of mortar. <i>Construction and Building Materials</i> , <b>2017</b> , 140, 229-238	6.7	79
59	Computational Shear Strength of Ultrahigh-Performance API Class H Cement-Silica-Fume Paste Cylinders via Direct Shear Tests. <b>2017</b> , 29, 04017113		1
58	Effect of silica fume and colloidal graphite additions on the EMI shielding effectiveness of nickel fiber cement based composites. <i>Construction and Building Materials</i> , <b>2017</b> , 150, 825-832	6.7	10
57	Effect of the fringing electric field on the apparent electric permittivity of cement-based materials. <b>2017</b> , 126, 192-201		18
56	References. <b>2017</b> , 563-653		
55	Aqueous Dispersion of Carbon Fibers and Expanded Graphite Stabilized from the Addition of Cellulose Nanocrystals to Produce Highly Conductive Cellulose Composites. <b>2018</b> , 6, 3291-3298		25
54	A review of lattice type model in fracture mechanics: theory, applications, and perspectives. <b>2018</b> , 190, 382-409		56
53	Direct Transmission Electron Microscopy Visualization of the Cement Reaction by Colloidal Aggregation of Fumed Silica. <b>2018</b> , 57, 79-83		2
52	Enhanced thermoelectric properties of cement-based composites with expanded graphite for climate adaptation and large-scale energy harvesting. <b>2018</b> , 159, 66-74		48
51	Physical and chemical characterization of technogenic pozzolans for the application in blended cements. <i>Construction and Building Materials</i> , <b>2018</b> , 160, 106-116	6.7	34
50	Microsilica as component of organic-mineral modifier for fine-aggregate concrete. <b>2018</b> , 451, 012029		
49	Piezoelectricity-based self-sensing of compressive and flexural stress in cement-based materials without admixture requirement and without poling. <b>2018</b> , 27, 105011		9
48	Capacitance-based stress self-sensing in cement paste without requiring any admixture. <b>2018</b> , 94, 255-263		10
47	Utilization of By-Product Materials in Ultra High-Performance Fiber Reinforced Cementitious Composites. <b>2018</b> ,		1
46	Improvement of mechanical properties and chloride ion penetration resistance of cement pastes with the addition of pre-dispersed silica fume. <i>Construction and Building Materials</i> , <b>2018</b> , 182, 483-492	6.7	10
45	Short-Term Performance of Sustainable Silica Fume Mortars Exposed to Sulfate Attack. <b>2018</b> , 10, 2517		7

44	Alkali-silica reaction in concrete: Mechanisms, mitigation and test methods. <i>Construction and Building Materials</i> , <b>2019</b> , 222, 903-931	6.7	61
43	Effect of silica fume particle dispersion and distribution on the performance of cementitious materials: A theoretical analysis of optimal sonication treatment time. <i>Construction and Building Materials</i> , <b>2019</b> , 212, 549-560	6.7	10
42	Modified mortars for elements of multilayered constructions and repair works and developing data storage system for research results. <b>2019</b> , 708, 012104		
41	Influence of heat curing and aggregates on the properties of phosphate-bonded biocomposites. <b>2019</b> , 1, 1		
40	Effect of mixing sequence of calcium ion and polycarboxylate superplasticizer on dispersion of a low grade silica fume in cement-based materials. <i>Construction and Building Materials</i> , <b>2019</b> , 195, 537-546	6.7	14
39	Characterization and permeability of cement-based materials containing calcium fluoride sludge. <i>Construction and Building Materials</i> , <b>2019</b> , 196, 564-573	6.7	4
38	Interface-derived solid-state viscoelasticity exhibited by nanostructured and microstructured materials containing carbons or ceramics. <b>2019</b> , 144, 567-581		4
37	Effects of silica fume on physicochemical properties and piezoresistivity of intelligent carbon black-cementitious composites. <i>Construction and Building Materials</i> , <b>2020</b> , 259, 120399	6.7	17
36	A critical review of piezoresistivity and its application in electrical-resistance-based strain sensing. <i>Journal of Materials Science</i> , <b>2020</b> , 55, 15367-15396	4.3	41
35	Performance Comparison between Densified and Undensified Silica Fume in Ultra-High Performance Fiber-Reinforced Concrete. <b>2020</b> , 13,		7
34	Effect of mineral additives and two-stage mixing on the performance of recycled aggregate concrete. <b>2020</b> , 22, 1587-1601		8
33	Influence of Silica Fume on the Geotechnical Characteristics of Cemented Sand. <b>2020</b> , 38, 6295-6312		4
32	Properties of SCC with supplementary cementing materials. <b>2020</b> , 283-308		3
31	Effect of admixtures and supplementary cementitious material on mechanical properties and durability of concrete. <b>2020</b> , 2, 3-11		4
30	A probabilistic approach to the design of reactive powder concrete mixes modified using slag. <b>2021</b> , 43, 1276-1282		
29	Piezoresistivity deterioration of smart graphene nanoplate/cement-based sensors subjected to sulphuric acid attack. <b>2021</b> , 23, 100563		14
28	Enhancing the Microstructure and Sustainability of Ultra-High-Performance Concrete Using Ultrafine Calcium Carbonate and High-Volume Fly Ash under Different Curing Regimes. <b>2021</b> , 13, 3900		2
27	Systematic Pretreatment Process and Optimization of Sugarcane Bagasse Ash Dosage for Use in Cement-Based Products. <b>2021</b> , 33, 04021045		10

26	Investigation on Properties of Concrete by adding Metakaolin and Kenaf Fibres. <b>2021</b> , 1145, 012009		1
25	Capacitance-based stress self-sensing effectiveness of a model asphalt without functional component. <i>Construction and Building Materials</i> , <b>2021</b> , 294, 123591	6.7	3
24	Investigation on the Properties of Sustainable Steel Fiber Reinforced Reactive Powder Concrete by Utilization of Coir Pith Aggregates and Pyrogenic Silica. 1		1
23	DC electric polarization of cured cement paste being unexpectedly hindered by free water.		2
22	Bamboo leaf ash for use as mineral addition with Portland cement. <i>Journal of Building Engineering</i> , <b>2021</b> , 42, 102769	5.2	2
21	Enhanced thermoelectric performance of low carbon cement-based composites by reduced graphene oxide. <b>2021</b> , 250, 111279		4
20	Determination of Apparent Porosity Level of Refractory Concrete Using Ultrasonic Pulse Velocity Technique and Image Analysis. 151-161		1
19	An Experimental Approach to Investigate Effects of Curing Regimes on Mechanical Properties and Durability of Different Fibrous Mortars. <b>2015</b> , 1917-1929		1
18	Experimental investigation of local damage in high strength concrete columns using a shaking table. <b>2005</b> , 19, 581-602		1
17	Electrically conductive cement-based materials. <b>2004</b> , 16, 167-176		6
16	Viscoelastic Behavior of Silica Fume in Absence of Binder. <b>2015</b> , 112,		
15	Damping Concrete. <b>2017</b> , 177-190		1
14	Mineral katkı betonlara kimyasal durabilitesinin toplam balay miktarı ve elebr su/mento parametreleriyle beraber incelenmesi. <i>Balçesir Üniversitesi Fen Bilimleri Enstitüsü Dergisi</i> , 459-473	0.5	
13	Towards green concrete: Study the role of waste glass powder on cement/superplasticizer compatibility. <i>Journal of Building Engineering</i> , <b>2021</b> , 47, 103751	5.2	2
12	Dispersing Silica Fume in Cementitious Materials by Silane Copolymerized Polycarboxylate Superplasticizer: On the Role of Dispersion Effectiveness as a Function of Silane Concentration. <i>SSRN Electronic Journal</i> ,		1
11	Dynamical properties of environmental high-performance composites with calcined clay. <i>Journal of Cleaner Production</i> , <b>2022</b> , 335, 130226	10.3	1
10	Dispersing silica fume in cementitious materials by silane copolymerized polycarboxylate Superplasticizer: On the role of dispersion effectiveness as a function of silane concentration. <i>Construction and Building Materials</i> , <b>2022</b> , 326, 126832	6.7	2
9	Effect and mechanism analysis of hydroxylated nano-boron nitride on workability and multi-scale mechanical properties of cement paste. <i>Archives of Civil and Mechanical Engineering</i> , <b>2022</b> , 22, 1	3.4	0

8	Influence of Different Surfactants on Carbon Fiber Dispersion and the Mechanical Performance of Smart Piezoresistive Cementitious Composites. <i>Fibers</i> , <b>2022</b> , 10, 49	3-7	1
7	Enhancing the mechanical and functional performance of carbon fiber reinforced cement mortar by the inclusion of a cost-effective graphene nanofluid additive. <b>2022</b> , 134, 104777		0
6	Improvement of the Pozzolanic Properties of Calcined Mica Clay. <b>2023</b> , 35,		0
5	Feasibility of silicomanganese slag as cementitious material and as aggregate for concrete. <b>2023</b> , 364, 129938		0
4	Development of a comprehensive methodology for the design and fabrication of carbon fiber integrated cement composite toward health monitoring of structural components. <b>2023</b> , 277, 115453		1
3	Self-sensing cementitious composite sensor with integrated steel fiber and carbonaceous powder for real-time application in large-scale infrastructures. <b>2023</b> , 353, 114209		1
2	Supplementary Cementitious Materials from Different Wastes. <b>2023</b> ,		0
1	Real-time implication of hybrid carbonaceous fibre and powder integrated self-sensing cement composite in health monitoring of beams and columns. 1-18		0