

CITATION REPORT

List of articles citing

Extensions of Respondent-Driven Sampling: A New Approach to the Study of Injection Drug Users Aged 18-25

DOI: 10.1023/a:1014528612685

AIDS and Behavior, 2002, 6, 55-67.

Source: <https://exaly.com/paper-pdf/34803512/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
254	Group solidarity as the product of collective action: Creation of solidarity in a population of injection drug users. 37-66		10
253	Recruitment of heterosexual couples in public health research: a study protocol. 2003 , 3, 24		40
252	Drug injection and sexual mixing patterns of drug-using male sex workers. 2003 , 30, 571-4		17
251	Public health surveillance of low-frequency populations. 2004 , 25, 25-52		30
250	5. Sampling and Estimation in Hidden Populations Using Respondent-Driven Sampling. 2004 , 34, 193-240		1125
249	Review of sampling hard-to-reach and hidden populations for HIV surveillance. <i>Aids</i> , 2005 , 19 Suppl 2, S67-72	3.5	704
248	Cracking the Cornfields: Recruiting Illicit Stimulant Drug Users in Rural Ohio. 2005 , 46, 165-189		57
247	Methods for assessing HIV and HIV risk among IDUs and for evaluating interventions. <i>International Journal of Drug Policy</i> , 2005 , 16, 7-20	5.5	8
246	From networks to populations: the development and application of respondent-driven sampling among IDUs and Latino gay men. <i>AIDS and Behavior</i> , 2005 , 9, 387-402	4.3	169
245	Critical issues and further questions about respondent-driven sampling: comment on Ramirez-Valles, et al. (2005). <i>AIDS and Behavior</i> , 2005 , 9, 403-8; discussion 409-13	4.3	61
244	The Fit Between Theory and Data in Respondent-Driven Sampling: Response to Heimer. <i>AIDS and Behavior</i> , 2005 , 9, 409-414	4.3	29
243	Respondent-driven sampling to recruit MDMA users: a methodological assessment. 2005 , 78, 147-57		171
242	Prevalence and correlates of current depressive symptomatology among a community sample of MDMA users in Ohio. 2006 , 31, 90-101		13
241	Bisexual men and heterosexual women: how big is the bridge? How can we know?. 2006 , 33, 594-5		33
240	Perspectives on health among adult users of illicit stimulant drugs in rural Ohio. 2006 , 22, 169-73		12
239	Effectiveness of respondent-driven sampling for recruiting drug users in New York City: findings from a pilot study. 2006 , 83, 459-76		182
238	Exploring barriers to 'respondent driven sampling' in sex worker and drug-injecting sex worker populations in Eastern Europe. 2006 , 83, i6-15		68

237	Assessment of respondent driven sampling for recruiting female sex workers in two Vietnamese cities: reaching the unseen sex worker. 2006 , 83, i16-28		113
236	Recruiting injection drug users: a three-site comparison of results and experiences with respondent-driven and targeted sampling procedures. 2006 , 83, i29-38		93
235	Respondent-driven sampling of injection drug users in two U.S.-Mexico border cities: recruitment dynamics and impact on estimates of HIV and syphilis prevalence. 2006 , 83, i83-97		113
234	Respondent-driven sampling in participatory research contexts: participant-driven recruitment. 2006 , 83, i113-24		32
233	Implementation and analysis of respondent driven sampling: lessons learned from the field. 2006 , 83, i1-5		127
232	High HIV prevalence among injecting drug users in Estonia: implications for understanding the risk environment. <i>Aids</i> , 2006 , 20, 2120-3	3.5	51
231	Engaging youth in participatory research and evaluation. 2006 , Suppl, S79-87		133
230	Focusing HIV prevention on those most likely to transmit the virus. 2007 , 19, 275-88		22
229	Surveillance of HIV risk and prevention behaviors of men who have sex with men--a national application of venue-based, time-space sampling. <i>Public Health Reports</i> , 2007 , 122 Suppl 1, 39-47	2.5	315
228	Circumcision status and HIV infection among Black and Latino men who have sex with men in 3 US cities. 2007 , 46, 643-50		69
227	Convergence of HIV seroprevalence among injecting and non-injecting drug users in New York City. <i>Aids</i> , 2007 , 21, 231-5	3.5	134
226	Respondent-driven sampling in the recruitment of illicit stimulant drug users in a rural setting: findings and technical issues. 2007 , 32, 924-37		77
225	Methods to recruit and retain a cohort of young-adult injection drug users for the Third Collaborative Injection Drug Users Study/Drug Users Intervention Trial (CIDUS III/DUIT). 2007 , 91 Suppl 1, S4-17		59
224	Perceived need for substance abuse treatment among illicit stimulant drug users in rural areas of Ohio, Arkansas, and Kentucky. 2007 , 91, 107-14		29
223	The impact of HIV-related interventions on HIV risk behavior in a community sample of African American crack cocaine users. 2007 , 19, 608-16		10
222	Needs assessment in hidden populations using respondent-driven sampling. 2007 , 7, 3-11		7
221	Developing an HIV behavioral surveillance system for injecting drug users: the National HIV Behavioral Surveillance System. <i>Public Health Reports</i> , 2007 , 122 Suppl 1, 48-55	2.5	123
220	6. Extensions of Respondent-Driven Sampling: Analyzing Continuous Variables and Controlling for Differential Recruitment. 2007 , 37, 151-208		299

219	The transition from injection to non-injection drug use: long-term outcomes among heroin and cocaine users in New York City. 2007 , 102, 778-85		53
218	Correlates of risk patterns and race/ethnicity among HIV-positive men who have sex with men. <i>AIDS and Behavior</i> , 2007 , 11, 706-15	4-3	52
217	Homelessness and HIV-associated risk behavior among African American men who inject drugs and reside in the urban south of the United States. <i>AIDS and Behavior</i> , 2007 , 11, 70-7	4-3	38
216	Implementation challenges to using respondent-driven sampling methodology for HIV biological and behavioral surveillance: field experiences in international settings. <i>AIDS and Behavior</i> , 2008 , 12, S134-41	4-21	191
215	Sexual risk behaviors of HIV-positive, HIV-negative, and serostatus-unknown Black men who have sex with men and women. <i>Archives of Sexual Behavior</i> , 2008 , 37, 708-19	3-5	59
214	Child Labour in West Africa: Different Work Different Vulnerabilities. 2008 , 46, 3-25		4
213	Hepatitis B vaccination: an unmet challenge in the era of harm reduction programs. <i>Journal of Substance Abuse Treatment</i> , 2008 , 34, 398-406	4-2	9
212	Web-Based Network Sampling: Efficiency and Efficacy of Respondent-Driven Sampling for Online Research. 2008 , 37, 105-134		115
211	Depressive symptomatology in young adults with a history of MDMA use: a longitudinal analysis. 2008 , 22, 47-54		21
210	Changes in HIV prevalence and risk among new injecting drug users in a Russian city of high HIV prevalence. 2008 , 47, 623-31		18
209	Consensus making process in the Korean Academy of Medical Sciences Guideline for Physical Impairment: evaluation as a social process. 2009 , 24 Suppl 2, S242-6		3
208	Utilization of respondent-driven sampling among a population of child workers in the diamond-mining sector of Sierra Leone. 2009 , 4, 96-109		6
207	Ethical and regulatory considerations in HIV prevention studies employing respondent-driven sampling. <i>International Journal of Drug Policy</i> , 2009 , 20, 14-27	5-5	53
206	Simultaneous recruitment of drug users and men who have sex with men in the United States and Russia using respondent-driven sampling: sampling methods and implications. 2009 , 86 Suppl 1, 5-31		104
205	Behaviorally bisexual men and their risk behaviors with men and women. 2009 , 86 Suppl 1, 48-62		58
204	Improving survey methods in sero-epidemiological studies of injecting drug users: a case example of two cross sectional surveys in Serbia and Montenegro. 2009 , 9, 14		14
203	AN EMPIRICAL TEST OF RESPONDENT-DRIVEN SAMPLING: POINT ESTIMATES, VARIANCE, DEGREE MEASURES, AND OUT-OF-EQUILIBRIUM DATA. 2009 , 39, 73-116		135
202	Transpeople, Hormones, and Health Risks in Southeast Asia: A Lao Study. 2009 , 21, 35-48		22

201	Stages of change, decisional balance, and self-efficacy in condom use among rural African-American stimulant users. 2009 , 20, 428-41		15
200	Illicit use of pharmaceutical opioids among young polydrug users in Ohio. 2009 , 34, 649-53		26
199	Longitudinal changes in drug use severity and physical health-related quality of life among untreated stimulant users. 2009 , 34, 959-64		25
198	Knowledge of HIV serostatus and risk behaviour among injecting drug users in Estonia. 2009 , 21, 851-7		19
197	HIV among injecting drug users: current epidemiology, biologic markers, respondent-driven sampling, and supervised-injection facilities. 2009 , 4, 308-13		28
196	Using respondent-driven sampling in a hidden population at risk of HIV infection: who do HIV-positive recruiters recruit?. 2009 , 36, 750-6		49
195	Ethical considerations in HIV/AIDS biobehavioral surveys that use respondent-driven sampling: illustrations from Lebanon. 2009 , 99, 1562-7		16
194	Black men who have sex with men and the association of down-low identity with HIV risk behavior. 2009 , 99 Suppl 1, S92-5		43
193	Correlates of heterosexual anal intercourse among substance-using club-goers. <i>Archives of Sexual Behavior</i> , 2010 , 39, 959-67	3.5	18
192	Comparing respondent-driven sampling and targeted sampling methods of recruiting injection drug users in San Francisco. 2010 , 87, 839-50		99
191	High risk behavior for HIV transmission among former injecting drug users: a survey from Indonesia. 2010 , 10, 472		12
190	SOCIAL NETWORK ANALYSIS WITH RESPONDENT-DRIVEN SAMPLING DATA: A STUDY OF RACIAL INTEGRATION ON CAMPUS. 2010 , 32, 112-124		41
189	Following the chain to elusive anglers. 2010 , 11, 220-228		28
188	HIV incidence and associated factors in a cohort of men who have sex with men in Nanjing, China. 2010 , 37, 208-13		71
187	Respondent-Driven Sampling (RDS) of People Who Inject Drugs: Assessing RDS Assumptions and Requirements. <i>Contemporary Drug Problems</i> , 2010 , 37, 575-598	1.3	5
186	Male injecting drug users in the Deep South: bisexual behaviour is a marker for elevated HIV risk. <i>International Journal of STD and AIDS</i> , 2010 , 21, 691-6	1.4	3
185	Subpopulations of illicit drug users reached by targeted street outreach and respondent-driven sampling strategies: implications for research and public health practice. 2011 , 21, 280-9		52
184	Given the increasing bias in random digit dial sampling, could respondent-driven sampling be a practical alternative?. 2011 , 21, 272-9		7

183	Conducting a respondent-driven sampling survey with the use of existing resources in Sydney, Australia. 2011 , 116, 125-31		6
182	Accessing a diverse sample of injection drug users in San Francisco through respondent-driven sampling. 2011 , 118, 83-91		14
181	Analysis of data collected by RDS among sex workers in 10 Brazilian cities, 2009: estimation of the prevalence of HIV, variance, and design effect. 2011 , 57 Suppl 3, S129-35		72
180	Individual, study, and neighborhood level characteristics associated with peer recruitment of young illicit drug users in New York City: optimizing respondent driven sampling. 2011 , 73, 1097-104		12
179	Painting your life: A study of aging visual artists in New York City. 2011 , 39, 19-43		6
178	The relative role of perceived partner risks in promoting condom use in a three-city sample of high-risk, low-income women. <i>AIDS and Behavior</i> , 2011 , 15, 1347-58	4.3	20
177	Respondent-driven sampling on the Thailand-Cambodia border. I. Can malaria cases be contained in mobile migrant workers?. 2011 , 10, 120		43
176	With God's help i can do it: crack users? Formal and informal recovery experiences in El Salvador. <i>Substance Use and Misuse</i> , 2011 , 46, 426-39	2.2	11
175	The transformation of drug markets and its impact on HIV outreach to injection drug users in New York City, 1987-2008. <i>Substance Use and Misuse</i> , 2011 , 46, 150-8	2.2	2
174	The relationship between community structural characteristics, the context of crack use, and HIV risk behaviors in San Salvador, El Salvador. <i>Substance Use and Misuse</i> , 2012 , 47, 265-77	2.2	11
173	Iko Safika on "Failures in substance use surveys" by Timothy P. Johnson. <i>Substance Use and Misuse</i> , 2012 , 47, 1683-4	2.2	
172	Respondent-driven sampling to recruit in-country migrant workers in China: a methodological assessment. 2012 , 40, 92-101		18
171	Relying on Injection Drug Users to Access and Adhere to HIV Therapeutics: Bittersweet Lessons Using Respondent-Driven Sampling and a Peer-Driven Intervention. 2012 , 42, 127-146		7
170	Physical victimization of rural methamphetamine and cocaine users. 2012 , 27, 109-24		8
169	Sampling and Surveying Hard-to-Reach Populations for Demographic Research. 2012 , 26, 131-150		18
168	HIV-related conspiracy beliefs and its relationships with HIV testing and unprotected sex among men who have sex with men in Tshwane (Pretoria), South Africa. 2012 , 24, 459-67		23
167	Evaluating consistency in repeat surveys of injection drug users recruited by respondent-driven sampling in the Seattle area: results from the NHBS-IDU1 and NHBS-IDU2 surveys. 2012 , 22, 354-63		26
166	Multiple routes of drug administration and HIV risk among injecting drug users. <i>Journal of Substance Abuse Treatment</i> , 2012 , 42, 413-20	4.2	8

165	Male injection drug users try new drugs following U.S. deportation to Tijuana, Mexico. 2012 , 120, 142-8		19
164	Prevalence of psychiatric disorders among young injection drug users. 2012 , 124, 70-8		75
163	Respondent driven sampling and community structure in a population of injecting drug users, Bristol, UK. 2012 , 126, 324-32		18
162	Risk factors for cardiovascular disease among the homeless and in the general population of the city of Porto, Portugal. <i>Cadernos De Saude Publica</i> , 2012 , 28, 1517-29	3.2	11
161	Respondent-Driven Sampling. 2012 , 12, 72-93		80
160	Respondent-driven sampling and the recruitment of people with small injecting networks. <i>AIDS and Behavior</i> , 2012 , 16, 890-9	4.3	15
159	Prevalence estimates of health risk behaviors of immigrant latino men who have sex with men. 2012 , 28, 73-83		57
158	Rejuvenating harm reduction projects for injection drug users: Ukraine's nationwide introduction of peer-driven interventions. <i>International Journal of Drug Policy</i> , 2012 , 23, 141-7	5.5	22
157	Coping with an insecure employment environment: The differing roles of protean and boundaryless career orientations. 2012 , 80, 308-316		133
156	Risky single-occasion drinking and disadvantaged men: will recruitment through primary care miss hazardous drinkers?. 2013 , 37, 1577-81		5
155	Using intervention mapping for the development of a targeted secure web-based outreach strategy named SafeFriend, for Chlamydia trachomatis testing in young people at risk. 2013 , 13, 996		12
154	Respondent driven sampling for HIV biological and behavioral surveillance in Latin America and the Caribbean. <i>AIDS and Behavior</i> , 2013 , 17, 2313-40	4.3	36
153	Sexual risk behaviors among club drug users in Shanghai, China: prevalence and correlates. <i>AIDS and Behavior</i> , 2013 , 17, 2439-49	4.3	23
152	The importance of measuring and accounting for potential biases in respondent-driven samples. <i>AIDS and Behavior</i> , 2013 , 17, 2244-52	4.3	32
151	Characteristics of female sex workers in southern India willing and unwilling to participate in a placebo gel trial. <i>AIDS and Behavior</i> , 2013 , 17, 585-97	4.3	9
150	Severity of psychiatric and physical problems is associated with lower quality of life in methadone patients in Indonesia. 2013 , 22, 425-31		17
149	A profile on HIV prevalence and risk behaviors among injecting drug users in Nigeria: should we be alarmed?. 2013 , 127, 65-71		23
148	Incorporating the service multiplier method in respondent-driven sampling surveys to estimate the size of hidden and hard-to-reach populations: case studies from around the world. 2013 , 40, 304-10		71

147	Integrated bio-behavioural HIV surveillance surveys among female sex workers in Sudan, 2011-2012. 2013 , 89 Suppl 3, iii17-22		23
146	Population-based prevalence of hepatitis B and C virus, HIV, syphilis, gonorrhoea and chlamydia in male injection drug users in Lagos, Nigeria. <i>International Journal of STD and AIDS</i> , 2013 , 24, 619-25	1.4	14
145	Estimating the prevalence of crack dependence using capture-recapture with institutional and field data: a three-city study in The Netherlands. <i>Substance Use and Misuse</i> , 2013 , 48, 173-80	2.2	7
144	Days with pain and substance use disorders: is there an association?. 2013 , 29, 689-95		21
143	Employee Reactions to Job Insecurity in a Declining Economy: A Longitudinal Study of the Mediating Role of Job Embeddedness. 2013 , 38, 512-537		26
142	Effectiveness of Couple-Based HIV Counseling and Testing for Women Substance Users and Their Primary Male Partners: A Randomized Trial. 2013 , 2013, 286207		23
141	HIV prevalence and risk behavior among injection drug users and their sex partners in two Russian cities. 2013 , 29, 687-90		9
140	Diversion of benzodiazepines through healthcare sources. 2013 , 45, 48-56		17
139	An Empirical Analysis of the Impact of Recruitment Patterns on RDS Estimates among a Socially Ordered Population of Female Sex Workers in China. 2013 , 42,		33
138	Vulnerability to HIV infection among female drug users in Kathmandu Valley, Nepal: a cross-sectional study. 2013 , 13, 1238		12
137	Venue-based affiliation networks and HIV risk-taking behavior among male sex workers. 2013 , 40, 453-8		33
136	Nonprescribed hormone use and self-performed surgeries: "do-it-yourself" transitions in transgender communities in Ontario, Canada. 2013 , 103, 1830-6		123
135	Reconceptualizing the HIV epidemiology and prevention needs of Female Sex Workers (FSW) in Swaziland. <i>PLoS ONE</i> , 2014 , 9, e115465	3.7	17
134	HIV risk practices by female sex workers according to workplace. 2014 , 48, 428-37		12
133	Hepatitis C virus seroprevalence among people who inject drugs and factors associated with infection in eight Russian cities. 2014 , 14 Suppl 6, S12		19
132	Using respondent-driven sampling with hard to reach marginalised young people: problems with slow recruitment and small network size. 2014 , 17, 599-611		9
131	Unmasking health determinants and health outcomes for urban First Nations using respondent-driven sampling. 2014 , 4, e004978		22
130	Buying and Selling Crack: Transactions at the Retail Level and the Role of User-Sellers. 2014 , 44, 56-68		3

129	Hypermasculinity and Sexual Risk Among Black and White Men Who Have Sex With Men and Women. 2014 , 8, 362-72		15
128	Spatial, temporal and relational patterns in respondent-driven sampling: evidence from a social network study of rural drug users. 2014 , 68, 792-8		32
127	Population size, HIV, and behavior among MSM in Luanda, Angola: challenges and findings in the first ever HIV and syphilis biological and behavioral survey. 2014 , 66, 544-51		10
126	Interrupting the social processes linked with initiation of injection drug use: results from a pilot study. 2014 , 137, 48-54		43
125	Severity of club drug dependence and perceived need for treatment among a sample of adult club drug users in Shanghai, China. 2014 , 49, 395-404		8
124	Towards the estimation of effect measures in studies using respondent-driven sampling. 2014 , 91, 592-7		1
123	Changes in method for obtaining better outcomes in the recruitment of synthetic drug users. 2014 , 22, 380-385		2
122	Dimensions of religion, depression symptomatology, and substance use among rural African American cocaine users. 2014 , 13, 72-90		6
121	Structural bridging network position is associated with HIV status in a younger Black men who have sex with men epidemic. <i>AIDS and Behavior</i> , 2014 , 18, 335-45	4-3	36
120	Sex work: a comparative study. <i>Archives of Sexual Behavior</i> , 2014 , 43, 1379-90	3-5	36
119	Multi-dimensional factors associated with unprotected anal intercourse with regular partners among Chinese men who have sex with men in Hong Kong: a respondent-driven sampling survey. 2014 , 14, 205		21
118	Beliefs and attitudes regarding drug treatment: application of the theory of planned behavior in African-American cocaine users. 2014 , 39, 1441-6		14
117	Correlates of HIV testing among rural African American cocaine users. 2014 , 37, 466-77		8
116	Impact of incarceration experiences on reported HIV status and associated risk behaviours and disease comorbidities. 2015 , 25, 1089-94		4
115	Using Social Network as a Recruiting Tool for Research on Substance Use in the Taipei Metropolitan Area: Study Design, Implementation, and Epidemiological Estimates. 2015 , 25, 647-55		5
114	Rural/urban residence, access, and perceived need for treatment among African American cocaine users. 2015 , 31, 98-107		21
113	Hybrid STTR intervention for heterosexuals using anonymous HIV testing and confidential linkage to care: a single arm exploratory trial using respondent-driven sampling. 2015 , 15, 1133		6
112	Design and baseline findings of a large-scale rapid response to an HIV outbreak in people who inject drugs in Athens, Greece: the ARISTOTLE programme. 2015 , 110, 1453-67		47

111	Mental health and substance use in an urban First Nations population in Hamilton, Ontario. <i>Canadian Journal of Public Health</i> , 2015 , 106, e375-81	3.2	20
110	High HIV Burden in Men Who Have Sex with Men across Colombia's Largest Cities: Findings from an Integrated Biological and Behavioral Surveillance Study. <i>PLoS ONE</i> , 2015 , 10, e0131040	3.7	15
109	Social network analysis for program implementation. <i>PLoS ONE</i> , 2015 , 10, e0131712	3.7	135
108	High HIV prevalence in a respondent-driven sampling survey of injection drug users in Tehran, Iran. <i>AIDS and Behavior</i> , 2015 , 19, 440-9	4.3	14
107	Strategies to uncover undiagnosed HIV infection among heterosexuals at high risk and link them to HIV care with high retention: a "seek, test, treat, and retain" study. 2015 , 15, 481		17
106	A qualitative analysis of peer recruitment pressures in respondent driven sampling: Are risks above the ethical limit?. <i>International Journal of Drug Policy</i> , 2015 , 26, 832-42	5.5	9
105	Condom use among immigrant Latino sexual minorities: multilevel analysis after respondent-driven sampling. 2015 , 27, 27-43		23
104	High prevalence of HIV and syphilis among men who have sex with men recruited by respondent-driven sampling in a city in Eastern China. 2015 , 27, NP854-65		16
103	African American cocaine users' preferred treatment site: variations by rural/urban residence, stigma, and treatment effectiveness. <i>Journal of Substance Abuse Treatment</i> , 2015 , 50, 26-31	4.2	7
102	How much of the cocaine market are we missing? Insights from respondent-driven sampling in a mid-sized American city. 2015 , 147, 190-5		6
101	Using a 2-stage strategy with respondent-driven sampling to recruit a hard-to-reach population for a placebo microbicide gel clinical trial in Nellore, Andhra Pradesh (India). <i>AIDS and Behavior</i> , 2015 , 19, 369-79	4.3	5
100	Gender Expression and Risk of HIV Infection Among Black South African Men Who Have Sex with Men. <i>AIDS and Behavior</i> , 2015 , 19, 2270-9	4.3	39
99	Assessing the geographic coverage and spatial clustering of illicit drug users recruited through respondent-driven sampling in New York City. 2015 , 92, 352-78		9
98	Trajectory of substance use after an HIV risk reduction intervention. 2015 , 41, 345-52		2
97	Diagnostics for Respondent-driven Sampling. 2015 , 178, 241-269		152
96	Individual and socio-environmental factors associated with unsafe injection practices among young adult injection drug users in San Diego. <i>AIDS and Behavior</i> , 2015 , 19, 199-210	4.3	14
95	Religious Identity of Modern Orthodox and Hasidic Jewry in St. Petersburg. 2016 , 12, 159-178		
94	The Sociospatial Network: Risk and the Role of Place in the Transmission of Infectious Diseases. <i>PLoS ONE</i> , 2016 , 11, e0146915	3.7	18

93	Prevention knowledge, risk behaviours and seroprevalence among nonurban injectors of southwest Connecticut. 2016 , 35, 628-36		8
92	Respondent-Driven Sampling in a Multi-Site Study of Black and Latino Men Who Have Sex with Men. 2016 , 108, 69-76		7
91	The Role of Social Capital in African Americans' Attempts to Reduce and Quit Cocaine Use. <i>Substance Use and Misuse</i> , 2016 , 51, 777-87	2.2	15
90	Using Respondent-Driven Sampling to Recruit Illegal Drug Purchasers to Evaluate a Drug Market Intervention. 2016 , 40, 87-121		3
89	Does size really matter? A sensitivity analysis of number of seeds in a respondent-driven sampling study of gay, bisexual and other men who have sex with men in Vancouver, Canada. 2016 , 16, 157		8
88	Predictors of needle exchange program utilization during its implementation and expansion in Tijuana, Mexico. 2016 , 25, 118-24		8
87	Adaptation and Psychometric Testing of Multiple Measures of Religion Among African Americans Who Use Cocaine. 2016 , 42, 160-174		1
86	Event-level analyses of sex-risk and injection-risk behaviors among nonmedical prescription opioid users. 2016 , 42, 689-697		16
85	Ethno-epidemiological research challenges: Networks of long-haul truckers in the inner city. 2016 , 17, 111-134		1
84	Sexual Violence in the Context of Drug Use Among Young Adult Opioid Users in New York City. 2017 , 32, 2929-2954		31
83	Substance Use and Sexual Risk Behavior Among Black South African Men Who Have Sex With Men: The Moderating Effects of Reasons for Drinking and Safer Sex Intentions. <i>AIDS and Behavior</i> , 2017 , 21, 2023-2032	4.3	8
82	Sexual Risk and Transmission Behaviors, Partnerships and Settings Among Young Adult Nonmedical Opioid Users in New York City. <i>AIDS and Behavior</i> , 2017 , 21, 994-1003	4.3	19
81	Population Size Estimation of Men Who Have Sex with Men in Ho Chi Minh City and Nghe An Using Social App Multiplier Method. 2017 , 94, 339-349		11
80	Network Sampling: From Snowball and Multiplicity to Respondent-Driven Sampling. 2017 , 43, 101-119		92
79	A randomized trial of brief assessment interventions for young adults who use drugs in the club scene. <i>Journal of Substance Abuse Treatment</i> , 2017 , 78, 64-73	4.2	9
78	Preexposure Prophylaxis of HIV Infection: the Role of Clinical Practices in Ending the HIV Epidemic. 2017 , 14, 201-210		19
77	Researching Migration in a Superdiverse Society: Challenges, Methods, Concerns and Promises. 2017 , 22, 15-27		19
76	Determinants of hazardous drinking among black South African men who have sex with men. 2017 , 180, 14-21		5

75	Acceptability of HIV Testing Sites Among Rural and Urban African Americans Who Use Cocaine. <i>AIDS and Behavior</i> , 2017 , 21, 576-586	4.3	3
74	High enhancer, downer, withdrawal helper: Multifunctional nonmedical benzodiazepine use among young adult opioid users in New York City. <i>International Journal of Drug Policy</i> , 2017 , 46, 17-27	5.5	36
73	Seroadaptive Strategies of Gay & Bisexual Men (GBM) with the Highest Quartile Number of Sexual Partners in Vancouver, Canada. <i>AIDS and Behavior</i> , 2017 , 21, 1452-1466	4.3	13
72	The Influence of Community Disadvantage and Masculinity Ideology on Number of Sexual Partners: A Prospective Analysis of Young Adult, Rural Black Men. 2017 , 54, 795-801		17
71	Hepatitis C bio-behavioural surveys in people who inject drugs-a systematic review of sensitivity to the theoretical assumptions of respondent driven sampling. 2017 , 14, 44		5
70	Methods for Inference from Respondent-Driven Sampling Data. 2018 , 5, 65-93		16
69	Multiple strategies to identify HIV-positive black men who have sex with men and transgender women in New York City: a cross-sectional analysis of recruitment results. 2018 , 21, e25091		6
68	A Latent Class Analysis of Seroadaptation Among Gay and Bisexual Men. <i>Archives of Sexual Behavior</i> , 2018 , 47, 95-106	3.5	15
67	Polydrug Use and Heterogeneity in HIV Risk Among People Who Inject Drugs in Estonia and Russia: A Latent Class Analysis. <i>AIDS and Behavior</i> , 2018 , 22, 1329-1340	4.3	18
66	Estimating the Size of the MSM Population in Metro Vancouver, Canada, Using Multiple Methods and Diverse Data Sources. 2018 , 95, 188-195		16
65	The Social and Sexual Networks of Black Transgender Women and Black Men Who Have Sex with Men: Results from a Representative Sample. 2018 , 3, 201-209		12
64	Establishing trust in HIV/HCV research among people who inject drugs (PWID): Insights from empirical research. <i>PLoS ONE</i> , 2018 , 13, e0208410	3.7	18
63	Our health counts: population-based measures of urban Inuit health determinants, health status, and health care access. <i>Canadian Journal of Public Health</i> , 2018 , 109, 662-670	3.2	7
62	Enhancing the sample diversity of snowball samples: Recommendations from a research project on anti-dam movements in Southeast Asia. <i>PLoS ONE</i> , 2018 , 13, e0201710	3.7	127
61	Another frontier for harm reduction: contraceptive needs of females who inject drugs in Estonia, a cross-sectional study. 2018 , 15, 10		2
60	Rising HIV prevalence among men who have sex with men in Nigeria: a trend analysis. 2019 , 19, 1201		14
59	Epidemiology of dependence on illicit substances, with a special focus on opioid dependence, in the State of Punjab, India: Results from two different yet complementary survey methods. 2019 , 39, 70-79		6
58	Can social network analysis help to include marginalised young women in structural support programmes in Botswana? A mixed methods study. 2019 , 18, 12		3

57	Safer sex intentions modify the relationship between substance use and sexual risk behavior among black South African men who have sex with men. <i>International Journal of STD and AIDS</i> , 2019 , 30, 786-794	1.4	3
56	A New Generation of Drug Users in St. Petersburg, Russia? HIV, HCV, and Overdose Risks in a Mixed-Methods Pilot Study of Young Hard Drug Users. <i>AIDS and Behavior</i> , 2019 , 23, 3350-3365	4.3	5
55	"Money Helps": People who inject drugs and their perceptions of financial compensation and its ethical implications. 2019 , 29, 607-620		8
54	Factors associated with HIV testing among men who have sex with men in Guatemala City. <i>International Journal of STD and AIDS</i> , 2019 , 30, 577-585	1.4	2
53	Maximizing respondent-driven sampling field procedures in the recruitment of sexual minorities for health research. <i>SAGE Open Medicine</i> , 2019 , 7, 2050312119829983	2.4	4
52	Implementing an Updated "Break the Cycle" Intervention to Reduce Initiating Persons into Injecting Drug Use in an Eastern European and a US "opioid epidemic" Setting. <i>AIDS and Behavior</i> , 2019 , 23, 2304-2314	4.3	16
51	Respondent-Driven Sampling With Youth Who Use Drugs: A Mixed Methods Assessment. <i>Contemporary Drug Problems</i> , 2019 , 46, 363-378	1.3	4
50	Methods for Population Research on Substance Use and Consequences. <i>Handbook of Experimental Pharmacology</i> , 2020 , 258, 1-29	3.2	1
49	Gender Differences in Risky Injection Practices Among People Who Inject Drugs in Colombia. <i>Addictive Disorders and Their Treatment</i> , 2019 , 18, 140-148	0.5	3
48	Prevalence of HIV/Hepatitis C Virus Co-Infection and Injection Risk Correlations in People Who Inject Drugs in Colombia: A Cross-Sectional Study Using Respondent Driven Sampling. <i>Substance Use and Misuse</i> , 2020 , 55, 414-423	2.2	3
47	Towards Targeted Interventions in Low- and Middle-Income Countries: Risk Profiles of People Who Inject Drugs in Haiphong (Vietnam). <i>BioMed Research International</i> , 2020 , 2020, 8037193	3	1
46	Novel Recruitment Methods for Research Among Young Adults in Rural Areas Who Use Opioids: Cookouts, Coupons, and Community-Based Staff. <i>Public Health Reports</i> , 2020 , 135, 746-755	2.5	8
45	Validation of Obesity Status Based on Self-Reported Data among Filipina and Indonesian Female Migrant Domestic Workers in Macao (SAR), China. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1
44	What Are the Core Competencies of a Mental Health Nurse? Protocol for a Concept Mapping Study.. <i>Nursing Reports</i> , 2020 , 10, 146-153	0.8	0
43	Effectiveness of Respondent-Driven Sampling for Conducting Health Studies Among Undocumented Immigrants at a Time of Heightened Immigration Enforcement. <i>Journal of Immigrant and Minority Health</i> , 2020 , 1	2.2	1
42	Model-based Respondent-driven sampling analysis for HIV prevalence in brazilian MSM. <i>Scientific Reports</i> , 2020 , 10, 2646	4.9	
41	HIV Prevalence and Associated Risks in a Respondent-Driven Sample of Illicit Stimulant Users in a Southern United States City. <i>AIDS and Behavior</i> , 2020 , 24, 2336-2346	4.3	2
40	Snowball Sampling vs. Respondent Driven Sampling in Regional Research. Comparing the use of the Methods to Study Migrants Working in Elderly Care. <i>Studia Migracyjne [Przegląd Polonijny]</i> , 2021 , 47, 149-180	1.8	

39	Can respondent driven sampling be used to recruit new mothers? A mixed methods study in metropolitan Washington DC. <i>PLoS ONE</i> , 2021 , 16, e0246373	3.7	1
38	Is the real estate profession under threat? Assessing the effect of the involvement of non-professionals in Nigeria real estate agency service provision. <i>Property Management</i> , 2021 , 39, 509-526	1.6	0
37	Adverse Childhood Experiences Predict Early Initiation of Opioid Use Behaviors. <i>Frontiers in Sociology</i> , 2021 , 6, 620395	1.7	3
36	Prevalence of HIV and sexually transmitted and blood-borne infections, and related preventive and risk behaviours, among gay, bisexual and other men who have sex with men in Montreal, Toronto and Vancouver: results from the Engage Study. <i>Canadian Journal of Public Health</i> , 2021 , 112, 1020-1029	3.2	5
35	Fish consumption and awareness of fish advisories among Burmese refugees: A respondent-driven sampling study in Milwaukee, Wisconsin. <i>Environmental Research</i> , 2021 , 197, 110906	7.9	1
34	The methamphetamine epidemic among persons who inject heroin in Hai Phong, Vietnam. <i>Journal of Substance Abuse Treatment</i> , 2021 , 126, 108320	4.2	2
33	Identifying the Hidden Population: Former Intravenous Drug Users Who Are No Longer in Contact with Services. "Ask a Friend". <i>Diagnostics</i> , 2021 , 11,	3.8	1
32	Behaviorally Bisexual Men and their Risk Behaviors with Men and Women. 2009 , 86, 48		3
31	Ending an HIV epidemic among persons who inject drugs in a middle-income country: extremely low HIV incidence among persons who inject drugs in Hai Phong, Viet Nam. <i>Aids</i> , 2020 , 34, 2305-2311	3.5	10
30	Parsing social network survey data from hidden populations using stochastic context-free grammars. <i>PLoS ONE</i> , 2009 , 4, e6777	3.7	14
29	Implementation of web-based respondent-driven sampling among men who have sex with men in Vietnam. <i>PLoS ONE</i> , 2012 , 7, e49417	3.7	43
28	Social cohesion, social participation, and HIV related risk among female sex workers in Swaziland. <i>PLoS ONE</i> , 2014 , 9, e87527	3.7	81
27	Implementation of respondent-driven sampling among female sex workers in Brazil, 2009. <i>Cadernos De Saude Publica</i> , 2011 , 27 Suppl 1, S45-55	3.2	11
26	Including Online-Recruited Seeds: A Respondent-Driven Sample of Men Who Have Sex With Men. <i>Journal of Medical Internet Research</i> , 2016 , 18, e51	7.6	33
25	Reducing alcohol-related harm in disadvantaged men: development and feasibility assessment of a brief intervention delivered by mobile telephone. <i>Public Health Research</i> , 2013 , 1, 1-138	1.7	12
24	Assessing Respondent Driven Sampling for Network Studies in Ethnographic Contexts. <i>Advances in Anthropology</i> , 2013 , 03, 1-9	0.3	12
23	Revisiting the Outsiders: Innovative Recruitment of a Marijuana User Network via Web-Based Respondent Driven Sampling. <i>Social Networking</i> , 2014 , 03, 19-31	0.7	5
22	Protocol for a Respondent-Driven Sampling Study Exploring the Roles of Peer Norms in HIV-Related Practices of Gay Men. <i>World Journal of AIDS</i> , 2013 , 03, 320-326	0.3	4

21	Prevalence and Incidence of HIV and Sexual Risk Behaviors in Crack Users in the San Salvador Metropolitan Area, El Salvador. <i>World Journal of AIDS</i> , 2013 , 03, 357-363	0.3	9
20	Application of the Respondent-Driven Sampling methodology in a biological and behavioral surveillance survey among female sex workers, Brazil, 2016. <i>Revista Brasileira De Epidemiologia</i> , 2019 , 22Suppl 1, e190002	1.3	0
19	Comparison of Methods for Recruiting Suburban Opioid Users for Studies on Hepatitis C Virus Infection Prevention (Preprint).		
18	Alarming Tuberculosis Rate Among People Who Inject Drugs in Vietnam.. <i>Open Forum Infectious Diseases</i> , 2022 , 9, ofab548	1	1
17	Optimizing respondent-driven sampling to find undiagnosed HIV-infected people who inject drugs. <i>Aids</i> , 2021 , 35, 485-494	3.5	2
16	Multi-level intersectional stigma reduction intervention to increase HIV testing among men who have sex with men in Ghana: Protocol for a cluster randomized controlled trial. <i>PLoS ONE</i> , 2021 , 16, e0259324	3.7	0
15	Implementation and evaluation of a syringe vending machine trial in Tbilisi, Georgia.. <i>International Journal of Drug Policy</i> , 2022 , 103, 103649	5.5	0
14	A Sociology of Empathy and Shared Understandings: Contextualizing Beliefs and Attitudes on Why People Use Opioids. <i>Rural Sociology</i> ,	2.3	
13	Reaching hardly reached people who use drugs: a community-based strategy for the elimination of hepatitis C. <i>Open Forum Infectious Diseases</i> ,	1	0
12	Validation of Brief Condom Use Attitudes Scales for Spanish-Speaking People Who Use Crack Cocaine in El Salvador.. <i>Archives of Sexual Behavior</i> , 2022 ,	3.5	
11	Factors associated with the diagnosis of COVID-19 among Brazilian health professionals COVID-19 and health professionals. <i>PLoS ONE</i> , 2022 , 17, e0267121	3.7	1
10	Association Between Dual Partnership and Sexual and Injecting Behaviors Among Persons Who Inject Drugs in 23 US Cities, 2018. <i>Archives of Sexual Behavior</i> ,	3.5	
9	Long-Acting Injectable Human Immunodeficiency Virus Pre-Exposure Prophylaxis Preferred Over Other Modalities Among People Who Inject Drugs: Findings from a Qualitative Study in California. <i>AIDS Patient Care and STDs</i> ,	5.8	1
8	A community-based intervention to decrease the prevalence of HIV viremia among people who inject drugs in Vietnam. <i>The Lancet Regional Health - Western Pacific</i> , 2022 , 27, 100538	5	
7	Young Adult Nightclub Participants Who Attend Adult Entertainment Clubs: Sexual Risk and Substance Use Behaviors.		0
6	Employing Respondent Driven Sampling (RDS) to recruit people who inject drugs (PWID) and other hard-to-reach populations during COVID-19: Lessons learned. 13,		0
5	Envolvimento em organizaçõs nã governamentais e a participaçã em aães de prevençã ao HIV/aids por homens que fazem sexo com homens no Brasil. 2021 , 37,		1
4	Peer-based Retention Of people who Use Drugs in Rural Research (PROUD-R2): a multisite, randomised, 12-month trial to compare efficacy of standard versus peer-based approaches to retain rural people who use drugs in research. 2022 , 12, e064400		0

- 3 Why Young Women Who Use Opioids Are at Risk for Rape: The Impact of Social Vulnerabilities and Sexually Coercive Drug Using Contexts. 107780122211379 ○
- 2 Engaging transgender women in HIV research in South Africa. ○
- 1 Recruiting Black and Latina/Hispanic Transgender Women for HIV Research: Implementation of Respondent-Driven Sampling and Factors Associated with Peer Recruitment. ○