Necrosis and Hypoxia in Invasive Breast Carcinoma

Breast Cancer Research and Treatment 81, 61-69 DOI: 10.1023/a:1025476722493

Citation Report

#	Article	IF	CITATIONS
1	Intermittent Hypoxia Induces Proteasome-Dependent Down-Regulation of Estrogen Receptor α in Human Breast Carcinoma. Clinical Cancer Research, 2004, 10, 8720-8727.	3.2	60
2	Induction by hypoxia combined with low glucose or low bicarbonate and high posttranslational stability upon reoxygenation contribute to carbonic anhydrase IX expression in cancer cells. International Journal of Oncology, 2004, 24, 995.	1.4	38
3	Inflammation and necrosis promote tumour growth. Nature Reviews Immunology, 2004, 4, 641-648.	10.6	592
4	Hypoxia-inducible factors and hypoxic cell death in tumour physiology. Annals of Medicine, 2004, 36, 530-539.	1.5	104
5	Modulation of carbonic anhydrase activity and its applications in therapy. Expert Opinion on Therapeutic Patents, 2004, 14, 667-702.	2.4	159
7	The effect of age and calorie restriction on HIF-1-responsive genes in aged liver. Biogerontology, 2005, 6, 27-37.	2.0	50
9	Reduced Expression of Hypoxia-Inducible Factor-1α in Perinecrotic Regions of Solid Tumors. Cancer Research, 2005, 65, 7259-7266.	0.4	117
10	Differential prognostic impact of hypoxia induced and diffuse HIF-1Â expression in invasive breast cancer. Journal of Clinical Pathology, 2005, 58, 172-177.	1.0	200
11	Hypoxia in Breast Cancer. , 2005, 566, 333-342.		71
12	A perspective on quantitative structure–activity relationships and carbonic anhydrase inhibitors. Expert Opinion on Drug Metabolism and Toxicology, 2006, 2, 113-137.	1.5	34
13	Node-related factors and survival in node-positive breast carcinomas. Breast, 2006, 15, 382-389.	0.9	21
14	Hypoxia inducible factor-1α is a prognostic marker in premenopausal patients with intermediate to highly differentiated breast cancer but not a predictive marker for tamoxifen response. International Journal of Cancer, 2006, 118, 2609-2616.	2.3	70
15	Review: Implications of In Vitro Research on the Effect of Radiotherapy and Chemotherapy Under Hypoxic Conditions. Oncologist, 2007, 12, 690-712.	1.9	124
16	HIF-1α and CA IX staining in invasive breast carcinomas: Prognosis and treatment outcome. International Journal of Cancer, 2007, 120, 1451-1458.	2.3	202
17	Selective silencing of the hypoxia-inducible factor 1 target gene BNIP3 by histone deacetylation and methylation in colorectal cancer. Oncogene, 2007, 26, 132-141.	2.6	61
18	The grateful dead: damageâ€associated molecular pattern molecules and reduction/oxidation regulate immunity. Immunological Reviews, 2007, 220, 60-81.	2.8	565
19	S100A7 (psoriasin) influences immune response genes in human breast cancer. Experimental Cell Research, 2007, 313, 3016-3025.	1.2	25
20	Hypoxia-inducible factor-1α correlates with MET and metastasis in node-negative breast cancer. Breast Cancer Research and Treatment, 2007, 103, 167-175.	1.1	74

CITATION REPORT

#	Article	IF	CITATIONS
21	Overexpression of hypoxiaâ€inducible factorâ€1α predicts an unfavorable outcome in urothelial carcinoma of the upper urinary tract. International Journal of Urology, 2008, 15, 200-205.	0.5	28
22	Analysis of the effects of exposure to acute hypoxia on oxidative lesions and tumour progression in a transgenic mouse breast cancer model. BMC Cancer, 2008, 8, 151.	1.1	19
23	Cancer-Associated Carbonic Anhydrases and Their Inhibition. Current Pharmaceutical Design, 2008, 14, 685-698.	0.9	159
24	Metabolic Markers of Hypoxia: Systems Biology Application in Biomedicine. Toxicology Mechanisms and Methods, 2008, 18, 81-95.	1.3	22
25	The key hypoxia regulated gene CAIX is upregulated in basal-like breast tumours and is associated with resistance to chemotherapy. British Journal of Cancer, 2009, 100, 405-411.	2.9	180
26	Hypoxia switches glucose depletion-induced necrosis to phosphoinositide 3-kinase/Akt-dependent apoptosis in A549 lung adenocarcinoma cells. International Journal of Oncology, 2009, 36, .	1.4	4
27	Implication of necrosis-linked p53 aggregation in acquired apoptotic resistance to 5-FU in MCF-7 multicellular tumour spheroids. Oncology Reports, 2010, 24, .	1.2	6
28	Hypoxia and metabolic phenotypes during breast carcinogenesis: expression of HIF-1α, GLUT1, and CAIX. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2010, 457, 53-61.	1.4	80
29	A validated gene expression profile for detecting clinical outcome in breast cancer using artificial neural networks. Breast Cancer Research and Treatment, 2010, 120, 83-93.	1.1	62
30	Role of reactive oxygen species-dependent protein aggregation in metabolic stress-induced necrosis. International Journal of Oncology, 2010, 37, 97-102.	1.4	14
31	Novel design principles enable specific targeting of imaging and therapeutic agents to necrotic domains in breast tumors. Breast Cancer Research, 2010, 12, R29.	2.2	26
32	Expression of Hypoxic Marker CA IX Is Regulated by Site-Specific DNA Methylation and Is Associated with the Histology of Gastric Cancer. American Journal of Pathology, 2011, 178, 515-524.	1.9	33
33	Hypoxia-induced Jagged2 promotes breast cancer metastasis and self-renewal of cancer stem-like cells. Oncogene, 2011, 30, 4075-4086.	2.6	207
34	Immunohistochemical assessment of intrinsic and extrinsic markers of hypoxia in reproductive tissue: differential expression of HIF1α and HIF2α in rat oviduct and endometrium. Journal of Molecular Histology, 2011, 42, 341-354.	1.0	14
35	Homeobox gene Dlx-2 is implicated in metabolic stress-induced necrosis. Molecular Cancer, 2011, 10, 113.	7.9	26
36	An "elite hacker― Cell Adhesion and Migration, 2012, 6, 236-435.	1.1	34
37	Non-canonical HIF-2α function drives autonomous breast cancer cell growth via an AREG–EGFR/ErbB4 autocrine loop. Oncogene, 2012, 31, 2283-2297.	2.6	68
38	Expression of hypoxia-related glucose transporters GLUT1 and GLUT3 in benign, malignant and non-neoplastic thyroid lesions. Molecular Medicine Reports, 2012, 6, 601-606.	1.1	35

CITATION REPORT

#	Article	IF	CITATIONS
39	Localized Hypoxia Results in Spatially Heterogeneous Metabolic Signatures in Breast Tumor Models. Neoplasia, 2012, 14, 732-741.	2.3	34
40	Extracellular HSPA1A promotes the growth of hepatocarcinoma by augmenting tumor cell proliferation and apoptosis-resistance. Cancer Letters, 2012, 317, 157-164.	3.2	42
41	Monitoring Breast Tumor Lung Metastasis by U-SPECT-II/CT with an Integrin α _v β ₃ -Targeted Radiotracer ^{99m} Tc-3P-RGD ₂ . Theranostics, 2012, 2, 577-588.	4.6	35
42	Levels and patterns of expression of hypoxiaâ€inducible factorâ€1α, vascular endothelial growth factor, glucose transporterâ€1 and CD105 in adenoid cystic carcinomas with highâ€grade transformation. Histopathology, 2012, 60, 816-825.	1.6	24
43	Metabolism-Related Proteins Are Differentially Expressed according to the Molecular Subtype of Invasive Breast Cancer Defined by Surrogate Immunohistochemistry. Pathobiology, 2013, 80, 41-52.	1.9	82
44	Tumour oxygenation: implications for breast cancer prognosis. Journal of Internal Medicine, 2013, 274, 105-112.	2.7	73
45	The potential of hypoxia markers as target for breast molecular imaging – a systematic review and meta-analysis of human marker expression. BMC Cancer, 2013, 13, 538.	1.1	18
46	Necrosis Degree Displayed in Computed Tomography Images Correlated With Hypoxia and Angiogenesis in Breast Cancer. Journal of Computer Assisted Tomography, 2013, 37, 22-28.	0.5	15
47	Histopathological Determinants of Tumor Resistance: A Special Look to the Immunohistochemical Expression of Carbonic Anhydrase IX in Human Cancers. Current Medicinal Chemistry, 2014, 21, 1569-1582.	1.2	34
48	Carbonic anhydrase IX, a hypoxia-induced catalytic component of the pH regulating machinery in tumors. Frontiers in Physiology, 2014, 4, 400.	1.3	157
49	Carbonic Anhydrase IX: From Biology to Therapy. Cancer Drug Discovery and Development, 2014, , 121-153.	0.2	4
50	Cyclin D1b splice variant promotes αvβ3-mediated adhesion and invasive migration of breast cancer cells. Cancer Letters, 2014, 355, 159-167.	3.2	25
51	A cellular automaton model examining the effects of oxygen, hydrogen ions and lactate on early tumour growth. Journal of Mathematical Biology, 2014, 69, 839-873.	0.8	11
52	Carbonic anhydrase IX: A promising diagnostic and prognostic biomarker in breast carcinoma. Acta Histochemica, 2014, 116, 89-93.	0.9	5
53	The CCL2 chemokine is a negative regulator of autophagy and necrosis in luminal B breast cancer cells. Breast Cancer Research and Treatment, 2015, 150, 309-320.	1.1	30
54	Hypoxia-induced carbonic anhydrase IX as a target for cancer therapy: From biology to clinical use. Seminars in Cancer Biology, 2015, 31, 52-64.	4.3	257
55	Prognostic Significance of Carbonic Anhydrase IX Expression in Cancer Patients: A Meta-Analysis. Frontiers in Oncology, 2016, 6, 69.	1.3	129
56	CA IX is upregulated in CoCl2-induced hypoxia and associated with cell invasive potential and a poor prognosis of breast cancer. International Journal of Oncology, 2016, 48, 271-280.	1.4	32

#	Article	IF	CITATIONS
57	Prognostic utility of differential tissue characterization of cardiac neoplasm and thrombus via late gadolinium enhancement cardiovascular magnetic resonance among patients with advanced systemic cancer. Journal of Cardiovascular Magnetic Resonance, 2016, 19, 76.	1.6	22
58	Unenhanced region on magnetic resonance imaging represents tumor progression in uterine carcinosarcoma. Journal of Gynecologic Oncology, 2017, 28, e62.	1.0	4
59	An integrative theory for cancer (Review). International Journal of Molecular Medicine, 2018, 43, 647-656.	1.8	7
60	Regulation of Tumor Progression by Programmed Necrosis. Oxidative Medicine and Cellular Longevity, 2018, 2018, 1-28.	1.9	140
61	Paraffin-embedding lithography and micro-dissected tissue micro-arrays: tools for biological and pharmacological analysis of <i>ex vivo</i> solid tumors. Lab on A Chip, 2019, 19, 693-705.	3.1	14
62	Tissue necrosis and its role in cancer progression. Oncogene, 2019, 38, 1920-1935.	2.6	78
63	Enhanced antitumor efficacy of bile acid-lipid complex-anchored docetaxel nanoemulsion via oral metronomic scheduling. Journal of Controlled Release, 2020, 328, 368-394.	4.8	18
64	Numerical simulation of the effect of necrosis area in systemic delivery of magnetic nanoparticles in hyperthermia cancer treatment. Journal of Thermal Biology, 2020, 94, 102742.	1.1	16
65	Development of 5D3-DM1: A Novel Anti-Prostate-Specific Membrane Antigen Antibody-Drug Conjugate for PSMA-Positive Prostate Cancer Therapy. Molecular Pharmaceutics, 2020, 17, 3392-3402.	2.3	20
66	Hypoxic exosomes orchestrate tumorigenesis: molecular mechanisms and therapeutic implications. Journal of Translational Medicine, 2020, 18, 474.	1.8	53
67	Expression of CA2 and CA9 carbonic anhydrases in ulcerative colitis and ulcerative colitisâ€associated colorectal cancer. Pathology International, 2020, 70, 523-532.	0.6	14
68	Hypoxia in tumor microenvironment regulates exosome biogenesis: Molecular mechanisms and translational opportunities. Cancer Letters, 2020, 479, 23-30.	3.2	103
69	"Complimenting the Complement― Mechanistic Insights and Opportunities for Therapeutics in Hepatocellular Carcinoma. Frontiers in Oncology, 2020, 10, 627701.	1.3	22
70	The presence of tumourâ€infiltrating neutrophils is an independent adverse prognostic feature in clear cell renal cell carcinoma. Journal of Pathology: Clinical Research, 2021, 7, 385-396.	1.3	10
71	Tumor necrosis: A synergistic consequence of metabolic stress and inflammation. BioEssays, 2021, 43, e2100029.	1.2	24
72	Highâ€ŧhroughput CRISPRâ€mediated 3D enrichment platform for functional interrogation of chemotherapeutic resistance. Biotechnology and Bioengineering, 2021, 118, 3187-3199.	1.7	3
73	Differential Angiogenic Potential of 3-Dimension Spheroid of HNSCC Cells in Mouse Xenograft. International Journal of Molecular Sciences, 2021, 22, 8245.	1.8	7
74	Molecular mechanisms and functions of pyroptosis in inflammation and antitumor immunity. Molecular Cell, 2021, 81, 4579-4590.	4.5	127

ARTICLE IF CITATIONS # Links between Inflammation and Postoperative Cancer Recurrence. Journal of Clinical Medicine, 2021, 1.0 27 75 10, 228. Necrosis in the Tumor Microenvironment and Its Role in Cancer Recurrence. Advances in Experimental 0.8 Medicine and Biology, 2020, 1225, 89-98. 77 Implication of Snail in Metabolic Stress-Induced Necrosis. PLoS ONE, 2011, 6, e18000. 20 1.1 Repressing malic enzyme 1 redirects glucose metabolism, unbalances the redox state, and attenuates migratory and invasive abilities in nasopharyngeal carcinoma cell lines. Chinese Journal of Cancer, 2012, 31, 519-31. Combined Treatment of Sodium Salicylate and Genistein Induces Incomplete Apoptosis and Necrosis in 79 0.2 0 MCF-7 Multicellular Tumor Spheroids. Journal of Life Science, 2012, 22, 1145-1151. In Vitro 3D Staphylococcus aureus Abscess Communities Induce Bone Marrow Cells to Expand into Myeloid-Derived Suppressor Cells. Pathogens, 2021, 10, 1446. 1.2 Synthetic and Naturally Occurring Heterocyclic Anticancer Compounds with Multiple Biological 81 1.7 13 Targets. Molecules, 2021, 26, 7134. Understanding metabolic alterations and heterogeneity in cancer progression through validated immunodetection of key molecular components: a case of carbonic anhydrase IX. Cancer and Metastasis Reviews, 2021, 40, 1035-1053. Tumor-derived exosomes in hypoxic microenvironment: release mechanism, biological function and 84 1.2 8 clinical application. Journal of Cancer, 2022, 13, 1685-1694. Hypoxia-induced macropinocytosis represents a metabolic route for liver cancer. Nature 5.8 38 Communications, 2022, 13, 954. Exploration of the niche effect on tumor satellite budding of head and neck cancer with biomimicking 0 86 5.7modeling. Biomaterials, 2022, 285, 121471. NDRG1 in Aggressive Breast Cancer Progression and Brain Metastasis. Journal of the National Cancer Institute, 2022, 114, 579-591. 87 3.0 The Relationship Between the Tumor Cell Expression of Hypoxic Markers and Survival in Patients With ER-positive Invasive Ductal Breast Cancer. Journal of Histochemistry and Cytochemistry, 2022, 70, 88 1.3 4 479-494. DDX41 expression is associated with tumor necrosis in clear cell renal cell carcinoma and in cooperation with VHL loss leads to worse prognosis. Urologic Oncology: Seminars and Original 89 0.8 Investigations, 2022, , . Optical monitoring and treatment of breast cancer by a tumor hypoxia-activated multi-functional 91 4.0 2 fluorescent sensor. Sensors and Actuators B: Chemical, 2023, 377, 133030. Carbonic Anhydrase IX (CAIX) Expressing Hypoxic Micro-environment Hampers CD8+ Immune Cell Infiltrate in Breast Carcinoma. Applied Immunohistochemistry and Molecular Morphology, 2023, 31, 26-32. The relationship between carbonic anhydrase IX (CAIX) and patient survival in breast cancer: 93 0.9 4 systematic review and meta-analysis. Diagnostic Pathology, 2023, 18, . Linear ubiquitinationâ€induced necrotic tumor remodeling elicits immune evasion. FEBS Letters, 2023, 94 1.3 597, 1193-1212.

CITATION REPORT

	C	itation Report	
#	Article	IF	CITATIONS
95	Carbonic Anhydrase IX in Tumor Tissue and Plasma of Breast Cancer Patients: Reliable Biomarker of Hypoxia and Prognosis. International Journal of Molecular Sciences, 2023, 24, 4325.	1.8	6
96	Carbonic anhydrase IX-related tumoral hypoxia predicts worse prognosis in breast cancer: A systematic review and meta-analysis. Frontiers in Medicine, 0, 10, .	1.2	3
97	Automated assessment of necrosis tumor ratio in colorectal cancer using an artificial intelligenceâ€based digital pathology analysis. , 2023, 1, 30-43.		0