

CITATION REPORT

List of articles citing

A Study of the Nonlinear Response of a Resonant Microbeam to an Electric Actuation

DOI: 10.1023/a:1022103118330
Nonlinear Dynamics, 2003, 31, 91-117.

Source: <https://exaly.com/paper-pdf/34900352/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
377	Secondary resonances of electrically actuated resonant microsensors. <i>Journal of Micromechanics and Microengineering</i> , 2003 , 13, 491-501	2	98
376	Dynamics of an electrically actuated resonant microsensor.		10
375	Optical manipulation of intrinsic localized vibrational energy in cantilever arrays. 2004 , 66, 318-323		69
374	A new approach to the modeling and simulation of flexible microstructures under the effect of squeeze-film damping. <i>Journal of Micromechanics and Microengineering</i> , 2004 , 14, 170-181	2	184
373	Modeling and simulations of thermoelastic damping in microplates. <i>Journal of Micromechanics and Microengineering</i> , 2004 , 14, 1711-1717	2	189
372	Global Dynamics of MEMS Resonators under Superharmonic Excitation.		
371	Mathematical Modeling of Thermal Effects in Steady State Dynamics of Microresonators Using Lorentzian Function: Part 1 □ Thermal Damping. 2005 , 1093		
370	Mathematical Modeling of Thermal Effects in Steady State Dynamics of Microresonators Using Lorentzian Function: Part 2 □ Temperature Relaxation. 2005 , 1133		
369	Microresonators Based on 1:2 Internal Resonance. 2005 , 529		3
368	Stabilization of electrostatically actuated microstructures using parametric excitation. <i>Journal of Micromechanics and Microengineering</i> , 2005 , 15, 1188-1204	2	84
367	Dynamics of MEMS resonators under superharmonic and subharmonic excitations. <i>Journal of Micromechanics and Microengineering</i> , 2005 , 15, 1840-1847	2	163
366	The nonlinear response of resonant microbeam systems with purely-parametric electrostatic actuation. <i>Journal of Micromechanics and Microengineering</i> , 2006 , 16, 890-899	2	131
365	Tuning nonlinearity, dynamic range, and frequency of nanomechanical resonators. 2006 , 88, 253101		231
364	Dynamic pull-in of parallel-plate and torsional electrostatic MEMS actuators. <i>Journal of Microelectromechanical Systems</i> , 2006 , 15, 811-821	2.5	116
363	Nonlinear free and forced oscillations of piezoelectric microresonators. <i>Journal of Micromechanics and Microengineering</i> , 2006 , 16, 356-367	2	75
362	Buckling and free oscillations of composite microresonators. <i>Journal of Microelectromechanical Systems</i> , 2006 , 15, 42-51	2.5	46
361	Nonlinear Dynamics of MicroResonators. 2006 , 34, 961-966		2

360	Nonlinear Modeling and Simulation of Thermal Effects in Microcantilever Resonators Dynamic. 2006 , 34, 89-94		4
359	Structural dynamics of microsystems—current state of research and future directions. <i>Mechanical Systems and Signal Processing</i> , 2006 , 20, 1015-1043	7.8	66
358	Squeeze-Film Phenomena in Microresonators Dynamics: A Mathematical Modeling Point of View. 2006 , 3		1
357	Dynamic analysis of variable-geometry electrostatic microactuators. <i>Journal of Micromechanics and Microengineering</i> , 2006 , 16, 2449-2457	2	55
356	Colloquium: Nonlinear energy localization and its manipulation in micromechanical oscillator arrays. 2006 , 78, 137-157		252
355	Direct evidence of spring softening nonlinearity in micromachined mechanical resonator using optical beam deflection technique. 2006 , 24, 732-736		11
354	Mathematical Modeling and Simulation of Thermal Effects in Flexural Microcantilever Resonator Dynamics. <i>JVC/Journal of Vibration and Control</i> , 2006 , 12, 139-163	2	17
353	Review of modeling electrostatically actuated microelectromechanical systems. 2007 , 16, R23-R31		217
352	Resonant Pull-In Condition in Parallel-Plate Electrostatic Actuators. <i>Journal of Microelectromechanical Systems</i> , 2007 , 16, 1044-1053	2.5	55
351	Effects of Non-ideal Boundary Conditions on Vibrations of Microbeams. <i>JVC/Journal of Vibration and Control</i> , 2007 , 13, 1369-1378	2	28
350	Dynamic characterization of nanoelectromechanical oscillators by atomic force microscopy. 2007 , 101, 044308		19
349	. 2007 , 7, 370-380		77
348	Electric field drives the nonlinear resonance of a piezoelectric nanowire. 2007 , 144, 118-123		11
347	Dynamic pull-in phenomenon in MEMS resonators. <i>Nonlinear Dynamics</i> , 2007 , 48, 153-163	5	333
346	Chaotic flexural oscillations of a spinning nanoresonator. <i>Nonlinear Dynamics</i> , 2007 , 51, 9-29	5	7
345	Thermomechanical transitions in doubly-clamped micro-oscillators. 2007 , 42, 596-607		26
344	Dynamics of a nonlinear microresonator based on resonantly interacting flexural-torsional modes. <i>Nonlinear Dynamics</i> , 2008 , 54, 31-52	5	40
343	Vibrations of narrow microbeams predeformed by an electric field. <i>Journal of Sound and Vibration</i> , 2008 , 309, 600-612	3.9	188

342	Vibrations of parallel arrays of electrostatically actuated microplates. <i>Journal of Sound and Vibration</i> , 2008 , 315, 1071-1085	3.9	28
341	Vibrations and pull-in instabilities of microelectromechanical von Kőmő elliptic plates incorporating the Casimir force. <i>Journal of Sound and Vibration</i> , 2008 , 315, 939-960	3.9	59
340	Modelling the dynamics of a MEMS resonator: Simulations and experiments. 2008 , 142, 306-315		139
339	Nonlinear behavior of SOI free-free micromechanical beam resonator. 2008 , 142, 203-210		19
338	Nonlinear oscillations of piezoelectric microresonators with curved cross-sections. 2008 , 144, 194-200		21
337	Reduced-order models for microelectromechanical rectangular and circular plates incorporating the Casimir force. 2008 , 45, 3558-3583		135
336	The effect of a piezoelectric layer on the mechanical behavior of an electrostatic actuated microbeam. 2008 , 17, 065024		25
335	Harmonic Balance Nonlinear Identification of a Capacitive Dual-Backplate MEMS Microphone. <i>Journal of Microelectromechanical Systems</i> , 2008 , 17, 698-708	2.5	13
334	Nonlinearity in micromechanical free-free beam resonators: modeling and experimental verification. <i>Journal of Micromechanics and Microengineering</i> , 2008 , 18, 025017	2	22
333	Vibration equation of coupled RLC series circuit and micro-beam system. 2008 ,		
332	Static and Dynamic Instabilities of Electrostatic Actuated MEMS Devices. 2008 , 1, 307-322		
331	Modelling of Dynamics. 2009 , 79-111		3
330	Capture and release of traveling intrinsic localized mode in coupled cantilever array. 2009 , 19, 013138		21
329	Effects of Nonlinearities on the Steady State Dynamic Behavior of Electric Actuated Microcantilever-based Resonators. <i>JVC/Journal of Vibration and Control</i> , 2009 , 15, 1283-1306	2	10
328	Variational principles for multi-walled carbon nanotubes undergoing non-linear vibrations by semi-inverse method. 2009 , 4, 198-203		12
327	Nonlinear static and dynamic responses of an electrically actuated viscoelastic microbeam. 2009 , 25, 211-218		30
326	About the synchronization of MEMs. 2009 , 10, 266-276		3
325	Stability and resonance of micro-machined gyroscope under nonlinearity effects. <i>Nonlinear Dynamics</i> , 2009 , 56, 369-379	5	8

324	On the nonlinear resonances and dynamic pull-in of electrostatically actuated resonators. <i>Journal of Micromechanics and Microengineering</i> , 2009 , 19, 045013	2	110
323	Exploration of New Concepts for Mass Detection in Electrostatically-Actuated Structures Based on Nonlinear Phenomena. 2009 , 4,		73
322	A Microresonator Design Based on Nonlinear 1 : 2 Internal Resonance in Flexural Structural Modes. <i>Journal of Microelectromechanical Systems</i> , 2009 , 18, 744-762	2.5	55
321	Analysis of non-linear vibrations of a microresonator under piezoelectric and electrostatic actuations. 2009 , 223, 329-344		16
320	Primary Resonance and Simulation of Coupled Circuit and Microbeam System. 2010 ,		
319	. <i>Journal of Microelectromechanical Systems</i> , 2010 , 19, 647-656	2.5	102
318	Electromechanical dynamic buckling phenomenon in symmetric electric fields actuated microbeams considering material damping. 2010 , 215, 29-42		26
317	Modeling and analysis of electrostatic MEMS filters. <i>Nonlinear Dynamics</i> , 2010 , 60, 385-401	5	27
316	Static pull-in analysis of electrostatically actuated microbeams using homotopy perturbation method. <i>Applied Mathematical Modelling</i> , 2010 , 34, 1032-1041	4.5	98
315	Simulations and experiments of hardening and softening resonances in a clamped-clamped beam MEMS resonator. 2010 , 162, 225-234		59
314	Buckling and longterm dynamics of a nonlinear model for the extensible beam. 2010 , 51, 833-846		10
313	Analysis of thermoelastic damping in microresonators by considering the stretching effect. <i>International Journal of Mechanical Sciences</i> , 2010 , 52, 1366-1375	5.5	28
312	The dynamic behavior of MEMS arch resonators actuated electrically. 2010 , 45, 704-713		168
311	An investigation into the effects of electrostatic and squeeze-film non-linearities on the shock spectrum of microstructures. 2010 , 45, 756-765		7
310	Chaos prediction and control in MEMS resonators. 2010 , 15, 3091-3099		111
309	A Semianalytical Method for Nonlinear Vibration of Euler-Bernoulli Beams with General Boundary Conditions. 2010 , 2010, 1-17		5
308	Nonlinear Dynamics and Its Applications in Micro- and Nanoresonators. 2010 , 132,		172
307	Simulation of coupled series circuit and microbeam system. 2010 ,		

306	Control of MEMS Vibration Modes With Pulsed Digital Oscillators: Part I theory. 2010 , 57, 1865-1878		14
305	Nonlinear Dynamics of Electrically Actuated Carbon Nanotube Resonators. 2010 , 5,		90
304	Nonlinear vibration of an electrically actuated microresonator tuned by combined DC piezoelectric and electric actuations. 2010 , 19, 015012		15
303	Dynamics and Global Stability of Beam-based Electrostatic Microactuators. <i>JVC/Journal of Vibration and Control</i> , 2010 , 16, 721-748	2	55
302	Review on the modeling of electrostatic MEMS. <i>Sensors</i> , 2010 , 10, 6149-71	3.8	108
301	. 2011 ,		
300	A finite element technique for accurate determination of interfacial adhesion force in MEMS using electrostatic actuation. <i>Journal of Micromechanics and Microengineering</i> , 2011 , 21, 115025	2	8
299	Stable Operation of MEMS Oscillators Far Above the Critical Vibration Amplitude in the Nonlinear Regime. <i>Journal of Microelectromechanical Systems</i> , 2011 , 20, 1228-1230	2.5	42
298	Forced Vibration of Electrically Actuated FGM Micro-Switches. 2011 , 14, 280-287		19
297	ANALYTIC SOLUTIONS TO THE OSCILLATORY BEHAVIOR AND PRIMARY RESONANCE OF ELECTROSTATICALLY ACTUATED MICROBRIDGES. 2011 , 11, 1119-1137		36
296	Modeling of Pull-In Instability of Nano/Micromirrors Under the Combined Effect of Capillary and Casimir Forces. 2011 , 5, 378-392		7
295	Stochastic analysis of a novel force sensor based on bifurcation of a micro-structure. <i>Journal of Sound and Vibration</i> , 2011 , 330, 5753-5768	3.9	7
294	Verification of the phase-noise model for MEMS oscillators operating in the nonlinear regime. 2011 ,		19
293	Nonlinear Dynamics of Spring Softening and Hardening in Folded-MEMS Comb Drive Resonators. <i>Journal of Microelectromechanical Systems</i> , 2011 , 20, 943-958	2.5	84
292	Modeling and steady state analysis of the extensible thermoelastic beam. 2011 , 53, 896-908		9
291	Bending and vibration of an electrostatically actuated circular microplate in presence of Casimir force. <i>Applied Mathematical Modelling</i> , 2011 , 35, 2348-2357	4.5	23
290	Application of the energy balance method to a nonlinear oscillator arising in the microelectromechanical system (MEMS). 2011 , 11, 482-485		57
289	Nonlinear analysis and control of the uncertain micro-electro-mechanical system by using a fuzzy sliding mode control design. 2011 , 61, 1912-1916		46

288	Computational and quasi-analytical models for non-linear vibrations of resonant MEMS and NEMS sensors. 2011 , 46, 532-542		65
287	Noise-induced chaos in the electrostatically actuated MEMS resonators. 2011 , 375, 2903-2910		48
286	Influence of the temperature dependent nonlinearities on the performance of micromechanical resonators. 2011 , 99, 194102		6
285	A high-sensitivity resonant sensor realized through the exploitation of nonlinear dynamic behaviour. 2011 , 22, 105202		9
284	Polynomial Approach Modeling of Resonator Piezoelectric Disc. 2011 , 482, 11-20		3
283	Motional impedance of resonators in the nonlinear regime. 2011 ,		1
282	ON NONLINEAR RESPONSE NEAR-HALF NATURAL FREQUENCY OF ELECTROSTATICALLY ACTUATED MICRORESONATORS. 2011 , 11, 641-672		24
281	An Analytical Approach to Modeling Static Behavior of Torsional Nano-/Micro-actuators under Effect of van der Waals Force. <i>Japanese Journal of Applied Physics</i> , 2012 , 51, 037201	1.4	
280	Characterization of the static behavior of micromirrors under the effect of capillary force, an analytical approach. 2012 , 226, 2361-2372		9
279	Control of chaotic responses of a laminated composite beam subjected to external excitation. 2012		
278	Chaos in a fractional-order micro-electro-mechanical resonator and its suppression. 2012 , 21, 100505		61
277	Pull-In Retarding in Nonlinear Nanoelectromechanical Resonators Under Superharmonic Excitation. 2012 , 7,		23
276	Design of nonlinear springs for attaining a linear response in gap-closing electrostatic actuators. 2012 , 49, 3816-3822		16
275	Reversed Nonlinear Oscillations in Lamé Mode Single-Crystal-Silicon Microresonators. 2012 , 33, 1492-1494		7
274	INFLUENCE OF VAN DER WAALS FORCE ON STATIC BEHAVIOR OF NANO/MICROMIRRORS UNDER CAPILLARY FORCE. 2012 , 26, 1250056		3
273	Resonant behaviors of a nonlinear cantilever beam with tip mass subject to an axial force and electrostatic excitation. <i>International Journal of Mechanical Sciences</i> , 2012 , 64, 232-257	5.5	39
272	Dynamics of a Micro Electrical Mechanical System Subject to Thermoelastic and Squeeze-Film Damping. 2012 , 1, 04004		
271	Statements on chaos control designs, including a fractional order dynamical system, applied to a MEMS comb-drive actuator. <i>Nonlinear Dynamics</i> , 2012 , 69, 1837-1857	5	78

270	Static behavior of nano/micromirrors under the effect of Casimir force, an analytical approach. 2012 , 26, 537-543		20
269	Analytical modeling of static behavior of electrostatically actuated nano/micromirrors considering van der Waals forces. 2012 , 28, 729-736		10
268	Characterization of extensional multi-layer microbeams in pull-in phenomenon and vibrations. <i>International Journal of Mechanical Sciences</i> , 2012 , 54, 225-233	5.5	28
267	Nonlinear vibration and stability analysis of a double-walled carbon nanotube under electrostatic actuation. <i>Journal of Sound and Vibration</i> , 2012 , 331, 2443-2456	3.9	33
266	Resonance frequency response of geometrically nonlinear micro-switches under electrical actuation. <i>Journal of Sound and Vibration</i> , 2012 , 331, 3397-3411	3.9	35
265	Nonlinear damping in a micromechanical oscillator. <i>Nonlinear Dynamics</i> , 2012 , 67, 859-883	5	172
264	Dynamic response of slacked single-walled carbon nanotube resonators. <i>Nonlinear Dynamics</i> , 2012 , 67, 1419-1436	5	37
263	The effect of time-delayed feedback controller on an electrically actuated resonator. <i>Nonlinear Dynamics</i> , 2013 , 74, 257-270	5	36
262	Effect of coupled modes on pull-in voltage and frequency tuning of a NEMS device. <i>Journal of Micromechanics and Microengineering</i> , 2013 , 23, 085015	2	15
261	Modeling nonlinearities in MEMS oscillators. 2013 , 60, 1646-59		34
260	Nonlinear resonant behavior of microbeams over the buckled state. 2013 , 113, 297-307		62
259	The oscillatory behavior, static and dynamic analyses of a micro/nano gyroscope considering geometric nonlinearities and intermolecular forces. 2013 , 29, 851-863		14
258	Free Vibration Analysis of a Microbeam Subjected to a Symmetric Electrostatic Field. 2013 , 20, 257-263		6
257	Analytical closed form model for static pull-in analysis in electrostatically actuated torsional micromirrors. 2013 , 27, 1443-1449		9
256	Nonlinear spring effect of tense thin-film torsion bar combined with electrostatic driving. 2013 , 195, 83-89		8
255	Nonlinear dynamics of a geometrically imperfect microbeam based on the modified couple stress theory. 2013 , 68, 11-23		221
254	Non-Linear Vibrations of a Microbeam Resting on an Elastic Foundation. 2013 , 38, 1191-1199		6
253	Application of piezoelectric actuation to regularize the chaotic response of an electrostatically actuated micro-beam. <i>Nonlinear Dynamics</i> , 2013 , 73, 853-867	5	28

252	. <i>Journal of Microelectromechanical Systems</i> , 2013 , 22, 318-330	2.5	10
251	Dynamical characteristics of an electrically actuated microbeam under the effects of squeeze-film and thermoelastic damping. 2013 , 69, 16-32		33
250	Nonlinear behavior and characterization of a piezoelectric laminated microbeam system. 2013 , 18, 1304-1315		27
249	ANALYTICAL MODELING OF THE EFFECTS OF ELECTROSTATIC ACTUATION AND CASIMIR FORCE ON THE PULL-IN INSTABILITY AND STATIC BEHAVIOR OF TORSIONAL NANO/MICRO ACTUATORS. 2013 , 27, 1350008		5
248	Tracking Control of an Uncertain MEMS Resonator via Adaptive Terminal Sliding Mode Control. 2013 , 302, 665-670		
247	Vibrations of a Slightly Curved Microbeam Resting on an Elastic Foundation with Nonideal Boundary Conditions. 2013 , 2013, 1-16		11
246	The effect of the temperature-dependent nonlinearities on the temperature stability of micromechanical resonators. 2013 , 114, 153513		7
245	Electrostatically actuated resonant switches for earthquake detection. 2013 ,		
244	On estimating the effective nonlinearity of structural modes using approximate modal shapes. <i>JVC/Journal of Vibration and Control</i> , 2014 , 20, 1751-1764	2	4
243	The influence of the parasitic current on the nonlinear electrical response of capacitive sensed cantilever beams. 2014 ,		
242	Synchronization in a coupled architecture of microelectromechanical oscillators. 2014 , 115, 164904		21
241	An analytical formulation for phase noise in MEMS oscillators. 2014 , 61, 1938-52		26
240	Vibrational Behavior of an Electrically Actuated Micro-Beam with Thermoelastic Damping. 2014 , 30, 219-227		3
239	Tuning the primary resonances of a micro resonator, using piezoelectric actuation. <i>Nonlinear Dynamics</i> , 2014 , 76, 839-852	5	40
238	Modeling and Analysis of an Electrically Actuated Microbeam Based on Nonclassical Beam Theory. 2014 , 9,		17
237	Analysis of dynamic nonlinear thermoviscoelastic beam problems. 2014 , 95, 774-795		11
236	Primary and secondary resonance analyses of clamped-clamped micro-beams. <i>Nonlinear Dynamics</i> , 2014 , 76, 1867-1884	5	36
235	Carbon nanotube-based nano-fluidic devices. 2014 , 47, 085301		6

234	Coupling graphene mechanical resonators to superconducting microwave cavities. 2014 , 14, 2854-60		109
233	High-order theory for arched structures and its application for the study of the electrostatically actuated MEMS devices. <i>Archive of Applied Mechanics</i> , 2014 , 84, 1037-1055	2.2	16
232	Computational models for large amplitude nonlinear vibrations of electrostatically actuated carbon nanotube-based mass sensors. 2014 , 208, 10-20		40
231	A bifurcation-based coupled linear-bistable system for microscale mass sensing. <i>Journal of Sound and Vibration</i> , 2014 , 333, 2241-2252	3.9	50
230	Nonlinear dynamics of electrostatically actuated micro-resonator: Analytical solution by homotopy perturbation method. 2014 ,		1
229	Stability and bifurcation analysis of an electrostatically controlled highly deformable microcantilever-based resonator. <i>Nonlinear Dynamics</i> , 2014 , 78, 1781-1800	5	9
228	Nano-resonator frequency response based on strain gradient theory. 2014 , 47, 365303		16
227	EFFECTS OF CASIMIR AND VAN DER WAALS FORCES ON THE PULL-IN INSTABILITY OF THE NONLINEAR MICRO AND NANO-BRIDGE GYROSCOPES. 2014 , 14, 1350059		12
226	A control approach for vibrations of a nonlinear microbeam system in multi-dimensional form. <i>Nonlinear Dynamics</i> , 2014 , 77, 1677-1692	5	3
225	Simultaneous planar free and forced vibrations analysis of an electrostatically actuated beam oscillator. <i>International Journal of Mechanical Sciences</i> , 2014 , 82, 90-99	5.5	9
224	Fluid-solid interaction in electrostatically actuated carbon nanotubes. 2014 , 28, 1431-1439		3
223	Dynamic Characteristics of Electrostatically Actuated Microbeams with Slant Crack. 2015 , 2015, 1-13		
222	Dynamic Characteristics of Electrostatically Actuated Shape Optimized Variable Geometry Microbeam. 2015 , 2015, 1-15		2
221	Application of electrostatically actuated carbon nanotubes in nanofluidic and bio-nanofluidic sensors and actuators. 2015 , 73, 127-136		8
220	Static Deflection and Pull-In Instability of the Electrostatically Actuated Bilayer Microcantilever Beams. 2015 , 07, 1550090		13
219	Microelectromechanical Systems Cantilever Resonators Under Soft Alternating Current Voltage of Frequency Near Natural Frequency. 2015 , 137,		11
218	Adaptive Control for Fractional-Order Micro-Electro-Mechanical Resonator With Nonsymmetric Dead-Zone Input. 2015 , 10,		5
217	Nonlinear motion characteristics of microarches under axial loads based on modified couple stress theory. 2015 , 15, 401-411		25

216	Multi-mode excitation of a clamped-clamped microbeam resonator. <i>Nonlinear Dynamics</i> , 2015 , 80, 1531-1541		11
215	Static bifurcation and primary resonance analysis of a MEMS resonator actuated by two symmetrical electrodes. <i>Nonlinear Dynamics</i> , 2015 , 80, 1585-1599	5	32
214	Nonlinear tuning of microresonators for dynamic range enhancement. 2015 , 471, 20140969		6
213	. <i>Journal of Microelectromechanical Systems</i> , 2015 , 24, 537-544	2.5	11
212	Super Sensitive Mass Detection in Nonlinear Regime. 2015 , 16, 1		
211	Frequency analysis of electrostatic cantilever-based MEMS sensor. 2015 ,		3
210	Regularized model of post-touchdown configurations in electrostatic MEMS: interface dynamics. 2015 , 80, 1635-1663		12
209	Size effects on nanomechanical behaviors of nanoelectronics devices based on consistent couple-stress theory. <i>International Journal of Mechanical Sciences</i> , 2015 , 92, 146-153	5.5	11
208	Nano-resonator dynamic behavior based on nonlocal elasticity theory. 2015 , 229, 2665-2671		
207	Dynamic phenomena and analysis of MEMS capacitive power harvester subjected to low-frequency excitations. <i>Nonlinear Dynamics</i> , 2015 , 79, 673-688	5	10
206	Nonlinear feedback controller of a microbeam resonator. <i>JVC/Journal of Vibration and Control</i> , 2015 , 21, 1680-1697	2	13
205	In-plane and out-of-plane nonlinear size-dependent dynamics of microplates. <i>Nonlinear Dynamics</i> , 2015 , 79, 1771-1785	5	157
204	A dynamic thermoviscoelastic contact problem with the second sound effect. 2015 , 421, 1163-1195		11
203	Controlling chaotic vibrations of an Euler-Bernoulli beam with an active control strategy. 2015 , 3, 425-436		
202	On the dynamics of bistable micro/nano resonators: Analytical solution and nonlinear behavior. 2015 , 20, 1078-1089		44
201	Application of quadratic controller to control the pull-in instability of a micro-resonator. 2015 , 11, 111-123		12
200	Application of Higher Order Hamiltonian Approach to the Nonlinear Vibration of Micro Electro Mechanical Systems. <i>Latin American Journal of Solids and Structures</i> , 2016 , 13, 478-497	1.4	20
199	Nonlinear-Based MEMS Sensors and Active Switches for Gas Detection. <i>Sensors</i> , 2016 , 16,	3.8	31

198	Micromachined Resonators: A Review. <i>Micromachines</i> , 2016 , 7,	3.3	100
197	Multistable internal resonance in electroelastic crystals with nonlinearly coupled modes. 2016 , 6, 22897		15
196	Voltage Response of Primary Resonance of Electrostatically Actuated MEMS Clamped Circular Plate Resonators. 2016 , 11,		4
195	Controlling the characteristics of nanomechanical resonators. 2016 ,		1
194	Parametric Thermally Induced Vibration of an Electrostatically Deflected FGM Micro-Beam. 2016 , 08, 1650092		7
193	Nonlinear free vibration of a cantilever nanobeam with surface effects: Semi-analytical solutions. <i>International Journal of Mechanical Sciences</i> , 2016 , 113, 184-195	5.5	27
192	Static and dynamic responses of a microcantilever with a T-shaped tip mass to an electrostatic actuation. 2016 , 32, 1104-1122		3
191	Non-local effects on the non-linear modes of vibration of carbon nanotubes under electrostatic actuation. 2016 , 87, 1-20		12
190	Nonlinear Structural Mechanics of Micro-and Nanosystems. 2016 , 127-195		
189	Multifrequency excitation of a clamped-clamped microbeam: Analytical and experimental investigation. <i>Microsystems and Nanoengineering</i> , 2016 , 2, 16002	7.7	21
188	. <i>Journal of Microelectromechanical Systems</i> , 2016 , 25, 877-883	2.5	15
187	An Active Vibration Control Strategy for Simply Supported Beams. 2016 , 215-242		
186	An investigation of the static and dynamic behavior of electrically actuated rectangular microplates. 2016 , 85, 81-93		30
185	Size-dependent behaviour of electrically actuated microcantilever-based MEMS. 2016 , 12, 301-315		34
184	Static, eigenvalue problem and bifurcation analysis of MEMS arches actuated by electrostatic fringing-fields. <i>Microsystem Technologies</i> , 2016 , 22, 193-206	1.7	21
183	Sensitivity enhancement of a MEMS sensor in nonlinear regime. 2016 , 12, 337-351		11
182	Frequency and displacement analysis of electrostatic cantilever-based MEMS sensor. 2016 , 88, 1-11		10
181	Parametric resonances of an electrically actuated piezoelectric nanobeam resonator considering surface effects and intermolecular interactions. <i>Nonlinear Dynamics</i> , 2016 , 84, 1943-1960	5	19

180	Optimization of static and dynamic travel range of electrostatically driven microbeams using particle swarm optimization. 2016 , 97, 1-16		8
179	On the secondary resonance of a MEMS resonator: A conceptual study based on shooting and perturbation methods. 2016 , 82, 59-68		16
178	Wideband MEMS resonator using multifrequency excitation. 2016 , 242, 140-145		15
177	Higher order modes excitation of electrostatically actuated clamped-clamped microbeams: experimental and analytical investigation. <i>Journal of Micromechanics and Microengineering</i> , 2016 , 26, 025008	2	30
176	Coupled Nonlinear Dynamics of Geometrically Imperfect Shear Deformable Extensible Microbeams. 2016 , 11,		7
175	Grains size and rigid rotations effects on the dynamics and pull-in instability of electrostatically-actuated beams. 2016 ,		
174	Prediction of small-scale effects on nonlinear dynamic behaviors of carbon nanotube-based nano-resonators using consistent couple stress theory. 2016 , 88, 26-35		12
173	Nonlinear analysis of electrostatically actuated diaphragm-type micropumps. <i>Nonlinear Dynamics</i> , 2016 , 83, 951-961	5	15
172	Analytical study on size-dependent static pull-in analysis of clamped-clamped nano-actuators in liquid electrolytes. <i>Applied Mathematical Modelling</i> , 2016 , 40, 3011-3028	4-5	7
171	Nonlinear dynamics of nano-resonators: an analytical approach. <i>Microsystem Technologies</i> , 2016 , 22, 2259-2271		
170	Parametric instability of microbeams in supercritical regime. <i>Nonlinear Dynamics</i> , 2016 , 83, 1171-1183	5	17
169	Nonlinear analysis and power improvement of broadband low-frequency piezomagnetoelastic energy harvesters. <i>Nonlinear Dynamics</i> , 2016 , 83, 41-56	5	33
168	Nonlinear dynamics of a functionally graded piezoelectric micro-resonator in the vicinity of the primary resonance. <i>JVC/Journal of Vibration and Control</i> , 2017 , 23, 400-413	2	17
167	Nonlinear vibration analysis of a +-shaped mass attached to a clamped-clamped microbeam under electrostatic actuation. 2017 , 231, 2147-2158		2
166	Non-linear optimal fuzzy control synthesis for robust output tracking of uncertain micro-electro-mechanical systems. 2017 , 39, 1146-1160		5
165	Linear and nonlinear free vibrations of electrostatically actuated micro-/nanomechanical resonators. <i>Microsystem Technologies</i> , 2017 , 23, 113-123	1-7	9
164	Nonlinear vibration and stability analysis of an electrically actuated piezoelectric nanobeam considering surface effects and intermolecular interactions. <i>JVC/Journal of Vibration and Control</i> , 2017 , 23, 1873-1889	2	23
163	Frequency response of an electrostatically actuated micro resonator in contact with incompressible fluid. <i>Microsystem Technologies</i> , 2017 , 23, 2381-2391	1-7	4

162	A size-dependent model to study nonlinear static behavior of piezoelectric cantilever microbeams with damage. <i>Microsystem Technologies</i> , 2017 , 23, 4679-4686	1.7	7
161	Dynamic analysis and design of electrically actuated viscoelastic microbeams considering the scale effect. 2017 , 90, 21-31		18
160	Nonlinear modal interactions and bifurcations of a piezoelectric nanoresonator with three-to-one internal resonances incorporating surface effects and van der Waals dissipation forces. <i>Nonlinear Dynamics</i> , 2017 , 88, 1785-1816	5	21
159	Suppression of the A-f-mediated noise at the top bifurcation point in a MEMS resonator with both hardening and softening hysteretic cycles. 2017 , 256, 59-65		10
158	Nonlinear Dynamic Response of Carbon Nanotube Nanocomposite Microbeams. 2017 , 12,		7
157	A Conceptual Study of Microelectromechanical Disk Resonators. 2017 , 2, 29-37		12
156	Axial control for nonlinear resonances of electrostatically actuated nanobeam with graphene sensor. <i>Applied Mathematics and Mechanics (English Edition)</i> , 2017 , 38, 527-542	3.2	5
155	On the Nonlinear Dynamics of a Doubly Clamped Microbeam Near Primary Resonance. 2017 , 139,		
154	Non-Linear Frequency Noise Modulation in a Resonant MEMS Accelerometer. 2017 , 17, 4122-4127		14
153	Radial-contour mode microring resonators: Nonlinear dynamics. <i>International Journal of Mechanical Sciences</i> , 2017 , 130, 258-266	5.5	7
152	One-to-One and Three-to-One Internal Resonances in MEMS Shallow Arches. 2017 , 12,		32
151	Comprehensive numerical modeling of the nonlinear structural behavior of MEMS/NEMS electrostatic actuators under the effect of the van der Waals forces. <i>Microsystem Technologies</i> , 2017 , 23, 5903-5910	1.7	10
150	Nonlinear coupled vibration of electrostatically actuated clamped-clamped microbeams under higher-order modes excitation. <i>Nonlinear Dynamics</i> , 2017 , 90, 1593-1606	5	22
149	Parametric resonance of a repulsive force MEMS electrostatic mirror. 2017 , 265, 20-31		24
148	Bistable nonlinear response of MEMS resonators. <i>Nonlinear Dynamics</i> , 2017 , 90, 1627-1645	5	17
147	Design of capacitive micromachined ultrasonic transducers (CMUTs) on a flexible substrate for intravascular ultrasonography (IVUS) applications. 2017 ,		1
146	Viscoelasticity effects on resonant response of a shear deformable extensible microbeam. <i>Nonlinear Dynamics</i> , 2017 , 87, 391-406	5	13
145	Parametric system identification of resonant micro/nanosystems operating in a nonlinear response regime. <i>Mechanical Systems and Signal Processing</i> , 2017 , 84, 241-264	7.8	11

144	Parametric Resonance in Electrostatically Actuated Micromirrors. 2017 , 64, 1544-1551		24
143	Nonlinear coupling of transverse modes of a fixed-fixed microbeam under direct and parametric excitation. <i>Nonlinear Dynamics</i> , 2017 , 87, 1271-1294	5	8
142	Material structure and size effects on the nonlinear dynamics of electrostatically-actuated nano-beams. 2017 , 89, 25-42		21
141	Nonlinear dynamic analysis of electrically actuated viscoelastic bistable microbeam system. <i>Nonlinear Dynamics</i> , 2017 , 87, 587-604	5	15
140	Outline of capacitive micromachined ultrasonic transducers (CMUTS) on an adaptable substrate for intravascular ultrasonography (IVUS) applications. 2017 ,		
139	Nonlinear Parameter Identification of a Resonant Electrostatic MEMS Actuator. <i>Sensors</i> , 2017 , 17,	3.8	11
138	Dynamic Analysis of Multilayers Based MEMS Resonators. 2017 , 2017, 1-14		5
137	Nonlinear cc-beam microresonator model for system level electrical simulations: Application to bistable behavior analysis. 2018 , 272, 33-41		3
136	Nonlinear dynamics of doubly curved shallow microshells. <i>Nonlinear Dynamics</i> , 2018 , 92, 803-814	5	19
135	Observer-based adaptive stabilization of the fractional-order chaotic MEMS resonator. <i>Nonlinear Dynamics</i> , 2018 , 92, 1079-1089	5	24
134	Phase switch in the stochastic response of a micromechanical beam resonator. 2018 , 229, 2177-2187		5
133	Multi-frequency excitation of microbeams supported by Winkler and Pasternak foundations. <i>JVC/Journal of Vibration and Control</i> , 2018 , 24, 2894-2911	2	14
132	Nonlinear vibration control with nanocapacitive sensor for electrostatically actuated nanobeam. <i>Journal of Low Frequency Noise Vibration and Active Control</i> , 2018 , 37, 235-252	1.5	12
131	Nonlinear Vibration of Size Dependent Microresonators with an Electrostatically Actuated Proof Mass. 2018 , 18, 1850057		4
130	Qualitative Identification of the Static Pull-In and Fundamental Frequency of One-Electrode MEMS Resonators. <i>Micromachines</i> , 2018 , 9,	3.3	2
129	Effects of the slip boundary condition on dynamics and pull-in instability of carbon nanotubes conveying fluid. 2018 , 22, 1		4
128	An Investigation on the Effects of Contact in MEMS Oscillators. <i>Journal of Microelectromechanical Systems</i> , 2018 , 27, 963-972	2.5	9
127	On an Optimal Control Applied in MEMS Oscillator with Chaotic Behavior including Fractional Order. 2018 , 2018, 1-12		11

126	Methods for Nonlinearities Reduction in Micromechanical Beams Resonators. <i>Journal of Microelectromechanical Systems</i> , 2018 , 27, 764-773	2.5	6
125	Nonlinear couplings and energy transfers in micro- and nano-mechanical resonators: intermodal coupling, internal resonance and synchronization. 2018 , 376,		28
124	Static and Dynamic Mechanical Behaviors of Electrostatic MEMS Resonator with Surface Processing Error. <i>Micromachines</i> , 2018 , 9,	3.3	12
123	Monostable Dynamic Analysis of Microbeam-Based Resonators via an Improved One Degree of Freedom Model. <i>Micromachines</i> , 2018 , 9,	3.3	2
122	Chaotic Behavior and Adaptive Control of the Arch MEMS Resonator With State Constraint and Sector Input. 2018 , 18, 6986-6995		4
121	Dynamics and vibration analysis of an electrostatically actuated FGM microresonator involving flexural and torsional modes. <i>International Journal of Mechanical Sciences</i> , 2018 , 148, 422-441	5.5	8
120	Analytical Modeling and Experimental Verification of Nonlinear Mode Coupling in a Decoupled Tuning Fork Microresonator. <i>Journal of Microelectromechanical Systems</i> , 2018 , 27, 398-406	2.5	10
119	Primary and Secondary Resonance of Micro-resonators Based on Couple Stress Theory. 2019 , 43, 443-456		1
118	Resonant dynamics of axially functionally graded imperfect tapered Timoshenko beams. <i>JVC/Journal of Vibration and Control</i> , 2019 , 25, 336-350	2	5
117	Reduced order modelling of the non-linear stiffness in MEMS resonators. 2019 , 116, 211-218		27
116	Design, fabrication and experimental validation of a MEMS periodic auxetic structure. 2019 , 28, 095011		4
115	Nonlinear Coupled Vibration of Electrically Actuated Arch with Flexible Supports. <i>Micromachines</i> , 2019 , 10,	3.3	5
114	On the Application of the Multiple Scales Method on Electrostatically Actuated Resonators. 2019 , 14,		4
113	Primary and secondary resonance analyses of a cantilever beam carrying an intermediate lumped mass with time-delay feedback. <i>Nonlinear Dynamics</i> , 2019 , 97, 1175-1195	5	10
112	Periodic and nonperiodic modes of postbuckling and nonlinear vibration of beams attached to nonlinear foundations. <i>Applied Mathematical Modelling</i> , 2019 , 75, 414-445	4.5	23
111	Nonlinear electrostatic effects in MEMS ring-based rate sensors under shock excitation. <i>International Journal of Mechanical Sciences</i> , 2019 , 157-158, 485-497	5.5	8
110	Three-to-One Internal Resonance in MEMS Arch Resonators. <i>Sensors</i> , 2019 , 19,	3.8	8
109	Effect of viscous axial loading on vibrating microcantilever sensors. 2019 , 52, 345301		2

108	Spontaneous Parametric Down-Conversion Induced by Non-Degenerate Three-Wave Mixing in a Scanning MEMS Micro Mirror. 2019 , 9, 3997		10
107	An Analytical Study for Nonlinear Free and Forced Vibration of Electrostatically Actuated MEMS Resonators. 2019 , 19, 1950072		7
106	Nonlinear free vibration analysis of pre-actuated isotropic piezoelectric cantilever Nano-beams. <i>Microsystem Technologies</i> , 2019 , 25, 4097-4110	1.7	9
105	The effect of capillary and intermolecular forces on instability of the electrostatically actuated microbeam with T-shaped paddle in the presence of fringing field. <i>Applied Mathematical Modelling</i> , 2019 , 71, 243-268	4.5	5
104	Effect of Dispersion Forces on Dynamic Stability of Electrostatically Actuated Micro/Nano-Beams in Presence of Mechanical Shocks. 2019 , 11, 1950085		3
103	Nonlinear secondary resonance of nanobeams under subharmonic and superharmonic excitations including surface free energy effects. <i>Applied Mathematical Modelling</i> , 2019 , 66, 195-226	4.5	58
102	On the response of MEMS resonators under generic electrostatic loadings: experiments and applications. <i>Nonlinear Dynamics</i> , 2019 , 95, 2263-2274	5	14
101	Local nonlinear dynamics of MEMS arches actuated by fringing-field electrostatic actuation. <i>Nonlinear Dynamics</i> , 2019 , 95, 2907-2921	5	11
100	Nonlinear dynamics and parameter identification of electrostatically coupled resonators. 2019 , 110, 104-114		14
99	Nonlinear Dynamics of a Space Tethered System in the Elliptic Earth-Moon Restricted Three-Body System. 2019 , 32, 04018139		4
98	Stability analysis of an electrostatically actuated out of plane MEMS structure. <i>Microsystem Technologies</i> , 2019 , 25, 3387-3397	1.7	2
97	Parameter sensitivity of cantilever beam with tip mass to parametric excitation. <i>Nonlinear Dynamics</i> , 2019 , 95, 3375-3384	5	8
96	Theoretical and Experimental Investigation of Two-to-One Internal Resonance in MEMS Arch Resonators. 2019 , 14,		17
95	Size-dependent nonlinear vibration of an electrostatic nanobeam actuator considering surface effects and inter-molecular interactions. 2019 , 15, 489-505		30
94	Interpreting and Predicting Experimental Responses of Micro- and Nano-Devices via Dynamical Integrity. 2019 , 113-166		2
93	Theoretical and experimental investigations of the crossover phenomenon in micromachined arch resonator: part II Simultaneous 1:1 and 2:1 internal resonances. <i>Nonlinear Dynamics</i> , 2020 , 99, 407-432	5	20
92	Linear and nonlinear dynamics of micro and nano-resonators: Review of recent advances. 2020 , 119, 103328		43
91	Tuning linear and nonlinear characteristics of a resonator via nonlinear interaction with a secondary resonator. <i>Nonlinear Dynamics</i> , 2020 , 99, 433-443	5	6

90	Theoretical and experimental investigations of the primary and parametric resonances in repulsive force based MEMS actuators. 2020 , 303, 111635		7
89	Non-linear mechanics in resonant inertial micro sensors. 2020 , 120, 103386		8
88	Extended IHB method for dynamic analysis of structures with geometrical and material nonlinearities. 2020 , 205, 110084		5
87	Nonlinear modal interaction of an electrically actuated microbeam with flexible support. <i>Nonlinear Dynamics</i> , 2020 , 99, 1871-1891	5	
86	On suppression of chaotic motion of a nonlinear MEMS oscillator. <i>Nonlinear Dynamics</i> , 2020 , 99, 537-557		9
85	Bifurcation behavior for mass detection in nonlinear electrostatically coupled resonators. 2020 , 119, 103366		9
84	Static and dynamic characterization of micro-electro-mechanical system repulsive force actuators. <i>JVC/Journal of Vibration and Control</i> , 2020 , 26, 1216-1231	2	3
83	Nonlinear Vibration Analysis of Damaged Microplate considering Size Effect. 2020 , 2020, 1-13		
82	Study of the Influence of Phase Noise on the MEMS Disk Resonator Gyroscope Interface Circuit. <i>Sensors</i> , 2020 , 20,	3.8	2
81	Piezo-micro-ultrasound-transducers for air-coupled arrays: Modeling and experiments in the linear and non-linear regimes. 2020 , 40, 100968		4
80	Numerical Modelling of Non-Linearities in MEMS Resonators. <i>Journal of Microelectromechanical Systems</i> , 2020 , 29, 1443-1454	2.5	4
79	Mechanical Behaviors of Electrostatic Microbeams with Nonideal Supports. 2020 , 2020, 1-18		1
78	Dynamics Characterization of a U-Shaped Micro-Resonator Portal Frame. <i>Journal of Microelectromechanical Systems</i> , 2020 , 29, 1362-1371	2.5	1
77	Size-dependent modal interactions of a piezoelectrically laminated microarch resonator with 3:1 internal resonance. <i>Applied Mathematics and Mechanics (English Edition)</i> , 2020 , 41, 1517-1538	3.2	2
76	Mixed controller (IRC+NSC) involved in the harmonic vibration response cantilever beam model. <i>Measurement and Control</i> , 2020 , 53, 1954-1967	1.5	2
75	A perturbation analysis in nonlinear free vibration of a microbeam reinforced by shape memory alloy layer based on the modified couple stress theory. <i>JVC/Journal of Vibration and Control</i> , 2020 , 107754632097700		
74	Air-coupled PMUTs array with residual stresses: experimental tests in the linear and non-linear dynamic regime. <i>International Journal of Smart and Nano Materials</i> , 2020 , 11, 387-399	3.6	1
73	Size-dependent dynamics of a FG Nanobeam near nonlinear resonances induced by heat. <i>Applied Mathematical Modelling</i> , 2020 , 86, 349-367	4.5	4

72	Dynamic and time-dependent equations. 2020 , 161-252		
71	Bi-stability behavior in electrostatically actuated non-contact based micro-actuator. <i>Microsystem Technologies</i> , 2020 , 26, 2961-2969	1.7	3
70	Electrostatically Driven MEMS Resonator: Pull-in Behavior and Non-linear Phenomena. 2020 ,		
69	Piezoelectric time delayed control for nonlinear vibration of nanobeams. <i>Journal of Low Frequency Noise Vibration and Active Control</i> , 2020 , 146134842092557	1.5	2
68	Bifurcation Analysis of an Electro-Statically Actuated Nano-beam Based on the Nonlocal Theory considering Centrifugal Forces. <i>International Journal of Nonlinear Sciences and Numerical Simulation</i> , 2020 , 21, 303-318	1.8	0
67	Anti-Symmetric Mode Vibration of Electrostatically Actuated Clamped-Clamped Microbeams for Mass Sensing. <i>Micromachines</i> , 2019 , 11,	3.3	6
66	Internal resonance of a flexible beam in a spatial tethered system. <i>Journal of Sound and Vibration</i> , 2020 , 475, 115286	3.9	37
65	Characterisation of the internal resonances of a clamped-clamped beam MEMS resonator. <i>Microsystem Technologies</i> , 2020 , 26, 1987-2003	1.7	6
64	Effects of thermo-magneto-electro nonlinearity characteristics on the stability of functionally graded piezoelectric beam. <i>Applied Mathematics and Mechanics (English Edition)</i> , 2020 , 41, 313-326	3.2	3
63	Frequency locking in the internal resonance of two electrostatically coupled micro-resonators with frequency ratio 1:3. <i>Mechanical Systems and Signal Processing</i> , 2021 , 146, 106981	7.8	20
62	Chaos analysis and stability control of the MEMS resonator via the type-2 sequential FNN. <i>Microsystem Technologies</i> , 2021 , 27, 173-182	1.7	4
61	Effect of surface on nano-beam mechanical behaviors: a parametric analysis. <i>Microsystem Technologies</i> , 2021 , 27, 665-672	1.7	2
60	Thermodynamic modeling of viscoelastic thin rotating microbeam based on non-Fourier heat conduction. <i>Applied Mathematical Modelling</i> , 2021 , 91, 973-988	4.5	28
59	Efficient algorithm for the dynamic analysis of large civil structures with a small number of nonlinear components. <i>Mechanical Systems and Signal Processing</i> , 2021 , 152, 107480	7.8	2
58	Optimal delayed control of primary and second resonances of an electrostatic driving double-sided micro-actuator. <i>Chaos, Solitons and Fractals</i> , 2021 , 142, 110499	9.3	2
57	An effective analytical approach to nonlinear free vibration of elastically actuated microtubes. <i>Meccanica</i> , 2021 , 56, 813-823	2.1	6
56	Strong internal resonance in a nonlinear, asymmetric microbeam resonator. <i>Microsystems and Nanoengineering</i> , 2021 , 7, 9	7.7	3
55	Experimental Evidence of Mechanical Frequency Comb in a Quad-Mass Mems Structure. 2021 ,		0

54	Nonlinear Free Vibration of Elastically Actuated Microtubes. 2021 , 131-145		
53	A Novel Frequency Stabilization Approach for Mass Detection in Nonlinear Mechanically Coupled Resonant Sensors. <i>Micromachines</i> , 2021 , 12,	3.3	2
52	On resonances in a weakly nonlinear microbeam due to an electric actuation. <i>Nonlinear Dynamics</i> , 2021 , 104, 3157	5	
51	Coulomb-actuated microbeams revisited: experimental and numerical modal decomposition of the saddle-node bifurcation. <i>Microsystems and Nanoengineering</i> , 2021 , 7, 41	7.7	3
50	Nonlinear response of an imperfect microcantilever static and dynamically actuated considering uncertainties and noise. <i>Nonlinear Dynamics</i> , 1	5	1
49	Duffing oscillation and jump resonance: Spectral hysteresis and input-dependent resonance shift. <i>Precision Engineering</i> , 2021 , 70, 63-69	2.9	
48	On Enhancing the Sensitivity of Resonant Thermometers Based on Parametric Modulation. <i>Journal of Microelectromechanical Systems</i> , 2021 , 30, 539-549	2.5	2
47	Investigating internal resonances and 3:1 modal interaction in an electrostatically actuated clamped-hinged microbeam. <i>Meccanica</i> , 1	2.1	1
46	A Semi-Linear Elliptic Model for a Circular Membrane MEMS Device Considering the Effect of the Fringing Field. <i>Sensors</i> , 2021 , 21,	3.8	11
45	Computational investigation of high-order mode localization in electrostatically coupled microbeams with distributed electrodes for high sensitivity mass sensing. <i>Mechanical Systems and Signal Processing</i> , 2021 , 158, 107781	7.8	1
44	Internal resonance in coupled oscillators [Part II: A synchronous sensing scheme for both mass perturbation and driving force with duffing nonlinearity. <i>Mechanical Systems and Signal Processing</i> , 2021 , 160, 107887	7.8	7
43	Nonparametric identification of a micro-electromechanical resonator. <i>Mechanical Systems and Signal Processing</i> , 2021 , 161, 107932	7.8	1
42	Nonlinear vibration and stability of functionally graded porous microbeam under electrostatic actuation. <i>Archive of Applied Mechanics</i> , 2021 , 91, 2301-2329	2.2	0
41	Nonlinear Free Vibration of Microtubes. 2021 , 123-130		
40	Introduction to Nonlinear Dynamics. <i>Microsystems</i> , 2011 , 155-249		4
39	Nonlinear Modeling of Squeeze-Film Phenomena. 2012 , 41-68		4
38	Characterization of a Tunable MEMS RF Filter. 2006 ,		2
37	Multimode Analysis of the Dynamics and Integrity of Electrically Actuated MEMS Resonators. <i>Journal of Nonlinear Dynamics</i> , 2014 , 2014, 1-10		1

36	Nonlinear response of a resonant viscoelastic microbeam under an electrical actuation. <i>Structural Engineering and Mechanics</i> , 2010 , 35, 387-407		6
35	Secondary resonances of a microresonator under AC-DC electrostatic and DC piezoelectric actuations. <i>Structural Engineering and Mechanics</i> , 2012 , 42, 677-699		2
34	Dynamic pull-in instability of geometrically nonlinear actuated micro-beams based on the modified couple stress theory. <i>Latin American Journal of Solids and Structures</i> , 2014 , 11, 810-825	1.4	32
33	An Analytical Approach to Modeling Static Behavior of Torsional Nano-/Micro-actuators under Effect of van der Waals Force. <i>Japanese Journal of Applied Physics</i> , 2012 , 51, 037201	1.4	1
32	Large-Signal Equivalent-Circuit Model of Asymmetric Electrostatic Transducers. <i>IEEE/ASME Transactions on Mechatronics</i> , 2021 , 1-11	5.5	0
31	Analytical and experimental study of the dynamics of a micro-electromechanical resonator based digital-to-analog converter. <i>Journal of Micromechanics and Microengineering</i> , 2021 , 31, 125010	2	1
30	Nonlinear Mathematical Modeling of Microbeam MEMS. 2012 , 69-104		
29	A Combined Semi-analytical and Experimental Approach for Multiphysical Nonlinear MEMS Resonators. 2013 , 195-207		
28	First Time of nanoscopic electrostatic drives pushing for ultrasonic transmission for gesture recognition. 2020 ,		0
27	Dynamic Dimensional Analysis. 2020 , 87-189		1
26	Interpolation Based Reduced Order Modelling for Non-linearities in MEMS. 2020 ,		1
25	An asymmetric mode-localized mass sensor based on the electrostatic coupling of different structural modes with distributed electrodes. <i>Nonlinear Dynamics</i> , 2022 , 108, 61	5	0
24	Chaos in coupled lateral-longitudinal vibration of electrostatically actuated microresonators. <i>Chaos, Solitons and Fractals</i> , 2022 , 156, 111828	9.3	
23	Vibrational behavior of thermoelastic rotating nanobeams with variable thermal properties based on memory-dependent derivative of heat conduction model. <i>Archive of Applied Mechanics</i> , 1	2.2	1
22	Reduced order modeling of nonlinear microstructures through Proper Orthogonal Decomposition. <i>Mechanical Systems and Signal Processing</i> , 2022 , 171, 108864	7.8	1
21	Nonparametric Identification of a Nonlinear MEMS Resonator. 2022 , 405-415		0
20	Size-dependent behavior of a MEMS microbeam under electrostatic actuation. <i>Vietnam Journal of Mechanics</i> , 2022 , 44, 69-81	1.8	0
19	Deformable MEMS with Fringing Field: Models, Uniqueness Conditions and Membrane Profile Recovering. <i>Electronics (Switzerland)</i> , 2022 , 11, 798	2.6	0

18	Squeeze film damping in MEMS loudspeakers: analysis of a clamped-clamped microbeam. 2022 ,		
17	Strain gradient bistability of bimorph piezoelectric curved beam interacting with a curved electrode. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , 2022 , 44, 1	2	0
16	Investigation of phonon lasing like auto-parametric instability between 1D flexural modes of electrostatically actuated microbeams. <i>International Journal of Mechanical Sciences</i> , 2022 , 220, 107135	5.5	0
15	On the reduction of nonlinear electromechanical systems. <i>Meccanica</i> ,	2.1	1
14	Electrically Actuated Microbeams: An Explicit Calculation of the Coulomb Integral in the Entire Stable and Unstable Regimes Using a Chebyshev-Edgeworth Approach. <i>Physical Review Applied</i> , 2022 , 18,	4.3	0
13	A Comprehensive Categorization of Micro/Nanomechanical Resonators and Their Practical Applications from an Engineering Perspective: A Review. 2200229		1
12	Internal resonance in a MEMS levitation force resonator.		
11	Proof of concept of an air-coupled electrostatic ultrasonic transducer based on lateral motion. 2022 , 345, 113813		
10	Global well-posedness analysis for the nonlinear extensible beam equations in a class of modified Woinowsky-Krieger models. 2022 , 22, 436-468		0
9	Size dependent large displacements of microbeams and microframes.		0
8	Amplitude-frequency response of parametric resonance of electrostatically actuated MEMS clamped circular plate. 2023 , 149, 104310		0
7	Fuzzy Adaptive Sliding Mode Control of Uncertain Micro-Electro-Mechanical Chaos System. 2022 , 11, 8212-8221		0
6	Chaotic Dynamics of a Periodically Forced Duffing Oscillator with Cubic Quintic Septic Power Nonlinearities. 2022 , 32,		0
5	Impacts of Small-Scale Effect and Nonlinear Damping on the Nonlinear Vibrations of Electrostatic Microresonators. 2023 , 14, 170		1
4	Structure-Preserving Analysis of Astrodynamics Systems. 2023 , 399-531		0
3	Vibration of electrically actuated MEMS Timoshenko microbeams based on a hierarchical beam element. 2023 , 44, 359-375		0
2	Free vibration of axially loaded microbeam in MEMS based on sinusoidal shear deformation theory. 2023 , 61, 177-189		0
1	Chaotic Vibration Control of a Composite Cantilever Beam.		0

