

# CITATION REPORT

List of articles citing

## Glutamate receptors and transporters in the hippocampus in schizophrenia

DOI: 10.1196/annals.1300.006

Annals of the New York Academy of Sciences, 2003, 1003, 94-101.

**Source:** <https://exaly.com/paper-pdf/34906919/citation-report.pdf>

**Version:** 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
129	The GABA-glutamate connection in schizophrenia: which is the proximate cause?. <b>2004</b> , 68, 1507-14		156
128	The hippocampus in schizophrenia: a review of the neuropathological evidence and its pathophysiological implications. <b>2004</b> , 174, 151-62		510
127	NeuroReceptor Mapping 2004 Poster Presentation. <b>2004</b> , 22, T61-T200		2
126	Reduced spinophilin but not microtubule-associated protein 2 expression in the hippocampal formation in schizophrenia and mood disorders: molecular evidence for a pathology of dendritic spines. <b>2004</b> , 161, 1848-55		121
125	Preferred stereoselective transport of the D-isomer of cis-4-[18F]fluoro-proline at the blood-brain barrier. <b>2005</b> , 25, 607-16		35
124	AMPA receptor phosphorylation is selectively regulated by constitutive phospholipase A(2) and 5-lipoxygenase activities. <b>2005</b> , 15, 370-80		26
123	N-Methyl-D-aspartate receptors as a target for improved antipsychotic agents: novel insights and clinical perspectives. <b>2005</b> , 179, 30-53		193
122	Modulators of the glycine site on NMDA receptors, D-serine and ALX 5407, display similar beneficial effects to clozapine in mouse models of schizophrenia. <b>2005</b> , 179, 54-67		135
121	Hippocampal function, declarative memory, and schizophrenia: anatomic and functional neuroimaging considerations. <b>2005</b> , 5, 249-56		34
120	Inflammatory genes and neural activity: involvement of immune genes in synaptic function and behavior. <b>2005</b> , 10, 675-80		39
119	Early maternal deprivation retards neurodevelopment in Wistar rats. <b>2005</b> , 8, 247-57		78
118	Preferred stereoselective brain uptake of d-serine--a modulator of glutamatergic neurotransmission. <b>2005</b> , 32, 793-7		38
117	Decreased hippocampal expression of the susceptibility gene PPP3CC and other calcineurin subunits in schizophrenia. <b>2005</b> , 57, 702-10		62
116	Increased prefrontal and hippocampal glutamate concentration in schizophrenia: evidence from a magnetic resonance spectroscopy study. <b>2005</b> , 58, 724-30		132
115	Decreased expression of vesicular glutamate transporter 1 and complexin II mRNAs in schizophrenia: further evidence for a synaptic pathology affecting glutamate neurons. <i>Schizophrenia Research</i> , <b>2005</b> , 73, 159-72	3.6	154
114	Selective cognitive impairments associated with NMDA receptor blockade in humans. <b>2005</b> , 30, 633-9		129
113	Ketamine : from medicine to misuse. <b>2006</b> , 20, 199-218		126

112	Serine racemase protein expression in cortex and hippocampus in schizophrenia. <b>2006</b> , 17, 1181-5	46
111	Neonatal exposure to MK801 induces structural reorganization of the central nervous system. <b>2006</b> , 17, 779-83	17
110	Expression of excitatory amino acid transporter interacting protein transcripts in the thalamus in schizophrenia. <b>2006</b> , 59, 394-402	51
109	Analysis of the possible involvement of the glutamate transporter gene EAAT2 and the glutamate receptor genes GRIA1 and GRIA2 in the pathogenesis of motor neuron disease in the Russian population. <b>2006</b> , 42, 89-93	
108	The anatomy of co-morbid neuropsychiatric disorders based on cortico-limbic synaptic interactions. <b>2006</b> , 10, 65-85	12
107	Glutamate AMPA receptor subunit 1 gene (GRIA1) and DSM-IV-TR schizophrenia: a pilot case-control association study in an Italian sample. <b>2006</b> , 141B, 287-93	31
106	AMPA receptor antagonists: potential therapeutic applications. <b>2006</b> , 1, 247-59	4
105	Haplotypes spanning SPEC2, PDZ-GEF2 and ACSL6 genes are associated with schizophrenia. <b>2006</b> , 15, 3329-42	38
104	Schizophrenia and Liver Dysfunction Caused by Portacaval Shunting. <b>2007</b> , 3, 205-212	1
103	Neurotransmitter Transporters. <b>2007</b> ,	
102	The neuregulin-1 receptor erbB4 controls glutamatergic synapse maturation and plasticity. <b>2007</b> , 54, 583-97	285
101	Chronic phencyclidine administration reduces the expression and editing of specific glutamate receptors in rat prefrontal cortex. <b>2007</b> , 208, 54-62	23
100	A reduced number of cortical neurons show increased Calbindin protein levels in chronic schizophrenia. <i>Schizophrenia Research</i> , <b>2007</b> , 96, 246-56	3.6 23
99	Towards understanding the schizophrenia code: an expanded convergent functional genomics approach. <b>2007</b> , 144B, 129-58	108
98	Decreased NR1, NR2A, and SAP102 transcript expression in the hippocampus in bipolar disorder. <b>2007</b> , 1127, 108-18	128
97	Hippocampal abnormalities and memory deficits: new evidence of a strong pathophysiological link in schizophrenia. <b>2007</b> , 54, 92-112	138
96	Comorbidity implications in brain disease: neuronal substrates of symptom profiles. <b>2007</b> , 12, 1-15	11
95	Changes in region- and cell type-specific expression patterns of neutral amino acid transporter 1 (ASCT-1) in the anterior cingulate cortex and hippocampus in schizophrenia, bipolar disorder and major depression. <b>2007</b> , 114, 261-71	33

94	Effects of nicotine on sensorimotor gating impairment induced by long-term treatment with neurotoxic NMDA antagonism. <b>2008</b> , 13, 151-61		3
93	An association analysis of synapse-associated protein 97 (SAP97) gene in schizophrenia. <b>2008</b> , 115, 1355-65		39
92	Study on GRIA2, GRIA3 and GRIA4 genes highlights a positive association between schizophrenia and GRIA3 in female patients. <b>2008</b> , 147B, 745-53		28
91	Reduced DTNBP1 (dysbindin-1) mRNA in the hippocampal formation of schizophrenia patients. <i>Schizophrenia Research</i> , <b>2008</b> , 98, 105-10	3.6	112
90	Schizophrenia, "just the facts": what we know in 2008 Part 3: neurobiology. <i>Schizophrenia Research</i> , <b>2008</b> , 106, 89-107	3.6	252
89	Frontolimbic glutamate alterations in first episode schizophrenia: evidence from a magnetic resonance spectroscopy study. <b>2008</b> , 9, 59-63		66
88	A common variant in the 3'UTR of the GRIK4 glutamate receptor gene affects transcript abundance and protects against bipolar disorder. <b>2008</b> , 105, 14940-5		49
87	Decreased mRNA expression of netrin-G1 and netrin-G2 in the temporal lobe in schizophrenia and bipolar disorder. <b>2008</b> , 33, 933-45		55
86	Altered Excitatory-Inhibitory Balance in the NMDA-Hypofunction Model of Schizophrenia. <b>2008</b> , 1, 6		193
85	Alterations of Neurotransmitter Receptors in Schizophrenia: Evidence from Postmortem Studies. <b>2009</b> , 443-492		1
84	NMDA receptor phosphorylation at a site affected in schizophrenia controls synaptic and behavioral plasticity. <b>2009</b> , 29, 11965-72		39
83	Anterior hippocampus in schizophrenia pathogenesis: molecular evidence from a proteome study. <b>2009</b> , 43, 310-22		31
82	Contribution of K <sup>+</sup> -Cl <sup>-</sup> cotransporter 2 in MK-801-induced impairment of long term potentiation. <b>2009</b> , 201, 300-4		9
81	Differential expression of glutamate transporter genes after chronic oral treatment with aripiprazole in rats. <b>2009</b> , 55, 619-28		25
80	Resequencing and association study of vesicular glutamate transporter 1 gene (VGLUT1) with schizophrenia. <i>Schizophrenia Research</i> , <b>2009</b> , 115, 254-60	3.6	8
79	Schizophrenia: from the brain to peripheral markers. A consensus paper of the WFSBP task force on biological markers. <b>2009</b> , 10, 127-55		54
78	Expression of the hippocampal NMDA receptor GluN1 subunit and its splicing isoforms in schizophrenia: postmortem study. <b>2010</b> , 35, 994-1002		40
77	Ultrastructural abnormalities of astrocytes in the hippocampus in schizophrenia and duration of illness: A postortem morphometric study. <b>2010</b> , 11, 282-292		32

76	RIM1alpha and interacting proteins involved in presynaptic plasticity mediate prepulse inhibition and additional behaviors linked to schizophrenia. <b>2010</b> , 30, 5326-33	34
75	Vesicular glutamate transporter VGLUT1 has a role in hippocampal long-term potentiation and spatial reversal learning. <b>2010</b> , 20, 684-93	84
74	Resequencing of the vesicular glutamate transporter 2 gene (VGLUT2) reveals some rare genetic variants that may increase the genetic burden in schizophrenia. <i>Schizophrenia Research</i> , <b>2010</b> , 121, 179-86	10
73	Cortical neurons from intrauterine growth retardation rats exhibit lower response to neurotrophin BDNF. <b>2010</b> , 476, 104-9	20
72	Hippocampal pathology in schizophrenia. <b>2010</b> , 4, 529-53	131
71	Behavioral Neurobiology of Schizophrenia and Its Treatment. <b>2010</b> ,	6
70	Where will insights into hippocampal activity in schizophrenia lead us?. <b>2010</b> , 10, 1-4	2
69	Glutamatergic gene expression is specifically reduced in thalamocortical projecting relay neurons in schizophrenia. <b>2011</b> , 70, 646-54	38
68	Relating the effects of prenatal stress in rodents to the pathogenesis of schizophrenia. <b>2011</b> , 70, 906-7	5
67	Effects of chronic oral treatment with aripiprazole on the expression of NMDA receptor subunits and binding sites in rat brain. <b>2011</b> , 217, 127-42	18
66	Effect of isolation rearing on the expression of AMPA glutamate receptors in the hippocampal formation. <b>2011</b> , 25, 1720-9	13
65	The methylazoxymethanol acetate (MAM-E17) rat model: molecular and functional effects in the hippocampus. <b>2012</b> , 37, 364-77	45
64	Developmental regulation of expression of schizophrenia susceptibility genes in the primate hippocampal formation. <b>2012</b> , 2, e173	9
63	AMPA Receptor Positive Modulators. <b>2012</b> , 187-231	1
62	Influence of GRIA1, GRIA2 and GRIA4 polymorphisms on diagnosis and response to antipsychotic treatment in patients with schizophrenia. <b>2012</b> , 506, 170-4	14
61	Sensorimotor gating, working and social memory deficits in mice with reduced expression of the vesicular glutamate transporter VGLUT1. <b>2012</b> , 228, 328-32	26
60	The Neurochemistry of Schizophrenia. <b>2012</b> , 1000-1011	
59	Kainate receptor-mediated modulation of hippocampal fast spiking interneurons in a rat model of schizophrenia. <i>PLoS ONE</i> , <b>2012</b> , 7, e32483	3-7 7

58	Kainate receptor trafficking. <b>2012</b> , 1, 31-44		9
57	Advancing schizophrenia drug discovery: optimizing rodent models to bridge the translational gap. <b>2012</b> , 11, 560-79		132
56	Mental disorders as "brain diseases" and Jaspers legacy. <b>2013</b> , 12, 1-3		18
55	Haploinsufficiency of VGLUT1 but not VGLUT2 impairs extinction of spatial preference and response suppression. <b>2013</b> , 245, 13-21		11
54	Network dysfunction during associative learning in schizophrenia: Increased activation, but decreased connectivity: an fMRI study. <i>Schizophrenia Research</i> , <b>2013</b> , 148, 38-49	3.6	28
53	Abnormal expression of glutamate transporters in temporal lobe areas in elderly patients with schizophrenia. <i>Schizophrenia Research</i> , <b>2013</b> , 144, 1-8	3.6	54
52	Glutamate transporters: a key piece in the glutamate puzzle of major depressive disorder. <b>2013</b> , 47, 1150-6		42
51	Increased spontaneous gamma power and synchrony in schizophrenia patients having higher minor physical anomalies. <b>2013</b> , 207, 164-72		21
50	Secondary psychoses: an update. <b>2013</b> , 12, 4-15		96
49	Aproximaci3n In Silico a la evolucion de la familia de genes que conforman el receptor ionotr3pico de glutamato en cuatro especies de primates. <b>2013</b> , 15, 194		
48	Cell Adhesion Molecules. <b>2014</b> ,		5
47	Voluntary wheel running ameliorates symptoms of MK-801-induced schizophrenia in mice. <b>2014</b> , 10, 2924-30		18
46	Antipsychotic treatment modulates glutamate transport and NMDA receptor expression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2014</b> , 264 Suppl 1, S67-82	5.1	17
45	Neural cell adhesion molecules belonging to the family of leucine-rich repeat proteins. <b>2014</b> , 8, 315-95		11
44	Medial temporal lobe structures and hippocampal subfields in psychotic disorders: findings from the Bipolar-Schizophrenia Network on Intermediate Phenotypes (B-SNIP) study. <b>2014</b> , 71, 769-77		142
43	Schizophrenia. <b>2014</b> ,		5
42	What animals can teach clinicians about the hippocampus. <b>2014</b> , 34, 36-50		2
41	Genetically modified mice related to schizophrenia and other psychoses: seeking phenotypic insights into the pathobiology and treatment of negative symptoms. <b>2014</b> , 24, 800-21		12

40	Hippocampal Proteomic and Metabonomic Abnormalities in Neurotransmission, Oxidative Stress, and Apoptotic Pathways in a Chronic Phencyclidine Rat Model. <b>2015</b> , 14, 3174-87		13
39	Altered functional brain network connectivity and glutamate system function in transgenic mice expressing truncated Disrupted-in-Schizophrenia 1. <b>2015</b> , 5, e569		28
38	Ketamine interactions with biomarkers of stress: a randomized placebo-controlled repeated measures resting-state fMRI and PCASL pilot study in healthy men. <b>2015</b> , 108, 396-409		36
37	Alterations in spatial memory and anxiety in the MAM E17 rat model of hippocampal pathology in schizophrenia. <b>2015</b> , 232, 4099-112		19
36	Similar verbal memory impairments in schizophrenia and healthy aging. Implications for understanding of neural mechanisms. <b>2015</b> , 226, 277-83		9
35	Acute ketamine challenge increases resting state prefrontal-hippocampal connectivity in both humans and rats. <b>2015</b> , 232, 4231-41		64
34	Dysplasticity, metaplasticity, and schizophrenia: Implications for risk, illness, and novel interventions. <b>2015</b> , 27, 615-35		41
33	Sun1 deficiency leads to cerebellar ataxia in mice. <b>2015</b> , 8, 957-67		20
32	Ketamine Mediates Psychosis through the Medial Septum, Hippocampus, and Nucleus Accumbens. <b>2016</b> , 661-671		1
31	The DAOA gene is associated with schizophrenia in the Taiwanese population. <b>2017</b> , 252, 201-207		5
30	An in Silico, Biomarker-Based Method for the Evaluation of Virtual Neuropsychiatric Drug Effects. <b>2017</b> , 29, 1021-1052		2
29	Hippocampal dysfunction in the pathophysiology of schizophrenia: a selective review and hypothesis for early detection and intervention. <i>Molecular Psychiatry</i> , <b>2018</b> , 23, 1764-1772	15.1	145
28	Medial septum modulates hippocampal gamma activity and prepulse inhibition in an N-methyl-d-aspartate receptor antagonist model of schizophrenia. <i>Schizophrenia Research</i> , <b>2018</b> , 198, 36-44	3.6	13
27	Effect of NMDA on proliferation and apoptosis in hippocampal neural stem cells treated with MK-801. <i>Experimental and Therapeutic Medicine</i> , <b>2018</b> , 16, 1137-1142	2.1	1
26	Dentate Gyrus Immaturity in Schizophrenia. <i>Neuroscientist</i> , <b>2019</b> , 25, 528-547	7.6	9
25	Progressive Alterations in Synaptic Transmission and Plasticity of Area CA1 Precede the Cognitive Impairment Associated with Neonatal Administration of MK-801. <i>Neuroscience</i> , <b>2019</b> , 404, 205-217	3.9	5
24	Effects of Fatty Acid Amide Hydrolase Inhibitors Acute Administration on the Positive and Cognitive Symptoms of Schizophrenia in Mice. <i>Molecular Neurobiology</i> , <b>2019</b> , 56, 7251-7266	6.2	8
23	Sex Differences of Microglia and Synapses in the Hippocampal Dentate Gyrus of Adult Mouse Offspring Exposed to Maternal Immune Activation. <i>Frontiers in Cellular Neuroscience</i> , <b>2020</b> , 14, 558181	6.1	7

22	Hippocampal volume and hippocampal neuron density, number and size in schizophrenia: a systematic review and meta-analysis of postmortem studies. <i>Molecular Psychiatry</i> , <b>2021</b> , 26, 3524-3535	15.1	13
21	Disordered directional brain network interactions during learning dynamics in schizophrenia revealed by multivariate autoregressive models. <i>Human Brain Mapping</i> , <b>2020</b> , 41, 3594-3607	5.9	5
20	Research progress on the role of type I vesicular glutamate transporter (VGLUT1) in nervous system diseases. <i>Cell and Bioscience</i> , <b>2020</b> , 10, 26	9.8	14
19	Reduced Hippocampal Volume and Its Relationship With Verbal Memory and Negative Symptoms in Treatment-Naive First-Episode Adolescent-Onset Schizophrenia. <i>Schizophrenia Bulletin</i> , <b>2021</b> , 47, 64-74	1.3	9
18	Linking proteomic alterations in schizophrenia hippocampus to NMDAr hypofunction in human neurons and oligodendrocytes. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2021</b> , 271, 1579-1586	5.1	3
17	Transcriptional profile of pyramidal neurons in chronic schizophrenia reveals lamina-specific dysfunction of neuronal immunity. <i>Molecular Psychiatry</i> , <b>2021</b> ,	15.1	0
16	AMPA induced cognitive impairment in rats: Establishing the role of endoplasmic reticulum stress inhibitor, 4-PBA. <i>Journal of Neuroscience Research</i> , <b>2021</b> , 99, 2573-2591	4.4	1
15	Modeling intrahippocampal effects of anterior hippocampal hyperactivity relevant to schizophrenia using chemogenetic excitation of long axis-projecting mossy cells in the mouse dentate gyrus. <i>Biological Psychiatry Global Open Science</i> , <b>2021</b> , 1, 101-111		3
14	Neuregulin 1 and Schizophrenia. <b>2009</b> , 243-265		1
13	Relevance of Presynaptic Proteins to Neuropsychiatric Disorders. <b>2006</b> , 391-408		2
12	Treadmill exercise enhances NMDA receptor expression in schizophrenia mice. <i>Journal of Exercise Rehabilitation</i> , <b>2014</b> , 10, 15-21	1.8	22
11	Development of antipsychotic medications with novel mechanisms of action based on computational modeling of hippocampal neuropathology. <i>PLoS ONE</i> , <b>2013</b> , 8, e58607	3.7	21
10	Neuregulin 1 Type I Overexpression Is Associated with Reduced NMDA Receptor-Mediated Synaptic Signaling in Hippocampal Interneurons Expressing PV or CCK. <i>ENeuro</i> , <b>2018</b> , 5,	3.9	17
9	Curative Effect of Aqueous Leaf Extract of on NMDA-Receptor Antagonist-Induced Schizophrenic Wistar Rat Model. <i>Open Access Macedonian Journal of Medical Sciences</i> , <b>2016</b> , 4, 337-341	1	1
8	Pathophysiology of Schizophrenia. <b>2014</b> , 35-57		
7	Modeling intrahippocampal effects of anterior hippocampal hyperactivity relevant to schizophrenia using chemogenetic excitation of long axis-projecting mossy cells in the mouse dentate gyrus.		
6	Transcriptional profile of pyramidal neurons in chronic schizophrenia reveals lamina-specific dysfunction of neuronal immunity.		1
5	AMPA receptors in schizophrenia: A systematic review of postmortem studies on receptor subunit expression and binding.. <i>Schizophrenia Research</i> , <b>2022</b> , 243, 98-109	3.6	0

- 4 Abnormal synaptic plasticity and impaired cognition in schizophrenia.. *World Journal of Psychiatry*, **2022**, 12, 541-557 3 ○
- 3 Data\_Sheet\_1.docx. **2020**,
- 2 The Association of the Oral Microbiota with the Effects of Acid Stress Induced by an Increase of Brain Lactate in Schizophrenia Patients. **2023**, 11, 240 ○
- 1 Aberrant intra- and internetwork functional connectivity patterns of the anterior and posterior hippocampal networks in schizophrenia. ○