Strategies for the Assessment of Matrix Effect in Quant Based on HPLCâ^'MS/MS

Analytical Chemistry 75, 3019-3030 DOI: 10.1021/ac020361s

Citation Report

#	Article	IF	CITATIONS
4	Current literature in mass spectrometry. Journal of Mass Spectrometry, 2003, 38, 1290-1301.	1.6	0
5	Monolithic Silica-Based Capillary Reversed-Phase Liquid Chromatography/Electrospray Mass Spectrometry for Plant Metabolomics. Analytical Chemistry, 2003, 75, 6737-6740.	6.5	251
6	Committee on Residues and Related Topics: Pesticides and Other Chemical Contaminants. Journal of AOAC INTERNATIONAL, 2004, 87, 291-295.	1.5	2
8	Determination of a Selective GABAâ€A α5 Receptor Inverse Agonist in Human Plasma by Highâ€Performance Liquid Chromatography with Tandem Mass Spectrometric Detection. Journal of Liquid Chromatography and Related Technologies, 2004, 27, 689-704.	1.0	7
9	Evaluation of Deuterium Isotope Effects in Normal-Phase LC-MS-MS Separations Using a Molecular Modeling Approach. Journal of Chromatographic Science, 2004, 42, 383-387.	1.4	60
10	Metabolite profiling: from diagnostics to systems biology. Nature Reviews Molecular Cell Biology, 2004, 5, 763-769.	37.0	711
11	Liquid chromatography with triple-quadrupole or quadrupole-time of flight mass spectrometry for screening and confirmation of residues of pharmaceuticals in water. Analytical and Bioanalytical Chemistry, 2004, 378, 955-963.	3.7	186
12	Evaluation of three calibration methods to compensate matrix effects in environmental analysis with LC-ESI-MS. Analytical and Bioanalytical Chemistry, 2004, 378, 910-916.	3.7	193
13	Performance of quantitative analyses by liquid chromatography?electrospray ionisation tandem mass spectrometry: from external calibration to isotopomer-based exact matching. Analytical and Bioanalytical Chemistry, 2004, 380, 515-523.	3.7	22
14	A study of ion suppression effects in electrospray ionization from mobile phase additives and solid-phase extracts. Rapid Communications in Mass Spectrometry, 2004, 18, 49-58.	1.5	401
15	Unexpected observation of ion suppression in a liquid chromatography/atmospheric pressure chemical ionization mass spectrometric bioanalytical method. Rapid Communications in Mass Spectrometry, 2004, 18, 1361-1364.	1.5	66
16	Quantitative determination of trace concentrations of tetracycline and sulfonamide antibiotics in surface water using solid-phase extraction and liquid chromatography/ion trap tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2004, 18, 2131-2145.	1.5	107
17	High-throughput chiral analysis of albuterol enantiomers in dog plasma using on-line sample extraction/polar organic mode chiral liquid chromatography with tandem mass spectrometric detection. Rapid Communications in Mass Spectrometry, 2004, 18, 2531-2536.	1.5	26
18	Bioanalytical method validation: a risk-based approach?. Journal of Pharmaceutical and Biomedical Analysis, 2004, 35, 887-893.	2.8	33
19	Simultaneous determination of Aprepitant and two metabolites in human plasma by high-performance liquid chromatography with tandem mass spectrometric detection. Journal of Pharmaceutical and Biomedical Analysis, 2004, 35, 1213-1229.	2.8	36
20	Effect of different matrices on physiological amino acids analysis by liquid chromatography: evaluation and correction of the matrix effect. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2004, 799, 73-79.	2.3	34
21	Multidimensional on-line sample preparation of verapamil and its metabolites by a molecularly imprinted polymer coupled to liquid chromatography–mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2004, 801, 297-306.	2.3	88
22	Development of a liquid chromatography–tandem mass spectrometric method for the determination of methamphetamine and amphetamine using small volumes of rat serum. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2004, 806, 81-87.	2.3	43

ITATION REDO

#	Article	IF	CITATIONS
23	Determination of a novel substance P inhibitor in human plasma by high-performance liquid chromatography with atmospheric pressure chemical ionization mass spectrometric detection using single and triple quadrupole detectors. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2004, 807, 243-250.	2.3	22
24	Rapid determination of chloramphenicol and its glucuronide in food products by liquid chromatography–electrospray negative ionization tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2004, 807, 343-356.	2.3	95
25	Countering matrix effects in environmental liquid chromatography–electrospray ionization tandem mass spectrometry water analysis for endocrine disrupting chemicals. Journal of Chromatography A, 2004, 1029, 153-159.	3.7	192
26	Enhanced method performance due to a shorter chromatographic run-time in a liquid chromatography–tandem mass spectrometry assay for paclitaxel. Journal of Chromatography A, 2004, 1041, 235-238.	3.7	27
27	Recent Developments of Achiral HPLC Methods in Pharmaceuticals Using Various Detection Modes. Journal of Liquid Chromatography and Related Technologies, 2004, 27, 1237-1316.	1.0	10
28	Determination of Saikosaponin Derivatives inRadixbupleuriand in Pharmaceuticals of the Chinese Multiherb Remedy Xiaochaihu-tang Using Liquid Chromatographic Tandem Mass Spectrometry. Analytical Chemistry, 2004, 76, 4208-4216.	6.5	80
29	Simultaneous Quantification of Opiates, Cocaine, and Metabolites in Hair by LC-APCI-MS/MS. Analytical Chemistry, 2004, 76, 4358-4363.	6.5	67
30	Introduction: Current Techniques and Issues in Sample Preparation. , 0, , 1-6.		1
31	The Measurement of Nicotine in Human Plasma by High-Performance Liquid Chromatography-Electrospray-Tandem Mass Spectrometry. Therapeutic Drug Monitoring, 2004, 26, 563-568.	2.0	21
32	High-Performance Liquid Chromatography-Mass Spectrometry in the Clinical Laboratory. Therapeutic Drug Monitoring, 2005, 27, 689-693.	2.0	24
33	Metabolic Networks from a Systems Perspective. , 2005, , 265-289.		1
34	Hydrophilic Interaction Chromatography/Electrospray Ionization Mass Spectrometry for Determination of Allantoin in Human Biological Samples. Bunseki Kagaku, 2005, 54, 135-142.	0.2	8
35	Quantitative determination of pharmaceuticals using nano-electrospray ionization mass spectrometry after reversed phase mini-solid phase extraction. Journal of Pharmaceutical and Biomedical Analysis, 2005, 37, 225-230.	2.8	13
36	lon-suppression effects in liquid chromatography–tandem mass spectrometry due to a formulation agent, a case study in drug discovery bioanalysis. Journal of Pharmaceutical and Biomedical Analysis, 2005, 39, 206-216.	2.8	81
37	Simultaneous determination of rosuvastatin and fenofibric acid in human plasma by LC–MS/MS with electrospray ionization: Assay development, validation and application to a clinical study. Journal of Pharmaceutical and Biomedical Analysis, 2005, 39, 661-669.	2.8	73
38	Automated nanospray using chip-based emitters for the quantitative analysis of pharmaceutical compounds. Journal of the American Society for Mass Spectrometry, 2005, 16, 363-369.	2.8	35
39	Determination of carotenoids and all-trans-retinol in fish eggs by liquid chromatography–electrospray ionization–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 816, 49-56.	2.3	59
40	Determination of dextromethorphan and its metabolite dextrorphan in human urine using high performance liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry: a study of selectivity of a tandem mass spectrometric assay. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2005. 816. 297-308.	2.3	29

#	Article	IF	CITATIONS
41	Intracellular measurements of anti-HIV drugs indinavir, amprenavir, saquinavir, ritonavir, nelfinavir, lopinavir, atazanavir, efavirenz and nevirapine in peripheral blood mononuclear cells by liquid chromatography coupled to tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 819, 259-276.	2.3	100
42	Determination of talinolol in human plasma using automated on-line solid phase extraction combined with atmospheric pressure chemical ionization tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 820, 103-110.	2.3	15
43	Evaluation of online extraction/mass spectrometry for in vivo cassette analysis. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 820, 59-67.	2.3	17
44	Liquid chromatography–mass spectrometry assay for quantitation of ifosfamide and its -deschloroethylated metabolites in rat microsomal medium. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 820, 251-259.	2.3	12
45	Sensitivity enhancement in liquid chromatography/atmospheric pressure ionization mass spectrometry using derivatization and mobile phase additives. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 825, 98-110.	2.3	190
46	Determination of chlorpyrifos metabolites in human urine by reversed-phase/weak anion exchange liquid chromatography–electrospray ionisation–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 822, 160-169.	2.3	57
47	Simultaneous determination of piroxicam, meloxicam and tenoxicam in human plasma by liquid chromatography with tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 826, 214-219.	2.3	63
48	Simultaneous determination of capecitabine and its metabolites by HPLC and mass spectrometry for preclinical and clinical studies. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 826, 232-237.	2.3	40
49	Approaches for coupling solid-phase microextraction to nanospray. Journal of Chromatography A, 2005, 1067, 197-205.	3.7	44
50	Strategies for continuous on-line high performance liquid chromatography coupled with diode array detection and electrospray tandem mass spectrometry for process monitoring of sulphonated azo dyes and their intermediates in anaerobic–aerobic bioreactors. Journal of Chromatography A, 2005, 1084, 119-133.	3.7	54
51	Selectivity of affinity media in solid-phase extraction of analytes. TrAC - Trends in Analytical Chemistry, 2005, 24, 407-415.	11.4	73
52	New approaches for quantitative analysis in biological fluids using mass spectrometric detection. TrAC - Trends in Analytical Chemistry, 2005, 24, 583-589.	11.4	28
53	A method for determination of phosphatidylethanol from high density lipoproteins by reversed-phase HPLC with TOF–MS detection. Analytical Biochemistry, 2005, 341, 83-88.	2.4	28
54	Comparison of liquid chromatography using triple quadrupole and quadrupole ion trap mass analyzers to determine pesticide residues in oranges. Journal of Chromatography A, 2005, 1067, 115-125.	3.7	72
55	Liquid chromatographic–mass spectrometric assay for simultaneous pyrimethamine and sulfadoxine determination in human plasma samples. Journal of Chromatography A, 2005, 1076, 97-102.	3.7	17
56	Investigation of the extraction behavior of the main monoglutamate folates from spinach by liquid chromatography–electrospray ionization tandem mass spectrometry. Journal of Chromatography A, 2005, 1078, 59-66.	3.7	52
57	Simultaneous determination of tetrabromobisphenol A, tetrachlorobisphenol A, bisphenol A and other halogenated analogues in sediment and sludge by high performance liquid chromatography-electrospray tandem mass spectrometry. Journal of Chromatography A, 2005, 1097, 25-32.	3.7	157
58	Simultaneous extraction and analysis of 11 tetracycline and sulfonamide antibiotics in influent and effluent domestic wastewater by solid-phase extraction and liquid chromatography-electrospray ionization tandem mass spectrometry. Journal of Chromatography A, 2005, 1097, 4 <u>0-53</u> .	3.7	209

#	Article	IF	CITATIONS
59	A rapid HPLC-mass spectrometry cyclosporin method suitable for current monitoring practices. Clinical Biochemistry, 2005, 38, 667-673.	1.9	31
60	Metabonomic Studies Comparing Capillary and Conventional HPLC-oa-TOF MS for the Analysis of Urine from Zucker Obese Rats. Chromatographia, 2005, 61, 375-380.	1.3	34
61	Quantification of Clenbuterol in Human Plasma and Urine by Liquid Chromatography-Tandem Mass Spectrometry. Chromatographia, 2005, 62, 435-439.	1.3	34
62	Metabolome analysis: the potential of in vivo labeling with stable isotopes for metabolite profiling. Trends in Biotechnology, 2005, 23, 28-33.	9.3	149
63	A review of analytical methods for the determination of trichloroethylene and its major metabolites chloral hydrate, trichloroacetic acid and dichloroacetic acid. Biomedical Chromatography, 2005, 19, 617-639.	1.7	35
64	A validated liquid chromatographic/tandem mass spectrometric method for the determination of phencyclidine in microliter samples of rat serum. Journal of Mass Spectrometry, 2005, 40, 19-24.	1.6	9
65	Liquid chromatographic/electrospray ionization tandem mass spectrometric analysis for the quantification of buprenorphine, norbuprenorphine, buprenorphine-3-?-D-glucuronide and norbuprenorphine-3-?-D-glucuronide in human plasma. Journal of Mass Spectrometry, 2005, 40, 70-74.	1.6	39
66	LC-ESI-MS/MS analysis for the quantification of morphine, codeine, morphine-3-β-D-glucuronide, morphine-6-β-D-glucuronide, and codeine-6-β-D-glucuronide in human urine. Journal of Mass Spectrometry, 2005, 40, 1412-1416.	1.6	55
67	Matrix effects: the Achilles heel of quantitative high-performance liquid chromatography–electrospray–tandem mass spectrometry. Clinical Biochemistry, 2005, 38, 328-334.	1.9	1,065
68	Metabolomics and metabolite profiling — can we achieve the goal?. Acta Physiologiae Plantarum, 2005, 27, 109-116.	2.1	6
69	Segmented post-column analyte addition; a concept for continuous response control of liquid chromatography/mass spectrometry peaks affected by signal suppression/enhancement. Rapid Communications in Mass Spectrometry, 2005, 19, 611-617.	1.5	17
70	Free and totalpara-aminobenzoic acid analysis in plants with high-performance liquid chromatography/tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2005, 19, 963-969.	1.5	23
71	Analysis of dichloroacetic acid in rat blood and tissues by hydrophilic interaction liquid chromatography with tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2005, 19, 1075-1083.	1.5	33
72	High-throughput biological sample analysis using on-line turbulent flow extraction combined with monolithic column liquid chromatography/tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2005, 19, 2144-2150.	1.5	44
73	A liquid chromatography/tandem mass spectrometry method for the simultaneous quantification of isoniazid and ethambutol in human plasma. Rapid Communications in Mass Spectrometry, 2005, 19, 2591-2596.	1.5	42
74	A study of common discovery dosing formulation components and their potential for causing time-dependent matrix effects in high-performance liquid chromatography tandem mass spectrometry assays. Rapid Communications in Mass Spectrometry, 2005, 19, 2643-2650.	1.5	54
75	Refinements to the diastereoisomer-specific method for the analysis of hexabromocyclododecane. Rapid Communications in Mass Spectrometry, 2005, 19, 2819-2826.	1.5	73
76	A new method for measurement of (â^')-sophocarpine, a candidate therapeutic for viral myocarditis, in plasma: application to a toxicokinetic study in beagle dogs. Rapid Communications in Mass Spectrometry, 2005, 19, 2840-2848.	1.5	27

#	Article	IF	CITATIONS
77	Determination of adefovir in human plasma by liquid chromatography/tandem mass spectrometry: application to a pharmacokinetic study. Rapid Communications in Mass Spectrometry, 2005, 19, 2911-2917.	1.5	20
78	LC/MS/MS in drug development: targeting the brain. BioTechniques, 2005, 38, S19-S23.	1.8	4
79	Stable Isotope Dilution-Based Accurate Comparative Quantification of Nitrogen-Containing Metabolites inArabidopsis thalianaT87 Cells Usingin Vivo15N-Isotope Enrichment. Bioscience, Biotechnology and Biochemistry, 2005, 69, 1331-1340.	1.3	48
80	Multianalyte Quantification of Vitamin B6 and B2 Species in the Nanomolar Range in Human Plasma by Liquid Chromatography–Tandem Mass Spectrometry. Clinical Chemistry, 2005, 51, 1206-1216.	3.2	100
81	Differential Multisite Phosphorylation of the Trehalose-6-phosphate Synthase Gene Family in Arabidopsis thaliana. Molecular and Cellular Proteomics, 2005, 4, 1614-1625.	3.8	88
82	Determination of Hydroxylated Polychlorinated Biphenyls (HO-PCBs)in Blood Plasma by High-Performance Liquid Chromatography-Electrospray Ionization-Tandem Quadrupole Mass Spectrometry. Journal of Analytical Toxicology, 2005, 29, 209-216.	2.8	30
83	Metabolite Profiling with GC-MS and LC-MS. , 2005, , 103-118.		16
85	Validation of a Liquid Chromatography-Tandem Mass Spectrometry Method for the Simultaneous Determination of 26 Benzodiazepines and Metabolites, Zolpidem and Zopiclone, in Blood, Urine, and Hair. Journal of Analytical Toxicology, 2005, 29, 616-626.	2.8	115
86	Development and Validation of a Liquid Chromatographyâ^'Tandem Mass Spectrometry Assay for the Quantification of Docetaxel and Paclitaxel in Human Plasma and Oral Fluid. Analytical Chemistry, 2005, 77, 4677-4683.	6.5	61
87	Chemical derivatization and mass spectral libraries in metabolic profiling by GC/MS and LC/MS/MS. Journal of Experimental Botany, 2005, 56, 219-243.	4.8	562
88	Triclosan in waste and surface waters from the upper Detroit River by liquid chromatography-electrospray-tandem quadrupole mass spectrometry. Environment International, 2005, 31, 621-630.	10.0	131
89	Setting up of recovery profiles: A tool to perform the compliance with recovery requirements for residue analysis. Talanta, 2005, 66, 1063-1072.	5.5	11
90	Development and Application of HPLC Methods with Tandem Mass Spectrometric Detection for the Determination of Hydrochlorothiazide in Human Plasma and Urine Using 96â€Well Liquidâ€Liquid Extraction. Journal of Liquid Chromatography and Related Technologies, 2005, 28, 2681-2703.	1.0	11
91	Liquid Chromatographyâ`'Mass Spectrometry and 15N Metabolic Labeling for Quantitative Metabolic Profiling. Analytical Chemistry, 2005, 77, 2026-2033.	6.5	85
92	Fundamentals of Optimization: Sections 1.1 and 1.2. , 0, , 1-70.		0
95	Analytical Study of Trichlorfon Residues in Kaki Fruit and Cauliflower Samples by Liquid Chromatographyâ `Electrospray Tandem Mass Spectrometry. Journal of Agricultural and Food Chemistry, 2006, 54, 1188-1195.	5.2	15
96	Matrix effects in quantitative pesticide analysis using liquid chromatography–mass spectrometry. Mass Spectrometry Reviews, 2006, 25, 881-899	5.4	385
97	Analysis of Pharmaceuticals in Water by Isotope Dilution Liquid Chromatography/Tandem Mass Spectrometry, Environmental Science & amp: Technology, 2006, 40, 7312-7320.	10.0	412

#	Article	IF	CITATIONS
98	Validated Method for the Determination of the Ethanol Consumption Markers Ethyl Glucuronide, Ethyl Phosphate, and Ethyl Sulfate in Human Urine by Reversed-Phase/Weak Anion Exchange Liquid Chromatographyâ^'Tandem Mass Spectrometry. Analytical Chemistry, 2006, 78, 5884-5892.	6.5	90
99	Rapid and Accurate Determination of Dichlorvos in Water by Liquid Chromatographyâ€Electrospray Ionizationâ€Tandem Mass Spectrometry. Journal of Liquid Chromatography and Related Technologies, 2006, 29, 2943-2955.	1.0	6
100	Quantitative determination of guanidinoacetate and creatine in dried blood spot by flow injection analysis-electrospray tandem mass spectrometry. Clinica Chimica Acta, 2006, 364, 180-187.	1.1	61
101	Chapter 3.1 Liquid chromatographic methods used for microdialysis: an overview. Handbook of Behavioral Neuroscience, 2006, , 233-250.	0.7	1
102	Sensitive, High Throughput HPLC-MS/MS Method With On-line Sample Clean-up for Everolimus Measurement. Therapeutic Drug Monitoring, 2006, 28, 484-490.	2.0	38
103	Quality Assurance Program for Pharmacokinetic Assay of Antiretrovirals: ACTG Proficiency Testing for Pediatric and Adult Pharmacology Support Laboratories, 2003 to 2004. Therapeutic Drug Monitoring, 2006, 28, 367-374.	2.0	46
104	Rapid and direct measurement of free concentrations of highly protein-bound fluoxetine and its metabolite norfluoxetine in plasma. Rapid Communications in Mass Spectrometry, 2006, 20, 39-47.	1.5	36
105	Comparison between external and internal standard calibration in the validation of an analytical method for 1-hydroxypyrene in human urine by high-performance liquid chromatography/tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2006, 20, 1013-1018.	1.5	40
106	High-throughput determination of carbocysteine in human plasma by liquid chromatography/tandem mass spectrometry: application to a bioequivalence study of two formulations in healthy volunteers. Rapid Communications in Mass Spectrometry, 2006, 20, 1153-1160.	1.5	9
107	Liquid chromatography/negative ion electrospray tandem mass spectrometry method for the quantification of fluvastatin in human plasma: validation and its application to pharmacokinetic studies. Rapid Communications in Mass Spectrometry, 2006, 20, 1225-1230.	1.5	22
108	Simultaneous quantification of CTN986 and its deglycosylation products in rat serum using liquid chromatography/tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2006, 20, 1701-1708.	1.5	10
109	Quantification of clopidogrel in human plasma by sensitive liquid chromatography/tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2006, 20, 1695-1700.	1.5	48
110	High-throughput quantification of perindopril in human plasma by liquid chromatography/tandem mass spectrometry: application to a bioequivalence study. Rapid Communications in Mass Spectrometry, 2006, 20, 1864-1870.	1.5	26
111	Development of a sensitive and rapid liquid chromatography/tandem mass spectrometry method for the determination of apomorphine in canine plasma. Rapid Communications in Mass Spectrometry, 2006, 20, 1883-1888.	1.5	6
112	Determination of gabapentin in human plasma using hydrophilic interaction liquid chromatography with tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2006, 20, 2127-2132.	1.5	40
113	Quantification of tizanidine in human plasma by liquid chromatography coupled to tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2006, 20, 2286-2292.	1.5	14
114	Rapid gas chromatography/mass spectrometry quinine determination in plasma after automated solid-phase extraction. Rapid Communications in Mass Spectrometry, 2006, 20, 2528-2532.	1.5	14
115	Development and validation of a liquid chromatography/tandem mass spectrometric method for the determination of 39 mycotoxins in wheat and maize. Rapid Communications in Mass Spectrometry, 2006, 20, 2649-2659.	1.5	615

#	Article	IF	CITATIONS
116	Determination of chlorpyrifos and its metabolites in rat brain tissue using coupled-column liquid chromatography/electrospray ionization tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2006, 20, 2689-2695.	1.5	28
117	Simultaneous quantitative analysis of the antimalarials pyrimethamine and sulfamethoxypyrazine in plasma samples using liquid chromatography/tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2006, 20, 2947-2953.	1.5	9
118	Simultaneous quantification of fexofenadine and pseudoephedrine in human plasma by liquid chromatography/tandem mass spectrometry with electrospray ionization: method development, validation and application to a clinical study. Rapid Communications in Mass Spectrometry, 2006, 20, 3030-3038.	1.5	22
119	Rapid and sensitive determination of donepezil in human plasma by liquid chromatography/tandem mass spectrometry: application to a pharmacokinetic study. Rapid Communications in Mass Spectrometry, 2006, 20, 3193-3198.	1.5	31
120	Quantification of trandolapril and its metabolite trandolaprilat in human plasma by liquid chromatography/tandem mass spectrometry using solid-phase extraction. Rapid Communications in Mass Spectrometry, 2006, 20, 3709-3716.	1.5	13
121	Tackling matrix effects during development of a liquid chromatographic–electrospray ionisation tandem mass spectrometric analysis of nine basic pharmaceuticals in aqueous environmental samples. Journal of Chromatography A, 2006, 1123, 71-81.	3.7	109
122	Capillary and nano-liquid chromatography–tandem mass spectrometry for the quantification of small molecules in microdialysis samples: Comparison with microbore dimensions. Journal of Chromatography A, 2006, 1131, 166-175.	3.7	39
123	On-line immunoaffinity column-liquid chromatography–tandem mass spectrometry method for trace analysis of diuron in wastewater treatment plant effluent sample. Journal of Chromatography A, 2006, 1133, 112-118.	3.7	23
124	Evaluation of volatile ion-pair reagents for the liquid chromatography–mass spectrometry analysis of polar compounds and its application to the determination of methadone in human plasma. Journal of Pharmaceutical and Biomedical Analysis, 2006, 40, 679-688.	2.8	43
125	Simultaneous determination of berberine and palmatine in rat plasma by HPLC–ESI-MS after oral administration of traditional Chinese medicinal preparation Huang-Lian-Jie-Du decoction and the pharmacokinetic application of the method. Journal of Pharmaceutical and Biomedical Analysis, 2006, 40, 1218-1224.	2.8	89
126	Hydrophilic interaction liquid chromatography–tandem mass spectrometry for the determination of levofloxacin in human plasma. Journal of Pharmaceutical and Biomedical Analysis, 2006, 41, 622-627.	2.8	49
127	Sensitive assay for determining plasma tenofovir concentrations by LC/MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2006, 830, 6-12.	2.3	88
128	Standard line slopes as a measure of a relative matrix effect in quantitative HPLC–MS bioanalysis. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2006, 830, 293-300.	2.3	484
129	Determination of green tea catechins in human plasma using liquid chromatography–electrospray ionization mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2006, 834, 26-34.	2.3	58
130	Liquid chromatography–mass spectrometry/mass spectrometry method development for drug metabolism studies: Examining lipid matrix ionization effects in plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2006, 833, 219-230.	2.3	224
131	Determination of a prostaglandin D2 antagonist and its acyl glucuronide metabolite in human plasma by high performance liquid chromatography with tandem mass spectrometric detection—A lack of MS/MS selectivity between a glucuronide conjugate and a phase I metabolite. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2006. 837–116-124	2.3	23
132	Measurement and stability of FTY720 in human whole blood by high-performance liquid chromatography–atmospheric pressure chemical ionization–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2006, 843, 157-163.	2.3	14
133	Liquid chromatography–tandem mass spectrometric determination of tenofovir-diphosphate in human peripheral blood mononuclear cells. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2006, 843, 147-156.	2.3	71

#	Article	IF	CITATIONS
134	Quantitative analysis of s-adenosylmethionine and s-adenosylhomocysteine in neurulation-stage mouse embryos by liquid chromatography tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2006, 844, 112-118.	2.3	34
135	Liquid chromatography with tandem mass spectrometry for the simultaneous determination of baicalein, baicalin, oroxylin A and wogonin in rat plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2006, 844, 261-267.	2.3	65
136	SEASONALITY EFFECTS ON PHARMACEUTICALS AND S-TRIAZINE HERBICIDES IN WASTEWATER EFFLUENT AND SURFACE WATER FROM THE CANADIAN SIDE OF THE UPPER DETROIT RIVER. Environmental Toxicology and Chemistry, 2006, 25, 2356.	4.3	77
137	Multidimensional On-Line SPE for Undisturbed LC-MS-MS Analysis of Basic Drugs in Biofluids. Chromatographia, 2006, 63, 523-531.	1.3	33
138	Quantitative determination of taxine B in body fluids by LC–MS–MS. International Journal of Legal Medicine, 2006, 120, 346-351.	2.2	40
139	Trace analysis and occurrence of anhydroerythromycin and tylosin in influent and effluent wastewater by liquid chromatography combined with electrospray tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2006, 385, 623-636.	3.7	37
140	Validation and qualification: the fitness for purpose of mass spectrometry-based analytical methods and analytical systems. Analytical and Bioanalytical Chemistry, 2006, 386, 38-45.	3.7	30
141	Quantitative determination of ginsenoside Rh2 in rat biosamples by liquid chromatography electrospray ionization mass spectrometry. Analytical and Bioanalytical Chemistry, 2006, 386, 2043-2053.	3.7	18
142	A high-throughput urinalysis of abused drugs based on a SPE-LC–MS/MS method coupled with an in-house developed post-analysis data treatment system. Forensic Science International, 2006, 162, 95-107.	2.2	34
143	The effect of alkylamine additives on the sensitivity of detection for paclitaxel and docetaxel and analysis in plasma of paclitaxel by liquid chromatography–tandem mass spectrometry. Biomedical Chromatography, 2006, 20, 683-695.	1.7	13
144	Simultaneous determination of paclitaxel and a new P-glycoprotein inhibitor HM-30181 in rat plasma by liquid chromatography with tandem mass spectrometry. Journal of Separation Science, 2006, 29, 628-634.	2.5	24
145	Determination of apomorphine in canine plasma by liquid chromatography–electrospray ionization mass spectrometry and its application to a pharmacokinetic study. Journal of Separation Science, 2006, 29, 2173-2178.	2.5	6
146	Direct determination of non-steroidal anti-inflammatory drugs by column-switching LC–MS. Journal of Separation Science, 2006, 29, 2725-2732.	2.5	16
147	Quantification of fudosteine in human plasma by high-performance liquid chromatography-electrospray ionization mass spectrometry employing precolumn derivatization with 9-fluorenylmethyl chloroformate. Journal of Mass Spectrometry, 2006, 41, 685-692.	1.6	9
148	Hyphenated mass spectrometric techniques—indispensable tools in clinical and forensic toxicology and in doping control. Journal of Mass Spectrometry, 2006, 41, 1399-1413.	1.6	103
149	Increasing Speed and Throughput When Using HPLC-MS/MS Systems forDrug Metabolism and Pharmacokinetic Screening. Current Drug Metabolism, 2006, 7, 479-489.	1.2	89
150	LC-MS Development Strategies for Quantitative Bioanalysis. Current Drug Metabolism, 2006, 7, 491-502.	1.2	179
151	Tandem-Massenspektrometrie in der therapeutischen Arzneimittelspiegel-Bestimmung: Praxis und Tücken der Anwendung / Tandem mass spectrometry in drug monitoring: experience and pitfalls in application. Das Medizinische Laboratorium, 2006, 30, 428-437	0.0	0

#	Article	IF	CITATIONS
152	Determination of a Selective Neuropeptide Y5 Receptor Antagonist in Human Plasma and Urine by HPLC with Tandem Mass Spectrometric Detection. Journal of Liquid Chromatography and Related Technologies, 2006, 29, 273-291.	1.0	3
153	Methanol-Associated Matrix Effects in Electrospray Ionization Tandem Mass Spectrometry. Clinical Chemistry, 2007, 53, 1827-1834.	3.2	63
154	Determination of Illicit Drugs and their Metabolites in Human Urine by Liquid Chromatography Tandem Mass Spectrometry Including Relative Ion Intensity Criterion. Journal of Analytical Toxicology, 2007, 31, 573-580.	2.8	32
155	Liquid Chromatography-Tandem Mass Spectrometry Method for the Simultaneous Analysis of Multiple Hallucinogens, Chlorpheniramine, Ketamine, Ritalinic Acid, and Metabolites, in Urine. Journal of Analytical Toxicology, 2007, 31, 497-504.	2.8	43
156	Determination of free and totalS-phenylmercapturic acid by HPLC/MS/MS in the biological monitoring of benzene exposure. Biomarkers, 2007, 12, 111-122.	1.9	44
157	A Validated Liquid Chromatography-Atmospheric Pressure Chemical Ionization-Tandem Mass Spectrometric Method for the Quantification of Methadone, 2-Ethylidene-1,5-dimethyl-3,3-diphenylpyrrolidine (EDDP), and 2-Ethyl-5-methyl-3,3-diphenylpyroline (EMDP) in Human Breast Milk Journal of Analytical Toxicology, 2007, 31, 265-269	2.8	25
158	Determination of Chlorpyrifos and its Metabolites in Rat Blood Using Liquid Chromatography/Electrospray Ionization Tandem Mass Spectrometry. Journal of Liquid Chromatography and Related Technologies, 2007, 30, 273-285.	1.0	8
159	Rapid Quantification of Buprenorphine-Glucuronide and Norbuprenorphine-Glucuronide in Human Urine by LC-MS-MS. Journal of Analytical Toxicology, 2007, 31, 214-219.	2.8	36
162	Validated Quantitation of Angiotensin II Receptor Antagonists (ARA-II) in Human Plasma by Liquid-Chromatography-Tandem Mass Spectrometry Using Minimum Sample Clean-up and Investigation of Ion Suppression. Therapeutic Drug Monitoring, 2007, 29, 824-834.	2.0	37
163	Validation of a Liquid Chromatography-Mass Spectrometric Assay for Tacrolimus in Liver Biopsies After Hepatic Transplantation: Correlation With Histopathologic Staging of Rejection. Therapeutic Drug Monitoring, 2007, 29, 340-348.	2.0	56
164	Determination of Opioid Analgesics in Hair Samples Using Liquid Chromatography/Tandem Mass Spectrometry and Application to Patients Under Palliative Care. Therapeutic Drug Monitoring, 2007, 29, 655-661.	2.0	32
165	Internal Standard Selection for Immunosuppressant Drugs Measured by High-Performance Liquid Chromatography Tandem Mass Spectrometry. Therapeutic Drug Monitoring, 2007, 29, 131-132.	2.0	20
166	Flavanone plasma pharmacokinetics from blood orange juice in human subjects. British Journal of Nutrition, 2007, 98, 165-172.	2.3	55
167	Study on the oligosaccharides composition of the water-soluble fraction of marine mucilage by electrospray tandem mass spectrometry. Water Research, 2007, 41, 2911-2920.	11.3	19
168	Development and validation of a high-performance liquid chromatography–tandem mass spectrometric method for quantification of daunorubicin in rat plasma. Talanta, 2007, 71, 596-604.	5.5	28
169	Determination of flunitrazepam and 7-aminoflunitrazepam in human urine by on-line solid phase extraction liquid chromatography–electrospray-tandem mass spectrometry. Talanta, 2007, 72, 1329-1335.	5.5	30
170	Application of nano-FIA-Direct-EI-MS to determine diethylene glycol in produced formation water discharges and seawater samples. Chemosphere, 2007, 69, 554-560.	8.2	18
171	Modern Instrumental Methods in Forensic Toxicology. Journal of Analytical Toxicology, 2007, 31, 237-253.	2.8	53

ARTICLE IF CITATIONS Metabolic Profiling: Applications in Plant Science., 2007, , 443-487. 172 2 Advanced Liquid Chromatographyâ[~]'Mass Spectrometry Interface Based on Electron Ionization. 6.5 Analytical Chemistry, 2007, 79, 5364-5372. Selection of Separation Conditions for HPLC and HPLC/MS of Aromatic Sulphonic Acids and Acid Azo 175 1.0 11 Dyes. Journal of Liquid Chromatography and Related Technologies, 2007, 30, 2349-2367. Control of matrix effects in the analysis of urinary F2-isoprostanes using novel multidimensional solid-phase extraction and LC-MS/MS. Journal of Lipid Research, 2007, 48, 733-744. Analytical Aspects of Plant Metabolite Profiling Platforms:Â Current Standings and Future Aims. 177 3.7 94 Journal of Proteome Research, 2007, 6, 480-497. Strategies for Bioanalysis of an Oligonucleotide Class Macromolecule from Rat Plasma Using Liquid Chromatographyâ[°]Tandem Mass Spectrometry. Analytical Chemistry, 2007, 79, 3416-3424. 6.5 Analysis of Acrylamide in Water Using a Coevaporation Preparative Step and Isotope Dilution Liquid 179 6.5 29 Chromatography Tandem Mass Spectrometry. Analytical Chemistry, 2007, 79, 5093-5096. Quantification of Carotenoids in Citrus Fruit by LC-MS and Comparison of Patterns of Seasonal Changes for Carotenoids among Citrus Varieties. Journal of Agricultural and Food Chemistry, 2007, 5.2 114 55, 2356-2368. LCâ[^]MS/MS Assay for Protein Amino Acids and Metabolically Related Compounds for Large-Scale 181 6.5 86 Screening of Metábolic Phenotypes. Analytical Chemistry, 2007, 79, 8067-8075. Drug Screening of Preserved Oral Fluid by Liquid Chromatography–Tandem Mass Spectrometry. 3.2 145 Clinical Chemistry, 2007, 53, 300-309. Novel LC-ESI/MS/MSn Method for the Characterization and Quantification of 2â€~-Deoxyguanosine Adducts of the Dietary Carcinogen 2-Amino-1-methyl-6-phenylimidazo[4,5-b]pyridine by 2-D Linear 183 3.3 80 Quadrupole Ion Trap Mass Spectrometry. Chemical Research in Toxicology, 2007, 20, 263-276. Clean-up and fractionation methods., 2007, , 299-348. 184 Evaluation of Matrix Effects in Metabolite Profiling Based on Capillary Liquid Chromatography Electrospray Ionization Quadrupole Time-of-Flight Mass Spectrometry. Analytical Chemistry, 2007, 79, 185 6.5 77 1507-1513. Application of a liquid chromatography–tandem mass spectrometric method to multi-mycotoxin determination in raw cereals and evaluation of matrix effects. Food Additives and Contaminants, 2007, 24, 1184-1195. 11 HPLC method development for drug discovery LC-MS assays in rapid PK applications. Separation 187 0.2 2 Science and Technology, 2007, 8, 317-351. Liquid Chromatography/Mass Spectrometry., 0,, 639-688. Chapter 2.1 Analysis of antibiotics in aqueous samples. Comprehensive Analytical Chemistry, 2007, , 189 1.33 61-93. Impact of Differential Recovery in Bioanalysis:Â The Example of Bortezomib in Whole Blood. Analytical 190 6.5 Chemistry, 2007, 79, 1599-1603.

#	Article	IF	CITATIONS
191	Analysis of Pharmaceuticals in Fish Using Liquid Chromatography-Tandem Mass Spectrometry. Analytical Chemistry, 2007, 79, 3155-3163.	6.5	244
193	Quantification of fexofenadine in human plasma by liquid chromatography coupled to electrospray tandem mass spectrometry using mosapride as internal standard. Biomedical Chromatography, 2007, 21, 209-216.	1.7	21
194	Quantification of pseudoephedrine in human plasma by LC-MS/MS using mosapride as internal standard. Biomedical Chromatography, 2007, 21, 241-248.	1.7	9
195	Study of tanshinone IIA tissue distribution in rat by liquid chromatography-tandem mass spectrometry method. Biomedical Chromatography, 2007, 21, 473-479.	1.7	31
196	Determination of a selective Na+/H+ exchanger inhibitor, 4-cyano(benzo[b]thiophene-2-carbonyl)guanidine (KR-33028) in rat plasma by liquid chromatography–tandem mass spectrometry. Biomedical Chromatography, 2007, 21, 810-815.	1.7	6
197	Signal suppression/enhancement in HPLC-ESI-MS/MS from concomitant medications. Biomedical Chromatography, 2007, 21, 1143-1150.	1.7	34
198	Quantification of pramipexole in human plasma by liquid chromatography tandem mass spectrometry using tamsulosin as internal standard. Biomedical Chromatography, 2007, 21, 1151-1158.	1.7	24
199	Simultaneous determination of 17 antiretroviral drugs in human plasma for quantitative analysis with liquid chromatography–tandem mass spectrometry. Biomedical Chromatography, 2007, 21, 1095-1104.	1.7	175
200	Rapid quantification of sucrose esters in oriental tobacco by liquid chromatography-ion trap mass spectrometry. Journal of Separation Science, 2007, 30, 35-41.	2.5	8
201	Confirmation and determination of carboxylic acids in root exudates using LC–ESIâ€MS. Journal of Separation Science, 2007, 30, 2440-2446.	2.5	13
202	Detection and validated quantification of nine herbal phenalkylamines and methcathinone in human blood plasma by LC-MS/MS with electrospray ionization. Journal of Mass Spectrometry, 2007, 42, 150-160.	1.6	77
203	High-performance liquid chromatography-electrospray ionization mass spectrometry determination of mitiglinide in human plasma and its pharmacokinetics. Journal of Mass Spectrometry, 2007, 42, 171-177.	1.6	9
204	Liquid chromatography-mass spectrometry method for quantification of caspofungin in clinical plasma samples. Journal of Mass Spectrometry, 2007, 42, 440-449.	1.6	20
205	Improved method to quantify intracellular zidovudine mono- and triphosphate in peripheral blood mononuclear cells by liquid chromatography-tandem mass spectrometry. Journal of Mass Spectrometry, 2007, 42, 389-404.	1.6	27
206	Detection and validated quantification of toxic alkaloids in human blood plasma—comparison of LC-APCI-MS with LC-ESI-MS/MS. Journal of Mass Spectrometry, 2007, 42, 621-633.	1.6	89
207	A sensitive and selective liquid chromatography-tandem mass spectrometry method for the simultaneous quantification of actinomycin-D and vincristine in children with cancer. Journal of Mass Spectrometry, 2007, 42, 761-770.	1.6	23
208	Validation of direct injection electrospray LC-MS/MS for confirmation of opiates in urine drug testing. Journal of Mass Spectrometry, 2007, 42, 881-889.	1.6	73
209	Alcohol biomarker analysis: simultaneous determination of 5-hydroxytryptophol glucuronide and 5-hydroxyindoleacetic acid by direct injection of urine using ultra-performance liquid chromatography-tandem mass spectrometry. Journal of Mass Spectrometry, 2007, 42, 940-949.	1.6	29

#	Article	IF	CITATIONS
210	Validation of new methods. Forensic Science International, 2007, 165, 216-224.	2.2	1,093
211	New trends in hair analysis and scientific demands on validation and technical notes. Forensic Science International, 2007, 165, 204-215.	2.2	117
212	Application of liquid chromatography–electrospray ionisation mass spectrometry for determination of dietary folates: Effects of buffer nature and mobile phase composition on sensitivity and selectivity. Journal of Chromatography A, 2007, 1143, 72-82.	3.7	59
213	Analysis of paroxetine, fluoxetine and norfluoxetine in fish tissues using pressurized liquid extraction, mixed mode solid phase extraction cleanup and liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2007, 1163, 112-118.	3.7	172
214	Simultaneous determination of triclocarban and triclosan in municipal biosolids by liquid chromatography tandem mass spectrometry. Journal of Chromatography A, 2007, 1164, 212-218.	3.7	186
215	Quantitative profiling of epoxyeicosatrienoic, hydroxyeicosatetraenoic, and dihydroxyeicosatetraenoic acids in human intrauterine tissues using liquid chromatography/electrospray ionization tandem mass spectrometry. Analytical Biochemistry, 2007, 365, 40-51.	2.4	54
216	Does a stable isotopically labeled internal standard always correct analyte response?. Journal of Pharmaceutical and Biomedical Analysis, 2007, 43, 701-707.	2.8	357
217	Analysis of carvedilol in human plasma using hydrophilic interaction liquid chromatography with tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2007, 44, 547-552.	2.8	43
218	Recent advances in high-throughput quantitative bioanalysis by LC–MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2007, 44, 342-355.	2.8	468
219	An overview of chromatographic methods coupled with mass spectrometric detection for determination of angiotensin-converting enzyme inhibitors in biological material. Journal of Pharmaceutical and Biomedical Analysis, 2007, 44, 356-367.	2.8	18
220	Development and full validation of a sensitive quantitative assay for the determination of clemastine in human plasma by liquid chromatography–tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2007, 44, 924-930.	2.8	7
221	Simultaneous determination of safflor yellow A, puerarin, daidzein, ginsenosides (Rg1, Rb1, Rd), and notoginsenoside R1 in rat plasma by liquid chromatography–mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2007, 45, 327-336.	2.8	24
222	Development and validation of a liquid chromatography–mass spectrometry assay for the determination of pyronaridine in human blood for application to clinical pharmacokinetic studies. Journal of Pharmaceutical and Biomedical Analysis, 2007, 45, 112-119.	2.8	14
223	Comparison of solid-phase microextraction and liquid–liquid extraction in 96-well format for the determination of a drug compound in human plasma by liquid chromatography with tandem mass spectrometric detection. Journal of Pharmaceutical and Biomedical Analysis, 2007, 45, 599-608.	2.8	36
224	Simultaneous quantification of multiple licorice flavonoids in rat plasma. Journal of the American Society for Mass Spectrometry, 2007, 18, 778-782.	2.8	58
225	Chromatographic-mass spectrometric methods for the quantification of l-arginine and its methylated metabolites in biological fluids. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 851, 30-41.	2.3	62
226	Simultaneous determination of ten antiarrhythic drugs and a metabolite in human plasma by liquid chromatography—tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 847, 174-181.	2.3	83
227	A HPLC–mass spectrometric method suitable for the therapeutic drug monitoring of everolimus. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 848, 208-214.	2.3	28

#	Article	IF	CITATIONS
228	Liquid chromatography–electrospray tandem mass spectrometric method for quantification of monensin in plasma and edible tissues of chicken used in pharmacokinetic studies: Applying a total error approach. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 850, 15-23.	2.3	31
229	Simultaneous stereoselective analysis of venlafaxine and O-desmethylvenlafaxine enantiomers in human plasma by HPLC-ESI/MS using a vancomycin chiral column. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 850, 183-189.	2.3	46
230	Simultaneous determination of buprenorphine, norbuprenorphine and the enantiomers of methadone and its metabolite (EDDP) in human plasma by liquid chromatography/mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 850, 538-543.	2.3	36
231	Simultaneous determination of 6 beta-blockers, 3 calcium-channel antagonists, 4 angiotensin-II antagonists and 1 antiarrhytmic drug in post-mortem whole blood by automated solid phase extraction and liquid chromatography mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 850, 147-160.	2.3	136
232	Rapid online-SPE-MS/MS method for ketoprofen determination in dermal interstitial fluid samples from rats obtained by microdialysis or open-flow microperfusion. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 850, 432-439.	2.3	19
233	Systematic and comprehensive strategy for reducing matrix effects in LC/MS/MS analyses. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 852, 22-34.	2.3	643
234	Ultra-performance liquid chromatography/tandem mass spectrometric determination of diastereomers of SCH 503034 in monkey plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 852, 92-100.	2.3	19
235	Development of a LC/MS/MS method for the analysis of cannabinoids in human EDTA-plasma and urine after small doses of Cannabis sativa extracts. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 850, 515-522.	2.3	82
236	Application of a sensitive liquid chromatographic/tandem mass spectrometric method to pharmacokinetic study of nalmefene in humans. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 852, 479-484.	2.3	5
237	Rapid and simultaneous determination of nifedipine and dehydronifedipine in human plasma by liquid chromatography–tandem mass spectrometry: Application to a clinical herb–drug interaction study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 852, 534-544	2.3	52
238	Development and validation of a liquid chromatography–mass spectrometry assay for the determination of pyronaridine in human urine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 853, 80-87.	2.3	6
239	Determination of raltitrexed in human plasma by high performance liquid chromatography–electrospray ionization-mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 853, 147-153.	2.3	11
240	Determination of talinolol in human plasma by high performance liquid chromatography–electrospray ionization mass spectrometry: Application to pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 853, 275-280	2.3	8
241	Development and validation of a liquid chromatography/tandem mass spectrometry assay for the simultaneous determination of d-amphetamine and diphenhydramine in beagle dog plasma and its application to a pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2007. 854–48-56	2.3	25
242	Sensitive liquid chromatography/tandem mass spectrometry method for the determination of the lipophilic antipsychotic drug chlorpromazine in rat plasma and brain tissue. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 854, 68-76.	2.3	35
243	Quantitative measurement of propofol and in main glucuroconjugate metabolites in human plasma using solid phase extraction–liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 854, 165-172.	2.3	58
244	Development and validation of a liquid chromatography–tandem mass spectrometry assay for determination of raloxifene and its metabolites in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 855, 220-227.	2.3	36
245	Use of trifluoroacetic acid to quantify small, polar compounds in rat plasma during discovery-phase pharmacokinetic evaluation. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 856, 165-170.	2.3	6

#	Article	IF	CITATIONS
246	Minimizing matrix effects in the development of a method for the determination of salmeterol in human plasma by LC/MS/MS at low pg/mL concentration levels. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 856, 285-293.	2.3	26
247	Development and validation of a sensitive liquid chromatography–tandem mass spectrometry method for the determination of paeoniflorin in rat brain and its application to pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 857, 32-39.	2.3	19
248	Determination of vancomycin in serum by liquid chromatography–high resolution full scan mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 857, 352-356.	2.3	57
249	Liquid chromatography tandem mass spectrometry method for simultaneous determination of metoprolol tartrate and ramipril in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 858, 13-21.	2.3	53
250	Liquid chromatography–tandem mass spectrometric method for determination of mosapride citrate in equine tissues. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 858, 135-142.	2.3	11
251	Determination of triethylenetetramine (TETA) and its metabolites in human plasma and urine by liquid chromatography–mass spectrometry (LC–MS). Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 859, 62-68.	2.3	24
252	HPLC–atmospheric pressure chemical ionization mass spectrometric method for enantioselective determination of R,S-propranolol and R,S-hyoscyamine in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 859, 213-221.	2.3	39
253	Evaluation of electrospray ionization and atmospheric pressure chemical ionization for simultaneous detection of estrone and its metabolites using high-performance liquid chromatography/tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 860, 49-56.	2.3	15
254	Ruggedness testing of quantitative atmospheric pressure ionization mass spectrometry methods: the effect of co-injected matrix on matrix effects. Rapid Communications in Mass Spectrometry, 2007, 21, 644-652.	1.5	48
255	A sensitive method for the detection and quantification of ginkgo flavonols from plasma. Rapid Communications in Mass Spectrometry, 2007, 21, 971-981.	1.5	43
256	Liquid chromatography/tandem mass spectrometry method for the simultaneous determination of olanzapine, risperidone, 9-hydroxyrisperidone, clozapine, haloperidol and ziprasidone in rat plasma. Rapid Communications in Mass Spectrometry, 2007, 21, 920-928.	1.5	50
257	Simultaneous determination of first-line anti-tuberculosis drugs and their major metabolic ratios by liquid chromatography/tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2007, 21, 1331-1338.	1.5	83
258	Analysis of steroid estrogens in water using liquid chromatography/tandem mass spectrometry with chemical derivatizations. Rapid Communications in Mass Spectrometry, 2007, 21, 1973-1983.	1.5	94
259	Evaluation of high-field asymmetric waveform ion mobility spectrometry coupled to nanoelectrospray ionization for bioanalysis in drug discovery. Rapid Communications in Mass Spectrometry, 2007, 21, 2295-2300.	1.5	32
260	Validated assay for the simultaneous determination of the anti-cancer agent gemcitabine and its metabolite 2′,2′-difluorodeoxyuridine in human plasma by high-performance liquid chromatography with tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2007, 21, 2312-2322.	1.5	32
261	Simultaneous determination of amiloride and hydrochlorothiazide in human plasma by liquid chromatography/tandem mass spectrometry with positive/negative ionâ€switching electrospray ionisation. Rapid Communications in Mass Spectrometry, 2007, 21, 3427-3434.	1.5	28
262	Screening for 2â€quinolinoneâ€derived selective androgen receptor agonists in doping control analysis. Rapid Communications in Mass Spectrometry, 2007, 21, 3477-3486.	1.5	48
263	Evaluation of propolis polyphenols absorption in humans by liquid chromatography/tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2007, 21, 3849-3854.	1.5	23

#	Article	IF	CITATIONS
264	Using calibration approaches to compensate for remaining matrix effects in quantitative liquid chromatography/electrospray ionization multistage mass spectrometric analysis of phytoestrogens in aqueous environmental samples. Rapid Communications in Mass Spectrometry, 2007, 21, 4065-4072.	1.5	50
265	Simultaneous analysis of urinary 4,4′â€methylenebis(2â€chloroaniline) and <i>N</i> â€acetyl 4,4′â€methylenebis(2â€chloroaniline) using solidâ€phase extraction and liquid chromatography/tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2007, 21, 4073-4078.	1.5	8
266	Determination of drugs in biological fluids by direct injection of samples for liquid-chromatographic analysis. Journal of Proteomics, 2007, 70, 263-273.	2.4	107
267	Determination of selected organophosphate esters in the aquatic environment of Austria. Science of the Total Environment, 2007, 388, 290-299.	8.0	260
268	Pharmacokinetics of (â^')-Epigallocatechin-3-gallate in Conscious and Freely Moving Rats and Its Brain Regional Distribution. Journal of Agricultural and Food Chemistry, 2007, 55, 1517-1524.	5.2	183
269	Method for Quantification of Opioids and their Metabolites in Autopsy Blood by Liquid Chromatography-Tandem Mass Spectrometry. Journal of Analytical Toxicology, 2007, 31, 394-408.	2.8	69
270	Quantification of Teprenone in Human Plasma by HPLC Coupled to Mass Spectrometry: Application to a Bioequivalence Study. Chromatographia, 2007, 65, 533-538.	1.3	2
271	Liquid chromatography-electrospray lonization tandem mass spectrometric determination of lornoxicam in human plasma. Archives of Pharmacal Research, 2007, 30, 905-910.	6.3	22
272	Determination of eperisone in human plasma by liquid chromatography-ESI-tandem mass spectrometry. Archives of Pharmacal Research, 2007, 30, 1174-1178.	6.3	9
273	Bioanalytical procedures for determination of drugs of abuse in oral fluid. Analytical and Bioanalytical Chemistry, 2007, 388, 1437-1453.	3.7	57
274	Current role of liquid chromatography–mass spectrometry in clinical and forensic toxicology. Analytical and Bioanalytical Chemistry, 2007, 388, 1315-1325.	3.7	242
275	Analytical pitfalls in hair testing. Analytical and Bioanalytical Chemistry, 2007, 388, 1475-1494.	3.7	122
276	A liquid chromatography/tandem mass spectrometric multi-mycotoxin method for the quantification of 87 analytes and its application to semi-quantitative screening of moldy food samples. Analytical and Bioanalytical Chemistry, 2007, 389, 1505-1523.	3.7	376
277	Sensitive and reproducible liquid chromatography-tandem mass spectrometry method for quantification of sibutramine in human plasma. Forensic Toxicology, 2007, 25, 30-36.	2.4	3
278	Development and validation of a LC/MS/MS method for simultaneous quantification of oxcarbazepine and its main metabolites in human serum. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 860, 153-159.	2.3	41
279	Determination of lopinavir cerebral spinal fluid and plasma ultrafiltrate concentrations by liquid chromatography coupled to tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2007, 44, 1139-1146.	2.8	20
280	Simultaneous quantitative analysis of oxcarbazepine and 10,11-dihydro-10-hydroxycarbamazepine in human plasma by liquid chromatography–electrospray tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2007, 45, 304-311.	2.8	22
281	Quantification of levetiracetam in human plasma by liquid chromatography–tandem mass spectrometry: Application to therapeutic drug monitoring. Journal of Pharmaceutical and Biomedical Analysis, 2008, 48, 822-828.	2.8	55

#	Article	IF	CITATIONS
282	Column-switching reversed phase–hydrophilic interaction liquid chromatography/tandem mass spectrometry method for determination of free estrogens and their conjugates in river water. Analytica Chimica Acta, 2008, 627, 91-98.	5.4	61
283	Quantification of cidofovir in human serum by LC–MS/MS for children. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 861, 1-9.	2.3	12
284	Determination of a novel gamma-secretase inhibitor in human plasma and cerebrospinal fluid using automated 96 well solid phase extraction and liquid chromatography/tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 863, 36-45.	2.3	12
285	Simultaneous determination of berberine, palmatine and jatrorrhizine by liquid chromatography–tandem mass spectrometry in rat plasma and its application in a pharmacokinetic study after oral administration of coptis–evodia herb couple. Journal of Chromatography B:	2.3	144
286	Development and validation of a liquid chromatographya€"atmospheric pressure chemical ionization-tandem mass spectrometry method for simultaneous analysis of 10 amphetamine-, methamphetamine- and 3,4-methylenedioxymethamphetamine-related (MDMA) analytes in human meconium. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008 867 194 204	2.3	36
287	Determination of tacrolimus in rabbit aqueous humor by liquid chromatography–electrospray ionization tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 868, 34-41.	2.3	10
288	A sensitive assay for the quantitative analysis of vinorelbine in mouse and human EDTA plasma by high-performance liquid chromatography coupled with electrospray tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 868, 102-109.	2.3	20
289	Simultaneous determination of metoprolol succinate and amlodipine besylate in human plasma by liquid chromatography–tandem mass spectrometry method and its application in bioequivalence study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 873, 77-85.	2.3	63
290	Quantitative determination of glycopyrrolate in human plasma by liquid chromatography–electrospray ionization mass spectrometry: The use of a volatile ion-pairing agent during both liquid–liquid extraction and liquid chromatography. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 876, 24-30.	2.3	23
291	Highly sensitive and rapid LC–ESI-MS/MS method for the simultaneous quantification of uroselective α1-blocker, alfuzosin and an antimuscarinic agent, solifenacin in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 876, 236-244.	2.3	32
292	The yeast metabolome addressed by electrospray ionization mass spectrometry: Initiation of a mass spectral library and its applications for metabolic footprinting by direct infusion mass spectrometry. Metabolomics, 2008, 4, 393-405.	3.0	27
293	Mixed-mode stationary phases as a complementary selectivity concept in liquid chromatography–tandem mass spectrometry-based bioanalytical assays. Analytical and Bioanalytical Chemistry, 2008, 390, 263-266.	3.7	47
294	Recent developments in the application of liquid chromatography–tandem mass spectrometry for the determination of organic residues and contaminants. Analytical and Bioanalytical Chemistry, 2008, 390, 253-256.	3.7	18
295	Determination of benzimidazole- and bicyclic hydantoin-derived selective androgen receptor antagonists and agonists in human urine using LC–MS/MS. Analytical and Bioanalytical Chemistry, 2008, 391, 251-261.	3.7	40
296	Quantification with HPLC–MS/MS for environmental issues: quality assurance and quality assessment. Analytical and Bioanalytical Chemistry, 2008, 391, 15-20.	3.7	20
297	Highly efficient analysis of underivatized carbohydrates using monolithic-silica-based capillary hydrophilic interaction (HILIC) HPLC. Analytical and Bioanalytical Chemistry, 2008, 391, 2533-2542.	3.7	96
298	Determination of illicit and medicinal drugs and their metabolites in oral fluid and preserved oral fluid by liquid chromatography–tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2008, 391, 2329-2338.	3.7	93
299	Plasma and cerebrospinal fluid pharmacokinetics of the novel tetrahydroisoquinoline EDL-155 in rats. Cancer Chemotherapy and Pharmacology, 2008, 61, 1037-1044.	2.3	12

#	Article	IF	CITATIONS
300	Hydrophilic interaction chromatography-tandem mass spectrometry of donepezil in human plasma: Application to a pharmacokinetic study of donepezil in volunteers. Archives of Pharmacal Research, 2008, 31, 1205-1211.	6.3	19
301	LC–MS assay for quantitative determination of cardio glycoside in human blood samples. International Journal of Legal Medicine, 2008, 122, 109-114.	2.2	15
302	Enhanced resolution tripleâ€quadrupole mass spectrometry for ultraâ€sensitive and quantitative analysis of the investigational anticancer agent EO9 (apaziquone) and its metabolite EO5a in human and dog plasma to support (pre)â€clinical studies of EOquin® given intravesically. Rapid Communications in Mass Spectrometry, 2008, 22, 462-470.	1.5	8
303	Isobaric metabolite interferences and the requirement for close examination of raw data in addition to stringent chromatographic separations in liquid chromatography/tandem mass spectrometric analysis of drugs in biological matrix. Rapid Communications in Mass Spectrometry, 2008, 22, 2021-2028	1.5	38
304	Plasma free fatty acid profiling in a fish oil human intervention study using ultraâ€performance liquid chromatography/electrospray ionization tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2008, 22, 2125-2133.	1.5	49
305	Determination of diazepam and its metabolites in human urine by liquid chromatography/tandem mass spectrometry using a hydrophilic polymer column. Rapid Communications in Mass Spectrometry, 2008, 22, 2333-2341.	1.5	29
306	Doping control analysis of tricyclic tetrahydroquinolineâ€derived selective androgen receptor modulators using liquid chromatography/electrospray ionization tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2008, 22, 2471-2478.	1.5	36
307	Simultaneous determination of cyclophosphamide, ifosfamide, doxorubicin, epirubicin and daunorubicin in human urine using highâ€performance liquid chromatography/electrospray ionization tandem mass spectrometry: bioanalytical method validation. Rapid Communications in Mass Spectrometry. 2008, 22, 2645-2659.	1.5	79
308	Reducing glycerophosphocholine lipid matrix interference effects in biological fluid assays by using highâ€ŧurbulence liquid chromatography. Rapid Communications in Mass Spectrometry, 2008, 22, 3362-3370.	1.5	27
309	Direct injection LC/ESIâ€MS horse urine analysis for the quantification and identification of threshold substances for doping control. I. Determination of hydrocortisone. Journal of Mass Spectrometry, 2008, 43, 1255-1264.	1.6	20
310	A highâ€ŧhroughput multicomponent screening method for diuretics, masking agents, central nervous system (CNS) stimulants and opiates in human urine by UPLC–MS/MS. Journal of Mass Spectrometry, 2008, 43, 980-992.	1.6	103
311	Determination of avoparcin in animal tissues and milk using LCâ€ESIâ€MS/MS and tandemâ€SPE. Journal of Separation Science, 2008, 31, 3871-3878.	2.5	5
312	Capillary zone electrophoresis (CZE) coupled to timeâ€ofâ€flight mass spectrometry (TOFâ€MS) applied to the analysis of illicit and controlled drugs in blood. Electrophoresis, 2008, 29, 4078-4087.	2.4	45
313	Sensitive liquid chromatography tandem mass spectrometry method for the quantification of Quetiapine in plasma. Biomedical Chromatography, 2008, 22, 1043-1055.	1.7	25
314	Liquid chromatography tandem mass spectrometry method for the quantification of clonidine with LLOQ of 10 pg/mL in human plasma. Biomedical Chromatography, 2008, 22, 992-1000.	1.7	8
315	Assessment of matrix effects and determination of niacin in human plasma using liquid–liquid extraction and liquid chromatography–tandem mass spectrometry. Biomedical Chromatography, 2008, 22, 1272-1278.	1.7	13
316	Rapid and simple liquid chromatography tandem mass spectrometry method for the quantification of zidovudine in rat plasma. Biomedical Chromatography, 2008, 22, 20-27.	1.7	5
317	Sensitive liquid chromatography tandem mass spectrometry method for the quantification of sitagliptin, a DPPâ€4 inhibitor, in human plasma using liquid–liquid extraction. Biomedical Chromatography, 2008, 22, 214-222.	1.7	71

#	Article	IF	CITATIONS
318	Liquid chromatography tandem mass spectrometry method for the quantification of rimonabant, a CB1 receptor antagonist, in human plasma. Biomedical Chromatography, 2008, 22, 469-477.	1.7	13
319	Determination of levonorgestrel in human plasma by liquid chromatography–tandem mass spectrometry method: application to a bioequivalence study of two formulations in healthy volunteers. Biomedical Chromatography, 2008, 22, 519-526.	1.7	14
320	Simultaneous determination of tanshinone I, dihydrotanshinone I, tanshinone IIA and cryptotanshinone in rat plasma by liquid chromatography–tandem mass spectrometry: application to a pharmacokinetic study of a standardized fraction of <i>Salvia miltiorrhiza,</i> PF2401‧F. Biomedical Chromatography, 2008, 22, 548-555.	1.7	27
321	Simultaneous determination of <i>β</i> â€blockers in human plasma using liquid chromatography–tandem mass spectrometry. Biomedical Chromatography, 2008, 22, 702-711.	1.7	36
322	Determination of the lipophilic antipsychotic drug ziprasidone in rat plasma and brain tissue using liquid chromatography–tandem mass spectrometry. Biomedical Chromatography, 2008, 22, 770-778.	1.7	28
323	Comparison of matrix effects in HPLC-MS/MS and UPLC-MS/MS analysis of nine basic pharmaceuticals in surface waters. Journal of the American Society for Mass Spectrometry, 2008, 19, 713-718.	2.8	134
324	A rapid, sensitive and selective liquid chromatography/atmospheric pressure chemical ionization tandem mass spectrometry method for determination of fenretinide (4-HPR) in plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 862, 64-71.	2.3	7
325	Quantification of nicotine, cotinine, trans-3′-hydroxycotinine, nornicotine and norcotinine in human meconium by liquid chromatography/tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 863, 107-114.	2.3	55
326	Selective and rapid liquid chromatography/negative-ion electrospray ionization mass spectrometry method for the quantification of valacyclovir and its metabolite in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 864, 78-86.	2.3	32
327	Ultra-performance liquid chromatography–tandem mass spectrometric method for the determination of Artemisinin in rat serum and its application in pharmacokinetics. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 867, 131-137.	2.3	25
328	Validation of an HPLC/MS/MS method with isotopic dilution for quantitative determination of trans,trans-muconic acid in urine samples of workers exposed to low benzene concentrations. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 867, 26-31.	2.3	30
329	High-throughput determination of fudosteine in human plasma by liquid chromatography–tandem mass spectrometry, following protein precipitation in the 96-well plate format. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 867, 153-159.	2.3	17
330	Rapid and simultaneous determination of tacrolimus (FK506) and diltiazem in human whole blood by liquid chromatography–tandem mass spectrometry: Application to a clinical drug–drug interaction study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 867, 111-118.	2.3	21
331	Quantitative determination of mitiglinide in human plasma by ultra-performance liquid chromatography/electrospray ionization tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 868, 83-87.	2.3	17
332	Instrumental and experimental effects in LC–MS-based metabolomics. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 871, 227-235.	2.3	60
333	Liquid chromatography/tandem mass spectrometry method for simultaneous evaluation of activities of five cytochrome P450s using a five-drug cocktail and application to cytochrome P450 phenotyping studies in rats. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2008, 871, 78-89.	2.3	27
334	Accurate identification and quantification of 11-nor-Γ9-tetrahydrocannabinol-9-carboxylic acid in urine drug testing: Evaluation of a direct high efficiency liquid chromatographic–mass spectrometric method. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 871, 101-108.	2.3	31
335	Simultaneous determination of triazolam and its metabolites in human plasma by liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 872, 58-62.	2.3	12

#	Article	IF	CITATIONS
336	High-performance liquid chromatography coupled with electrospray tandem mass spectrometry (LC/MS/MS) method for the simultaneous determination of diazepam, atropine and pralidoxime in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 874, 42-50.	2.3	45
337	Simultaneous determination of doxifluridine and 5-fluorouracil in monkey serum by high performance liquid chromatography with tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 875, 487-492.	2.3	9
338	Liquid chromatography–mass spectrometric method for the sensitive determination of niflumic acid in human plasma and its application to pharmacokinetic study of talniflumate tablet. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 876, 159-162.	2.3	7
339	LC–MS/MS method for the determination of nine antidepressants and some of their main metabolites in oral fluid and plasma. Journal of Pharmaceutical and Biomedical Analysis, 2008, 48, 183-193.	2.8	103
340	HPLC–electrospray mass spectrometric assay for the determination of (R,R)-fenoterol in rat plasma. Journal of Pharmaceutical and Biomedical Analysis, 2008, 48, 960-964.	2.8	14
341	A rapid and sensitive liquid chromatography–tandem mass spectrometric method for the determination of timosaponin B-II in blood plasma and a study of the pharmacokinetics of saponin in the rat. Journal of Pharmaceutical and Biomedical Analysis, 2008, 48, 1411-1416.	2.8	48
342	Optimization of solid phase extraction clean up and validation of quantitative determination of corticosteroids in urine by liquid chromatography–tandem mass spectrometry. Analytica Chimica Acta, 2008, 617, 216-224.	5.4	57
343	Fast simultaneous analysis of caffeine, trigonelline, nicotinic acid and sucrose in coffee by liquid chromatography–mass spectrometry. Food Chemistry, 2008, 110, 1030-1035.	8.2	158
344	Peak capacity in unidimensional chromatography. Journal of Chromatography A, 2008, 1184, 107-130.	3.7	140
345	Validation of a solid-phase extraction and liquid chromatography–electrospray tandem mass spectrometric method for the determination of nine basic pharmaceuticals in wastewater and surface water samples. Journal of Chromatography A, 2008, 1182, 153-160.	3.7	81
346	Matrix effects in pesticide multi-residue analysis by liquid chromatography–mass spectrometry. Journal of Chromatography A, 2008, 1187, 58-66.	3.7	275
347	A new hydrophilic interaction liquid chromatography tandem mass spectrometry method for the simultaneous determination of seven biogenic amines in cheese. Journal of Chromatography A, 2008, 1185, 296-300.	3.7	81
348	Isolation and quantification by high-performance liquid chromatography–ion-trap mass spectrometry of androgen sulfoconjugates in human urine. Journal of Chromatography A, 2008, 1196-1197, 153-160.	3.7	44
349	Evaluation of monolithic packed 96-tips and liquid chromatography–tandem mass spectrometry for extraction and quantification of pindolol and metoprolol in human plasma samples. Journal of Chromatography A, 2008, 1196-1197, 23-27.	3.7	32
350	Simultaneous determination of sulfonamides, tetracyclines and tiamulin in swine wastewater by solid-phase extraction and liquid chromatography–mass spectrometry. Journal of Chromatography A, 2008, 1202, 173-180.	3.7	210
351	Analysis of fluorotelomer alcohols and perfluorinated sulfonamides in biotic samples by liquid chromatography-atmospheric pressure photoionization mass spectrometry. Journal of Chromatography A, 2008, 1215, 92-99.	3.7	60
352	Optimisation and validation of a liquid chromatography–tandem mass spectrometry method for folates in rice. Journal of Chromatography A, 2008, 1215, 125-132.	3.7	54
353	Rapid liquid chromatography–tandem mass spectrometry method for the determination of a broad mixture of pharmaceuticals in surface water. Journal of Chromatography A, 2008, 1185, 206-215.	3.7	111

#	Article	IF	CITATIONS
354	Analysis of currently used pesticides in fine airborne particulate matter (PM 2.5) by pressurized liquid extraction and liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2008, 1200, 100-107.	3.7	49
355	Quantitative analysis of acrylamide in tea by liquid chromatography coupled with electrospray ionization tandem mass spectrometry. Food Chemistry, 2008, 108, 760-767.	8.2	58
356	LC-MS-MS Determination of Cyclo{(2S)-2-amino-8-[(aminocarbonyl)hydrazono] decanoyl-1-l-tryptophyl-l-isoleucyl-(2R)-2-piperidinecarbonyl} a Novel Histone Deacetylase Inhibitor in Rat Serum. Chromatographia, 2008, 67, 231-235.	1.3	2
357	LC–MS–MS Simultaneous Determination of Paracetamol, Pseudoephedrine and Chlorpheniramine in Human Plasma: Application to a Pharmacokinetic Study. Chromatographia, 2008, 67, 687-694.	1.3	36
358	Simultaneous Determination of Nicotine and Its Nine Metabolites in Human Urine by LC–MS–MS. Chromatographia, 2008, 68, 623-627.	1.3	22
359	UPLC–MS–MS Analysis of Quetiapine and Its Two Active Metabolites, 7-Hydroxyquetiapine and 7-Hydroxy-N-dealkylquetiapine, in Rat Plasma and Cerebrospinal Fluid. Chromatographia, 2008, 68, 525-532.	1.3	15
360	LC–Tandem-MS Validation for the Quantitative Analysis of Levonorgestrel in Human Plasma. Chromatographia, 2008, 68, 707-712.	1.3	8
361	Integration of metabolomics and proteomics in molecular plant physiology – coping with the complexity by dataâ€dimensionality reduction. Physiologia Plantarum, 2008, 132, 176-189.	5.2	88
362	HPLC-MS/MS in drug metabolism and pharmacokinetic screening. Expert Opinion on Drug Metabolism and Toxicology, 2008, 4, 93-101.	3.3	49
363	Overcoming Matrix Effects in Liquid Chromatographyâ^'Mass Spectrometry. Analytical Chemistry, 2008, 80, 9343-9348.	6.5	228
364	Simultaneous Determination of Hydrochlorothiazide and Valsartan in Human Plasma by Liquid Chromatography/Tandem Mass Spectrometry. Analytical Letters, 2008, 41, 1348-1365.	1.8	23
365	Xenobiotic clenbuterol in food producing male pigs: Various tissue residue accumulation on days after withdrawal. Meat Science, 2008, 80, 879-884.	5.5	14
366	Validated hydrophilic interaction LC–MS/MS method for simultaneous quantification of dacarbazine and 5-amino-4-imidazole-carboxamide in human plasma. Talanta, 2008, 77, 412-421.	5.5	35
367	Direct Introduction of Biological Samples into a LTQ-Orbitrap Hybrid Mass Spectrometer as a Tool for Fast Metabolome Analysis. Analytical Chemistry, 2008, 80, 3291-3303.	6.5	90
368	A tandem mass spectrometry assay for the simultaneous determination of acetaminophen, caffeine, phenytoin, ranitidine, and theophylline in small volume pediatric plasma specimens. Clinica Chimica Acta, 2008, 398, 105-112.	1.1	88
369	Drug Screening of Hair by Liquid Chromatography-Tandem Mass Spectrometry. Journal of Analytical Toxicology, 2008, 32, 364-372.	2.8	83
370	Comparison of Nonhydrolysis and Hydrolysis Methods for the Determination of Buprenorphine Metabolites in Urine by Liquid Chromatography-Tandem Mass Spectrometry*. Journal of Analytical Toxicology, 2008, 32, 744-753.	2.8	14
371	Comparison of Time-of-Flight Mass Spectrometry to Triple Quadrupole Tandem Mass Spectrometry for Quantitative Bioanalysis: Application to Antipsychotics. Journal of Liquid Chromatography and Related Technologies, 2008, 31, 2737-2751.	1.0	21

ARTICLE IF CITATIONS # Evaluation of a Deuterium-Labeled Internal Standard for the Measurement of Sirolimus by High-Throughput HPLC Electrospray Ionization Tandem Mass Spectrometry. Clinical Chemistry, 2008, 372 3.2 31 54, 1386-1389. Matrix Effects by Specific Buffer Components in the Analysis of Metabolites with Ion Trap Mobility Spectrometry. Analytical Chemistry, 2008, 80, 5240-5245. 373 6.5 Direct Assay of Enzymes in Heme Biosynthesis for the Detection of Porphyrias by Tandem Mass 374 Spectrometry. Uroporphyrinogen Decarboxylase and Coproporphyrinogen III Oxidase. Analytical 6.5 12 Chemistry, 2008, 80, 2599-2605. Characterizing and Compensating for Matrix Effects Using Atmospheric Pressure Chemical Ionization Liquid Chromatographyâ°'Tandem Mass Spectrometry:  Analysis of Neutral Pharmaceuticals in Municipal Wastewater. Analytical Chemistry, 2008, 80, 2010-2017. Bile Acids Metabonomic Study on the CCl₄- and α-Naphthylisothiocyanate-Induced Animal Models: Quantitative Analysis of 22 Bile Acids by Ultraperformance Liquid Chromatographya?' Mass 376 3.3 104 Spectrometry. Chemical Research in Toxicology, 2008, 21, 2280-2288. Use of solid phase extraction and liquid chromatography-tandem mass spectrometry for simultaneous determination of various pharmaceuticals in surface water. International Journal of Énvironmental 3.3 Analytical Chemistry, 2008, 88, 1033-1048. Determination of Cannabinoids in Whole Blood by UPLC-MS-MS. Journal of Analytical Toxicology, 378 2.8 37 2008, 32, 349-354. Simultaneous Detection and Quantification of Amphetamines, Diazepam and its Metabolites, Cocaine and its Metabolites, and Opiates in Hair by LC-ESI-MS-MS Using a Single Extraction Method. Journal of 379 2.8 Analytical Toxicology, 2008, 32, 457-469. Measurement of urinary free cortisol by tandem mass spectrometry and comparison with results 380 obtained by gas chromatography-mass spectrometry and two commercial immunoassays. Annals of 1.6 96 Clinical Biochemistry, 2008, 45, 380-388. Urine Monitoring of Diazepam Abuseâ€"New Intake or Not?. Journal of Analytical Toxicology, 2008, 32, 2.8 14 402-407. Advances in High-Performance Liquid Chromatography and Its Application to the Analysis of Foods and 382 0 Beverages. , 2008, , . Doping Control Analysis of Methoxyphenamine Using Liquid Chromatography-Tandem Mass Spectrometry. European Journal of Mass Spectrometry, 2008, 14, 145-152. 1.0 Determination of Selected Stimulants in Urine for Sports Drug Analysis by Solid Phase Extraction via Cation Exchange and Means of Liquid Chromatography-Tandem Mass Spectrometry. European Journal 384 1.0 21 of Mass Spectrometry, 2008, 14, 135-143. Chapter 6 Recent Developments in Chromatographic Techniques. Comprehensive Analytical Chemistry, 2008, 51, 175-200. 1.3 A High-Performance Liquid Chromatography-Mass Spectrometry Method Using a Novel Atmospheric Pressure Chemical Ionization Approach for the Rapid Simultaneous Measurement of Tacrolimus and 387 2.0 27 Cyclosporin in Whole Blood. Therapeutic Drug Monitoring, 2008, 30, 292-300. Validation of a Reversed-Phase High-Performance Liquid Chromatography Method With Fluorescence Detection for the Bioequivalence Study of Norfloxacin in Plasma Samples. Therapeutic Drug Monitoring, 2008, 30, 341-346. Determination of Macrocyclic Lactone Drug Residues in Animal Muscle by Liquid 392 1.511 Chromatography/Tandem Mass Spectrometry. Journal of AOAC INTERNATIONAL, 2009, 92, 348-358. Matrix effects on mass spectrometric determinations of four pharmaceuticals and personal care 393 1.1 28 products in water, sediments, and biota. Canadian Journal of Chemistry, 2009, 87, 662-672.

#	Article	IF	CITATIONS
394	High-Throughput Analysis of Amphetamines in Blood and Urine with Online Solid-Phase Extraction-Liquid Chromatography—Tandem Mass Spectrometry. Journal of Analytical Toxicology, 2009, 33, 578-587.	2.8	23
395	Liquid Chromatography–Tandem Mass Spectrometry Analysis of Folate and Folate Catabolites in Human Serum. Clinical Chemistry, 2009, 55, 1147-1154.	3.2	76
396	Current technologies and considerations for drug bioanalysis in oral fluid. Bioanalysis, 2009, 1, 637-667.	1.5	44
397	Restricted-access media supports for direct high-throughput analysis of biological fluid samples: review of recent applications. Bioanalysis, 2009, 1, 577-594.	1.5	50
398	Solid-Phase Extraction and Analysis of THC and Carboxy-THC from Whole Blood Using a Novel Fluorinated Solid-Phase Extraction Sorbent and Fast Liquid ChromatographyTandem Mass Spectrometry. Journal of Analytical Toxicology, 2009, 33, 461-468.	2.8	19
399	Oxycodone-Related Fatalities in the West of Scotland. Journal of Analytical Toxicology, 2009, 33, 423-432.	2.8	23
400	A Comparison of the Validity of Gas Chromatography-Mass Spectrometry and Liquid Chromatography-Tandem Mass Spectrometry Analysis of Urine Samples for Morphine, Codeine, 6-Acetylmorphine, and Benzoylecgonine. Journal of Analytical Toxicology, 2009, 33, 398-408.	2.8	33
401	Urinary Detection Times and Excretion Patterns of Flunitrazepam and its Metabolites After A Single Oral Dose. Journal of Analytical Toxicology, 2009, 33, 491-501.	2.8	31
402	Determination of Heroin and Its Main Metabolites in Small Sample Volumes of Whole Blood and Brain Tissue by Reversed-Phase Liquid Chromatography-Tandem Mass Spectrometry. Journal of Analytical Toxicology, 2009, 33, 345-350.	2.8	66
403	Validated Ultra-Performance Liquid Chromatography-Tandem Mass Spectrometry Method for Analyzing LSD, iso-LSD, nor-LSD, and O-H-LSD in Blood and Urine. Journal of Analytical Toxicology, 2009, 33, 253-259.	2.8	17
404	Determination of Digoxin and Digitoxin in Whole Blood. Journal of Analytical Toxicology, 2009, 33, 372-378.	2.8	28
405	Ethylglucuronide Determination in Urine and Hair from Alcohol Withdrawal Patients. Journal of Analytical Toxicology, 2009, 33, 155-161.	2.8	31
406	Microextraction by packed sorbent in bioanalysis. Bioanalysis, 2009, 1, 687-691.	1.5	19
407	Ion suppression and cannulation locking solutions. Bioanalysis, 2009, 1, 523-528.	1.5	1
408	Highly Sensitive LCMSMS Analysis of a Pharmaceutical Compound in Human Plasma Using Monolithic Phase-Based On-line Extraction. Journal of Chromatographic Science, 2009, 47, 473-477.	1.4	11
409	Simultaneous Quantification of Methadone, Cocaine, Opiates, and Metabolites in Human Placenta by Liquid Chromatography-Mass Spectrometry. Journal of Analytical Toxicology, 2009, 33, 243-252.	2.8	44
410	Liquid chromatography–tandem mass spectrometry method for the determination of meloxicam and its metabolite 5-carboxymeloxicam in human plasma. Bioanalysis, 2009, 1, 63-70.	1.5	9
411	Determination of Ethylglucuronide in Oral Fluid by Ultra-Performance Liquid Chromatography-Tandem Mass Spectrometry. Journal of Analytical Toxicology, 2009, 33, 204-207.	2.8	20

#	Article	IF	CITATIONS
412	Ultraperformance Liquid Chromatography–Tandem Mass Spectrometry Assay for Iohexol in Human Serum. Clinical Chemistry, 2009, 55, 1196-1202.	3.2	36
413	Microanalysis of β-Lactam Antibiotics and Vancomycin in Plasma for Pharmacokinetic Studies in Neonates. Antimicrobial Agents and Chemotherapy, 2009, 53, 75-80.	3.2	52
414	Determination of Cotinine in Pericardial Fluid and Whole Blood by Liquid Chromatography-Tandem Mass Spectrometry. Journal of Analytical Toxicology, 2009, 33, 218-222.	2.8	8
415	Sensitive Liquid Chromatography Positive Electrospray Tandem Mass Spectrometry Method for the Quantitation of Tegaserod in Human Plasma Using Liquid-Liquid Extraction. Journal of Chromatographic Science, 2009, 47, 164-169.	1.4	3
416	Analysis of macrolide antibiotics, using liquid chromatographyâ€mass spectrometry, in food, biological and environmental matrices. Mass Spectrometry Reviews, 2009, 28, 50-92.	5.4	97
417	Improved partition equilibrium model for predicting analyte response in electrospray ionization mass spectrometry. Journal of Mass Spectrometry, 2009, 44, 222-229.	1.6	14
418	Selective detection of phosphatidylethanol homologues in blood as biomarkers for alcohol consumption by LCâ€ESIâ€MS/MS. Journal of Mass Spectrometry, 2009, 44, 1293-1299.	1.6	61
419	Rapid simultaneous determination of codeine and morphine in plasma using LCâ€ESIâ€MS/MS: Application to a clinical pharmacokinetic study. Journal of Separation Science, 2009, 32, 202-211.	2.5	22
420	Hydrophilic interaction chromatographyâ€ŧandem mass spectrometric analysis of irbesartan in human plasma: Application to pharmacokinetic study of irbesartan. Journal of Separation Science, 2009, 32, 2353-2358.	2.5	23
421	Simultaneous determination of avermectins in bovine tissues by LCâ€MS/MS. Journal of Separation Science, 2009, 32, 3596-3602.	2.5	27
422	Simultaneous determination of mifepristone and monodemethylâ€mifepristone in human plasma by liquid chromatography–tandem mass spectrometry method using levonorgestrel as an internal standard: application to a pharmacokinetic study. Biomedical Chromatography, 2009, 23, 71-80.	1.7	19
423	Simultaneous quantification of a nonâ€nucleoside reverse transcriptase inhibitor efavirenz, a nucleoside reverse transcriptase inhibitor emtricitabine and a nucleotide reverse transcriptase inhibitor tenofovir in plasma by liquid chromatography positive ion electrospray tandem mass spectrometry. Biomedical Chromatography, 2009, 23, 371-381	1.7	38
424	Determination of a hydrophilic paclitaxel derivative, 7â€xylosylâ€10â€deacetylpaclitaxel in rat plasma by LC–MS/MS. Biomedical Chromatography, 2009, 23, 472-479.	1.7	9
425	Dodging matrix effects in liquid chromatography tandem mass spectrometric assays—compilation of key learnings and perspectives. Biomedical Chromatography, 2009, 23, 451-454.	1.7	64
426	Liquid chromatography–tandem mass spectrometry method of loxoprofen in human plasma. Biomedical Chromatography, 2009, 23, 714-718.	1.7	9
427	Determination of fenofibric acid in human plasma by ultra performance liquid chromatography–electrospray ionization mass spectrometry: application to a bioequivalence study. Biomedical Chromatography, 2009, 23, 922-928.	1.7	20
428	Liquid chromatography–mass spectrometry for the simultaneous determination of the catalpolâ€related iridoid glucosides, verproside, isovanilloylcatalpol, catalposide and 6â€ <i>O</i>	1.7	9
429	Determination of zearalenone by liquid chromatography/tandem mass spectrometry and application to a pharmacokinetic study. Biomedical Chromatography, 2009, 23, 1014-1021.	1.7	27

		CITATION REF	PORT	
#	Article		IF	CITATIONS
430	Quantification of chlordesmethyldiazepam by liquid chromatography–tandem mass spe application to a cloxazolam bioequivalence study. Biomedical Chromatography, 2009, 23,	ctrometry: 1266-1275.	1.7	5
431	Simultaneous assay of sildenafil and desmethylsildenafil in neonatal plasma by ultraâ€perf liquid chromatography–tandem mass spectrometry. Biomedical Chromatography, 2010	ormance , 24, 180-185.	1.7	17
432	A new, validated HPLCâ€MS/MS method for the simultaneous determination of the antiâ€ capecitabine and its metabolites: 5′â€deoxyâ€5â€fluorocytidine, 5′â€deoxyâ€5â€flu 5â€fluorodihydrouracil, in human plasma. Biomedical Chromatography, 2010, 24, 374-386	cancer agent uorouridine, 5â€fluorour 5.	a cit and	49
433	Study of the effect of Wuzhi tablet (<i>Schisandra sphenanthera</i> extract) on tacrolimu distribution in rat by liquid chromatography tandem mass spectrometry method. Biomedia Chromatography, 2010, 24, 399-405.	us tissue cal	1.7	38
434	Determination of serum cholestanol by semiâ€micro highâ€performance liquid chromatog electrochemical detection. Biomedical Chromatography, 2010, 24, 600-605.	graphy with	1.7	6
435	Determination of chlorpheniramine in human plasma by HPLCâ€ESIâ€MS/MS: application dexchlorpheniramine comparative bioavailability study. Biomedical Chromatography, 2010	to a), 24, 774-781.	1.7	15
436	Simultaneous determination of tetrahydropalmatine, protopine, and palmatine in rat plasr LC-ESI-MS and its application to a pharmacokinetic study. Journal of Pharmaceutical and B Analysis, 2009, 49, 440-446.	na by iomedical	2.8	66
437	Simultaneous determination of magnolin and epimagnolin A in rat plasma by liquid chrom with tandem mass spectrometry: Application to pharmacokinetic study of a purified extract dried flower buds of Magnolia fargesii, NDC-052 in rats. Journal of Pharmaceutical and Bio Analysis. 2009, 50, 53-57.	atography tt of the medical	2.8	10
438	Validated bioanalytical method for the quantification of RGB-286638, a novel multi-target kinase inhibitor, in human plasma and urine by liquid chromatography/tandem triple-quade spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2009, 50, 977-982.	ed protein upole mass	2.8	20
439	Simultaneous screening and quantification of 25 opioid drugs in post-mortem blood and ι liquid chromatography–tandem mass spectrometry. Forensic Science International, 200	ırine by 9, 186, 36-43.	2.2	124
440	Liquid chromatography–mass spectrometry analysis of macranthoidin B, macranthoidin B, and macranthoside B in rat plasma for the pharmacokinetic investigation. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 872	A, dipsacoside 7, 159-165.	2.3	28
441	Development and validation of a liquid chromatography–atmospheric pressure photoior spectrometry method for the quantification of alprazolam, flunitrazepam, and their main r in haemolysed blood. Journal of Chromatography B: Analytical Technologies in the Biomed Sciences, 2009, 877, 2275-2283.	nization–mass netabolites ical and Life	2.3	30
442	Determination of opiates and cocaine in urine by high pH mobile phase reversed phase UP Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 421-432.	LC–MS/MS. 2009, 877,	2.3	116
443	Validation and long-term evaluation of a modified on-line chiral analytical method for thera drug monitoring of (R,S)-methadone in clinical samples. Journal of Chromatography B: Ana Technologies in the Biomedical and Life Sciences, 2009, 877, 2301-2307.	apeutic Ilytical	2.3	18
444	A flexible and high throughput liquid chromatography–tandem mass spectrometric assa quantitation of telcagepant in human plasma. Journal of Chromatography B: Analytical Tec in the Biomedical and Life Sciences, 2009, 877, 1465-1471.	y for the hnologies	2.3	2
445	Determination of metoclopramide in human plasma using hydrophilic interaction chromat with tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in Biomedical and Life Sciences, 2009, 877, 1716-1720.	ography the	2.3	35
446	Therapeutic Drug Monitoring of the new targeted anticancer agents imatinib, nilotinib, da sunitinib, sorafenib and lapatinib by LC tandem mass spectrometry. Journal of Chromatogr Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 1982-1996.	satinib, aphy B:	2.3	172
447	Validation and clinical application of a high performance liquid chromatography tandem m spectrometry (LC-MS/MS) method for the quantitative determination of 10 anti-retrovirals peripheral blood mononuclear cells. Journal of Chromatography B: Analytical Technologies Biomedical and Life Sciences. 2009, 877, 1805-1814.	ass in human in the	2.3	31

#	Article	IF	CITATIONS
448	Simultaneous quantification of rosiglitazone and its two major metabolites, N-desmethyl and p-hydroxy rosiglitazone in human plasma by liquid chromatography/tandem mass spectrometry: Application to a pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 1951-1956.	2.3	14
449	Measurement of homocysteine and related metabolites in human plasma and urine by liquid chromatography electrospray tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 3282-3291.	2.3	52
450	Clinical assay of four thiol amino acid redox couples by LC–MS/MS: Utility in thalassemia. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 3418-3427.	2.3	40
451	Determination of perhexiline and its metabolite hydroxyperhexiline in human plasma by liquid chromatography/tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 3025-3030.	2.3	5
452	Simultaneous quantification of psoralen and isopsoralen in rat plasma by ultra-performance liquid chromatography/tandem mass spectrometry and its application to a pharmacokinetic study after oral administration of Haigou Pill. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 3137-3143.	2.3	18
453	Simultaneous and sensitive measurement of nicotine, cotinine, trans-3′-hydroxycotinine and norcotinine in human plasma by liquid chromatography-tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 3537-3542.	2.3	44
454	Validation of an LC–MS/MS method for the determination of epirubicin in human serum of patients undergoing Drug Eluting Microsphere-Transarterial Chemoembolization (DEM-TACE). Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 3543-3548.	2.3	25
455	Rapid, simultaneous quantitation of mono and dioxygenated metabolites of arachidonic acid in human CSF and rat brain. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 3991-4000.	2.3	38
456	Liquid chromatography-tandem mass spectrometry of a new PPARα/γ dual agonist PAR-5359 in rat plasma. Archives of Pharmacal Research, 2009, 32, 1743-1748.	6.3	5
457	Two new techniques for sample preparation in bioanalysis: Microextraction in packed sorbent (MEPS) and use of a bonded monolith as sorbent for sample preparation in polypropylene tips for 96-well plates. Analytical and Bioanalytical Chemistry, 2009, 393, 797-807.	3.7	84
458	Simultaneous quantification of nicotine, opioids, cocaine, and metabolites in human fetal postmortem brain by liquid chromatography tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2009, 393, 1957-1965.	3.7	29
459	A liquid chromatography tandem mass spectrometry method for the simultaneous quantification of 20 drugs of abuse and metabolites in human meconium. Analytical and Bioanalytical Chemistry, 2009, 393, 1977-1990.	3.7	58
460	Determination of atorvastatin and its metabolite ortho-hydroxyatorvastatin in human plasma by on-line anion-exchange solid-phase extraction and liquid chromatography tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2009, 394, 1687-1696.	3.7	25
461	Determination of basic drugs of abuse in human serum by online extraction and LC–MS/MS. Analytical and Bioanalytical Chemistry, 2009, 395, 2499-2507.	3.7	51
462	Direct injection horse urine analysis for the quantification and identification of threshold substances for doping control. III. Determination of salicylic acid by liquid chromatography/quadrupole time-of-flight mass spectrometry. Analytical and Bioanalytical Chemistry, 2009, 395, 1403-1410.	3.7	12
463	Quantitative determination of Phakellistatin 13, a new cyclic heptapeptide, in rat plasma by liquid chromatography/tandem mass spectrometry: application to a pharmacokinetic study. Analytical and Bioanalytical Chemistry, 2009, 395, 1461-1469.	3.7	4
464	Optimization and validation of a liquid chromatography-tandem mass spectrometry method for the simultaneous quantification of nicotine, cotinine, trans-3′-hydroxycotinine and norcotinine in human oral fluid. Analytical and Bioanalytical Chemistry, 2009, 395, 2349-2357.	3.7	33
465	Quantitative and qualitative profiling of endocannabinoids in human plasma using a triple quadrupole linear ion trap mass spectrometer with liquid chromatography. Rapid Communications in Mass Spectrometry, 2009, 23, 629-638.	1.5	51

#	Article	IF	CITATIONS
466	Direct injection liquid chromatography/electrospray ionization mass spectrometric horse urine analysis for the quantification and confirmation of threshold substances for doping control. II. Determination of theobromine. Rapid Communications in Mass Spectrometry, 2009, 23, 1020-1028.	1.5	13
467	Doping control analysis of emerging drugs in human plasma – identification of GW501516, Sâ€107, JTVâ€519, and Sã€40503. Rapid Communications in Mass Spectrometry, 2009, 23, 1139-1146.	1.5	34
468	Quantitative profiling of biomarkers related to Bâ€vitamin status, tryptophan metabolism and inflammation in human plasma by liquid chromatography/tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2009, 23, 1371-1379.	1.5	285
469	Determination of <i>o,o</i> EDDHA – a xenobiotic chelating agent used in Fe fertilizers – in plant tissues by liquid chromatography/electrospray mass spectrometry: overcoming matrix effects. Rapid Communications in Mass Spectrometry, 2009, 23, 1694-1702.	1.5	9
470	Phospholipids in liquid chromatography/mass spectrometry bioanalysis: comparison of three tandem mass spectrometric techniques for monitoring plasma phospholipids, the effect of mobile phase composition on phospholipids elution and the association of phospholipids with matrix effects. Rapid Communications in Mass Spectrometry, 2009, 23, 2125-2138.	1.5	188
471	Hydrophilic interaction chromatography/tandem mass spectrometry for the simultaneous determination of three polar nonâ€structurally related compounds, imipenem, cilastatin and an investigational <i>î²</i> ″actamase inhibitor, MKâ€4698, in biological matrices. Rapid Communications in Mass Spectrometrv. 2009. 23. 2195-2205.	1.5	14
472	Development and validation of a gas chromatography/mass spectrometry method for the assessment of genomic DNA methylation. Rapid Communications in Mass Spectrometry, 2009, 23, 2637-2646.	1.5	38
473	Application of hyphenated mass spectrometry techniques for the analysis of urinary free glucocorticoids. Rapid Communications in Mass Spectrometry, 2009, 23, 2975-2982.	1.5	17
474	Online nanoelectrospray/highâ€field asymmetric waveform ion mobility spectrometry as a potential tool for discovery pharmaceutical bioanalysis. Rapid Communications in Mass Spectrometry, 2009, 23, 3736-3742.	1.5	11
475	Current challenges for FDAâ€regulated bioanalytical laboratories performing human BA/BE studies; Part III: selected discussion topics in bioanalytical LC/MS/MS method validation. Quality Assurance Journal, 2009, 12, 22-30.	0.1	4
476	Determination of polar 1H-benzotriazoles and benzothiazoles in water by solid-phase extraction and liquid chromatography LTQ FT Orbitrap mass spectrometry. International Journal of Mass Spectrometry, 2009, 282, 99-107.	1.5	94
477	Application of ultra-high-pressure liquid chromatography–tandem mass spectrometry to the determination of multi-class pesticides in environmental and wastewater samples. Journal of Chromatography A, 2009, 1216, 1410-1420.	3.7	138
478	Pre-analytical stability of selected benzodiazepines on a polymeric oral fluid sampling device. Forensic Science International, 2009, 186, 81-85.	2.2	16
479	Rapid quantitative determination of fat-soluble vitamins and coenzyme Q-10 in human serum by reversed phase ultra-high pressure liquid chromatography with UV detection. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 89-94.	2.3	36
480	Liquid chromatography/tandem mass spectrometry method for the simultaneous determination of vardenafil and its major metabolite, N-desethylvardenafil, in human plasma: Application to a pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 95-100.	2.3	25
481	Simple and sensitive liquid chromatography–tandem mass spectrometry assay for simultaneous measurement of five Epimedium prenylflavonoids in rat sera. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 71-78.	2.3	34
482	Analysis of second-generation antidepressant drug, sertraline and its active metabolite, N-desmethyl sertraline in human plasma by a sensitive and selective liquid chromatography–tandem mass spectrometry method. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 221-229.	2.3	30
483	Determination of sulfadimethoxine and 4N-acetylsulfadimethoxine in bovine plasma, urine, oral fluid, and kidney and liver biopsy samples obtained surgically from standing animals by LC/MS/MS. Journal of Chromatography B: Analytical Technologies in the Biom <u>edical and Life Sciences</u> , 2009, 877, 237-246.	2.3	11

#	Article	IF	CITATIONS
484	LC-MS/MS and centrifugal ultrafiltration method for the determination of novobiocin in chicken, fish tissues, milk and human serum. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 461-464.	2.3	14
485	Determination of eptifibatide concentration in human plasma utilizing the liquid chromatography–tandem mass spectrometry method. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 527-532.	2.3	12
486	Liquid chromatography–tandem mass spectrometry method for the simultaneous quantitative determination of the organophosphorus pesticides dimethoate, fenthion, diazinon and chlorpyrifos in human blood. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 568-574.	2.3	84
487	Validation of bioanalytical LC–MS/MS assays: Evaluation of matrix effects. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 2198-2207.	2.3	653
488	Chromatographic separation of (E)- and (Z)-isomers of entacapone and their simultaneous quantitation in human plasma by LC–ESI-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 533-540.	2.3	12
489	Quantitative determination of the 1,3-butadiene urinary metabolite 1,2-dihydroxybutyl mercapturic acid by high-performance liquid chromatography/tandem mass spectrometry using polynomial calibration curvesâ [*] †. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009. 877. 1388-1393.	2.3	9
490	Development and validation of a high throughput and robust LC–MS/MS with electrospray ionization method for simultaneous quantitation of diltiazem and its two metabolites in human plasma: Application to a bioequivalence study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 791-798.	2.3	16
491	A LC–tandem MS assay for the simultaneous measurement of new antiretroviral agents: Raltegravir, maraviroc, darunavir, and etravirine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 1057-1069.	2.3	101
492	Development of a sensitive and selective LC/MS/MS method for the simultaneous determination of intracellular 1-beta-d-arabinofuranosylcytosine triphosphate (araCTP), cytidine triphosphate (CTP) and deoxycytidine triphosphate (dCTP) in a human follicular lymphoma cell line. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 1417-1425.	2.3	32
493	Analysis of cyclosporin A in dried blood spots using liquid chromatography tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 1595-1598.	2.3	71
494	A modified method for the determination of tobacco specific nitrosamine 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanol in human urine by solid phase extraction using a molecularly imprinted polymer and liquid chromatography tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 1575-1582.	2.3	24
495	Simultaneous detection of residues of Î ² -adrenergic receptor blockers and sedatives in animal tissues by high-performance liquid chromatography/tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 1915-1922.	2.3	40
496	The simultaneous assay of tenofovir and emtricitabine in plasma using LC/MS/MS and isotopically labeled internal standards. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 1907-1914.	2.3	87
497	Overcoming ionization effects through chromatography: A case study for the ESI-LC–MS/MS quantitation of a hydrophobic therapeutic agent in human serum using a stable-label internal standard. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009. 877. 2003-2010.	2.3	24
498	Quantification of arginine and its mono- and dimethylated analogs NMMA, ADMA and SDMA in biological fluids by LC–MS/MS: Is LC superfluous?. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 3261-3266.	2.3	22
499	Determination of arotinoid acid in human plasma by liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 2983-2988.	2.3	3
500	Internal standard response variations during incurred sample analysis by LC–MS/MS: Case by case trouble-shooting. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 3201-3209.	2.3	65
501	Screening ionisation and chromatography conditions for quantitative LC/MS methods. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 3581-3588.	2.3	8

#	Article	IF	CITATIONS
502	Determination of amphetamine and methamphetamine in umbilical cord using liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 3701-3706.	2.3	23
503	Direct injection liquid chromatography/positive ion electrospray ionization mass spectrometric quantification of methotrexate, folinic acid, folic acid and ondansetron in human serum. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 3850-3856.	2.3	43
504	Liquid chromatography atmospheric pressure chemical ionization tandem mass spectrometry method for the quantification of pregabalin in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 3899-3906.	2.3	30
505	Simultaneous determination of triprolidine and pseudoephedrine in human plasma by liquid chromatography–ion trap mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 4071-4078.	2.3	13
506	Theoretical models in LC based bioanalytical method development. Journal of Pharmaceutical and Biomedical Analysis, 2009, 49, 1-10.	2.8	8
507	Liquid chromatography-tandem mass spectrometry for the determination of jaceosidin in rat plasma. Journal of Pharmaceutical and Biomedical Analysis, 2009, 49, 381-386.	2.8	14
508	Therapeutic drug monitoring of everolimus using the dried blood spot method in combination with liquid chromatography–mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2009, 50, 664-670.	2.8	102
509	Sample preparation development and matrix effects evaluation for multianalyte determination in urine. Journal of Pharmaceutical and Biomedical Analysis, 2009, 49, 459-467.	2.8	59
510	Validation of a liquid chromatography–tandem mass spectrometric assay for the quantitative determination of hydrastine and berberine in human serum. Journal of Pharmaceutical and Biomedical Analysis, 2009, 49, 1021-1026.	2.8	30
511	Application of a rapid and selective method for the simultaneous determination of protease inhibitors, lopinavir and ritonavir in human plasma by UPLC–ESI-MS/MS for bioequivalence study in Indian subjects. Journal of Pharmaceutical and Biomedical Analysis, 2009, 49, 1115-1122.	2.8	26
512	Comparison of fused-core and conventional particle size columns by LC–MS/MS and UV: Application to pharmacokinetic study. Journal of Pharmaceutical and Biomedical Analysis, 2009, 50, 491-500.	2.8	47
513	Quantification of CKD-501, lobeglitazone, in rat plasma using a liquid-chromatography/tandem mass spectrometry method and its applications to pharmacokinetic studies. Journal of Pharmaceutical and Biomedical Analysis, 2009, 50, 872-877.	2.8	24
514	Therapeutic drug monitoring of seven psychotropic drugs and four metabolites in human plasma by HPLC–MS. Journal of Pharmaceutical and Biomedical Analysis, 2009, 50, 1000-1008.	2.8	104
515	Development and validation of a HPLC–ES-MS/MS method for the determination of glucosamine in human synovial fluid. Journal of Pharmaceutical and Biomedical Analysis, 2009, 50, 1009-1014.	2.8	23
516	Validation of a liquid chromatography–tandem mass spectrometry method for the identification and quantification of 5-nitroimidazole drugs and their corresponding hydroxy metabolites in lyophilised pork meat. Journal of Chromatography A, 2009, 1216, 249-256.	3.7	34
517	Sampling and analysis of pesticides in ambient air. Journal of Chromatography A, 2009, 1216, 2972-2983.	3.7	96
518	Fast analysis of doping agents in urine by ultra-high-pressure liquid chromatography–quadrupole time-of-flight mass spectrometry. Journal of Chromatography A, 2009, 1216, 4423-4433.	3.7	113
519	Determination of melamine in rat plasma, liver, kidney, spleen, bladder and brain by liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2009, 1216, 7595-7601.	3.7	100

#	Article	IF	CITATIONS
520	Pharmaceutical trace analysis in aqueous environmental matrices by liquid chromatography–ion trap tandem mass spectrometry. Journal of Chromatography A, 2009, 1216, 7033-7042.	3.7	46
521	Comparison of molecularly imprinted, mixed-mode and hydrophilic balance sorbents performance in the solid-phase extraction of amphetamine drugs from wastewater samples for liquid chromatography–tandem mass spectrometry determination. Journal of Chromatography A, 2009, 1216, 8435-8441	3.7	74
522	Multi-residue analysis of 30 currently used pesticides in fine airborne particulate matter (PM 2.5) by microwave-assisted extraction and liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2009, 1216, 8817-8827.	3.7	73
523	A rapid and reliable method for the quantitation of tricyclic antidepressants in serum using HPLC-MS/MS. Clinical Biochemistry, 2009, 42, 1300-1307.	1.9	42
524	A validated hybrid quadrupole linear ion-trap LC–MS method for the analysis of morphine and morphine glucuronides applied to opiate deaths. Forensic Science International, 2009, 187, 34-41.	2.2	36
525	Quantification of endogenous α- and γ-endorphins in rat brain by liquid chromatography–tandem mass spectrometry. Analytical Biochemistry, 2009, 392, 83-89.	2.4	11
526	High-performance liquid chromatographic analysis of amphotericin B in rat plasma using α-naphthol as an internal standard. Analytica Chimica Acta, 2009, 634, 110-114.	5.4	20
527	Rapid analysis of 21 antibiotics of multiple classes in municipal wastewater using ultra performance liquid chromatography-tandem mass spectrometry. Analytica Chimica Acta, 2009, 645, 64-72.	5.4	199
528	Development of a broad toxicological screening technique for urine using ultra-performance liquid chromatography and time-of-flight mass spectrometry. Analytica Chimica Acta, 2009, 649, 80-90.	5.4	106
529	Combating matrix effects in LC/ESI/MS: The extrapolative dilution approach. Analytica Chimica Acta, 2009, 651, 75-80.	5.4	96
530	Development and Validation of a Column-Switching LC–ESI–MS Assay for Determination of HuperzineÂA in Rat Plasma and Cerebrospinal Fluid. Chromatographia, 2009, 69, 445-451.	1.3	4
531	Development of a Rapid LC–MS–MS Method for Multi-Class Determination of 14 Coccidiostat Residues in Eggs and Chicken. Chromatographia, 2009, 69, 1083-1088.	1.3	49
532	LC–ESI–MS Determination of Imperatorin in Rat Plasma After Oral Administration and Total Furocoumarins of Radix Angelica dahuricae and its Application to a Pharmacokinetic Study. Chromatographia, 2009, 69, 859-864.	1.3	17
533	LC–MS Simultaneous Determination of Itopride Hydrochloride and Domperidone in Human Plasma. Chromatographia, 2009, 69, 1233-1241.	1.3	15
534	Determination of Memantine in Human Plasma by LC–MS–MS: Application to a Pharmacokinetic Study. Chromatographia, 2009, 70, 783-788.	1.3	14
535	A Comparison of Three Methods of Extraction for the Determination of Polyphenols and Organic Acids in Tobacco by UPLC–MS–MS. Chromatographia, 2009, 70, 1007-1010.	1.3	19
536	Simultaneous Determination of Main Bioactive Components in Rosa multiflora Thunb. and Their Fragmentation Study by LC–MS. Chromatographia, 2009, 70, 1253-1257.	1.3	18
537	High-Throughput Screening of Drugs of Abuse in Urine by Supported Liquid–Liquid Extraction and UHPLC Coupled to Tandem MS. Chromatographia, 2009, 70, 1373-1380.	1.3	26

#	Article	IF	CITATIONS
538	Screening for the calstabinâ€ryanodine receptor complex stabilizers JTVâ€519 and Sâ€107 in doping control analysis. Drug Testing and Analysis, 2009, 1, 32-42.	2.6	15
539	LCâ€MS: a powerful tool in workplace drug testing. Drug Testing and Analysis, 2009, 1, 109-115.	2.6	35
540	Direct injection horseâ€urine analysis for the quantification and confirmation of threshold substances for doping control. IV. Determination of 3â€methoxytyramine by hydrophilic interaction liquid chromatography/quadrupole timeâ€ofâ€flight mass spectrometry. Drug Testing and Analysis, 2009, 1, 365-371.	2.6	6
541	Utilization of Immonium Product Ions for the Determination of Peptides with Intra-loops in Biological Matrices. Analytical Letters, 2009, 42, 3004-3017.	1.8	2
542	Dual Labeling of Metabolites for Metabolome Analysis (DLEMMA): A New Approach for the Identification and Relative Quantification of Metabolites by Means of Dual Isotope Labeling and Liquid Chromatographyâ°'Mass Spectrometry. Analytical Chemistry, 2009, 81, 9257-9266.	6.5	41
543	Development of a method for the analysis of seven banned azo-dyes in chilli and hot chilli food samples by pressurised liquid extraction and liquid chromatography with electrospray ionization-tandem mass spectrometry. Talanta, 2009, 78, 178-186.	5.5	84
544	LC–ESI-MS determination of diethylene glycol pollution in sea water samples collected around gas extraction platform plants. Talanta, 2009, 80, 257-262.	5.5	4
545	Matrix effect elimination during LC–MS/MS bioanalytical method development. Bioanalysis, 2009, 1, 1243-1257.	1.5	118
546	Ultra-performance hydrophilic interaction LC–MS/MS for the determination of metformin in mouse plasma. Bioanalysis, 2009, 1, 1073-1079.	1.5	17
547	Development and Validation of a Selective and Robust LC-MS/MS Method, Employing Liquid–Liquid Extraction Based on 96-Well Format Plates, for High-Throughput Quantification of Docetaxel in Small Plasma Samples. Instrumentation Science and Technology, 2009, 37, 1-22.	1.8	5
548	Bioanalytical hydrophilic interaction chromatography: recent challenges, solutions and applications. Bioanalysis, 2009, 1, 239-253.	1.5	18
549	Determination of Lamivudine, Zidovudine, and Nevirapine in Capillary Blood Sampled on Filter Paper by LC. Journal of Chromatographic Science, 2009, 47, 855-862.	1.4	7
550	Quantification of Trace Elements in Natural Samples by Electrospray Ionization Mass Spectrometry with a Size-Exclusion Column Based on the Formation of Metalâ´'Aminopolycarboxylate Complexes. Analytical Chemistry, 2009, 81, 6357-6363.	6.5	18
551	Simultaneous Screening and Quantification of 29 Drugs of Abuse in Oral Fluid by Solid-Phase Extraction and Ultraperformance LC-MS/MS. Clinical Chemistry, 2009, 55, 2004-2018.	3.2	109
552	Hydrophilic Interaction Liquid Chromatography Tandem Mass Spectrometry Method for the Determination of Bicozamycin in Milk. Journal of Liquid Chromatography and Related Technologies, 2009, 32, 1914-1924.	1.0	8
553	Fate of organohalogens in US wastewater treatment plants and estimated chemical releases to soils nationwide from biosolids recycling. Journal of Environmental Monitoring, 2009, 11, 2207.	2.1	70
554	The occurrence of chloramphenicol and tetracyclines in municipal sewage and the Nanming River, Guiyang City, China. Journal of Environmental Monitoring, 2009, 11, 1199.	2.1	102
555	A single LC–tandem mass spectrometry method for the simultaneous determination of 14 antimalarial drugs and their metabolites in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 867-886.	2.3	97

#	Article	IF	CITATIONS
556	Simultaneous Determination of Medicinal Ingredients in So-called Health-promoting Food Using Liquid Chromatography Tandem Mass Spectrometry with a Pentafluorophenyl Stationary Phase. Journal of Health Science, 2009, 55, 183-191.	0.9	7
557	Doping Control Analysis of Metamfepramone and Two Major Metabolites Using Liquid Chromatography-Tandem Mass Spectrometry. European Journal of Mass Spectrometry, 2009, 15, 507-515.	1.0	8
558	Probe for Label-free Quantitative Analysis in Liquid Chromatography/Mass Spectrometry. Analytical Sciences, 2009, 25, 67-71.	1.6	2
559	Fermentation monitoring based on HPTLC-OPLC. The effect of a complex biological matrix on quantitative performance. Journal of Planar Chromatography - Modern TLC, 2009, 22, 9-14.	1.2	6
560	Simultaneous Quantification of Erlotinib, Gefitinib, and Imatinib in Human Plasma by Liquid Chromatography Tandem Mass Spectrometry. Therapeutic Drug Monitoring, 2009, 31, 683-687.	2.0	36
561	High-Performance Liquid Chromatography-Mass Spectroscopy/Mass Spectroscopy Method for Simultaneous Quantification of Total or Free Fraction of Mycophenolic Acid and its Glucuronide Metabolites. Therapeutic Drug Monitoring, 2009, 31, 717-726.	2.0	28
562	A Systematic Approach to Evaluate the Biodegradation Kinetics of Estrogens by Nitrifying Activated Sludge. Proceedings of the Water Environment Federation, 2009, 2009, 2571-2590.	0.0	0
563	Validation of a Liquid Chromatography-Mass Spectrometric Assay for Tacrolimus in Peripheral Blood Mononuclear Cells. Therapeutic Drug Monitoring, 2009, 31, 178-186.	2.0	54
564	Fate of Selected Estrogens in two Laboratory Scale Sequencing Batch Reactors Fed with Different Organic Carbon Sources. Proceedings of the Water Environment Federation, 2010, 2010, 4111-4123.	0.0	0
565	Neonatal Hair Analysis by Liquid Chromatography-High-Resolution Mass Spectrometry to Reveal Gestational Exposure to Venlafaxine. Therapeutic Drug Monitoring, 2010, 32, 30-39.	2.0	26
566	Validated Liquid Chromatography–Tandem Mass Spectroscopy Method for the Simultaneous Quantification of Four Antimycotic Agents in Human Serum. Therapeutic Drug Monitoring, 2010, 32, 453-457.	2.0	22
568	Comparison of Electron Capture—Atmospheric Pressure Chemical Ionization and Electrospray Ionization for the Analysis of Gambogic Acid and its Main Circulating Metabolite in Dog Plasma. European Journal of Mass Spectrometry, 2010, 16, 605-617.	1.0	4
569	An LC-MS-MS Method for the Determination of Perfluorinated Surfactants in Environmental Matrices. Chromatographia, 2010, 72, 411-416.	1.3	12
570	LC–MS–MS Separation and Simultaneous Determination of Tolterodine and its Active Metabolite, 5-Hydroxymethyl Tolterodine in Human Plasma. Chromatographia, 2010, 72, 255-264.	1.3	11
571	Simultaneous Determination of Levodopa, Benserazide and 3-O-Methyldopa in Human Serum by LC–MS–MS. Chromatographia, 2010, 72, 627-633.	1.3	15
572	Application of DLLME to Isolation and Concentration of Non-Steroidal Anti-Inflammatory Drugs in Environmental Water Samples. Chromatographia, 2010, 72, 671-678.	1.3	51
573	Quantitative determination of urinary 8-oxo-7,8-dihydro-2′-deoxyguanosine, 8-oxo-7,8-dihydroguanine, 8-oxo-7,8-dihydroguanosine, and their non-oxidized forms: daily concentration profile in healthy volunteers. Biomarkers, 2010, 15, 221-231.	1.9	53
574	Novel extraction method based on the dispersion of the extraction solvent for extraction of letrozole from biological fluids. Analytical Methods, 2010, 2, 1341.	2.7	27

#	Article	IF	CITATIONS
575	Stable Isotope Labeled Mycotoxins as Standards for HPLC-MS/MS Analysis. ACS Symposium Series, 2010, , 265-276.	0.5	4
576	Characterization of <i>in vitro</i> generated metabolites of the selective androgen receptor modulators Sâ€22 and Sâ€23 and <i>in vivo</i> comparison to postâ€administration canine urine specimens. Drug Testing and Analysis, 2010, 2, 589-598.	2.6	41
577	Determination of 19 drugs of abuse and metabolites in whole blood by high-performance liquid chromatography–tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2010, 396, 2393-2401.	3.7	93
578	Characterization of two major urinary metabolites of the PPARδ-agonist GW1516 and implementation of the drug in routine doping controls. Analytical and Bioanalytical Chemistry, 2010, 396, 2479-2491.	3.7	43
579	Quantitative LC-ESI-MS/MS metabolic profiling method for fatty acids and lipophilic metabolites in fermentation broths from β-lactam antibiotics production. Analytical and Bioanalytical Chemistry, 2010, 397, 147-160.	3.7	27
580	Hydrophilic interaction liquid chromatography–tandem mass spectrometry (HILIC-MS/MS) determination of cocaine and its metabolites benzoylecgonine, ecgonine methyl ester, and cocaethylene in hair samples. Analytical and Bioanalytical Chemistry, 2010, 396, 1703-1712.	3.7	31
581	LC-MS/MS screening method for designer amphetamines, tryptamines, and piperazines in serum. Analytical and Bioanalytical Chemistry, 2010, 396, 2403-2414.	3.7	109
582	Analysis of ketamine and norketamine in hair samples using molecularly imprinted solid-phase extraction (MISPE) and liquid chromatography–tandem mass spectrometry (LC-MS/MS). Analytical and Bioanalytical Chemistry, 2010, 396, 2449-2459.	3.7	59
583	Use of the dried blood spot sampling process coupled with fast gas chromatography and negative-ion chemical ionization tandem mass spectrometry: application to fluoxetine, norfluoxetine, reboxetine, and paroxetine analysis. Analytical and Bioanalytical Chemistry, 2010, 396, 2523-2532.	3.7	46
584	Multitarget quantitative metabolic profiling of hydrophilic metabolites in fermentation broths of β-lactam antibiotics production by HILIC–ESI–MS/MS. Analytical and Bioanalytical Chemistry, 2010, 396, 1655-1679.	3.7	57
585	Analysis of hormone antagonists in clinical and municipal wastewater by isotopic dilution liquid chromatography tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2010, 396, 2977-2985.	3.7	53
586	Hydrophilic interaction liquid chromatography/positive ion electrospray ionization mass spectrometry method for the quantification of perindopril and its main metabolite in human plasma. Analytical and Bioanalytical Chemistry, 2010, 397, 2161-2170.	3.7	8
587	Quantification of urinary AICAR concentrations as a matter of doping controls. Analytical and Bioanalytical Chemistry, 2010, 396, 2899-2908.	3.7	34
588	Validation of ELISA screening and LC–MS/MS confirmation methods for cocaine in hair after simple extraction. Analytical and Bioanalytical Chemistry, 2010, 397, 1539-1548.	3.7	30
589	Simultaneous determination of triazines and their main transformation products in surface and urban wastewater by ultra-high-pressure liquid chromatography–tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2010, 397, 2791-2805.	3.7	52
590	Fast and simple procedure for liquid–liquid extraction of 136 analytes from different drug classes for development of a liquid chromatographic-tandem mass spectrometric quantification method in human blood plasma. Analytical and Bioanalytical Chemistry, 2010, 397, 2303-2314.	3.7	67
591	Development and validation of a liquid chromatography–tandem mass spectrometry method for simultaneous quantification of p-aminohippuric acid and inulin in rat plasma for renal function study. Analytical and Bioanalytical Chemistry, 2010, 398, 857-865.	3.7	9
592	Development and validation of a liquid chromatography–tandem mass spectrometry method for the simultaneous quantification of tamoxifen, anastrozole, and letrozole in human plasma and its application to a clinical study. Analytical and Bioanalytical Chemistry, 2010, 398, 1791-1800.	3.7	46

#	Article	IF	Citations
593	Optimization and validation of a hydrophilic interaction liquid chromatography–tandem mass spectrometry method for the determination of 13 top-prescribed pharmaceuticals in influent wastewater. Analytical and Bioanalytical Chemistry, 2010, 398, 2211-2222.	3.7	90
594	Quantification of drugs of abuse in municipal wastewater via SPE and direct injection liquid chromatography mass spectrometry. Analytical and Bioanalytical Chemistry, 2010, 398, 2701-2712.	3.7	48
595	Buprenorphine and major metabolites in blood specimens collected for drug analysis in law enforcement purposes. Forensic Science International, 2010, 195, 73-77.	2.2	13
596	Ultra-performance liquid chromatography–tandem mass spectrometry (UPLC–MS/MS) for the sensitive determination of folates in rice. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 509-513.	2.3	56
597	Quantitative analysis of adenosine using liquid chromatography/atmospheric pressure chemical ionization-tandem mass spectrometry (LC/APCI-MS/MS). Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 1493-1498.	2.3	27
598	Determination of p-aminohippuric acid in rat plasma by liquid chromatography-tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 1643-1646.	2.3	5
599	LC–MS/MS method for the determination of several drugs used in combined cardiovascular therapy in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 2685-2692.	2.3	59
600	Simultaneous determination of m-nisoldipine and its three metabolites in rat plasma by liquid chromatography–mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 2989-2996.	2.3	11
601	Investigation of endogenous blood plasma phospholipids, cholesterol and glycerides that contribute to matrix effects in bioanalysis by liquid chromatography/mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 3303-3316.	2.3	131
602	Development of a multi-residue analytical method, based on liquid chromatography–tandem mass spectrometry, for the simultaneous determination of 46 micro-contaminants in aqueous samples. Journal of Chromatography A, 2010, 1217, 6511-6521.	3.7	170
603	Analytical issues in HPLC/MS/MS simultaneous assay of furosemide, spironolactone and canrenone in human plasma samples. Journal of Pharmaceutical and Biomedical Analysis, 2010, 52, 734-740.	2.8	34
604	Quantitative determination of corticosteroids in bovine milk using mixed-mode polymeric strong cation exchange solid-phase extraction and liquid chromatography–tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2010, 53, 919-928.	2.8	42
605	A rapid method to determine tetrabromobisphenol a in rat serum and urine by liquid chromatography-tandem mass spectrometry. Archives of Pharmacal Research, 2010, 33, 1797-1803.	6.3	5
606	In vivo nicotine exposure in the zebra finch: A promising innovative animal model to use in neurodegenerative disorders related research. Pharmacology Biochemistry and Behavior, 2010, 96, 152-159.	2.9	14
607	Quantification of midazolam, morphine and metabolites in plasma using 96â€well solidâ€phase extraction and ultraâ€performance liquid chromatography–tandem mass spectrometry. Biomedical Chromatography, 2010, 24, 969-976.	1.7	20
608	Development and validation of amitriptyline and its metabolite in human plasma by ultra performance liquid chromatography–tandem mass spectrometry and its application to a bioequivalence study. Biomedical Chromatography, 2010, 24, 1247-1254.	1.7	14
609	Validation of an LC/MS method for the determination of gemfibrozil in human plasma and its application to a pharmacokinetic study. Biomedical Chromatography, 2010, 24, 1300-1308.	1.7	14
610	A liquid chromatography–tandem mass spectrometry method for the simultaneous quantification of escin Ia and escin Ib in human plasma: application to a pharmacokinetic study after intravenous administration. Biomedical Chromatography, 2010, 24, 1309-1315.	1.7	29

#	Article	IF	CITATIONS
611	Onâ€line desorption of dried blood spots coupled to hydrophilic interaction/reversedâ€phase LC/MS/MS system for the simultaneous analysis of drugs and their polar metabolites. Journal of Separation Science, 2010, 33, 873-879.	2.5	79
612	Quantification of lamivudine in human plasma by hydrophilic interaction chromatographyâ€ŧandem mass spectrometry. Journal of Separation Science, 2010, 33, 948-954.	2.5	7
613	Recent advances in application of hydrophilic interaction chromatography for quantitative bioanalysis. Journal of Separation Science, 2010, 33, 681-697.	2.5	139
614	Liquid chromatographyâ€ŧandem mass spectrometric method for determination of E121 in mouse plasma and its application to pharmacokinetics. Journal of Separation Science, 2010, 33, 1888-1896.	2.5	3
615	Simultaneous determination of melamine and related compounds by hydrophilic interaction liquid chromatography–electrospray mass spectrometry. Journal of Separation Science, 2010, 33, 2688-2697.	2.5	27
616	A comprehensive LCâ€MSâ€based quantitative analysis of fentanylâ€like drugs in plasma and urine. Journal of Separation Science, 2010, 33, 2654-2662.	2.5	42
617	Quantification, confirmation and screening capability of UHPLC coupled to triple quadrupole and hybrid quadrupole timeâ€ofâ€flight mass spectrometry in pesticide residue analysis. Journal of Mass Spectrometry, 2010, 45, 421-436.	1.6	72
618	Development of a fast LC–MS/MS method for quantification of rilmenidine in human serum: elucidation of fragmentation pathways by HRMS. Journal of Mass Spectrometry, 2010, 45, 1179-1185.	1.6	7
619	Metabolomic applications of HILIC–LC–MS. Mass Spectrometry Reviews, 2010, 29, 671-684.	5.4	151
620	Liquid chromatography-tandem mass spectrometry applications in endocrinology. Mass Spectrometry Reviews, 2010, 29, 480-502.	5.4	131
621	Development and validation of a high-throughput method for the quantitative analysis of d-amphetamine in rat blood using liquid chromatography/MS3 on a hybrid triple quadrupole-linear ion trap mass spectrometer and its application to a pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 21-28.	2.3	21
622	Simultaneous determination of ABT-888, a poly (ADP-ribose) polymerase inhibitor, and its metabolite in human plasma by liquid chromatography/tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 333-339.	2.3	23
623	Enantiomeric determination of tramadol and O-desmethyltramadol in human plasma by fast liquid chromatographic technique coupled with mass spectrometric detection. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 481-486.	2.3	20
624	Quantification of levetiracetam in plasma of neonates by ultra performance liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 675-681.	2.3	33
625	Development of a high-throughput LC/APCI-MS method for the determination of thirteen phytoestrogens including gut microbial metabolites in human urine and serum. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 949-956.	2.3	32
626	Sensitive and rapid quantification of the cannabinoid receptor agonist naphthalen-1-yl-(1-pentylindol-3-yl)methanone (JWH-018) in human serum by liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2010. 878. 2659-2663.	2.3	191
627	Development of a high-throughput method for the determination of ethosuximide in human plasma by liquid chromatography mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 1605-1610.	2.3	13
628	Determination of sitagliptinin human plasma using protein precipitation and tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 1817-1823.	2.3	64

#	Article	IF	CITATIONS
629	Simultaneous determination of active xanthone glycosides, timosaponins and alkaloids in rat plasma after oral administration of Zi-Shen Pill extract for the pharmacokinetic study by liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 1845-1854.	2.3	66
630	Development and validation of a sensitive ultra performance liquid chromatography tandem mass spectrometry method for the analysis of fentanyl and its major metabolite norfentanyl in urine and whole blood in forensic context. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 1987-1996.	2.3	37
631	Chromatographic separation and sensitive determination of teriflunomide, an active metabolite of leflunomide in human plasma by liquid chromatography-tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 2217-2225.	2.3	32
632	Simultaneous HPLC–MS–MS quantification of 8-iso-PGF2α and 8,12-iso-iPF2α in CSF and brain tissue samples with on-line cleanup. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 2209-2216.	2.3	25
633	Simultaneous determination of isoniazid, rifampicin, levofloxacin in mouse tissues and plasma by high performance liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 2286-2291.	2.3	69
634	Molecularly-imprinted microspheres for selective extraction and determination of melamine in milk and feed using gas chromatography–mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 2333-2338.	2.3	43
635	Simultaneous determination of a novel antifibrotic agent and three metabolites in human urine by LC–MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 2442-2448.	2.3	0
636	A sensitive and specific liquid chromatography–tandem mass spectrometric method for determination of belinostat in plasma from liver cancer patients. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 2409-2414.	2.3	8
637	Simple and rapid analytical method for detection of amino acids in blood using blood spot on filter paper, fast-GC/MS and isotope dilution technique. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 3113-3118.	2.3	18
638	Development and validation of an HPLC–MS/MS method to determine clopidogrel in human plasma. Use of incurred samples to test back-conversion. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 3134-3142.	2.3	35
639	Determination of doxazosin and verapamil in human serum by fast LC–MS/MS: Application to document non-compliance of patients. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 3167-3173.	2.3	26
640	Validated hydrophilic interaction LC–MS/MS method for determination of N-methyl-2-pyrrolidinone residue: Applied to a depletion study of N-methyl-2-pyrrolidinone in swine liver following intramuscular administration of drug N-methyl-2-pyrrolidinone formulation. Journal of Chromatography B: Apalytical Technologies in the Biomedical and Life Sciences, 2010, 878, 3283-3289	2.3	0
641	An ultra performance liquid chromatography–tandem MS assay for tamoxifen metabolites profiling in plasma: First evidence of 4â€2-hydroxylated metabolites in breast cancer patients. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 3402-3414.	2.3	35
642	Turbulent Flow Chromatography TFC-tandem mass spectrometry supporting in vitro/vivo studies of NCEs in high throughput fashion. Journal of Pharmaceutical and Biomedical Analysis, 2010, 51, 834-841.	2.8	19
643	Quantitative determination of pimozide in human plasma by liquid chromatography–mass spectrometry and its application in a bioequivalence study. Journal of Pharmaceutical and Biomedical Analysis, 2010, 51, 1161-1164.	2.8	9
644	Quantification of the major metabolites of bromhexine in human plasma using RRLC–MS/MS and its application to pharmacokinetics. Journal of Pharmaceutical and Biomedical Analysis, 2010, 51, 1134-1141.	2.8	19
645	Liquid chromatography/tandem mass spectrometry method for determination of olanzapine and N-desmethylolanzapine in human serum and cerebrospinal fluid. Journal of Pharmaceutical and Biomedical Analysis, 2010, 53, 576-582.	2.8	41
646	Stereoselective determination of venlafaxine and its three demethylated metabolites in human plasma and whole blood by liquid chromatography with electrospray tandem mass spectrometric detection and solid phase extraction. Journal of Pharmaceutical and Biomedical Analysis, 2010, 53, 583-590.	2.8	51
#	Article	IF	CITATIONS
-----	--	-----	-----------
647	Quantitative determination of sirolimus in dog blood using liquid chromatography–tandem mass spectrometry, and its applications to pharmacokinetic studies. Journal of Pharmaceutical and Biomedical Analysis, 2010, 53, 1042-1047.	2.8	8
648	Simultaneous determination of sulfamethoxazole and trimethoprim in microgram quantities from low plasma volume by liquid chromatography–tandem mass spectrometry. Microchemical Journal, 2010, 94, 130-138.	4.5	27
649	Complexity and pitfalls of mass spectrometry-based targeted metabolomics in brain research. Analytical Biochemistry, 2010, 406, 124-131.	2.4	36
650	A novel analysis method for diterpenoids in rat plasma by liquid chromatography–electrospray ionization mass spectrometry. Analytical Biochemistry, 2010, 407, 111-119.	2.4	20
651	Simultaneous determination of bovine α-lactalbumin and β-lactoglobulin in infant formulae by ultra-high-performance liquid chromatography–mass spectrometry. Analytica Chimica Acta, 2010, 667, 96-102.	5.4	32
652	Characterization and classification of matrix effects in biological samples analyses. Journal of Chromatography A, 2010, 1217, 4071-4078.	3.7	117
653	Recent advances in microextraction by packed sorbent for bioanalysis. Journal of Chromatography A, 2010, 1217, 2569-2580.	3.7	251
654	Fast analysis of doping agents in urine by ultra-high-pressure liquid chromatography–quadrupole time-of-flight mass spectrometry. II: Confirmatory analysis. Journal of Chromatography A, 2010, 1217, 4109-4119.	3.7	58
655	Signal suppression/enhancement in high-performance liquid chromatography tandem mass spectrometry. Journal of Chromatography A, 2010, 1217, 3929-3937.	3.7	561
656	Solid-phase microextraction in bioanalysis: New devices and directions. Journal of Chromatography A, 2010, 1217, 4041-4060.	3.7	182
657	Evaluation of steviol and its glycosides in Stevia rebaudiana leaves and commercial sweetener by ultra-high-performance liquid chromatography-mass spectrometry. Journal of Chromatography A, 2010, 1217, 1463-1470.	3.7	158
658	Study on the matrix effect in the determination of selected pharmaceutical residues in seawater by solid-phase extraction and ultra-high-performance liquid chromatography–electrospray ionization low-energy collision-induced dissociation tandem mass spectrometry. Journal of Chromatography A, 2010. 1217. 1471-1475.	3.7	96
659	Development and validation of a sensitive solid phase extraction/hydrophilic interaction liquid chromatography/mass spectrometry method for the accurate determination of glucosamine in dog plasma. Journal of Chromatography A, 2010, 1217, 3275-3281.	3.7	21
660	A liquid chromatography–atmospheric pressure photoionization tandem mass spectrometric method for the determination of azaarenes in atmospheric particulate matter. Journal of Chromatography A, 2010, 1217, 1636-1646.	3.7	30
661	Validation of a nanoliquid chromatography–tandem mass spectrometry method for the identification and the accurate quantification by isotopic dilution of glutathionylated and cysteinylated precursors of 3-mercaptohexan-1-ol and 4-mercapto-4-methylpentan-2-one in white grape juices. Journal of Chromatography A, 2010, 1217, 1626-1635.	3.7	31
662	Comparison of electrospray ionization and atmospheric pressure chemical ionization for multi-residue analysis of biocides, UV-filters and benzothiazoles in aqueous matrices and activated sludge by liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2010, 1217, 2088-2103.	3.7	209
663	Basic rules for the interpretation of atmospheric pressure ionization mass spectra of small molecules. Journal of Chromatography A, 2010, 1217, 3908-3921.	3.7	165
664	Analysis of ochratoxin A and ochratoxin B in traditional Chinese medicines by ultra-high-performance liquid chromatography–tandem mass spectrometry using [13C20]-ochratoxin A as an internal standard. Journal of Chromatography A, 2010, 1217, 4365-4374.	3.7	55

ARTICLE IF CITATIONS Comparison of two extraction methods for the analysis of per- and polyfluorinated chemicals in 665 3.7 50 digested sewage sludge. Journal of Chromatography A, 2010, 1217, 5026-5034. Determination of nicotine and nicotine metabolites in urine by hydrophilic interaction chromatography–tandem mass spectrometry. Potential use of smokeless tobacco products by ice hockey players. Journal of Chromatography A, 2010, 1217, 7528-7538. Analysis and study of the distribution of polar and non-polar pesticides in wastewater effluents from 667 3.7 40 modern and conventional treatments. Journal of Chromatography A, 2010, 1217, 7817-7825. Determination of perfluorochemicals in biological, environmental and food samples by an automated on-line solid phase extraction ultra high performance liquid chromatography tandem mass spectrometry method. Journal of Chromatography A, 2010, 1217, 7864-7872. Ethyl glucuronide determination in meconium and hair by hydrophilic interaction liquid 669 2.2 49 chromatography–tandem mass spectrometry. Forensic Science International, 2010, 196, 121-127. Optimization of electrospray interface and quadrupole ion trap mass spectrometer parameters in pesticide liquid chromatography/electrospray ionization mass spectrometry analysis. Rapid Communications in Mass Spectrometry, 2010, 24, 919-926. 1.5 Comprehensive plasmaâ€screening for known and unknown substances in doping controls. Rapid 671 1.5 60 Communications in Mass Spectrometry, 2010, 24, 1124-1132. Effect of ionization suppression by trace impurities in mobile phase water on the accuracy of quantification by highâ€performance liquid chromatography/mass spectrometry. Rapid Communications 1.5 in Mass Spectrometry, 2010, 24, 1502-1506. Food contaminant analysis at ultraâ€high mass resolution: application of hybrid linear ion trap – 673 orbitrap mass spectrometry for the determination of the polyether toxins, azaspiracids, in shellfish. 1.5 21 Rapid Communications in Mass Spectrometry, 2010, 24, 2966-2974. Ambient mass spectrometry: advances and applications in forensics. Surface and Interface Analysis, 674 1.8 2010, 42, 347-357. Automated solid-phase microextraction and thin-film microextraction for high-throughput analysis 675 12.0 91 of biological fluids and ligandâ€"receptor binding studies. Nature Protocols, 2010, 5, 140-161. Determination of Bithionol, Bromophen, Nitroxynil, Oxyclozanide, and Tribromsalan in Milk with Liquid Chromatography Coupled with Tandem Mass Spectrometry. Journal of AOAC INTERNATIONAL, 2010, 93, 1340-1346. 1.5 Electrospray Ionization Matrix Effect as an Uncertainty Source in HPLC/ESI-MS Pesticide Residue 678 1.5 13 Analysis. Journal of AOAC INTERNATIONAL, 2010, 93, 306-314. Determination of acrylamide concentration in processed food products using normal phase high-performance liquid chromatography (HPLC). African Journal of Biotechnology, 2010, 9, 8085-8091. 679 Direct Determination of Ethyl Glucuronide and Ethyl Sulfate in Postmortem Urine Specimens Using Hydrophilic Interaction Liquid Chromatography-Electrospray Ionization-Tandem Mass Spectrometry. 680 2.8 21 Journal of Analytical Toxicology, 2010, 34, 261-272. Method for the Quantification of Diamorphine and its Metabolites in Pediatric Plasma Samples by Liquid Chromatography-Tandem Mass Spectrometry. Journal of Analytical Toxicology, 2010, 34, 177-195. Comparison of Zopiclone Concentrations in Oral Fluid Sampled with Intercept® Oral Specimen 683 Collection Device and Statsure Saliva Samplerâ, ¢ and Concentrations in Blood. Journal of Analytical 2.8 23 Toxicology, 2010, 34, 590-593. Antidepressant Drugs in Oral Fluid Using Liquid Chromatography-Tandem Mass Spectrometry. Journal 684 2.8 of Analytical Toxicology, 2010, 34, 64-72.

#	Article	IF	CITATIONS
685	Screening and Quantitative Determination of Twelve Acidic and Neutral Pharmaceuticals in Whole Blood by Liquid-Liquid Extraction and Liquid Chromatography-Tandem Mass Spectrometry. Journal of Analytical Toxicology, 2010, 34, 367-373.	2.8	20
686	A Fast Screening Procedure for Ketamine and Metabolites in Urine Samples with Tandem Mass Spectrometry. Journal of Analytical Toxicology, 2010, 34, 149-154.	2.8	11
687	A Comparison of the Validity of Gas Chromatography-Mass Spectrometry and Liquid Chromatography-Tandem Mass Spectrometry Analysis of Urine Samples II: Amphetamine, Methamphetamine, (Â)-3,4-Methylenedioxyamphetamine, (Â)-3,4-Methylenedioxymethamphetamine, (Â)-3,4-Methylenedioxyethylamphetamine, Phencyclidine, and (Â)-11-nor-9-Carboxy-Â9-tetrahydrocannabinol.	2.8	16
688	Automated Solid-Phase Extraction-Liquid Chromatography-Tandem Mass Spectrometry Analysis of 6-Acetylmorphine in Human Urine Specimens: Application for a High-Throughput Urine Analysis Laboratory. Journal of Analytical Toxicology, 2010, 34, 470-475.	2.8	2
689	Determination of Tapentadol and its Metabolite N-Desmethyltapentadol in Urine and Oral Fluid using Liquid Chromatography with Tandem Mass Spectral Detection. Journal of Analytical Toxicology, 2010, 34, 458-463.	2.8	27
691	The Role of Dihydrocodeine (DHC) Metabolites in Dihydrocodeine-Related Deaths. Journal of Analytical Toxicology, 2010, 34, 476-490.	2.8	6
692	Identification and Quantification of Nicotine Biomarkers in Human Oral Fluid from Individuals Receiving Low-Dose Transdermal Nicotine: A Preliminary Study. Journal of Analytical Toxicology, 2010, 34, 357-366.	2.8	16
693	Liquid chromatography-tandem mass spectrometry method for simultaneous quantification of four triazole antifungal agents in human plasma. Clinical Chemistry and Laboratory Medicine, 2010, 48, 1515-1522.	2.3	36
694	Determination of Triazolam and Â-Hydroxytriazolam in Guinea Pig Hair After a Single Dose. Journal of Analytical Toxicology, 2010, 34, 89-94.	2.8	7
695	Development and Validation of a Selective and Rapid LC-MS-MS Method for the Quantification of Abacavir in Human Plasma. Journal of Chromatographic Science, 2010, 48, 654-662.	1.4	8
696	Analytical monitoring of pretreatment and hydrolysis processes in lignocellulose-to-bioalcohol production. , 2010, , 281-314.		3
698	A Validated Method for Simultaneous Screening and Quantification of Twenty-Three Benzodiazepines and Metabolites Plus Zopiclone and Zaleplone in Whole Blood by Liquid-Liquid Extraction and Ultra-Performance Liquid Chromatography-Tandem Mass Spectrometry. Journal of Analytical Toxicology, 2010, 34, 332-341	2.8	44
699	A review of the analysis of tobacco-specific nitrosamines in biological matrices. Critical Reviews in Toxicology, 2010, 40, 305-327.	3.9	29
700	Multiplex Enzyme Assay for Galactosemia Using Ultraperformance Liquid Chromatography–Tandem Mass Spectrometry. Clinical Chemistry, 2010, 56, 764-771.	3.2	27
701	Determination of Drug Residues in Urine of Dogs Receiving Anti-Cancer Chemotherapy by Liquid Chromatography-Electrospray Ionization-Tandem Mass Spectrometry: Is There An Environmental or Occupational Risk?. Journal of Analytical Toxicology, 2010, 34, 142-148.	2.8	31
702	Steroid Assays in Paediatric Endocrinology. JCRPE Journal of Clinical Research in Pediatric Endocrinology, 2010, 2, 1-16.	0.9	25
703	Rapid Quantification of Lamotrigine in Human Plasma by Two LC Systems Connected with Tandem MS. Journal of Chromatographic Science, 2010, 48, 375-381.	1.4	13
706	Critical topics in ensuring data quality in bioanalytical LC–MS method development. Bioanalysis, 2010, 2, 1051-1072.	1.5	48

#	Article	IF	CITATIONS
707	Aus dem Blut ins LCâ€MS/MS. Nachrichten Aus Der Chemie, 2010, 58, 1268-1269.	0.0	0
708	A Rapid, Reproducible, On-the-Fly Orthogonal Array Optimization Method for Targeted Protein Quantification by LC/MS and Its Application for Accurate and Sensitive Quantification of Carbonyl Reductases in Human Liver. Analytical Chemistry, 2010, 82, 2680-2689.	6.5	47
709	HANDLING DRAWBACKS OF MASS SPECTROMETRIC DETECTION COUPLED TO LIQUID CHROMATOGRAPHY IN BIOANALYSIS. Journal of Liquid Chromatography and Related Technologies, 2010, 33, 1255-1286.	1.0	13
711	An LC-IMS-MS Platform Providing Increased Dynamic Range for High-Throughput Proteomic Studies. Journal of Proteome Research, 2010, 9, 997-1006.	3.7	120
712	Identifying, Evaluating, and Controlling Bioanalytical Risks Resulting from Nonuniform Matrix Ion Suppression/Enhancement and Nonlinear Liquid Chromatographyâ ³³ Mass Spectrometry Assay Response. Analytical Chemistry, 2010, 82, 9671-9677.	6.5	48
713	Tamoxifen Metabolite Isomer Separation and Quantification by Liquid Chromatographyâ^'Tandem Mass Spectrometry. Analytical Chemistry, 2010, 82, 10186-10193.	6.5	28
714	Simultaneous determination of residues of trichlorfon and dichlorvos in animal tissues by LC-MS/MS. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2010, 27, 983-988.	2.3	18
715	Elimination of LC–MS/MS matrix effect due to phospholipids using specific solid-phase extraction elution conditions. Bioanalysis, 2010, 2, 1011-1021.	1.5	45
716	Pharmacokinetic properties of paeoniflorin, albiflorin and oxypaeoniflorin after oral gavage of extracts of Radix Paeoniae Rubra and Radix Paeoniae Alba in rats. Journal of Ethnopharmacology, 2010, 130, 407-413.	4.1	63
717	Serum steroid profiling for Congenital Adrenal Hyperplasia using liquid chromatography–tandem mass spectrometry. Clinica Chimica Acta, 2010, 411, 222-228.	1.1	67
718	Therapeutic drug monitoring of topiramate by liquid chromatography-tandem mass spectrometry. Clinica Chimica Acta, 2010, 411, 729-734.	1.1	22
719	Flow injection analysis vs. ultra high performance liquid chromatography coupled with tandem mass spectrometry for determination of imatinib in human plasma. Clinica Chimica Acta, 2010, 411, 1957-1962.	1.1	36
720	Rapid determination of aristolochic acids I and II in herbal products and biological samples by ultra-high-pressure liquid chromatography–tandem mass spectrometry. Talanta, 2010, 80, 1672-1680.	5.5	47
721	Determination of β-artemether and its main metabolite dihydroartemisinin in plasma employing liquid-phase microextraction prior to liquid chromatographic–tandem mass spectrometric analysis. Talanta, 2010, 81, 941-947.	5.5	25
722	Pitfalls Associated with the Use of Liquid Chromatography–Tandem Mass Spectrometry in the Clinical Laboratory. Clinical Chemistry, 2010, 56, 1234-1244.	3.2	262
723	Validated Ultra-Performance Liquid Chromatography Tandem Mass Spectrometry Method for the Determination of Pramipexole in Human Plasma. Journal of Chromatographic Science, 2010, 48, 811-818.	1.4	20
724	Multiplex Ultra-Performance Liquid Chromatography-Tandem Mass Spectrometry Method for Simultaneous Quantification in Human Plasma of Fluconazole, Itraconazole, Hydroxyitraconazole, Posaconazole, Voriconazole, Voriconazole- <i>N</i> -Oxide, Anidulafungin, and Caspofungin. Antimicrobial Agents and Chemotherapy, 2010, 54, 5303-5315.	3.2	108
725	LC–MS/MS for immunosuppressant therapeutic drug monitoring. Bioanalysis, 2010, 2, 1141-1153. 	1.5	21

#	Article	IF	CITATIONS
726	Simultaneous determination of β-sitosterol, campesterol, stigmasterol, and brassicasterol in serum by high-performance liquid chromatography with electrochemical detection. Analytical Methods, 2010, 2, 174-179.	2.7	23
727	MATRIX EFFECTS IN LIQUID CHROMATOGRAPHY-MASS SPECTROMETRY. Journal of Liquid Chromatography and Related Technologies, 2010, 33, 1067-1081.	1.0	54
728	Determination of cyclosporine, tacrolimus, sirolimus and everolimus by liquid chromatography coupled to electrospray ionization and tandem mass spectrometry: Assessment of matrix effects and assay performance. Scandinavian Journal of Clinical and Laboratory Investigation, 2010, 70, 583-591.	1.2	22
729	Anthocyanin Absorption, Metabolism, and Distribution from a Wild Blueberry-Enriched Diet (Vaccinium angustifolium) Is Affected by Diet Duration in the Spragueâ^'Dawley Rat. Journal of Agricultural and Food Chemistry, 2010, 58, 2491-2497.	5.2	84
730	Determination of naproxen using DBS: evaluation & pharmacokinetic comparison of human plasma versus human blood DBS. Bioanalysis, 2010, 2, 1501-1513.	1.5	20
731	Evaluation of the relationship between a pharmaceutical compound's distribution coefficient, log D and adsorption loss to polypropylene in urine and CSF. Bioanalysis, 2010, 2, 755-767.	1.5	9
732	Development and validation of an LC-MS/MS method for determination of phencyclidine in human serum and its application to human drug abuse cases. Analytical Methods, 2010, 2, 1249.	2.7	9
733	The detection of caffeine and cotinine in umbilical cord tissue using liquid chromatography–tandem mass spectrometry. Analytical Methods, 2011, 3, 1310.	2.7	10
734	The detection of 1-palmitoyl-2-oleoyl-sn-glycero-3-phosphoethanol in human dried blood spots. Analytical Methods, 2011, 3, 1101.	2.7	96
735	A Rapid and Sensitive Liquid Chromatography-Tandem Mass Spectrometry Method for Determination of Olopatadine Concentration in Human Plasma. Journal of Analytical Toxicology, 2011, 35, 113-118.	2.8	13
736	Determination of four basic pharmaceuticals and one pesticide in surface water with UPLC-ESI-MS/MS. International Journal of Environmental Analytical Chemistry, 2011, 91, 1218-1226.	3.3	5
737	The effect and potential of using a temperature controlled separation column with ultra-high pressure microcapillary liquid chromatography/tandem mass spectrometry on proteomic analysis. Analyst, The, 2011, 136, 2100.	3.5	14
738	Rapid determination of nine haloacetic acids in water using ultra-performance liquid chromatography-tandem mass spectrometry in multiple reactions monitoring mode. Analytical Methods, 2011, 3, 1667.	2.7	21
739	Extraction methods for the removal of phospholipids and other endogenous material from a biological fluid. Bioanalysis, 2011, 3, 2747-2755.	1.5	12
740	Analysis of a second-generation tetracycline antibiotic minocycline in human plasma by LC–MS/MS. Bioanalysis, 2011, 3, 2177-2194.	1.5	9
741	Ultra High-Performance Liquid Chromatographyâ^'Tandem Mass Spectrometry for the Simultaneous Analysis of Asparagine, Sugars, and Acrylamide in Maillard Reactions. Analytical Chemistry, 2011, 83, 3297-3304.	6.5	54
742	Validation of a highly sensitive method for the determination of neonicotinoid insecticides residues in honeybees by liquid chromatography with electrospray tandem mass spectrometry. International Journal of Environmental Analytical Chemistry, 2011, 91, 978-988.	3.3	31
743	Application of Liquid Chromatography-Direct-Electron Ionization-MS in an in Vitro Dermal Absorption Study: Quantitative Determination of <i>trans</i> -Cinnamaldehyde. Analytical Chemistry, 2011, 83, 8537-8542.	6.5	15

#	Article	IF	CITATIONS
744	Determination of theophylline in rabbit plasma by triple quadrupole LC/MS. Pharmaceutical Methods, 2011, 2, 211-217.	0.4	10
745	High-throughput polymer monolith in-tip SPME fiber preparation and application in drug analysis. Bioanalysis, 2011, 3, 2613-2625.	1.5	24
746	Development of a liquid chromatography-tandem mass spectrometric method for the simultaneous determination of tropane alkaloids and glycoalkaloids in crops. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2011, 28, 1205-1219.	2.3	28
747	Preclinical pharmacokinetics of the radiomitigator KZ-41 in rats. Xenobiotica, 2011, 41, 1006-1012.	1.1	5
748	Comparative Triplex Tandem Mass Spectrometry Assays of Lysosomal Enzyme Activities in Dried Blood Spots Using Fast Liquid Chromatography: Application to Newborn Screening of Pompe, Fabry, and Hurler Diseases. Analytical Chemistry, 2011, 83, 4822-4828.	6.5	40
749	Challenges and benefits of endogenous steroid analysis by LC–MS/MS. Bioanalysis, 2011, 3, 2549-2572.	1.5	35
752	Pharmacokinetics and tissue distribution studies of orally administered nanoparticles encapsulated ethionamide used as potential drug delivery system in management of multi-drug resistant tuberculosis. Drug Delivery, 2011, 18, 65-73.	5.7	54
753	Pediatric Clinical Pharmacology. Handbook of Experimental Pharmacology, 2011, , .	1.8	12
754	Drug Screening of Whole Blood by Ultra-Performance Liquid Chromatography-Tandem Mass Spectrometry. Journal of Analytical Toxicology, 2011, 35, 280-293.	2.8	108
755	Development and validation of a quantitative assay based on tandem mass spectrometry. Annals of Clinical Biochemistry, 2011, 48, 97-111.	1.6	115
756	Optimization, In-House Validation, and Application of a Liquid Chromatography–Tandem Mass Spectrometry (LC–MS/MS)-Based Method for the Quantification of Selected Polyphenolic Compounds in Leaves of Grapevine (Vitis vinifera L.). Journal of Agricultural and Food Chemistry, 2011, 59, 10787-10794.	5.2	30
757	Current role of liquid chromatography coupled to mass spectrometry in clinical toxicology screening methods. Clinical Chemistry and Laboratory Medicine, 2011, 49, 1091-1103.	2.3	29
758	Efficient Use of Retention Time for the Analysis of 302 Drugs in Equine Plasma by Liquid Chromatography-MS/MS with Scheduled Multiple Reaction Monitoring and Instant Library Searching for Doping Control. Analytical Chemistry, 2011, 83, 6834-6841.	6.5	37
759	Vitamin D status of county hospital patients assessed by the DiaSorin LIAISON® 25-hydroxyvitamin D assay. Clinica Chimica Acta, 2011, 412, 258-262.	1.1	18
760	High-throughput plasma docetaxel quantification by liquid chromatography–tandem mass spectrometry. Clinica Chimica Acta, 2011, 412, 358-364.	1.1	29
761	Solid-Phase Microextraction Coupled to LC-ESI-MS/MS: Evaluation and Correction for Matrix-Induced Ionization Suppression/Enhancement for Pharmaceutical Analysis in Biological and Environmental Samples. Analytical Chemistry, 2011, 83, 6532-6538.	6.5	34
762	Analysis of urinary aristolactams by on-line solid-phase extraction coupled with liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 2494-2500.	2.3	5
763	Comparative study of the LC–MS/MS and UPLC–MS/MS for the multi-residue analysis of quinolones, penicillins and cephalosporins in cow milk, and validation according to the regulation 2002/657/EC. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 2610	2.3	92

#	Article	IF	CITATIONS
764	Online extraction LC–MS/MS method for the simultaneous quantitative confirmation of urine drugs of abuse and metabolites: Amphetamines, opiates, cocaine, cannabis, benzodiazepines and methadone. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 2642-2652.	2.3	44
765	Drugs of abuse in oral fluid collected by two different sample kits – Stability testing and validation using ultra performance tandem mass spectrometry analysis. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 3367-3377.	2.3	44
766	Anion exchange SPE and liquid chromatography–tandem mass spectrometry in GHB analysis. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 3752-3758.	2.3	12
767	Determination of four pyridine alkaloids from Tripterygium wilfordii Hook. f. in human plasma by high-performance liquid chromatography coupled with mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 3516-3522.	2.3	14
768	Quantification of nicotine, cotinine, trans-3′-hydroxycotinine and varenicline in human plasma by a sensitive and specific UPLC–tandem mass-spectrometry procedure for a clinical study on smoking cessation. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 3574-3582.	2.3	34
769	Determination of Rhodamine 123 in rat plasma utilizing liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 3943-3948.	2.3	6
770	Isolation, preconcentration and determination of rhamnolipids in aqueous samples by dispersive liquid–liquid microextraction and liquid chromatography with tandem mass spectrometry. Talanta, 2011, 83, 744-750.	5.5	37
771	Simultaneous determination of 15 top-prescribed pharmaceuticals and their metabolites in influent wastewater by reversed-phase liquid chromatography coupled to tandem mass spectrometry. Talanta, 2011, 83, 795-803.	5.5	49
772	Development and validation of a high-throughput double solid phase extraction–liquid chromatography–tandem mass spectrometry method for the determination of tetrodotoxin in human urine and plasma. Talanta, 2011, 83, 1030-1036.	5.5	34
773	Pre-study and in-study validation of a SPE-LC–MS–MS method for the determination of 5-S-cysteinyldopa, a melanoma biomarker, in human plasma. Talanta, 2011, 84, 280-286.	5.5	6
774	Novel extraction supports based on immobilised aptamers: Evaluation for the selective extraction of cocaine. Talanta, 2011, 85, 616-624.	5.5	37
775	Rapid and selective determination of UV filters in seawater by liquid chromatography–tandem mass spectrometry combined with stir bar sorptive extraction. Talanta, 2011, 85, 2375-2384.	5.5	78
776	Blood matrix effects for male and female Wistar rats, in simultaneous HPLC-UV determination of riparin I and III from Aniba riparia (Nees) Mez. (Lauraceae). Talanta, 2011, 86, 233-240.	5.5	3
777	Multi-residue method for the confirmation of four avermectin residues in food products of animal origin by ultra-performance liquid chromatography–tandem mass spectrometry. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2011, 28, 627-639.	2.3	23
778	Isotope Dilution Liquid Chromatography - Mass Spectrometry Methods for Fat- and Water-Soluble Vitamins in Nutritional Formulations. Analytical Chemistry, 2011, 83, 92-98.	6.5	48
779	Determination of antihypertensive and anti-ulcer agents from surface water with solid-phase extraction–liquid chromatography–electrospray ionization tandem mass spectrometry. Talanta, 2011, 83, 1447-1454.	5.5	30
780	Determination of serum vitamins 25-OH-D2 and 25-OH-D3 with liquid chromatography–tandem mass spectrometry using atmospheric pressure chemical ionization or electrospray source and core-shell or sub-2μm particle columns: A comparative study. Clinical Biochemistry, 2011, 44, 1329-1337.	1.9	27
781	From models to crop species: caveats and solutions for translational metabolomics. Frontiers in Plant Science, 2011, 2, 61.	3.6	33

#	Article	IF	CITATIONS
782	Mycosporine-Like Amino Acids: Relevant Secondary Metabolites. Chemical and Ecological Aspects. Marine Drugs, 2011, 9, 387-446.	4.6	303
783	Development and Validation of an LC/MS/MS Method for the Determination of Tenofovir in Monkey Plasma. Biological and Pharmaceutical Bulletin, 2011, 34, 877-882.	1.4	12
784	Simultaneous Determination of Antidementia Drugs in Human Plasma for Therapeutic Drug Monitoring. Therapeutic Drug Monitoring, 2011, 33, 227-238.	2.0	17
785	Simple and accurate quantitative analysis of ten antiepileptic drugs in human plasma by liquid chromatography/tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2011, 56, 771-777.	2.8	70
786	Development of a LC–ESI-MS3 method for determination of nitrendipine in human plasma. Journal of Pharmaceutical and Biomedical Analysis, 2011, 56, 1101-1105.	2.8	5
787	Quantification of tamoxifen and three of its phase-I metabolites in human plasma by liquid chromatography/triple-quadrupole mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2011, 56, 1016-1023.	2.8	39
788	Simultaneous determination of three classes of antibiotics in the suspended solids of swine wastewater by ultrasonic extraction, solid-phase extraction and liquid chromatography-mass spectrometry. Journal of Environmental Sciences, 2011, 23, 1729-1737.	6.1	38
789	A one-year monitoring of nicotine use in sport: Frontier between potential performance enhancement and addiction issues. Forensic Science International, 2011, 213, 73-84.	2.2	39
790	Analytical aspects in doping control: Challenges and perspectives. Forensic Science International, 2011, 213, 49-61.	2.2	46
791	Simultaneous determination of thirteen polycyclic aromatic hydrocarbons and twelve aldehydes in cooked food by an automated on-line solid phase extraction ultra high performance liquid chromatography tandem mass spectrometry. Journal of Chromatography A, 2011, 1218, 6308-6318.	3.7	65
792	Accurate determination of the anticancer prodrug simmitecan and its active metabolite chimmitecan in various plasma samples based on immediate deactivation of blood carboxylesterases. Journal of Chromatography A, 2011, 1218, 6646-6653.	3.7	13
793	High performance liquid chromatography–high resolution mass spectrometry and micropulverized extraction for the quantification of amphetamines, cocaine, opioids, benzodiazepines, antidepressants and hallucinogens in 2.5mg hair samples. Journal of Chromatography A, 2011, 1218, 6583-6595.	3.7	77
794	Multiresidue method for the analysis of emerging contaminants in wastewater by ultra performance liquid chromatography–time-of-flight mass spectrometry. Journal of Chromatography A, 2011, 1218, 6712-6719.	3.7	61
795	A sensitive analysis method for 7 diterpenoids in rat plasma by liquid chromatography–electrospray ionization mass spectrometry and its application to pharmacokinetic study of Isodon serra extract. Journal of Chromatography A, 2011, 1218, 7771-7780.	3.7	15
796	Dicationic ion-pairing of phosphoric acid diesters post-liquid chromatography and subsequent determination by electrospray positive ionization-tandem mass spectrometry. Journal of Chromatography A, 2011, 1218, 8083-8088.	3.7	42
797	Screening and confirmation analysis of stimulants, narcotics and beta-adrenergic agents in human urine by hydrophilic interaction liquid chromatography coupled to mass spectrometry. Journal of Chromatography A, 2011, 1218, 8156-8167.	3.7	42
798	Rapid residue analysis of fluoroquinolones in raw bovine milk by online solid phase extraction followed by liquid chromatography coupled to tandem mass spectrometry. Journal of Chromatography A, 2011, 1218, 9019-9027.	3.7	49
799	Simultaneous determination of 23 amino acids and 7 biogenic amines in fermented food samples by liquid chromatography/quadrupole time-of-flight mass spectrometry. Journal of Chromatography A, 2011, 1218, 9174-9182.	3.7	112

#	Article	IF	CITATIONS
800	13C labelled internal standards—A solution to minimize ion suppression effects in liquid chromatography–tandem mass spectrometry analyses of drugs in biological samples?. Journal of Chromatography A, 2011, 1218, 9366-9374.	3.7	132
801	Screening for the synthetic cannabinoid JWHâ€018 and its major metabolites in human doping controls. Drug Testing and Analysis, 2011, 3, 609-620.	2.6	113
802	Development of a rapid LCâ€MS/MS method for direct urinalysis of designer drugs. Drug Testing and Analysis, 2011, 3, 496-504.	2.6	92
803	Dried blood spots (DBS) for doping control analysis. Drug Testing and Analysis, 2011, 3, 806-813.	2.6	42
804	Development of liquid chromatographyâ€ŧandem mass spectrometryâ€based analytical assays for the determination of HIF stabilizers in preventive doping research. Drug Testing and Analysis, 2011, 3, 756-770.	2.6	27
805	A rapid analytical method for the detection of plasma volume expanders and mannitol based on the urinary saccharides and polyalcohols profile. Drug Testing and Analysis, 2011, 3, 896-905.	2.6	5
806	Synthetic Cannabinoids in Oral Fluid. Journal of Analytical Toxicology, 2011, 35, 424-430.	2.8	93
807	Methodology for determining major constituents of ayahuasca and their metabolites in blood. Biomedical Chromatography, 2012, 26, 301-313.	1.7	41
808	Sensitive, selective and rapid determination of bupropion and its major active metabolite, hydroxybupropion, in human plasma by LCâ€MS/MS: application to a bioequivalence study in healthy Indian subjects. Biomedical Chromatography, 2012, 26, 314-326.	1.7	18
809	Liquid chromatography–tandem mass spectrometry for quantification of lacosamide, an antiepileptic drug, in rat plasma and its application to pharmacokinetic study. Biomedical Chromatography, 2012, 26, 371-376.	1.7	18
810	Simultaneous determination of lidamycin enediyne chromophore (LDC) and its aromatized derivative (LDCA) using puerarin as internal standard in rat plasma by LCâ€MS/MS. Biomedical Chromatography, 2012, 26, 400-406.	1.7	0
811	Determination of total homocysteine in blood plasma by capillary electrophoresis with mass spectrometry detection. Journal of Analytical Chemistry, 2011, 66, 317-321.	0.9	8
812	Disposition of ketamine and norketamine in hair after a single dose. International Journal of Legal Medicine, 2011, 125, 831-840.	2.2	32
813	Preparation and characterization of molecularly imprinted microspheres for selective extraction of trace melamine from milk samples. Mikrochimica Acta, 2011, 174, 191-199.	5.0	30
814	Practical aspects concerning validation and quality control for forensic and clinical bioanalytical quantitative methods. Accreditation and Quality Assurance, 2011, 16, 279-292.	0.8	98
815	International Guidelines for Bioanalytical Method Validation: A Comparison and Discussion on Current Scenario. Chromatographia, 2011, 73, 201-217.	1.3	69
816	Rapid and Simultaneous Determination of Efavirenz, 8-Hydroxyefavirenz, and 8,14-Dihydroxyefavirenz Using LC–MS–MS in Human Plasma and Application to Pharmacokinetics in Healthy Volunteers. Chromatographia, 2011, 73, 263-271.	1.3	9
817	HPLC–MS–MS for the Simultaneous Determination of Atorvastatin and Amlodipine in Plasma of Hypertensive Patients, Chromatographia, 2011, 73, 257-262	1.3	21

#	Article	IF	CITATIONS
818	An LC–MS–MS Method for Quantification of CMDCK: A Novel Anti-HIV Agent in Rat Plasma and Its Application to a Pharmacokinetic Study. Chromatographia, 2011, 73, 649-657.	1.3	3
819	LC–MS–MS Method for the Analysis of New Non-Imidazole Histamine H3 Receptor Antagonist 1-[3-(4-tert-Butylphenoxy)propyl]piperidine in Rat Serum—Application to Pharmacokinetic Studies. Chromatographia, 2011, 73, 913-919.	1.3	6
820	Determination of SYUIQ-F5, a Novel Telomerase Inhibitor and Anti-tumor Lead-Compound, in Tissues and Plasma Samples by LC–MS–MS: Application to a Tissue Distribution Study in Rat. Chromatographia, 2011, 73, 1073-1080.	1.3	4
821	Determination of 20(R)-25-Methoxyl-dammarane-3,12,20-triol and Its Active Metabolite in Beagle Dog Plasma by LC–MS–MS and Its Application to Pharmacokinetics Studies. Chromatographia, 2011, 73, 1105-1110.	1.3	2
822	LC–MS–MS Quantitative Determination of Gefitinib in Human Serum and Cerebrospinal Fluid. Chromatographia, 2011, 74, 41-49.	1.3	6
823	Comparisons of Microwave-Assisted Extraction, Simultaneous Distillation-Solvent Extraction, Soxhlet Extraction and Ultrasound Probe for Polycyclic Musks in Sediments: Recovery, Repeatability, Matrix Effects and Bioavailability. Chromatographia, 2011, 74, 489-495.	1.3	25
824	Validated hydrophilic interaction LC-MS/MS method for determination of 2-pyrrolidinone residue: applied to a depletion study of 2-pyrrolidinone in swine liver. Analytical and Bioanalytical Chemistry, 2011, 399, 1371-1380.	3.7	5
825	Development of the first metabolite-based LC-MS n urine drug screening procedure-exemplified for antidepressants. Analytical and Bioanalytical Chemistry, 2011, 400, 79-88.	3.7	112
826	Screening for benfluorex and its major urinary metabolites in routine doping controls. Analytical and Bioanalytical Chemistry, 2011, 401, 543-551.	3.7	11
827	Development of a fully automated toxicological LC-MSn screening system in urine using online extraction with turbulent flow chromatography. Analytical and Bioanalytical Chemistry, 2011, 400, 89-100.	3.7	73
828	Electron ionization in LC-MS: recent developments and applications of the direct-EI LC-MS interface. Analytical and Bioanalytical Chemistry, 2011, 399, 2683-2693.	3.7	44
829	Determination of growth hormone releasing peptides (GHRP) and their major metabolites in human urine for doping controls by means of liquid chromatography mass spectrometry. Analytical and Bioanalytical Chemistry, 2011, 401, 507-516.	3.7	83
830	Direct analysis of dried blood spots by in-line desorption combined with high-resolution chromatography and mass spectrometry for quantification of maple syrup urine disease biomarkers leucine and isoleucine. Analytical and Bioanalytical Chemistry, 2011, 400, 237-244.	3.7	17
831	Simultaneous LC-HRMS determination of 28 benzodiazepines and metabolites in hair. Analytical and Bioanalytical Chemistry, 2011, 400, 51-67.	3.7	63
832	Quantification of glucuronidated and sulfated steroids in human urine by ultra-high pressure liquid chromatography quadrupole time-of-flight mass spectrometry. Analytical and Bioanalytical Chemistry, 2011, 400, 503-516.	3.7	82
833	An ultra-sensitive online SPE-LC-MS/MS method for the quantification of levonorgestrel released from intrauterine devices. Analytical and Bioanalytical Chemistry, 2011, 400, 2655-2662.	3.7	10
834	Sensitive quantification of clozapine and its main metabolites norclozapine and clozapine-N-oxide in serum and urine using LC-MS/MS after simple liquid–liquid extraction work-up. Analytical and Bioanalytical Chemistry, 2011, 400, 737-746.	3.7	29
835	Structure characterisation of urinary metabolites of the cannabimimetic JWH-018 using chemically synthesised reference material for the support of LC-MS/MS-based drug testing. Analytical and Bioanalytical Chemistry, 2011, 401, 493-505.	3.7	66

#	Article	IF	CITATIONS
836	Profiling of non-esterified fatty acids in human plasma using liquid chromatography-electron ionization mass spectrometry. Analytical and Bioanalytical Chemistry, 2011, 400, 2933-2941.	3.7	38
837	Full validation and application of an ultra high performance liquid chromatographic-tandem mass spectrometric procedure for target screening and quantification of 34 antidepressants in human blood plasma as part of a comprehensive multi-analyte approach. Analytical and Bioanalytical Chemistry, 2011, 400, 2093-2107.	3.7	39
838	Drugs of abuse screening in urine as part of a metabolite-based LC-MSn screening concept. Analytical and Bioanalytical Chemistry, 2011, 400, 3481-3489.	3.7	132
839	UHPLC-ESI-MS/MS method for direct analysis of drugs of abuse in oral fluid for DUID assessment. Analytical and Bioanalytical Chemistry, 2011, 401, 609-624.	3.7	27
840	Development and validation of an HPLC–MS/MS method to quantify clopidogrel acyl glucuronide, clopidogrel acid metabolite, and clopidogrel in plasma samples avoiding analyte back-conversion. Analytical and Bioanalytical Chemistry, 2011, 401, 1023-1034.	3.7	48
841	Simultaneous measurement of endogenous cortisol, cortisone, dehydroepiandrosterone, and dehydroepiandrosterone sulfate in nails by use of UPLC–MS–MS. Analytical and Bioanalytical Chemistry, 2011, 401, 1153-1162.	3.7	38
842	Ultra high performance liquid chromatographic-tandem mass spectrometric multi-analyte procedure for target screening and quantification in human blood plasma: validation and application for 31 neuroleptics, 28 benzodiazepines, and Z-drugs. Analytical and Bioanalytical Chemistry, 2011, 401, 1341-1352	3.7	52
843	Direct quantification of cannabinoids and cannabinoid glucuronides in whole blood by liquid chromatography–tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2011, 401, 1273-1283.	3.7	91
844	Analysis of the flame retardant metabolites bis(1,3-dichloro-2-propyl) phosphate (BDCPP) and diphenyl phosphate (DPP) in urine using liquid chromatography–tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2011, 401, 2123-2132.	3.7	149
845	Automated system for on-line desorption of dried blood spots applied to LC/MS/MS pharmacokinetic study of flurbiprofen and its metabolite. Journal of Pharmaceutical and Biomedical Analysis, 2011, 54, 359-367.	2.8	73
846	Rapid and simultaneous measurement of midazolam, 1â€ ² -hydroxymidazolam and digoxin by liquid chromatography/tandem mass spectrometry: Application to an in vivo study to simultaneously measure P-glycoprotein and Cytochrome P450 3A activity. Journal of Pharmaceutical and Biomedical Analysis, 2011, 55, 187-193.	2.8	23
847	LC–MS–MS method for simultaneous determination of THCCOOH and THCCOOH-glucuronide in urine: Application to workplace confirmation tests. Forensic Science International, 2011, 204, 67-73.	2.2	40
848	A rapid method for simultaneous determination of zearalenone, α-zearalenol, β-zearalenol, zearalanone, α-zearalanol and β-zearalanol in traditional Chinese medicines by ultra-high-performance liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2011. 879. 411-420.	2.3	44
849	Quantification of dimethyl-ifosfamide and its N-deschloropropylated metabolites in mouse plasma by liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 743-750.	2.3	4
850	Quantification of Alefacept, an immunosuppressive fusion protein in human plasma using a protein analogue internal standard, trypsin cleaved signature peptides and liquid chromatography tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2011, 879, 789-798.	2.3	24
851	Validation of a simultaneous analytical method for the detection of 27 benzodiazepines and metabolites and zolpidem in hair using LC–MS/MS and its application to human and rat hair. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 878-886.	2.3	71
852	Identification and elimination of ion suppression in the quantitative analysis of sirolimus in human blood by LC/ESI-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 968-974.	2.3	13
853	Assay for determination of daunorubicin in cancer cells with multidrug resistance phenotype. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 1875-1880.	2.3	16

#	Article	IF	CITATIONS
854	Quantitative determination of T-2 toxin, HT-2 toxin, deoxynivalenol and deepoxy-deoxynivalenol in animal body fluids using LC–MS/MS detection. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 2403-2415.	2.3	83
855	Matrix matching in liquid chromatography–mass spectrometry with stable isotope labelled internal standards—Is it necessary?. Journal of Chromatography A, 2011, 1218, 359-361.	3.7	154
856	Liquid chromatography–tandem mass spectrometry method for the determination of dye residues in aquaculture products: Development and validation. Journal of Chromatography A, 2011, 1218, 1632-1645.	3.7	59
857	Multi-class determination of around 50 pharmaceuticals, including 26 antibiotics, in environmental and wastewater samples by ultra-high performance liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2011, 1218, 2264-2275.	3.7	180
858	Determination of per- and polyfluorinated substances in airborne particulate matter by microwave-assisted extraction and liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2011, 1218, 4847-4855.	3.7	28
859	Determination of finasteride in human plasma by liquid chromatography–electrospray ionization tandem mass spectrometry with flow rate gradient. European Journal of Drug Metabolism and Pharmacokinetics, 2011, 35, 137-146.	1.6	2
860	Simultaneous Quantitation of Amino Acid Mixtures using Clustering Agents. Journal of the American Society for Mass Spectrometry, 2011, 22, 624-632.	2.8	2
861	Fast determination of oleic acid in pork by flow injection analysis/mass spectrometry. Rapid Communications in Mass Spectrometry, 2011, 25, 1082-1088.	1.5	5
862	Quantitative analysis of ¹⁵ Nâ€labeled positional isomers of glutamine and citrulline via electrospray ionization tandem mass spectrometry of their dansyl derivatives. Rapid Communications in Mass Spectrometry, 2011, 25, 1291-1296.	1.5	29
863	Evaluation of allergens in propolis by ultraâ€performance liquid chromatography/tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2011, 25, 1675-1682.	1.5	21
864	Determination of vitamins A, D and E in a small volume of human plasma by a highâ€ŧhroughput method based on liquid chromatography/tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2011, 25, 1942-1948.	1.5	63
865	Study of liquid chromatography/electrospray ionization mass spectrometry matrix effect on the example of glyphosate analysis from cereals. Rapid Communications in Mass Spectrometry, 2011, 25, 3252-3258.	1.5	23
866	Simultaneous determination of 13 phytohormones in oilseed rape tissues by liquid chromatographyâ€electrospray tandem mass spectrometry and the evaluation of the matrix effect. Journal of Separation Science, 2011, 34, 640-650.	2.5	52
867	Determination of closantel and rafoxanide in animal tissues by online anionic mixedâ€mode solidâ€phase extraction followed by isotope dilution liquid chromatography tandem mass spectrometry. Journal of Separation Science, 2011, 34, 1366-1374.	2.5	10
868	Simultaneous determination of cyadox and its metabolites in plasma by high-performance liquid chromatography tandem mass spectrometry. Journal of Separation Science, 2011, 34, 1755-1762.	2.5	12
869	Extraction of ketamine from urine using a miniature silica monolithic cartridge followed by quantification with liquid chromatography tandem mass spectrometry (LCâ€MS/MS). Journal of Separation Science, 2011, 34, 1041-1046.	2.5	14
870	Evaluation of matrix effects in analysis of estrogen using liquid chromatography–tandem mass spectrometry. Journal of Separation Science, 2011, 34, 1781-1787.	2.5	25
871	Liquid chromatography-electrospray ionization tandem mass spectrometry for the quantification of styraxlignolide A in rat plasma. Journal of Separation Science, 2011, 34, 1828-1833.	2.5	2

#	Article	IF	CITATIONS
872	Simultaneous determination of raltegravir and raltegravir glucuronide in human plasma by liquid chromatography–tandem mass spectrometric method. Journal of Mass Spectrometry, 2011, 46, 202-208.	1.6	13
873	Development and validation of a liquid chromatography–tandem mass spectrometry method for the quantitation of synthetic cannabinoids of the aminoalkylindole type and methanandamide in serum and its application to forensic samples. Journal of Mass Spectrometry, 2011, 46, 163-171.	1.6	131
874	Investigation of the <i>in vitro</i> metabolism of the emerging drug candidate S107 for dopingâ€preventive purposes. Journal of Mass Spectrometry, 2011, 46, 112-130.	1.6	33
875	Comparison of APPI, APCI and ESI for the LCâ€MS/MS analysis of bezafibrate, cyclophosphamide, enalapril, methotrexate and orlistat in municipal wastewater. Journal of Mass Spectrometry, 2011, 46, 383-390.	1.6	53
876	Development and validation of LCâ€HRMS and GCâ€NIClâ€MS methods for stereoselective determination of MDMA and its phase I and II metabolites in human urine. Journal of Mass Spectrometry, 2011, 46, 603-614.	1.6	30
877	Liquid chromatography–tandem mass spectroscopic method for the determination of zerumbone in human plasma and its application to pharmacokinetics. Journal of Mass Spectrometry, 2011, 46, 772-781.	1.6	9
878	Cysteine tagging for MSâ€based proteomics. Mass Spectrometry Reviews, 2011, 30, 366-395.	5.4	64
879	An overview of matrix effects in liquid chromatography–mass spectrometry. Mass Spectrometry Reviews, 2011, 30, 491-509.	5.4	601
880	Directâ€El in LC–MS: Towards a universal detector for smallâ€molecule applications. Mass Spectrometry Reviews, 2011, 30, 1242-1255.	5.4	43
881	Determination of paeoniflorin, calycosinâ€7â€ <i>Oâ€Î²</i> â€ <scp>d</scp> â€glucoside, ononin, calycosin and formononetin in rat plasma after oral administration of Buyang Huanwu decoction for their pharmacokinetic study by liquid chromatography–mass spectrometry. Biomedical Chromatography, 2011, 25, 450-457.	1.7	19
882	Determination of penciclovir in human plasma by liquid chromatography–electrospray ionization tandem mass spectrometry: application to a clinical pharmacokinetic study. Biomedical Chromatography, 2011, 25, 458-465.	1.7	4
883	Development and validation of a hydrophilic interaction chromatography–tandem mass spectrometry for quantification of nicotine and its metabolites in human maternal and cord sera. Biomedical Chromatography, 2011, 25, 503-510.	1.7	16
884	Development and validation of GC/MS method for determination of pramipexole in rat plasma. Biomedical Chromatography, 2011, 25, 524-530.	1.7	21
885	Simultaneous quantification of total eicosapentaenoic acid, docosahexaenoic acid and arachidonic acid in plasma by highâ€performance liquid chromatography–tandem mass spectrometry. Biomedical Chromatography, 2011, 25, 652-659.	1.7	21
886	Development and validation of a highâ€throughput and robust LC–MS/MS with electrospray ionization method for simultaneous quantitation of oseltamivir phosphate and its oseltamivir carboxylate metabolite in human plasma for pharmacokinetic studies. Biomedical Chromatography, 2011, 25, 727-733.	1.7	17
887	Rapid ultraperformance liquid chromatography–tandem mass spectrometry method for quantification of oxcarbazepine and its metabolite in human plasma. Biomedical Chromatography, 2011, 25, 751-759.	1.7	19
888	Niacin and its metabolites: role of LCâ€MS/MS bioanalytical methods and update on clinical pharmacology. An overview. Biomedical Chromatography, 2011, 25, 218-237.	1.7	18
889	A highâ€sensitivity UPLCâ€MS/MS method for simultaneous determination and confirmation of triptolide in zebrafish embryos. Biomedical Chromatography, 2011, 25, 851-857.	1.7	7

#	Article	IF	CITATIONS
890	Liquid chromatography–atmospheric pressure chemical ionization tandem mass spectrometry for the simultaneous determination of dimethoxyaschantin, dimethylliroresinol, dimethylpinoresinol, epimagnolin A, fargesin and magnolin in rat plasma. Biomedical Chromatography, 2011, 25, 879-889.	1.7	8
891	Methodology for and the determination of the major constituents and metabolites of the Amazonian botanical medicine ayahuasca in human urine. Biomedical Chromatography, 2011, 25, 970-984.	1.7	35
892	LCâ€MS in analytical toxicology: some practical considerations. Biomedical Chromatography, 2011, 25, 100-123.	1.7	58
893	A liquid chromatography-mass spectrometry method for nicotine and cotinine; utility in screening tobacco exposure in patients taking amiodarone. Biomedical Chromatography, 2011, 25, 1124-1131.	1.7	15
894	Simultaneous determination of sibutramine and its active metabolites in human plasma by LCâ€MS/MS and its application to a pharmacokinetic study. Biomedical Chromatography, 2011, 25, 1181-1188.	1.7	15
895	Analyses of benzodiazepines and their metabolites in various biological matrices by LC-MS(/MS). Biomedical Chromatography, 2011, 25, 1283-1307.	1.7	53
896	Quantification of lurasidone, an atypical antipsychotic drug, in rat plasma with high-performance liquid chromatography with tandem mass spectrometry. Biomedical Chromatography, 2011, 25, 1389-1394.	1.7	24
897	Dealing with matrix effect: should there be a cutâ€off limit for signal ion suppression in quantitative assay validation?. Biomedical Chromatography, 2011, 25, 740-742.	1.7	5
898	Segmental hair analysis using liquid chromatography–tandem mass spectrometry after a single dose of benzodiazenines. Forensic Science International, 2011, 204, 19-26	2.2	79
899	Methadone determination in puparia and its effect on the development of Lucilia sericata (Diptera,) Tj ETQq1 1	0.784314 2.2	rgBT/Overloc
899 900	Methadone determination in puparia and its effect on the development of Lucilia sericata (Diptera,) Tj ETQq1 1 Determination of resveratrol and piceid in beer matrices by solid-phase extraction and liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2011, 1218, 698-705.	0.784314 2.2 3.7	rgBT /Overloc
899 900 901	Methadone determination in puparia and its effect on the development of Lucilia sericata (Diptera,) Tj ETQq1 1 Determination of resveratrol and piceid in beer matrices by solid-phase extraction and liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2011, 1218, 698-705. Multiresidue analytical method for the determination of antimicrobials, preservatives, benzotriazole UV stabilizers, flame retardants and plasticizers in fish using ultra high performance liquid chromatography coupled with tandem mass spectrometry. Journal of Chromatography A, 2011, 1218, 3511-3520.	0.784314 3.7 3.7	rgBT/Overloc 53 127
899 900 901 902	Methadone determination in puparia and its effect on the development of Lucilia sericata (Diptera,) Tj ETQq1 1 Determination of resveratrol and piceid in beer matrices by solid-phase extraction and liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2011, 1218, 698-705. Multiresidue analytical method for the determination of antimicrobials, preservatives, benzotriazole UV stabilizers, flame retardants and plasticizers in fish using ultra high performance liquid chromatography coupled with tandem mass spectrometry. Journal of Chromatography A, 2011, 1218, 3511-3520. Trace analysis of fluoxetine and its metabolite norfluoxetine. Part I: Development of a chiral liquid chromatography–tandem mass spectrometry method for wastewater samples. Journal of Chromatography A, 2011, 1218, 5587-5596.	0.784314 3.7 3.7 3.7 3.7	rgBT/Overloc 53 127 40
899 900 901 902	 Methadone determination in puparia and its effect on the development of Lucilia sericata (Diptera,) Tj ETQq1 1 Determination of resveratrol and piceid in beer matrices by solid-phase extraction and liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2011, 1218, 698-705. Multiresidue analytical method for the determination of antimicrobials, preservatives, benzotriazole UV stabilizers, flame retardants and plasticizers in fish using ultra high performance liquid chromatography coupled with tandem mass spectrometry. Journal of Chromatography A, 2011, 1218, 3511-3520. Trace analysis of fluoxetine and its metabolite norfluoxetine. Part I: Development of a chiral liquid chromatography〓tandem mass spectrometry method for wastewater samples. Journal of Chromatography A, 2011, 1218, 5587-5596. Liquid chromatography tandem mass spectrometry for analysis of steroids in clinical laboratories. Clinical Biochemistry, 2011, 44, 77-88. 	0.784314 3.7 3.7 3.7 1.9	rgBT/Overloc 53 127 40 196
899 900 901 902 903	Methadone determination in puparia and its effect on the development of Lucilia sericata (Diptera,) Tj ETQq1 1 Determination of resveratrol and piceid in beer matrices by solid-phase extraction and liquid chromatographyâ€"tandem mass spectrometry. Journal of Chromatography A, 2011, 1218, 698-705. Multiresidue analytical method for the determination of antimicrobials, preservatives, benzotriazole UV stabilizers, flame retardants and plasticizers in fish using ultra high performance liquid chromatography coupled with tandem mass spectrometry. Journal of Chromatography A, 2011, 1218, 3511-3520. Trace analysis of fluoxetine and its metabolite norfluoxetine. Part I: Development of a chiral liquid chromatographyâ€"tandem mass spectrometry method for wastewater samples. Journal of Chromatography A, 2011, 1218, 5587-5596. Liquid chromatography tandem mass spectrometry for analysis of steroids in clinical laboratories. Clinical Biochemistry, 2011, 44, 77-88. A multi-target screening analysis in human plasma using fast liquid chromatographyâ€"hybrid tandem mass spectrometry, 2011, 44, 32-44.	0.784314 3.7 3.7 3.7 1.9 1.9	rgB <u>1</u> 8/Overloc 53 127 40 196 36
 899 900 901 902 903 904 905 	Methadone determination in puparia and its effect on the development of Lucilia sericata (Diptera,) Tj ETQq1 1 Determination of resveratrol and piceid in beer matrices by solid-phase extraction and liquid chromatographyà€"tandem mass spectrometry. Journal of Chromatography A, 2011, 1218, 698-705. Multiresidue analytical method for the determination of antimicrobials, preservatives, benzotriazole UV stabilizers, flame retardants and plasticizers in fish using ultra high performance liquid chromatography coupled with tandem mass spectrometry. Journal of Chromatography A, 2011, 1218, 3511-3520. Trace analysis of fluoxetine and its metabolite norfluoxetine. Part I: Development of a chiral liquid chromatography A, 2011, 1218, 5587-5596. Liquid chromatography tandem mass spectrometry for analysis of steroids in clinical laboratories. Clinical Biochemistry, 2011, 44, 77-88. A multi-target screening analysis in human plasma using fast liquid chromatographyâ€"hybrid tandem mass spectrometry. 2011, 44, 32-44. Comparison of blood sirolimus, tacrolimus and everolimus concentrations measured by LC-MS/MS, HPLC-UV and immunoassay methods. Clinical Biochemistry, 2011, 44, 231-236.	0.7 <u>8</u> 4314 3.7 3.7 3.7 1.9 1.9	rgBT/Overloc 53 127 40 196 36
 899 900 901 902 903 904 905 906 	Methadone determination in puparia and its effect on the development of Lucilia sericata (Diptera,) Tj ETQq1 1 Determination of resveratrol and piceid in beer matrices by solid-phase extraction and liquid chromatographyã€"tandem mass spectrometry. Journal of Chromatography A, 2011, 1218, 698-705. Multiresidue analytical method for the determination of antimicrobials, preservatives, benzotriazole UV stabilizers, flame retardants and plasticizers in fish using ultra high performance liquid chromatography coupled with tandem mass spectrometry. Journal of Chromatography A, 2011, 1218, 3511-3520. Trace analysis of fluoxetine and its metabolite norfluoxetine. Part I: Development of a chiral liquid chromatography A, 2011, 1218, 5587-5596. Liquid chromatography tandem mass spectrometry for analysis of steroids in clinical laboratories. Clinical Biochemistry, 2011, 44, 77-88. A multi-target screening analysis in human plasma using fast liquid chromatographyâ€"hybrid tandem mass spectrometry, 2011, 44, 32-44. Comparison of blood sirolimus, tacrolimus and everolimus concentrations measured by LC-MS/MS, HPLC-UV and immunoassay methods. Clinical Biochemistry, 2011, 44, 231-236. Derivatization of (5R)-hydroxytriptolide from benzylamine to enhance mass spectrometric detection: Application to a Phase I pharmacokinetic study in humans. Analytica Chimica Acta, 2011, 689, 69-76.	$\begin{array}{c} 0.784314\\ 3.7\\ 3.7\\ 3.7\\ 1.9\\ 1.9\\ 1.9\\ 5.4 \end{array}$	rgB18/Overloc 53 127 40 196 36 69 18

#	Article	IF	CITATIONS
908	Identification and quantification of glucosamine in rabbit cartilage and correlation with plasma levels by high performance liquid chromatography-electrospray ionization-tandem mass spectrometry. Analytica Chimica Acta, 2011, 695, 77-83.	5.4	8
909	Determination of olprinone in human plasma utilizing liquid chromatography tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2011, 54, 198-202.	2.8	2
910	Determination of zabofloxacin in rat plasma by liquid chromatography with mass spectrometry and its application to pharmacokinetic study. Journal of Pharmaceutical and Biomedical Analysis, 2011, 54, 873-877.	2.8	10
911	The use of human plasma as matrix for calibration standards in pre-clinical LC–MS/MS methods—A way to reduce animal use. Journal of Pharmaceutical and Biomedical Analysis, 2011, 54, 826-829.	2.8	10
912	Simultaneous quantification of four native estrogen hormones at trace levels in human cerebrospinal fluid using liquid chromatography–tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2011, 54, 830-837.	2.8	41
913	Advances in validation, risk and uncertainty assessment of bioanalytical methods. Journal of Pharmaceutical and Biomedical Analysis, 2011, 55, 848-858.	2.8	121
914	Validated LC–MS/MS method for the determination of maackiain and its sulfate and glucuronide in blood: Application to pharmacokinetic and disposition studies. Journal of Pharmaceutical and Biomedical Analysis, 2011, 55, 288-293.	2.8	17
915	Simultaneous analysis of frequently used licit and illicit psychoactive drugs in breast milk by liquid chromatography tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2011, 55, 309-316.	2.8	86
916	A liquid–liquid LC/MS/MS assay for the determination of artemether and DHA in malaria patient samples. Journal of Pharmaceutical and Biomedical Analysis, 2011, 55, 373-378.	2.8	25
917	Quantification of sofalcone in human plasma and urine by high performance liquid chromatography–mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2011, 55, 1179-1185.	2.8	4
918	Determination of nucleoside analog mono-, di-, and tri-phosphates in cellular matrix by solid phase extraction and ultra-sensitive LC–MS/MS detection. Journal of Pharmaceutical and Biomedical Analysis, 2011, 56, 390-401.	2.8	97
919	Determination of dexamethasone and dexamethasone sodium phosphate in human plasma and cochlear perilymph by liquid chromatography/tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 17-24.	2.3	36
920	Quantification of meclizine in human plasma by high performance liquid chromatography–mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 95-99.	2.3	16
921	Development of an LC–MS/MS method for the quantitation of 55 compounds prescribed in combined cardiovascular therapy. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 243-252.	2.3	57
922	Development and validation of a method for determination of corticosteroids in pig fat using liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 403-410.	2.3	26
923	Plasma and cerebral spinal fluid tranexamic acid quantitation in cardiopulmonary bypass patients. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 553-556.	2.3	30
924	Quantification of 22 plasma amino acids combining derivatization and ion-pair LC–MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 495-504.	2.3	127
925	Simultaneous determination of sphingosine and sphingosine 1-phosphate in biological samples by liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, <u>879, 520-526.</u>	2.3	35

#	Article	IF	CITATIONS
926	Quantification of cyclizine and norcyclizine in human plasma by liquid chromatography–tandem mass spectrometry (LC–MS/MS). Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 605-609.	2.3	8
927	Determination of endocannabinoids in nematodes and human brain tissue by liquid chromatography electrospray ionization tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 677-694.	2.3	50
928	Determination of higenamine in human plasma and urine using liquid chromatography coupled to positive electrospray ionization tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 763-768.	2.3	14
929	Simultaneous determination of eight β-lactam antibiotics in human serum by liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 1038-1042.	2.3	105
930	Quantitative liquid chromatographic and tandem mass spectrometric determination of vitamin D3 in human serum with derivatization: A comparison of in-tube LLE, 96-well plate LLE and in-tip SPME. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 1457-1466.	2.3	30
931	Simultaneous quantification of 17α-OH progesterone, 11-deoxycortisol, î"4-androstenedione, cortisol and cortisone in newborn blood spots using liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 1565-1572.	2.3	33
932	Quantification of 4 antidepressants and a metabolite by LC–MS for therapeutic drug monitoring. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 1544-1550.	2.3	21
933	Development and validation of a sensitive liquid chromatography/tandem mass spectrometry method for the determination of exemestane in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 1905-1910.	2.3	6
934	Development and validation of a highly rapid and sensitive LC–MS/MS method for determination of SZ-685C, an investigational marine anticancer agent, in rat plasma – Application to a pharmacokinetic study in rats. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2011, 879, 2127-2134.	2.3	6
935	Development and validation of a selective and sensitive LC–MS/MS method for determination of cycloserine in human plasma: Application to bioequivalence study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 2265-2273.	2.3	29
936	Determination of raloxifene and its glucuronides in human urine by liquid chromatography–tandem mass spectrometry assay. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 2323-2331.	2.3	26
937	A LC–MS/MS method for the specific, sensitive, and simultaneous quantification of 5-aminolevulinic acid and porphobilinogen. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 2389-2396.	2.3	37
938	Application of a validated ultra performance liquid chromatography–tandem mass spectrometry method for the quantification of darunavir in human plasma for a bioequivalence study in Indian subjects. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 2443-2453.	2.3	21
939	Regulated bioanalytical laboratory automation: where we came from, where we are and where we are going. Bioanalysis, 2011, 3, 1415-1418.	1.5	7
940	Study on bioavailability difference between clopidogrel bisulfate form I and form II using liquid chromatography/tandem mass spectrometry. Arzneimittelforschung, 2011, 61, 353-357.	0.4	1
941	Mass spectrometry in multi-mycotoxin and fungal spore analysis. , 2011, , 90-134.		5
942	Simultaneous Quantification of Triazolam and its Metabolites in Human Urine by Liquid Chromatography-Tandem Mass Spectrometry. Journal of Analytical Toxicology, 2011, 35, 170-175.	2.8	2
943	Performance and Matrix Effect Observed in QuEChERS Extraction and Tandem Mass Spectrometry Analyses of Pesticide Residues in Different Target Crops. Journal of Chromatographic Science, 2011, 49, 709-714.	1.4	24

#	Article	IF	CITATIONS
944	Confirmation of congenital adrenal hyperplasia by adrenal steroid profiling of filter paper dried blood samples using ultra-performance liquid chromatography-tandem mass spectrometry. Clinical Chemistry and Laboratory Medicine, 2011, 49, 677-84.	2.3	21
945	Meningeal Inflammation Increases Artemether Concentrations in Cerebrospinal Fluid in Papua New Guinean Children Treated with Intramuscular Artemether. Antimicrobial Agents and Chemotherapy, 2011, 55, 5027-5033.	3.2	13
946	Analysis of 3,4-Methylenedioxymetamphetamine: Whole Blood Versus Dried Blood Spots. Journal of Analytical Toxicology, 2011, 35, 269-273.	2.8	41
947	Fatal Intoxication Due to Brucine. Journal of Analytical Toxicology, 2011, 35, 248-253.	2.8	17
948	Simultaneous determination of cyclophosphamide and 4-hydroxycyclophosphamide in human plasma by high-performance liquid chromatography coupled with electrospray ionization tandem mass spectrometry – application to Chinese systemic lupus erythematosus patients. Clinical Chemistry and Laboratory Medicine, 2011, 49, 2029-37	2.3	10
949	Population Pharmacokinetics of Artemether, Lumefantrine, and Their Respective Metabolites in Papua New Guinean Children with Uncomplicated Malaria. Antimicrobial Agents and Chemotherapy, 2011, 55, 5306-5313.	3.2	50
950	Determination of asymmetric dimethyl arginine in human serum by liquid chromatography-tandem mass spectrometry: clinical application in hypertensive subjects. Clinical Chemistry and Laboratory Medicine, 2011, 49, 2109-15.	2.3	9
951	Evaluation of the MassTrak Immunosuppressant XE Kit for the determination of everolimus and cyclosporin A in human whole blood employing isotopically labeled internal standards. Clinical Chemistry and Laboratory Medicine, 2011, 49, 2021-7.	2.3	14
952	Performance of the Roche Total Mycophenolic Acid® assay on the Cobas Integra 400®, Cobas 6000® and comparison to LC-MS/MS in liver transplant patients. Clinical Chemistry and Laboratory Medicine, 2011, 49, 1159-65.	2.3	15
953	Selection of an Immunoassay Screening Cutoff Concentration for Opioids in Oral Fluid. Journal of Analytical Toxicology, 2011, 35, 369-374.	2.8	10
954	Hydrophilic interaction LC–MS/MS analysis of opioids in urine: significance of glucuronide metabolites. Bioanalysis, 2011, 3, 2603-2612.	1.5	15
955	Direct injection of lipophilic compounds in the organic phase from liquid–liquid extracted plasma samples onto a reversed-phase column. Bioanalysis, 2011, 3, 1963-1973.	1.5	10
956	Detection of Levamisole Exposure in Cocaine Users by Liquid Chromatography-Tandem Mass Spectrometry. Journal of Analytical Toxicology, 2011, 35, 176-178.	2.8	49
957	Validation of a Liquid Chromatography-Tandem Mass Spectrometry Method for Quantification of Glycopyrrolate in Horse Plasma. Journal of Analytical Toxicology, 2011, 35, 656-664.	2.8	19
958	Development and Validation of a Sensitive and Rapid Method to Determine Naratriptan in Human Plasma by LC-ESI-MS-MS: Application to a Bioequivalence Study. Journal of Chromatographic Science, 2011, 49, 101-107.	1.4	11
959	Determination of perchlorate in infant formula by isotope dilution ion chromatography/tandem mass spectrometry. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2011, 28, 799-806.	2.3	21
960	Development of a Simple Liquid Chromatography-Tandem Mass Spectrometry Method for Multiresidue Determination of Antifungal Drugs in Chicken Tissues. Journal of AOAC INTERNATIONAL, 2011, 94, 1650-1658.	1.5	9
961	Bioanalytical LC–MS of therapeutic oligonucleotides. Bioanalysis, 2011, 3, 541-564.	1.5	61

#	Article	IF	CITATIONS
962	Determination of Microcystin-LR in Drinking Water Using UPLC Tandem Mass Spectrometry-Matrix Effects and Measurement. Journal of Chromatographic Science, 2011, 49, 665-670.	1.4	17
963	HybridSPE: A novel technique to reduce phospholipid-based matrix effect in LC-ESI-MS Bioanalysis. Journal of Pharmacy and Bioallied Sciences, 2012, 4, 267.	0.6	56
964	Determination of Carisoprodol and Meprobamate in Oral Fluid. Journal of Analytical Toxicology, 2012, 36, 217-220.	2.8	6
965	A U–HPLC–ESI–MS/MS–Based Stable Isotope Dilution Method for the Detection and Quantitation of Methotrexate in Plasma. Therapeutic Drug Monitoring, 2012, 34, 432-439.	2.0	28
966	Efficacy of plasma phospholipid removal during sample preparation and subsequent retention under typical UHPLC conditions. Bioanalysis, 2012, 4, 795-807.	1.5	29
967	Liquid Chromatography-Tandem Mass Spectrometry Assay to Detect Ethyl Glucuronide in Human Fingernail: Comparison to Hair and Gender Differences. American Journal of Analytical Chemistry, 2012, 03, 83-91.	0.9	34
968	DETERMINATION OF CORTISOL, CORTISONE, PREDNISOLONE AND PREDNISONE IN BOVINE URINE BY LIQUID CHROMATOGRAPHY–ELECTROSPRAY IONISATION SINGLE QUADRUPOLE MASS SPECTROMETRY. Journal of Liquid Chromatography and Related Technologies, 2012, 35, 444-457.	1.0	11
970	Determination of lumefantrine in small-volume human plasma by LC–MS/MS: using a deuterated lumefantrine to overcome matrix effect and ionization saturation. Bioanalysis, 2012, 4, 157-166.	1.5	26
971	Validated LC-MS-MS Method for the Determination of Quetiapine in Human Plasma: Application to a Pharmacokinetic Study. Journal of Chromatographic Science, 2012, 50, 277-282.	1.4	27
972	Investigation of microbore UPLC and nontraditional mobile phase compositions for bioanalytical LC–MS/MS. Bioanalysis, 2012, 4, 1287-1297.	1.5	25
973	Perspectives on addressing ionization matrix effects in LC–MS bioanalysis. Bioanalysis, 2012, 4, 1227-1234.	1.5	7
974	Artemisinin-Naphthoquine Combination Therapy for Uncomplicated Pediatric Malaria: a Pharmacokinetic Study. Antimicrobial Agents and Chemotherapy, 2012, 56, 2472-2484.	3.2	36
975	Measurement of teicoplanin by liquid chromatography-tandem mass spectrometry: development of a novel method. Annals of Clinical Biochemistry, 2012, 49, 475-481.	1.6	23
977	Ion Suppression Study for Tetracyclines in Feed. Chromatography Research International, 2012, 2012, 1-9.	0.4	14
978	Pharmacokinetic Comparison of Two Piperaquine-Containing Artemisinin Combination Therapies in Papua New Guinean Children with Uncomplicated Malaria. Antimicrobial Agents and Chemotherapy, 2012, 56, 3288-3297.	3.2	24
979	Utilization of hydrophilic-interaction LC to minimize matrix effects caused by phospholipids. Bioanalysis, 2012, 4, 2049-2058.	1.5	22
980	Analysis of Sub Âg/kg Lincomycin in Honey, Muscle, Milk, and Eggs Using Fast Liquid Chromatography-Tandem Mass Spectrometry. Journal of Chromatographic Science, 2012, 50, 190-198.	1.4	14
981	Quantification of Tacrolimus and Three Demethylated Metabolites in Human Whole Blood Using LC–ESI–MS/MS. Therapeutic Drug Monitoring, 2012, 34, 134-142.	2.0	37

#	Article	IF	CITATIONS
982	Impact of Interferences Including Metabolite Crossreactivity on Therapeutic Drug Monitoring Results. Therapeutic Drug Monitoring, 2012, 34, 496-506.	2.0	23
983	Itx 5061 Quantitation in Human Plasma with Reverse Phase Liquid Chromatography and Mass Spectrometry Detection. Antiviral Therapy, 2013, 18, 329-336.	1.0	2
984	Strategies for Improving the Quantitative Bioanalytical Performance of LC-MS in Pharmacokinetic Studies. Current Drug Metabolism, 2012, 13, 1206-1212.	1.2	19
985	Development and Validation of New LC-MS/MS Method for the Determination of armodafinil in Human Plasma. Current Pharmaceutical Analysis, 2012, 8, 295-305.	0.6	4
986	Development of a Population Pharmacokinetic Model for Parecoxib and Its Active Metabolite Valdecoxib after Parenteral Parecoxib Administration in Children. Anesthesiology, 2012, 116, 1124-1133.	2.5	20
987	Transfer of Parecoxib and Its Primary Active Metabolite Valdecoxib via Transitional Breastmilk Following Intravenous Parecoxib Use After Cesarean Delivery. Anesthesia and Analgesia, 2012, 114, 837-844.	2.2	16
988	Pharmacokinetic Studies of Chinese Medicinal Herbs Using an Automated Blood Sampling System and Liquid Chromatography-mass Spectrometry. Journal of Traditional and Complementary Medicine, 2012, 2, 33-40.	2.7	6
989	- HPLC Determination of Carbohydrates in Foods. , 2012, , 250-269.		11
990	Prescription and illicit psychoactive drugs in oral fluid—LC–MS/MS method development and analysis of samples from Brazilian drivers. Forensic Science International, 2012, 223, 208-216.	2.2	47
991	Recent advances in bioanalytical sample preparation for LC–MS analysis. Bioanalysis, 2012, 4, 1123-1140.	1.5	38
992	Compensation for matrix effects in the gas chromatography–mass spectrometry analysis of 186 pesticides in tea matrices using analyte protectants. Journal of Chromatography A, 2012, 1266, 131-142.	3.7	54
993	High-throughput bioanalytical method for analysis of synthetic cannabinoid metabolites in urine using salting-out sample preparation and LC–MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 909, 42-50.	2.3	67
994	Simultaneous determination of amlodipine and bisoprolol in rat plasma by a liquid chromatography/tandem mass spectrometry method and its application in pharmacokinetic study. Journal of Pharmaceutical and Biomedical Analysis, 2012, 71, 104-110.	2.8	28
995	Simultaneous determination of three flavonoid C-glycosides in mice biosamples by HPLC–ESI-MS method after oral administration of Abrus mollis extract and its application to biodistribution studies. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 903, 68-74.	2.3	12
996	Recent advances in column switching sample preparation in bioanalysis. Bioanalysis, 2012, 4, 809-832.	1.5	45
997	Role of liquid chromatography–high-resolution mass spectrometry (LC-HR/MS) in clinical toxicology. Clinical Toxicology, 2012, 50, 733-742.	1.9	150
998	Determination of bromadiolone and brodifacoum in human blood using LC-ESI/MS/MS and its application in four superwarfarin poisoning cases. Forensic Science International, 2012, 222, 313-317.	2.2	31
999	Validation of a sensitive LC/MS/MS method for the determination of zidovudine and lamivudine in human plasma. Biomedical Chromatography, 2012, 26, 12-20.	1.7	18

#	ARTICLE Ultra-performance liquid chromatography tandem mass-spectrometry (UPLC–MS/MS) for the rapid, simultaneous analysis of thiamin, riboflavin, flavin adenine dinucleotide, nicotinamide and pyridoxal	IF 2.3	CITATIONS
1001	in human milk. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 903, 7-13. A comprehensive chromatographic comparison of amphetamine and methylamphetamine extracted from river water using molecular imprinted polymers and without the need for sample derivatization	2.5	7
1001	Journal of Separation Science, 2012, 35, 3332-3339.	2.0	,
1002	CCae MSae MS Method for the Simultaneous Determination of Donepezil Enantiomers in Plasma. Chromatographia, 2012, 75, 857-866.	1.3	9
1003	High information throughput analysis of nucleotides and their isotopically enriched isotopologues by direct-infusion FTICR-MS. Metabolomics, 2012, 8, 930-939.	3.0	52
1004	Distribution of free and conjugated cannabinoids in human bile samples. Forensic Science International, 2012, 223, 114-118.	2.2	41
1005	Metabolite to parent drug concentration ratios in hair for the differentiation of tramadol intake from external contamination and passive exposure. Forensic Science International, 2012, 223, 330-334.	2.2	47
1007	HPLC–APCI–MS/MS method for the determination of catalpol in rat plasma and cerebrospinal fluid: Application to an in vivo pharmacokinetic study. Journal of Pharmaceutical and Biomedical Analysis, 2012, 70, 337-343.	2.8	39
1008	Development of a LC–MS method for quantification of FK-3000 and its application to in vivo pharmacokinetic study in drug development. Journal of Pharmaceutical and Biomedical Analysis, 2012, 70, 587-591.	2.8	5
1009	Development of an SPE-LC–MS/MS method for simultaneous quantification of bosentan and its active metabolite hydroxybosentan in human plasma to support a bioequivalence study. Journal of Pharmaceutical and Biomedical Analysis, 2012, 70, 462-470.	2.8	10
1010	A rapid LC–ESI-MS/MS method for the quantitation of choline, an active metabolite of citicoline: Application to in vivo pharmacokinetic and bioequivalence study in Indian healthy male volunteers. Journal of Pharmaceutical and Biomedical Analysis, 2012, 71, 144-147.	2.8	19
1011	Development of a liquid–chromatography tandem mass spectrometry and ultra-high-performance liquid chromatography high-resolution mass spectrometry method for the quantitative determination of zearalenone and its major metabolites in chicken and pig plasma. Analytica Chimica Acta, 2012, 756, 37-48.	5.4	68
1012	More accurate matrix-matched quantification using standard superposition method for herbal medicines. Journal of Chromatography A, 2012, 1254, 43-50.	3.7	24
1013	Chiral analysis of metoprolol and two of its metabolites, α-hydroxymetoprolol and deaminated metoprolol, in wastewater using liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2012, 1269, 208-217.	3.7	41
1014	Quantitative determination of several toxicological important mycotoxins in pig plasma using multi-mycotoxin and analyte-specific high performance liquid chromatography–tandem mass spectrometric methods. Journal of Chromatography A, 2012, 1257, 74-80.	3.7	61
1015	A new liquid chromatography–mass spectrometry approach for generic screening and quantitation of potential genotoxic alkylation compounds without derivatization. Journal of Chromatography A, 2012, 1255, 286-290.	3.7	18
1016	Liquid chromatography tandem mass spectrometry method for characterization of monoaromatic nitro-compounds in atmospheric particulate matter. Journal of Chromatography A, 2012, 1268, 35-43.	3.7	139
1017	Separation of all-trans- and 13-cis-isomers of acitretin on a reversed-phase column, optimization of stability conditions and their simultaneous quantitation in human plasma by liquid chromatography-tandem mass spectrometry. Analytical Methods, 2012, 4, 791.	2.7	2
1018	Determination of amino acids and amines in mammalian decomposition fluid by direct injection liquid chromatography-electrospray ionisation-tandem mass spectrometry. Analytical Methods, 2012, 4, 363-370.	2.7	10

ARTICLE IF CITATIONS Determination of divalent trace metals in a soil sample using electrospray ionization mass 1019 2.7 5 spectrometry. Analytical Methods, 2012, 4, 1160. Reusable Solid-Phase Microextraction Coating for Direct Immersion Whole-Blood Analysis and Extracted Blood Spot Sampling Coupled with Liquid Chromatography–Tandem Mass Spectrometry and 6.5 Direct Analysis in Real Timeâ€"Tandem Mass Spectrometry. Analytical Chemistry, 2012, 84, 8301-8309. Subcellular Quantification of Doxorubicin and Its Metabolite in Cultured Human Leukemia Cells Using 1021 1.8 8 Liquid Chromatography-Tandem Mass Spectrometry. Analytical Letters, 2012, 45, 1980-1994. Development of Suspension Polymerized Molecularly Imprinted Beads with Metergoline as Template and Application in a Solid-Phase Extraction Procedure toward Ergot Alkaloids. Analytical Chemistry, 2012, 84, 10411-10418. A Dual-Column Solid Phase Extraction Strategy for Online Collection and Preparation of Continuously Flowing Effluent Streams for Mass Spectrometry. Analytical Chemistry, 2012, 84, 1023 6.5 16 8467-8474. UHPLC–MS Analysis of Juvenile Hormone II in Mediterranean Corn Borer (Sesamia nonagrioides) Hemolymph Using Various Ionization Techniques. Journal of Agricultural and Food Chemistry, 2012, 5.2 60, 3020-3025. Simultaneous determination of fluoroquinolone and tetracycline antibacterials in sewage sludge using ultrasonic-assisted extraction and HPLC-MS/MS. International Journal of Environmental 1025 3.3 16 Analytical Chemistry, 2012, 92, 1389-1402. Binary Fluorous Alkylation of Biogenic Primary Amines with Perfluorinated Aldehyde Followed by Fluorous Liquid Chromatography〓Tandem Mass Spectrometry Analysis. Analytical Chemistry, 2012, 84, 6.5 36 8407-8414. 1027 Criterios cualitativos en toxicologÃa forense. Revista Espanola De Medicina Legal, 2012, 38, 68-75. 0.1 0 Quantification of acylglycines in human urine by HPLC electrospray ionization-tandem mass spectrometry and the establishment of pediatric reference interval in local Chinese. Talanta, 2012, 88, 5.5 193-200. Determination of ribavirin in human serum using liquid chromatography tandem mass spectrometry. 1029 5.514 Talanta, 2012, 88, 385-390. Development and validation of UHPLCâ€"ESI-MS/MS method for the determination of selected 5.5 39 cardiovascular drugs, polyphenols and their metabolites in human urine. Talanta, 2012, 89, 47-56. Quantification of monoamine neurotransmitters and melatonin in sea lamprey brain tissues by high performance liquid chromatography–electrospray ionization tandem mass spectrometry. Talanta, 1031 5.5 26 2012, 89, 383-390. Theoretical and experimental examination of recovery in the context of trueness of analytical 5.5 results. Talanta, 2012, 96, 39-43. Multi-class determination of personal care products and pharmaceuticals in environmental and 1033 wastewater samples by ultra-high performance liquid-chromatography-tandem mass spectrometry. 105 5.5 Talanta, 2012, 99, 1011-1023. Reliable quantification of bisphenol A and its chlorinated derivatives in human breast milk using 1034 49 UPLC–MS/MS method. Talanta, 2012, 100, 175-182. In vivo formation of N7-guanine DNA adduct by safrole 2â€2,3â€2-oxide in mice. Toxicology Letters, 2012, 213, 1035 0.8 7 309-315. Monolithic Precolumns as Efficient Tools for Guiding the Design of Nanoparticulate Drug-Delivery 6.5 Formulations. Analytical Chemistry, 2012, 84, 7415-7421.

#	Article	IF	CITATIONS
1037	Enantioselective Determination of Methylphenidate and Ritalinic Acid in Whole Blood from Forensic Cases Using Automated Solid-Phase Extraction and Liquid Chromatography-Tandem Mass Spectrometry. Journal of Analytical Toxicology, 2012, 36, 560-568.	2.8	20
1038	Simultaneous Determination of 25 Common Pharmaceuticals in Whole Blood Using Ultra-Performance Liquid Chromatography-Tandem Mass Spectrometry. Journal of Analytical Toxicology, 2012, 36, 497-506.	2.8	31
1039	Hydrophilic interaction chromatography (HILIC) for LC–MS/MS analysis of monoamine neurotransmitters. Bioanalysis, 2012, 4, 783-794.	1.5	33
1040	Development of GC–MS/MS method with programmable temperature vaporization large volume injection for monitoring of 17β-estradiol and 2-methoxyestradiol in plasma. Analytica Chimica Acta, 2012, 709, 73-80.	5.4	23
1041	Natural dissolved organic matter affects electrospray ionization during analysis of emerging contaminants by mass spectrometry. Analytica Chimica Acta, 2012, 717, 77-84.	5.4	11
1042	High-performance liquid chromatography with fluorescence detection and ultra-performance liquid chromatography with electrospray tandem mass spectrometry method for the determination of indoleamine neurotransmitters and their metabolites in sea lamprey plasma. Analytica Chimica Acta, 2012, 721, 147-153.	5.4	38
1043	Selective trace analysis of chloroacetamide herbicides in food samples using dummy molecularly imprinted solid phase extraction based on chemometrics and quantum chemistry. Analytica Chimica Acta, 2012, 729, 36-44.	5.4	29
1044	Direct rapid analysis of multiple PPCPs in municipal wastewater using ultrahigh performance liquid chromatography–tandem mass spectrometry without SPE pre-concentration. Analytica Chimica Acta, 2012, 738, 59-68.	5.4	64
1045	Online extraction toxicological MS(n) screening system for serum and heparinized plasma and comparison of screening results between plasma and urine in the context of clinical data. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 883-884, 189-197.	2.3	26
1046	Determination of benzodiazepines in ante-mortem and post-mortem whole blood by solid-supported liquid–liquid extraction and UPLC–MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 883-884, 177-188.	2.3	63
1047	Determination of methylphenidate and its metabolite ritalinic acid in urine by liquid chromatography/tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 881-882, 20-26.	2.3	20
1048	Easy and fast LC–MS/MS determination of lidocaine and MEGX in plasma for therapeutic drug monitoring in neonates with seizures. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 881-882, 111-114.	2.3	25
1049	On-line liquid chromatography/tandem mass spectrometry simultaneous determination of opiates, cocainics and amphetamines in dried blood spots. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 885-886, 1-7.	2.3	63
1050	The role of liquid chromatography–tandem mass spectrometry in the clinical laboratory. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 883-884, 18-32.	2.3	119
1051	Quantitative determination of odanacatib in human plasma using liquid–liquid extraction followed by liquid chromatography–tandem mass spectrometry analysis. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 885-886, 15-23.	2.3	10
1052	Development and application of a LC–MS/MS method to quantify basal adenosine concentration in human plasma from patients undergoing on-pump CABG surgery. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 885-886, 30-36.	2.3	10
1053	Determination of gamma-hydroxybutyrate (GHB), beta-hydroxybutyrate (BHB), pregabalin, 1,4-butane-diol (1,4BD) and gamma-butyrolactone (GBL) in whole blood and urine samples by UPLC–MSMS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 885-886, 37-42.	2.3	69
1054	Determination of caprolactam and 6-aminocaproic acid in human urine using hydrophilic interaction liquid chromatography-tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 885-886, 61-65.	2.3	12

#	Article	IF	CITATIONS
1055	Determination of atomoxetine metabolites in human plasma by liquid chromatography/tandem mass spectrometry and its application to a pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 885-886, 103-108.	2.3	12
1056	Simultaneous quantification of selective serotonin reuptake inhibitors and metabolites in human plasma by liquid chromatography–electrospray mass spectrometry for therapeutic drug monitoring. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 885-886. 117-130.	2.3	40
1057	A liquid chromatography–tandem mass spectrometry (LC–MS/MS) method for monitoring drug exposure in hematopoietic stem cell transplant recipients. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 885-886, 131-137.	2.3	12
1058	Comparison of extraction procedures for assessment of matrix effect for selective and reliable determination of atazanavir in human plasma by LC–ESI-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 885-886, 138-149.	2.3	33
1059	Quantification of melamine in human urine using cation-exchange based high performance liquid chromatography tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 887-888, 48-54.	2.3	58
1060	Quantitation of bentysrepinine (Y101) in rat plasma by liquid chromatography tandem mass spectrometry: Application to pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 889-890, 103-109.	2.3	5
1061	Regulatory control of glycopyrrolate in performance horses using validated UHPLC/MS–MS methods. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 889-890, 130-137.	2.3	6
1062	Systematic evaluation of supported liquid extraction in reducing matrix effect and improving extraction efficiency in LC–MS/MS based bioanalysis for 10 model pharmaceutical compounds. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 891-892, 71-80.	2.3	73
1063	Sensitive quantification of roflumilast and roflumilast N-oxide in human plasma by LC–MS/MS employing parallel chromatography and electrospray ionisation. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 893-894, 82-91.	2.3	16
1064	Development of a fast and simple liquid chromatography–tandem mass spectrometry method for the quantitation of argatroban in patient plasma samples. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 893-894, 168-172.	2.3	7
1065	Hydrophilic interaction liquid chromatography/positive ion electrospray mass spectrometry for the quantification of deferasirox, an oral iron chelator, in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 893-894, 114-120.	2.3	14
1066	Quantitative determination of zolmitriptan in rat blood and cerebrospinal fluid by reversed phase HPLC–ESI-MS/MS analysis: Application to in vivo preclinical pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 901, 72-78.	2.3	16
1067	Determination of bisphenol AF (BPAF) in tissues, serum, urine and feces of orally dosed rats by ultra-high-pressure liquid chromatography–electrospray tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 901, 93-97.	2.3	53
1068	Direct urine analysis for the identification and quantification of selected benzodiazepines for toxicology screening. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 902, 42-46.	2.3	14
1069	Simultaneous determination of primaquine and carboxyprimaquine in plasma using solid phase extraction and LC–MS assay. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 902, 142-146.	2.3	19
1070	Challenges in the simultaneous quantitation of sumatriptan and naproxen in human plasma: Application to a bioequivalence study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 902, 122-131.	2.3	23
1071	Lipid and lipid mediator profiling of human synovial fluid in rheumatoid arthritis patients by means of LC–MS/MS. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2012, 1821, 1415-1424.	2.4	173
1072	A liquid chromatography–tandem mass spectrometry method for the determination of nodularin-R in human plasma and its preliminary clinical application. Clinica Chimica Acta, 2012, 413, 894-900.	1.1	6

#	Article	IF	CITATIONS
1073	Simultaneous quantification of nicotine, cotinine, trans-3′-hydroxycotinine, norcotinine and mecamylamine in human urine by liquid chromatography–tandem mass spectrometry. Clinica Chimica Acta, 2012, 413, 978-984.	1.1	26
1074	Variability in the analysis of 25-hydroxyvitamin D by liquid chromatography–tandem mass spectrometry: The devil is in the detail. Clinica Chimica Acta, 2012, 413, 1239-1243.	1.1	62
1075	Simultaneous quantification of free and glucuronidated cannabinoids in human urine by liquid chromatography tandem mass spectrometry. Clinica Chimica Acta, 2012, 413, 1839-1847.	1.1	57
1076	Solid-phase extraction combined with dispersive liquid–liquid microextraction, fast derivatisation and high performance liquid chromatography–tandem mass spectrometry analysis for trace determination of short-chained dodecyl alcohol ethoxylates and dodecyl alcohol in environmental water samples. Journal of Chromatography A. 2012. 1251. 40-47.	3.7	24
1077	The PMMA epidemic in Norway: Comparison of fatal and non-fatal intoxications. Forensic Science International, 2012, 219, 151-157.	2.2	67
1078	Development and validation of a new method to simultaneously quantify triazoles in plasma spotted on dry sample spot devices and analysed by HPLC-MS. Journal of Antimicrobial Chemotherapy, 2012, 67, 2645-2649.	3.0	39
1079	A rapid HPLCâ€ESIâ€MS/MS method for determination of <i>β</i> â€asarone, a potential antiâ€epileptic agent, in plasma after oral administration of <i>Acorus calamus</i> extract to rats. Biomedical Chromatography, 2013, 27, 318-326.	1.7	20
1080	A validated microfluidicsâ€based <scp>LC</scp> â€chipâ€ <scp>MS</scp> / <scp>MS</scp> method for the quantitation of fluoxetine and norfluoxetine in rat serum. Electrophoresis, 2012, 33, 3370-3379.	2.4	25
1081	A simplified approach to direct SPEâ€MS. Journal of Separation Science, 2012, 35, 2399-2406.	2.5	27
1082	Determination of stanozolol and 3′-hydroxystanozolol in rat hair, urine and serum using liquid chromatography tandem mass spectrometry. Chemistry Central Journal, 2012, 6, 162.	2.6	13
1083	Chapter 7. Analysis of Caffeine by Liquid Chromatography-Mass Spectrometry. Food and Nutritional Components in Focus, 2012, , 103-129.	0.1	1
1084	Analysis of cyclosporin A, tacrolimus, sirolimus, and everolimus in dried blood spot samples using liquid chromatography tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2012, 404, 1803-1811.	3.7	50
1085	Determination of imatinib and its active metabolite N-desmethyl imatinib in human plasma by liquid chromatography/tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2012, 404, 2091-2096.	3.7	9
1087	Ultra-Sensitive Measurements of 11-Nor-î" ⁹ -Tetrahydrocannabinol-9-Carboxylic Acid in Oral Fluid by Microflow Liquid Chromatography–Tandem Mass Spectrometry Using a Benchtop Quadrupole/Orbitrap Mass Spectrometer. Analytical Chemistry, 2012, 84, 7643-7647.	6.5	33
1088	Determination of cyromazine and melamine in chicken eggs using quick, easy, cheap, effective, rugged and safe (QuEChERS) extraction coupled with liquid chromatography–tandem mass spectrometry. Analytica Chimica Acta, 2012, 752, 78-86.	5.4	53
1089	Determination of selected pharmaceutical residues in wastewater using an automated open bed solid phase microextraction system. Journal of Chromatography A, 2012, 1262, 34-42.	3.7	37
1090	Matrix effect and recovery terminology issues in regulated drug bioanalysis. Bioanalysis, 2012, 4, 271-279.	1.5	38
1091	Ultra high performance liquid chromatography–electrospray ionization–tandem mass spectrometry screening method for direct analysis of designer drugs, "spice―and stimulants in oral fluid. Journal of Chromatography A, 2012, 1258, 37-42.	3.7	98

#	Article	IF	CITATIONS
1092	Quantification of seven Î ² -lactam antibiotics and two Î ² -lactamase inhibitors in human plasma using a validated UPLC-MS/MS method. International Journal of Antimicrobial Agents, 2012, 40, 416-422.	2.5	85
1093	Determination of oxyntomodulin, an anorectic polypeptide, in rat plasma using 2D-LC–MS/MS coupled with ion pair chromatography. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 903, 102-111.	2.3	20
1094	Determination of 22 synthetic cannabinoids in human hair by liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 903, 95-101.	2.3	104
1095	A stable isotope dilution LC–ESI-MS/MS method for the quantification of pyridoxal-5′-phosphate in whole blood. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 903, 134-141.	2.3	14
1096	A quantitative method for acylcarnitines and amino acids using high resolution chromatography and tandem mass spectrometry in newborn screening dried blood spot analysis. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 903, 142-149.	2.3	23
1097	Quantification of acetaminophen and two of its metabolites in human plasma by ultra-high performance liquid chromatography–low and high resolution tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 904, 42-50.	2.3	43
1098	Fast liquid chromatography/tandem mass spectrometry determination of cannabinoids in micro volume blood samples after dabsyl derivatization. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 905, 85-95.	2.3	47
1099	Development and validation of sensitive liquid chromatography/tandem mass spectrometry method for quantification of bendamustine in mouse brain tissue. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 905, 141-144.	2.3	12
1100	Quantitative analysis of an anti-viral immune escape compound ML-7 in feline plasma using ultra performance liquid chromatography/electrospray ionization mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 905, 118-126.	2.3	0
1101	Simultaneous determination of esculin and its metabolite esculetin in rat plasma by LC–ESI-MS/MS and its application in pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 907, 27-33.	2.3	44
1102	Determination of erythrocyte methotrexate polyglutamates by liquid chromatography/tandem mass spectrometry after low-dose methotrexate therapy in Chinese patients with rheumatoid arthritis. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 907, 41-48	2.3	10
1103	Simultaneous determination of eight corticosteroids in bovine tissues using liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 906, 75-84.	2.3	27
1104	A rapid quantitative method of carisoprodol and meprobamate by liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 908, 155-160.	2.3	2
1105	A rapid validated UHPLC–PDA method for anthocyanins quantification from Euterpe oleracea fruits. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 907, 108-116.	2.3	41
1106	Determination of tamsulosin in human plasma by liquid chromatography/tandem mass spectrometry and its application to a pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 909, 65-69.	2.3	14
1107	A rapid and accurate UPLC/MS/MS method for the simultaneous determination of zolpidem and its main metabolites in biological fluids and its application in a forensic context. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 911, 140-146.	2.3	18
1108	Determination of tolperisone in human plasma by liquid chromatography/tandem mass spectrometry for clinical application. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 911, 59-63.	2.3	8
1109	A simple HPLC-ESI-MS method for the direct determination of ten pteridinic biomarkers in human urine. Talanta, 2012, 101, 465-472.	5.5	18

#	Article	IF	CITATIONS
1110	Rapid drug extraction from human whole blood using a modified QuEChERS extraction method. Legal Medicine, 2012, 14, 286-296.	1.3	85
1111	Rapid determination of disulfoton and its oxidative metabolites in human whole blood and urine using QuEChERS extraction and liquid chromatography–tandem mass spectrometry. Legal Medicine, 2012, 14, 309-316.	1.3	42
1112	Determination of prohibited, small peptides in urine for sports drug testing by means of nano-liquid chromatography/benchtop quadrupole orbitrap tandem-mass spectrometry. Journal of Chromatography A, 2012, 1259, 251-257.	3.7	54
1113	Recent developments in liquid chromatography–mass spectrometry and related techniques. Journal of Chromatography A, 2012, 1259, 3-15.	3.7	263
1114	Cocktail Approach for In Vivo Phenotyping of 5 Major CYP450 Isoenzymes: Development of an Effective Sampling, Extraction, and Analytical Procedure and Pilot Study With Comparative Genotyping. Journal of Clinical Pharmacology, 2012, 52, 1200-1214.	2.0	25
1115	ls SPE Necessary for Environmental Analysis? A Quantitative Comparison of Matrix Effects from Large-Volume Injection and Solid-Phase Extraction Based Methods. Environmental Science & Technology, 2012, 46, 6750-6758.	10.0	53
1116	Metabolism of calycosin, an isoflavone from Astragali Radix, in zebrafish larvae. Xenobiotica, 2012, 42, 294-303.	1.1	36
1117	Development of a Fast Screening and Confirmatory Method by Liquid Chromatography–Quadrupole-Time-of-Flight Mass Spectrometry for Glucuronide-Conjugated Methyltestosterone Metabolite in Tilapia. Journal of Agricultural and Food Chemistry, 2012, 60, 5084-5088.	5.2	5
1118	Analysis of Illicit Drugs in Human Biological Samples by LC-MS n. , 2012, , 349-398.		2
1119	Simultaneous Determination of Cyadox and Its Metabolites in Chicken Tissues by LC-MS/MS. Food Analytical Methods, 2012, 5, 1497-1505.	2.6	18
1120	Development of coatings for automated 96-blade solid phase microextraction-liquid chromatography–tandem mass spectrometry system, capable of extracting a wide polarity range of analytes from biological fluids. Journal of Chromatography A, 2012, 1261, 91-98.	3.7	69
1121	Phosphorothioate Oligonucleotide Quantification by μ-Liquid Chromatography-Mass Spectrometry. AAPS Journal, 2012, 14, 728-737.	4.4	30
1122	A One-Step Solid Phase Extraction Method for Bioanalysis of a Phosphorothioate Oligonucleotide and Its 3′ n-1 Metabolite from Rat Plasma by uHPLC–MS/MS. AAPS Journal, 2012, 14, 772-780.	4.4	42
1123	Split calibration curve: an approach to avoid repeat analysis of the samples exceeding ULOQ. Bioanalysis, 2012, 4, 2375-2389.	1.5	5
1124	Screening and Selective Quantification of Illicit Drugs in Wastewater by Mixed-Mode Solid-Phase Extraction and Quadrupole-Time-of-Flight Liquid Chromatography–Mass Spectrometry. Analytical Chemistry, 2012, 84, 1708-1717.	6.5	111
1125	Nonesterified Fatty Acid Determination for Functional Lipidomics: Comprehensive Ultrahigh Performance Liquid Chromatography–Tandem Mass Spectrometry Quantitation, Qualification, and Parameter Prediction. Analytical Chemistry, 2012, 84, 1483-1490.	6.5	103
1126	Optimization of matrix solid-phase dispersion for liquid chromatography tandem mass spectrometry analysis of 12 pharmaceuticals in sediments. Journal of Chromatography A, 2012, 1258, 1-15.	3.7	47
1127	Comparison of matrix solid-phase dispersion and modified QuEChERS methods for extraction of pesticide residues from onion. Analytical Methods, 2012, 4, 1820.	2.7	16

#	Article	IF	CITATIONS
1128	Multianalysis of 35 Mycotoxins in Traditional Chinese Medicines by Ultra-High-Performance Liquid Chromatography–Tandem Mass Spectrometry Coupled with Accelerated Solvent Extraction. Journal of Agricultural and Food Chemistry, 2012, 60, 8233-8247.	5.2	62
1129	Quantitative UPLC-MS/MS analysis of the gut microbial co-metabolites phenylacetylglutamine, 4-cresyl sulphate and hippurate in human urine: INTERMAP Study. Analytical Methods, 2012, 4, 65-72.	2.7	30
1130	LC-MS in Drug Bioanalysis. , 2012, , .		5
1131	Matrix Effects in Analysis of β-Agonists with LC-MS/MS: Influence of Analyte Concentration, Sample Source, and SPE Type. Journal of Agricultural and Food Chemistry, 2012, 60, 6359-6363.	5.2	36
1132	LC–MS/MS assay for olanzapine in human plasma and its application to a bioequivalence study. Acta Pharmaceutica Sinica B, 2012, 2, 481-494.	12.0	22
1133	Chemical Analysis and Transplacental Transfer of Oseltamivir and Oseltamivir Carboxylic Acid in Pregnant Rats. PLoS ONE, 2012, 7, e46062.	2.5	3
1134	Quantification of Glucuronide Metabolites in Biological Matrices by LC-MS/MS. , 0, , .		11
1135	Principles and Applications of LC-MS/MS for the Quantitative Bioanalysis of Analytes in Various Biological Samples. , 0, , .		17
1136	Identifying and Overcoming Matrix Effects in Drug Discovery and Development. , 0, , .		11
1138	Analytical Methods for Quantification of Drug Metabolites in Biological Samples. , 0, , .		16
1139	Study of matrixâ€induced effects in multiâ€residue determination of pesticides by online gel permeation chromatographyâ€gas chromatography/mass spectrometry. Rapid Communications in Mass Spectrometry, 2012, 26, 963-977.	1.5	28
1140	Investigation of absolute and relative response for three different liquid chromatography/tandem mass spectrometry systems; the impact of ionization and detection saturation. Rapid Communications in Mass Spectrometry, 2012, 26, 1399-1406.	1.5	18
1141	Systematic evaluation of the root cause of nonâ€linearity in liquid chromatography/tandem mass spectrometry bioanalytical assays and strategy to predict and extend the linear standard curve range. Rapid Communications in Mass Spectrometry, 2012, 26, 1465-1474.	1.5	44
1142	Multi-residue analytical methods for the determination of pesticides and PPCPs in water by LC-MS/MS: a review. Open Chemistry, 2012, 10, 876-899.	1.9	24
1143	LC–MS/MS method for the quantitation of metabolites of eight commonly-used synthetic cannabinoids in human urine – An Australian perspective. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 897, 22-31.	2.3	81
1144	Semi-targeted metabolomic approaches to validate potential markers of health for micronutrients: analytical perspectives. Metabolomics, 2012, 8, 1114-1129.	3.0	7
1145	Analysis of 30 synthetic cannabinoids in serum by liquid chromatographyâ€electrospray ionization tandem mass spectrometry after liquidâ€liquid extraction. Journal of Mass Spectrometry, 2012, 47, 825-835.	1.6	121
1146	LCâ€MS/MS analysis of Δ9â€ŧetrahydrocannabinolic acid A in serum after protein precipitation using an inâ€house synthesized deuterated internal standard. Journal of Mass Spectrometry, 2012, 47, 778-785.	1.6	11

#	Article	IF	CITATIONS
1147	Good mass spectrometry and its place in good science. Journal of Mass Spectrometry, 2012, 47, 795-809.	1.6	36
1148	Disposition of opioids in oral fluid: Importance of chromatography and mass spectral transitions in LCâ€MS/MS. Drug Testing and Analysis, 2012, 4, 395-401.	2.6	26
1149	The analysis of antipsychotic drugs in human matrices using LCâ€MS(/MS). Drug Testing and Analysis, 2012, 4, 376-394.	2.6	33
1150	Identification and characterization of urinary prenylamine metabolites by means of liquid chromatographyâ€ŧandem mass spectrometry. Drug Testing and Analysis, 2012, 4, 701-716.	2.6	6
1151	A new derivatization method coupled with <scp>LC</scp> â€ <scp>MS</scp> / <scp>MS</scp> to enable baseline separation and quantification of dimethylarginines in human plasma from patients to receive onâ€pump <scp>CABG</scp> surgery. Electrophoresis, 2012, 33, 1911-1920.	2.4	13
1152	Detection and Quantification of New Designer Drugs in Human Blood: Part 2 - Designer Cathinones. Journal of Analytical Toxicology, 2012, 36, 381-389.	2.8	62
1153	Analytical methods for selected emerging contaminants in human matrices—a review. Analytical and Bioanalytical Chemistry, 2012, 404, 2555-2581.	3.7	33
1154	Detection and Quantification of New Designer Drugs in Human Blood: Part 1 - Synthetic Cannabinoids. Journal of Analytical Toxicology, 2012, 36, 372-380.	2.8	86
1155	A clinical assay for the measurement of milrinone in plasma by HPLC mass spectrometry. Biomedical Chromatography, 2012, 26, 566-570.	1.7	8
1156	A liquid chromatography–tandem mass spectrometry method for the quantitative determination of diastereomers of a phosphoramidate nucleotide prodrug (PSIâ€7851) in human plasma. Biomedical Chromatography, 2012, 26, 583-588.	1.7	2
1157	Development of a sensitive liquid chromatography/tandem mass spectrometry method for the determination of fenofibric acid in rat plasma. Biomedical Chromatography, 2012, 26, 497-501.	1.7	4
1158	Development of a sensitive method for simultaneous determination of fluticasone propionate and salmeterol in plasma samples by liquid chromatographyâ€ŧandem mass spectrometry. Biomedical Chromatography, 2012, 26, 627-635.	1.7	15
1159	Determination and pharmacokinetics of [6]â€gingerol in mouse plasma by liquid chromatography–tandem mass spectrometry. Biomedical Chromatography, 2012, 26, 660-665.	1.7	7
1160	A highly sensitive LC–tandem MS assay for the measurement in plasma and in urine of salbutamol administered by nebulization during mechanical ventilation in healthy volunteers. Biomedical Chromatography, 2012, 26, 672-680.	1.7	7
1161	Development and validation of an LCâ€MSâ€MS method for determination of methyl kulonate in rat plasma. Biomedical Chromatography, 2012, 26, 857-862.	1.7	2
1162	A rapid and sensitive determination of aucubin in rat plasma by liquid chromatography–tandem mass spectrometry and its pharmacokinetic application. Biomedical Chromatography, 2012, 26, 1066-1070.	1.7	20
1163	Validation of a microscale extraction and highâ€throughput UHPLCâ€QTOFâ€MS analysis method for huperzine A in <i>Huperzia</i> . Biomedical Chromatography, 2012, 26, 1191-1195.	1.7	11
1164	A highâ€sensitivity LCâ€MS/MS method for the determination of 4â€methylâ€piperazineâ€Lâ€carbodithioc acid 3â€cyanoâ€3, 3â€diphenylpropyl ester hydrochloride in rat plasma and its application to a pharmacokinetics study. Biomedical Chromatography, 2012, 26, 1196-1201.	1.7	5

#	Article	IF	CITATIONS
1165	Quantitative determination of sauchinone in rat plasma by liquid chromatography–mass spectrometry. Biomedical Chromatography, 2012, 26, 1210-1214.	1.7	4
1166	An integrated bioanalytical method development and validation approach: case studies. Biomedical Chromatography, 2012, 26, 1215-1227.	1.7	6
1167	Highly sensitive and rapid ultraâ€performance liquid chromatography–tandem mass spectrometry method for the determination of nifedipine in human plasma and its application to a bioequivalence study. Biomedical Chromatography, 2012, 26, 1509-1518.	1.7	7
1168	Turbulent flow chromatography in bioanalysis: a review. Biomedical Chromatography, 2012, 26, 892-905.	1.7	68
1169	Determination of docetaxel in rat plasma and its application in the comparative pharmacokinetics of Taxotere and SID530, a novel docetaxel formulation with hydroxypropylâ€ <i>β</i> yclodextrin. Biomedical Chromatography, 2013, 27, 306-310.	1.7	6
1170	Aspects of matrix effects in applications of liquid chromatography–mass spectrometry to forensic and clinical toxicology—a review. Analytical and Bioanalytical Chemistry, 2012, 403, 2155-2172.	3.7	138
1171	Simultaneous Determination of Xylazine, Free Morphine, Codeine, 6-Acetylmorphine, Cocaine and Benzoylecgonine in Postmortem Blood by UPLC-MS-MS. Journal of Analytical Toxicology, 2012, 36, 319-326.	2.8	19
1172	Analysis of Tetrahydrocannabinol and its Metabolite, 11-Nor-Â9-Tetrahydrocannabinol-9-Carboxylic Acid, in Oral Fluid using Liquid Chromatography with Tandem Mass Spectrometry. Journal of Analytical Toxicology, 2012, 36, 413-417.	2.8	43
1173	Sensitive determination of prohibited drugs in dried blood spots (DBS) for doping controls by means of a benchtop quadrupole/Orbitrap mass spectrometer. Analytical and Bioanalytical Chemistry, 2012, 403, 1279-1289.	3.7	136
1174	Simultaneous online SPE-LC-MS/MS quantification of six widely used synthetic progestins in human plasma. Analytical and Bioanalytical Chemistry, 2012, 403, 961-972.	3.7	32
1175	Development of a simultaneous analytical method for selected anorectics, methamphetamine, MDMA, and their metabolites in hair using LC-MS/MS to prove anorectics abuse. Analytical and Bioanalytical Chemistry, 2012, 403, 1385-1394.	3.7	27
1176	Simultaneous Determination of Toxic Alkaloids in Blood and Urine by HPLC–ESI–MS/MS. Chromatographia, 2012, 75, 499-511.	1.3	12
1177	Simultaneous determination of thirty non-steroidal anti-inflammatory drug residues in swine muscle by ultra-high-performance liquid chromatography with tandem mass spectrometry. Journal of Chromatography A, 2012, 1219, 104-113.	3.7	56
1178	Trace analysis of fluoxetine and its metabolite norfluoxetine. Part II: Enantioselective quantification and studies of matrix effects in raw and treated wastewater by solid phase extraction and liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2012, 1227, 105-114.	3.7	36
1179	Determination of N-methyl-1,3-propanediamine in bovine muscle by liquid chromatography with triple quadrupole and ion trap tandem mass spectrometry detection. Journal of Chromatography A, 2012, 1235, 103-114.	3.7	6
1180	Simultaneous determination of fluoxetine and norfluoxetine enantiomers using isotope discrimination mass spectroscopy solution method and its application in the CYP2C9-mediated stereoselective interactions. Journal of Chromatography A, 2012, 1236, 97-104.	3.7	10
1181	Sexual abuse and anti-wrinkle cream: Evidence from octocrylene. Forensic Science International, 2012, 215, 97-100.	2.2	1
1182	Method validation of a survey of thevetia cardiac glycosides in serum samples. Forensic Science International, 2012, 215, 146-151.	2.2	3

#	Article	IF	CITATIONS
1183	Development and validation of a liquid chromatography–tandem mass spectrometry assay for hair analysis of atomoxetine and its metabolites: Application in clinical practice. Forensic Science International, 2012, 218, 62-67.	2.2	24
1184	Simultaneous determination of flumatinib and its two major metabolites in plasma of chronic myelogenous leukemia patients by liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 895-896, 25-30.	2.3	5
1185	Influence of ionization source design on matrix effects during LC–ESI-MS/MS analysis. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 893-894, 193-200.	2.3	59
1186	High-sensitivity liquid chromatography–tandem mass spectrometry for the simultaneous determination of five drugs and their cytochrome P450-specific probe metabolites in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 895-56-64	2.3	39
1187	Simultaneous determination of apatinib and its four major metabolites in human plasma using liquid chromatography–tandem mass spectrometry and its application to a pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 895-896, 108-115.	2.3	39
1188	Fate of selected estrogens in two laboratory scale sequencing batch reactors fed with different organic carbon sources under varying solids retention times. Bioresource Technology, 2012, 110, 35-42.	9.6	24
1189	Simultaneous determination of 11 aconitum alkaloids in human serum and urine using liquid chromatography–tandem mass spectrometry. Legal Medicine, 2012, 14, 126-133.	1.3	20
1190	Comparison of the quantitative performances and measurement uncertainty estimates obtained during method validation versus routine applications of a novel hydrophilic interaction chromatography method for the determination of cidofovir in human plasma. Journal of Pharmaceutical and Biomedical Analysis, 2012, 57, 153-165.	2.8	18
1191	Investigation of the disposition of loxapine, amoxapine and their hydroxylated metabolites in different brain regions, CSF and plasma of rat by LC–MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2012, 58, 83-93.	2.8	25
1192	An LC–MS/MS method for the determination of ofloxacin in 20μl human plasma. Journal of Pharmaceutical and Biomedical Analysis, 2012, 58, 177-181.	2.8	10
1193	Quantification of cabazitaxel in human plasma by liquid chromatography/triple-quadrupole mass spectrometry: A practical solution for non-specific binding. Journal of Pharmaceutical and Biomedical Analysis, 2012, 59, 117-122.	2.8	32
1194	Comprehensive investigation of the influence of acidic, basic, and organic mobile phase compositions on bioanalytical assay sensitivity in positive ESI mode LC/MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2012, 59, 138-150.	2.8	43
1195	Investigation of dried blood spot card-induced interferences in liquid chromatography/mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2012, 61, 30-37.	2.8	23
1196	Simultaneous determination of cimicifugoside H-2, cimicifugoside H-1, 23-epi-26-deoxyactein, cimigenol xyloside and 25-O-acetylcimigenoside in beagle dog plasma by LC–MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2012, 62, 87-95.	2.8	8
1197	Determination of alamifovir disoproxil fumarate and its active metabolite 602076 in rat plasma by LC–MS/MS: Application to a pharmacokinetic study. Journal of Pharmaceutical and Biomedical Analysis, 2012, 61, 70-77.	2.8	5
1198	Method development and validation for rapid quantification of hydroxychloroquine in human blood using liquid chromatography–tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2012, 61, 86-92.	2.8	59
1199	Development of a HPLC/MS/MS method for simultaneous determination of tinidazole, dyclonine and chlorhexidine in rat plasma and its application in the pharmacokinetic research of a film-forming solution. Journal of Pharmaceutical and Biomedical Analysis, 2012, 62, 224-227.	2.8	15
1200	Microdialysis combined with liquid chromatography–tandem mass spectrometry for the determination of levo-tetrahydropalmatine in the rat striatum. Journal of Pharmaceutical and Biomedical Analysis, 2012, 64-65, 1-7.	2.8	14

#	Article	IF	CITATIONS
1201	Simultaneous determination of antidementia drugs in human plasma: Procedure transfer from HPLC–MS to UPLC–MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2012, 64-65, 16-25.	2.8	38
1202	Development of a rapid method for the determination and confirmation of nitroimidazoles in six matrices by fast liquid chromatography–tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2012, 64-65, 40-48.	2.8	47
1203	Application of a rapid and sensitive liquid chromatography–tandem mass spectrometry method for determination of bumetanide in human plasma for a bioequivalence study. Journal of Pharmaceutical and Biomedical Analysis, 2012, 66, 365-370.	2.8	10
1204	Bioanalysis of small-molecule drugs in nasal and paranasal tissues and secretions: Current status and perspectives. Open Chemistry, 2012, 10, 686-702.	1.9	0
1205	Rapid and robust confirmation and quantification of 11â€norâ€î"9â€ŧetrahydrocannabinolâ€9â€carboxylic acid (THCâ€COOH) in urine by column switching LCâ€MSâ€MS analysis. Journal of Mass Spectrometry, 2012, 47, 124-130.	1.6	21
1206	Determination of ipriflavone in human plasma by LCâ€MS and its application in a pharmacokinetic study. Biomedical Chromatography, 2012, 26, 123-128.	1.7	4
1207	Hydrophilic interaction chromatography–electrospray ionization tandem mass spectrometric analysis of anastrozole in human plasma and its application to a pharmacokinetic study. Biomedical Chromatography, 2012, 26, 261-266.	1.7	5
1208	Determination of perfluorinated compounds in mollusks by matrix solid-phase dispersion and liquid chromatography–tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2012, 402, 509-518.	3.7	34
1209	Measuring multiple neurochemicals and related metabolites in blood and brain of the rhesus monkey by using dual microdialysis sampling and capillary hydrophilic interaction chromatography–mass spectrometry. Analytical and Bioanalytical Chemistry, 2012, 402, 2545-2554.	3.7	14
1210	Selective accurate-mass-based analysis of 11 oxy-PAHs on atmospheric particulate matter by pressurized liquid extraction followed by high-performance liquid chromatography and magnetic sector mass spectrometry. Analytical and Bioanalytical Chemistry, 2012, 402, 1697-1711.	3.7	17
1211	Simultaneous quantitation of urinary cotinine and acrylonitrile-derived mercapturic acids with ultraperformance liquid chromatography–tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2012, 402, 2113-2120.	3.7	19
1212	Quantification of femtomolar concentrations of the CYP3A substrate midazolam and its main metabolite 1′-hydroxymidazolam in human plasma using ultra performance liquid chromatography coupled to tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2012, 402, 2439-2450.	3.7	59
1213	Membrane-assisted solvent extraction coupled to large volume injection–gas chromatography–mass spectrometry for the determination of a variety of endocrine disrupting compounds in environmental water samples. Analytical and Bioanalytical Chemistry, 2012, 402, 2897-2907.	3.7	16
1214	Development of a liquid chromatography–tandem mass spectrometry method for plasma-free metanephrines with ion-pairing turbulent flow online extraction. Analytical and Bioanalytical Chemistry, 2012, 402, 3003-3010.	3.7	17
1215	A reversed-phase capillary ultra-performance liquid chromatography–mass spectrometry (UPLC-MS) method for comprehensive top-down/bottom-up lipid profiling. Analytical and Bioanalytical Chemistry, 2012, 402, 2923-2933.	3.7	86
1216	<i>In vitro</i> metabolism studies on mephedrone and analysis of forensic cases. Drug Testing and Analysis, 2013, 5, 430-438.	2.6	98
1217	Analysis of ethyl glucuronide in hair samples by liquid chromatographyâ€electrospray ionization–tandem mass spectrometry (LCâ€ESIâ€MS/MS). Journal of Applied Toxicology, 2013, 33, 638-643.	2.8	23
1218	LCâ€MS/MS method for simultaneous analysis of uracil, 5,6â€dihydrouracil, 5â€fluorouracil and 5â€fluoroâ€5,6â€dihydrouracil in human plasma for therapeutic drug monitoring and toxicity prediction in cancer patients. Biomedical Chromatography, 2013, 27, 7-16.	1.7	72

#	Article	IF	CITATIONS
1219	Development and validation of a liquid chromatography–tandem mass spectrometry method for the determination of febuxostat in human plasma. Biomedical Chromatography, 2013, 27, 34-38.	1.7	23
1220	Liquid chromatography-mass spectrometry method for the analysis of 1,4-dimethylpyridinium in rat plasma - application to pharmacokinetic studies. Biomedical Chromatography, 2013, 27, 73-79.	1.7	1
1221	Prenatal exposure to escitalopram and/or stress in rats. Psychopharmacology, 2013, 228, 231-241.	3.1	30
1222	Identification and assay of underivatized urinary acylcarnitines by paper spray tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2013, 405, 8267-8276.	3.7	26
1223	Long-term follow-up analysis of zolpidem in fingernails after a single oral dose. Analytical and Bioanalytical Chemistry, 2013, 405, 7281-7289.	3.7	29
1224	Quantification of AICAR-ribotide concentrations in red blood cells by means of LC-MS/MS. Analytical and Bioanalytical Chemistry, 2013, 405, 9703-9709.	3.7	19
1225	Quantitative analysis of propofol-glucuronide in hair as a marker for propofol abuse. Analytical and Bioanalytical Chemistry, 2013, 405, 6807-6814.	3.7	22
1226	Determination of cocaine and metabolites in hair by column-switching LC-MS-MS analysis. Analytical and Bioanalytical Chemistry, 2013, 405, 6299-6306.	3.7	31
1227	Development and validation of a hydrophilic interaction liquid chromatography–tandem mass spectrometry method for the simultaneous determination of five first-line antituberculosis drugs in plasma. Analytical and Bioanalytical Chemistry, 2013, 405, 6323-6335.	3.7	42
1228	11-Nor-9-carboxy-â^†9-tetrahydrocannabinol quantification in human oral fluid by liquid chromatography–tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2013, 405, 6019-6027.	3.7	20
1229	A systematic assessment of the variability of matrix effects in LC-MS/MS analysis of ergot alkaloids in cereals and evaluation of method robustness. Analytical and Bioanalytical Chemistry, 2013, 405, 5595-5604.	3.7	23
1230	Analysis of polyfluoroalkyl substances and bisphenol A in dried blood spots by liquid chromatography tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2013, 405, 4127-4138.	3.7	34
1231	Simultaneous determination of opiates, methadone, amphetamines, cocaine, and metabolites in human placenta and umbilical cord by LC-MS/MS. Analytical and Bioanalytical Chemistry, 2013, 405, 4295-4305.	3.7	27
1232	Quantitative LC–MS/MS method in urine for the detection of drugs used to reverse the effects of chemical castration. Analytical and Bioanalytical Chemistry, 2013, 405, 3185-3194.	3.7	11
1233	Separation of dansylated 17β-estradiol, 17α-estradiol, and estrone on a single HPLC column for simultaneous quantitation by LC–MS/MS. Analytical and Bioanalytical Chemistry, 2013, 405, 3399-3406.	3.7	33
1234	Measuring methotrexate polyglutamates in red blood cells: a new LC-MS/MS-based method. Analytical and Bioanalytical Chemistry, 2013, 405, 1673-1681.	3.7	56
1235	Conventional liquid chromatography/triple quadrupole mass spectrometry based metabolite identification and semi-quantitative estimation approach in the investigation of in vitro dabigatran etexilate metabolism. Analytical and Bioanalytical Chemistry, 2013, 405, 1695-1704.	3.7	36
1236	Development, optimization, and use of an APCI source with temperature-controlled vaporization of solid and liquid samples. Analytical and Bioanalytical Chemistry, 2013, 405, 1373-1381.	3.7	16

#	Article	IF	CITATIONS
1237	Simultaneous and sensitive LC–MS/MS determination of tetrahydrocannabinol and metabolites in human plasma. Analytical and Bioanalytical Chemistry, 2013, 405, 1399-1406.	3.7	20
1238	Revisiting hyper- and hypo-androgenism by tandem mass spectrometry. Reviews in Endocrine and Metabolic Disorders, 2013, 14, 185-205.	5.7	25
1239	Diagnostics in Plant Breeding. , 2013, , .		2
1240	A rapid determination of acidic pharmaceuticals in environmental waters by molecularly imprinted solid-phase extraction coupled to tandem mass spectrometry without chromatography. Talanta, 2013, 110, 196-201.	5.5	38
1241	Polyethersulfone solid-phase microextraction followed by liquid chromatography quadrupole time-of-flight mass spectrometry for benzotriazoles determination in water samples. Journal of Chromatography A, 2013, 1299, 40-47.	3.7	22
1242	Quantitative determination of fifteen basic pharmaceuticals in ante- and post-mortem whole blood by high pH mobile phase reversed phase ultra high performance liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences 2013, 927, 112-123	2.3	42
1243	On-line solid-phase extraction with ultra performance liquid chromatography and tandem mass spectrometry for the detection of nicotine, cotinine and trans- $3\hat{a}\in^2$ -hydroxycotinine in urine to strengthen human biomonitoring and smoking cessation studies. Journal of Pharmaceutical and Biomedical Analysis, 2013, 76, 126-133.	2.8	23
1244	Quantitative metabolic profiling of lipid mediators. Molecular Nutrition and Food Research, 2013, 57, 1359-1377.	3.3	24
1245	Scheduled multiple reaction monitoring algorithm as a way to analyse new designer drugs combined with synthetic cannabinoids in human serum with liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 929, 84-89.	2.3	30
1246	Dispersive solid phase extraction combined with ion-pair ultra high-performance liquid chromatography tandem mass spectrometry for quantification of nucleotides in Lactococcus lactis. Analytical Biochemistry, 2013, 440, 166-177.	2.4	23
1247	Validated LC–MS/MS method for the determination of 3-hydroxflavone and its glucuronide in blood and bioequivalent buffers: Application to pharmacokinetic, absorption, and metabolism studies. Journal of Pharmaceutical and Biomedical Analysis, 2013, 85, 245-252.	2.8	5
1248	Monitoring of urinary metabolites of JWH-018 and JWH-073 in legal cases. Forensic Science International, 2013, 231, 13-19.	2.2	47
1249	Silica-based ionic liquid coating for 96-blade system for extraction of aminoacids from complex matrixes. Analytica Chimica Acta, 2013, 803, 66-74.	5.4	23
1250	An HPLC-ESI-MS method for analysis of loureirin A and B in dragon's blood and application in pharmacokinetics and tissue distribution in rats. FìtoterapìŢ, 2013, 86, 149-158.	2.2	10
1251	Determination of gemcitabine and its metabolite in extracellular fluid of rat brain tumor by ultra performance liquid chromatography–tandem mass spectrometry using microdialysis sampling after intralesional chemotherapy. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 919-920, 10-19.	2.3	7
1252	Validation and application of a fast semi-automated whole blood extraction for LC-MS/MS simultaneous quantification of cyclosporine A, tacrolimus, sirolimus and everolimus – application to high throughput routine therapeutic drug monitoring. Analytical Methods, 2013, 5, 5079.	2.7	5
1253	An online field-amplification sample stacking method for the determination of β2-agonists in human urine by CE-ESI/MS. Talanta, 2013, 104, 97-102.	5.5	29
1254	Application of UPLC–MS/MS for separation and quantification of 3α-Hydroxy Tibolone and comparative bioavailability of two Tibolone formulations in healthy volunteers. Journal of Pharmaceutical Analysis, 2013, 3, 270-277.	5.3	6

#	Article	IF	CITATIONS
1255	Rapid determination of sumatriptan in human plasma by ultra performance liquid chromatography–tandem mass spectrometry and its application to clinical pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 919-920, 38-42.	2.3	15
1256	Development and validation of a UHPLC–MS/MS procedure for quantification of the Pseudomonas Quinolone Signal in bacterial culture after acetylation for characterization of new quorum sensing inhibitors. Journal of Pharmaceutical and Biomedical Analysis, 2013, 86, 127-134.	2.8	25
1257	Sensitive Analysis of Wilforidine in Human Plasma by LC-APCI-MS/MS. Chromatographia, 2013, 76, 985-991.	1.3	0
1258	Determination of flomoxef in human plasma by liquid chromatography/electrospray ionization tandem mass spectrometry. Biomedical Chromatography, 2013, 27, 1609-1614.	1.7	0
1259	A high-sensitivity ultra-high performance liquid chromatography/high-resolution time-of-flight mass spectrometry (UHPLC-HR-TOFMS) method for screening synthetic cannabinoids and other drugs of abuse in urine. Analytical and Bioanalytical Chemistry, 2013, 405, 8463-8474.	3.7	112
1260	The Use of Microwave Assisted Extraction and On-line Chromatography-Mass Spectrometry for Determining Endocrine-Disrupting Compounds in Sewage Sludges. Water, Air, and Soil Pollution, 2013, 224, 1.	2.4	12
1261	A liquid chromatography–mass spectrometric method for the quantification of azithromycin in human plasma. Biomedical Chromatography, 2013, 27, 1012-1017.	1.7	7
1263	Fragmentation studies of SIRT1â€activating drugs and their detection in human plasma for doping control purposes. Rapid Communications in Mass Spectrometry, 2013, 27, 35-50.	1.5	12
1264	On-line solid-phase extraction coupled to liquid chromatography tandem mass spectrometry optimized for the analysis of steroid hormones in urban wastewaters. Talanta, 2013, 115, 349-360.	5.5	60
1265	Liquid chromatographic–mass spectrometric method for simultaneous determination of small organic acids potentially contributing to acidosis in severe malaria. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 941, 116-122.	2.3	33
1266	High-sensitivity liquid chromatography–tandem mass spectrometry method for the simultaneous determination of sodium picosulfate and its three major metabolites in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 915-916, 1-7.	2.3	3
1267	Direct measurement of active thiol metabolite levels of clopidogrel in human plasma using tris(2-carboxyethyl)phosphine as a reducing agent by LC-MS/MS. Journal of Separation Science, 2013, 36, 2306-2314.	2.5	7
1268	The abuse potential of oxethazaine: Effects of oxethazaine on drug-seeking behavior and analysis of its metabolites in plasma and hair in animal models. Pharmacology Biochemistry and Behavior, 2013, 105, 98-104.	2.9	7
1269	Development of a solid phase extraction method for the simultaneous determination of steroid hormones in H295R cell line using liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 935, 61-69.	2.3	20
1270	Development of online sampling and matrix reduction technique coupled liquid chromatography/ion trap mass spectrometry for determination maduramicin in chicken meat. Food Chemistry, 2013, 141, 1522-1529.	8.2	10
1271	Application of dispersive liquid–liquid microextraction for the determination of phosphatidylethanol in blood by liquid chromatography tandem mass spectrometry. Talanta, 2013, 111, 189-195.	5.5	28
1272	A rapid and sensitive liquid chromatography-tandem mass spectrometric method for determination of actinoside E in rat plasma and application to a pharmacokinetic study. Chinese Journal of Natural Medicines, 2013, 11, 427-432.	1.3	0
1273	Direct mass spectrometry analysis of untreated samples of ultralow amounts using extraction nano-electrospray. Analytical Methods, 2013, 5, 6686.	2.7	34

#	Article	IF	CITATIONS
1274	Determination of ethyl glucuronide levels in hair for the assessment of alcohol abstinence. Forensic Science International, 2013, 232, 229-236.	2.2	38
1275	Performance assessment of microflow LC combined with high-resolution MS in bioanalysis. Bioanalysis, 2013, 5, 1249-1267.	1.5	22
1276	Stereoselective determination of ginsenosides <scp>R</scp> g3 and <scp>R</scp> h2 epimers in rat plasma by <scp>LC</scp> â€ <scp>MS</scp> / <scp>MS</scp> : Application to a pharmacokinetic study. Journal of Separation Science, 2013, 36, 1904-1912.	2.5	22
1277	Determination of methylphenidate in plasma and saliva by liquid chromatography/tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 923-924, 22-28.	2.3	25
1278	A generic screening methodology for horse doping control by LC–TOF-MS, GC–HRMS and GC–MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 941, 69-80.	2.3	16
1279	Development and application of salting-out assisted liquid/liquid extraction for multi-mycotoxin biomarkers analysis in pig urine with high performance liquid chromatography/tandem mass spectrometry. Journal of Chromatography A, 2013, 1292, 111-120.	3.7	101
1280	Detection and Occurrence of Chlorinated Byproducts of Bisphenol A, Nonylphenol, and Estrogens in Drinking Water of China: Comparison to the Parent Compounds. Environmental Science & Technology, 2013, 47, 10841-10850.	10.0	178
1281	Preclinical pharmacokinetics, tissue distribution and excretion studies of a potential analgesics – corydaline using an ultra performance liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 942-943, 70-76.	2.3	13
1282	Method for simultaneous analysis of nine second-line anti-tuberculosis drugs using UPLC-MS/MS. Journal of Antimicrobial Chemotherapy, 2013, 68, 2066-2073.	3.0	39
1283	Isotope-Dilution Liquid Chromatography–Tandem Mass Spectrometry Candidate Reference Method for Total Testosterone in Human Serum. Clinical Chemistry, 2013, 59, 372-380.	3.2	82
1284	Deposition of JWH-018, JWH-073 and their metabolites in hair and effect of hair pigmentation. Analytical and Bioanalytical Chemistry, 2013, 405, 9769-9778.	3.7	41
1285	Toxicological Findings of Synthetic Cannabinoids in Recreational Users. Journal of Analytical Toxicology, 2013, 37, 534-541.	2.8	116
1286	ANALYSIS OF SULFONAMIDE RESIDUES IN REAL HONEY SAMPLES USING LIQUID CHROMATOGRAPHY WITH FLUORESCENCE AND TANDEM MASS SPECTROMETRY DETECTION. Journal of Liquid Chromatography and Related Technologies, 2013, 36, 1105-1125.	1.0	18
1287	Direct determination of diazepam and its glucuronide metabolites in human whole blood by μElution solid-phase extraction and liquid chromatography–tandem mass spectrometry. Forensic Science International, 2013, 233, 304-311.	2.2	20
1288	Determination of Raloxifene in Urine by Liquid Chromatography–Tandem Mass Spectrometry for Doping. Journal of Analytical Toxicology, 2013, 37, 345-350.	2.8	7
1289	Determination of ecgonine and seven other cocaine metabolites in human urine and whole blood by ultra-high-pressure liquid chromatography–quadrupole time-of-flight mass spectrometry. Analytical and Bioanalytical Chemistry, 2013, 405, 9805-9816.	3.7	11
1290	A new approach for the estimation of expanded uncertainty of results of an analytical method developed for determining antibiotics in seawater using solid-phase extraction disks and liquid chromatography coupled with tandem mass spectrometry technique. Journal of Chromatography A, 2013 1304 138-146	3.7	109
1291	Pharmacokinetics, tissue distribution and excretion study of dictamnine, a major bioactive component from the root bark of Dictamnus dasycarpus Turcz. (Rutaceae). Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 942-943, 1-8.	2.3	29

#	Article	IF	CITATIONS
1292	Validation of an electrospray ionisation LC–MS/MS method for quantitative analysis of telaprevir and its R-diastereomer. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 932, 100-110.	2.3	8
1293	Determination of antazoline hydrochloride in Beagle dog plasma by HPLC–UV and its application to pharmacokinetics. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 929, 97-101.	2.3	5
1294	Development of a liquid chromatography tandem mass spectrometry method for iothalamate measurement to assess renal function for potential kidney donation. Clinica Chimica Acta, 2013, 420, 104-108.	1.1	4
1295	Application of mass spectrometry to hair analysis for forensic toxicological investigations. Mass Spectrometry Reviews, 2013, 32, 312-332.	5.4	60
1296	Fully validated method for rapid and simultaneous measurement of six antiepileptic drugs in serum and plasma using ultra-performance liquid chromatography–electrospray ionization tandem mass spectrometry. Talanta, 2013, 110, 71-80.	5.5	53
1297	Development and validation of a sensitive LC–MS/MS assay for the simultaneous quantification of allitinib and its two metabolites in human plasma. Journal of Pharmaceutical and Biomedical Analysis, 2013, 86, 49-55.	2.8	6
1298	Mass spectrometric studies on the <i>in vitro</i> generated metabolites of SIRT1 activating drugs for doping control purposes. Journal of Mass Spectrometry, 2013, 48, 830-843.	1.6	8
1299	An LC–MS assay for the screening of cardiovascular medications in human samples. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 937, 44-53.	2.3	35
1300	Halogenated phenolic compound determination in plasma and serum by solid phase extraction, dansylation derivatization and liquid chromatography–positive electrospray ionization–tandem quadrupole mass spectrometry. Journal of Chromatography A, 2013, 1320, 111-117.	3.7	34
1301	Development and validation of an UHPLC-LTQ-Orbitrap MS method for non-anthocyanin flavonoids quantification in Euterpe oleracea juice. Analytical and Bioanalytical Chemistry, 2013, 405, 9235-9249.	3.7	48
1302	Domoic acid at trace levels in lagoon waters: assessment of a method using internal standard quantification. Analytical and Bioanalytical Chemistry, 2013, 405, 9113-9123.	3.7	17
1303	Confirmation of diosmetin 3-O-glucuronide as major metabolite of diosmin in humans, using micro-liquid-chromatography–mass spectrometry and ion mobility mass spectrometry. Analytical and Bioanalytical Chemistry, 2013, 405, 8295-8310.	3.7	43
1304	Investigation of Matrix Effects on the Determination of Carbadox and Olaquindox in Feed by LC–MS/MS. Chromatographia, 2013, 76, 651-662.	1.3	6
1305	The rapid identification and quantification of iso-α-acids and reduced iso-α-acids in blood using UHPLC-MS/MS: validation of a novel marker for beer consumption. Analytical and Bioanalytical Chemistry, 2013, 405, 9755-9767.	3.7	15
1306	Simultaneous quantification of caffeine and its three primary metabolites in rat plasma by liquid chromatography–tandem mass spectrometry. Food Chemistry, 2013, 141, 2735-2742.	8.2	39
1307	Liquid chromatography–tandem mass spectrometry determination of baclofen in various biological samples and application to a pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 938, 43-50.	2.3	15
1308	A rapid method for the determination of artemisinin and its biosynthetic precursors in Artemisia annua L. crude extracts. Journal of Pharmaceutical and Biomedical Analysis, 2013, 84, 269-277.	2.8	43
1309	Occurrence and distribution of pharmaceutically active and endocrine disrupting compounds in Singapore's marine environment: Influence of hydrodynamics and physical–chemical properties.	7.5	178
#	Article	IF	CITATIONS
------	--	-----	-----------
1310	Body fluid and tissue analysis using filter paper sampling support prior to LCâ€MS/MS: Application to fatal overdose with colchicine. Drug Testing and Analysis, 2013, 5, 763-772.	2.6	22
1311	Quantification of Lipid Mediator Metabolites in Human Urine from Asthma Patients by Electrospray Ionization Mass Spectrometry: Controlling Matrix Effects. Analytical Chemistry, 2013, 85, 7866-7874.	6.5	44
1312	A simplified procedure for the analysis of formoterol in human urine by liquid chromatography–electrospray tandem mass spectrometry: Application to the characterization of the metabolic profile and stability of formoterol in urine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 931, 75-83.	2.3	15
1314	Sensitive assay for measurement of volatile borneol, isoborneol, and the metabolite camphor in rat pharmacokinetic study of Borneolum (Bingpian) and Borneolum syntheticum (synthetic Bingpian). Acta Pharmacologica Sinica, 2013, 34, 1337-1348.	6.1	47
1315	Challenges of atypical matrix effects in tissue. Bioanalysis, 2013, 5, 2333-2335.	1.5	4
1316	Variability of the IS revealed ionization enhancement by bile acid in mouse plasma. Bioanalysis, 2013, 5, 2371-2378.	1.5	4
1317	Aging of biological matrices and its effect on bioanalytical method performance. Bioanalysis, 2013, 5, 2393-2407.	1.5	8
1318	HILIC UHPLC–MS/MS for fast and sensitive bioanalysis: accounting for matrix effects in method development. Bioanalysis, 2013, 5, 2345-2357.	1.5	19
1319	Determination of Aflatoxin in Infant Cereals from Hangzhou, China. Analytical Letters, 2013, 46, 2319-2331.	1.8	4
1320	A sensitive and selective LC-MS/MS analysis coupled with an online sample enrichment technique for H295R steroidogenesis assay and its application in the investigation of the effect of sildenafil on steroidogenesis. Analytical and Bioanalytical Chemistry, 2013, 405, 9489-9496.	3.7	7
1321	Determination of triazine residues in herbal plants using molecularly imprinted polymer extraction followed by UPLC-MS/MS. Analytical Methods, 2013, 5, 3582.	2.7	8
1322	Determination of pseudoâ€ginsenoside GQ in human plasma by high performance liquid chromatography–tandem mass spectrometry. Biomedical Chromatography, 2013, 27, 1701-1707.	1.7	2
1323	Matrix effects in the simultaneous determination of fenicol antibiotics in swine muscle and casings by ultra performance liquid chromatography-tandem mass spectrometry. Analytical Methods, 2013, 5, 5662.	2.7	9
1324	Simple enrichment and analysis of plasma lysophosphatidic acids. Analyst, The, 2013, 138, 6852.	3.5	14
1325	Understanding collision-induced dissociation of dofetilide: a case study in the application of density functional theory as an aid to mass spectral interpretation. Analyst, The, 2013, 138, 6869.	3.5	12
1326	Urine adulteration: can bleach be used to mask MDMA use?. Analytical Methods, 2013, 5, 3948-3955.	2.7	12
1327	Multiresidue analysis of nine \hat{l}^2 -agonists in animal muscles by LC-MS/MS based on a new polymer cartridge for sample cleanup. Journal of Separation Science, 2013, 36, 1843-1852.	2.5	25
1328	Simultaneous determination by LC-MS/MS of 25-methoxydammarane-3β,12β,20-triol epimers and active metabolites in rat plasma after intravenous administration. Xenobiotica, 2013, 43, 868-874.	1.1	12

#	Article	IF	Citations
1329	Equipment and metabolite identification (ID) strategies for mass-based metabolomic analysis. , 2013, , 3-28.		1
1330	Dispersive liquid–liquid microextraction combined with capillary electrophoresis and time-of-flight mass spectrometry for urine analysis. Journal of Pharmaceutical and Biomedical Analysis, 2013, 73, 82-89.	2.8	62
1331	Analysis of fluoxetine and norfluoxetine in human plasma by liquid-phase microextraction and injection port derivatization GC–MS. Journal of Pharmaceutical and Biomedical Analysis, 2013, 73, 53-58.	2.8	45
1332	Development and validation of liquid chromatography–tandem mass spectrometry method for simultaneous determination of four tertiary alkaloids in rat plasma and its application to a pharmacokinetic study. Journal of Pharmaceutical and Biomedical Analysis, 2013, 72, 80-88.	2.8	11
1333	Determination of esculentoside A in dog plasma by LC–MS/MS method: Application to pre-clinical pharmacokinetics. Journal of Pharmaceutical and Biomedical Analysis, 2013, 72, 261-266.	2.8	11
1334	Application of a liquid chromatography–tandem mass spectrometry method to the pharmacokinetics, tissue distribution and excretion studies of Dactylicapnos scandens in rats. Journal of Pharmaceutical and Biomedical Analysis, 2013, 74, 92-100.	2.8	24
1335	LC–MS/MS bioanalytical method development for AMG 900: Resolution of an isobaric interference in rodent in vivo studies. Journal of Pharmaceutical and Biomedical Analysis, 2013, 74, 171-177.	2.8	3
1336	Stability of heroin, 6-monoacetylmorphine, and morphine in biological samples and validation of an LC–MS assay for delayed analyses of pharmacokinetic samples in rats. Journal of Pharmaceutical and Biomedical Analysis, 2013, 74, 291-297.	2.8	32
1337	Development of an LC–MS/MS method for the simultaneous determination of 25 benzodiazepines and zolpidem in oral fluid and its application to authentic samples from regular drug users. Journal of Pharmaceutical and Biomedical Analysis, 2013, 74, 213-222.	2.8	42
1338	Development and validation of a serum total testosterone liquid chromatography–tandem mass spectrometry (LC–MS/MS) assay calibrated to NIST SRM 971. Clinica Chimica Acta, 2013, 415, 109-117.	1.1	42
1339	Determination of phenylephrine in human plasma using ultra-performance liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 915-916, 28-32.	2.3	22
1340	Fast screening of 88 pharmaceutical drugs and metabolites in whole blood by ultrahigh-performance liquid chromatography–tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2013, 405, 863-879.	3.7	25
1341	Development and validation of two LC-MS/MS methods for the detection and quantification of amphetamines, designer amphetamines, benzoylecgonine, benzodiazepines, opiates, and opioids in urine using turbulent flow chromatography. Analytical and Bioanalytical Chemistry, 2013, 405, 247-258.	3.7	34
1342	Implementation of liquid chromatography/mass spectrometry into the clinical laboratory. Clinica Chimica Acta, 2013, 420, 4-10.	1.1	102
1343	Sensitive detection of 3′-hydroxy-stanozolol glucuronide by liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2013, 1292, 195-200.	3.7	39
1344	The use of ultra-high pressure liquid chromatography with tandem mass spectrometric detection in the analysis of agrochemical residues and mycotoxins in food – Challenges and applications. Journal of Chromatography A, 2013, 1292, 83-95.	3.7	53
1345	Development and Validation of the First Liquid Chromatography-Tandem Mass Spectrometry Assay for Simultaneous Quantification of Multiple Antiretrovirals in Meconium. Analytical Chemistry, 2013, 85, 1896-1904.	6.5	17
1346	A fast liquid chromatography–mass spectrometry (LC–MS) method for quantification of major polar metabolites in plants. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 912, 8-15.	2.3	37

		15	0
#	ARTICLE	IF	CITATIONS
1347	LC-QQQ-MS/MS analysis. Analytical and Bioanalytical Chemistry, 2013, 405, 1383-1397.	3.7	79
1348	Stability of Serotoninâ€&elective Antidepressants in Sterile and Decomposing Liver Tissue,. Journal of Forensic Sciences, 2013, 58, S117-25.	1.6	10
1349	Symptoms, toxicities, and analytical results for a patient after smoking herbs containing the novel synthetic cannabinoid MAM-2201. Forensic Toxicology, 2013, 31, 164-171.	2.4	39
1350	Analysis of seven folates in food by LC–MS/MS to improve accuracy of total folate data. European Food Research and Technology, 2013, 236, 17-28.	3.3	53
1351	Degradation of zopiclone during storage of spiked and authentic whole blood and matching dried blood spots. International Journal of Legal Medicine, 2013, 127, 69-76.	2.2	27
1352	High performance analysis of the cyanobacterial metabolism via liquid chromatography coupled to a LTQ-Orbitrap mass spectrometer: evidence that glucose reprograms the whole carbon metabolism and triggers oxidative stress. Metabolomics, 2013, 9, 21-32.	3.0	29
1353	Analysis of cannabinoids in oral fluid by liquid chromatography–tandem mass spectrometry. Forensic Toxicology, 2013, 31, 151-163.	2.4	26
1354	Investigation of ex vivo stability of fesoterodine in human plasma and its simultaneous determination together with its active metabolite 5-HMT by LC–ESI-MS/MS: Application to a bioequivalence study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 913-914, 1-11	2.3	3
1355	Quantitative analysis of cortisol and 6βâ€hydroxycortisol in urine by fully automated <scp>SPE</scp> and ultraâ€performance <scp>LC</scp> coupled with electrospray and atmospheric pressure chemical ionization (<scp>ESC</scp> i)â€ <scp>TOF</scp> â€ <scp>MS</scp> . Journal of Separation Science, 2013, 36, 246-251.	2.5	5
1356	Matrix effect in highâ€performance liquid chromatographyâ€ŧandem mass spectrometry analysis of antibiotics in environmental water samples. Journal of Separation Science, 2013, 36, 564-571.	2.5	28
1357	Quantitation and pharmacokinetics of 1,4â€diaminoâ€2,3â€dicyanoâ€1,4â€bis (2â€aminophenylthio) butadiene (<scp>U</scp> 0126) in rat plasma by liquid chromatographyâ€tandem mass spectrometry. Journal of Separation Science, 2013, 36, 239-245.	2.5	4
1358	Influence of matrix effect on the performance of the method for the official residue control of nonâ€steroidal antiâ€inflammatory drugs in animal muscle. Rapid Communications in Mass Spectrometry, 2013, 27, 437-442.	1.5	14
1359	Performance of dielectric barrier discharge ionization mass spectrometry for pesticide testing: a comparison with atmospheric pressure chemical ionization and electrospray ionization. Rapid Communications in Mass Spectrometry, 2013, 27, 419-429.	1.5	35
1360	Determination of bromadiolone and brodifacoum in human hair by liquid chromatography/tandem mass spectrometry and its application to poisoning cases. Rapid Communications in Mass Spectrometry, 2013, 27, 513-520.	1.5	14
1361	Simultaneous determination of blonanserin and its four metabolites in human plasma using ultra-performance liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 939, 59-66.	2.3	8
1362	Hydrophilic interaction liquid chromatography/positive ion electrospray ionization mass spectrometry method for the quantification of alprazolam and α-hydroxy-alprazolam in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 942-943, 158-164.	2.3	8
1363	Pharmacokinetic comparisons of different combinations of Shaoyao-Gancao-Decoction in rats: Simultaneous determination of ten active constituents by HPLC–MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 932, 76-87.	2.3	54
1364	Simultaneous determination of homocysteine and asymmetric dimethylarginine in human urine by liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, <u>939, 32-37</u> .	2.3	16

#	Article	IF	CITATIONS
1365	Simultaneous determination of hair cortisol, cortisone and DHEAS with liquid chromatography–electrospray ionization-tandem mass spectrometry in negative mode. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 929, 187-194.	2.3	51
1366	Detection, occurrence and fate of 22 psychiatric pharmaceuticals in psychiatric hospital and municipal wastewater treatment plants in Beijing, China. Chemosphere, 2013, 90, 2520-2525.	8.2	186
1367	QuEChERS extraction of benzodiazepines in biological matrices. Journal of Pharmaceutical Analysis, 2013, 3, 509-517.	5.3	38
1368	Method development, validation and bioequivalence of varenicline in human plasma by liquid chromatography tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 931, 134-139.	2.3	5
1369	Fast quantification of ten psychotropic drugs and metabolites in human plasma by ultra-high performance liquid chromatography tandem mass spectrometry for therapeutic drug monitoring. Journal of Chromatography A, 2013, 1292, 160-172.	3.7	69
1370	Evaluation of mobile phase composition for enhancing sensitivity of targeted quantification of oligonucleotides using ultra-high performance liquid chromatography and mass spectrometry: Application to phosphorothioate deoxyribonucleic acid. Journal of Chromatography A, 2013, 1288, 73-81.	3.7	65
1371	Quantitative determination of the Fusarium mycotoxins beauvericin, enniatin A, A1, B and B1 in pig plasma using high performance liquid chromatography–tandem mass spectrometry. Talanta, 2013, 106, 212-219.	5.5	45
1372	A fully validated method for the quantification of ethyl glucuronide and ethyl sulphate in urine by UPLC–ESI-MS/MS applied in a prospective alcohol self-monitoring study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 929, 149-154.	2.3	19
1373	A rugged and accurate liquid chromatography–tandem mass spectrometry method for the determination of asunaprevir, an NS3 protease inhibitor, in plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 921-922, 81-86.	2.3	16
1374	Quantification of the 5-lipoxygenase inhibitor zileuton in human plasma using high performance liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 937, 79-83.	2.3	7
1375	Scientific Working Group for Forensic Toxicology (SWGTOX) Standard Practices for Method Validation in Forensic Toxicology. Journal of Analytical Toxicology, 2013, 37, 452-474.	2.8	658
1376	Endocrine disrupting chemicals in fish bile: A rapid method of analysis using English sole (Parophrys) Tj ETQq1	1 0.784314 8.2	rgBT /Overlo
1377	Simultaneous analysis of eight phenolic environmental estrogens in blood using dispersive micro-solid-phase extraction combined with ultra fast liquid chromatography–tandem mass spectrometry. Talanta, 2013, 115, 787-797.	5.5	49
1378	Simultaneous quantification of vinblastine and desacetylvinblastine concentrations in canine plasma and urine samples using LC–APCI–MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 913-914, 147-154.	2.3	12
1379	Determination of vinblastine in tumour tissue with liquid chromatography–high resolution mass spectrometry. Talanta, 2013, 116, 887-893.	5.5	19
1380	Pharmacokinetics of dexamethasone after intravenous and intramuscular administration in broiler chickens. Veterinary Journal, 2013, 195, 216-220.	1.7	16
1381	Ultra-high-performance liquid chromatography–tandem mass spectrometry measurement of climbazole deposition from hair care products onto artificial skin and human scalp. Journal of Chromatography A, 2013, 1317, 155-158.	3.7	6
1382	Sensitivity and specificity enhanced enzyme-linked immunosorbent assay by rational hapten modification and heterogeneous antibody/coating antigen combinations for the detection of melamine in milk, milk powder and feed samples. Talanta, 2013, 116, 173-180.	5.5	49

#	Article	IF	CITATIONS
1383	Preparation of a polar monolithic coating for stir bar sorptive extraction of emerging contaminants from wastewaters. Journal of Chromatography A, 2013, 1295, 42-47.	3.7	39
1384	Simultaneous determination of ten biogenic amines in a thymopolypeptides injection using ultra-performance liquid chromatography coupled with electrospray ionization tandem quadrupole mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2013. 929. 33-39.	2.3	13
1385	Liquid chromatography–mass spectrometry determination in plasma of maslinic acid, a bioactive compound from Olea europaea L. Food Chemistry, 2013, 141, 4375-4381.	8.2	11
1386	Postmortem blood and tissue concentrations of R- and S-enantiomers of methadone and its metabolite EDDP. Forensic Science International, 2013, 226, 254-260.	2.2	29
1387	Determination of ethyl glucuronide in human hair by hydrophilic interaction liquid chromatography–tandem mass spectrometry. Journal of Clinical Forensic and Legal Medicine, 2013, 20, 799-802.	1.0	11
1388	Quantification of psychosine in the serum of twitcher mouse by LC–ESI-tandem-MS analysis. Journal of Pharmaceutical and Biomedical Analysis, 2013, 80, 44-49.	2.8	13
1389	Evaluation of dispersive liquid–liquid microextraction in the stereoselective determination of cetirizine following the fungal biotransformation of hydroxyzine and analysis by capillary electrophoresis. Talanta, 2013, 116, 743-752.	5.5	23
1390	Simultaneous determination of steroidal and phenolic endocrine disrupting chemicals in fish by ultra-high-performance liquid chromatography–mass spectrometry/mass spectrometry. Journal of Chromatography A, 2013, 1278, 126-132.	3.7	25
1391	Distribution of Aconitum alkaloids in autopsy cases of aconite poisoning. Forensic Science International, 2013, 227, 111-117.	2.2	47
1392	Simultaneous determination of six hydrophilic components in rat plasma after oral administration of Jitai tablet by liquid chromatography–electrospray ionization–tandem mass spectrometry: Application to a pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2013. 912. 75-84.	2.3	15
1393	A new approach for antibiotic drugs determination in human plasma by liquid chromatography–mass spectrometry. Journal of Chromatography A, 2013, 1272, 41-49.	3.7	49
1396	Simultaneous determination of opiates, methadone, buprenorphine and metabolites in human urine by superficially porous liquid chromatography tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 925, 10-15.	2.3	19
1397	Development and validation of an LCâ€MS/MS method for quantification of Δ9â€ŧetrahydrocannabinolic acid A (THCAâ€A), THC, CBN and CBD in hair. Journal of Mass Spectrometry, 2013, 48, 227-233.	1.6	43
1398	A dual role of boronate affinity in high-sensitivity detection of vicinal diol brassinosteroids from sub-gram plant tissues via UPLC-MS/MS. Analyst, The, 2013, 138, 1342.	3.5	23
1399	Liquid chromatography tandem mass spectrometry method (LC–MS/MS) for simultaneous determination of piperine, cinnamic acid and gallic acid in rat plasma using a polarity switch technique. Analytical Methods, 2013, 5, 967.	2.7	11
1400	Quantification of 31 illicit and medicinal drugs and metabolites in whole blood by fully automated solid-phase extraction and ultra-performance liquid chromatography–tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2013, 405, 2607-2617.	3.7	66
1401	Quantification of Globotriaosylsphingosine in Plasma and Urine of Fabry Patients by Stable Isotope Ultraperformance Liquid Chromatography–Tandem Mass Spectrometry. Clinical Chemistry, 2013, 59, 547-556.	3.2	85
1402	Determination of Seven Free Anabolic Steroid Residues in Eggs by High-Performance Liquid Chromatography–Tandem Mass Spectrometry. Journal of Chromatographic Science, 2013, 51, 229-236.	1.4	7

#	Article	IF	CITATIONS
1403	Comparison of solid-phase extraction sorbents for the fractionation and determination of important free and glycosidically-bound varietal aroma compounds in wines by gas chromatography-mass spectrometry. Open Chemistry, 2013, 11, 228-247.	1.9	4
1404	Analysis of 30 synthetic cannabinoids in oral fluid using liquid chromatographyâ€electrospray ionization tandem mass spectrometry. Drug Testing and Analysis, 2013, 5, 657-669.	2.6	67
1405	Qualitative Confirmation of 9 Synthetic Cannabinoids and 20 Metabolites in Human Urine Using LC–MS/MS and Library Search. Analytical Chemistry, 2013, 85, 3730-3738.	6.5	108
1406	Determination of ketamine and norketamine in hair by micropulverized extraction and liquid chromatography–high resolution mass spectrometry. Forensic Science International, 2013, 226, 88-93.	2.2	38
1407	SPE–UPLC–MS/MS method for sensitive and rapid determination of aripiprazole in human plasma to support a bioequivalence study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 925, 20-25.	2.3	24
1408	Measurement of cortisol and cortisone in children's hair using ultra performance liquid chromatography and tandem mass spectrometry. Analytical Methods, 2013, 5, 2074.	2.7	16
1409	Buprenorphine and norbuprenorphine quantification in human plasma by simple protein precipitation and ultra-high performance liquid chromatography tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2013, 77, 1-8.	2.8	23
1410	Simultaneous determination of NNK and its seven metabolites in rabbit blood by hydrophilic interaction liquid chromatography–tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2013, 405, 2083-2089.	3.7	11
1411	A novel solid-phase extraction for the concentration of sweeteners in water and analysis by ion-pair liquid chromatography–triple quadrupole mass spectrometry. Journal of Chromatography A, 2013, 1274, 87-96.	3.7	64
1412	Development and validation of an LC-MS/MS assay for the quantification of the trans-methylation pathway intermediates S-adenosylmethionine and S-adenosylhomocysteine in human plasma. Clinica Chimica Acta, 2013, 421, 91-97.	1.1	21
1413	Performance of the linear ion trap Orbitrap mass analyzer for qualitative and quantitative analysis of drugs of abuse and relevant metabolites in sewage water. Analytica Chimica Acta, 2013, 768, 102-110.	5.4	68
1414	Determination of priority pollutants in aqueous samples by dispersive liquid–liquid microextraction. Analytica Chimica Acta, 2013, 773, 60-67.	5.4	18
1415	Determination of pharmaceutical and illicit drugs in oral fluid by ultra-high performance liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 927, 133-141.	2.3	28
1416	Quantification of clenbuterol at trace level in human urine by ultra-high pressure liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2013, 1292, 142-150.	3.7	44
1417	Combination of electromembrane extraction with dispersive liquid–liquid microextraction followed by gas chromatographic analysis as a fast and sensitive technique for determination of tricyclic antidepressants. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 913-914, 138-146.	2.3	87
1418	lon suppression; A critical review on causes, evaluation, prevention and applications. Talanta, 2013, 115, 104-122.	5.5	370
1419	Simultaneous determination of 11 restricted dyes in cosmetics by ultra high-performance liquid chromatography/tandem mass spectrometry. Analytical Methods, 2013, 5, 1965.	2.7	24
1420	Validated liquid chromatography–tandem mass spectrometry method for determination of totally nine probe metabolites of cytochrome P450 enzymes and UDP-glucuronosyltransferases. Talanta, 2013, 106, 220-228.	5.5	14

		CITATION R	EPORT	
#	Article		IF	Citations
1421	Use of ultra-high pressure liquid chromatography coupled to high resolution mass spect fast screening in high throughput doping control. Journal of Chromatography A, 2013, 1	rometry for .288, 82-95.	3.7	73
1422	Simultaneous determination of amlodipine and atorvastatin with its metabolites; ortho hydroxy atorvastatin; in human plasma by LC–MS/MS. Journal of Chromatography B: A Technologies in the Biomedical and Life Sciences, 2013, 917-918, 36-47.	and para Analytical	2.3	41
1423	Novel coatings for stir bar sorptive extraction to determine pharmaceuticals and person products in environmental waters by liquid chromatography and tandem mass spectron Analytica Chimica Acta, 2013, 774, 51-60.	al care netry.	5.4	86
1424	Analytical tools for elucidating the biological role of melatonin in plants by LCâ€MS/MS. Electrophoresis, 2013, 34, 1749-1756.		2.4	44
1425	A new method for detection of five alternaria toxins in food matrices based on LC–AP Chemistry, 2013, 140, 161-167.	CI-MS. Food	8.2	80
1426	Development of a UPLC-MS/MS method for the determination of ten anticancer drugs in urban wastewaters, and its application for the screening of human metabolites assisted information-dependent acquisition tool (IDA) in sewage samples. Analytical and Bioanaly Chemistry 2013 405 5937-5952	n hospital and by ytical	3.7	123
1427	Screening of 30 acidic and neutral pharmaceuticals in whole blood by fully automated S UPLCâ€TOFâ€MS ^E . Drug Testing and Analysis, 2013, 5, 254-258.	PE and	2.6	20
1428	Challenges in the development of bioanalytical liquid chromatography–mass spectron with emphasis on fast analysis. Journal of Chromatography A, 2013, 1292, 25-37.	netry method	3.7	107
1429	LC/ESI-MS/MS method for quantification of 28 synthetic cannabinoids in neat oral fluid application to preliminary studies on their detection windows. Analytical and Bioanalytic Chemistry, 2013, 405, 4691-4706.	and its :al	3.7	60
1430	Highly sensitive capillary electrophoresis-mass spectrometry for rapid screening and acc quantitation of drugs of abuse in urine. Analytica Chimica Acta, 2013, 780, 101-109.	urate	5.4	57
1431	High-throughput solid-phase microextraction in multi-well-plate format. TrAC - Trends in Chemistry, 2013, 45, 136-153.	Analytical	11.4	55
1432	Determination of monosulfuron-ester residues in grains, straw, green plants and soil of modified QuEChERS and LC-MS/MS. Analytical Methods, 2013, 5, 2267.	wheat by	2.7	10
1433	Screening for illicit and medicinal drugs in whole blood using fully automated <scp>SPE ultraâ€highâ€performance liquid chromatography with <scp>TOF</scp>â€<scp>MSdataâ€independent acquisition. Journal of Separation Science, 2013, 36, 2081-2089.</scp></scp>	and cp> with	2.5	75
1434	Detection, quantification, and identification of dermorphin in equine plasma and urine b for doping control. Analytical and Bioanalytical Chemistry, 2013, 405, 4707-4717.	y LC–MS/MS	3.7	18
1435	Identification of sympathomimetic alkylamine agents in urine using liquid chromatograp spectrometry and comparison of derivatization methods for confirmation analyses by ga chromatography–mass spectrometry. Journal of Chromatography A, 2013, 1298, 76-8	ıhy–mass as 35.	3.7	12
1436	Profiling intact steroid sulfates and unconjugated steroids in biological fluids by liquid chromatography-tandem mass spectrometry (LC-MS-MS). Analyst, The, 2013, 138, 3792	2.	3.5	54
1437	Comparison of different methods aiming to account for/overcome matrix effects in LC/E example of pesticide analyses. Analytical Methods, 2013, 5, 3035.	SI/MS on the	2.7	44
1438	Investigation of endogenous blood lipids components that contribute to matrix effects blood spot samples by liquid chromatographyâ€ŧandem mass spectrometry. Drug Testir 2013, 5, 710-715.	in dried ng and Analysis,	2.6	15

#	Article	IF	CITATIONS
1439	Simultaneous Determination of α- and γ-Mangostins in Mouse Plasma by HPLC–MS/MS Method: Application to a Pharmacokinetic Study of Mangosteen Extract in Mouse. Chromatographia, 2013, 76, 643-650.	1.3	7
1441	Analytical Condition Setting a Crucial Step in the Quantification of Unstable Polyphenols in Acidic Conditions: Analyzing Prenylflavanoids in Biological Samples by Liquid Chromatography–Electrospray Ionization Triple Quadruple Mass Spectrometry. Analytical Chemistry, 2013, 85, 5547-5554.	6.5	20
1442	Detection and Structural Elucidation of Esterified Oxylipids in Human Synovial Fluid by Electrospray Ionization-Fourier Transform Ion-Cyclotron Mass Spectrometry and Liquid Chromatography-Ion Trap-MS ³ : Detection of Esterified Hydroxylated Docosapentaenoic Acid Containing Phospholipids. Analytical Chemistry, 2013, 85, 6003-6010.	6.5	15
1443	Application of Graphene-based Solid-Phase Extraction Coupled with Ultra High-performance Liquid Chromatography-Tandem Mass Spectrometry for Determination of Macrolides in Fish Tissues. Food Analytical Methods, 2013, 6, 1448-1457.	2.6	23
1444	Direct quantification of 11-nor-Δ9-tetrahydrocannabinol-9-carboxylic acid and its glucuronide in urine using liquid chromatography-tandem mass spectrometry. Analytical Methods, 2013, 5, 3028.	2.7	6
1445	Application of a liquid chromatography-electrospray mass spectrometry (LC/MS) method to the biodistribution and excretion studies of novel 5′-chloro-2, 3-didehydroindolo (2′, 3′: 2, 3) betulinic acid (DRF-4012) in tumour-bearing mice. Xenobiotica, 2013, 43, 548-560.	1.1	1
1446	Application of graphene-based solid-phase extraction for ultra-fast determination of malachite green and its metabolite in fish tissues. Food Chemistry, 2013, 141, 1383-1389.	8.2	48
1447	Study on dissolution mechanism of cortisol and cortisone from hair matrix with liquid chromatography–tandem mass spectrometry. Clinica Chimica Acta, 2013, 421, 62-72.	1.1	14
1448	Comparison of the quantification of acetaminophen in plasma, cerebrospinal fluid and dried blood spots using high-performance liquid chromatography–tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2013, 83, 1-9.	2.8	34
1449	Stepwise optimization approach for improving LCâ€MS/MS analysis of zwitterionic antiepileptic drugs with implementation of experimental design. Journal of Mass Spectrometry, 2013, 48, 875-884.	1.6	21
1450	Determination of diosbulbin B in rat plasma and urine by LC–MS/MS and its application in pharmacokinetic and urinary excretion studies. Journal of Pharmaceutical and Biomedical Analysis, 2013, 77, 133-138.	2.8	11
1451	Determination of plasma cholesterol sulfate by LC–APCI-MS/MS in the context of pediatric autism. Talanta, 2013, 116, 115-121.	5.5	12
1452	Simultaneous quantification of amphetamine, opiates, ketamine and relative metabolites in urine for confirmatory analysis by liquid chromatography tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 929, 133-141.	2.3	33
1453	Quantification of urinary folate catabolites using liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 929, 116-124.	2.3	7
1454	Quantification of T-2 and HT-2 mycotoxins in cereals by liquid chromatography-multimode ionization-tandem mass spectrometry. Microchemical Journal, 2013, 106, 300-306.	4.5	18
1455	Development and validation of a fast and uniform approach to quantify β-lactam antibiotics in human plasma by solid phase extraction-liquid chromatography–electrospray-tandem mass spectrometry. Talanta, 2013, 103, 285-293.	5.5	95
1456	An in vitro model using the IPEC-J2 cell line for efficacy and drug interaction testing of mycotoxin detoxifying agents. Toxicology in Vitro, 2013, 27, 157-163.	2.4	32
1457	Matrix effects in the determination of <i>β</i> â€receptor agonists in animalâ€derived foodstuffs by ultraâ€performance liquid chromatography tandem mass spectrometry with immunoaffinity solidâ€phase extraction. Journal of Separation Science, 2013, 36, 796-802.	2.5	11

#	Article	IF	CITATIONS
1458	Multiplex Liquid Chromatography-Tandem Mass Spectrometry Assay for Simultaneous Therapeutic Drug Monitoring of Ribavirin, Boceprevir, and Telaprevir. Antimicrobial Agents and Chemotherapy, 2013, 57, 3147-3158.	3.2	22
1459	Quantification of aconitine in postâ€mortem specimens by validated liquid chromatographyâ€tandem mass spectrometry method: Three case reports on fatal â€~monkshood' poisoning. Drug Testing and Analysis, 2013, 5, 753-762.	2.6	14
1460	Sensitive and Selective Determination of Diflunisal in Human Plasma by LC-MS. Journal of Chromatographic Science, 2013, 51, 872-882.	1.4	15
1461	Determination of avilamycin as dichloroisoeverninic acid in poultry and porcine muscles by isotope dilution liquid chromatography–tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2013, 405, 8633-8643.	3.7	3
1462	Automated DBS Extraction Prior to Hilic/RP LC–MS/MS Target Screening of Drugs. Chromatographia, 2013, 76, 1281-1293.	1.3	26
1463	Sensitive and Continuous Screening of Inhibitors of β-Site Amyloid Precursor Protein Cleaving Enzyme 1 (BACE1) at Single SPR Chips. Analytical Chemistry, 2013, 85, 3660-3666.	6.5	42
1464	Screening of synthetic cannabinoids in preserved oral fluid by UPLC–MS/MS. Bioanalysis, 2013, 5, 2257-2268.	1.5	37
1465	Managing scientific, technical and regulatory innovation in regulated bioanalysis: a discussion paper from the European Bioanalysis Forum. Bioanalysis, 2013, 5, 139-145.	1.5	12
1466	Screening and confirmatory GC-MS methods for the detection of trenbolone in bovine urine. Bulletin of the Veterinary Institute in Pulawy = Biuletyn Instytutu Weterynarii W Pulawach, 2013, 57, 559-566.	0.4	4
1467	The challenges of LC–MS/MS analysis of opiates and opioids in urine. Bioanalysis, 2013, 5, 2803-2820.	1.5	21
1468	Characterization and validation of an isotope-dilution LC–MS/MS method for quantification of total desmosine and isodesmosine in plasma and serum. Bioanalysis, 2013, 5, 1991-2001.	1.5	28
1469	Quantitation of nitrofurantoin in human plasma by liquid chromatography tandem mass spectrometry. Acta Pharmaceutica, 2013, 63, 141-158.	2.0	10
1470	Segmental Hair Analysis after a Single Dose of Zolpidem: Comparison with a Previous Study. Journal of Analytical Toxicology, 2013, 37, 369-375.	2.8	34
1471	Influence of matrix on suitability of four methods for organochlorine pesticide analysis in waters. International Journal of Environmental Analytical Chemistry, 2013, 93, 416-433.	3.3	3
1472	Multisteroid LC–MS/MS assay for glucocorticoids and androgens and its application in Addison's disease. Endocrine Connections, 2013, 2, 125-136.	1.9	69
1473	Best Practices for Single-Laboratory Validation of Chemical Methods for Trace Elements in Foods. Part l—Background and General Considerations. Journal of AOAC INTERNATIONAL, 2013, 96, 190-203.	1.5	11
1474	Evaluation and subsequent minimization of matrix effects caused by phospholipids in LC–MS analysis of biological samples. Bioanalysis, 2013, 5, 2101-2114.	1.5	31
1475	Comparison of Clean-Up Methods for Ochratoxin A on Wine, Beer, Roasted Coffee and Chili Commercialized in Italy. Toxins, 2013, 5, 1827-1844.	3.4	32

		CITATION REPORT		
#	Article		IF	Citations
1476	Etravirine in CSF is highly protein bound. Journal of Antimicrobial Chemotherapy, 2013, 6	.8, 1161-1168.	3.0	25
1477	Distinguishing Heroin Abuse from Codeine Administration in the Urine of Chinese People UPLC-MS-MS. Journal of Analytical Toxicology, 2013, 37, 166-174.	by	2.8	9
1478	Improved Method for Therapeutic Drug Monitoring of 6-Thioguanine Nucleotides and 6-Methylmercaptopurine in Whole-Blood by LC/MSMS Using Isotope-Labeled Internal Sta Therapeutic Drug Monitoring, 2013, 35, 313-321.	andards.	2.0	31
1479	Monitoring Salivary Melatonin Concentrations in Children With Sleep Disorders Using Lid Chromatography–Tandem Mass Spectrometry. Therapeutic Drug Monitoring, 2013, 3	quid 5, 388-395.	2.0	10
1480	Monitoring Haloperidol Exposure in Body Fluids and Hair of Children by Liquid Chromatography–High-Resolution Mass Spectrometry. Therapeutic Drug Monitoring, 2	2013, 35, 493-501.	2.0	25
1481	Rapid Quantification of Gabapentin, Pregabalin, and Vigabatrin in Human Serum by Ultra Liquid Chromatography With Mass-Spectrometric Detection. Therapeutic Drug Monitori 48-53.	performance 1g, 2013, 35,	2.0	27
1482	Driving Under the Influence of Cannabis. Therapeutic Drug Monitoring, 2013, 35, 101-11	.1.	2.0	37
1483	Rapid and Sensitive Analysis of Euonine and Wilforidine in Human Plasma by High-Perfor Chromatography-Atmospheric-Pressure Chemical Ionization-Mass Spectrometry. Journal Toxicology, 2013, 37, 395-400.	mance Liquid of Analytical	2.8	4
1484	Cannabinoids in Exhaled Breath following Controlled Administration of Smoked Cannabi Chemistry, 2013, 59, 1780-1789.	s. Clinical	3.2	84
1485	Measurement of Thyroglobulin by Liquid Chromatography–Tandem Mass Spectrometr Plasma in the Presence of Antithyroglobulin Autoantibodies. Clinical Chemistry, 2013, 59	y in Serum and 982-990.	3.2	168
1486	EtG/EtS in Urine from Sexual Assault Victims Determined by UPLC-MS-MS. Journal of Ana Toxicology, 2013, 37, 227-232.	lytical	2.8	16
1487	Determination of Buprenorphine, Fentanyl and LSD in Whole Blood by UPLC-MS-MS. Jou Analytical Toxicology, 2013, 37, 159-165.	mal of	2.8	26
1488	Matrix Effects in Mass Spectrometry Combined with Separation Methods $\hat{a} \in$ " Comparise Discussion on Methods to Control these Effects. , 0, , .	n HPLC, GC and		23
1489	Quantitative Analysis of 26 Opioids, Cocaine, and Their Metabolites in Human Blood by U Performance Liquid Chromatography–Tandem Mass Spectrometry. Therapeutic Drug № 35, 510-521.	Iltra Aonitoring, 2013,	2.0	36
1490	An Overview of Analytical Determination of Diltiazem, Cimetidine, Ranitidine, and Famot Spectrophotometry and HPLC Technique. Journal of Chemistry, 2013, 2013, 1-16.	idine by UV	1.9	7
1491	Controlling bioanalytical variability: a perennial quest. Bioanalysis, 2013, 5, 1827-1830.		1.5	1
1492	Simultaneous identification and quantification of synthetic cannabinoids (cannabimimet hair, and urine by rapid and sensitive HPLC tandem mass spectrometry screenings: overvexperience from routine testing. Laboratoriums Medizin, 2013, 37, 167-180.	ics) in serum, iew and	0.6	4
1493	Highâ€sensitive <scp>LC</scp> â€ <scp>MS</scp> / <scp>MS</scp> method for the simu determination of mirodenafil and its major metabolite, <scp>SK</scp> â€3541, in human Application to microdose clinical trials of mirodenafil. Journal of Separation Science, 201 840-848.	taneous plasma: 3, 36,	2.5	6

#	Article	IF	CITATIONS
1494	Monitoring sea lamprey pheromones and their degradation using rapid stream-side extraction coupled with UPLC-MS/MS. Journal of Separation Science, 2013, 36, 1612-1620.	2.5	17
1495	Simultaneous determination of nalbuphine and its prodrug sebacoly dinalbuphine ester in human plasma by ultraâ€performance liquid chromatography–tandem mass spectrometry and its application to pharmacokinetic study in humans. Biomedical Chromatography, 2013, 27, 831-837.	1.7	17
1496	Determination of aliskiren in human serum quantities by HPLC–tandem mass spectrometry appropriate for pediatric trials. Biomedical Chromatography, 2013, 27, 477-486.	1.7	11
1497	Development and validation of an LCâ€ESIâ€MS/MS quantification method for a potential <i>î³</i> â€aminobutyric acid transporter 3 (GAT3) marker and its application in preliminary MS binding assays. Biomedical Chromatography, 2013, 27, 641-654.	1.7	2
1498	Determination of β ₂ -Agonists in Porcine Urine by Molecularly Imprinted Solid Phase Extraction Followed Ultra-Performance Liquid Chromatography–Tandem Mass Spectrometry Detection. Analytical Letters, 2013, 46, 734-744.	1.8	3
1499	LCâ€MS analysis of estradiol in human serum and endometrial tissue: Comparison of electrospray ionization, atmospheric pressure chemical ionization and atmospheric pressure photoionization. Journal of Mass Spectrometry, 2013, 48, 1050-1058.	1.6	43
1500	Development and validation of a highly sensitive LC-MS/MS method for quantitation of bivalirudin in human plasma: application to a human pharmacokinetic study. Biomedical Chromatography, 2013, 27, 1788-1793.	1.7	5
1501	Determination of antazoline hydrochloride in rat plasma and excreta by reversedâ€phase ionâ€pair chromatography and its application to pharmacokinetics. Biomedical Chromatography, 2013, 27, 1595-1602.	1.7	12
1502	Simultaneous determination of sunitinib and its two metabolites in plasma of Chinese patients with metastatic renal cell carcinoma by liquid chromatography–tandem mass spectrometry. Biomedical Chromatography, 2013, 27, 615-621.	1.7	21
1503	Current status and bioanalytical challenges in the detection of unknown anabolic androgenic steroids in doping control analysis. Bioanalysis, 2013, 5, 2661-2677.	1.5	16
1504	Quantitative Measurement of Synthetic Cathinones in Oral Fluid. Journal of Analytical Toxicology, 2013, 37, 622-628.	2.8	36
1505	Supported liquid extraction versus liquid–liquid extraction for sample preparation in LC–MS/MS-based bioanalysis. Bioanalysis, 2013, 5, 285-288.	1.5	14
1506	Detection and quantification of dermorphin and selected analogs in equine urine. Bioanalysis, 2013, 5, 2995-3007.	1.5	3
1507	Demystifying Analytical Approaches for Urine Drug Testing to Evaluate Medication Adherence in Chronic Pain Management. Journal of Pain and Palliative Care Pharmacotherapy, 2013, 27, 322-339.	0.8	21
1508	A simple LC–MS/MS method for determination of kynurenine and tryptophan concentrations in human plasma from HIV-infected patients. Bioanalysis, 2013, 5, 1397-1407.	1.5	66
1509	A validated assay by liquid chromatography–tandem mass spectrometry for the simultaneous quantification of elvitegravir and rilpivirine in HIV positive patients. Journal of Mass Spectrometry, 2013, 48, 616-625.	1.6	45
1510	Oral Liquid Formulation of Levothyroxine Is Stable in Breakfast Beverages and May Improve Thyroid Patient Compliance. Pharmaceutics, 2013, 5, 621-633.	4.5	28
1511	Quantification of imatinib in human serum: validation of a high-performance liquid chromatography-mass spectrometry method for therapeutic drug monitoring and pharmacokinetic assays. Drug Design, Development and Therapy, 2013, 7, 699.	4.3	16

#		IE	CITATIONS
#	AKTICLE	IF	CHAHONS
1513	Administration of Dehydrocorydaline and Corydalis yanhusuo Extract. Molecules, 2014, 19, 16312-16326.	3.8	18
1514	Determination of Vancomycin in Human Plasma, Bone and Fat by Liquid Chromatography/Tandem Mass Spectrometry. Journal of Analytical & Bioanalytical Techniques, 2014, 5, .	0.6	21
1515	Influence of the para-aminohippuric acid analysis method on the net hepatic flux of nutrients in lactating cows1. Journal of Animal Science, 2014, 92, 1074-1082.	0.5	12
1516	Quantification of Human Plasma-Busulfan Concentration by Liquid Chromatography-Tandem Mass Spectrometry. Annals of Laboratory Medicine, 2014, 34, 7-14.	2.5	26
1517	Determination of Total and Free Concentrations of Flucloxacillin and Cefazolin in Human Plasma by Liquid Chromatography/Tandem Mass Spectrometry. Journal of Analytical & Bioanalytical Techniques, 2014, 05, .	0.6	3
1519	Methods for urine drug testing using one-step dilution and direct injection in combination with LC–MS/MS and LC–HRMS. Bioanalysis, 2014, 6, 2229-2244.	1.5	29
1520	A validated LC–MS/MS method for the quantification of piperacillin/tazobactam on dried blood spot. Bioanalysis, 2014, 6, 2795-2802.	1.5	14
1521	Application of direct-infusion ESI–MS/MS for toxicological screening. Bioanalysis, 2014, 6, 2043-2055.	1.5	3
1522	Quantification of cocaine and metabolites in exhaled breath by liquid chromatography-high-resolution mass spectrometry following controlled administration of intravenous cocaine. Analytical and Bioanalytical Chemistry, 2014, 406, 6213-6223.	3.7	25
1523	Impact of electrospray ion source platforms on matrix effect due to plasma phospholipids in the determination of rivastigmine by LC–MS/MS. Bioanalysis, 2014, 6, 2301-2316.	1.5	7
1524	Scope extension validation protocol: inclusion of analytes and matrices in an LC-MS/MS sulfonamide residues method. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2014, 31, 39-47.	2.3	17
1525	Simultaneous ionization and analysis of 84 anabolic androgenic steroids in human urine using liquid chromatographyâ€silver ion coordination ionspray/tripleâ€quadrupole mass spectrometry. Drug Testing and Analysis, 2014, 6, 1174-1185.	2.6	14
1527	Quantification of Cell-Associated Atazanavir, Darunavir, Lopinavir, Ritonavir, and Efavirenz Concentrations in Human Mononuclear Cell Extracts. Antimicrobial Agents and Chemotherapy, 2014, 58, 2866-2870.	3.2	16
1528	Evaluation of Activated Sludge for Biodegradation of Propylene Glycol as an Aircraft Deicing Fluid. Water Environment Research, 2014, 86, 366-371.	2.7	1
1529	Determination of Cotinine by LC-MS-MS with Automated Solid-Phase Extraction. Journal of Chromatographic Science, 2014, 52, 351-356.	1.4	9
1530	Study of the matrix effects and sample dilution influence on the LC–ESI–MS/MS analysis using four derivatization reagents. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 967, 147-155.	2.3	21
1531	Pharmacokinetics of Artesunate Alone and in Combination with Sulfadoxine/Pyrimethamine in Healthy Sudanese Volunteers. American Journal of Tropical Medicine and Hygiene, 2014, 90, 1087-1093.	1.4	11
1532	Quantification of rilpivirine in human plasma, cervicovaginal fluid, rectal fluid and genital/rectal mucosal tissues using liquid chromatography–tandem mass spectrometry. Bioanalysis, 2014, 6, 1907-1921.	1.5	15

ARTICLE IF CITATIONS Determination of Chloramphenicol in Milk Using a QuEChERS-Based on Liquid Chromatography 1533 1.8 27 Tandem Mass Spectrometry Method. Analytical Letters, 2014, 47, 568-578. CYP1A2 phenotyping in dried blood spots and microvolumes of whole blood and plasma. Bioanalysis, 1534 1.5 2014, 6, 3011-3024 Feature Selection for the Identification of Antitumor Compounds in the Alcohol Total Extracts of 1535 1.3 8 Curcuma longa. Planta Medica, 2014, 80, 1036-1044. Troubleshooting in LC-MS/MS method for determining endocannabinoid and endocannabinoid-like molecules in rat brain structures applied to assessing the brain endocannabinoid/endovanilloid system significance. Toxicology Mechanisms and Methods, 2014, 24, 315-322. 1536 Simultaneous determination of seven bufadienolides in rat plasma after oral administration of Shexiang Baoxin Pill by liquid chromatography–electrospray ionization–tandem mass spectrometry: Application to a pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the 1537 2.3 13 Biomedical and Life Sciences, 2014, 967, 255-263. Matrix effects in metabolite quantification for MIST assessment: the impact of phospholipid removal 1538 1.5 and HPLC column particle size. Bioanalysis, 2014, 6, 761-771. Development and Method Validation for the Determination of Nitroimidazole Residues in Salmon, 1539 1.53 Tilapia and Shrimp Muscle. Journal of AOAC INTERNATIONAL, 2014, 97, 273-281. Development and Application of a Microwave-Assisted Extraction and LC/MS/MS Methodology to the Determination of Antifouling Booster Biocides in Sea Mullets (Mugil cephalus) Organisms. Journal of 1540 1.5 AOAC INTERNATIONAL, 2014, 97, 197-204. Dilemma with Matrix Effect in Bioanalysis â€" Perspectives from Bioavailability/Bioequivalence Studies 1541 1.7 4 for Product Registration?. Drug Research, 2014, 64, 335-336. Environmentally friendly method for the determination of acrylamide and trimethylolpropane in 1542 paper packaging materials by liquid chromatography with tandem mass spectrometry. Journal of 2.5 Separation Science, 2014, 37, 3625-3631. Rapid and sensitive liquid chromatography with tandem mass spectrometry method for the simultaneous determination of 11 major components of Yuanhu-Baizhi herb-pair in rat perfusion 1543 2 2.5 fluids. Journal of Separation Science, 2014, 37, 1429-1437. Rapid extraction, identification and quantification of drugs of abuse in hair by immunoassay and ultra-performance liquid chromatography tandem mass spectrometry. Clinical Chemistry and Laboratory Medicine, 2014, 52, 679-86. 2.3 Separation and determination of homogenous fatty alcohol ethoxylates by liquid chromatography 1545 2.5 11 with mulitstage mass spectrometry. Journal of Separation Science, 2014, 37, 1694-1702. Simultaneous identification, confirmation and quantitation of illegal adulterated antidiabetics in herbal medicines and dietary supplements using high-resolution benchtop quadrupole-Orbitrap mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life 1546 2.3 ciences, 2014, 967, 174-182, Screening for new psychoactive substances in hair by ultrahigh performance liquid chromatography–electrospray ionization tandem mass spectrometry. Journal of Chromatography A, 1547 3.7 67 2014, 1372, 145-156. Simultaneous determination of saflufenacil and its two metabolites in soil samples by ultraâ€performance liquid chromatography with tandem mass spectrometry. Journal of Separation 1548 Science, 2014, 37, 658-664. High throughput quantification of prohibited substances in plasma using thin film solid phase 1549 3.7 77 microextraction. Journal of Chromatography A, 2014, 1374, 40-49. Development and validation of a rapid and sensitive LC-MS/MS method for the determination of aripiprazole in human plasma: Application to a bioequivalence study. Acta Chromatographica, 2014, 26, 1.3 203-227.

#	Article	IF	CITATIONS
1551	A rapid, sensitive and solventâ€less method for determination of malonaldehyde in meat by stir bar sorptive extraction coupled thermal desorption and gas chromatography/mass spectrometry with <i>in situ</i> derivatization. Rapid Communications in Mass Spectrometry, 2014, 28, 2723-2728.	1.5	15
1552	Simultaneous quantification of <scp>l</scp> â€ŧetrahydropalmatine and its urine metabolites by ultra high performance liquid chromatography with tandem mass spectrometry. Journal of Separation Science, 2014, 37, 696-703.	2.5	13
1553	Liquid chromatography/tandem mass spectrometry with fluorous derivatization method for selective analysis of sialyl oligosaccharides. Rapid Communications in Mass Spectrometry, 2014, 28, 2481-2489.	1.5	26
1554	The pharmacokinetics of methocarbamol and guaifenesin after single intravenous and multipleâ€dose oral administration of methocarbamol in the horse. Journal of Veterinary Pharmacology and Therapeutics, 2014, 37, 25-34.	1.3	4
1555	Comprehensive analytical strategy for biomonitoring of pesticides in urine by liquid chromatography–orbitrap high resolution mass spectrometry. Journal of Chromatography A, 2014, 1374, 66-76.	3.7	68
1556	Bioanalysis for plasma protein binding studies in drug discovery and drug development: views and recommendations of the European Bioanalysis Forum. Bioanalysis, 2014, 6, 673-682.	1.5	79
1557	A fast and simple solid phase microextraction coupled with gas chromatography-triple quadrupole mass spectrometry method for the assay of urinary markers of glutaric acidemias. Journal of Chromatography A, 2014, 1372, 253-259.	3.7	19
1558	Buffer salt effects in offâ€line coupling of capillary electrophoresis and mass spectrometry. Electrophoresis, 2014, 35, 1268-1274.	2.4	11
1559	Simultaneous quantification of methylene blue and its major metabolite, azure B, in plasma by LCâ€MS/MS and its application for a pharmacokinetic study. Biomedical Chromatography, 2014, 28, 518-524.	1.7	18
1560	Simultaneous determination of metoprolol and its metabolites, αâ€hydroxymetoprolol and <i><scp>O</scp></i> â€desmethylmetoprolol, in human plasma by liquid chromatography with tandem mass spectrometry: <scp>A</scp> plication to the pharmacokinetics of metoprolol associated with <scp>CYP</scp> 2 <scp>D</scp> 6 genotypes, lournal of Separation Science, 2014, 37, 1256-1264.	2.5	26
1561	Screenâ€Printed Disposable Sensors Modified with Bismuth Precursors for Rapid Voltammetric Determination of 3 Ecotoxic Nitrophenols. Electroanalysis, 2014, 26, 766-775.	2.9	27
1562	Cannabinoids determination in oral fluid by SPME–GC/MS and UHPLC–MS/MS and its application on suspected drivers. Science and Justice - Journal of the Forensic Science Society, 2014, 54, 421-426.	2.1	33
1563	LC–MS/MS in endocrinology: what is the profit of the last 5 years?. Bioanalysis, 2014, 6, 43-57.	1.5	26
1564	Incurred sample reanalysis in bioequivalence studies for abbreviated new drug applications. Bioanalysis, 2014, 6, 3349-3354.	1.5	3
1565	Current advances and strategies towards fully automated sample preparation for regulated LC–MS/MS bioanalysis. Bioanalysis, 2014, 6, 2441-2459.	1.5	36
1566	Determination of drugs of abuse in bovine dentin using liquid chromatography–electrospray ionization tandem mass spectrometry. Journal of Mass Spectrometry, 2014, 49, 1306-1313.	1.6	15
1567	Determination of synthetic dyes in bean and meat products by liquid chromatography with tandem mass spectrometry. Journal of Separation Science, 2014, 37, 2439-2445.	2.5	23
1568	Improved identification of multiple drugs of abuse and relative metabolites in urine samples using liquid chromatography/triple quadrupole mass spectrometry coupled with a library search. Rapid Communications in Mass Spectrometry, 2014, 28, 2043-2053.	1.5	7

#	Article	IF	CITATIONS
1569	Determination of the antimalarial drug piperaquine in small volume pediatric plasma samples by LC–MS/MS. Bioanalysis, 2014, 6, 3081-3089.	1.5	27
1570	Application of a UHPLC MS/MS–Based Multianalyte Approach for Screening and Validated Quantification of Drugs in Human Blood Plasma Often Requested in the Context of Brain Death Diagnosis. Therapeutic Drug Monitoring, 2014, 36, 257-260.	2.0	8
1571	Hair Analysis for Long-Term Monitoring of Buprenorphine Intake in Opiate Withdrawal. Therapeutic Drug Monitoring, 2014, 36, 796-807.	2.0	11
1572	Development and Validation of a Liquid Chromatography–Tandem Mass Spectrometry Assay to Quantify Plasma Busulfan. Therapeutic Drug Monitoring, 2014, 36, 169-174.	2.0	24
1574	<i>Absorptive chemistry</i> based extraction for LC-MS/MS analysis of small molecule analytes from biological fluids – an application for 25-hydroxyvitamin D. Clinical Chemistry and Laboratory Medicine, 2014, 52, 363-371.	2.3	8
1575	Quantification of linezolid in serum by LC-MS/MS using semi-automated sample preparation and isotope dilution internal standardization. Clinical Chemistry and Laboratory Medicine, 2014, 52, 381-389.	2.3	22
1576	Alkaloids in Processed Rhizoma Corydalis and Crude Rhizoma Corydalis Analyzed by GC/MS. Journal of Analytical Methods in Chemistry, 2014, 2014, 1-6.	1.6	11
1577	Development and validation of a sensitive LC-MS/MS method for simultaneous quantification of sinotecan and its active metabolite in human blood. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 951-952, 62-68.	2.3	9
1578	Quantitative analysis of 11-nor-9-carboxy-tetrahydrocannbinol (THC–COOH) in urine by LC–MS/MS following a simple filtration. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 957, 77-83.	2.3	15
1579	Determination of LBPT in human plasma by high performance liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 965, 238-243.	2.3	2
1580	R(-)-O-desmethylangolensin is the main enantiomeric form of daidzein metabolite produced by human in vitro and in vivo. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 953-954, 30-37.	2.3	15
1581	Determination of crizotinib in human and mouse plasma by liquid chromatography electrospray ionization–tandem mass spectrometry (LC-ESI–MS/MS). Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 960, 151-157.	2.3	21
1582	Simultaneous determination of oxathiapiprolin and two metabolites in fruits, vegetables and cereal using a modified quick, easy, cheap, effective, rugged, and safe method and liquid chromatography coupled to tandem mass spectrometry. Journal of Chromatography A, 2014, 1329, 30-37.	3.7	36
1583	Simple validated LC–MS/MS method for the determination of atropine and scopolamine in plasma for clinical and forensic toxicological purposes. Journal of Pharmaceutical and Biomedical Analysis, 2014, 96, 197-206.	2.8	26
1584	Direct analysis of the mushroom poisons α- and β-amanitin in human urine using a novel on-line turbulent flow chromatography mode coupled to liquid chromatography–high resolution-mass spectrometry/mass spectrometry. Journal of Chromatography A, 2014, 1325, 92-98.	3.7	43
1585	Quantitative analysis of 3,4-dimethylmethcathinone in blood and urine by liquid chromatography–tandem mass spectrometry in a fatal case. Legal Medicine, 2014, 16, 222-226.	1.3	27
1587	Simultaneous determination of seven bisphenols in environmental water and solid samples by liquid chromatography–electrospray tandem mass spectrometry. Journal of Chromatography A, 2014, 1328, 26-34.	3.7	293
1588	Development and validation of a highly sensitive LC–MS/MS method for quantification of IC87114 in mice plasma, bronchoalveolar lavage and lung samples: Application to pharmacokinetic study. Journal of Pharmaceutical and Biomedical Analysis, 2014, 89, 197-202.	2.8	1

#	Article	IF	CITATIONS
1589	Fluorous affinity-based separation techniques for the analysis of biogenic and related molecules. Journal of Pharmaceutical and Biomedical Analysis, 2014, 101, 151-160.	2.8	24
1590	Liquid chromatography–tandem mass spectrometry method for toxicokinetics, tissue distribution, and excretion studies of T-2 toxin and its major metabolites in pigs. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 958, 75-82.	2.3	28
1591	Simultaneous determination of fludarabine and clofarabine in human plasma by LC–MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 960, 194-199.	2.3	13
1592	Quantitative determination of 11-nor-9-carboxy-tetrahydrocannabinol in hair by column switching LC–ESI-MS3. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 947-948, 179-185.	2.3	22
1593	Determination of AM-2201 metabolites in urine and comparison with JWH-018 abuse. International Journal of Legal Medicine, 2014, 128, 285-294.	2.2	50
1594	Behavioral and neurochemical characterization of kratom (Mitragyna speciosa) extract. Psychopharmacology, 2014, 231, 13-25.	3.1	47
1595	Validation of a LC–MS Method for the Determination of Urea Contamination in Market Teas. Food Analytical Methods, 2014, 7, 13-20.	2.6	5
1596	Screening of multiple drugs of abuse and metabolites in urine using LC/MS/MS with polarity switching electrospray ionization. Archives of Pharmacal Research, 2014, 37, 760-772.	6.3	17
1597	Validated method to measure yakuchinone A in plasma by LC-MS/MS and its application to a pharmacokinetic study in rats. Chemistry Central Journal, 2014, 8, 2.	2.6	8
1598	Detection and quantification of benzodiazepines and Z-drugs in human whole blood, plasma, and serum samples as part of a comprehensive multi-analyte LC-MS/MS approach. Analytical and Bioanalytical Chemistry, 2014, 406, 803-818.	3.7	34
1599	Parallel electromembrane extraction in a multiwell plate. Analytical and Bioanalytical Chemistry, 2014, 406, 431-440.	3.7	41
1600	New finding of nalbuphine metabolites in men: NMR spectroscopy and UPLC–MS/MS spectrometry assays in a pilot human study. Metabolomics, 2014, 10, 709-718.	3.0	14
1601	Simultaneous determination of benzothiazoles, benzotriazoles and benzosulfonamides by solid phase microextraction-gas chromatography-triple quadrupole mass spectrometry in environmental aqueous matrices and human urine. Journal of Chromatography A, 2014, 1338, 164-173.	3.7	62
1602	Pharmacokinetics of plantamajoside and acteoside from Plantago asiatica in rats by liquid chromatography–mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2014, 89, 251-256.	2.8	44
1603	Simultaneous determination of 18 abused opioids and metabolites in human hair using LC–MS/MS and illegal opioids abuse proven by hair analysis. Journal of Pharmaceutical and Biomedical Analysis, 2014, 89, 99-105.	2.8	42
1604	New sorbent in the dispersive solid phase extraction step of quick, easy, cheap, effective, rugged, and safe for the extraction of organic contaminants in drinking water treatment sludge. Journal of Chromatography A, 2014, 1336, 10-22.	3.7	58
1605	Determination of tetracyclines in pig and other meat samples using liquid chromatography coupled with diode array and tandem mass spectrometric detectors. Meat Science, 2014, 96, 1332-1339.	5.5	31
1606	Determination of cefadroxil in rat plasma and urine using LC–MS/MS and its application to pharmacokinetic and urinary excretion studies. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 947-948, 103-110.	2.3	12

#	Article	IF	CITATIONS
1607	LC-MS-MS for the Determination of Ponicidin in Dog Plasma. Journal of Chromatographic Science, 2014, 52, 211-217.	1.4	2
1608	Evaluation of SPE as Preparative Technique for the Analysis of Phenolic Metabolites in Human Feces. Food Analytical Methods, 2014, 7, 844-853.	2.6	11
1609	LC–MS/MS Method for the Simultaneous Determination of Free Urinary Steroids. Chromatographia, 2014, 77, 637-642.	1.3	29
1610	Quantification of free sialic acid in human plasma through a robust quinoxalinone derivatization and LC–MS/MS using isotope-labeled standard calibration. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 944, 75-81.	2.3	15
1611	Rapid and simultaneous quantitation of prostanoids by UPLC–MS/MS in rat brain. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 945-946, 207-216.	2.3	30
1612	Simultaneous quantification of trans-resveratrol and its sulfate and glucuronide metabolites in rat tissues by stable isotope-dilution UPLC–MS/MS analysis. Journal of Pharmaceutical and Biomedical Analysis, 2014, 94, 99-105.	2.8	25
1613	Fate of malathion and a phosphonic acid in activated sludge with varying solids retention times. Water Research, 2014, 57, 127-139.	11.3	21
1614	Detection of Î ² -methylphenethylamine, a novel doping substance, by means of UPLC/MS/MS. Analytical and Bioanalytical Chemistry, 2014, 406, 3681-3688.	3.7	21
1615	Fast targeted analysis of 132 acidic and neutral drugs and poisons in whole blood using LC–MS/MS. Forensic Science International, 2014, 243, 35-43.	2.2	52
1616	Multi-dye residue analysis of triarylmethane, xanthene, phenothiazine and phenoxazine dyes in fish tissues by ultra-performance liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 953-954, 92-101.	2.3	23
1617	A simple quantitative method analysing amikacin, gentamicin, and vancomycin levels in human newborn plasma using ion-pair liquid chromatography/tandem mass spectrometry and its applicability to a clinical study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences 2014 951-952 110-118	2.3	67
1618	Absolute quantification of podocin, a potential biomarker of glomerular injury in human urine, by liquid chromatography–multiple reaction monitoring cubed mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2014, 94, 84-91.	2.8	23
1620	Selective materials for solid-phase extraction in environmental analysis. Trends in Environmental Analytical Chemistry, 2014, 1, e8-e18.	10.3	52
1621	3,4-Methylenedioxypyrovalerone (MDPV) and metabolites quantification in human and rat plasma by liquid chromatography–high resolution mass spectrometry. Analytica Chimica Acta, 2014, 827, 54-63.	5.4	40
1622	Simplifying sample pretreatment: Application of dried blood spot (DBS) method to blood samples, including postmortem, for UHPLC–MS/MS analysis of drugs of abuse. Forensic Science International, 2014, 243, 61-67.	2.2	64
1623	Liquid chromatography–tandem mass spectrometry for simultaneous measurement of thromboxane B2 and 12(S)-hydroxyeicosatetraenoic acid in serum. Journal of Pharmaceutical and Biomedical Analysis, 2014, 96, 256-262.	2.8	22
1624	Mass spectrometry and 3-nitrotyrosine: Strategies, controversies, and our current perspective. Mass Spectrometry Reviews, 2014, 33, 237-276.	5.4	59
1625	Bioanalytical chromatographic method validation according to current regulations, with a special focus on the non-well defined parameters limit of quantification, robustness and matrix effect. Journal of Chromatography A, 2014, 1353, 10-27.	3.7	182

#	Article	IF	CITATIONS
1626	Liquid chromatography–tandem mass spectrometry method for determination of aliskiren in saliva and its application to a clinical trial with healthy volunteers. Journal of Pharmaceutical and Biomedical Analysis, 2014, 96, 118-126.	2.8	7
1627	Application of partially fluorinated carboxylic acids as ion-pairing reagents in LC/ESI-MS. Talanta, 2014, 127, 219-224.	5.5	14
1628	Stability of the proteasome inhibitor bortezomib in cell based assays determined by ultra-high performance liquid chromatography coupled to tandem mass spectrometry. Journal of Chromatography A, 2014, 1345, 128-138.	3.7	9
1629	Étude de la stabilité de sept benzodiazépines, de la méthadone et du zolpidem dans des taches de sang. Toxicologie Analytique Et Clinique, 2014, 26, 32-38.	0.1	0
1630	Application of nanoring amino-functionalized magnetic polymer dispersive micro-solid-phase extraction and ultra fast liquid chromatography–tandem mass spectrometry in dicyandiamide residue analysis of powdered milk. Talanta, 2014, 119, 187-192.	5.5	39
1631	Development of an LC-MS/MS method for aromatase inhibitor screening. Analytical and Bioanalytical Chemistry, 2014, 406, 3443-3449.	3.7	5
1632	â€~Psychotropics caught in a trap' – Adopting a screening approach to specific needs. Forensic Science International, 2014, 243, 84-89.	2.2	26
1633	Synthesis of [¹³ C ₆]″abelled phenethylamine derivatives for drug quantification in biological samples. Journal of Labelled Compounds and Radiopharmaceuticals, 2014, 57, 378-387.	1.0	8
1634	Analysis of Fourteen β-Agonists in Weight-Reducing Dietary Supplements Using QuEChERS-Based Extraction Followed by High Resolution UHPLC-MS. Food Analytical Methods, 2014, 7, 977-985.	2.6	8
1635	Cleaning up blood samples using a modified "QuEChERS―procedure for the determination of drugs of abuse and benzodiazepines by UPLC–MSMSâ~†. Forensic Science International, 2014, 243, 99-106.	2.2	50
1636	A sensitive and accurate quantitative method to determine N-arachidonoyldopamine and N-oleoyldopamine in the mouse striatum using column-switching LC–MS–MS: use of a surrogate matrix to quantify endogenous compounds. Analytical and Bioanalytical Chemistry, 2014, 406, 4491-4499.	3.7	15
1637	Simultaneous determination of seven β-lactam antibiotics in human plasma for therapeutic drug monitoring and pharmacokinetic studies. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 960, 134-144.	2.3	82
1638	Liquid chromatography–tandem mass spectrometry method for simultaneous quantification of bisoprolol, ramiprilat, propranolol and midazolam in rat dried blood spots. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 958, 29-35.	2.3	16
1639	High-throughput determination of nonsteroidal anti-inflammatory drugs in human plasma by HILIC-MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2014, 88, 71-80.	2.8	31
1640	Introduction of solid-phase microextraction as a high-throughput sample preparation tool in laboratory analysis of prohibited substances. Analytica Chimica Acta, 2014, 809, 69-81.	5.4	89
1641	Simultaneous Determination of Sulphoraphane and Sulphoraphane Nitrile in <i>Brassica</i> Vegetables using Ultraâ€Performance Liquid Chromatography with Tandem Mass Spectrometry. Phytochemical Analysis, 2014, 25, 141-146.	2.4	9
1642	Microextraction by packed sorbent: an emerging, selective and highâ€ŧhroughput extraction technique in bioanalysis. Biomedical Chromatography, 2014, 28, 839-847.	1.7	38
1643	A qualitative/quantitative approach for the detection of 37 tryptamine-derived designer drugs, 5 β-carbolines, ibogaine, and yohimbine in human urine and plasma using standard urine screening and multi-analyte approaches. Analytical and Bioanalytical Chemistry, 2014, 406, 225-237.	3.7	34

ARTICLE IF CITATIONS Hair analysis as a tool to evaluate the prevalence of synthetic cannabinoids in different populations 2.6 70 1644 of drug consumers. Drug Testing and Analysis, 2014, 6, 126-134. Quantitation of tenofovir and emtricitabine in dried blood spots (DBS) with LC–MS/MS. Journal of 1645 2.8 Pharmaceutical and Biomedical Analysis, 2014, 88, 144-151. An automated dual-gradient liquid chromatography–MS/MS method for the simultaneous determination of ferulic acid, ligustrazine and ligustilide in rat plasma and its application to a 1646 2.8 26 pharmacokinetic study. Journal of Pharmaceutical and Biomedical Analysis, 2014, 88, 354-363. LC–MS/MS in the routine clinical laboratory: has its time come?. Analytical and Bioanalytical 1647 Chemistry, 2014, 406, 2289-2301. Analytical metabolomics-based approaches to pancreatic cancer. TrAC - Trends in Analytical Chemistry, 1648 11.4 13 2014, 55, 94-116. Quantification of typical antipsychotics in human plasma by ultra-high performance liquid chromatography tandem mass spectrometry for therapeutic drug monitoring. Journal of Pharmaceutical and Biomedical Analysis, 2014, 88, 36-44. 1649 2.8 37 Determination of phenolic compounds in olive oil: New method based on liquid–liquid micro 1650 extraction and ultra high performance liquid chromatography-triple–quadrupole mass spectrometry. 5.2 49 LWT - Food Science and Technology, 2014, 57, 49-57. Development of a simple and rapid solid phase microextraction-gas chromatography–triple quadrupole mass spectrometry method for the analysis of dopamine, serotonin and norepinephrine in 5.4 human urine. Analytica Chimica Acta, 2014, 810, 17-24. Application of modified QuEChERS method to liver samples for forensic toxicological analysis. 1652 2.4 31 Forensic Toxicology, 2014, 32, 139-147. Evaluation of matrix effect in isotope dilution mass spectrometry based on quantitative analysis of 5.4 chloramphenicol residues in milk powder. Analytica Chimica Acta, 2014, 807, 75-83. Rapid and simple extraction of lipids from blood plasma and urine for liquid chromatography-tandem 1654 3.7 44 mass spectrometry. Journal of Chromatography A, 2014, 1331, 19-26. Screening and quantitative determination of drugs of abuse in diluted urine by UPLC–MS/MS. Journal 2.3 of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 947-948, 83-95. Application of a high resolution benchtop quadrupole-Orbitrap mass spectrometry for the rapid screening, confirmation and quantification of illegal adulterated phosphodiesterase-5 inhibitors in 1656 3.7 55 herbal medicines and dietary supplements. Journal of Chromatography A, 2014, 1344, 91-98. DETERMINATION OF FLORFENICOL AMINE IN SWINE MUSCLE BY HYDROPHILIC INTERACTION LIQUID CHROMATOGRAPHY–TANDEM MASS SPECTROSCOPY. Journal of Liquid Chromatography and Related Technologies, 2014, 37, 2698-2710. 1.0 Rapid and sensitive methodology for determination of ethyl carbamate in fortified wines using 1658 microextraction by packed sorbent and gas chromatography with mass spectrometric detection. 40 5.4Analytica Chimica Acta, 2014, 811, 29-35. Simultaneous quantification of 20 synthetic cannabinoids and 21 metabolites, and semi-quantification of 12 alkyl hydroxy metabolites in húman urine by liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2014, 1327, 105-117. Validation of a novel method to identify in utero ethanol exposure: simultaneous meconium 1660 extraction of fatty acid ethyl esters, ethyl glucuronide, and ethyl sulfate followed by LC-MS/MS 3.7 30 quantification. Analytical and Bioanalytical Chemistry, 2014, 406, 1945-1955. Analysis of AM $\hat{s}\in 2201$ and metabolites in a drugs and driving case. Drug Testing and Analysis, 2014, 6, 389-395.

#	Article	IF	CITATIONS
1662	Co-occurrence of aflatoxins and ochratoxin A in spices commercialized in Italy. Food Control, 2014, 39, 192-197.	5.5	66
1663	Microextraction by packed sorbent liquid chromatography with timeâ€ofâ€flight mass spectrometry of triazines employing a molecularly imprinted polymerâ€. Journal of Separation Science, 2014, 37, 3150-3156.	2.5	31
1664	Determination of sunitinib in human plasma using liquid chromatography coupled with mass spectrometry. Journal of Separation Science, 2014, 37, 2652-2658.	2.5	15
1665	Applications of mass spectrometry for quantitative protein analysis in formalinâ€fixed paraffinâ€embedded tissues. Proteomics, 2014, 14, 441-451.	2.2	53
1666	High-throughput hydrophilic interaction chromatography coupled to tandem mass spectrometry for the optimized quantification of the anti-Gram-negatives antibiotic colistin A/B and its pro-drug colistimethate. Journal of Chromatography A, 2014, 1369, 52-63.	3.7	26
1667	Determination of rhynchophylline and hirsutine in rat plasma by UPLCâ€MS/MS after oral administration of <i>Uncaria rhynchophylla</i> extract. Biomedical Chromatography, 2014, 28, 439-445.	1.7	14
1668	Quantitation of ribavirin in human plasma and red blood cells using LC-MS/MS. Journal of Separation Science, 2014, 37, 476-483.	2.5	12
1669	In vitro/in vivo screening of oxidative homeostasis and damage to DNA, protein, and lipids using UPLC/MS-MS. Analytical and Bioanalytical Chemistry, 2014, 406, 5465-5476.	3.7	20
1670	Quantification of soy isoflavones and their conjugative metabolites in plasma and urine: an automated and validated UHPLC-MS/MS method for use in large-scale studies. Analytical and Bioanalytical Chemistry, 2014, 406, 6007-6020.	3.7	40
1671	Screening for Anabolic Steroids in Urine of Forensic Cases Using Fully Automated Solid Phase Extraction and LC–MS-MS. Journal of Analytical Toxicology, 2014, 38, 637-644.	2.8	9
1672	A new method for screening aldose reductase inhibitors using ultrahigh performance liquid chromatography-tandem mass spectrometry. Analytical Methods, 2014, 6, 7681-7688.	2.7	4
1673	Determination of triclocarban in aquatic plants by using SPE combined with HPLC-ESI-MS/MS. Analytical Methods, 2014, 6, 2227-2232.	2.7	3
1674	Combined target and post-run target strategy for a comprehensive analysis of pesticides in ambient air using liquid chromatography-Orbitrap high resolution mass spectrometry. Journal of Chromatography A, 2014, 1368, 132-142.	3.7	40
1675	Simultaneous determination of nine lignans from <i>Schisandra chinensis</i> extract using ultraâ€performance liquid chromatography with tandem mass spectrometry in rat plasma, urine, and gastrointestinal tract samples: Application to the pharmacokinetic study of <i>Schisandra chinensis</i> lournal of Separation Science, 2014, 37, 2851-2863.	2.5	12
1676	Quantification of endogenous brassinosteroids in sub-gram plant tissues by in-line matrix solid-phase dispersion–tandem solid phase extraction coupled with high performance liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2014, 1359, 44-51.	3.7	32
1677	Alternative sorbents for the dispersive solid-phase extraction step in quick, easy, cheap, effective, rugged and safe method for extraction of pesticides from rice paddy soils with determination by liquid chromatography tandem mass spectrometry. Journal of Chromatography A, 2014, 1360, 66-75.	3.7	70
1678	Highly Sensitive Detection of Zearalenone in Feed Samples Using Competitive Surface-Enhanced Raman Scattering Immunoassay. Journal of Agricultural and Food Chemistry, 2014, 62, 8325-8332.	5.2	64
1679	Recent advances in sample preparation techniques to overcome difficulties encountered during quantitative analysis of small molecules from biofluids using LC-MS/MS. Analyst, The, 2014, 139, 2265.	3.5	212

#	Article	IF	CITATIONS
1680	Quantification of ghrelin and des-acyl ghrelin in human plasma by using cubic-selected reaction-monitoring LCMS. Bioanalysis, 2014, 6, 1373-1383.	1.5	9
1681	A sensitive and cost-effective LC-ESI-MS/MS method for quantitation of euscaphic acid in rat plasma using optimized formic acid concentration in the mobile phase. Analytical Methods, 2014, 6, 8713-8721.	2.7	12
1682	Application of Solid Phase Microextraction for Quantitation of Polyunsaturated Fatty Acids in Biological Fluids. Analytical Chemistry, 2014, 86, 12022-12029.	6.5	38
1683	Differentiating crack cocaine from regular cocaine in whole blood samples in drugs and driving cases. Analytical Methods, 2014, 6, 7195-7203.	2.7	3
1684	Matrix effects caused by phospholipids in multi-residue analysis for beta-agonists with liquid chromatography-electrospray tandem mass spectrometry. RSC Advances, 2014, 4, 25719-25728.	3.6	4
1685	Application of a simple and rapid LC-MS/MS method for determination of danshensu in human plasma for an oral pharmacokinetic study of Danshen granules in Chinese healthy subjects. Analytical Methods, 2014, 6, 1956-1962.	2.7	3
1686	Simultaneous determination of bisphenol A, bisphenol AF, tetrachlorobisphenol A, and tetrabromobisphenol A concentrations in water using on-line solid-phase extraction with ultrahigh-pressure liquid chromatography tandem mass spectrometry. International Journal of Environmental Analytical Chemistry, 2014, 94, 16-27	3.3	16
1687	Quantitative determination of enzalutamide, an antiâ€prostate cancer drug, in rat plasma using liquid chromatography–tandem mass spectrometry, and its application to a pharmacokinetic study. Biomedical Chromatography, 2014, 28, 1112-1117.	1.7	25
1688	An UPLC–MS/MS method for separation and accurate quantification of tamoxifen and its metabolites isomers. Journal of Pharmaceutical and Biomedical Analysis, 2014, 100, 254-261.	2.8	18
1690	Development and validation of a liquid chromatography/tandem mass spectrometry assay for the simultaneous determination of dabigatran etexilate, intermediate metabolite and dabigatran in 5014/4L rat plasma and its application to pharmacokinetic study. Journal of Chromatography B: Analytical	2.3	19
1691	Two complementary liquid chromatography-tandem mass spectrometry (LC-MS/MS) methods to study the excretion and metabolic interaction of edaravone and taurine in rats. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 970, 8-17.	2.3	5
1692	FDA Bioequivalence Standards. AAPS Advances in the Pharmaceutical Sciences Series, 2014, , .	0.6	14
1693	Mass Spectrometry–Based Candidate Reference Measurement Procedure for Quantification of Amyloid-β in Cerebrospinal Fluid. Clinical Chemistry, 2014, 60, 987-994.	3.2	132
1694	Aluminum Dialkyl Phosphinate Flame Retardants and Their Hydrolysates: Analytical Method and Occurrence in Soil and Sediment Samples from a Manufacturing Site. Environmental Science & Technology, 2014, 48, 3336-3343.	10.0	8
1695	Measuring Free, Conjugated, and Halogenated Estrogens in Secondary Treated Wastewater Effluent. Environmental Science & Technology, 2014, 48, 2569-2578.	10.0	31
1696	Molecularly imprinted polymer as in-line concentrator in capillary electrophoresis coupled with mass spectrometry for the determination of quinolones in bovine milk samples. Journal of Chromatography A, 2014, 1360, 1-8.	3.7	63
1697	Simultaneous determination of eight antibiotics from distinct classes in surface and wastewater samples by solid-phase extraction and high-performance liquid chromatography–electrospray ionisation mass spectrometry. International Journal of Environmental Analytical Chemistry, 2014, 94, 1013-1037	3.3	48
1698	Matrix effect in F2-isoprostanes quantification by HPLC–MS/MS: A validated method for analysis of iPF2α-VI in human urine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 965, 100-106.	2.3	8

#	Article	IF	CITATIONS
1699	Total testosterone quantitative measurement in serum by LC-MS/MS. Clinica Chimica Acta, 2014, 436, 263-267.	1.1	45
1700	Determination of opiates in human fingernail—Comparison to hair. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 967, 84-89.	2.3	30
1701	A Rapid Method to Determine Colonic Microbial Metabolites Derived from Grape Flavanols in Rat Plasma by Liquid Chromatography–Tandem Mass Spectrometry. Journal of Agricultural and Food Chemistry, 2014, 62, 7698-7706.	5.2	24
1702	Fluorocarbon-bonded magnetic mesoporous microspheres for the analysis of perfluorinated compounds in human serum by high-performance liquid chromatography coupled to tandem mass spectrometry. Analytica Chimica Acta, 2014, 844, 35-43.	5.4	42
1703	Simultaneous determination of pharmaceuticals and some of their metabolites in wastewaters by high performance liquid chromatography with tandem mass spectrometry. Journal of Separation Science, 2014, 37, 1289-1296.	2.5	30
1704	A review of sample preparation methods for quantitation of small-molecule analytes in brain tissue by liquid chromatography tandem mass spectrometry (LC-MS/MS). Analytical Methods, 2014, 6, 6183-6207.	2.7	44
1705	Simultaneous quantification of purine and pyrimidine bases, nucleosides and their degradation products in bovine blood plasma by high performance liquid chromatography tandem mass spectrometry. Journal of Chromatography A, 2014, 1356, 197-210.	3.7	42
1706	Evaluation of matrix effects using a spike recovery approach in a dilute-and-inject liquid chromatography–tandem mass spectrometry opioid monitoring assay. Clinica Chimica Acta, 2014, 437, 38-42.	1.1	17
1707	Analysis and pharmacokinetics studies of gastrodin and p-hydroxybenzyl alcohol in dogs using ultra fast liquid chromatography–tandem mass spectrometry method. Journal of Pharmaceutical and Biomedical Analysis, 2014, 99, 83-88.	2.8	19
1708	The detection of iron protoporphyrin (heme b) in phytoplankton and marine particulate material by electrospray ionisation mass spectrometry – comparison with diode array detection. Analytica Chimica Acta, 2014, 841, 33-43.	5.4	17
1709	Development and validation of liquid chromatography–tandem mass spectrometry method for quantification of a potential anticancer triterpene saponin from seeds of Nigella glandulifera in rat plasma: Application to a pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 967, 156-161.	2.3	9
1710	Simultaneous detection of 93 conventional and emerging drugs of abuse and their metabolites in urine by UHPLC-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 969, 272-284.	2.3	71
1711	Folate Profiling in Potato (<i>Solanum tuberosum</i>) Tubers by Ultrahigh-Performance Liquid Chromatography–Tandem Mass Spectrometry. Journal of Agricultural and Food Chemistry, 2014, 62, 3092-3100.	5.2	13
1712	Simultaneous Analysis of 22 Antiepileptic Drugs in Postmortem Blood, Serum and Plasma Using LC–MS-MS with a Focus on Their Role in Forensic Cases. Journal of Analytical Toxicology, 2014, 38, 485-494.	2.8	68
1713	Evaluation of Laser Diode Thermal Desorption–Tandem Mass Spectrometry (LDTD–MS-MS) in Forensic Toxicology. Journal of Analytical Toxicology, 2014, 38, 528-535.	2.8	14
1714	Ultra-high-pressure liquid chromatography tandem mass spectrometry determination of hallucinogenic drugs in hair of psychedelic plants and mushrooms consumers. Journal of Pharmaceutical and Biomedical Analysis, 2014, 100, 284-289.	2.8	34
1715	Quantification of 33 antidepressants by LC-MS/MS—comparative validation in whole blood, plasma, and serum. Analytical and Bioanalytical Chemistry, 2014, 406, 5939-5953.	3.7	30
1716	Quantitative low-volume assay for simultaneous determination of fentanyl, norfentanyl, and minor metabolites in human plasma and urine by liquid chromatography—tandem mass spectrometry (LC-MS/MS). International Journal of Legal Medicine, 2014, 128, 771-778.	2.2	27

#	Article	lF	CITATIONS
1717	QUANTIFICATION OF AMINO ACIDS IN RAT URINE BY SOLID-PHASE EXTRACTION AND LIQUID CHROMATOGRAPHY/ELECTROSPRAY TANDEM MASS SPECTROMETRY: APPLICATION TO RADIATION INJURY RAT MODEL. Journal of Liquid Chromatography and Related Technologies, 2014, 37, 951-973.	1.0	11
1718	Mulberry Water Extracts Inhibit Atherosclerosis through Suppression of the Integrin-l² ₃ /Focal Adhesion Kinase Complex and Downregulation of Nuclear Factor l̂B Signaling <i>in Vivo</i> and <i>in Vitro</i> . Journal of Agricultural and Food Chemistry, 2014, 62, 9463-9471.	5.2	9
1719	Simultaneous determination of aflatoxin B1, B2, G1, G2, ochratoxin A, and sterigmatocystin in traditional Chinese medicines by LC–MS–MS. Analytical and Bioanalytical Chemistry, 2014, 406, 3031-3039.	3.7	50
1720	Development and validation of a liquid chromatography-tandem mass spectrometry (LC-MS/MS) procedure for screening of urine specimens for 100 analytes relevant in drug-facilitated crime (DFC). Analytical and Bioanalytical Chemistry, 2014, 406, 4411-4424.	3.7	39
1721	Development and validation of a liquid-chromatography high-resolution tandem mass spectrometry approach for quantification of nine cytochrome P450 (CYP) model substrate metabolites in an in vitro CYP inhibition cocktail. Analytical and Bioanalytical Chemistry, 2014, 406, 4453-4464.	3.7	21
1722	A candidate reference measurement procedure for Cyclosporine A in whole blood. Accreditation and Quality Assurance, 2014, 19, 147-157.	0.8	17
1723	LC–MS/MS Method for Detection of a Highly Selective KCa3.1 Blocker, TRAM-34, in Rat Plasma. Chromatographia, 2014, 77, 695-705.	1.3	1
1724	Analysis of the Heterocyclic Aromatic Amines in Cigarette Smoke by Liquid Chromatography–Tandem Mass Spectrometry. Chromatographia, 2014, 77, 813-820.	1.3	12
1725	Application of Polar Organic Chemical Integrative Sampler (POCIS) to monitor emerging contaminants in tropical waters. Science of the Total Environment, 2014, 482-483, 15-22.	8.0	53
1726	Development of SPME method for concomitant sample preparation of rocuronium bromide and tranexamic acid in plasma. Journal of Pharmaceutical and Biomedical Analysis, 2014, 92, 183-192.	2.8	34
1727	Simultaneous determination of diclofenac, its human metabolites and microbial nitration/nitrosation transformation products in wastewaters by liquid chromatography/quadrupole-linear ion trap mass spectrometry. Journal of Chromatography A, 2014, 1347, 63-71.	3.7	59
1728	Doping control analysis of trimetazidine and characterization of major metabolites using mass spectrometric approaches. Drug Testing and Analysis, 2014, 6, 1197-1205.	2.6	16
1729	Degradation of folic acid in fortified vitamin juices during long term storage. Food Chemistry, 2014, 159, 122-127.	8.2	18
1730	Amatoxins (α- and β-Amanitin) and Phallotoxin (Phalloidin) Analyses in Urines Using High-Resolution Accurate Mass LC–MS Technology. Journal of Analytical Toxicology, 2014, 38, 335-340.	2.8	38
1731	Simultaneous Determination of Aflatoxins and Ochratoxin A in Bee Pollen by Low-Temperature Fat Precipitation and Immunoaffinity Column Cleanup Coupled with LC-MS/MS. Food Analytical Methods, 2014, 7, 690-696.	2.6	30
1732	Matrix effect and methods for its elimination in bioanalytical methods using chromatography-mass spectrometry. Journal of Analytical Chemistry, 2014, 69, 311-317.	0.9	32
1733	Sensitive, selective and rapid determination of lafutidine in human plasma by solid phase extraction-liquid chromatography-tandem mass spectrometry. Journal of Analytical Chemistry, 2014, 69, 448-460.	0.9	0
1734	Application of Screening Experimental Designs to Assess Chromatographic Isotope Effect upon Isotope-Coded Derivatization for Quantitative Liquid Chromatography–Mass Spectrometry. Analytical Chemistry, 2014, 86, 7033-7040.	6.5	32

#	Article	IF	CITATIONS
1735	Simultaneous determination of a broad range of cardiovascular drugs in plasma with a simple and efficient extraction/clean up procedure and chromatography-mass spectrometry analysis. RSC Advances, 2014, 4, 19629-19639.	3.6	16
1736	d- and l-amino acids in Antarctic lakes: assessment of a very sensitive HPLC-MS method. Analytical and Bioanalytical Chemistry, 2014, 406, 5259-5270.	3.7	37
1737	A validated HPLC-ESI–MS/MS method for quantification of 2-hydroxy-4-methoxy benzoic acid from rat plasma and its application to pharmacokinetic study using sparse sampling methodology. Journal of Pharmaceutical and Biomedical Analysis, 2014, 100, 190-198.	2.8	6
1738	Method development and validation for simultaneous quantification of 15 drugs of abuse and prescription drugs and 7 of their metabolites in whole blood relevant in the context of driving under the influence of drugs––Usefulness of multi-analyte calibration. Forensic Science International, 2014, 244, 92-101.	2.2	23
1739	Chiral chromatography–tandem mass spectrometry applied to the determination of pro-resolving lipid mediators. Journal of Chromatography A, 2014, 1360, 150-163.	3.7	16
1740	Determination of Δ9-tetrahydrocannabinolic acid A (Δ9-THCA-A) in whole blood and plasma by LC–MS/MS and application in authentic samples from drivers suspected of driving under the influence of cannabis. Forensic Science International, 2014, 243, 130-136.	2.2	38
1741	A highly sensitive fluorescence quenching method for perphenazine detection based on its catalysis of K 2 S 2 O 8 oxidizing rhodamine 6G. Journal of Luminescence, 2014, 156, 124-129.	3.1	3
1742	Development and validation of an LC–MS/MS method for the toxicokinetic study of deoxynivalenol and its acetylated derivatives in chicken and pig plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 971, 43-51.	2.3	30
1743	Quantitative determination of zopiclone and zolpidem in whole blood by liquid–liquid extraction and UHPLC-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 971, 72-80.	2.3	24
1744	Chromatographic behavior of co-eluted plasma compounds and effect on screening of drugs by APCI-LC–MS(/MS): Applications to selected cardiovascular drugs. Journal of Pharmaceutical Analysis, 2014, 4, 384-391.	5.3	5
1745	UDP-N-Acetylmuramic Acid l-Alanine Ligase (MurC) Inhibition in atolCMutant Escherichia coli Strain Leads to Cell Death. Antimicrobial Agents and Chemotherapy, 2014, 58, 6165-6171.	3.2	7
1746	Simplified LC–MS/MS method enabling the determination of azithromycin in human plasma after a low 100 mg dose administration. Journal of Pharmaceutical and Biomedical Analysis, 2014, 100, 184-189.	2.8	23
1747	Quality requirements for quantitative clinical chemistry proteomics. Translational Proteomics, 2014, 2, 1-13.	1.2	9
1748	Absolute quantification of UGT1A1 in various tissues and cell lines using isotope label-free UPLC–MS/MS method determines its turnover number and correlates with its glucuronidation activities. Journal of Pharmaceutical and Biomedical Analysis, 2014, 88, 180-190.	2.8	24
1749	A comprehensive study for the validation of a LC–MS/MS method for the determination of free and total forms of urinary cortisol and its metabolites. Journal of Pharmaceutical and Biomedical Analysis, 2014, 94, 203-209.	2.8	24
1750	Confirmatory analysis of stanozolol metabolites in bovine, pig and sheep urines using an optimized clean-up and liquid chromatography–tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2014, 88, 45-52.	2.8	16
1751	Analysis of new designer drugs and common drugs of abuse in urine by a combined targeted and untargeted LC-HR-QTOFMS approach. Analytical and Bioanalytical Chemistry, 2014, 406, 4425-4441.	3.7	64
1752	Hydrophilic interaction liquid chromatography-solid phase extraction directly combined with protein precipitation for the determination of triptorelin in plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 960, 214-221.	2.3	14

#	Article	IF	CITATIONS
1753	Determination of carbadox and olaquindox metabolites in swine muscle by liquid chromatography/mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 944, 25-29.	2.3	28
1754	Validation of an LC–MS/MS method for the quantification of mycophenolic acid in human kidney transplant biopsies. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 945-946, 171-177.	2.3	18
1755	Experimental design approach to evaluate the impact of oak chips and micro-oxygenation on the volatile profile of red wines. Food Chemistry, 2014, 148, 357-366.	8.2	20
1756	Evaluation of intercalated α-zirconium phosphate as sorbent in separation and detection of sulfonamides in honey. Food Chemistry, 2014, 150, 58-64.	8.2	16
1757	The determination of acrylamide in environmental and drinking waters by large-volume injection – hydrophilic-interaction liquid chromatography and tandem mass spectrometry. Journal of Chromatography A, 2014, 1334, 72-78.	3.7	51
1758	Analysis of selected antibiotics in surface freshwater and seawater using direct injection in liquid chromatography electrospray ionization tandem mass spectrometry. Journal of Chromatography A, 2014, 1338, 38-43.	3.7	67
1759	Reliable quantification of bisphenol A and its chlorinated derivatives in human urine using UPLC–MS/MS method. Talanta, 2014, 125, 284-292.	5.5	32
1760	Non-aqueous capillary electrophoresis for the analysis of acidic compounds using negative electrospray ionization mass spectrometry. Journal of Chromatography A, 2014, 1323, 163-173.	3.7	30
1761	No endogenous ouabain is detectable in human plasma by ultra-sensitive UPLC-MS/MS. Clinica Chimica Acta, 2014, 431, 87-92.	1.1	58
1762	Identification and quantification of sea lamprey gonadotropin-releasing hormones by electrospray ionization tandem mass spectrometry. Journal of Chromatography A, 2014, 1345, 98-106.	3.7	8
1763	Packed-fiber solid-phase extraction coupled with high performance liquid chromatography–tandem mass spectrometry for determination of diethylstilbestrol, hexestrol, and dienestrol residues in milk products. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 957, 7-13.	2.3	34
1764	Determination of clozapine in hair and nail: The role of keratinous biological materials in the identification of a bloated cadaver case. Journal of Clinical Forensic and Legal Medicine, 2014, 22, 62-67.	1.0	23
1765	High throughput identification and quantification of 16 antipsychotics and 8 major metabolites in serum using ultra-high performance liquid chromatography–tandem mass spectrometry. Clinica Chimica Acta, 2014, 429, 51-58.	1.1	65
1766	Fast determination of 22 sulfonamides from chicken breast muscle using core–shell nanoring amino-functionalized superparamagnetic molecularly imprinted polymer followed by liquid chromatography-tandem mass spectrometry. Journal of Chromatography A, 2014, 1345, 17-28.	3.7	58
1767	Selective determination of antimycotic drugs in environmental water samples by mixed-mode solid-phase extraction and liquid chromatography quadrupole time-of-flight mass spectrometry. Journal of Chromatography A, 2014, 1339, 42-49.	3.7	74
1768	Determination of carbamates in edible vegetable oils by ultra-high performance liquid chromatography–tandem mass spectrometry using a new clean-up based on zirconia for QuEChERS methodology. Talanta, 2014, 128, 299-304.	5.5	84
1769	Using a postcolumn-infused internal standard for correcting the matrix effects of urine specimens in liquid chromatography–electrospray ionization mass spectrometry. Journal of Chromatography A, 2014, 1327, 97-104.	3.7	21
1770	Liquid chromatography quadrupole time-of-flight mass spectrometry quantification and screening of organophosphate compounds in sludge. Talanta, 2014, 118, 312-320.	5.5	23

#	Article	IF	CITATIONS
1771	Development and validation of a dried blood spot assay for the quantification of ribavirin using liquid chromatography coupled to mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 944, 18-24.	2.3	25
1772	Validation of a sensitive LC/MS/MS method for the determination of telaprevir and its <i>R</i> â€isomer in human plasma. Biomedical Chromatography, 2014, 28, 1714-1721.	1.7	2
1773	An optimized HPLC/MS/MS method for quantification of excitatory amino acids in rat hippocampus and its application in brain ischemia/reperfusion research. Biomedical Chromatography, 2014, 28, 1822-1827.	1.7	4
1775	Systematic investigation of the incorporation mechanisms of zolpidem in fingernails. Drug Testing and Analysis, 2014, 6, 533-541.	2.6	41
1776	Simultaneous quantitative and qualitative analysis of aliskiren, enalapril and its active metabolite enalaprilat in undiluted human urine utilizing LCâ€ESIâ€MS/MS. Biomedical Chromatography, 2014, 28, 1679-1691.	1.7	6
1777	Quantitative Measurement of XLR11 and UR-144 in Oral Fluid by LC–MS-MS. Journal of Analytical Toxicology, 2014, 38, 315-321.	2.8	26
1778	Phenotyping of CYP450 in human liver microsomes using the cocktail approach. Analytical and Bioanalytical Chemistry, 2014, 406, 4875-4887.	3.7	27
1779	Selective Determination of Fourteen Nitroimidazoles in Honey by High-Performance Liquid Chromatography–Tandem Mass Spectrometry. Analytical Letters, 2014, 47, 1634-1649.	1.8	21
1780	A surrogate analyte-based LC–MS/MS method for the determination of γ-hydroxybutyrate (GHB) in human urine and variation of endogenous urinary concentrations of GHB. Journal of Pharmaceutical and Biomedical Analysis, 2014, 98, 193-200.	2.8	24
1781	Enzymatic tumour tissue digestion coupled to SPE–UPLC–Tandem Mass Spectrometry as a tool to explore paclitaxel tumour penetration. Talanta, 2014, 129, 119-125.	5.5	4
1782	Liquid chromatography-mass spectrometry for the determination of chemical contaminants in food. TrAC - Trends in Analytical Chemistry, 2014, 59, 59-72.	11.4	154
1783	Simultaneous determination of major type B trichothecenes and deoxynivalenol-3-glucoside in animal feed and raw materials using improved DSPE combined with LC-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 963, 75-82.	2.3	50
1784	Retrospective analysis of synthetic cannabinoids in serum samples – epidemiology and consumption patterns. Forensic Science International, 2014, 242, 81-87.	2.2	26
1785	Matrix effect and optimization of LC–MSn determination of trachylobane-360 in mice blood. Journal of Pharmaceutical and Biomedical Analysis, 2014, 100, 262-270.	2.8	1
1786	Development and validation of an LC–MS/MS method for determination of the L-type voltage-gated calcium channel/NMDA receptor antagonist NGP1-01 in mouse serum. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 963, 83-89.	2.3	2
1787	A simple and accurate liquid chromatography–tandem mass spectrometry method for quantification of zonisamide in plasma and its application to a pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 961, 103-109.	2.3	3
1788	Determination of benzodiazepines, related pharmaceuticals and metabolites in water by solid-phase extraction and liquid-chromatography–tandem mass spectrometry. Journal of Chromatography A, 2014, 1352, 69-79.	3.7	48
1789	Comparison of QuEChERS sample preparation methods for the analysis of pesticide residues in canned and fresh peach. Food Chemistry, 2014, 165, 587-593.	8.2	41

#	Article	IF	CITATIONS
1790	Small molecule adduct formation with the components of the mobile phase as a way to analyse valproic acid in human serum with liquid chromatography-tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 959, 36-41.	2.3	24
1791	Optimization of solid phase extraction clean up and validation of quantitative determination of carbazochrome sodium sulfonate in human plasma by liquid chromatography-electrospray ionization tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 951-952, 1-6.	2.3	5
1792	A liquid chromatography-mass spectrometry assay for quantification of Exendin[9-39] in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 947-948, 186-191.	2.3	13
1793	Synthesis of [13C4]-labeled â^†9-Tetrahydrocannabinol and 11-nor-9-Carboxy-â^†9-tetrahydrocannabinol as Internal Standards for Reducing Ion Suppressing/Alteration Effects in LC/MS-MS Quantification. Molecules, 2014, 19, 13526-13540.	3.8	1
1794	Simultaneous quantification of salvianolic acid B and tanshinone IIA of salvia tropolone tablets by UPLC-MRM-MS/MS for pharmacokinetic studies. Acta Chromatographica, 2014, 26, 711-725.	1.3	3
1796	Simultaneous LC-MS/MS Analysis of the Plasma Concentrations of a Cocktail of 5 Cytochrome P450 Substrate Drugs and Their Metabolites. Biological and Pharmaceutical Bulletin, 2014, 37, 18-25.	1.4	32
1797	A highâ€performance liquid chromatography–tandem mass spectrometry method coupled with protein precipitation for determination of granisetron in human plasma and its application to a comparative pharmacokinetic study. Biomedical Chromatography, 2014, 28, 1597-1600.	1.7	10
1798	Validated LC–MS/MS method for determination of YH-8, a novel PKnB inhibitor, in rat plasma and its application to pharmacokinetic study. Acta Pharmaceutica Sinica B, 2015, 5, 467-472.	12.0	9
1799	Comparison of two methods for measuring methylmalonic acid as a marker for vitamin B12 deficiency. Diagnosis, 2015, 2, 67-72.	1.9	7
1800	Pharmacokinetics, Tissue Distribution, and Tentative Metabolite Identification of Sauchinone in Mice by Microsampling and HPLC-MS/MS Methods. Biological and Pharmaceutical Bulletin, 2015, 38, 218-227.	1.4	10
1802	Electrospray Ionization Mass Spectrometry for the Quantification of Inorganic Cations and Anions. Analytical Sciences, 2015, 31, 7-14.	1.6	10
1803	How to Deal with the "Matrix Effect―as an Unavoidable Phenomenon. European Journal of Mass Spectrometry, 2015, 21, 423-432.	1.0	6
1806	Determination of Five Folate Monoglutamates in Rodent Diets. Journal of Agricultural and Food Chemistry, 2015, 63, 10089-10095.	5.2	1
1807	Residue determination of plant activator benzo-1,2,3-thiadiazole-7- carboxylic acid 2-benzoyloxyethyl ester in water, soil, and vegetable by gas chromatography with tandem mass spectrometry. Journal of Separation Science, 2015, 38, 1900-1906.	2.5	3
1808	Application of a UPLCâ€MS/MS method for the analysis of alosetron in human plasma to support a bioequivalence study in healthy males and females. Biomedical Chromatography, 2015, 29, 1527-1534.	1.7	1
1809	A rapid and sensitive determination of hypoxic radiosensitizer agent nimorazole in rat plasma by LCâ€MS/MS and its application to a pharmacokinetic study. Biomedical Chromatography, 2015, 29, 1575-1580.	1.7	5
1810	A sensitive liquid chromatography–mass spectrometry bioanalytical assay for a novel anticancer candidate – ZMC1. Biomedical Chromatography, 2015, 29, 1708-1714.	1.7	3
1811	Study of the matrix effects of tetrodotoxin and its content in cooked seafood by liquid chromatography with triple quadrupole mass spectrometry. Journal of Separation Science, 2015, 38, 3374-3382.	2.5	10

#	Article	IF	CITATIONS
1812	Liquid chromatography tandem mass spectrometry method for the quantitation of mycophenolate mofetil in human plasma: Application to a bioequivalence study and metabolite identification. Journal of Separation Science, 2015, 38, 3533-3544.	2.5	5
1813	Challenges in optimizing sample preparation and LCâ€MS/MS conditions for the analysis of carglumic acid, an Nâ€acetyl glutamate derivative in human plasma. Drug Testing and Analysis, 2015, 7, 763-772.	2.6	3
1814	Simultaneous quantification of digoxin, digitoxin, and their metabolites in serum using high performance liquid chromatographyâ€ŧandem mass spectrometry. Drug Testing and Analysis, 2015, 7, 937-946.	2.6	15
1815	Molecularly imprinted solid-phase extraction coupled with ultra high performance liquid chromatography and fluorescence detection for the determination of estrogens and their metabolites in wastewater. Journal of Separation Science, 2015, 38, 3961-3968.	2.5	15
1816	A sensitive LCâ€MS/MS method for quantifying capsaicin and dihydrocapsaicin in rabbit plasma and tissue: application to a pharmacokinetic study. Biomedical Chromatography, 2015, 29, 496-503.	1.7	11
1817	Identification of phase I and II metabolites of the new designer drug <i>α</i> â€pyrrolidinohexiophenone (<i>α</i> â€PHP) in human urine by liquid chromatography quadrupole timeâ€ofâ€flight mass spectrometry (LCâ€QTOFâ€MS). Journal of Mass Spectrometry, 2015, 50, 1305-1317.	1.6	36
1818	Sensitive and rapid analytical method for the quantification of glucosamine in human plasma by ultra high performance liquid chromatography with tandem mass spectrometry. Journal of Separation Science, 2015, 38, 1866-1871.	2.5	2
1819	Simultaneous determination of antiviral drugs in chicken tissues by ultra high performance liquid chromatography with tandem mass spectrometry. Journal of Separation Science, 2015, 38, 1784-1793.	2.5	26
1820	Separation and simultaneous quantification of nine furanocoumarins fromRadix Angelicae dahuricaeusing liquid chromatography with tandem mass spectrometry for bioavailability determination in rats. Journal of Separation Science, 2015, 38, 4216-4224.	2.5	25
1821	Analysis of metronidazole in equine plasma using liquid chromatography/tandem mass spectrometry and highâ€resolution accurate mass spectrometry. Rapid Communications in Mass Spectrometry, 2015, 29, 753-763.	1.5	14
1822	Improvement and Validation of a High-Performance Liquid Chromatography in Tandem Mass Spectrometry Method for Monitoring of Omeprazole in Plasma. Therapeutic Drug Monitoring, 2015, 37, 381-388.	2.0	3
1823	Validation of a High-Performance Liquid Chromatography–Tandem Mass Spectrometry Method for the Determination of Perhexiline and Cis-Hydroxy-Perhexiline Plasma Concentrations. Therapeutic Drug Monitoring, 2015, 37, 821-826.	2.0	2
1824	Development of a Gas Chromatography - Tandem Mass Spectrometry Procedure for Determination of Pesticide Residues in Honey and Honeybee Samples. Journal of Chromatography & Separation Techniques, 2015, s6, .	0.2	0
1825	Improvements in the High-Performance Liquid Chromatography and Extraction Conditions for the Analysis of Oxidized Fatty Acids Using a Mixed-Mode Spin Column. Modern Chemistry & Applications, 2015, 03, .	0.2	3
1826	Development of a Rapid LC-MS/MS Method for the Determination of Emerging Fusarium mycotoxins Enniatins and Beauvericin in Human Biological Fluids. Toxins, 2015, 7, 3554-3571.	3.4	46
1827	Economical Synthesis of 13C-Labeled Opiates, Cocaine Derivatives and Selected Urinary Metabolites by Derivatization of the Natural Products. Molecules, 2015, 20, 5329-5345.	3.8	6
1828	Quantitative LC-MS/MS Analysis of Proteins Involved in Metastasis of Breast Cancer. PLoS ONE, 2015, 10, e0130760.	2.5	17
1829	Dried Blood Spot Testing for Seven Steroids Using Liquid Chromatography-Tandem Mass Spectrometry With Reference Interval Determination in the Korean Population. Annals of Laboratory Medicine, 2015, 35, 578-585.	2.5	26

#	Article	IF	CITATIONS
1830	Quantification of Niacin and Its Metabolite Nicotinuric Acid in Human Plasma by LC-MS/MS: Application to a Clinical Trial of a Fixed Dose Combination Tablet of Niacin Extended-Release/Simvastatin (500 mg/10 mg) in Healthy Chinese Volunteers. International Journal of Analytical Chemistry, 2015, 201 1-9.	5, ^{1.0}	4
1831	Sample Preparation and Extraction in Small Sample Volumes Suitable for Pediatric Clinical Studies: Challenges, Advances, and Experiences of a Bioanalytical HPLC-MS/MS Method Validation Using Enalapril and Enalaprilat. International Journal of Analytical Chemistry, 2015, 2015, 1-11.	1.0	8
1832	Determination of anabolic agents in dietary supplements by liquid chromatography-high-resolution mass spectrometry. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2015, 32, 1-13.	2.3	18
1833	Determination of the cardiac drug amiodarone and its N-desethyl metabolite in sludge samples. Journal of Chromatography A, 2015, 1394, 62-70.	3.7	12
1834	Matrix Effect Compensation in Small-Molecule Profiling for an LC–TOF Platform Using Multicomponent Postcolumn Infusion. Analytical Chemistry, 2015, 87, 5921-5929.	6.5	22
1835	Enantioselective Degradation of Indoxacarb From Different Commercial Formulations Applied to Tea. Chirality, 2015, 27, 262-267.	2.6	15
1836	A liquid chromatography with tandem mass spectrometry method for simultaneous determination of UTL-5g and its metabolites in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 991, 92-98.	2.3	2
1837	Detection of hormones in surface and drinking water in Brazil by LC-ESI-MS/MS and ecotoxicological assessment with Daphnia magna. Environmental Monitoring and Assessment, 2015, 187, 379.	2.7	67
1838	Ultra-trace analysis of 12 β2-agonists in pork, beef, mutton and chicken by ultrahigh-performance liquid-chromatography–quadrupole-orbitrap tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2015, 107, 526-534.	2.8	36
1839	Accurate determination of selected pesticides in soya beans by liquid chromatography coupled to isotope dilution mass spectrometry. Talanta, 2015, 137, 120-129.	5.5	18
1840	A novel mixed-mode solid phase extraction coupled with LC–MS/MS for the re-evaluation of free 3-nitrotyrosine in human plasma as an oxidative stress biomarker. Talanta, 2015, 140, 45-51.	5.5	25
1841	Compensation of Matrix Effects in a Standard Addition Method for Metformin in Postmortem Blood Using Liquid Chromatography-Electrospray-Tandem Mass Spectrometry. Journal of Analytical Toxicology, 2015, 39, 359-364.	2.8	28
1842	Simultaneous Determination and Pharmacokinetic Study of Losartan, Losartan Carboxylic Acid, Ramipril, Ramiprilat, and Hydrochlorothiazide in Rat Plasma by a Liquid Chromatography/Tandem Mass Spectrometry Method. Scientia Pharmaceutica, 2015, 83, 107-124.	2.0	14
1843	UPLC–MS method for quantification of pterostilbene and its application to comparative study of bioavailability and tissue distribution in normal and Lewis lung carcinoma bearing mice. Journal of Pharmaceutical and Biomedical Analysis, 2015, 114, 200-207.	2.8	18
1844	An optimized and validated SPE-LC–MS/MS method for the determination of caffeine and paraxanthine in hair. Talanta, 2015, 144, 62-70.	5.5	18
1845	Quantification of piperacillin, tazobactam, cefepime, meropenem, ciprofloxacin and linezolid in serum using an isotope dilution UHPLC-MS/MS method with semi-automated sample preparation. Clinical Chemistry and Laboratory Medicine, 2015, 53, 781-91.	2.3	70
1846	Quantitative Analysis of Thyroid Hormone Metabolites in Cell Culture Samples Using LC-MS/MS. European Thyroid Journal, 2015, 4, 51-58.	2.4	35
1847	Hepcidin determination in dried blood by microfluidic LC–MS/MS: comparison of DBS and volumetric absorptive microsampling for matrix effect and recovery. Bioanalysis, 2015, 7, 2789-2799.	1.5	27

#	Article	IF	CITATIONS
1848	Determination of Dufulin Residue in Vegetables, Rice, and Tobacco Using Liquid Chromatography with Tandem Mass Spectrometry. Journal of AOAC INTERNATIONAL, 2015, 98, 1739-1744.	1.5	22
1849	Recent advances in the application of hydrophilic interaction chromatography for the analysis of biological matrices. Bioanalysis, 2015, 7, 2927-2945.	1.5	20
1850	Analysis of triallate residue and degradation rate in wheat and soil by liquid chromatography coupled to tandem mass spectroscopy detection with multi-walled carbon nanotubes. International Journal of Environmental Analytical Chemistry, 2015, 95, 1413-1423.	3.3	6
1851	Quantification of co-trimoxazole in serum and plasma using MS/MS. Bioanalysis, 2015, 7, 2741-2749.	1.5	3
1852	Multi-residue enantiomeric analysis of human and veterinary pharmaceuticals and their metabolites in environmental samples by chiral liquid chromatography coupled with tandem mass spectrometry detection. Analytical and Bioanalytical Chemistry, 2015, 407, 9085-9104.	3.7	50
1853	Plasma levels of trimethylamine-N-oxide are confounded by impaired kidney function and poor metabolic control. Atherosclerosis, 2015, 243, 638-644.	0.8	175
1854	Determination of sulfonamides in beeswax by liquid chromatography coupled to tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 1006, 179-186.	2.3	9
1855	Direct injection method for HPLC/MS/MS analysis of acrylamide in aqueous solutions: application to adsorption experiments. Environmental Science and Pollution Research, 2015, 22, 6414-6422.	5.3	6
1856	Determination of a selection of antiâ€epileptic drugs and two active metabolites in whole blood by reversed phase UPLCâ€MS/MS and some examples of application of the method in forensic toxicology cases. Drug Testing and Analysis, 2015, 7, 634-644.	2.6	30
1857	Simultaneous Quantification of Diazepam, Flunitrazepam and Metabolites in Reinforced Clostridial Medium by Liquid Chromatography–Tandem Mass Spectrometry. Journal of Analytical Toxicology, 2015, 39, 29-34.	2.8	0
1858	Chromatography as a Core Step forÂanÂAnalytical Procedure. , 2015, , 51-85.		0
1859	LC-MS/MS analysis of acetaminophen and caffeine in amniotic fluid. Analytical Methods, 2015, 7, 405-410.	2.7	7
1860	An UPLC–MS/MS method for quantitative profiling of bile acids in sea lamprey plasma and tissues. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 980, 72-78.	2.3	24
1861	The HPLC–MS/MS Method for Determination of Diosbulbin B in the Plasma of Rats Administered with <i>Rhizoma Dioscoreae Bulbiferae</i> Combinations: Application to Comparative Pharmacokinetic Study. Journal of Liquid Chromatography and Related Technologies, 2015, 38, 847-854.	1.0	4
1862	Extraction optimization of Loratadine by supramolecular solvent-based microextraction and its determination using HPLC. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 980, 41-47.	2.3	13
1863	Development and validation of liquid chromatography–tandem mass spectrometry method for simultaneous determination of six steroidal saponins in rat plasma and its application to a pharmacokinetics study. Steroids, 2015, 96, 21-29.	1.8	15
1864	Comparison of conventional liquid chromatography–tandem mass spectrometry versus microflow liquid chromatography–tandem mass spectrometry within the framework of full method validation for simultaneous quantification of 40 antidepressants and neuroleptics in whole blood. Journal of Chromatography A, 2015, 1381, 87-100.	3.7	35
1865	New UHPLC–QqQ-MS/MS method for quantitative and qualitative determination of free phytoprostanes in foodstuffs of commercial olive and sunflower oils. Food Chemistry, 2015, 178, 212-220.	8.2	51

#	Article	IF	CITATIONS
1866	Simultaneous Separation and Determination of 22 Coumarin Derivatives in Cosmetics by UPLC-MS/MS. Chromatographia, 2015, 78, 241-249.	1.3	18
1867	Sewageâ€based epidemiology in monitoring the use of new psychoactive substances: Validation and application of an analytical method using LCâ€MS/MS. Drug Testing and Analysis, 2015, 7, 812-818.	2.6	87
1868	Microextraction by packed sorbent (MEPS). TrAC - Trends in Analytical Chemistry, 2015, 67, 34-44.	11.4	180
1869	Development and validation of a LC–MS/MS method for the quantitation of lumefantrine in mouse whole blood and plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 985, 6-13.	2.3	7
1870	Dihomo-isoprostanes—nonenzymatic metabolites of AdA—are higher in epileptic patients compared to healthy individuals by a new ultrahigh pressure liquid chromatography–triple quadrupole–tandem mass spectrometry method. Free Radical Biology and Medicine, 2015, 79, 154-163.	2.9	33
1871	Determination of 20 Perfluorinated Compounds in Animal Liver by HPLC-MS/MS. Chinese Journal of Analytical Chemistry, 2015, 43, 40-48.	1.7	17
1872	Rapid analysis of pharmaceuticals and personal care products in fish plasma micro-aliquots using liquid chromatography tandem mass spectrometry. Journal of Chromatography A, 2015, 1383, 104-111.	3.7	34
1873	Tutorial review on validation of liquid chromatography–mass spectrometry methods: Part I. Analytica Chimica Acta, 2015, 870, 29-44.	5.4	208
1874	An UHPLC–MS/MS method for simultaneous quantification of gallic acid and protocatechuic acid in rat plasma after oral administration of Polygonum capitatum extract and its application to pharmacokinetics. Journal of Ethnopharmacology, 2015, 162, 377-383.	4.1	41
1875	Development and validation of a liquid chromatography–tandem mass spectrometry (LC–MS/MS) assay to quantify serum voriconazole. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 986-987, 94-99.	2.3	19
1876	Identification in Rat Plasma and Urine by Linear Trap Quadrupole–Orbitrap Mass Spectrometry of the Metabolites of Maslinic Acid, a Triterpene from Olives. Journal of Agricultural and Food Chemistry, 2015, 63, 1126-1132.	5.2	14
1877	Synthesis and Quantitative Analysis of Plasma-Targeted Metabolites of Catechin and Epicatechin. Journal of Agricultural and Food Chemistry, 2015, 63, 2233-2240.	5.2	22
1878	Validated LC–MS/MS Assay for the Quantitative Determination of Fimasartan in Human Plasma: Application to Pharmacokinetic Studies. Journal of Chromatographic Science, 2015, 53, 1250-1256.	1.4	5
1879	Identification and quantification of 11-nor-Δ9-tetrahydrocannabinol-9-carboxylic acid glucuronide (THC-COOH-glu) in hair by ultra-performance liquid chromatography tandem mass spectrometry as a potential hair biomarker of cannabis use. Forensic Science International, 2015, 249, 47-51.	2.2	29
1880	<i>Alternaria</i> toxins in wheat from the Autonomous Province of Vojvodina, Serbia: a preliminary survey. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2015, 32, 1-10.	2.3	19
1881	Simultaneous quantification of 37 synthetic cannabinoid metabolites in human urine by liquid chromatography-tandem mass spectrometry. Forensic Toxicology, 2015, 33, 221-234.	2.4	35
1882	Quantification of methylone and metabolites in rat and human plasma by liquid chromatography-tandem mass spectrometry. Forensic Toxicology, 2015, 33, 202-212.	2.4	9
1883	Validation of JWH-018 and its metabolites in blood and urine by UPLC–MS/MS: Monitoring in forensic cases. Forensic Science International, 2015, 248, 88-93.	2.2	21

#	Article	IF	CITATIONS
1884	Rapid preparation of molecularly imprinted polymers by microwave-assisted emulsion polymerization for the extraction of florfenicol in milk. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 983-984, 32-38.	2.3	39
1885	Simultaneous analysis of 210 prohibited substances in human urine by ultrafast liquid chromatography/tandem mass spectrometry in doping control. Rapid Communications in Mass Spectrometry, 2015, 29, 367-384.	1.5	21
1886	UHPLC-MS/MS Determination of Ochratoxin A and Fumonisins in Coffee Using QuEChERS Extraction Combined with Mixed-Mode SPE Purification. Journal of Agricultural and Food Chemistry, 2015, 63, 1029-1034.	5.2	66
1887	Development and validation of a highly sensitive LCâ€MS/MS method for the determination of dexamethasone in nude mice plasma and its application to a pharmacokinetic study. Biomedical Chromatography, 2015, 29, 578-583.	1.7	26
1888	A simple method for simultaneous determination of N-arachidonoylethanolamine, N-oleoylethanolamine, N-palmitoylethanolamine and 2-arachidonoylglycerol in human cells. Analytical and Bioanalytical Chemistry, 2015, 407, 1781-1787.	3.7	21
1889	Principal components analysis: An innovative approach to establish interferences in ochratoxin A detection. Food Chemistry, 2015, 177, 354-360.	8.2	27
1890	Tutorial review on validation of liquid chromatography–mass spectrometry methods: Part II. Analytica Chimica Acta, 2015, 870, 8-28.	5.4	217
1891	The Rapid Measurement of Benzodiazepines in a Milk-Based Alcoholic Beverage Using QuEChERS Extraction and GC-MS Analysis. Journal of Analytical Toxicology, 2015, 39, 306-312.	2.8	32
1892	Use of LC–MS–MS as an alternative to currently available immunoassay methods to quantitate corticosterone in egg yolk and albumen. Analytical and Bioanalytical Chemistry, 2015, 407, 4351-4362.	3.7	14
1893	Development of a LC-MS/MS method for the simultaneous screening of seven water-soluble vitamins in processing semi-coarse wheat flour products. Analytical and Bioanalytical Chemistry, 2015, 407, 3471-3479.	3.7	28
1894	Simultaneous quantification of tobacco alkaloids and major phase I metabolites by LC-MS/MS in human tissue. International Journal of Legal Medicine, 2015, 129, 279-287.	2.2	7
1895	Multi-class mycotoxins analysis in Angelica sinensis by ultra fast liquid chromatography coupled with tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 988, 175-181.	2.3	26
1896	Development and validation of an UPLC-MS/MS method for the quantification of ethoxzolamide in blood, brain tissue, and bioequivalent buffers: Applications to absorption, brain distribution, and pharmacokinetic studies. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2015, 986-987, 54-59	2.3	3
1897	Liquid chromatography–high resolution mass spectrometry (LC–HRMS) determination of stimulants, anorectic drugs and phosphodiesterase 5 inhibitors (PDE5I) in food supplements. Journal of Pharmaceutical and Biomedical Analysis, 2015, 106, 144-152.	2.8	42
1898	Hydrophilic Interaction Liquid Chromatography Tandem Mass Spectrometry Methylphosphonic Acid Determination in Water Samples after Derivatization with p-Bromophenacyl Bromide. Chromatographia, 2015, 78, 585-591.	1.3	18
1899	Rapid and simultaneous quantification of seven bioactive components in Radix Astragali based on pressurized liquid extraction combined with HPLC-ESI-MS/MS analysis. Analytical Methods, 2015, 7, 3054-3062.	2.7	12
1900	Simultaneous determination of gonadotropin-inhibitory and gonadotropin-releasing hormones using ultra-high performance liquid chromatography electrospray ionization tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2015, 407, 497-507.	3.7	6
1901	Highly sensitive analysis of polyphenols and their metabolites in human blood cells using dispersive SPE extraction and LC-MS/MS. Analytical and Bioanalytical Chemistry, 2015, 407, 1885-1899.	3.7	25

#	Article	IF	CITATIONS
1902	A fully automated method for simultaneous determination of aflatoxins and ochratoxin A in dried fruits by pressurized liquid extraction and online solid-phase extraction cleanup coupled to ultra-high-pressure liquid chromatography–tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2015, 407, 2899-2911.	3.7	57
1903	An Economical Online Solid-Phase Extraction LC-MS/MS Method for Quantifying Methylprednisolone. Journal of Chromatographic Science, 2015, 53, 1013-1019.	1.4	4
1904	Study on Pharmacokinetics of Three Preparations from Levistolide A by LC–MS-MS. Journal of Chromatographic Science, 2015, 53, 1265-1273.	1.4	12
1905	An Advanced LC–MS/MS Platform for the Analysis of Specialized Pro-Resolving Lipid Mediators. Chromatographia, 2015, 78, 391-401.	1.3	17
1906	Systematic profiling of indole-3-acetic acid biosynthesis in bacteria using LC–MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 988, 53-58.	2.3	18
1907	Detection Times of Carboxylic Acid Metabolites of the Synthetic Cannabinoids JWH-018 and JWH-073 in Human Urine. Journal of Analytical Toxicology, 2015, 39, 280-286.	2.8	9
1908	Simultaneous Determination and Pharmacokinetics of Metolazone, Losartan and Losartan Carboxylic Acid in Rat Plasma by HPLC–ESI–MS-MS. Journal of Chromatographic Science, 2015, 53, 1520-1527.	1.4	9
1909	Quantitation of infliximab using clonotypic peptides and selective reaction monitoring by LC–MS/MS. International Immunopharmacology, 2015, 28, 513-520.	3.8	52
1910	Development and validation of a sensitive LC–MS/MS assay for the quantification of nizatidine in human plasma and urine and its application to pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 998-999, 80-87.	2.3	5
1911	Development and validation of a LC/MS method for the determination of Δ9-tetrahydrocannabinol and 11-carboxy-Δ9-tetrahydrocannabinol in the larvae of the blowfly Lucilia sericata: Forensic applications. Science and Justice - Journal of the Forensic Science Society, 2015, 55, 472-480.	2.1	5
1912	Water-Soluble Dried Blood Spot in Protein Analysis: A Proof-of-Concept Study. Analytical Chemistry, 2015, 87, 7918-7924.	6.5	22
1913	Evaluation of the matrix effect of different sample matrices for 33 pharmaceuticals by post-column infusion. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 1000, 84-94.	2.3	36
1914	Simultaneous determination of LSD and 2-oxo-3-hydroxy LSD in hair and urine by LC–MS/MS and its application to forensic cases. Journal of Pharmaceutical and Biomedical Analysis, 2015, 115, 138-143.	2.8	17
1915	High-throughput method for macrolides and lincosamides antibiotics residues analysis in milk and muscle using a simple liquid–liquid extraction technique and liquid chromatography–electrospray–tandem mass spectrometry analysis (LC–MS/MS). Talanta, 2015, 144, 686-695.	5.5	84
1916	Antibody-free ultra-high performance liquid chromatography/tandem mass spectrometry measurement of angiotensin I and II using magnetic epitope-imprinted polymers. Journal of Chromatography A, 2015, 1411, 69-76.	3.7	17
1917	High-throughput screening for new psychoactive substances (NPS) in whole blood by DLLME extraction and UHPLC–MS/MS analysis. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 1000, 57-68.	2.3	86
1918	The development of a high-performance liquid chromatography–tandem mass spectrometric method for simultaneous quantification of morphine, morphine-3-β-glucuronide, morphine-6-β-glucuronide, hydromorphone, and normorphine in serum. Clinical Biochemistry, 2015, 48, 1283-1290.	1.9	16
1919	Determination of Bedaquiline in Human Serum Using Liquid Chromatography-Tandem Mass Spectrometry. Antimicrobial Agents and Chemotherapy, 2015, 59, 5675-5680.	3.2	28

#	Article	IF	CITATIONS
1920	A Validated LC-MS-MS Method for Simultaneous Identification and Quantitation of Rodenticides in Blood. Journal of Analytical Toxicology, 2015, 39, 219-224.	2.8	24
1921	Multi-mycotoxin analysis of animal feed and animal-derived food using LC–MS/MS system with timed and highly selective reaction monitoring. Analytical and Bioanalytical Chemistry, 2015, 407, 7359-7368.	3.7	67
1922	Liquid Chromatography, In Combination with a Quadrupole Time-of-Flight Instrument, with Sequential Window Acquisition of All Theoretical Fragment-Ion Spectra Acquisition: Validated Quantification of 39 Antidepressants in Whole Blood As Part of a Simultaneous Screening and Quantification Procedure. Analytical Chemistry, 2015, 87, 9294-9301.	6.5	43
1923	Detection and quantification of 56 new psychoactive substances in whole blood and urine by LC–MS/MS. Bioanalysis, 2015, 7, 1119-1136.	1.5	38
1924	Does volumetric absorptive microsampling eliminate the hematocrit bias for caffeine and paraxanthine in dried blood samples? A comparative study. Analytica Chimica Acta, 2015, 881, 65-73.	5.4	128
1925	Determination of iohexol in human serum by a semi-automated liquid chromatography tandem mass spectrometry method. Clinical Biochemistry, 2015, 48, 679-685.	1.9	12
1926	Multi-analyte analysis of non-vitamin K antagonist oral anticoagulants in human plasma using tandem mass spectrometry. Clinical Chemistry and Laboratory Medicine, 2015, 53, 1981-90.	2.3	22
1927	Validation and clinical application of a method to quantify nevirapine in dried blood spots and dried breast-milk spots. Journal of Antimicrobial Chemotherapy, 2015, 70, 2816-2822.	3.0	21
1928	Analysis of benzodiazepines and their metabolites using DBS cards and LC–MS/MS. Forensic Science International, 2015, 255, 137-145.	2.2	25
1929	Liquid chromatography–high resolution mass spectrometry with immunoaffinity clean-up for the determination of the oxidative stress biomarker 8-iso-prostaglandin F2alpha in wastewater. Journal of Chromatography A, 2015, 1409, 146-151.	3.7	43
1930	Rapid chiral separation of atenolol, metoprolol, propranolol and the zwitterionic metoprolol acid using supercritical fluid chromatography–tandem mass spectrometry – Application to wetland microcosms. Journal of Chromatography A, 2015, 1409, 251-258.	3.7	29
1931	An ultrasensitive nano UHPLC–ESI–MS/MS method for the quantification of three neuromedin-like peptides in microdialysates. Bioanalysis, 2015, 7, 605-619.	1.5	16
1932	Direct tandem mass spectrometric analysis of amino acids in plasma using fluorous derivatization and monolithic solid-phase purification. Journal of Pharmaceutical and Biomedical Analysis, 2015, 115, 201-207.	2.8	13
1933	A rapid LC–MS/MS quantification of peramivir using a simple and inexpensive sample precipitation: application to PK. Bioanalysis, 2015, 7, 319-332.	1.5	4
1934	Making methods rugged for regulated bioanalysis. Bioanalysis, 2015, 7, 833-852.	1.5	5
1935	Assessing cocaine abuse using LC–MS/MS measurements in biological specimens. Bioanalysis, 2015, 7, 1497-1525.	1.5	11
1936	Determination of organophosphate flame retardants and plasticizers in lipid-rich matrices using dispersive solid-phase extraction as a sample cleanup step and ultra-high performance liquid chromatography with atmospheric pressure chemical ionization mass spectrometry. Analytica Chimica Acta. 2015. 885. 183-190.	5.4	49
1937	Development and validation of an LC–MS/MS method for determination of p-phenylenediamine and its metabolites in blood samples. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 997, 1-6.	2.3	17

#	Article	IF	CITATIONS
1938	Analysis of trace dicyandiamide in stream water using solid phase extraction and liquid chromatography UV spectrometry. Journal of Environmental Sciences, 2015, 35, 38-42.	6.1	21
1939	Synthesis and Use of Stable-Isotope-Labeled Internal Standards for Quantification of Phosphorylated Metabolites by LC–MS/MS. Analytical Chemistry, 2015, 87, 6896-6904.	6.5	66
1940	Determination of α-hederin in rat plasma using liquid chromatography electrospray ionization tandem mass spectrometry (LC-ESI-MS/MS) and its application to a pharmacokinetic study. Analytical Methods, 2015, 7, 2155-2161.	2.7	9
1941	Pharmacokinetic Evaluation of Avicularin Using a Model-Based Development Approach. Planta Medica, 2015, 81, 373-381.	1.3	8
1942	Determination of phenolic compounds by ultra high liquid chromatography-tandem mass spectrometry: Applications in nuts. LWT - Food Science and Technology, 2015, 64, 42-49.	5.2	28
1943	Effect of glycyrrhizic acid on rhein renal penetration: a microdialysis study in rats. Xenobiotica, 2015, 45, 1116-1121.	1.1	2
1944	Development and validation of a liquid chromatography–tandem mass spectrometry method for the quantitative determination of gamithromycin in animal plasma, lung tissue and pulmonary epithelial lining fluid. Journal of Chromatography A, 2015, 1398, 73-82.	3.7	14
1945	Determination of the antitubercular drug PA-824 in rat plasma, lung and brain tissues by liquid chromatography tandem mass spectrometry: Application to a pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 988, 187-194.	2.3	21
1946	The role of methanol addition to water samples in reducing analyte adsorption and matrix effects in liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2015, 1389, 76-84.	3.7	16
1947	Bioavailability and pharmacokinetics profile of helicid in beagle dogs using gradient elution high performance liquid chromatography electrospray ionization mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 988, 8-12.	2.3	7
1948	Critical development by design of a rugged HPLC-MS/MS method for direct determination of ibuprofen enantiomers in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 992, 67-75.	2.3	27
1949	Development and validation of a liquid chromatography tandem mass spectrometry assay for the quantitation of a protein therapeutic in cynomolgus monkey serum. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 988, 81-87.	2.3	11
1950	Validated UPLC–MS/MS method for determination of hordenine in rat plasma and its application to pharmacokinetic study. Journal of Pharmaceutical and Biomedical Analysis, 2015, 111, 131-137.	2.8	59
1951	Development of amino acid derivatization reagents for liquid chromatography electrospray ionization mass spectrometric analysis and ionization efficiency measurements. Journal of Chromatography A, 2015, 1390, 62-70.	3.7	31
1952	Target analysis of primary aromatic amines combined with a comprehensive screening of migrating substances in kitchen utensils by liquid chromatography–high resolution mass spectrometry. Talanta, 2015, 138, 290-297.	5.5	28
1953	Analytical tools for the analysis of β-carotene and its degradation products. Free Radical Research, 2015, 49, 650-680.	3.3	41
1954	Liquid chromatography–mass spectrometry method development for monitoring stress-related corticosteroids levels in pig saliva. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 990, 158-163.	2.3	9
1955	A high-performance liquid chromatography – tandem mass spectrometry – based targeted metabolomics kidney dysfunction marker panel in human urine. Clinica Chimica Acta, 2015, 446, 43-53.	1.1	28

#		IE	CITATIONS
#	A Method for Analysis of Wilfordmine in Human Plasma by Liquid Chromatography Coupled with Ion	IF	CHATIONS
1956	Trap Mass Spectrometry. Journal of Chromatographic Science, 2015, 53, 177-182.	1.4	0
1957	Development and validation of a rapid turboflow LC-MS/MS method for the quantification of LSD and 2-oxo-3-hydroxy LSD in serum and urine samples of emergency toxicological cases. Analytical and Bioanalytical Chemistry, 2015, 407, 1577-1584.	3.7	35
1958	Determination of selected veterinary antimicrobials in poultry excreta by UHPLC-MS/MS, for application in Salmonella control programs. Analytical and Bioanalytical Chemistry, 2015, 407, 4447-4457.	3.7	19
1959	Determination of illicit drugs and metabolites in oral fluid by microextraction on packed sorbent coupled with LC-MS/MS. Analytical and Bioanalytical Chemistry, 2015, 407, 3647-3658.	3.7	58
1960	Rapid evaluation of 25 key sphingolipids and phosphosphingolipids in human plasma by LC-MS/MS. Analytical and Bioanalytical Chemistry, 2015, 407, 5189-5198.	3.7	47
1961	Determination of pharmaceuticals in bivalves using QuEChERS extraction and liquid chromatography-tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2015, 407, 3841-3849.	3.7	31
1962	Determination of Synacthen® in dried blood spots for doping control analysis using liquid chromatography tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2015, 407, 4709-4720.	3.7	24
1963	Enantioselective analysis of non-steroidal anti-inflammatory drugs in freshwater fish based on microextraction with a supramolecular liquid and chiral liquid chromatography–tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2015, 407, 4721-4731.	3.7	23
1964	Occurrence and distribution of sulfonamides, tetracyclines, quinolones, macrolides, and nitrofurans in livestock manure and amended soils of Northern China. Environmental Science and Pollution Research, 2015, 22, 4545-4554.	5.3	225
1965	A quick method for determination of psychoactive agents in serum and hair by using capillary electrophoresis and mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2015, 111, 177-185.	2.8	17
1966	Development and analytical comparison of microflow and nanoflow liquid chromatography/mass spectrometry procedures for quantification of cardiac troponin T in mouse hearts. Talanta, 2015, 131, 510-520.	5.5	15
1967	Aminoglycoside analysis in food of animal origin with a zwitterionic stationary phase and liquid chromatography–tandem mass spectrometry. Analytica Chimica Acta, 2015, 882, 127-139.	5.4	64
1968	Utilizing Internal Standard Responses to Assess Risk on Reporting Bioanalytical Results from Hemolyzed Samples. AAPS Journal, 2015, 17, 1168-1176.	4.4	9
1969	A UHPLC–MS/MS bioanalytical assay for the determination of BMS-911543, a JAK2 inhibitor, in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 991, 85-91.	2.3	7
1970	Transfer of chloramphenicol from milk to commercial dairy products – Experimental proof. Food Control, 2015, 57, 411-418.	5.5	22
1971	Highly sensitive determination of dialkyl phosphinate acids in environmental samples by ion chromatography A, 2015, 1394, 26-35.	3.7	5
1972	A Validated Method for Simultaneous Determination of Codeine, Codeine-6-Glucuronide, Norcodeine, Morphine, Morphine-3-Glucuronide and Morphine-6-Glucuronide in Post-Mortem Blood, Vitreous Fluid, Muscle, Fat and Brain Tissue by LC-MS. Journal of Analytical Toxicology, 2015, 39, 203-212.	2.8	19
1973	Analysis of New Designer Drugs in Post-Mortem Blood Using High-Resolution Mass Spectrometry. Journal of Analytical Toxicology, 2015, 39, 163-171.	2.8	47
#	Article	IF	CITATIONS
------	--	-----	-----------
1974	Bibliometric Mapping: Eight Decades of Analytical Chemistry, With Special Focus on the Use of Mass Spectrometry. Analytical Chemistry, 2015, 87, 4588-4596.	6.5	24
1975	UHPLCâ€MS method for determination of gambogic acid and application to bioavailability, pharmacokinetics, excretion and tissue distribution in rats. Biomedical Chromatography, 2015, 29, 1581-1588.	1.7	12
1976	A validated ultra-high-performance liquid chromatography–tandem mass spectrometry method for the selective analysis of free and total folate in plasma and red blood cells. Journal of Chromatography A, 2015, 1398, 20-28.	3.7	20
1977	Mycotoxin Production in Liquid Culture and on Plants Infected with Alternaria spp. Isolated from Rocket and Cabbage. Toxins, 2015, 7, 743-754.	3.4	29
1978	Pre-equilibration kinetic size-exclusion chromatography with mass spectrometry detection (peKSEC-MS) for label-free solution-based kinetic analysis of protein–small molecule interactions. Analyst, The, 2015, 140, 990-994.	3.5	9
1979	Determination of fifteen coccidiostats in feed at carry-over levels using liquid chromatography–mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2015, 112, 50-59.	2.8	39
1980	Vortex-assisted surfactant-enhanced emulsification liquid–liquid microextraction for the determination of carbamates in juices by micellar electrokinetic chromatography tandem mass spectrometry. Talanta, 2015, 139, 174-180.	5.5	33
1981	Simultaneous determination of azilsartan and chlorthalidone in rat and human plasma by liquid chromatography-electrospray tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 990, 185-197.	2.3	26
1982	Development and validation of LC–MSMS assay for the determination of the prodrug dabigatran etexilate and its active metabolites in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 989, 37-45.	2.3	29
1983	Detection of Codeine, Morphine, 6-Monoacetylmorphine, and Meconin in Human Umbilical Cord Tissue. Therapeutic Drug Monitoring, 2015, 37, 45-52.	2.0	14
1984	A Validated Method for Quantification of Efavirenz in Dried Blood Spots Using High-Performance Liquid Chromatography–Mass Spectrometry. Therapeutic Drug Monitoring, 2015, 37, 220-228.	2.0	28
1985	Pharmacokinetic studies of ginkgolide K in rat plasma and tissues after intravenous administration using ultra-high performance liquid chromatography-tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 988, 1-7.	2.3	16
1986	Impact of the Grinding Process on the Quantification of Ethyl Glucuronide in Hair Using a Validated UPLC–ESI–MS-MS Method. Journal of Analytical Toxicology, 2015, 39, 17-23.	2.8	33
1987	Development and validation of LC–MS/MS assay for the determination of the prodrug Midodrine and its active metabolite Desglymidodrine in plasma of ascitic patients: Application to individualized therapy and comparative pharmacokinetics. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 991, 34-40.	2.3	17
1988	Simultaneous determination of chlorantraniliprole and cyantraniliprole in fruits, vegetables and cereals using ultra-high-performance liquid chromatography–tandem mass spectrometry with the isotope-labelled internal standard method. Analytical and Bioanalytical Chemistry, 2015, 407, 4111-4120.	3.7	33
1989	Analysis of phenazepam and 3â€hydroxyphenazepam in postâ€mortem fluids and tissues. Drug Testing and Analysis, 2015, 7, 926-936.	2.6	28
1990	Simultaneous LC-MS/MS determination of JWH-210, RCS-4, â^†9-tetrahydrocannabinol, and their main metabolites in pig and human serum, whole blood, and urine for comparing pharmacokinetic data. Analytical and Bioanalytical Chemistry, 2015, 407, 3775-3786.	3.7	23
1991	Determination of quinolones and fluoroquinolones, tetracyclines and sulfonamides in bovine, swine and poultry liver using LC-MS/MS. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2015, 32, 1-9.	2.3	14

#	Article	IF	CITATIONS
1992	Development, validation and clinical application of a novel method for the quantification of efavirenz in dried breast milk spots using LC-MS/MS. Journal of Antimicrobial Chemotherapy, 2015, 70, 555-561.	3.0	35
1993	Determination of multi-class antimicrobial residues in soil by liquid chromatography-tandem mass spectrometry. RSC Advances, 2015, 5, 27584-27593.	3.6	13
1994	A simple and automated online SPE-LC-MS/MS method for simultaneous determination of olanzapine, fluoxetine and norfluoxetine in human plasma and its application in therapeutic drug monitoring. RSC Advances, 2015, 5, 34342-34352.	3.6	12
1995	Development and comparison of two multi-residue methods for the analysis of select pesticides in honey bees, pollen, and wax by gas chromatography–quadrupole mass spectrometry. Talanta, 2015, 140, 81-87.	5.5	52
1996	Matrix effects in human urine analysis using multi-targeted liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2015, 1415, 91-99.	3.7	29
1997	Determination of 11 quinolones in bovine milk using immunoaffinity stir bar sorptive microextraction and liquid chromatography with fluorescence detection. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 1003, 67-73.	2.3	27
1998	Environmental metabolomics: Databases and tools for data analysis. Marine Chemistry, 2015, 177, 366-373.	2.3	53
1999	Simultaneous determinations of 17 marker compounds in Xiao–Chai–Hu–Tang by LC–MS/MS: Application to its pharmacokinetic studies in mice. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 1003, 12-21.	2.3	19
2000	Using the Matrix-Induced Ion Suppression Method for Concentration Normalization in Cellular Metabolomics Studies. Analytical Chemistry, 2015, 87, 9731-9739.	6.5	8
2001	High resolution mass spectrometry for quantitative analysis and untargeted screening of algal toxins in mussels and passive samplers. Journal of Chromatography A, 2015, 1416, 10-21.	3.7	58
2002	Determination of aminoglycosides in honey by capillary electrophoresis tandem mass spectrometry and extraction with molecularly imprinted polymers. Analytica Chimica Acta, 2015, 891, 321-328.	5.4	122
2003	A UPLC-MS-MS method for the simultaneous quantification of first-line antituberculars in plasma and in PBMCs. Journal of Antimicrobial Chemotherapy, 2015, 70, 2572-2575.	3.0	23
2004	Application of mixed-mode ultra high performance liquid chromatography to forensic drug analysis. Analytical Methods, 2015, 7, 9763-9772.	2.7	11
2005	An UPLC–MS detection method for the quantification of five antibiotics in human plasma. Bioanalysis, 2015, 7, 2321-2329.	1.5	10
2006	Validation of a fast UPLC–MS/MS method for quantitative analysis of opioids, cocaine, amphetamines (and their derivatives) in human whole blood. Bioanalysis, 2015, 7, 2685-2700.	1.5	17
2007	Development and Validation of a High-Throughput Ultrahigh-Performance Liquid Chromatography–Mass Spectrometry Approach for Screening of Oxylipins and Their Precursors. Analytical Chemistry, 2015, 87, 11721-11731.	6.5	42
2008	Synthesis, characterization and analysis of the acrylamide- and glycidamide-glutathione conjugates. Chemico-Biological Interactions, 2015, 237, 38-46.	4.0	19
2009	Cloud-point extraction is compatible with liquid chromatography coupled to electrospray ionization mass spectrometry for the determination of bisoprolol in human plasma. Journal of Chromatography A, 2015, 1423, 39-46.	3.7	21

CITA	TION	DEDO	.
CIIA	TION	KEPO	RI

#	Article	IF	CITATIONS
2010	Pyrrolizidine alkaloids in food and feed on the Belgian market. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2015, 32, 1939-1951.	2.3	38
2011	Validation and Application of a Liquid Chromatography-Tandem Mass Spectrometry Method To Determine the Concentrations of Sofosbuvir Anabolites in Cells. Antimicrobial Agents and Chemotherapy, 2015, 59, 7671-7679.	3.2	30
2012	Selective determination of COXIBs in environmental water samples by mixed-mode solid phase extraction and liquid chromatography quadrupole time-of-flight mass spectrometry. Journal of Chromatography A, 2015, 1420, 35-45.	3.7	26
2013	Multi-walled carbon nanotubes as solid-phase extraction sorbents for simultaneous determination of type A trichothecenes in maize, wheat and rice by ultra-high performance liquid chromatography-tandem mass spectrometry. Journal of Chromatography A, 2015, 1423, 177-182.	3.7	39
2014	The development and validation of a method for quantifying olanzapine in human plasma by liquid chromatography tandem mass spectrometry and its application in a pharmacokinetic study. Clinical and Experimental Pharmacology and Physiology, 2015, 42, 305-313.	1.9	13
2015	Determination of the major metabolite of betahistine (2-pyridyl acetic acid) in human plasma by high performance liquid chromatography-tandem mass spectrometry. Journal of Analytical Chemistry, 2015, 70, 1008-1014.	0.9	2
2016	Optimal design of experiments applied to headspace solid phase microextraction for the quantification of vicinal diketones in beer through gas chromatography-mass spectrometric detection. Analytica Chimica Acta, 2015, 887, 101-110.	5.4	23
2017	Dissipation kinetics and residues of triazolopyrimidine herbicides flumetsulam and florasulam in corn ecosystem. Environmental Monitoring and Assessment, 2015, 187, 390.	2.7	13
2018	Application of a validated LC–MS/MS method for JWH-073 and its metabolites in blood and urine in real forensic cases. Forensic Science International, 2015, 257, 165-171.	2.2	16
2019	High-throughput wide dynamic range procedure for the simultaneous quantification of nicotine and cotinine in multiple biological matrices using hydrophilic interaction liquid chromatography-tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2015, 407, 8463-8473.	3.7	28
2020	Non-structural carbohydrates in woody plants compared among laboratories. Tree Physiology, 2015, 35, tpv073.	3.1	163
2021	Reactive Charged Droplets for Reduction of Matrix Effects in Electrospray Ionization Mass Spectrometry. Analytical Chemistry, 2015, 87, 10988-10994.	6.5	32
2022	Evaluation of the change in sphingolipids in the human multiple myeloma cell line U266 and gastric cancer cell line MGC-803 treated with arsenic trioxide. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 1004, 98-107.	2.3	15
2023	Direct injection human plasma analysis for the quantification of antihypertensive drugs for therapeutic drug monitoring using hydrophilic interaction liquid chromatography/electrospray ionization mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 1004, 1-9.	2.3	14
2024	Templated polymers enable selective capture and release of lysophosphatidic acid in human plasma via optimization of non-covalent binding to functional monomers. Analyst, The, 2015, 140, 7572-7577.	3.5	2
2025	Surrogate matrix: opportunities and challenges for tissue sample analysis. Bioanalysis, 2015, 7, 2419-2433.	1.5	17
2026	Quantifying intracellular metabolites in yeast using a matrix with minimal interference from naturally occurring analytes. Analytical Biochemistry, 2015, 487, 17-26.	2.4	2
2027	Rapid determination of benzodiazepines, zolpidem and their metabolites in urine using direct injection liquid chromatography–tandem mass spectrometry. Forensic Science International, 2015, 257, 84-92. 	2.2	26

#	Article	IF	CITATIONS
2028	Determination of 26 endocrine disrupting chemicals in fish and water using modified QuEChERS combined with solid-phase extraction and UHPLC-MS/MS. Analytical Methods, 2015, 7, 8418-8431.	2.7	17
2029	DBS sampling in imatinib therapeutic drug monitoring: from method development to clinical application. Bioanalysis, 2015, 7, 2105-2117.	1.5	30
2030	Development of high throughput 96-blade solid phase microextraction-liquid chromatrography-mass spectrometry protocol for metabolomics. Analytica Chimica Acta, 2015, 892, 95-104.	5.4	41
2031	On-Line Sample Pre-Treatment Procedures Applied to LC–MS. , 2015, , 187-269.		Ο
2032	Solid Phase Microextraction Devices Prepared on Plastic Support as Potential Single-Use Samplers for Bioanalytical Applications. Analytical Chemistry, 2015, 87, 9722-9730.	6.5	73
2033	Short communication: Quantification of carbohydrates in whey permeate products using high-performance anion-exchange chromatography with pulsed amperometric detection. Journal of Dairy Science, 2015, 98, 7644-7649.	3.4	24
2034	Dried blood spots (DBS) in doping controls: a complementary matrix for improved in- and out-of-competition sports drug testing strategies. Analytical Methods, 2015, 7, 7596-7605.	2.7	23
2035	Measurement of catecholamines in rat and mini-pig plasma and urine by liquid chromatography–tandem mass spectrometry coupled with solid phase extraction. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 997, 154-161.	2.3	20
2036	Application of online microdialysis coupled with liquid chromatography-tandem mass spectrometry method in assessing neuroprotective effect of Rhizoma coptidis on diabetic rats. Analytical Methods, 2015, 7, 45-52.	2.7	25
2037	Sugars in Antarctic aerosol. Atmospheric Environment, 2015, 118, 135-144.	4.1	47
2038	Quantitative Determination of Tenuazonic Acid in Pig and Broiler Chicken Plasma by LC-MS/MS and Its Comparative Toxicokinetics. Journal of Agricultural and Food Chemistry, 2015, 63, 8560-8567.	5.2	23
2039	Determination of Siderophores in Seawater by High Performance Liquid Chromatography-Tandem Mass Spectrometry Coupled with Solid Phase Extraction. Chinese Journal of Analytical Chemistry, 2015, 43, 1285-1290.	1.7	4
2040	Determination of dopamine concentrations in brain extracellular fluid using microdialysis with short sampling intervals, analyzed by ultra high performance liquid chromatography tandem mass spectrometry. Journal of Pharmacological and Toxicological Methods, 2015, 74, 75-79.	0.7	33
2041	Phenylboronic Acid Solid Phase Extraction Cleanup and Isotope Dilution Liquid Chromatography-Tandem Mass Spectrometry for the Determination of Florfenicol Amine in Fish Muscles. Journal of AOAC INTERNATIONAL, 2015, 98, 566-574.	1.5	9
2042	Quantitative performance of online SPE-LC coupled to Q-Exactive for the analysis of sofosbuvir in human plasma. RSC Advances, 2015, 5, 98269-98277.	3.6	19
2043	Expansion of the Scope of AOAC First Action Method 2012.25—Single-Laboratory Validation of Triphenylmethane Dye and Leuco Metabolite Analysis in Shrimp, Tilapia, Catfish, and Salmon by LC-MS/MS. Journal of AOAC INTERNATIONAL, 2015, 98, 636-648.	1.5	10
2044	A UPLC–MSMS method for the analysis of olanzapine in serum—with particular emphasis on drug stability testing. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 1006, 112-120.	2.3	12
2045	Simultaneous determination of four Sudan dyes in rat blood by UFLC–MS/MS and its application to a pharmacokinetic study in rats. Journal of Pharmaceutical Analysis, 2015, 5, 239-248.	5.3	4

#	Article	IF	CITATIONS
2046	Development and validation of a dynamic range-extended LC-MS/MS multi-analyte method for 11 different postmortem matrices for redistribution studies applying solvent calibration and additional 13C isotope monitoring. Analytical and Bioanalytical Chemistry, 2015, 407, 8681-8712.	3.7	40
2047	Identification of two novel brominated contaminants in water samples by ultra-high performance liquid chromatography-Orbitrap Fusion Tribrid mass spectrometer. Journal of Chromatography A, 2015, 1377, 92-99.	3.7	62
2048	Urinary detection of conjugated and unconjugated anabolic steroids by diluteâ€andâ€shoot liquid chromatographyâ€high resolution mass spectrometry. Drug Testing and Analysis, 2015, 7, 95-108.	2.6	41
2049	Quantification of six cannabinoids and metabolites in oral fluid by liquid chromatographyâ€ŧandem mass spectrometry. Drug Testing and Analysis, 2015, 7, 684-694.	2.6	45
2050	Matrix effects break the LC behavior rule for analytes in LC-MS/MS analysis of biological samples. Experimental Biology and Medicine, 2015, 240, 488-497.	2.4	41
2051	A simple extraction and LCâ€MS/MS approach for the screening and identification of over 100 analytes in eight different matrices. Drug Testing and Analysis, 2015, 7, 214-240.	2.6	36
2052	Simultaneous determination of prescription drugs, cocaine, aldicarb and metabolites in larvae from decomposed corpses by LC–MS–MS after solid–liquid extraction with low temperature partitioning. Forensic Toxicology, 2015, 33, 93-103.	2.4	12
2053	Ultrafast quantification of β-lactam antibiotics in human plasma using UPLC–MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 978-979, 89-94.	2.3	67
2054	An LC–MS/MS method for the determination of five erectile dysfunction drugs and their selected metabolites in hair. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 978-979, 1-10.	2.3	16
2055	Aufgaben und Struktur des Faches. , 2015, , 1-15.		1
2056	Detection Dicyandiamide in Environmental Water by Liquid Chromatography–Mass Spectrometry Combined with Solid Phase Extraction Method. Journal of Liquid Chromatography and Related Technologies, 2015, 38, 501-505.	1.0	1
2057	Simultaneous determination of remimazolam and its carboxylic acid metabolite in human plasma using ultra-performance liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 976-977, 78-83.	2.3	12
2058	Highly selective and automated online SPE LC–MS 3 method for determination of cortisol and cortisone in human hair as biomarker for stress related diseases. Talanta, 2015, 134, 310-316.	5.5	49
2059	Simultaneous determination and pharmacokinetic study of three isoflavones from <i>Trifolium pratense</i> extract in rat plasma by LCâ€MS/MS. Biomedical Chromatography, 2015, 29, 210-219.	1.7	6
2060	Two-dimensional heart-cut LC-LC improves accuracy of exact-matching double isotope dilution mass spectrometry measurements of aflatoxin B1 in cereal-based baby food, maize, and maize-based feed. Analytical and Bioanalytical Chemistry, 2015, 407, 3159-3167.	3.7	24
2061	Analytical challenges for conducting rapid metabolism characterization for QIVIVE. Toxicology, 2015, 332, 20-29.	4.2	22
2062	Multiclass determination of 27 antibiotics in honey. Food Control, 2015, 48, 12-24.	5.5	63
2063	Pitfall in cannabinoid analysis—detection of a previously unrecognized interfering compound in human serum. Analytical and Bioanalytical Chemistry, 2015, 407, 463-470.	3.7	18

#	Article	IF	CITATIONS
2064	Development and validation of an LCâ€MS/MS method after chiral derivatization for the simultaneous stereoselective determination of methylenedioxyâ€methamphetamine (MDMA) and its phase I and II metabolites in human blood plasma. Drug Testing and Analysis, 2015, 7, 592-602.	2.6	11
2065	Determination of sulfonamide antibiotics and metabolites in liver, muscle and kidney samples by pressurized liquid extraction or ultrasound-assisted extraction followed by liquid chromatography–quadrupole linear ion trap-tandem mass spectrometry (HPLC–QqLIT-MS/MS). Talanta, 2015. 134. 768-778.	5.5	62
2066	Liquid chromatography tandem mass spectrometry in the clinical laboratory. Annals of Clinical Biochemistry, 2015, 52, 18-38.	1.6	81
2067	Fast quantification of endogenous carbohydrates in plasma using hydrophilic interaction liquid chromatography coupled with tandem mass spectrometry. Journal of Separation Science, 2015, 38, 34-41.	2.5	18
2068	Determination of the rifamycin antibiotics rifabutin, rifampin, rifapentine and their major metabolites in human plasma via simultaneous extraction coupled with LC/MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2015, 104, 55-61.	2.8	17
2069	Application of polypropylene tubes as single-use and low-cost sorptive extraction materials for the determination of benzodiazepines and zolpidem in water samples. Microchemical Journal, 2015, 119, 58-65.	4.5	14
2070	Enantioselective determination of representative profens in wastewater by a single-step sample treatment and chiral liquid chromatography–tandem mass spectrometry. Talanta, 2015, 134, 325-332.	5.5	57
2071	Fast and sensitive LC–MS/MS method measuring human mycotoxin exposure using biomarkers in urine. Archives of Toxicology, 2015, 89, 1993-2005.	4.2	79
2072	Magnetic beads as an extraction medium for simultaneous quantification of acetaminophen and structurally related compounds in human serum. Drug Testing and Analysis, 2015, 7, 457-466.	2.6	4
2073	Tramadol chronic abuse: An evidence from hair analysis by LC tandem MS. Journal of Pharmaceutical and Biomedical Analysis, 2015, 102, 450-458.	2.8	27
2074	Comparison of different calibration approaches for chloramphenicol quantification in chicken muscle by ultra-high pressure liquid chromatography tandem mass spectrometry. Analyst, The, 2015, 140, 366-370.	3.5	25
2075	Rapid extraction of melamine in powdered milk for direct electrospray ionization tandem mass spectrometry analysis. Talanta, 2015, 132, 535-540.	5.5	15
2076	The use of dried blood spots for quantification of 15 antipsychotics and 7 metabolites with ultraâ€high performance liquid chromatography ―tandem mass spectrometry. Drug Testing and Analysis, 2015, 7, 502-511.	2.6	39
2077	An LC–MS/MS method for steroid profiling during adrenal venous sampling for investigation of primary aldosteronism. Journal of Steroid Biochemistry and Molecular Biology, 2015, 145, 75-84.	2.5	129
2078	Development and Validation of an LC-MS Method for Determination of Karanjin in Rat Plasma: Application to Preclinical Pharmacokinetics. Journal of Chromatographic Science, 2015, 53, 456-461.	1.4	5
2079	Analytical quality assurance in veterinary drug residue analysis methods: Matrix effects determination and monitoring for sulfonamides analysis. Talanta, 2015, 132, 443-450.	5.5	69
2080	Selective extraction of antimycotic drugs from sludge samples using matrix solid-phase dispersion followed by on-line clean-up. Analytical and Bioanalytical Chemistry, 2015, 407, 907-917.	3.7	31
2081	A novel approach for high sensitive determination of sulfur mustard by derivatization and isotope-dilution LC–MS/MS analysis. Talanta, 2015, 132, 245-251.	5.5	14

#	Article	IF	CITATIONS
2082	Rapid determination of memantine in human plasma by using nanoring carboxylâ€functionalized paramagnetic molecularly imprinted polymer dâ€∙î¼ â€&PE and UFLCâ€MS/MS. Drug Testing and Analysis, 2015, 535-543.	72.6	2
2083	Multi-residue analysis of pharmaceuticals in wastewater by liquid chromatography–magnetic sector mass spectrometry: Method quality assessment and application in a Belgian case study. Chemosphere, 2015, 119, S2-S8.	8.2	85
2084	Nontargeted SWATH acquisition for identifying 47 synthetic cannabinoid metabolites in human urine by liquid chromatography-high-resolution tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2015, 407, 883-897.	3.7	116
2085	Simultaneous determination of five naphthoylindole-based synthetic cannabinoids and metabolites and their deposition in human and rat hair. Journal of Pharmaceutical and Biomedical Analysis, 2015, 102, 162-175.	2.8	40
2086	Routine quality control in honey packaging companies as a key to guarantee consumer safety. The case of the presence of sulfonamides analyzed with LC-MS-MS. Food Control, 2015, 50, 243-249.	5.5	22
2087	Validation and Application of an Rapid HPLC–MS Method for the Determination of Salvianic Acid A in Human Plasma. Journal of Chromatographic Science, 2015, 53, 771-777.	1.4	6
2088	8-Oxo-7,8-dihydroguanine and 8-oxo-7,8-dihydro-2′-deoxyguanosine concentrations in various human body fluids: implications for their measurement and interpretation. Archives of Toxicology, 2015, 89, 201-210.	4.2	34
2089	The use of mass spectrometry to analyze dried blood spots. Mass Spectrometry Reviews, 2016, 35, 361-438.	5.4	193
2090	Methods of Detection, Identification, and Quantitation. , 2016, , 161-181.		1
2091	Simultaneous Quantification of Baricitinib and Methotrexate in Rat Plasma by LC-MS/MS: Application to a Pharmacokinetic Study. Scientia Pharmaceutica, 2016, 84, 347-359.	2.0	14
2092	Prednisolone Replacement Therapy Mimics the Circadian Rhythm More Closely Than Other Glucocorticoids. journal of applied laboratory medicine, The, 2016, 1, 152-161.	1.3	27
2093	Electrospray Ionization Mass Spectrometryâ [~] †. , 2016, , 344-344.		0
2094	Residue Analysis of Benzobicyclon in Soil and Sediment Samples by Ultra High-Performance Liquid Chromatography-Tandem Mass Spectrometry. Journal of AOAC INTERNATIONAL, 2016, 99, 1628-1635.	1.5	3
2095	Rapid Quantification of Medroxyprogesterone Acetate (MPA) in Human Plasma by LC-MS/MS. journal of applied laboratory medicine, The, 2016, 1, 202-213.	1.3	5
2096	Influence of Acidification on the Partitioning of Steroid Hormones among Filtrate, Filter Media, and Retained Particulate Matter. Journal of Environmental Quality, 2016, 45, 1776-1781.	2.0	3
2097	Fast and Sensitive Method for Determination of Domoic Acid in Mussel Tissue. Scientific World Journal, The, 2016, 2016, 1-6.	2.1	7
2098	A Simple and High-Throughput Analysis of Amatoxins and Phallotoxins in Human Plasma, Serum and Urine Using UPLC-MS/MS Combined with PRiME HLB μElution Platform. Toxins, 2016, 8, 128.	3.4	38
2099	High Performance Liquid Chromatography Tandem Mass Spectrometry Measurement of Bimatoprost, Latanoprost and Travoprost in Eyelash Enhancing Cosmetic Serums. Cosmetics, 2016, 3, 4.	3.3	8

#	Article	IF	CITATIONS
2100	Determination of zearalenone, deoxynivalenol and metabolites in bile of piglets fed diets with graded levels of Fusarium toxin contaminated maize. World Mycotoxin Journal, 2016, 9, 179-193.	1.4	9
2101	Effect of Ethanol on the Metabolic Characteristics of HIV-1 Integrase Inhibitor Elvitegravir and Elvitegravir/Cobicistat with CYP3A: An Analysis Using a Newly Developed LC-MS/MS Method. PLoS ONE, 2016, 11, e0149225.	2.5	27
2102	A Liquid Chromatography-Tandem Mass Spectrometry Method for Quantifying Amisulpride in Human Plasma and Breast Milk, Applied to Measuring Drug Transfer to a Fully Breast-Fed Neonate. Therapeutic Drug Monitoring, 2016, 38, 493-498.	2.0	17
2103	Application of a hybrid ordered mesoporous silica as sorbent for solid-phase multi-residue extraction of veterinary drugs in meat by ultra-high-performance liquid chromatography coupled to ion-trap tandem mass spectrometry. Journal of Chromatography A, 2016, 1459, 24-37.	3.7	30
2104	Determination of phentermine, N -hydroxyphentermine and mephentermine in urine using dilute and shoot liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1029-1030, 22-27.	2.3	2
2105	Levels of pharmaceuticals in Slovene municipal and hospital wastewaters: a preliminary study. Arhiv Za Higijenu Rada I Toksikologiju, 2016, 67, 106-115.	0.7	8
2106	Liquid Chromatography-Tandem Mass Spectrometry Determination of p-Chloroaniline in Gel and Aqueous Chlorhexidine Products Used in Dentistry. Chromatographia, 2016, 79, 841-849.	1.3	6
2107	A highly specific and sensitive fluorescence polarization immunoassay for the rapid detection of triazophos residue in agricultural products. Analytical Methods, 2016, 8, 6636-6644.	2.7	45
2108	Development of a surrogate matrix for cerebral spinal fluid for liquid chromatography/mass spectrometry based analytical methods. Rapid Communications in Mass Spectrometry, 2016, 30, 854-858.	1.5	18
2109	Extended Detection of Amphetamine and Methamphetamine in Oral Fluid. Therapeutic Drug Monitoring, 2016, 38, 114-119.	2.0	12
2110	Selective extraction and determination of neonicotinoid insecticides in wine by liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2016, 1460, 9-15.	3.7	33
2111	Identification of gutâ€derived metabolites of maslinic acid, a bioactive compound from <i>Olea europaea</i> L. Molecular Nutrition and Food Research, 2016, 60, 2053-2064.	3.3	11
2112	Validated multi-drug determination using liquid chromatography with tandem mass spectrometry for the evaluation of a commercial drug disposal product. Journal of Separation Science, 2016, 39, 1666-1674.	2.5	6
2113	A highly efficient and sensitive LCâ€MS/MS method for the determination of afatinib in human plasma: application to a metabolic stability study. Biomedical Chromatography, 2016, 30, 1248-1255.	1.7	28
2114	Development and validation of a multiâ€analyte LCâ€MS/MS approach for quantification of neuroleptics in whole blood, plasma, and serum. Drug Testing and Analysis, 2016, 8, 1080-1089.	2.6	16
2115	Improved analysis of sinigrin in Ethiopian mustard. International Journal of Food Science and Technology, 2016, 51, 690-699.	2.7	2
2116	Possibility of Alternaria toxins reduction by extrusion processing of whole wheat flour. Food Chemistry, 2016, 213, 784-790.	8.2	26
2117	Determination of MDPBP in postmortem blood samples by gas chromatography coupled with mass spectrometry. Monatshefte FÃ1⁄4r Chemie, 2016, 147, 1415-1421.	1.8	16

#	Article	IF	CITATIONS
2118	Quality management in clinical application of mass spectrometry measurement systems. Clinical Biochemistry, 2016, 49, 947-954.	1.9	34
2119	CE-MS in Drug Analysis and Bioanalysis. , 0, , 129-157.		1
2120	Evaluation of the Waters MassTrak LC–MS/MS Assay for Tacrolimus and a Comparison to the Abbott Architect Immunoassay. Therapeutic Drug Monitoring, 2016, 38, 300-304.	2.0	13
2121	Determination of Common Antipsychotics in Quantisal-Collected Oral Fluid by UHPLC-MS/MS. Therapeutic Drug Monitoring, 2016, 38, 87-97.	2.0	20
2122	Identification and quantification of the antipsychotics risperidone, aripiprazole, pipamperone and their major metabolites in plasma using ultraâ€high performance liquid chromatography–mass spectrometry. Biomedical Chromatography, 2016, 30, 794-801.	1.7	7
2123	Determination of a selection of synthetic cannabinoids and metabolites in urine by UHPSFCâ€MS/MS and by UHPLCâ€MS/MS. Drug Testing and Analysis, 2016, 8, 708-722.	2.6	28
2124	HPLC-ESI-MS/MS assessment of the tetrahydro-metabolites of cortisol and cortisone in bovine urine: promising markers of dexamethasone and prednisolone treatment. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2016, 33, 1175-1189.	2.3	6
2125	Analysis of low abundant trehalose-6-phosphate and related metabolites in Medicago truncatula by hydrophilic interaction liquid chromatography–triple quadrupole mass spectrometry. Journal of Chromatography A, 2016, 1477, 30-38.	3.7	7
2126	Monitoring of emerging pollutants in Guadiamar River basin (South of Spain): analytical method, spatial distribution and environmental risk assessment. Environmental Science and Pollution Research, 2016, 23, 25127-25144.	5.3	40
2127	Identification and determination of chlorinated azoles in sludge using liquid chromatography quadrupole time-of-flight and triple quadrupole mass spectrometry platforms. Journal of Chromatography A, 2016, 1476, 69-76.	3.7	24
2128	Dispersive liquid–liquid microextraction with back extraction using an immiscible organic solvent for determination of benzodiazepines in water, urine, and plasma samples. RSC Advances, 2016, 6, 114198-114207.	3.6	7
2129	Good quantification practices of flavours and fragrances by mass spectrometry. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2016, 374, 20150365.	3.4	17
2130	Sensitive Quantification of Cannabinoids in Milk by Alkaline Saponification–Solid Phase Extraction Combined with Isotope Dilution UPLC–MS/MS. ACS Omega, 2016, 1, 1307-1313.	3.5	20
2131	The New Substance Abuse and Mental Health Services Administration Oral Fluid Cutoffs for Cocaine and Heroin-Related Analytes Applied to an Addiction Medicine Setting: Important, Unanticipated Findings with LC-MS/MS. Clinical Chemistry, 2016, 62, 773-780.	3.2	16
2132	A multiplexed targeted assay for high-throughput quantitative analysis of serum methylamines by ultra performance liquid chromatography coupled to high resolution mass spectrometry. Archives of Biochemistry and Biophysics, 2016, 597, 12-20.	3.0	14
2133	Dynamic-Electromembrane Extraction: A Technical Development for the Extraction of Neuropeptides. Analytical Chemistry, 2016, 88, 5308-5315.	6.5	42
2134	Tracking matrix effects in the analysis of DNA adducts of polycyclic aromatic hydrocarbons. Journal of Chromatography A, 2016, 1439, 112-123.	3.7	14
2135	Ultra-rapid targeted analysis of 40 drugs of abuse in oral fluid by LC-MS/MS using carbon-13 isotopes of methamphetamine and MDMA to reduce detector saturation. Analytical and Bioanalytical Chemistry, 2016, 408, 3737-3749.	3.7	27

#	Article	IF	CITATIONS
2136	Comparison of pharmacokinetic profiles of Terminalia phenolics after intragastric administration of the aqueous extracts of the fruit of Terminalia chebula and a Mongolian compound medicine-Gurigumu-7. Journal of Ethnopharmacology, 2016, 185, 300-309.	4.1	16
2137	Validated LC–MS-MS Method for Multiresidual Analysis of 13 Illicit Phenethylamines in Amniotic Fluid. Journal of Analytical Toxicology, 2016, 40, 194-200.	2.8	8
2138	Liquid chromatography and supercritical fluid chromatography as alternative techniques to gas chromatography for the rapid screening of anabolic agents in urine. Journal of Chromatography A, 2016, 1451, 145-155.	3.7	60
2139	Inclusion of prednicarbate in the SBA-15 silica. Journal of Thermal Analysis and Calorimetry, 2016, 123, 2297-2305.	3.6	9
2140	7-Aminoclonazepam is superior to clonazepam for detection of clonazepam use in oral fluid by LC–MS/MS. Clinica Chimica Acta, 2016, 455, 128-133.	1.1	14
2141	Identification and quantification of psychoactive drugs in whole blood using dried blood spot (DBS) by ultra-performance liquid chromatography tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2016, 128, 53-60.	2.8	29
2142	Simultaneous measurement of etravirine, maraviroc and raltegravir in pigtail macaque plasma, vaginal secretions and vaginal tissue using a LC–MS/MS assay. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1025, 110-118.	2.3	11
2143	Determination of Dextromethorphan in Oral Fluid by LC–MS-MS. Journal of Analytical Toxicology, 2016, 40, 360-366.	2.8	6
2144	Analysis and clinical findings of cases positive for the novel synthetic cannabinoid receptor agonist MDMB-CHMICA. Clinical Toxicology, 2016, 54, 632-637.	1.9	27
2145	Multiclass and multi-residue determination of antibiotics in bovine milk by liquid chromatography–tandem mass spectrometry: Combining efficiency of milk control and simplicity of routine analysis. International Dairy Journal, 2016, 59, 44-51.	3.0	24
2146	Development and validation of LC-ESI-MS/MS method for analysis of moxifloxacin and levofloxacin in serum of multidrug-resistant tuberculosis patients: Potential application as therapeutic drug monitoring tool in medical diagnosis. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1009-1010, 138-143.	2.3	14
2147	LC-MS/MS-based method for simultaneous quantification of known chemicals and metabolites of Alpiniae oxyphyllae Fructus extract in rat plasma and its application in a pharmacokinetic study. Analytical Methods, 2016, 8, 2069-2081.	2.7	13
2148	Simultaneous quantification of buprenorphine, naloxone and phase I and II metabolites in plasma and breastmilk by liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2016, 1446, 70-77.	3.7	19
2149	Hair testing in clinical setting: Simultaneous determination of 50 psychoactive drugs and metabolites in headache patients by LC tandem MS. Journal of Pharmaceutical and Biomedical Analysis, 2016, 126, 14-25.	2.8	47
2150	Application of multivariate statistics to the Steroidal Module of the Athlete Biological Passport: A proof of concept study. Analytica Chimica Acta, 2016, 922, 19-29.	5.4	12
2151	Hydrophilic interaction liquid chromatography–tandem mass spectrometry quantitative method for the cellular analysis of varying structures of gemini surfactants designed as nanomaterial drug carriers. Journal of Chromatography A, 2016, 1446, 114-124.	3.7	6
2152	Quantification of 16 QT-prolonging Drugs and Metabolites in Human Postmortem Blood and Cardiac Tissue Using UPLC–MS-MS. Journal of Analytical Toxicology, 2016, 40, 286-293.	2.8	7
2153	Simultaneous Measurement of Serum Chemical Castration Agents and Testosterone Levels Using Ultra-Performance Liquid Chromatography–Tandem Mass Spectrometry. Journal of Analytical Toxicology, 2016, 40, 294-303.	2.8	6

#	Article	IF	CITATIONS
2154	Determination of Anticoagulant Rodenticides and α-Chloralose in Human Hair. Application to a Real Case. Journal of Analytical Toxicology, 2016, 40, 277-285.	2.8	6
2155	Ferromagnetic particles as a rapid and robust sample preparation for the absolute quantification of seven eicosanoids in human plasma by UHPLC–MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1022, 173-182.	2.3	12
2156	Isotope-coded ESI-enhancing derivatization reagents for differential analysis, quantification and profiling of metabolites in biological samples by LC/MS: A review. Journal of Pharmaceutical and Biomedical Analysis, 2016, 130, 181-193.	2.8	68
2157	Polydopamine-coated magnetic nanoparticles for isolation and enrichment of estrogenic compounds from surface water samples followed by liquid chromatography-tandem mass spectrometry determination. Analytical and Bioanalytical Chemistry, 2016, 408, 4011-4020.	3.7	32
2158	An integrated liquid chromatography–tandem mass spectrometry approach for the ultra-sensitive determination of catecholamines in human peripheral blood mononuclear cells to assess neural-immune communication. Journal of Chromatography A, 2016, 1449, 54-61.	3.7	25
2159	Development of a monoclonal antibody-based enzyme-linked immunosorbent assay for the analysis of 6-benzylaminopurine and its ribose adduct in bean sprouts. Food Chemistry, 2016, 207, 233-238.	8.2	21
2160	A validated UHPLC-tandem mass spectrometry method for quantitative analysis of flavonolignans in milk thistle (Silybum marianum) extracts. Journal of Pharmaceutical and Biomedical Analysis, 2016, 126, 26-33.	2.8	29
2161	Stability issues in the determination of 19 urinary (free and conjugated) monohydroxy polycyclic aromatic hydrocarbons. Analytical and Bioanalytical Chemistry, 2016, 408, 4021-4033.	3.7	44
2162	Simultaneous determination of 22 cephalosporins drug residues in pork muscle using liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1022, 298-307.	2.3	27
2163	Assessment of Dimethoate Residues in Olives at the Time of Harvest and After Brine Using QuEChERS Extraction. Food Analytical Methods, 2016, 9, 3170-3178.	2.6	6
2164	Multi-residue analysis of 26 organochlorine pesticides in Alpinia oxyphylla by GC-ECD after solid phase extraction and acid cleanup. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1017-1018, 211-220.	2.3	22
2165	Mercapturic acids: recent advances in their determination by liquid chromatography/mass spectrometry and their use in toxicant metabolism studies and in occupational and environmental exposure studies. Biomarkers, 2016, 21, 293-315.	1.9	20
2166	Simultaneous analysis of 45 pharmaceuticals and personal care products in sludge by matrix solid-phase dispersion and liquid chromatography tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2016, 408, 4953-4964.	3.7	48
2167	A robust LC–MS/MS method for the determination of pidotimod in different biological matrixes and its application to in vivo and in vitro pharmacokinetic studies. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1023-1024, 36-43.	2.3	1
2168	Caveats of Untargeted Metabolomics forÂBiomarker Discovery â^—. Journal of the American College of Cardiology, 2016, 68, 1294-1296.	2.8	20
2169	A novel, sensitive and selective method of UPLC/MS–MS for rapid simultaneous determination of midodrine and its active metabolite desglymidodrine in human plasma: Application to support bioequivalence study in healthy human volunteers. Journal of Pharmaceutical and Biomedical Analysis 2016, 131, 355-363	2.8	11
2170	Olive oil authenticity studies by target and nontarget LC–QTOF-MS combined with advanced chemometric techniques. Analytical and Bioanalytical Chemistry, 2016, 408, 7955-7970.	3.7	55
2172	Development and validation of a LC–MS/MS method for the quantification of tenofovir and emtricitabine in seminal plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1033-1034, 234-241.	2.3	13

#	Article	IF	CITATIONS
2173	Rapid HPLC-MS/MS Determination of Carbamazepine and Carbamazepine-10,11-Epoxide. Pharmaceutical Chemistry Journal, 2016, 50, 419-423.	0.8	12
2174	Profiling of urinary bile acids in piglets by a combination of enzymatic deconjugation and targeted LC-MRM-MS. Journal of Lipid Research, 2016, 57, 1917-1933.	4.2	7
2175	Development and Validation of a Rapid Method for Identification and Quantitation of Benzophenone and Related 17 Derivatives in Paper and Cardboard Packaging Materials by Gas Chromatography–Mass Spectrometry. Packaging Technology and Science, 2016, 29, 513-524.	2.8	7
2176	GLP principles and their role in supporting pharmacokinetic and residue depletion studies for drug registration and licensing. Drug Testing and Analysis, 2016, 8, 572-577.	2.6	3
2177	Simultaneous determination of 24 personal care products in fish muscle and liver tissues using QuEChERS extraction coupled with ultra pressure liquid chromatography-tandem mass spectrometry and gas chromatography-mass spectrometer analyses. Analytical and Bioanalytical Chemistry, 2016, 408, 8177-8193.	3.7	41
2178	Study of in-vitro metabolism of selected antibiotic drugs in human liver microsomes by liquid chromatography coupled with tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2016, 408, 8273-8287.	3.7	12
2179	An Efficient, Robust Method for the Determination of Cannabinoids in Whole Blood by LC–MS-MS. Journal of Analytical Toxicology, 2016, 40, 639-648.	2.8	21
2180	Quantitative mass spectrometry methods for pharmaceutical analysis. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2016, 374, 20150366.	3.4	54
2181	Mass spectrometry as a quantitative tool in plant metabolomics. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2016, 374, 20150370.	3.4	98
2182	Fatal Combination with 3-Methylmethcathinone (3-MMC) and Gamma-Hydroxybutyric Acid (GHB). Journal of Analytical Toxicology, 2016, 40, 546-552.	2.8	35
2183	Parallel artificial liquid membrane extraction as an efficient tool for removal of phospholipids from human plasma. Journal of Pharmaceutical and Biomedical Analysis, 2016, 129, 229-236.	2.8	22
2184	Review of sample preparation strategies for MS-based metabolomic studies in industrial biotechnology. Analytica Chimica Acta, 2016, 938, 18-32.	5.4	27
2185	Determination of serum glucose by isotope dilution liquid chromatography-tandem mass spectrometry: a candidate reference measurement procedure. Analytical and Bioanalytical Chemistry, 2016, 408, 7403-7411.	3.7	18
2186	Targeted toxicological screening for acidic, neutral and basic substances in postmortem and antemortem whole blood using simple protein precipitation and UPLC-HR-TOF-MS. Forensic Science International, 2016, 266, 453-461.	2.2	34
2187	A preliminary nationwide survey of the presence of emerging contaminants in drinking and source waters in Brazil. Science of the Total Environment, 2016, 572, 138-146.	8.0	135
2188	Determination of urinary aldosterone using a plasma aldosterone 2D ID LC–MS/MS method. Bioanalysis, 2016, 8, 1765-1775.	1.5	6
2190	Quantification of free auxins in semi-hardwood plant cuttings and microshoots by dispersive liquid–liquid microextraction/microwave derivatization and GC/MS analysis. Analytical Methods, 2016, 8, 6089-6098.	2.7	7
2191	Matrix solid-phase dispersion followed by liquid chromatography tandem mass spectrometry for the determination of selective ciclooxygenase-2 inhibitors in sewage sludge samples. Journal of Chromatography A, 2016, 1462, 35-43.	3.7	14

#	Article	IF	CITATIONS
2192	Quantitative determination by screening ELISA and HPLC-MS/MS of microcystins LR, LY, LA, YR, RR, LF, LW, and nodularin in the water of Occhito lake and crops. Analytical and Bioanalytical Chemistry, 2016, 408, 7699-7708.	3.7	21
2193	N-Acetyltaurine as a novel urinary ethanol marker in a drinking study. Analytical and Bioanalytical Chemistry, 2016, 408, 7529-7536.	3.7	9
2194	Genomic and proteomic characterization of SE-I, a temperate bacteriophage infecting Erysipelothrix rhusiopathiae. Archives of Virology, 2016, 161, 3137-3150.	2.1	2
2195	Simultaneous qualitative and quantitative analysis of 21 mycotoxins in Radix Paeoniae Alba by ultra-high performance liquid chromatography quadrupole linear ion trap mass spectrometry and QuEChERS for sample preparation. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2016. 1031. 202-213.	2.3	46
2196	Correction function for biased results due to matrix effects in residue analysis of beta-agonists in porcine tissues and urine with LC-MS/MS. RSC Advances, 2016, 6, 26967-26976.	3.6	3
2197	Determination of low-molecular-weight organic acids in non-small cell lung cancer with a new liquid chromatography–tandem mass spectrometry method. Journal of Pharmaceutical and Biomedical Analysis, 2016, 129, 299-309.	2.8	17
2198	Stereoselective determination of citalopram and desmethylcitalopram in human plasma and breast milk by liquid chromatography tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2016, 131, 233-245.	2.8	16
2199	Development of solid phase extraction strategies to minimize the effect of human urine matrix effect on the response of carnitine by UPLC–MS/MS. Microchemical Journal, 2016, 129, 362-367.	4.5	10
2200	Concurrent quantification of multiple biomarkers indicative of oxidative stress status using liquid chromatography-tandem mass spectrometry. Analytical Biochemistry, 2016, 512, 26-35.	2.4	50
2201	Interactions between DPPC as a component of lung surfactant and amorphous silica nanoparticles investigated by HILIC-ESI–MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1029-1030, 222-229.	2.3	9
2202	Metabonomic analysis of biochemical changes in the plasma and urine of carrageenan-induced rats after treatment with Yi-Guan-Jian decoction. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1033-1034, 80-90.	2.3	15
2203	The determination of 22 natural brassinosteroids in a minute sample of plant tissue by UHPLC–ESI–MS/MS. Analytical and Bioanalytical Chemistry, 2016, 408, 6799-6812.	3.7	55
2204	A simple, effective approach for rapid development of high-throughput and reliable LC–MS/MS bioanalytical assays. Bioanalysis, 2016, 8, 1809-1822.	1.5	13
2205	Simultaneous determination of 20 trace organic chemicals in waters by solid-phase extraction (SPE) with triple-quadrupole mass spectrometer (QqQ-MS) and hybrid quadrupole Orbitrap high resolution MS (Q-Orbitrap-HRMS). Chemosphere, 2016, 163, 99-107.	8.2	38
2206	Online solid phase extraction and liquid chromatography-mass spectrometric determination of nucleoside drugs in plasma. Talanta, 2016, 161, 278-287.	5.5	20
2207	A Fast Liquid Chromatography Tandem Mass Spectrometric Analysis of PETN (Pentaerythritol) Tj ETQq1 1 0.7843 (Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine) in Soil, Utilizing a Simple Ultrasonic-Assisted Extraction with Minimum Solvent, Analytical Sciences. 2016. 32, 611-616.	14 rgBT /(1.6	Overlock 10 9
2208	Development of a Biocompatible In-Tube Solid-Phase Microextraction Device: A Sensitive Approach for Direct Analysis of Single Drops of Complex Matrixes. Analytical Chemistry, 2016, 88, 12188-12195.	6.5	39
2209	A high performance liquid chromatography tandem mass spectrometry for the quantification of tacrolimus in human bile in liver transplant recipients. Journal of Chromatography A, 2016, 1475, 55-63.	3.7	17

#	Article	IF	CITATIONS
2210	A new flow-injection chromatography method exploiting linear-gradient elution for fast quantitative screening of parabens in cosmetics. Analytical Methods, 2016, 8, 8337-8344.	2.7	5
2211	Comparative Oral Bioavailability, Toxicokinetics, and Biotransformation of Enniatin B1 and Enniatin B in Broiler Chickens. Journal of Agricultural and Food Chemistry, 2016, 64, 7259-7264.	5.2	32
2212	Intralaboratory development and evaluation of a high-performance liquid chromatography–fluorescence method for detection and quantitation of aflatoxins M ₁ , B ₁ , B ₂ , G ₁ , and G ₂ in animal liver. Journal of Veterinary Diagnostic Investigation, 2016, 28, 646-655.	1.1	6
2213	Simple approach for evaluation of matrix effect in the mass spectrometry of synthetic cannabinoids. Journal of Analytical Chemistry, 2016, 71, 794-802.	0.9	8
2214	Pharmacokinetics and bioavailability assessment of Miltefosine in rats using high performance liquid chromatography tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1031, 123-130.	2.3	15
2215	Simultaneous determination of entecavir and lamivudine in rat plasma by UPLC-MS/MS and its application to a pharmacokinetic study. RSC Advances, 2016, 6, 70990-70998.	3.6	4
2216	Quantitative analysis of ceramides using a novel lipidomics approach with three dimensional response modelling. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2016, 1861, 1652-1661.	2.4	41
2217	Simple and fast determination of perfluorinated compounds in Taihu Lake by SPE-UHPLC–MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1031, 61-67.	2.3	12
2218	Simultaneous quantification of 11 cannabinoids and metabolites in human urine by liquid chromatography tandem mass spectrometry using WAX-S tips. Analytical and Bioanalytical Chemistry, 2016, 408, 6461-6471.	3.7	49
2219	Evaluation of different cleanup sorbents for multiresidue pesticide analysis in fatty vegetable matrices by liquid chromatography tandem mass spectrometry. Journal of Chromatography A, 2016, 1456, 89-104.	3.7	73
2220	Development and validation of a UPLC–MS/MS method for the simultaneous determination of paritaprevir and ritonavir in rat liver. Bioanalysis, 2016, 8, 1353-1363.	1.5	12
2221	Reporting Two Fatalities Associated with the Use of 4-Methylethcathinone (4-MEC) and a Review of the Literature. Journal of Analytical Toxicology, 2016, 40, 553-560.	2.8	19
2222	Simultaneous quantification of PGI 2 and TXA 2 metabolites in plasma and urine in NO-deficient mice by a novel UHPLC/MS/MS method. Journal of Pharmaceutical and Biomedical Analysis, 2016, 129, 148-154.	2.8	14
2223	Chiral separation and determination of ketamine and norketamine in hair by capillary electrophoresis. Forensic Science International, 2016, 266, 304-310.	2.2	32
2224	Simultaneous Determination of 42 Pesticides and Herbicides in Chicken Eggs by UHPLC–MS/MS and GC–MS Using a QuEChERS-Based Procedure. Chromatographia, 2016, 79, 1165-1175.	1.3	18
2225	Relevance in the Use of Appropriate Internal Standards for Accurate Quantification Using LC–MS/MS: Tauro-Conjugated Bile Acids as an Example. Analytical Chemistry, 2016, 88, 10957-10961.	6.5	45
2226	Evaluation of an Isotope Dilution HPLC Tandem Mass Spectrometry Candidate Reference Measurement Procedure for Total 17-β Estradiol in Human Serum. Analytical Chemistry, 2016, 88, 11123-11129.	6.5	29
2227	Benzoxazinoids in Prostate Cancer Patients after a Rye-Intensive Diet: Methods and Initial Results. Journal of Agricultural and Food Chemistry, 2016, 64, 8235-8245.	5.2	16

#	Article	IF	CITATIONS
2228	Determination of triazine herbicides from honey samples based on hydrophilic molecularly imprinted resins followed by high performance liquid chromatography-tandem mass spectrometry. RSC Advances, 2016, 6, 98663-98673.	3.6	26
2229	Tissue pharmacokinetics of telavancin in healthy volunteers: a microdialysis study. Journal of Antimicrobial Chemotherapy, 2016, 71, 3179-3184.	3.0	12
2230	Determination of Sterigmatocystin in Infant Cereals from Hangzhou, China. Journal of AOAC INTERNATIONAL, 2016, 99, 1273-1278.	1.5	7
2231	Chemotyping the distribution of vitamin D metabolites in human serum. Scientific Reports, 2016, 6, 21080.	3.3	27
2232	Mycoestrogen determination in cow milk: Magnetic solidâ€phase extraction followed by liquid chromatography and tandem mass spectrometry analysis. Journal of Separation Science, 2016, 39, 4794-4804.	2.5	14
2233	Development and validation of a sensitive and selective LC–MS/MS method for determination of tacrolimus in oral fluids. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1038, 136-141.	2.3	10
2234	Development and validation of LC–MS/MS assay for the simultaneous determination of methotrexate, 6-mercaptopurine and its active metabolite 6-thioguanine in plasma of children with acute lymphoblastic leukemia: Correlation with genetic polymorphism. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1038, 88-94.	2.3	44
2235	Effective Monitoring of Fluxapyroxad and Its Three Biologically Active Metabolites in Vegetables, Fruits, and Cereals by Optimized QuEChERS Treatment Based on UPLC-MS/MS. Journal of Agricultural and Food Chemistry, 2016, 64, 8935-8943.	5.2	24
2236	Matrix Effects Observed during the Analysis of Pesticides in River Water by LC-MS/MS . Journal of Environmental Chemistry, 2016, 26, 191-201.	0.2	3
2237	Development of Analytical Methods Utilizing Selectivity of Fluorous Affinity and Their Applications. Chromatography, 2016, 37, 1-8.	1.7	4
2238	Comparison of approaches to deal with matrix effects in LC-MS/MS based determinations of mycotoxins in food and feed. World Mycotoxin Journal, 2016, 9, 149-161.	1.4	40
2239	Quantitative Method for Simultaneous Analysis of a 5-Probe Cocktail for Cytochrome P450 Enzymes. Therapeutic Drug Monitoring, 2016, 38, 761-768.	2.0	10
2240	Ultrafast Online SPE-MS/MS Method for Quantification of 3 Tyrosine Kinase Inhibitors in Human Plasma. Therapeutic Drug Monitoring, 2016, 38, 516-524.	2.0	7
2241	The power of energyâ€resolved tandem mass spectrometry experiments for resolution of isomers: the case of drug plasma stability investigation of multidrug resistance inhibitors. Rapid Communications in Mass Spectrometry, 2016, 30, 423-432.	1.5	18
2242	A quantitative determination of fluorochloridone in rat plasma by UPLCâ€MS/MS method: application to a pharmacokinetic study. Biomedical Chromatography, 2016, 30, 1190-1194.	1.7	1
2243	Application of a LC–MS/MS method developed for the determination of <i>p</i> â€phenylenediamine, <i>N</i> â€acetylâ€ <i>p</i> â€phenylenediamine and <i>N</i> , <i>N</i> â€diacetylâ€ <i>p</i> â€phenylenediamine i human urine specimens. Biomedical Chromatography, 2016, 30, 1922-1927.	in1.7	0
2244	Evaluation of alternative sorbents for dispersive solidâ€phase extraction cleanâ€up in the QuEChERS method for the determination of pesticide residues in rice by liquid chromatography with tandem mass spectrometry. Journal of Separation Science, 2016, 39, 1945-1954.	2.5	88
2245	Simultaneous quantification of hyperin, reynoutrin and guaijaverin in mice plasma by LCâ€MS/MS: application to a pharmacokinetic study. Biomedical Chromatography, 2016, 30, 1124-1130.	1.7	16

#	Article	IF	CITATIONS
2246	The development and application of a novel LC–MS/MS method for the measurement of Dolutegravir, Elvitegravir and Cobicistat in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1027, 174-180.	2.3	29
2247	A validated enantioselective LC–MS/MS assay for quantification of a major chiral metabolite of an achiral 11-β-hydroxysteroid-dehydrogenase 1 inhibitor in human plasma: Application to a clinical pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2016. 1022. 167-172.	2.3	2
2248	Optimized ultra performance liquid chromatography tandem high resolution mass spectrometry method for the quantification of paraquat in plasma and urine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1027, 96-102.	2.3	28
2249	Development and Validation of an LC–MS-MS Method for Determination of Simvastatin and Simvastatin Acid in Human Plasma: Application to a Pharmacokinetic Study. Journal of Chromatographic Science, 2016, 54, 1385-1396.	1.4	12
2250	Reduction of matrix effects through a simplified QuEChERS method and using small injection volumes in a LC-MS/MS system for the determination of 28 pesticides in fruits and vegetables. Analytical Methods, 2016, 8, 5061-5069.	2.7	11
2251	Quantitative Determination of Four Azo Dyes in Rat Plasma with Solid-Phase Extraction and UFLC–MS-MS Analysis: Application to a Pharmacokinetic Study. Journal of Chromatographic Science, 2016, 54, 1522-1531.	1.4	3
2252	Validated methods for determination of neurotransmitters and metabolites in rodent brain tissue and extracellular fluid by reversed phase UHPLC–MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1028, 120-129.	2.3	53
2253	Simple and validated UHPLC–MS/MS analysis of nimodipine in plasma and cerebrospinal fluid of patients with subarachnoid haemorrhage. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1028, 94-99.	2.3	6
2254	Impact of Serum and Plasma Matrices on the Titration of Human Inflammatory Biomarkers Using Analytically Validated SRM Assays. Journal of Proteome Research, 2016, 15, 2366-2378.	3.7	10
2255	Quantitative analysis of endogenous compounds. Journal of Pharmaceutical and Biomedical Analysis, 2016, 128, 426-437.	2.8	170
2256	LC–MS method development and comparison of sampling materials for the analysis of organic gunshot residues. Forensic Science International, 2016, 264, 47-55.	2.2	41
2257	Analytical pitfalls and challenges in clinical metabolomics. Bioanalysis, 2016, 8, 1509-1532.	1.5	83
2258	Innovative combination of QuEChERS extraction with on-line solid-phase extract purification and pre-concentration, followed by liquid chromatography-tandem mass spectrometry for the determination of non-steroidal anti-inflammatory drugs and their metabolites in sewage sludge. Analytica Chimica Acta, 2016, 935, 269-281.	5.4	55
2259	Long-term monitoring of opioid, sedative and anti-inflammatory drugs in horse hair using a selective and sensitive LC-MS/MS procedure. BMC Veterinary Research, 2016, 12, 84.	1.9	15
2260	Method for determination of levoglucosan in snow and ice at trace concentration levels using ultra-performance liquid chromatography coupled with triple quadrupole mass spectrometry. Talanta, 2016, 148, 534-538.	5.5	23
2262	Determination of Sulfonamides in Fish Using a Modified QuEChERS Extraction Coupled with Ultra-Performance Liquid Chromatography-Tandem Mass Spectrometry. Food Analytical Methods, 2016, 9, 1857-1866.	2.6	17
2263	Determination of 21 plant growth regulators in tomatoes using an improved ultrasound-assisted QuEChERS technique combined with a liquid chromatography tandem mass spectrometry method. Analytical Methods, 2016, 8, 4808-4815.	2.7	5
2264	Selective molecularly imprinted polymer combined with restricted access material for in-tube SPME/UHPLC-MS/MS of parabens in breast milk samples. Analytica Chimica Acta, 2016, 932, 49-59.	5.4	85

#	Article	IF	CITATIONS
2265	Comparison of ESI– and APCI–LC–MS/MS methods: A case study of levonorgestrel in human plasma. Journal of Pharmaceutical Analysis, 2016, 6, 356-362.	5.3	22
2266	Degradation and interconversion of plant pteridines during sample preparation and ultra-high performance liquid chromatography–tandem mass spectrometry. Food Chemistry, 2016, 194, 1189-1198.	8.2	7
2268	Simultaneous detection of lysine metabolites by a single LC–MS/MS method: monitoring lysine degradation in mouse plasma. SpringerPlus, 2016, 5, 172.	1.2	20
2269	Pre-analytical and analytical validations and clinical applications of a miniaturized, simple and cost-effective solid phase extraction combined with LC-MS/MS for the simultaneous determination of catecholamines and metanephrines in spot urine samples. Talanta, 2016, 159, 238-247.	5.5	31
2270	Ultrasensitive quantification of endogenous brassinosteroids in milligram fresh plant with a quaternary ammonium derivatization reagent by pipette-tip solid-phase extraction coupled with ultra-high-performance liquid chromatography tandem mass spectrometry. Journal of Chromatography A, 2016, 1456, 105-112.	3.7	35
2271	Simultaneous determination of diaveridine, trimethoprim and ormetoprim in feed using high performance liquid chromatography tandem mass spectrometry. Food Chemistry, 2016, 212, 358-366.	8.2	19
2272	Validation and Application of a Dried Blood Spot Assay for Biofilm-Active Antibiotics Commonly Used for Treatment of Prosthetic Implant Infections. Antimicrobial Agents and Chemotherapy, 2016, 60, 4940-4955.	3.2	10
2273	Development and optimization of ultra-high performance supercritical fluid chromatography mass spectrometry method for high-throughput determination of tocopherols and tocotrienols in human serum. Analytica Chimica Acta, 2016, 934, 252-265.	5.4	33
2274	Development and validation of an HILIC–MS/MS method by one-step precipitation for chloroquine in miniature pig plasma. Bioanalysis, 2016, 8, 1159-1171.	1.5	7
2275	Enantioselective simultaneous analysis of selected pharmaceuticals in environmental samples by ultrahigh performance supercritical fluid based chromatography tandem mass spectrometry. Analytica Chimica Acta, 2016, 934, 239-251.	5.4	40
2276	Development of a highâ€speed MALDIâ€triple quadrupole mass spectrometric method for the determination of 3,4â€methylenedioxymethamphetamine (MDMA) in oral fluid. Drug Testing and Analysis, 2016, 8, 235-240.	2.6	10
2277	Solidâ€phase extraction of small biologically active peptides on cartridges and microelution 96â€well plates from human urine. Drug Testing and Analysis, 2016, 8, 940-949.	2.6	21
2278	Indirect enantioseparation of fluoxetine in mouse serum by derivatization with 1 <i>R</i> â€(–)â€menthyl chloroformate followed by ultra high performance liquid chromatography and quadrupole timeâ€ofâ€flight mass spectrometry. Journal of Separation Science, 2016, 39, 1041-1049.	2.5	3
2279	Determination of tissueâ€specific ion suppression by liquid extraction surface analysis mass spectrometry. Rapid Communications in Mass Spectrometry, 2016, 30, 340-342.	1.5	10
2280	Development of a microwave-assisted extraction of atropine and scopolamine from Solanaceae family plants followed by a QuEChERS cleanup procedure. Journal of Liquid Chromatography and Related Technologies, 2016, 39, 538-548.	1.0	12
2281	Simultaneous analysis of tocopherols, tocotrienols, phospholipids, î³-oryzanols and î²-carotene in rice by ultra-high performance liquid chromatography coupled to a linear ion trap-orbitrap mass spectrometer. Analytical Methods, 2016, 8, 5628-5637.	2.7	12
2282	Automated Analysis of Clozapine and Norclozapine in Human Plasma Using Novel Extraction Plate Technology and Flow-Injection Tandem Mass Spectrometry. Therapeutic Drug Monitoring, 2016, 38, 42-49.	2.0	12
2283	Biological Matrix Effects in Quantitative Tandem Mass Spectrometry-Based Analytical Methods: Advancing Biomonitoring. Critical Reviews in Analytical Chemistry, 2016, 46, 93-105.	3.5	243

#	Article	IF	CITATIONS
2284	Mass spectrometryâ€based plant metabolomics: Metabolite responses to abiotic stress. Mass Spectrometry Reviews, 2016, 35, 620-649.	5.4	254
2285	Improved Pretreatment Method for Determination of Nisins A and Z and Monitoring in Cheese Using Liquid Chromatrography-Tandem Mass Spectrometry. Food Analytical Methods, 2016, 9, 122-130.	2.6	8
2286	Diclofenac in municipal wastewater treatment plant: quantification using laser diode thermal desorption—atmospheric pressure chemical ionization—tandem mass spectrometry approach in comparison with an established liquid chromatography-electrospray ionization–tandem mass spectrometry method. Journal of Chromatography A, 2016, 1433, 106-113.	3.7	46
2287	Development of a UPLC–MS/MS method for determining γ-hydroxybutyric acid (GHB) and GHB glucuronide concentrations in hair and application to forensic cases. Forensic Toxicology, 2016, 34, 51-60.	2.4	24
2288	Aptamer based peptide enrichment for quantitative analysis of gonadotropin-releasing hormone by LC–MS/MS. Talanta, 2016, 150, 671-680.	5.5	20
2289	Development and application of an UHPLC–MS method for comparative pharmacokinetic study of phenolic components from dragon's blood in rats under simulated microgravity environment. Journal of Pharmaceutical and Biomedical Analysis, 2016, 121, 91-98.	2.8	5
2290	Establishment and analysis of in vitro biomass from Salvia corrugata Vahl. and evaluation of antimicrobial activity. Phytochemistry, 2016, 122, 276-285.	2.9	19
2291	Novel multiresidue method for determination of pesticides in red wine using gas chromatography–mass spectrometry and solid phase extraction. Food Chemistry, 2016, 200, 98-106.	8.2	41
2292	LC-MS/MS method development and validation for quantitative analyses of 2-aminothiazoline-4-carboxylic acid – a new cyanide exposure marker in post mortem blood. Talanta, 2016, 150, 586-592.	5.5	23
2293	High mass accuracy assay for trimethylamine N-oxide using stable-isotope dilution with liquid chromatography coupled to orthogonal acceleration time of flight mass spectrometry with multiple reaction monitoring. Analytical and Bioanalytical Chemistry, 2016, 408, 797-804.	3.7	33
2294	Trace determination of antibacterial pharmaceuticals in fishes by microwave-assisted extraction and solid-phase purification combined with dispersive liquid–liquid microextraction followed by ultra-high performance liquid chromatography-tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1011, 136-144.	2.3	35
2295	Analytical methodology using ion-pair liquid chromatography–tandem mass spectrometry for the determination of four di-ester metabolites of organophosphate flame retardants in California human urine. Journal of Chromatography A, 2016, 1434, 70-80.	3.7	46
2296	Fast determination of catecholamines in human plasma using carboxyl-functionalized magnetic-carbon nanotube molecularly imprinted polymer followed by liquid chromatography-tandem quadrupole mass spectrometry. Journal of Chromatography A, 2016, 1429, 86-96.	3.7	30
2297	QuEChERS-based study on residue determination and dissipation of three herbicides in corn fields using HPLC-MS/MS. Toxicological and Environmental Chemistry, 2016, 98, 216-225.	1.2	7
2298	Longitudinal monitoring of endogenous steroids in human serum by UHPLC-MS/MS as a tool to detect testosterone abuse in sports. Analytical and Bioanalytical Chemistry, 2016, 408, 705-719.	3.7	57
2299	A strategy for the targeted metabolomics analysis of 11 gut microbiota-host co-metabolites in rat serum, urine and feces by ultra high performance liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2016, 1429, 207-217.	3.7	33
2300	Simultaneous determination of 200 pesticide residues in honey using gas chromatography–tandem mass spectrometry in conjunction with streamlined quantification approach. Journal of Chromatography A, 2016, 1427, 142-160.	3.7	59
2301	Study of ion suppression for phenolic compounds in medicinal plant extracts using liquid chromatography–electrospray tandem mass spectrometry. Journal of Chromatography A, 2016, 1427, 111-124.	3.7	31

#	Article	IF	CITATIONS
2302	Validated UHPLC–MS/MS method for the simultaneous determination of pramipexole and ropinirole in plasma of patients with Parkinson's disease. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1017-1018, 114-119.	2.3	7
2303	A Liquid Chromatography–Tandem Mass Spectrometry Method for the Detection of Antimicrobial Agents from Seven Classes in Calf Milk Replacers: Validation and Application. Journal of Agricultural and Food Chemistry, 2016, 64, 2635-2640.	5.2	20
2305	Determination of Underivatized Glyphosate Residues in Plant-Derived Food with Low Matrix Effect by Solid Phase Extraction-Liquid Chromatography-Tandem Mass Spectrometry. Food Analytical Methods, 2016, 9, 2856-2863.	2.6	32
2306	In Vitro Metabolic Stability and Permeability of Gymnemagenin and Its In Vivo Pharmacokinetic Correlation in Rats – A Pilot Study. Planta Medica, 2016, 82, 544-550.	1.3	13
2307	Comparative assessment of bioanalytical method validation guidelines for pharmaceutical industry. Journal of Pharmaceutical and Biomedical Analysis, 2016, 126, 83-97.	2.8	116
2308	Validated liquid chromatography–tandem mass spectrometry method for simultaneous determination of clopamide, reserpine and dihydroergotoxine: Application to pharmacokinetics in human plasma. Journal of Pharmaceutical and Biomedical Analysis, 2016, 125, 236-244.	2.8	7
2309	Development and validation of a liquid chromatography-tandem mass spectrometric assay for quantitative analyses of triptans in hair. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1017-1018, 136-144.	2.3	9
2310	Silica stationary phase-based on-line sample enrichment coupled with LC-MS/MS for the quantification of dopamine, serotonin and their metabolites in rat brain microdialysates. Analytica Chimica Acta, 2016, 923, 55-65.	5.4	39
2311	p-Coumaric acid, a novel and effective biomarker for quantifying hypoxic stress by HILIC-ESI-MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1020, 6-13.	2.3	11
2312	Severe serotoninergic syndrome after ingestion of α-methyltryptamine. Toxicologie Analytique Et Clinique, 2016, 28, 71-78.	0.1	0
2313	Development of MEPS-UHPLC–MS/MS multistatin methods for clinical analysis. Bioanalysis, 2016, 8, 333-349.	1.5	10
2314	Study of matrix effects for liquid chromatography–electrospray ionization tandem mass spectrometric analysis of 4 aminoglycosides residues in milk. Journal of Chromatography A, 2016, 1437, 8-14.	3.7	39
2315	Development and validation of an UPLC–MS/MS method for the quantification of irinotecan, SN-38 and SN-38 glucuronide in plasma, urine, feces, liver and kidney: Application to a pharmacokinetic study of irinotecan in rats. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1015-1016, 34-41.	2.3	28
2316	Stable isotope dilution ultra-high performance liquid chromatography–tandem mass spectrometry quantitative profiling of tryptophan-related neuroactive substances in human serum and cerebrospinal fluid. Journal of Chromatography A, 2016, 1437, 145-157.	3.7	43
2317	Fast and sensitive supercritical fluid chromatography – tandem mass spectrometry multi-class screening method for the determination of doping agents in urine. Analytica Chimica Acta, 2016, 915, 102-110.	5.4	57
2318	Comparison of a triple-quadrupole and a quadrupole time-of-flight mass analyzer to quantify 16 opioids in human plasma. Journal of Pharmaceutical and Biomedical Analysis, 2016, 127, 49-59.	2.8	16
2319	Measurement of macrocyclic trichothecene in floor dust of water-damaged buildings using gas chromatography/tandem mass spectrometry—dust matrix effects. Journal of Occupational and Environmental Hygiene, 2016, 13, 442-450.	1.0	6
2320	Qualitative identification of growth hormone-releasing hormones in human plasma by means of immunoaffinity purification and LC-HRMS/MS. Analytical and Bioanalytical Chemistry, 2016, 408, 3145-3153.	3.7	30

#	Article	IF	CITATIONS
2321	Application of a novel liquid chromatography/tandem mass spectrometry method for the determination of antazoline in human plasma: Result of ELEPHANT-I [ELEctrophysiological, pharmacokinetic and hemodynamic effects of PHenazolinum (ANTazoline mesylate)] human pharmacokinetic study. Journal of Pharmaceutical and Biomedical Analysis, 2016, 123, 113-119.	2.8	15
2322	Ultra-high performance liquid chromatography combined with mass spectrometry for determination of aflatoxins using dummy molecularly imprinted polymers deposited on silica-coated magnetic nanoparticles. Mikrochimica Acta, 2016, 183, 1469-1477.	5.0	53
2323	Quantification of cortisol in human eccrine sweat by liquid chromatography – tandem mass spectrometry. Analyst, The, 2016, 141, 2053-2060.	3.5	72
2324	Development and validation of a LC-MS/MS method for quantitative analysis of uraemic toxins p-cresol sulphate and indoxyl sulphate in saliva. Talanta, 2016, 150, 593-598.	5.5	13
2325	An alternative approach for assessment of liquid chromatography-mass spectrometry matrix effects using auto-sampler programmed co-injection. Analytical and Bioanalytical Chemistry, 2016, 408, 2009-2017.	3.7	4
2326	PRiME pass-through cleanup for the fast determination of aflatoxins in human serum by using LC-MS/MS. Analytical Methods, 2016, 8, 1457-1462.	2.7	25
2327	Determination of androgens and progestogens in environmental and biological samples using fabric phase sorptive extraction coupled to ultra-high performance liquid chromatography tandem mass spectrometry. Journal of Chromatography A, 2016, 1437, 116-126.	3.7	58
2328	Simultaneous determination of metformin, vildagliptin, and 3-amino-1-adamantanol in human plasma: Application to pharmacokinetic studies. Journal of Liquid Chromatography and Related Technologies, 2016, 39, 195-202.	1.0	11
2329	A novel strategy for the determination of polycyclic aromatic hydrocarbon monohydroxylated metabolites in urine using ultra-high-performance liquid chromatography with tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2016, 408, 2515-2525.	3.7	39
2330	Intoxication fatale par ingestion d'un herbicide, le diméthénamide-P. Toxicologie Analytique Et Clinique, 2016, 28, 90-99.	0.1	0
2331	Validation and Application of a Dried Blood Spot Ceftriaxone Assay. Antimicrobial Agents and Chemotherapy, 2016, 60, 14-23.	3.2	28
2332	Reduced matrix effects for anionic compounds with paired ion electrospray ionization mass spectrometry. Analytica Chimica Acta, 2016, 912, 74-84.	5.4	15
2333	Trends in sulfonamides and their by-products analysis in environmental samples using mass spectrometry techniques. Trends in Environmental Analytical Chemistry, 2016, 9, 24-36.	10.3	28
2334	Comparison of LC–MS-MS and GC–MS Analysis of Benzodiazepine Compounds Included in the Drug Demand Reduction Urinalysis Program. Journal of Analytical Toxicology, 2016, 40, 201-207.	2.8	70
2335	Reducing the matrix effects in chemical analysis: fusion of isotope dilution and standard addition methods. Metrologia, 2016, 53, 829-834.	1.2	14
2336	Determination of a steroid profile in heel prick blood using LC–MS/MS. Bioanalysis, 2016, 8, 375-384.	1.5	35
2337	Determination of urinary metabolites of XLR-11 by liquid chromatography–quadrupole time-of-flight mass spectrometry. Analytical and Bioanalytical Chemistry, 2016, 408, 503-516.	3.7	23
2338	Target and suspect screening of psychoactive substances in sewage-based samples by UHPLC-QTOF. Analytica Chimica Acta, 2016, 914, 81-90.	5.4	85

#	Article	IF	CITATIONS
2339	Multiresidue analysis of endocrine-disrupting compounds and perfluorinated sulfates and carboxylic acids in sediments by ultra-high-performance liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2016, 1438, 133-142.	3.7	31
2340	Hydrophilic interaction liquid chromatography–tandem mass spectrometry methylphosponic and alkyl methylphosphonic acids determination in environmental samples after pre-column derivatization with p-bromophenacyl bromide. Journal of Chromatography A, 2016, 1442, 19-25.	3.7	20
2341	Identification and determination of ergot alkaloids in Morning Glory cultivars. Analytical and Bioanalytical Chemistry, 2016, 408, 3093-3102.	3.7	26
2342	Metal oxides in sample pretreatment. TrAC - Trends in Analytical Chemistry, 2016, 80, 41-56.	11.4	59
2343	Development of SPME-LC–MS method for screening of eight beta-blockers and bronchodilators in plasma and urine samples. Journal of Pharmaceutical and Biomedical Analysis, 2016, 127, 147-155.	2.8	30
2344	Multiple Reaction Monitoring for Direct Quantitation of Intact Proteins Using a Triple Quadrupole Mass Spectrometer. Journal of the American Society for Mass Spectrometry, 2016, 27, 886-896.	2.8	27
2345	Simultaneous determination of phosphatidylcholine-derived quaternary ammonium compounds by a LC–MS/MS method in human blood plasma, serum and urine samples. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1008, 206-211.	2.3	42
2346	Quantification of ochratoxin A in Chinese liquors by a new solid-phase extraction clean-up combined with HPLC-FLD method. Food Control, 2016, 64, 37-44.	5.5	48
2347	Determination of selected synthetic cannabinoids and their metabolites by micellar electrokinetic chromatography – mass spectrometry employing perfluoroheptanoic acid-based micellar phase. Talanta, 2016, 150, 568-576.	5.5	7
2348	Evaluation of drug incorporation into hair segments and nails by enantiomeric analysis following controlled single MDMA intakes. Analytical and Bioanalytical Chemistry, 2016, 408, 545-556.	3.7	27
2349	Liquid chromatography quadrupole time-of-flight mass spectrometry selective determination of ochratoxin A in wine. Food Chemistry, 2016, 199, 401-408.	8.2	20
2350	Prolonged hypoglycemia after a suicidal ingestion of repaglinide with unexpected slow plasma elimination. Clinical Toxicology, 2016, 54, 158-160.	1.9	4
2351	Multivariate data analysis and metabolic profiling of artemisinin and related compounds in high yielding varieties of Artemisia annua field-grown in Madagascar. Journal of Pharmaceutical and Biomedical Analysis, 2016, 117, 522-531.	2.8	18
2352	Development of an analytical method for simultaneous detection of psychotropic phenylalkylamines in hair by LC-MS/MS with a multi-mode reversed-phase column using pH gradient elution. Forensic Science International, 2016, 259, 69-76.	2.2	6
2353	Analytical approach to determining human biogenic amines and their metabolites using eVol microextraction in packed syringe coupled to liquid chromatography mass spectrometry method with hydrophilic interaction chromatography column. Talanta, 2016, 150, 331-339.	5.5	25
2354	Biotransformation and adsorption of pharmaceutical and personal care products by activated sludge after correcting matrix effects. Science of the Total Environment, 2016, 544, 980-986.	8.0	37
2355	LC–MS based analysis of endogenous steroid hormones in human hair. Journal of Steroid Biochemistry and Molecular Biology, 2016, 162, 92-99.	2.5	108
2356	A new quantitation method of protodioscin by HPLC–ESI-MS/MS in rat plasma and its application to the pharmacokinetic study. Steroids, 2016, 106, 62-69.	1.8	7

	Сітатіо	CITATION REPORT	
#	Article	IF	CITATIONS
2357	LC-MS/MS Measurement of Parathyroid Hormone–Related Peptide. Clinical Chemistry, 2016, 62, 218-226.	3.2	24
2358	Seven fatalities associated with ethylphenidate. Forensic Science International, 2016, 265, 70-74.	2.2	25
2359	Histamine quantification in human plasma using high resolution accurate mass LC–MS technology. Clinical Biochemistry, 2016, 49, 111-116.	1.9	6
2360	Detection of selected corticosteroids and anabolic steroids in calf milkÂreplacers by liquid chromatography–electrospray ionisation – Tandem mass spectrometry. Food Control, 2016, 61, 196-20	3. ^{5.5}	16
2361	Quantitation of the enantiomers of tramadol and its three main metabolites in human whole blood using LC–MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2016, 119, 1-9.	2.8	14
2362	Development, validation and application of a fast analytical methodology for the simultaneous determination of DNA- and RNA-derived urinary nucleosides by liquid chromatography coupled to tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences 2016, 1019, 132-139	2.3	17
2363	Quantification of phosphatidylethanol 16:0/18:1, 18:1/18:1, and 16:0/16:0 in venous blood and venous and capillary dried blood spots from patients in alcohol withdrawal and control volunteers. Analytical and Bioanalytical Chemistry, 2016, 408, 825-838.	3.7	65
2364	Influence of Water in Samples on Residues Analysis of Beta-Agonists in Porcine Tissues and Urine Using Liquid Chromatography Tandem Mass Spectrometry. Food Analytical Methods, 2016, 9, 1904-1911.	2.6	10
2365	Rapid and automated analysis of aflatoxin M1 in milk and dairy products by online solid phase extraction coupled to ultra-high-pressure-liquid-chromatography tandem mass spectrometry. Journal of Chromatography A, 2016, 1428, 212-219.	3.7	45
2366	Determination of lercanidipine in human plasma by an improved UPLC–MS/MS method for a bioequivalence study. Journal of Pharmaceutical Analysis, 2016, 6, 87-94.	5.3	11
2367	Ultra-high-pressure liquid chromatography tandem mass spectrometry determination of antidepressant and anxiolytic drugs in neonatal meconium and maternal hair. Journal of Pharmaceutical and Biomedical Analysis, 2016, 118, 9-16.	2.8	28
2368	BMAA extraction of cyanobacteria samples: which method to choose?. Environmental Science and Pollution Research, 2016, 23, 338-350.	5.3	42
2369	Evaluation of Quantification Methods to Compensate for Matrix Effects in the Analysis of Benzalkonium Chloride and Didecyldimethylammonium Chloride in Fruits and Vegetables by LC-ESI-MS/MS. Food Analytical Methods, 2016, 9, 485-499.	2.6	10
2370	A novel high-throughput method for supported liquid extraction of retinol and alpha-tocopherol from human serum and simultaneous quantitation by liquid chromatography tandem mass spectrometry. Annals of Clinical Biochemistry, 2016, 53, 434-445.	1.6	14
2371	Sulfamethoxazole and ciprofloxacin removal using a horizontal-flow anaerobic immobilized biomass reactor. Environmental Technology (United Kingdom), 2016, 37, 847-853.	2.2	18
2372	Simultaneous determination of diphenylarsinic and phenylarsinic acids in amended soils by optimized solvent extraction coupled to HPLC–MS/MS. Geoderma, 2016, 270, 109-116.	5.1	9
2373	Systematic evaluation of matrix effects in hydrophilic interaction chromatography versus reversed phase liquid chromatography coupled to mass spectrometry. Journal of Chromatography A, 2016, 1439, 42-53.	3.7	28
2374	Determination of monomeric composition in polyhydroxyalkanoates by liquid chromatography coupled with on-line mass spectrometry and off-line nuclear magnetic resonance. Talanta, 2016, 146, 107-113.	5.5	5

#	Article	IF	CITATIONS
2375	Validation and uncertainties evaluation of an isotope dilution-SPE-LC–MS/MS for the quantification of drug residues in surface waters. Talanta, 2016, 146, 138-147.	5.5	21
2376	Simultaneous determination of nitroimidazoles, benzimidazoles, and chloramphenicol components in bovine milk by ultra-high performance liquid chromatography–tandem mass spectrometry. Food Chemistry, 2016, 192, 280-287.	8.2	38
2377	Development and validation of a modified QuEChERS protocol coupled to LC–MS/MS for simultaneous determination of multi-class antibiotic residues in honey. Food Chemistry, 2016, 190, 982-989.	8.2	89
2378	Postmortem redistribution of the heroin metabolites morphine and morphine-3-glucuronide in rabbits over 24Âh. International Journal of Legal Medicine, 2016, 130, 519-531.	2.2	20
2379	Statistical procedures for the determination of linearity, detection limits and measurement uncertainty: A deeper look into SPE-LC-Orbitrap mass spectrometry of pharmaceuticals in wastewater. Journal of Hazardous Materials, 2017, 323, 2-10.	12.4	22
2380	Measurement of pollution levels of N-nitroso compounds of health concern in water using ultra-performance liquid chromatography–tandem mass spectrometry. Chemical Engineering Research and Design, 2017, 108, 7-17.	5.6	11
2381	In vivo contribution of deoxynivalenol-3-β-d-glucoside to deoxynivalenol exposure in broiler chickens and pigs: oral bioavailability, hydrolysis and toxicokinetics. Archives of Toxicology, 2017, 91, 699-712.	4.2	75
2382	Thyroid hormone levels in the cerebrospinal fluid correlate with disease severity in euthyroid patients with Alzheimer's disease. Endocrine, 2017, 55, 981-984.	2.3	21
2383	Development and validation of bioanalytical UHPLC-UV method for simultaneous analysis of unchanged fenofibrate and its metabolite fenofibric acid in rat plasma: Application to pharmacokinetics. Saudi Pharmaceutical Journal, 2017, 25, 128-135.	2.7	7
2384	Association of exposure to benzene and smoking with oxidative damage to nucleic acids by means of biological monitoring of general population volunteers. Environmental Science and Pollution Research, 2017, 24, 13885-13894.	5.3	25
2385	An LCâ€MS/MS methodological approach to the analysis of hair for amphetamineâ€ŧypeâ€stimulant (ATS) drugs, including selected synthetic cathinones and piperazines. Drug Testing and Analysis, 2017, 9, 96-105.	2.6	51
2386	LC-HR-MS/MS standard urine screening approach: Pros and cons of automated on-line extraction by turbulent flow chromatography versus dilute-and-shoot and comparison with established urine precipitation. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences 2017 1043 138-149	2.3	20
2387	Determination of oxycodone and its major metabolites noroxycodone and oxymorphone by ultra-high-performance liquid chromatography tandem mass spectrometry in plasma and urine: application to real cases. Clinical Chemistry and Laboratory Medicine, 2017, 55, 1324-1331.	2.3	16
2388	Determination of a broad spectrum of endocrine-disrupting pesticides in fish samples by UHPLC-MS/MS using the pass-through cleanup approach. Journal of Separation Science, 2017, 40, 1266-1272.	2.5	12
2389	Atmospheric Pressure Vaporization Mechanism for Coupling a Liquid Phase with Electron Ionization Mass Spectrometry. Analytical Chemistry, 2017, 89, 2049-2056.	6.5	35
2390	The application of multiple analyte adduct formation in the LC–MS 3 analysis of valproic acid in human serum. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1040, 159-161.	2.3	16
2391	Development and validation of a liquid chromatography with tandem mass spectrometry method for the determination of nitroimidazole residues in beeswax. Journal of Separation Science, 2017, 40, 1158-1166.	2.5	11
2392	Simultaneous enantiomeric analysis of pharmacologically active compounds in environmental samples by chiral LC–MS/MS with a macrocyclic antibiotic stationary phase. Journal of Mass Spectrometry, 2017, 52, 94-108.	1.6	30

#	Article	IF	CITATIONS
2393	Ultra-high performance liquid chromatography tandem mass spectrometry (UHPLC–MS/MS) for determination of GHB, precursors and metabolites in different specimens: Application to clinical and forensic cases. Journal of Pharmaceutical and Biomedical Analysis, 2017, 137, 123-131.	2.8	48
2394	Multiclass profiling of lipids of archaeological interest by ultra-high pressure liquid chromatography-atmospheric pressure chemical ionization-high resolution mass spectrometry. Microchemical Journal, 2017, 132, 49-58.	4.5	5
2395	A UPLC–MS/MS method for analysis of vancomycin in human cerebrospinal fluid and comparison with the chemiluminescence immunoassay. Biomedical Chromatography, 2017, 31, e3939.	1.7	10
2396	Application of carbon nanosorbent for PRiME pass-through cleanup of 10 selected local anesthetic drugs in human plasma samples. Analytica Chimica Acta, 2017, 960, 72-80.	5.4	16
2398	An LC–MS/MS method for the simultaneous determination of 15 antipsychotics and two metabolites in hair and its application to rat hair. Forensic Science International, 2017, 274, 91-98.	2.2	16
2399	Chiral determination of 3,4-methylenedioxypyrovalerone enantiomers in rat serum. Analytical Methods, 2017, 9, 609-617.	2.7	8
2400	Influence of P-glycoprotein on the disposition of fexofenadine and its enantiomers. Journal of Pharmacy and Pharmacology, 2017, 69, 274-284.	2.4	12
2401	Quantification of EC-18, a synthetic monoacetyldiglyceride (1-palmitoyl-2-linoleoyl-3-acetyl-rac-glycerol), in rat and mouse plasma by liquid-chromatography/tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis 2017 137 155-162	2.8	8
2402	A straightforward, validated liquid chromatography coupled to tandem mass spectrometry method for the simultaneous detection of nine drugs of abuse and their metabolites in hair and nails. Analytica Chimica Acta, 2017, 960, 101-109.	5.4	23
2403	Monitoring MDMA metabolites in urban wastewater as novel biomarkers of consumption. Water Research, 2017, 115, 1-8.	11.3	18
2404	A new sensitive LC/MS/MS analysis of vitamin D metabolites using a click derivatization reagent, 2-nitrosopyridine. Journal of Lipid Research, 2017, 58, 798-808.	4.2	25
2405	Determination of benzimidazoles in meat samples by capillary zone electrophoresis tandem mass spectrometry following dispersive liquid–liquid microextraction. Journal of Chromatography A, 2017, 1490, 212-219.	3.7	26
2406	The impact of ion-pairing reagents on the selectivity and sensitivity in the analysis of modified oligonucleotides in serum samples by liquid chromatography coupled with tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2017, 138, 146-152.	2.8	36
2407	2,5-dimethoxy-4-chloroamphetamine, a LSD-like designer drug: Clinical and analytical documentation of non-fatal exposure in five patients. Toxicologie Analytique Et Clinique, 2017, 29, 82-89.	0.1	7
2408	Vortex-assisted surfactant-enhanced emulsification microextraction combined with LC–MS/MS for the determination of glucocorticoids in water with the aid of experimental design. Analytical and Bioanalytical Chemistry, 2017, 409, 2905-2918.	3.7	10
2409	Novel liquid chromatography method based on linear weighted regression for the fast determination of isoprostane isomers in plasma samples using sensitive tandem mass spectrometry detection. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1051, 17-23.	2.3	16
2410	Simultaneous quantitation of endogenous estrone, 17β-estradiol, and estriol in human serum by isotope-dilution liquid chromatography–tandem mass spectrometry for clinical laboratory applications. Analytical and Bioanalytical Chemistry, 2017, 409, 2627-2638.	3.7	19
2411	The effects of isotope-labeled analogs on the LC-IDMS measurement by comparison of ESI responses and matrix effect of melamine, 13C3-melamine, 13C3+15N3-melamine, and 15N3-melamine. Analytical and Bioanalytical Chemistry, 2017, 409, 3233-3243.	3.7	8

#	Article	IF	CITATIONS
2412	The incidence and distribution of ochratoxin A in Daqu, a Chinese traditional fermentation starter. Food Control, 2017, 78, 222-229.	5.5	12
2413	Validation of a new method based on salting-out assisted liquid-liquid extraction and UHPLC-MS/MS for the determination of betalactam antibiotics in infant dairy products. Talanta, 2017, 167, 493-498.	5.5	33
2414	A novel LC–MS/MS method for the simultaneous quantification of topiramate and its main metabolites in human plasma. Journal of Pharmaceutical and Biomedical Analysis, 2017, 138, 180-188.	2.8	7
2415	A simple and high-throughput method for determination and confirmation of 14 coccidiostats in poultry muscle and eggs using liquid chromatography – quadrupole linear ion trap - tandem mass spectrometry (HPLC–QqLIT-MS/MS): Validation according to European Union 2002/657/EC. Talanta, 2017, 168. 43-51.	5.5	48
2416	Novel UHPLCâ€MS/MS method for the determination of rotigotine in the plasma of patients with Parkinson's disease. Biomedical Chromatography, 2017, 31, e3944.	1.7	6
2417	Analysis of taxine B/isotaxine B in a plasma specimen by LC–MS/MS in a case of fatal poisoning: concealed suicide by ingestion of yew (Taxus L.) leaves of a patient with a long-term history of borderline personality disorder. Forensic Toxicology, 2017, 35, 421-427.	2.4	6
2418	Study on the abuse of amantadine in tissues of broiler chickens by <scp>HPLC</scp> â€ <scp>MS</scp> / <scp>MS</scp> . Journal of Veterinary Pharmacology and Therapeutics, 2017, 40, 539-544.	1.3	8
2419	Simultaneous extraction and determination of monoamine neurotransmitters in human urine for clinical routine testing based on a dual functional solid phase extraction assisted by phenylboronic acid coupled with liquid chromatography-tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2017, 409, 2859-2871.	3.7	18
2421	Immunoaffinity chromatography combined with tandem mass spectrometry: A new tool for the selective capture and analysis of brassinosteroid plant hormones. Talanta, 2017, 170, 432-440.	5.5	37
2422	Nanomaterial-based electrochemical sensors for detection of glucose and insulin. Journal of Solid State Electrochemistry, 2017, 21, 2147-2166.	2.5	74
2423	Whole blood microsampling for the quantitation of estetrol without derivatization by liquid chromatography-tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2017, 140, 258-265.	2.8	33
2424	Development, validation and application of a novel liquid chromatography tandem mass spectrometry assay measuring uracil, 5,6-dihydrouracil, 5-fluorouracil, 5,6-dihydro-5-fluorouracil, α-fluoro-β-ureidopropionic acid and α-fluoro-β-alanine in human plasma. Journal of Pharmaceutical and Biomedical Analysis, 2017, 142, 125-135	2.8	23
2425	Rapid IC–MS/MS determination of methylphosphonic acid in urine of rats exposed to organophosphorus nerve agents. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1058, 32-39.	2.3	21
2426	An atmospheric pressure ionization source using a high voltage target compared to electrospray ionization for the LC/MS analysis of pharmaceutical compounds. Journal of Pharmaceutical and Biomedical Analysis, 2017, 142, 225-231.	2.8	15
2427	Novel dual VES phospholipid self-assembled liposomes with an extremely high drug loading efficiency. Colloids and Surfaces B: Biointerfaces, 2017, 156, 29-37.	5.0	7
2428	Development and validation of HPLCâ€MS/MS method for the determination of lixivaptan in mouse plasma and its application in a pharmacokinetic study. Biomedical Chromatography, 2017, 31, e4007.	1.7	6
2429	Multiresidue method for identification and quantification of avermectins, benzimidazoles and nitroimidazoles residues in bovine muscle tissue by ultra-high performance liquid chromatography tandem mass spectrometry (UHPLC-MS/MS) using a QuEChERS approach. Talanta, 2017, 171, 307-320.	5.5	38
2430	Simultaneous determination of selective serotonin reuptake inhibitors and their main metabolites in human breast milk by liquid chromatography-electrospray mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1057, 101-109.	2.3	19

#	Article	IF	CITATIONS
2431	Antibiotic use in heavy pigs: Comparison between urine and muscle samples from food chain animals analysed by HPLC-MS/MS. Food Chemistry, 2017, 235, 111-118.	8.2	60
2432	Quantitative Method for Simultaneous Analysis of Acetaminophen and 6 Metabolites. Therapeutic Drug Monitoring, 2017, 39, 172-179.	2.0	5
2433	Validation and application of an ultrahigh-performance liquid chromatographic-Orbitrap mass spectrometric method for the simultaneous detection and quantification of volatile and non-volatile organic acids in human faecal samples. Journal of Pharmaceutical and Biomedical Analysis, 2017, 141, 46-51.	2.8	15
2434	Evaluation of hydrophilic interaction liquid chromatography–tandem mass spectrometry and extraction with molecularly imprinted polymers for determination of aminoglycosides in milk and milk-based functional foods. Talanta, 2017, 171, 74-80.	5.5	44
2435	Polymer Inclusion Membranes with Condensed Phase Membrane Introduction Mass Spectrometry (CP-MIMS): Improved Analytical Response Time and Sensitivity. Analytical Chemistry, 2017, 89, 5629-5636.	6.5	15
2436	Quantification of Piperazine in Chicken Muscle by Ultra-Performance Liquid Chromatography-Electrospray Ionization Tandem Mass Spectrometry. Food Analytical Methods, 2017, 10, 1736-1744.	2.6	9
2437	Rapid and highly sensitive analysis of benzodiazepines and tandospirone in human plasma by automated on-line column-switching UFLC-MS/MS. Legal Medicine, 2017, 24, 36-55.	1.3	11
2438	Development of LC-MS/MS confirmatory method for the determination of testosterone in bovine serum. Journal of Veterinary Research (Poland), 2017, 61, 81-89.	1.0	6
2439	High Performance Liquid Chromatography–Tandem Mass Spectrometry Method for Simultaneous Quantification of Caspofungin, Anidulafungin and Micafungin in Human Plasma for Feasible Applications in Pediatric Haematology/Oncology. Chromatographia, 2017, 80, 1035-1045.	1.3	2
2440	A validated HPLC–MS/MS method for the quantification of supinoxin in rat plasma and its application to pharmacokinetic study. Acta Chromatographica, 2017, 29, 463-468.	1.3	2
2441	Ionic liquid based vortex assisted liquid–liquid microextraction combined with liquid chromatography mass spectrometry for the determination of bisphenols in thermal papers with the aid of response surface methodology. Journal of Chromatography A, 2017, 1509, 35-42.	3.7	12
2442	Simultaneous quantification of imatinib and its main metabolite Nâ€demethylâ€imatinib in human plasma by liquid chromatography–tandem mass spectrometry and its application to therapeutic drug monitoring in patients with gastrointestinal stromal tumor. Biomedical Chromatography, 2017, 31, e4022.	1.7	13
2443	Dried urine spots - A novel sampling technique for comprehensive LC-MSn drug screening. Analytica Chimica Acta, 2017, 982, 112-121.	5.4	28
2444	Native (Ruditapes decussatus) and non-indigenous (R.Âphilippinarum) shellfish species living in sympatry: Comparison of regulated and non-regulated biotoxins accumulation. Marine Environmental Research, 2017, 129, 147-155.	2.5	7
2445	Development of a New Extraction Device Based on Parallel-Electromembrane Extraction. Analytical Chemistry, 2017, 89, 6346-6350.	6.5	41
2446	A new carbon-based magnetic material for the dispersive solid-phase extraction of UV filters from water samples before liquid chromatography–tandem mass spectrometry analysis. Analytical and Bioanalytical Chemistry, 2017, 409, 4181-4194.	3.7	33
2447	T-2 Toxin-3α-glucoside in Broiler Chickens: Toxicokinetics, Absolute Oral Bioavailability, and in Vivo Hydrolysis. Journal of Agricultural and Food Chemistry, 2017, 65, 4797-4803.	5.2	15
2448	Simultaneous Determination of Alpha-Tocopherol and Alpha-Tocopheryl Acetate in Dairy Products, Plant Milks and Health Supplements by Using SPE and HPLC Method. Food Analytical Methods, 2017, 10, 3886-3901.	2.6	14

#	Article	IF	CITATIONS
2449	A fast bioanalytical method based on microextraction by packed sorbent and UPLC–MS/MS for determining new psychoactive substances in oral fluid. Talanta, 2017, 174, 454-461.	5.5	66
2450	Trace determination of five triazole fungicide residues in traditional Chinese medicine samples by dispersive solidâ€phase extraction combined with ultrasoundâ€assisted dispersive liquid–liquid microextraction and UHPLC–MS/MS. Journal of Separation Science, 2017, 40, 3257-3266.	2.5	30
2452	Determination of steroid hormones in fish tissues by microwave-assisted extraction coupled to ultra-high performance liquid chromatography tandem mass spectrometry. Food Chemistry, 2017, 237, 1012-1020.	8.2	46
2453	MCM-41 as novel solid phase sorbent for the pre-concentration of pesticides in environmental waters and determination by microflow liquid chromatography-quadrupole linear ion trap mass spectrometry. Microchemical Journal, 2017, 134, 181-190.	4.5	20
2454	Application of volumetric absorptive microsampling device for quantification of tacrolimus in human blood as a model drug of high blood cell partition. Journal of Pharmaceutical and Biomedical Analysis, 2017, 143, 168-175.	2.8	46
2455	Comparative metabolomic analysis of HPAC cells following the acquisition of erlotinib resistance. Oncology Letters, 2017, 13, 3437-3444.	1.8	10
2456	An improved SPE-LC-MS/MS method for multiclass endocrine disrupting compound determination in tropical estuarine sediments. Talanta, 2017, 173, 51-59.	5.5	34
2457	Pesticides in fine airborne particles: from a green analysis method to atmospheric characterization and risk assessment. Scientific Reports, 2017, 7, 2267.	3.3	43
2458	Molecularly imprinted solidâ€phase extraction coupled with LC–APCI–MS–MS for the selective determination of serum cholesterol. Electrophoresis, 2017, 38, 2150-2159.	2.4	9
2459	Ultra-performance liquid chromatography-tandem mass spectrometry-based multiplex enzyme assay for six enzymes associated with hereditary hemolytic anemia. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1060, 76-83.	2.3	2
2460	Biphenyl based stationary phases for improved selectivity in complex steroid assays. Journal of Pharmaceutical and Biomedical Analysis, 2017, 142, 66-73.	2.8	24
2461	Measurement of Clozapine, Norclozapine, and Amisulpride in Plasma and in Oral Fluid Obtained Using 2 Different Sampling Systems. Therapeutic Drug Monitoring, 2017, 39, 109-117.	2.0	9
2462	Simultaneous determination of nine β-lactam antibiotics in human plasma by an ultrafast hydrophilic-interaction chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1060, 138-143.	2.3	60
2463	Oral Administration of (S)-Allyl-I-Cysteine and Aged Garlic Extract to Rats: Determination of Metabolites and Their Pharmacokinetics. Planta Medica, 2017, 83, 1351-1360.	1.3	14
2464	Ultra-performance liquid chromatography tandem mass spectrometry for determination of Direct Acting Antiviral drugs in human liver fine needle aspirates. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1052, 103-109.	2.3	14
2465	Determination of AB-CHMINACA and its metabolites in human hair and their deposition in hair of abusers. Journal of Pharmaceutical and Biomedical Analysis, 2017, 140, 162-168.	2.8	16
2466	High-throughput screening for drugs of abuse and pharmaceutical drugs in hair by liquid-chromatography-high resolution mass spectrometry (LC-HRMS). Microchemical Journal, 2017, 133, 302-310.	4.5	40
2467	A highly sensitive method for the simultaneous UHPLC–MS/MS analysis of clonidine, morphine, midazolam and their metabolites in blood plasma using HFIP as the eluent additive. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2017. 1052. 150-157.	2.3	10

#	Article	IF	CITATIONS
2468	Simultaneous determination of tryptophan and 8 metabolites in human plasma by liquid chromatography/tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1054, 36-43.	2.3	55
2469	Validation of a dried blood spot method for therapeutic drug monitoring of citalopram, mirtazapine and risperidone and its active metabolite 9-hydroxyrisperidone using HPLC–MS. Journal of Pharmaceutical and Biomedical Analysis, 2017, 140, 347-354.	2.8	28
2470	Pharmacokinetic properties of the synthetic cannabinoid JWH-018 and of its metabolites in serum after inhalation. Journal of Pharmaceutical and Biomedical Analysis, 2017, 140, 215-222.	2.8	73
2471	Validation of a new method by nano-liquid chromatography on chip tandem mass spectrometry for combined quantitation of C3f and the V65 vitronectin fragment as biomarkers of diagnosis and severity of osteoarthritis. Talanta, 2017, 169, 170-180.	5.5	10
2472	Paramagnetic micro-particles as a tool for rapid quantification of apixaban, dabigatran, edoxaban and rivaroxaban in human plasma by UHPLC-MS/MS. Clinical Chemistry and Laboratory Medicine, 2017, 55, 1349-1359.	2.3	34
2473	Development and validation of a liquid chromatography tandem mass spectrometry method for the determination of cannabinoids and phase I and II metabolites in meconium. Journal of Chromatography A, 2017, 1497, 118-126.	3.7	29
2474	Lipidomics by ultrahigh performance liquid chromatography-high resolution mass spectrometry and its application to complex biological samples. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1053, 72-80.	2.3	87
2475	Quantification of Acetaminophen and Its Metabolites in Plasma Using UPLC-MS: Doors Open to Therapeutic Drug Monitoring in Special Patient Populations. Therapeutic Drug Monitoring, 2017, 39, 164-171.	2.0	25
2476	Comparison of Plasma, Saliva, and Hair Levetiracetam Concentrations. Therapeutic Drug Monitoring, 2017, 39, 263-268.	2.0	11
2477	Signal Enhancement in the HPLC-ESI-MS/MS analysis of spironolactone and its metabolites using HFIP and NH4F as eluent additives. Analytical and Bioanalytical Chemistry, 2017, 409, 3145-3151.	3.7	28
2478	LC–MS/MS assay for quantitation of enalapril and enalaprilat in plasma for bioequivalence study in Indian subjects. Future Science OA, 2017, 3, FSO165.	1.9	9
2479	Parallel artificial liquid membrane extraction of new psychoactive substances in plasma and whole blood. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1048, 77-84.	2.3	29
2480	Simultaneous assay of multiple antibiotics in human plasma by LC–MS/MS: importance of optimizing formic acid concentration. Bioanalysis, 2017, 9, 469-483.	1.5	22
2481	Liquid chromatography-high resolution-tandem mass spectrometry using Orbitrap technology for comprehensive screening to detect drugs and their metabolites in blood plasma. Analytica Chimica Acta, 2017, 965, 83-95.	5.4	60
2482	Multiresidue determination of estrogens in different dairy products by ultra-high-performance liquid chromatography triple quadrupole mass spectrometry. Journal of Chromatography A, 2017, 1496, 58-67.	3.7	25
2483	Large-scale multi-class herbicides analysis in oilseeds by rapid one-step QuEChERS-based extraction and cleanup method using liquid chromatography–tandem mass spectrometry. Food Chemistry, 2017, 230, 411-422.	8.2	28
2484	Rapid quantification of free and glucuronidated THCCOOH in urine using coated well plates and LC–MS/MS analysis. Bioanalysis, 2017, 9, 485-496.	1.5	10
2485	The why and how of amino acid analytics in cancer diagnostics and therapy. Journal of Biotechnology, 2017, 242, 30-54.	3.8	48

#	Article	IF	CITATIONS
2486	Metabolite fingerprinting of Punica granatum L. (pomegranate) polyphenols by means of high-performance liquid chromatography with diode array and electrospray ionization-mass spectrometry detection. Journal of Chromatography A, 2017, 1480, 20-31.	3.7	54
2487	Evaluation and prevention of the negative matrix effect of terpenoids on pesticides in apples quantification by gas chromatography–tandem mass spectrometry. Journal of Chromatography A, 2017, 1483, 8-19.	3.7	14
2488	Revisiting quick, easy, cheap, effective, rugged, and safe parameters for sample preparation in pesticide residue analysis of lettuce by liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2017, 1482, 11-22.	3.7	36
2489	Simultaneous analysis of kasugamycin and validamycin-A in fruits and vegetables using liquid chromatography-tandem mass spectrometry and consecutive solid-phase extraction. Analytical Methods, 2017, 9, 634-642.	2.7	11
2490	Capillary electrophoresis-tandem mass spectrometry combined with molecularly imprinted solid phase extraction as useful tool for the monitoring of 5-nitroimidazoles and their metabolites in urine samples. Talanta, 2017, 163, 111-120.	5.5	17
2491	Quantification of the 3α and 3β epimers of 25-hydroxyvitamin D3 in dried blood spots by LC-MS/MS using artificial whole blood calibration and chemical derivatization. Talanta, 2017, 165, 398-404.	5.5	20
2492	Is a deuterated internal standard appropriate for the reliable determination of olmesartan in human plasma?. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1040, 53-59.	2.3	8
2493	A rapid method for sensitive profiling of folates from plant leaf by ultra-performance liquid chromatography coupled to tandem quadrupole mass spectrometer. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1040, 169-179.	2.3	18
2494	Calibrant-Free Analyte Quantitation via a Variable Velocity Flow Cell. Analytical Chemistry, 2017, 89, 1147-1154.	6.5	5
2495	Simultaneous Screening and Quantification of Basic, Neutral and Acidic Drugs in Blood Using UPLC-QTOF-MS. Journal of Analytical Toxicology, 2017, 41, 181-195.	2.8	31
2496	A sensitive LC-MS/MS method for the quantification of regioisomers of epoxyeicosatrienoic and dihydroxyeicosatrienoic acids in human plasma during endothelial stimulation. Analytical and Bioanalytical Chemistry, 2017, 409, 1845-1855.	3.7	18
2497	Identification of novel psychoactive substances 25B-NBOMe and 4-CMC in biological material using HPLC-Q-TOF-MS and their quantification in blood using UPLC–MS/MS in case of severe intoxications. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1041-1042. 1-10.	2.3	29
2498	Evaluation of a new modified QuEChERS method for the monitoring of carbamate residues in highâ€fat cheeses by using UHPLC–MS/MS. Journal of Separation Science, 2017, 40, 488-496.	2.5	18
2499	Steroid hormones. , 2017, , 205-230.		3
2500	Determination of cortisol in lake sturgeon (Acipenser fulvescens) eggs by liquid chromatography tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1040, 162-168.	2.3	6
2501	Optimized Method to Quantify Dopamine Turnover in the Mammalian Retina. Analytical Chemistry, 2017, 89, 12276-12283.	6.5	13
2502	A molybdenum disulfide/reduced graphene oxide fiber coating coupled with gas chromatography–mass spectrometry for the saponification-headspace solid-phase microextraction of polychlorinated biphenyls in food. Journal of Chromatography A, 2017, 1525, 42-50.	3.7	39
2503	Method performance and clinical workflow outcomes associated with meconium and umbilical cord toxicology testing. Clinical Biochemistry, 2017, 50, 1093-1097.	1.9	15

#	Article	IF	CITATIONS
2504	A simple ultra-high-performance liquid chromatography-high resolution mass spectrometry assay for the simultaneous quantification of 15 antibiotics in plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1065-1066, 50-58.	2.3	60
2505	A simple dilute and shoot approach incorporated with pentafluorophenyl (PFP) column based LC-MS/MS assay for the simultaneous determination of trimethylamine N -oxide and trimethylamine in spot urine samples with high throughput. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2017. 1067. 61-70.	2.3	7
2506	Optimizing extraction and analysis of pharmaceuticals in human urine, struvite, food crops, soil, and lysimeter water by liquid chromatography-tandem mass spectrometry. Analytical Methods, 2017, 9, 5952-5962.	2.7	14
2507	Determination of total and unbound docetaxel in plasma by ultrafiltration and UPLC-MS/MS: application to pharmacokinetic studies. Scientific Reports, 2017, 7, 14609.	3.3	3
2508	Studies on Para-Methoxymethamphetamine (PMMA) Metabolite Pattern and Influence of CYP2D6 Genetics in Human Liver Microsomes and Authentic Samples from Fatal PMMA Intoxications. Drug Metabolism and Disposition, 2017, 45, 1326-1335.	3.3	3
2509	Multivariate optimization of a microextraction by packed sorbent-programmed temperature vaporization-gas chromatography–tandem mass spectrometry method for organophosphate flame retardant analysis in environmental aqueous matrices. Analytical and Bioanalytical Chemistry, 2017, 409. 7105-7120.	3.7	15
2510	Paper Spray Ionization Coupled to High Resolution Tandem Mass Spectrometry for Comprehensive Urine Drug Testing in Comparison to Liquid Chromatography-Coupled Techniques after Urine Precipitation or Dried Urine Spot Workup. Analytical Chemistry, 2017, 89, 11779-11786.	6.5	51
2511	Identification of the Synthetic Cannabinoid 1-(4-cyanobutyl)-N-(2-phenylpropan-2-yl)-1H-indazole-3-carboxamide (CUMYL-4CN-BINACA) in Plant Material and Quantification in Post-Mortem Blood Samples. Journal of Analytical Toxicology, 2017, 41, 720-728.	2.8	23
2512	An LC-MS Assay with Isocratic Separation and On-Line Solid Phase Extraction to Improve the Routine Therapeutic Drug Monitoring of Busulfan in Plasma. Journal of Medical Biochemistry, 2017, 36, 113-121.	1.7	4
2513	Quantification of steroid hormones in human serum by liquid chromatography-high resolution tandem mass spectrometry. Journal of Chromatography A, 2017, 1526, 112-118.	3.7	42
2514	A fast and simple method for simultaneous measurements of 25(OH)D, 24,25(OH) 2 D and the Vitamin D Metabolite Ratio (VMR) in serum samples by LC-MS/MS. Clinica Chimica Acta, 2017, 473, 116-123.	1.1	38
2515	Effects of liquid post-column addition in electrospray ionization performance in supercritical fluid chromatography–mass spectrometry. Journal of Chromatography A, 2017, 1517, 176-184.	3.7	43
2516	Development of a validated LC- MS/MS method for the quantification of 19 endogenous asthma/COPD potential urinary biomarkers. Analytica Chimica Acta, 2017, 989, 45-58.	5.4	33
2517	Comprehensive determination of flavouring additives and nicotine in e-cigarette refill solutions. Part II: Gas-chromatography–mass spectrometry analysis. Journal of Chromatography A, 2017, 1517, 156-164.	3.7	27
2518	Simultaneous measurement of whole blood vitamin B1 and vitamin B6 using LC-ESI–MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1063, 67-73.	2.3	25
2519	Human bone marrow as a tissue in post-mortem identification and determination of psychoactive Substances—Screening methodology. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1061-1062, 459-467.	2.3	20
2520	LC–MS/MS based method development for the analysis of florfenicol and its application to estimate relative distribution in various tissues of broiler chicken. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1063, 163-173.	2.3	25
2521	Assessment of simpler calibration models in the development and validation of a fast postmortem multi-analyte LC-QTOF quantitation method in whole blood with simultaneous screening capabilities using SWATH acquisition. Analytical and Bioanalytical Chemistry, 2017, 409, 6495- <u>6508</u> .	3.7	8

#	Article	IF	CITATIONS
2522	Liquid chromatography-tandem mass spectrometry multiresidue method for the analysis of quaternary ammonium compounds in cheese and milk products: Development and validation using the total error approach. Journal of Chromatography A, 2017, 1517, 86-96.	3.7	21
2523	Determination of 74 new psychoactive substances in serum using automated in-line solid-phase extraction-liquid chromatography-tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1064, 124-138.	2.3	36
2524	Identification of antibiotics in wastewater: current state of extraction protocol and future perspectives. Journal of Water and Health, 2017, 15, 982-1003.	2.6	17
2525	Performance comparison of dispersive solid-phase extraction and multiplug filtration cleanup methods for the determination of tefuryltrione in plant and environmental samples using UHPLC-MS/MS. Journal of Separation Science, 2017, 40, 4420-4430.	2.5	3
2526	Development and validation of a high-throughput method for determination of nine fluoroquinolones residues in muscle of different animal species by liquid chromatography coupled to tandem mass spectrometry with low temperature clean up. Journal of Chromatography A, 2017, 1521, 131-139.	3.7	22
2527	An atmospheric pressure chemical ionisation liquid chromatographic–tandem mass spectrometry method for the analysis of benzodiazepines in urine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1064, 22-27.	2.3	12
2528	Simultaneous determination of ethyl carbamate and urea in Korean rice wine by ultra-performance liquid chromatography coupled with mass spectrometric detection. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1065-1066, 44-49.	2.3	9
2529	Design of Multifunctional Nanostructure for Ultrafast Extraction and Purification of Aflatoxins in Foodstuffs. Analytical Chemistry, 2017, 89, 10556-10564.	6.5	26
2530	Imatinib quantification in human serum with LC-MS3 as an effective way of protein kinase inhibitor analysis in biological matrices. Drug Metabolism and Personalized Therapy, 2017, 32, 147-150.	0.6	5
2531	Matrix effect management in liquid chromatography mass spectrometry: the internal standard normalized matrix effect. Bioanalysis, 2017, 9, 1093-1105.	1.5	69
2532	Lacking linearity in quantitative stable-isotope LC–MS/MS measurement of F2-isoprostanes is an irrefutable indicator of analytical inadequacy. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1064, 139-142.	2.3	4
2533	Simultaneous determination of pentoxifylline, metabolites M1 (lisofylline), M4 and M5, and caffeine in plasma and dried blood spots for pharmacokinetic studies in preterm infants and neonates. Journal of Pharmaceutical and Biomedical Analysis, 2017, 146, 302-313.	2.8	13
2535	Identification and characterization of vilazodone metabolites in rats and microsomes by ultrahighâ€performance liquid chromatography/quadrupole timeâ€ofâ€flight tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2017, 31, 1974-1984.	1.5	13
2536	Evaluation of N -acetyltaurine as an ethanol marker in human blood. Alcohol, 2017, 65, 11-18.	1.7	4
2537	The analysis of 132 novel psychoactive substances in human hair using a single step extraction by tandem LC/MS. Forensic Science International, 2017, 279, 192-202.	2.2	85
2538	A Low-cost, Highly-stable Surface Enhanced Raman Scattering Substrate by Si Nanowire Arrays Decorated with Au Nanoparticles and Au Backplate. Scientific Reports, 2017, 7, 4604.	3.3	16
2539	Comprehensive solid-phase extraction of multitudinous bioactive peptides from equine plasma and urine for doping detection. Analytica Chimica Acta, 2017, 985, 79-90.	5.4	17
2540	Development and validation of an LC-MS/MS method for simultaneous quantification of hesperidin and hesperetin in rat plasma for pharmacokinetic studies. Analytical Methods, 2017, 9, 3329-3337.	2.7	17

#	Article	IF	CITATIONS
2541	Development of a fast and cost-effective gas chromatography–mass spectrometry method for the quantification of short-chain and medium-chain fatty acids in human biofluids. Analytical and Bioanalytical Chemistry, 2017, 409, 5555-5567.	3.7	61
2542	Multi-class determination of pharmaceuticals in wastewaters by solid-phase extraction and liquid chromatography tandem mass spectrometry with matrix effect study. Environmental Science and Pollution Research, 2017, 24, 20521-20539.	5.3	28
2543	Development of a LC–MS/MS method for the determination of CKD-712 in rat plasma: Application to a pharmacokinetic study in rats. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1061-1062, 123-127.	2.3	0
2544	Dried Blood Spots Combined With Ultra–High-Performance Liquid Chromatography–Mass Spectrometry for the Quantification of the Antipsychotics Risperidone, Aripiprazole, Pipamperone, and Their Major Metabolites. Therapeutic Drug Monitoring, 2017, 39, 429-440.	2.0	22
2545	LC–MS determination of triazolam and its hydroxy metabolites in mouse dried blood spots: application to transgenic mouse pharmacokinetic studies. Bioanalysis, 2017, 9, 987-1000.	1.5	8
2546	An LC-MS/MS based candidate reference method for the quantification of carbamazepine in human serum. Clinica Chimica Acta, 2017, 472, 35-40.	1.1	23
2548	Coupling sweeping-micellar electrokinetic chromatography with tandem mass spectrometry for the therapeutic monitoring of benzimidazoles in animal urine by dilute and shoot. Talanta, 2017, 175, 542-549.	5.5	15
2549	LC–MS/MS method for preclinical pharmacokinetic study of QX-OH, a novel long-acting local anesthetic, in sciatic nerve blockade in rats. Journal of Pharmaceutical and Biomedical Analysis, 2017, 146, 161-167.	2.8	7
2550	Free amino acids in the Arctic snow and ice core samples: Potential markers for paleoclimatic studies. Science of the Total Environment, 2017, 607-608, 454-462.	8.0	21
2551	Reliable and Easy-To-Use Liquid Chromatography–Tandem Mass Spectrometry Method for Simultaneous Analysis of Fluconazole, Isavuconazole, Itraconazole, Hydroxy-Itraconazole, Posaconazole, and Voriconazole in Human Plasma and Serum. Therapeutic Drug Monitoring, 2017, 39, 505-513.	2.0	17
2552	Development and validation of a high-performance liquid chromatography-tandem mass spectrometry method to quantify LYâ€354,740 in rat and marmoset plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1061-1062, 392-398.	2.3	12
2553	A fast and sensitive LC–MS/MS method for the quantification of fosfomycin in human urine and plasma using one sample preparation method and HILIC chromatography. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1061-1062, 263-269.	2.3	33
2554	An LC/MS/MS method for quantitation of chemopreventive sphingadienes in food products and biological samples. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1061-1062, 292-299.	2.3	6
2555	Side-chain fluorinated polymer surfactants in aquatic sediment and biosolid-augmented agricultural soil from the Great Lakes basin of North America. Science of the Total Environment, 2017, 607-608, 262-270.	8.0	37
2556	Dependence of matrix effect on ionization polarity during LC–ESI–MS analysis of derivatized amino acids in some natural samples. European Journal of Mass Spectrometry, 2017, 23, 245-253.	1.0	12
2557	Method for Continuous Monitoring of Electrospray Ion Formation. Journal of the American Society for Mass Spectrometry, 2017, 28, 2117-2123.	2.8	0
2558	Activity-Based Detection of Consumption of Synthetic Cannabinoids in Authentic Urine Samples Using a Stable Cannabinoid Reporter System. Analytical Chemistry, 2017, 89, 9527-9536.	6.5	81
2559	Optimization and application of octadecyl-modified monolithic silica for solid-phase extraction of drugs in whole blood samples. Journal of Chromatography A, 2017, 1517, 9-17.	3.7	15

#	Article	IF	CITATIONS
2560	Derivatization enhanced separation and sensitivity of long chain-free fatty acids: Application to asthma using targeted and non-targeted liquid chromatography-mass spectrometry approach. Analytica Chimica Acta, 2017, 989, 59-70.	5.4	52
2561	Emerging analytical methods for the characterization and quantification of organic contaminants in flowback and produced water. Trends in Environmental Analytical Chemistry, 2017, 15, 12-23.	10.3	54
2562	Synthesis of a monodisperse well-defined core–shell magnetic molecularly-imprinted polymer prior to LC-MS/MS for fast and sensitive determination of mycotoxin residues in rice. Analytical Methods, 2017, 9, 5281-5292.	2.7	14
2563	LC–MS-MS with Post-Column Reagent Addition for the Determination of Zolpidem and its Metabolite Zolpidem Phenyl-4-carboxylic Acid in Oral Fluid after a Single Dose. Journal of Analytical Toxicology, 2017, 41, 735-743.	2.8	8
2564	Intra-laboratory Development and Evaluation of a Quantitative Method for Measurement of Aflatoxins B1, M1 and Q1 in Animal Urine by High Performance Liquid Chromatography with Fluorescence Detection. Journal of Analytical Toxicology, 2017, 41, 698-707.	2.8	2
2565	Screening and confirmation of steroids and nitroimidazoles in urine, blood, and food matrices: Sample preparation methods and liquid chromatography tandem mass spectrometric separations. Journal of Pharmaceutical and Biomedical Analysis, 2017, 145, 805-813.	2.8	16
2566	Simple and rapid determination of zaltoprofen in human plasma by manualâ€shakingâ€assisted dispersive liquid–liquid microextraction followed by liquid chromatography with ultraviolet detection. Journal of Separation Science, 2017, 40, 4050-4059.	2.5	4
2567	Rapid Determination of Aconitum Alkaloids from Human Urine by UHPLC–HRMS. Journal of Analytical Toxicology, 2017, 41, 611-617.	2.8	5
2568	Matrix effects and application of matrix effect factor. Bioanalysis, 2017, 9, 1839-1844.	1.5	268
2569	Plasma pharmacokinetics and brain distribution kinetics of lapachol in rats using LC-MS and microdialysis techniques. RSC Advances, 2017, 7, 53355-53361.	3.6	2
2570	A New Derivatization Reagent for HPLC–MS Analysis of Biological Organic Acids. Chromatographia, 2017, 80, 1723-1732.	1.3	24
2571	Identification and quantification of domoic acid by UHPLC/QTOF tandem mass spectrometry, with simultaneous identification of non-target photodegradation products. International Journal of Environmental Analytical Chemistry, 2017, 97, 1192-1205.	3.3	9
2572	Optimization and application of fabric phase sorptive extraction coupled to ultra-high performance liquid chromatography tandem mass spectrometry for the determination of cytostatic drug residues in environmental waters. Journal of Chromatography A, 2017, 1529, 39-49.	3.7	23
2573	Spatial and seasonal analysis of antimicrobials and toxicity tests with Daphnia magna, on the sub-basin of Piracicaba river, SP, Brazil. Journal of Environmental Chemical Engineering, 2017, 5, 6070-6076.	6.7	7
2574	Broad screening of illicit ingredients in cosmetics using ultra-high-performance liquid chromatography-hybrid quadrupole-Orbitrap mass spectrometry with customized accurate-mass database and mass spectral library. Journal of Chromatography A, 2017, 1528, 61-74.	3.7	22
2575	Simultaneous determination of three pesticide adjuvant residues in plant-derived agro-products using liquid chromatography-tandem mass spectrometry. Journal of Chromatography A, 2017, 1528, 53-60.	3.7	14
2576	LC-MS/MS Analysis of Erythrocyte Thiopurine Nucleotides and Their Association With Genetic Variants in Patients With Neuromyelitis Optica Spectrum Disorders Taking Azathioprine. Therapeutic Drug Monitoring, 2017, 39, 5-12.	2.0	9
2577	An Atmospheric Pressure Chemical Ionization MS/MS Assay Using Online Extraction for the Analysis of 11 Cannabinoids and Metabolites in Human Plasma and Urine. Therapeutic Drug Monitoring, 2017, 39, 556-564.	2.0	53

#	Article	IF	CITATIONS
2578	Peanut agglutinin and β-cyclodextrin functionalized polymer monolith: Microextraction of IgG galactosylation coupled with online MS detection. Analytica Chimica Acta, 2017, 983, 141-148.	5.4	29
2579	Development and Validation of Quantitative Ultraperformance Liquid Chromatography–Tandem Mass Spectrometry Assay for Anticoagulant Rodenticides in Liver. Journal of Agricultural and Food Chemistry, 2017, 65, 6682-6691.	5.2	24
2580	Simultaneous detection of the tetrachloroethylene metabolites S-(1,2,2-trichlorovinyl) glutathione, S-(1,2,2-trichlorovinyl)-L-cysteine, and N-acetyl-S-(1,2,2-trichlorovinyl)-L-cysteine in multiple mouse tissues via ultra-high performance liquid chromatography electrospray ionization tandem mass spectrometry. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2017, 80, 513-524	2.3	16
2581	Development of a Simple and Rapid Method to Measure Free Fraction of Valproic Acid in Plasma Using Ultrafiltration and Ultra High Performance Liquid Chromatography–Mass Spectroscopy: Application to Therapeutic Drug Monitoring. Therapeutic Drug Monitoring, 2017, 39, 575-579.	2.0	7
2582	A rapid liquid chromatography-tandem mass spectrometry for the quantification of Fosfomycin in plasma, urine, and aqueous fluids. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1061-1062, 57-64.	2.3	9
2583	Evaluation of a multiresidue capillary electrophoresis-quadrupole-time-of-flight mass spectrometry method for the determination of antibiotics in milk samples. Journal of Chromatography A, 2017, 1510, 100-107.	3.7	87
2584	Standardized Procedure for the Simultaneous Determination of the Matrix Effect, Recovery, Process Efficiency, and Internal Standard Association. Analytical Chemistry, 2017, 89, 7560-7568.	6.5	46
2585	Evaluation of nanoflow liquid chromatography high resolution mass spectrometry for pesticide residue analysis in food. Journal of Chromatography A, 2017, 1512, 78-87.	3.7	52
2586	A review of high performance liquid chromatographic-mass spectrometric urinary methods for anticancer drug exposure of health care workers. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1060, 316-324.	2.3	29
2587	A fully validated bioanalytical method using an UHPLC–MS/MS system for quantification of DNA and RNA oxidative stress biomarkers. Analytical and Bioanalytical Chemistry, 2017, 409, 3611-3621.	3.7	15
2588	Development and validation of LC-MS/MS assay for the determination of Butoconazole in human plasma: Evaluation of systemic absorption following topical application in healthy volunteers. Bulletin of Faculty of Pharmacy, Cairo University, 2017, 55, 303-310.	0.3	3
2589	A High-throughput HPLC-MS/MS Assay for the Detection, Quantification and Simultaneous Structural Confirmation of 136 Drugs and Metabolites in Human Urine. Therapeutic Drug Monitoring, 2017, 39, 565-574.	2.0	10
2590	Dried blood spot sampling of nilotinib in patients with chronic myeloid leukaemia: a comparison with venous blood sampling. Journal of Pharmacy and Pharmacology, 2017, 69, 1265-1274.	2.4	29
2591	LC–MS/MS quantitation of antimalarial drug piperaquine and metabolites in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1063, 253-258.	2.3	10
2592	Occurrence of commonly used pesticides in personal air samples and their associated health risk among paddy farmers. Science of the Total Environment, 2017, 603-604, 381-389.	8.0	46
2593	Ultraperformance Liquid Chromatography Tandem Mass Spectrometry Method To Determine Formaldehyde Hemoglobin Adducts in Humans as Biomarker for Formaldehyde Exposure. Chemical Research in Toxicology, 2017, 30, 1592-1598.	3.3	12
2594	Quantitative determination of dobutamine in newborn pig plasma samples by HPLC–MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2017, 145, 178-185.	2.8	4
2595	Liquid chromatography-tandem mass spectrometry determination of synthetic cathinones and phenethylamines in influent wastewater of eight European cities. Chemosphere, 2017, 168, 1032-1041.	8.2	82

#	Article	IF	CITATIONS
2596	Analysis of azole fungicides in fish muscle tissues: Multi-factor optimization and application to environmental samples. Journal of Hazardous Materials, 2017, 324, 535-543.	12.4	22
2597	Sample preparation techniques for mass spectrometry in the clinical laboratory. , 2017, , 37-62.		13
2598	Physicochemical stability and compatibility testing of levetiracetam in all-in-one parenteral nutrition admixtures in daily practice. European Journal of Pharmaceutical Sciences, 2017, 96, 449-455.	4.0	17
2599	Robust HPLC–MS/MS method for levofloxacin and ciprofloxacin determination in human prostate tissue. Journal of Pharmaceutical and Biomedical Analysis, 2017, 132, 173-183.	2.8	43
2600	Hormonal profiling: Development of a simple method to extract and quantify phytohormones in complex matrices by UHPLC–MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1040, 239-249.	2.3	31
2601	Determination of enantiomeric vigabatrin by derivatization with diacetyl- I -tartaric anhydride followed by ultra-high performance liquid chromatography-quadrupole-time-of-flight mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2017, 1040, 199-207.	2.3	16
2602	Measurement of caffeine and its three primary metabolites in human plasma by HPLCâ€ESIâ€MS/MS and clinical application. Biomedical Chromatography, 2017, 31, e3900.	1.7	24
2603	Overview of Multiresidues Analytical Methods for the Quantitation of Pharmaceuticals in Environmental Solid Matrixes: Comparison of Analytical Development Strategy for Sewage Sludge, Manure, Soil, and Sediment Samples. Analytical Chemistry, 2017, 89, 453-465.	6.5	25
2604	Quantification of three betaâ€lactam antibiotics in breast milk and human plasma by hydrophilic interaction liquid chromatography/positiveâ€ion electrospray ionization mass spectrometry. Drug Testing and Analysis, 2017, 9, 1062-1072.	2.6	9
2605	Quantification of 1-hydroxypyrene, 1- and 2-hydroxynaphthalene, 3-hydroxybenzo[a]pyrene and 6-hydroxynitropyrene by HPLC-MS/MS in human urine as exposure biomarkers for environmental and occupational surveys. Biomarkers, 2017, 22, 575-583.	1.9	17
2606	Salting-out assisted liquid–liquid extraction coupled to ultra-high performance liquid chromatography–tandem mass spectrometry for the determination of tetracycline residues in infant foods. Food Chemistry, 2017, 221, 1763-1769.	8.2	76
2607	Simple protein precipitation-based analysis of Δ9-tetrahydrocannabinol and its metabolites in human serum by liquid chromatography–tandem mass spectrometry. Forensic Toxicology, 2017, 35, 190-194.	2.4	6
2608	Alkaloids in the valorization of European Lupinus spp. seeds crop. Industrial Crops and Products, 2017, 95, 286-295.	5.2	28
2609	Simultaneous determination of ginsenosides and bufadienolides in rat plasma after the oral administration of Shexiang Baoxin Pill for pharmacokinetic study by liquid chromatography tandem mass spectrometry following solidâ€phase extraction. Biomedical Chromatography, 2017, 31, e3816.	1.7	7
2610	An LC–MS/MS method for rapid and sensitive highâ€ŧhroughput simultaneous determination of various protein kinase inhibitors in human plasma. Biomedical Chromatography, 2017, 31, e3793.	1.7	41
2611	Determination of 21 drugs in oral fluid using fully automated supported liquid extraction and UHPLCâ€MS/MS. Drug Testing and Analysis, 2017, 9, 808-823.	2.6	43
2612	Simultaneous Determination of Eight Tranquilizers in Pork by Ultra-Performance Liquid Chromatography Coupled with Electrospray Tandem Mass Spectrometry. Food Analytical Methods, 2017, 10, 354-362.	2.6	10
2613	Development and validation of an LC–MS/MS quantitative method for endogenous deoxynucleoside triphosphates in cellular lysate. Biomedical Chromatography, 2017, 31, e3820.	1.7	5

#	Article	IF	CITATIONS
2614	A Simple HPLC–MS/MS Method for Determination of Tryptophan, Kynurenine and Kynurenic Acid in Human Serum and its Potential for Monitoring Antidepressant Therapy. Journal of Analytical Toxicology, 2017, 41, 37-44.	2.8	54
2615	Development and validation of a HPLC–QTOF-MS method for the determination of GHB-β-O-glucuronide and GHB-4-sulfate in plasma and urine. Forensic Toxicology, 2017, 35, 77-85.	2.4	9
2616	Determination of ethyl glucuronide and fatty acid ethyl esters in hair samples. Biomedical Chromatography, 2017, 31, e3858.	1.7	15
2617	Hazards in chromatographic bioanalysis method development and applications. Biomedical Chromatography, 2017, 31, e3859.	1.7	7
2618	A Fast and Comprehensive Analysis of 32 Synthetic Cannabinoids Using Agilent Triple Quadrupole LC–MS-MS. Journal of Analytical Toxicology, 2017, 41, 06-16.	2.8	28
2619	Bioanalytical method development and validation: Critical concepts and strategies. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1043, 3-11.	2.3	97
2620	High throughput solid phase microextraction: A new alternative for analysis of cellular lipidome?. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1043, 12-19.	2.3	26
2621	Development and validation of an ultraâ€fast and sensitive microflow liquid chromatographyâ€tandem mass spectrometry (MFLCâ€MS/MS) method for quantification of LSD and its metabolites in plasma and application to a controlled LSD administration study in humans. Drug Testing and Analysis, 2017, 9, 788-797.	2.6	33
2622	Evaluation of nandrolone and ractopamine in the urine of veal calves: liquid chromatographyâ€ŧandem mass spectrometry approach. Drug Testing and Analysis, 2017, 9, 561-570.	2.6	1
2623	Bovine teeth as a novel matrix for the control of the food chain: liquid chromatographyâ \in tandem mass spectrometry detection of treatments with prednisolone, dexamethasone, estradiol, nandrolone and seven \hat{l}^2 (sub>2 (sub>-agonists. Food Additives and Contaminants - Part A Chemistry, Analysis, Control Exposure and Risk Assessment 2017, 34, 40-48	2.3	9
2624	Quantification of three chlorinated dialkyl phosphates, diphenyl phosphate, 2,3,4,5-tetrabromobenzoic acid, and four other organophosphates in human urine by solid phase extraction-high performance liquid chromatography-tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2017, 409, 1323-1332	3.7	84
2625	Validation of a method for sedatives and β-blockers determination in swine, bovine and equine kidney using liquid chromatography coupled with tandem mass spectrometry. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2017, 34, 32-39.	2.3	7
2626	Quantification of Loperamide by Gas Chromatography Mass Spectrometry. Journal of Analytical Toxicology, 2017, 41, 729-734.	2.8	1
2627	Quantification of Theophylline in Guinea Pig Plasma by LC-MS/MS Using Hydrophilic Interaction Liquid Chromatography Stationary Phase: Method Development, Validation, and Application in Study. Acta Medica Martiniana, 2017, 17, 5-15.	0.3	1
2628	Synthesis of Low Abundant Vitamin D Metabolites and Assaying Their Distribution in Human Serum by Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS) as a New Tool for Diagnosis and Risk Prediction of Vitamin DRelated Diseases. , 2017, , .		3
2629	Utilization of High Performance Liquid Chromatography Coupled to Tandem Mass Spectrometry for Characterization of 8-O-methylbostrycoidin Production by Species of the Fungus Fusarium. Journal of Fungi (Basel, Switzerland), 2017, 3, 43.	3.5	10
2630	Sample Preparation Strategies for the Effective Quantitation of Hydrophilic Metabolites in Serum by Multi-Targeted HILIC-MS/MS. Metabolites, 2017, 7, 13.	2.9	24
2631	A Greener, Quick and Comprehensive Extraction Approach for LC-MS of Multiple Mycotoxins. Toxins, 2017, 9, 91.	3.4	15
#	Article	IF	CITATIONS
------	---	-----	-----------
2633	Assessing Free-Radical-Mediated DNA Damage during Cardiac Surgery: 8-Oxo-7,8-dihydro-2′-deoxyguanosine as a Putative Biomarker. Oxidative Medicine and Cellular Longevity, 2017, 2017, 1-8.	4.0	6
2634	Tear Film Steroid Profiling in Dry Eye Disease by Liquid Chromatography Tandem Mass Spectrometry. International Journal of Molecular Sciences, 2017, 18, 1349.	4.1	40
2635	Metabolomics Profiling As a Diagnostic Tool in Severe Traumatic Brain Injury. Frontiers in Neurology, 2017, 8, 398.	2.4	36
2636	Air and Surface Sampling Method for Assessing Exposures to Quaternary Ammonium Compounds Using Liquid Chromatography Tandem Mass Spectrometry. Annals of Work Exposures and Health, 2017, 61, 724-736.	1.4	20
2637	Residue analysis and persistence evaluation of fipronil and its metabolites in cotton using high-performance liquid chromatography-tandem mass spectrometry. PLoS ONE, 2017, 12, e0173690.	2.5	21
2638	A validated LC-MS/MS method for cellular thyroid hormone metabolism: Uptake and turnover of mono-iodinated thyroid hormone metabolites by PCCL3 thyrocytes. PLoS ONE, 2017, 12, e0183482.	2.5	17
2639	Hyphenated Detectors. , 2017, , 213-244.		3
2640	A QuEChERS-Based Sample Preparation Method for the Analysis of 5-Nitroimidazoles in Bovine Milk by HPLC–DAD. Journal of AOAC INTERNATIONAL, 2017, 100, 1671-1680.	1.5	12
2641	Quantitation of glutathione S-transferases in rice (Oryza sativa L.) roots exposed to cadmium by liquid chromatography–tandem mass spectrometry using isotope-labeled wing peptides as an internal standard. Plant Methods, 2017, 13, 64.	4.3	11
2642	New frontiers in metabolomics: from measurement to insight. F1000Research, 2017, 6, 1148.	1.6	115
2643	An Ultraperformance LC-MS/MS Method for the Quantification of the Antimalarial Atovaquone in Plasma. journal of applied laboratory medicine, The, 2017, 1, 400-409.	1.3	5
2644	Development and Validation of a GC-MS Method for the Quantitation of Nanoformulated Primaquine in Whole Blood and Plasma of Mouse Model. Journal of Nanotoxicology and Nanomedicine, 2017, 2, 44-58.	0.7	0
2645	Automated Sample Preparation Enables LC-MS/MS as a Routine Diagnostic Analysis for Serum Testosterone. journal of applied laboratory medicine, The, 2017, 2, 33-46.	1.3	4
2646	Method development, matrix effect, and risk assessment of 49 multiclass pesticides in kiwifruit using liquid chromatography coupled to tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1076, 130-138.	2.3	27
2647	Organ distribution of 4-MEC, MDPV, methoxetamine and α-PVP: comparison of QuEChERS and SPE. Forensic Toxicology, 2018, 36, 320-333.	2.4	17
2648	A rapid, LC-MS/MS assay for quantification of piperacillin and tazobactam in human plasma and pleural fluid; application to a clinical pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1081-1082, 58-66.	2.3	10
2649	Multiclass analysis of 25 veterinary drugs in milk by ultra-high performance liquid chromatography-tandem mass spectrometry. Food Chemistry, 2018, 257, 259-264.	8.2	57
2650	A validated liquid chromatography/tandem mass spectrometry method for the analysis of efavirenz in 0.2 mg hair samples from human immunodeficiency virus infected patients. Rapid Communications in Mass Spectrometry, 2018, 32, 657-664.	1.5	6

#	Article	IF	CITATIONS
2651	Detection and quantification of codeine-6-glucuronide, hydromorphone-3-glucuronide, oxymorphone-3-glucuronide, morphine 3-glucuronide and morphine-6-glucuronide in human hair from opioid users by LC–MS-MS. Journal of Analytical Toxicology, 2018, 42, 115-125.	2.8	12
2652	Comparison of two online extraction systems and development of the online SPE-HPLC-DAD method to simultaneously determine ten β-amino alcohol drugs in plasma. RSC Advances, 2018, 8, 5816-5821.	3.6	7
2653	Development of a linear dual column HPLC–MS/MS method and clinical genetic evaluation for tramadol and its phase I and II metabolites in oral fluid. Archives of Pharmacal Research, 2018, 41, 288-298.	6.3	11
2654	Distribution of Methadone and Metabolites in Skeletal Tissue. Journal of Analytical Toxicology, 2018, 42, 400-408.	2.8	14
2655	Quantification of oligopeptideâ€20 and oligopeptideâ€24 in cosmetic creams using hydrophilic interaction liquid chromatography with electrospray ionization mass spectrometry. Separation Science Plus, 2018, 1, 159-167.	0.6	3
2656	Determination of acetyl coenzyme A in human whole blood by ultra-performance liquid chromatography-mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1083, 57-62.	2.3	11
2657	Systematic evaluation of matrix effects in supercritical fluid chromatography versus liquid chromatography coupled to mass spectrometry for biological samples. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1079, 51-61.	2.3	39
2658	Folate stability and method optimization for folate extraction from seeds of pulse crops using LC-SRM MS. Journal of Food Composition and Analysis, 2018, 71, 44-55.	3.9	23
2659	Determination and dissipation of afidopyropen and its metabolite in wheat and soil using QuEChERS–UHPLC–MS/MS. Journal of Separation Science, 2018, 41, 1674-1681.	2.5	31
2660	Dietary Phenolic Compounds in Biological Samples: Current Challenges in Analytical Chemistry. Reference Series in Phytochemistry, 2018, , 1-30.	0.4	0
2661	Determination of phthalates in beverages using multiwalled carbon nanotubes dispersive solidâ€phase extraction before HPLC–MS. Journal of Separation Science, 2018, 41, 2613-2622.	2.5	30
2662	High-throughput, simultaneous quantitation of hemoglobin adducts of acrylamide, glycidamide, and ethylene oxide using UHPLC-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1086, 197-205.	2.3	11
2663	Simultaneous determination of cyclosporine and tacrolimus in human whole blood by ultra-high performance liquid chromatography tandem mass spectrometry and comparison with a chemiluminescence microparticle immunoassay. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1087-1088, 36-42.	2.3	20
2664	Simultaneous Determination of Antipsychotic Drugs and Their Active Metabolites by LC–MS-MS and its Application to Therapeutic Drug Monitoring. Journal of Chromatographic Science, 2018, 56, 510-517.	1.4	28
2665	LC-MS/MS-based determination of chloramphenicol, thiamphenicol, florfenicol and florfenicol amine in poultry meat from the Punjab-Pakistan. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2018, 35, 1530-1542.	2.3	26
2666	Does intranasal dexmedetomidine provide adequate plasma concentrations for sedation in children: a pharmacokinetic study. British Journal of Anaesthesia, 2018, 120, 1056-1065.	3.4	60
2667	Mulberry Polyphenol Extract Inhibits FAK/Src/PI3K Complex and Related Signaling To Regulate the Migration in A7r5 Cells. Journal of Agricultural and Food Chemistry, 2018, 66, 3860-3869.	5.2	15
2668	Quality evaluation of the artemisinin-producing plant Artemisia annua L. based on simultaneous quantification of artemisinin and six synergistic components and hierarchical cluster analysis. Industrial Crops and Products, 2018, 118, 131-141.	5.2	19

#	Article	IF	CITATIONS
2669	Quantitative evaluation of the matrix effect in bioanalytical methods based on LC–MS: A comparison of two approaches. Journal of Pharmaceutical and Biomedical Analysis, 2018, 155, 314-319.	2.8	35
2670	Simultaneous determination of seven pesticide residues in soil samples using ultrasoundâ€assisted dispersive solidâ€phase extraction combined with UHPLC–MS/MS. Separation Science Plus, 2018, 1, 296-305.	0.6	8
2671	A review of the pharmaceutical exposome in aquatic fauna. Environmental Pollution, 2018, 239, 129-146.	7.5	189
2672	Sensitive and simultaneous determination of nine anticoagulant rodenticides in human blood by UPLC–MS-MS with phospholipid removal pretreatment. Journal of Analytical Toxicology, 2018, 42, 459-466.	2.8	8
2673	Simultaneous determination of multi-residue and multi-class antibiotics in aquaculture shrimps by UPLC-MS/MS. Food Chemistry, 2018, 260, 336-343.	8.2	55
2674	Molecular phylogeny and characterization of secondary metabolite profile of plant pathogenic Alternaria species isolated from basil. Food Microbiology, 2018, 73, 264-274.	4.2	14
2675	MultiSimplex optimization of the dispersive solid-phase microextraction and determination of fenitrothion by magnetic molecularly imprinted polymer and high-performance liquid chromatography. Journal of the Iranian Chemical Society, 2018, 15, 1181-1189.	2.2	29
2676	Separation of positional isomers of nine 2â€phenethylamineâ€derived designer drugs by liquid chromatography–tandem mass spectrometry. Drug Testing and Analysis, 2018, 10, 1184-1191.	2.6	8
2677	Evaluation and validation of an ion mobility quadrupole timeâ€ofâ€flight mass spectrometry pesticide screening approach. Journal of Separation Science, 2018, 41, 2178-2187.	2.5	33
2678	Simultaneous identification and quantification of bisphenol A and 12 bisphenol analogues in environmental samples using precolumn derivatization and ultra high performance liquid chromatography with tandem mass spectrometry. Journal of Separation Science, 2018, 41, 2269-2278.	2.5	21
2679	Quantification of Phosphatidylethanols in Whole Blood as a Proxy for Chronic Alcohol Consumption, Using Ultra Performance Convergence Chromatography Tandem Mass Spectrometry. Therapeutic Drug Monitoring, 2018, 40, 268-275.	2.0	10
2680	A nanocomposite prepared from a polypyrrole deep eutectic solvent and coated onto the inner surface of a steel capillary for electrochemically controlled microextraction of acidic drugs such as losartan. Mikrochimica Acta, 2018, 185, 169.	5.0	25
2681	Dried blood spots and parallel artificial liquid membrane extraction–A simple combination of microsampling and microextraction. Analytica Chimica Acta, 2018, 1009, 56-64.	5.4	22
2682	Multiresidue analysis of oestrogenic compounds in cow, goat, sheep and human milk using core-shell polydopamine coated magnetic nanoparticles as extraction sorbent in micro-dispersive solid-phase extraction followed by ultra-high-performance liquid chromatography tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2018, 410, 2031-2042	3.7	32
2683	LC–MS/MS method for the simultaneous analysis of seven antimalarials and two active metabolites in dried blood spots for applications in field trials: Analytical and clinical validation. Journal of Pharmaceutical and Biomedical Analysis, 2018, 154, 263-277.	2.8	33
2684	Metabolites of Heroin in Several Different Post-mortem Matrices. Journal of Analytical Toxicology, 2018, 42, 311-320.	2.8	21
2685	Current state and recommendations for harmonization of serum/plasma 17-hydroxyprogesterone mass spectrometry methods. Clinical Chemistry and Laboratory Medicine, 2018, 56, 1685-1697.	2.3	14
2686	A mixed-mode chromatographic separation method for the analysis of dialkyl phosphates. Journal of Chromatography A, 2018, 1535, 63-71.	3.7	16

#	Article	IF	CITATIONS
2687	Validation and implementation of liquid chromatographic-mass spectrometric (LC–MS) methods for the quantification of tenofovir prodrugs. Journal of Pharmaceutical and Biomedical Analysis, 2018, 152, 248-256.	2.8	22
2688	Ammonium hydroxide enhancing electrospray response and boosting sensitivity of bisphenol A and its analogs. Talanta, 2018, 182, 590-594.	5.5	18
2689	SUPRAS extraction approach for matrix-independent determination of amphetamine-type stimulants by LC-MS/MS. Talanta, 2018, 182, 574-582.	5.5	46
2690	Evaluation of matrix effects on TOF-SIMS data of leu-enkephalin and 1,2-dioleoyl-sn-glycero-3-phosphocholine mixed samples. Biointerphases, 2018, 13, 03B403.	1.6	11
2691	Evaluation of a new simple collection device for sampling of microparticles in exhaled breath. Journal of Breath Research, 2018, 12, 036005.	3.0	16
2692	Multiresidue determination of antibiotics in preserved eggs using a QuEChERS-based procedure by ultrahigh-performance liquid chromatography tandem mass spectrometry. Acta Chromatographica, 2018, 30, 9-16.	1.3	8
2693	Validation of a fully automated solidâ€phase extraction and ultraâ€highâ€performance liquid chromatography–tandem mass spectrometry method for quantification of 30 pharmaceuticals and metabolites in postâ€mortem blood and brain samples. Drug Testing and Analysis, 2018, 10, 1147-1157.	2.6	24
2694	Simultaneous determination of clanobutin, dichlorvos, and naftazone in pork, beef, chicken, milk, and egg using liquid chromatography-tandem mass spectrometry. Food Chemistry, 2018, 252, 40-48.	8.2	13
2695	Determination of total avilamycin residues as dichloroisoeverninic acid in porcine muscle, fat, and liver by LC-MS/MS. Food Chemistry, 2018, 249, 84-90.	8.2	7
2696	Design of pH-Responsive Polymer Monolith Based on Cyclodextrin Vesicle for Capture and Release of Myoglobin. ACS Applied Materials & Interfaces, 2018, 10, 5909-5917.	8.0	24
2697	Influence of para-aminohippuric acid analysis on net portal-drained viscera flux of nutrients in pigs. Animal, 2018, 12, 232-238.	3.3	5
2698	Determination of dolutegravir's unbound fraction in human plasma using validated equilibrium dialysis and LC-MS/MS methods. Clinica Chimica Acta, 2018, 479, 56-65.	1.1	13
2699	Formation of phosphatidylethanol from endogenous phosphatidylcholines in animal tissues from pig, calf, and goat. Forensic Science International, 2018, 283, 211-218.	2.2	9
2700	Effective phospholipids removing microelution-solid phase extraction LC-MS/MS method for simultaneous plasma quantification of aripiprazole and dehydro-aripiprazole: Application to human pharmacokinetic studies. Journal of Pharmaceutical and Biomedical Analysis, 2018, 151, 116-125.	2.8	22
2701	Enhancement and Suppression of Ionization in Drug Analysis Using HPLC-MS/MS in Support of Therapeutic Drug Monitoring: A Review of Current Knowledge of Its Minimization and Assessment: Erratum. Therapeutic Drug Monitoring, 2018, 40, 284-284.	2.0	45
2702	Determination of total phthalate in cosmetics using a simple three-phase sample preparation method. Analytical and Bioanalytical Chemistry, 2018, 410, 1323-1331.	3.7	10
2703	A rapid and sensitive UPLC–MS/MS method for determination of remimazolam and its main metabolite in human urine and its application in clinical urine recovery study. Acta Chromatographica, 2018, 30, 109-113.	1.3	2
2704	Pharmacokinetic study of tianeptine and its active metabolite MC5 in rats following different routes of administration using a novel liquid chromatography tandem mass spectrometry analytical method. Naunyn-Schmiedeberg's Archives of Pharmacology, 2018, 391, 185-196.	3.0	4

#	Article	IF	CITATIONS
2706	Development of an Analytical Procedure for the Determination of Multiclass Compounds for Forensic Veterinary Toxicology. Journal of Analytical Toxicology, 2018, 42, 183-191.	2.8	13
2707	Profiling of polyunsaturated fatty acids in human serum using off-line and on-line solid phase extraction-nano-liquid chromatography-quadrupole-time-of-flight mass spectrometry. Journal of Chromatography A, 2018, 1537, 141-146.	3.7	13
2708	Simultaneous determination of voriconazole, posaconazole, itraconazole and hydroxy-itraconazole in human plasma using LCMS/MS. Clinical Biochemistry, 2018, 53, 110-115.	1.9	17
2709	A sensitive and selective immunoaffinity column clean up coupled to UPLC-MS/MS for determination of trace methyl-3-quinoxaline-2-carboxylic acid in animal tissues. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1074-1075, 39-45.	2.3	7
2710	Synthetic cannabinoids in hair – Pragmatic approach for method updates, compound prevalences and concentration ranges in authentic hair samples. Analytica Chimica Acta, 2018, 1006, 61-73.	5.4	30
2711	Post-column infusion of internal standard quantification for liquid chromatography-electrospray ionization-tandem mass spectrometry analysis – Pharmaceuticals in urine as example approach. Journal of Chromatography A, 2018, 1535, 80-87.	3.7	12
2712	Analysis of four sulfonylurea herbicides in cereals using modified Quick, Easy, Cheap, Effective, Rugged, and Safe sample preparation method coupled with liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2018, 1537, 27-34.	3.7	48
2713	A universal method for the determination of polysorbate 80 in monoclonal antibodies and novel protein therapeutic formulations. Analytical Methods, 2018, 10, 1296-1304.	2.7	7
2714	Development and validation of an analytical method for multiresidue determination of pesticides in lettuce using QuEChERS–UHPLC–MS/MS. Journal of Separation Science, 2018, 41, 1726-1733.	2.5	22
2715	Simultaneous quantification of nicotinamide mononucleotide and related pyridine compounds in mouse tissues by UHPLC–MS/MS. Separation Science Plus, 2018, 1, 22-30.	0.6	11
2716	Sensitive and rapid determination of glyphosate, glufosinate, bialaphos and metabolites by UPLC–MS/MS using a modified Quick Polar Pesticides Extraction method. Forensic Science International, 2018, 283, 111-117.	2.2	44
2717	Development of a validation protocol of enzyme immunoassay kits used for the analysis of steroid hormones in fish plasma. Journal of Experimental Marine Biology and Ecology, 2018, 499, 26-34.	1.5	16
2718	Chiral Analysis of Methamphetamine in Oral Fluid Samples: A Method to Distinguish Licit from Illicit Drug Use. Journal of Analytical Toxicology, 2018, 42, 25-32.	2.8	14
2719	Development and validation of LCâ€MS/MS method for simultaneous determination of sofosbuvir and daclatasvir in human Plasma: Application to pharmacokinetic study. Biomedical Chromatography, 2018, 32, e4186.	1.7	34
2720	A rapid method for identification and quantification of prostaglandins in cerebral tissues by UHPLC-ESI-MS/MS for the lipidomic in vivo studies. Analytical Biochemistry, 2018, 545, 98-103.	2.4	8
2721	The determination of capreomycin in human plasma by LC–MS/MS using ionâ€pairing chromatography and solidâ€phase extraction. Biomedical Chromatography, 2018, 32, e4269.	1.7	1
2722	A novel sample preparation procedure for effect-directed analysis of micro-contaminants of emerging concern in surface waters. Talanta, 2018, 186, 527-537.	5.5	15
2723	Simultaneous Determination of 13 Anticoagulant Rodenticidesin Human Blood by Liquid Chromatography–Tandem Mass Spectrometry and its Application in Three Poisoning Cases. Journal of Forensic Sciences, 2018, 63, 784-792.	1.6	7

#	Article	IF	CITATIONS
2724	Suitability of feathers as control matrix for antimicrobial treatments detection compared to muscle and liver of broilers. Food Control, 2018, 91, 268-275.	5.5	22
2725	Simultaneous analysis of 23 illegal adulterated aphrodisiac chemical ingredients in health foods and Chinese traditional patent medicines by ultrahigh performance liquid chromatography coupled with quadrupole time-of-flight mass spectrometry. Journal of Food and Drug Analysis, 2018, 26, 1138-1153.	1.9	32
2726	The contribution of lot-to-lot variation to the measurement uncertainty of an LC-MS-based multi-mycotoxin assay. Analytical and Bioanalytical Chemistry, 2018, 410, 4409-4418.	3.7	28
2727	Development and validation of a hydrophilic interaction liquid chromatography-tandem mass spectrometry method for the quantification of the antidiabetic drug metformin and six others pharmaceuticals in wastewater. Journal of Chromatography A, 2018, 1556, 73-80.	3.7	19
2728	Liquid chromatography–tandem mass spectrometry method for the analysis of N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine, a biocidal disinfectant, in dairy products. Food Chemistry, 2018, 262, 168-177.	8.2	5
2729	Development and validation of an LC–MS/MS assay for tenofovir and tenofovir alafenamide in human plasma and cerebrospinal fluid. Journal of Pharmaceutical and Biomedical Analysis, 2018, 156, 163-169.	2.8	24
2730	Determination of dehydroepiandrosterone and its biologically active oxygenated metabolites in human plasma evinces a hormonal imbalance during HIV-TB coinfection. Scientific Reports, 2018, 8, 6692.	3.3	6
2731	Fast and sensitive determination of per- and polyfluoroalkyl substances in seawater. Journal of Chromatography A, 2018, 1555, 62-73.	3.7	28
2732	Fast determination of fipronil and its metabolites in seafood using PRiME pass-through cleanup followed by isotope dilution UHPLC-MS/MS. Analytical Methods, 2018, 10, 1673-1679.	2.7	26
2733	Simple and sensitive LC–MS/MS method for simultaneous determination of crizotinib and its major oxidative metabolite in human plasma: Application to a clinical pharmacokinetic study. Journal of Pharmaceutical and Biomedical Analysis, 2018, 155, 210-215.	2.8	9
2734	Development of a new analytical tool for assessing the mutagen 2-methyl-1,4-dinitro-pyrrole in meat products by LC-ESI-MS/MS. Talanta, 2018, 185, 151-159.	5.5	10
2735	Development of a Quantitative LC–MS-MS Assay for Codeine, Morphine, 6-Acetylmorphine, Hydrocodone, Hydromorphone, Oxycodone and Oxymorphone in Neat Oral Fluid. Journal of Analytical Toxicology, 2018, 42, 392-399.	2.8	14
2736	Quantitation of saxitoxin in human urine using immunocapture extraction and LC–MS. Bioanalysis, 2018, 10, 229-239.	1.5	10
2737	Quantification of Apixaban, Dabigatran, Edoxaban, and Rivaroxaban in Human Serum by UHPLC-MS/MS—Method Development, Validation, and Application. Therapeutic Drug Monitoring, 2018, 40, 369-376.	2.0	33
2738	Synthesis and application of molecularly imprinted silica for the selective extraction of some polar organophosphorus pesticides from almond oil. Analytica Chimica Acta, 2018, 1018, 35-44.	5.4	29
2739	Quantification of steroid hormones in plasma using a surrogate calibrant approach and UHPLC-ESI-QTOF-MS/MS with SWATH-acquisition combined with untargeted profiling. Analytica Chimica Acta, 2018, 1022, 70-80.	5.4	40
2740	Quantification of Idelalisib in Human Plasma by Ultra-Performance Liquid Chromatography Coupled to Mass Spectrometry in Negative Ionization Mode. Therapeutic Drug Monitoring, 2018, 40, 237-244.	2.0	7
2741	Simple screening procedure for 72 synthetic cannabinoids in whole blood by liquid chromatography–tandem mass spectrometry. Forensic Toxicology, 2018, 36, 280-290.	2.4	26

#	Δρτιςι ς	IE	CITATIONS
π	Three-dimensional ionic liquid-ferrite functionalized graphene oxide nanocomposite for pipette-tip	11	CHAHONS
2742	solid phase extraction of 16 polycyclic aromatic hydrocarbons in human blood sample. Journal of Chromatography A, 2018, 1552, 1-9.	3.7	58
2743	A porous graphitized carbon LC-ESI/MS method for the quantitation of metronidazole and fluconazole in breast milk and human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1084, 175-184.	2.3	2
2744	mRNA transfection retrofits cell-based assays with xenobiotic metabolism. Journal of Pharmacological and Toxicological Methods, 2018, 92, 77-94.	0.7	31
2745	Development of a fast and simple gas chromatographic protocol based on the combined use of alkyl chloroformate and solid phase microextraction for the assay of polyamines in human urine. Journal of Chromatography A, 2018, 1549, 1-13.	3.7	35
2746	Optimization of a modified QuEChERS method for the determination of tetracyclines in fish muscle by UHPLC–MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2018, 155, 27-32.	2.8	41
2747	Simultaneous determination of quercetin and its metabolites in rat plasma by using ultra-high performance liquid chromatography tandem mass spectrometry. Talanta, 2018, 185, 71-79.	5.5	30
2748	Plasma phospholipid profiling of a mouse model of anxiety disorder by hydrophilic interaction liquid chromatography coupled to highâ€resolution mass spectrometry. Biomedical Chromatography, 2018, 32, e4202.	1.7	2
2749	How much separation for LC–MS/MS quantitative bioanalysis of drugs and metabolites?. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1084, 23-35.	2.3	7
2750	Development of a rapid liquid chromatography tandem mass spectrometry method for the quantitation of serum dexamethasone and its clinical verification. Annals of Clinical Biochemistry, 2018, 55, 665-672.	1.6	21
2751	Development of a column-switching LC-MS/MS method of tramadol and its metabolites in hair and application to a pharmacogenetic study. Archives of Pharmacal Research, 2018, 41, 554-563.	6.3	15
2752	Determination of 21 antibiotics in sea cucumber using accelerated solvent extraction with in-cell clean-up coupled to ultra-performance liquid chromatography-tandem mass spectrometry. Food Chemistry, 2018, 258, 87-94.	8.2	27
2753	A rapid low-consuming solvent extraction procedure for simultaneous determination of 34 multiclass pesticides associated to respirable atmospheric particulate matter (PM2.5) by GC–MS. Microchemical Journal, 2018, 139, 424-436.	4.5	34
2754	Distribution of POPs, pesticides and antibiotic residues in organic honeys from different production areas. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2018, 35, 1340-1355.	2.3	32
2755	Development and validation of a liquid chromatography–tandem mass spectrometry method for the determination of nicotine and its metabolites in placenta and umbilical cord. Drug Testing and Analysis, 2018, 10, 1305-1314.	2.6	7
2756	Driving under the influence of cocaine: Quantitative determination of basic drugs in oral fluid obtained during roadside controls and a controlled study with cocaine users. Drug Testing and Analysis, 2018, 10, 1285-1296.	2.6	10
2757	Simple and rapid determination of 5-nitroimidazoles and metabolites in fish roe samples by salting-out assisted liquid-liquid extraction and UHPLC-MS/MS. Food Chemistry, 2018, 252, 294-302.	8.2	26
2758	Quantification of the next-generation oral anti-tumor drugs dabrafenib, trametinib, vemurafenib, cobimetinib, pazopanib, regorafenib and two metabolites in human plasma by liquid chromatography-tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1083, 124-136.	2.3	31
2759	Resolution of co-eluting isomers of anti-inflammatory drugs conjugated to carbonic anhydrase inhibitors from plasma in liquid chromatography by energy-resolved tandem mass spectrometry.	5.2	21

#	Article	IF	CITATIONS
2760	Identification of 5-Fluoro ADB in Human Whole Blood in Four Death Cases. Journal of Analytical Toxicology, 2018, 42, e21-e25.	2.8	27
2761	Determination of Acetaminophen, Dexchlorpheniramine, Caffeine, Cotinine and Salicylic acid in 100 μL of Whole Blood by UHPLC–MS/MS. Journal of Analytical Toxicology, 2018, 42, 126-132.	2.8	7
2762	Determination of Aromatic Microbial Metabolites in Blood Serum by Gas Chromatography–Mass Spectrometry. Journal of Analytical Chemistry, 2018, 73, 160-166.	0.9	21
2763	Pyrethroid insecticides and their environmental degradates in repeated duplicate-diet solid food samples of 50 adults. Journal of Exposure Science and Environmental Epidemiology, 2018, 28, 40-45.	3.9	41
2764	Determination of salivary α-amylase and cortisol in psoriatic subjects undergoing the Trier Social Stress Test. Microchemical Journal, 2018, 136, 177-184.	4.5	38
2765	Optimization of recombinant βâ€glucuronidase hydrolysis and quantification of eight urinary cannabinoids and metabolites by liquid chromatography tandem mass spectrometry. Drug Testing and Analysis, 2018, 10, 518-529.	2.6	22
2766	Identification and quantification of predominant metabolites of synthetic cannabinoid MAB HMINACA in an authentic human urine specimen. Drug Testing and Analysis, 2018, 10, 365-371.	2.6	15
2767	Development and validation of an <scp>LC</scp> â€ <scp>MS</scp> /MS MS method to quantify lysergic acid diethylamide (<scp>LSD</scp>), isoâ€ <scp>LSD</scp> , 2â€oxoâ€3â€hydroxyâ€ <scp>LSD</scp> , a norâ€ <scp>LSD</scp> and identify novel metabolites in plasma samples in a controlled clinical trial. lournal of Clinical Laboratory Analysis, 2018, 32	ind _{2.1}	23
2768	Synthesis of magnetic graphene/mesoporous silica composites with boronic acid-functionalized pore-walls for selective and efficient residue analysis of aminoglycosides in milk. Food Chemistry, 2018, 239, 612-621.	8.2	50
2769	Development and validation of a highâ€performance liquid chromatography method for the quantification of talazoparib in rat plasma: Application to plasma protein binding studies. Biomedical Chromatography, 2018, 32, e4046.	1.7	10
2770	UPLC–MS/MS method for therapeutic drug monitoring of 10 antibiotics used in intensive care units. Drug Testing and Analysis, 2018, 10, 584-591.	2.6	27
2771	Occurrence of antibiotics in mussels and clams from various FAO areas. Food Chemistry, 2018, 240, 16-23.	8.2	58
2772	Study of the <i>in vitro</i> and <i>in vivo</i> metabolism of the tryptamine 5â€MeOâ€MiPT using human liver microsomes and real case samples. Drug Testing and Analysis, 2018, 10, 562-574.	2.6	23
2773	Human Toxicity Caused by Indole and Indazole Carboxylate Synthetic Cannabinoid Receptor Agonists: From Horizon Scanning to Notification. Clinical Chemistry, 2018, 64, 346-354.	3.2	23
2774	Matrix-effect free multi-residue analysis of veterinary drugs in food samples of animal origin by nanoflow liquid chromatography high resolution mass spectrometry. Food Chemistry, 2018, 245, 29-38.	8.2	53
2775	Development and validation of an LC tandem MS assay for the quantification of β-lactam antibiotics in the sputum of cystic fibrosis patients. Journal of Antimicrobial Chemotherapy, 2018, 73, 95-101.	3.0	3
2776	Simultaneous determination of three pesticides and their metabolites in unprocessed foods using ultraperformance liquid chromatography-tandem mass spectrometry. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2018, 35, 273-281.	2.3	20
2777	High Throughput UPLC®-MSMS Method for the Analysis of Phosphatidylethanol (PEth) 16:0/18:1, a Specific Biomarker for Alcohol Consumption, in Whole Blood. Journal of Analytical Toxicology, 2018, 42, 33-41.	2.8	23

#	Article	IF	CITATIONS
2778	A combined liquid chromatography tandem mass spectrometry assay for the quantification of urinary oxalate and citrate in patients with nephrolithiasis. Annals of Clinical Biochemistry, 2018, 55, 461-468.	1.6	10
2779	Simultaneous Quantification of 5-Aminoimidazole-4-Carboxamide-1-β-d-ribofuranoside and Its Active Metabolite 5-Aminoimidazole-4-Carboxamide-1-β-d-ribofuranotide in Mice Plasma by LC–MS/MS. Chromatographia, 2018, 81, 157-165.	1.3	1
2780	Study of pharmaceuticals in surface and wastewater from Cuernavaca, Morelos, Mexico: Occurrence and environmental risk assessment. Science of the Total Environment, 2018, 613-614, 1263-1274.	8.0	263
2781	Simultaneous determination of three estrogens in human saliva without derivatization or liquid-liquid extraction for routine testing via miniaturized solid phase extraction with LC-MS/MS detection. Talanta, 2018, 178, 464-472.	5.5	38
2782	Simultaneous determination of fluoxetine and norfluoxetine in dried blood spots using high-performance liquid chromatography-tandem mass spectrometry. Clinical Biochemistry, 2018, 52, 85-93.	1.9	19
2783	A simple validated multiâ€analyte method for detecting drugs in oral fluid by ultraâ€performance liquid chromatography–tandem mass spectrometry (UPLC–MS/MS). Drug Testing and Analysis, 2018, 10, 1001-1008.	2.6	10
2784	Occurrence and diversity of antibiotic resistance in untreated hospital wastewater. Science of the Total Environment, 2018, 621, 990-999.	8.0	189
2785	Fast derivatization procedure for the analysis of phytoestrogens in soy milk by gas chromatography tandem mass spectrometry. Microchemical Journal, 2018, 137, 62-70.	4.5	7
2786	A multi-purpose tool for food inspection: Simultaneous determination of various classes of preservatives and biogenic amines in meat and fish products by LC-MS. Talanta, 2018, 178, 1053-1066.	5.5	64
2787	Application of a screening method for fentanyl and its analogues using UHPLCâ€QTOFâ€MS with dataâ€independent acquisition (DIA) in MS ^E mode and retrospective analysis of authentic forensic blood samples. Drug Testing and Analysis, 2018, 10, 651-662.	2.6	57
2788	Chitosan from shrimp shells: A renewable sorbent applied to the clean-up step of the QuEChERS method in order to determine multi-residues of veterinary drugs in different types of milk. Food Chemistry, 2018, 240, 1243-1253.	8.2	51
2789	A Sensitive Method for the Rapid Determination of Underivatized Ethyl Carbamate in Fortified Wine by Liquid Chromatography-Electrospray Tandem Mass Spectrometry. Food Analytical Methods, 2018, 11, 327-333.	2.6	7
2790	Development, validation, and application of an UPLC-MS/MS method for norvancomycin analysis in human blood plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1072, 199-204.	2.3	7
2791	<i>Aronia</i> – <i>citrus</i> juice (polyphenol-rich juice) intake and elite triathlon training: a lipidomic approach using representative oxylipins in urine. Food and Function, 2018, 9, 463-475.	4.6	33
2792	Detection of perfluoroalkyl acids and sulphonates in Italian eel samples by HPLC-HRMS Orbitrap. Chemosphere, 2018, 193, 358-364.	8.2	28
2793	Ultraâ€fast LC–MS/MS in therapeutic drug monitoring: Quantification of clozapine and norclozapine in human plasma. Drug Testing and Analysis, 2018, 10, 323-329.	2.6	20
2794	Challenges in Detection of Antibiotics in Wastewater Matrix. Energy, Environment, and Sustainability, 2018, , 3-20.	1.0	17
2795	Direct analysis of ethylene glycol in human serum on the basis of analyte adduct formation and liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1072, 100-104.	2.3	10

#	Article	IF	CITATIONS
2796	Aptamer-Conjugated Extracellular Nanovesicles for Targeted Drug Delivery. Cancer Research, 2018, 78, 798-808.	0.9	181
2797	Investigating the robustness and extraction performance of a matrixâ€compatible solidâ€phase microextraction coating in human urine and its application to assess 2–6â€ring polycyclic aromatic hydrocarbons using GC–MS/MS. Journal of Separation Science, 2018, 41, 929-939.	2.5	25
2798	Characterization of inter-tissue and inter-strain variability of TCE glutathione conjugation metabolites DCVG, DCVC, and NAcDCVC in the mouse. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2018, 81, 37-52.	2.3	19
2799	Utilization of large volume zwitterionic hydrophilic interaction liquid chromatography for the analysis of polar pharmaceuticals in aqueous environmental samples: Benefits and limitations. Journal of Chromatography A, 2018, 1535, 27-43.	3.7	49
2800	The Magic of Crystal Structure-Based Inhibitor Optimization: Development of a Butyrylcholinesterase Inhibitor with Picomolar Affinity and in Vivo Activity. Journal of Medicinal Chemistry, 2018, 61, 119-139.	6.4	112
2801	Thermal degradation of chloramphenicol in model solutions, spiked tissues and incurred samples. Food Chemistry, 2018, 248, 230-237.	8.2	14
2802	LC–MS/MS screening strategy for cannabinoids, opiates, amphetamines, cocaine, benzodiazepines and methadone in human serum, urine and post-mortem blood as an effective alternative to immunoassay based methods applied in forensic toxicology for preliminary examination. Forensic Chemistry, 2018, 7, 33-37.	2.8	25
2803	Development of a LC–MS/MS method for the determination of isomeric glutamyl peptides in food ingredients. Journal of Separation Science, 2018, 41, 847-855.	2.5	9
2804	Development and validation of an UHPLC–MS/MS method for β 2 -agonists quantification in human urine and application to clinical samples. Journal of Pharmaceutical and Biomedical Analysis, 2018, 150, 15-24.	2.8	9
2805	Ultra–High Performance Liquid Chromatography Tandem Mass Spectrometry for Cyclosporine Analysis in Human Whole Blood and Comparison With an Antibody-Conjugated Magnetic Immunoassay. Therapeutic Drug Monitoring, 2018, 40, 69-75.	2.0	7
2806	The role of ethyl glucuronide in supporting medico-legal investigations: Analysis of this biomarker in different postmortem specimens from 21 selected autopsy cases. Journal of Clinical Forensic and Legal Medicine, 2018, 53, 25-30.	1.0	10
2807	Development and validation of an ultrahigh performance liquid chromatographyâ€high resolution tandem mass spectrometry quantification method for hypoglycin A and methylene cyclopropyl acetic acid carnitine in horse serum in cases of atypical myopathy. Drug Testing and Analysis, 2018, 10, 814-820.	2.6	5
2808	An HPLC tandem mass spectrometry for quantification of ET-26-HCl and its major metabolite in plasma and application to a pharmacokinetic study in rats. Journal of Pharmaceutical and Biomedical Analysis, 2018, 149, 381-386.	2.8	5
2809	Sample preparation for largeâ€scale bioanalytical studies based on liquid chromatographic techniques. Biomedical Chromatography, 2018, 32, e4137.	1.7	34
2810	Multianalyte, high-throughput liquid chromatography tandem mass spectrometry method for the sensitive determination of fungicides and insecticides in wine. Analytical and Bioanalytical Chemistry, 2018, 410, 1139-1150.	3.7	17
2811	Rapid determination of immunosuppressive drug concentrations in whole blood by coated blade spray-tandem mass spectrometry (CBS-MS/MS). Analytica Chimica Acta, 2018, 999, 69-75.	5.4	49
2812	The effect of hematocrit on solid-phase microextraction. Analytica Chimica Acta, 2018, 1001, 40-50.	5.4	20
2813	Comprehensive phospholipid and sphingomyelin profiling of different brain regions in mouse model of anxiety disorder using online two-dimensional (HILIC/RP)-LC/MS method. Journal of Pharmaceutical and Biomedical Analysis, 2018, 149, 308-317.	2.8	23

#	Article	IF	CITATIONS
2814	The differences in matrix effect between supercritical fluid chromatography and reversed phase liquid chromatography coupled to ESI/MS. Analytica Chimica Acta, 2018, 1000, 163-171.	5.4	38
2815	Determination of adrenaline, noradrenaline and corticosterone in rodent blood by ion pair reversed phase UHPLC–MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1072, 161-172.	2.3	11
2816	A rapid and precise method for the analysis of underivatized amino acids in natural samples using volatile-ion-pairing reverse-phase liquid chromatography–electrospray ionization tandem mass spectrometry. Organic Geochemistry, 2018, 115, 46-56.	1.8	23
2817	A multiâ€analyte approach to help in assessing the severity of acute poisonings – Development and validation of a fast LC–MS/MS quantification approach for 45 drugs and their relevant metabolites with oneâ€point calibration. Drug Testing and Analysis, 2018, 10, 164-176.	2.6	15
2818	Full validation of a method for the determination of drugs of abuse in non-mineralized dental biofilm using liquid chromatography-tandem mass spectrometry and application to postmortem samples. Talanta, 2018, 176, 360-366.	5.5	9
2819	HPLC-APCI-MS/MS method development and validation for determination of tocotrienols in human breast adipose tissue. Talanta, 2018, 176, 108-115.	5.5	9
2820	Simultaneous determination of designer benzodiazepines in human serum using non-aqueous capillary electrophoresis – Tandem mass spectrometry with successive multiple ionic – Polymer layer coated capillary. Talanta, 2018, 176, 69-76.	5.5	22
2821	Aspects related to analysis and medico-legal assessment in the context of the presence of synthetic cannabinoids in biological material based on the example of AB-CHMINACA. Archiwum Medycyny Sadowej I Kryminologii, 2018, 68, 266-280.	0.3	1
2822	Development of a liquid chromatography-tandem mass spectrometry method for assaying cenobamate in rat plasma. Journal of Liquid Chromatography and Related Technologies, 2018, 41, 992-997.	1.0	7
2823	DEVELOPMENT AND VALIDATION OF RP-HPLC METHOD FOR THE DETERMINATION OF ALVIMOPAN IN RAT PLASMA. International Journal of Pharmacy and Pharmaceutical Sciences, 2018, 10, 124.	0.3	3
2824	Addressing the Fentanyl Analogue Epidemic by Multiplex UHPLC-MS/MS Analysis of Whole Blood. Therapeutic Drug Monitoring, 2018, 40, 738-748.	2.0	17
2825	A Review on Liquid Chromatography-Tandem Mass Spectrometry Methods for Rapid Quantification of Oncology Drugs. Pharmaceutics, 2018, 10, 221.	4.5	42
2826	Development of an economic ultrafast liquid chromatography with tandem mass spectrometry method for trace analysis of multiclass mycotoxins in <i>Polygonum multiflorum</i> . Journal of Separation Science, 2019, 42, 491-500.	2.5	7
2827	Evaluation of parabens and their metabolites in fish and fish products: a comprehensive analytical approach using LC-HRMS. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2018, 35, 2400-2413.	2.3	22
2828	Rapid Underivatized Method for Quantitative Methylmalonic Acid by Liquid Chromatography–Tandem Mass Spectrometry. journal of applied laboratory medicine, The, 2018, 3, 408-417.	1.3	2
2829	Validation and clinical application of a novel LC–MS method for quantification of dolutegravir in breast milk. Bioanalysis, 2018, 10, 1933-1945.	1.5	3
2830	Matrix Effect for Determination of Pesticide Residues in Tea. , 2018, , 535-595.		2
2831	Quantification of multi-class antibiotics by UHPLC–MS/MS analysis combined with salt-assisted acetonitrile extraction: comparative evaluation of dairy and poultry manure. International Journal of	3.3	4

#	Article	IF	CITATIONS
2832	An LC-MS/MS method for quantification of daptomycin in dried blood spot: Application to a pharmacokinetics study in critically ill patients. Journal of Liquid Chromatography and Related Technologies, 2018, 41, 786-793.	1.0	3
2833	Simultaneous Determination of Cefalexin, Cefazolin, Flucloxacillin, and Probenecid by Liquid Chromatography–Tandem Mass Spectrometry for Total and Unbound Concentrations in Human Plasma. Therapeutic Drug Monitoring, 2018, 40, 682-692.	2.0	21
2834	Rapid Determination of Sotolon in Fortified Wines Using a Miniaturized Liquid-Liquid Extraction Followed by LC-MS/MS Analysis. Journal of Analytical Methods in Chemistry, 2018, 2018, 1-7.	1.6	14
2835	LC–MS/MS method for screening of intoxication and drug adherence of angiotensin-converting enzyme inhibitors in plasma. Bioanalysis, 2018, 10, 1955-1967.	1.5	1
2836	A UHPLC–MS/MS method for the quantification of Δ9-tetrahydrocannabinol and cannabidiol in decoctions and in plasma samples for therapeutic monitoring of medical cannabis. Bioanalysis, 2018, 10, 2003-2014.	1.5	20
2837	Assessing cocaine use patterns in the Brazilian Capital by wastewater-based epidemiology. International Journal of Environmental Analytical Chemistry, 2018, 98, 1370-1387.	3.3	12
2838	Determination of Thyreostats in Urine Using Supported Liquid Extraction and Mixed-Mode Cation-Exchange Solid-Phase Extraction: Screening and Confirmatory Methods. Journal of Chromatographic Science, 2018, 56, 858-866.	1.4	4
2839	Correlation between chronological and physiological age of males from their multivariate urinary endogenous steroid profile and prostatic carcinoma-induced deviation. Steroids, 2018, 139, 10-17.	1.8	9
2840	Sensitive determination of nine anticoagulant rodenticides in blood by high resolution mass spectrometry with supported liquid extraction pretreatment. Forensic Science International, 2018, 292, 39-44.	2.2	15
2841	Dried Blood Spot Technique-Based Liquid Chromatography-Tandem Mass Spectrometry Method as a Simple Alternative for Benznidazole Pharmacokinetic Assessment. Antimicrobial Agents and Chemotherapy, 2018, 62, .	3.2	6
2842	Determination and quantification of arbutin in plants using stable isotope dilution liquid chromatography–mass spectrometry. Applied Biological Chemistry, 2018, 61, 523-530.	1.9	10
2843	Effect of renal clearance and continuous renal replacement therapy on appropriateness of recommended meropenem dosing regimens in critically ill patients with susceptible life-threatening infections. Journal of Antimicrobial Chemotherapy, 2018, 73, 3413-3422.	3.0	40
2845	Selecting a Structural Analog as an Internal Standard for the Quantification of 6-Methylmercaptopurine by LC-MS/MS. journal of applied laboratory medicine, The, 2018, 3, 384-396.	1.3	3
2846	Separation and identification of the epimeric doping agents – Dexamethasone and betamethasone in equine urine and plasma: A reversed phase chiral chromatographic approach. Steroids, 2018, 140, 77-82.	1.8	14
2847	Quantitative Analysis of Fentanyl and Six Fentanyl Analogs in Postmortem Specimens by UHPLC–MS-MSâ€. Journal of Analytical Toxicology, 2018, 42, 570-580.	2.8	31
2848	Rapid Determination of Tetrodotoxin in Human Plasma by Ultra Performance Liquid Chromatography-Tandem Mass Spectrometry. Chemical Research in Chinese Universities, 2018, 34, 905-911.	2.6	1
2849	Development and validation of an LC–MS/MS method for the simultaneous determination of citrinin and ochratoxin a in a variety of feed and foodstuffs. Journal of Chromatography A, 2018, 1580, 100-109.	3.7	47
2850	Front Cover: Simultaneous determination of seven pesticide residues in soil samples using ultrasound-assisted dispersive solid-phase extraction combined with UHPLC-MS/MS. Separation Science Plus, 2018, 1, NA-NA.	0.6	0

#	Article	IF	CITATIONS
2851	The risk of consuming "Bath Salts― Exemplification through four forensic cases in Spain. Forensic Chemistry, 2018, 11, 87-96.	2.8	3
2852	A new, sensitive and versatile assay for quantitative determination of α-fluoro-β-alanine (AFBA) in human urine by using the reversed-phase ultrahigh performance-tandem mass spectrometry (rp-UHPLC–MS/MS) system. Toxicology Letters, 2018, 298, 164-170.	0.8	3
2853	Effects of anticoagulants and storage conditions on clinical oxylipid levels in human plasma. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2018, 1863, 1511-1522.	2.4	38
2854	Identification and confirmation of diuretics and masking agents in urine by turbulent flow online solid-phase extraction coupled with liquid chromatography-triple quadrupole mass spectrometry for doping control. Journal of Chromatography A, 2018, 1579, 31-40.	3.7	22
2855	Simultaneous quantification of 14 amino acids from five plants by validated reversedâ€phase highâ€performance liquid chromatography. Separation Science Plus, 2018, 1, 619-626.	0.6	12
2856	Development and validation of an ultra-high performance liquid chromatography/triple quadrupole mass spectrometry method for analyzing microbial-derived grape polyphenol metabolites. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1099, 34-45.	2.3	17
2857	Method Development and Validation of Indaziflam and Its Five Metabolites in Soil, Water, and Fruits by Modified QuEChERS and UHPLC-MS/MS. Journal of Agricultural and Food Chemistry, 2018, 66, 10300-10308.	5.2	28
2858	Developing a rapid semi-automated sample preparation with alkaline hydrolysis in a 96-well plate for quantification of 11-nor-î"9-tetrahydrocannabinol-9-carboxylic acid in urine samples by UHPLC-MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2018, 161, 296-304.	2.8	8
2859	Application of a micro plasma collection card for the detection of homocysteine by liquid chromatography with tandem mass spectrometry. Journal of Separation Science, 2018, 41, 4167-4176.	2.5	11
2860	Analysis of perchlorate in baby food on Canadian (Ottawa) markets in 2009 and estimated dietary exposure. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2018, 35, 2022-2031.	2.3	9
2861	A simple, sensitive and reliable LC-MS/MS method for the determination of 7-bromo-5-chloroquinolin-8-ol (CLBQ14), a potent and selective inhibitor of methionine aminopeptidases: Application to pharmacokinetic studies. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1097-1098, 35-43.	2.3	6
2862	Dried Blood Spots for Global Health Diagnostics and Surveillance: Opportunities and Challenges. American Journal of Tropical Medicine and Hygiene, 2018, 99, 256-265.	1.4	135
2863	Rapid monitoring of plant growth regulators in bean sprouts via automated on-line polymeric monolith solid-phase extraction coupled with liquid chromatography tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2018, 410, 7239-7247.	3.7	16
2864	2. Supercritical fluid chromatography in bioanalysis. , 2018, , 33-76.		1
2865	Simultaneous determination of 18 psychoactive agents and 6 metabolites in plasma using LC–MS/MS and application to actual plasma samples from conscription candidates. Forensic Science International, 2018, 288, 283-290.	2.2	9
2866	Multi-residue pesticide analysis in virgin olive oil by nanoflow liquid chromatography high resolution mass spectrometry. Journal of Chromatography A, 2018, 1562, 27-35.	3.7	48
2867	An UHPLC-MS/MS Method for Target Profiling of Stress-Related Phytohormones. Methods in Molecular Biology, 2018, 1778, 183-192.	0.9	5
2868	Quantification of 38 dietary polyphenols in plasma by differential isotope labelling and liquid chromatography electrospray ionization tandem mass spectrometry. Journal of Chromatography A, 2018, 1558, 50-58.	3.7	30

#	Article	IF	CITATIONS
2869	Review on sample preparation methods for oligonucleotides analysis by liquid chromatography. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1090, 90-100.	2.3	36
2870	Simultaneous analysis of olanzapine, fluoxetine, and norfluoxetine in human plasma using liquid chromatography-mass spectrometry and its application to a pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1092, 506-514.	2.3	19
2871	Comparative Study of Postmortem Concentrations of Antidepressants in Several Different Matrices. Journal of Analytical Toxicology, 2018, 42, 446-458.	2.8	22
2872	Electromembrane extraction of substances with weakly basic properties: a fundamental study with benzodiazepines. Bioanalysis, 2018, 10, 769-781.	1.5	17
2873	Magnetic molecularly imprinted polymer nanoparticles for simultaneous extraction and determination of 6-mercaptopurine and its active metabolite thioguanine in human plasma. Journal of Chromatography A, 2018, 1561, 28-38.	3.7	31
2874	Simultaneous quantification of fentanyl, sufentanil, cefazolin, doxapram and ketoâ€doxapram in plasma using liquid chromatography–tandem mass spectrometry. Biomedical Chromatography, 2018, 32, e4290.	1.7	15
2875	Highâ€performance liquid chromatography quantification of enantiomers of a Dihydroxylated tetrahydrofuran natural product. Chirality, 2018, 30, 1012-1018.	2.6	1
2876	Trace analysis of multi-class phytohormones in Oryza sativa using different scan modes in high-resolution Orbitrap mass spectrometry: method validation, concentration levels, and screening in multiple accessions. Analytical and Bioanalytical Chemistry, 2018, 410, 4527-4539.	3.7	28
2877	Standard Key Steps in Mass Spectrometry-Based Plant Metabolomics Experiments: Instrument Performance and Analytical Method Validation. Methods in Molecular Biology, 2018, 1778, 19-31.	0.9	5
2878	Development and validation of a QuEChERS method for the analysis of 5-nitroimidazole traces in infant milk-based samples by ultra-high performance liquid chromatography-tandem mass spectrometry. Journal of Chromatography A, 2018, 1562, 36-46.	3.7	15
2879	Ultra high performance liquid chromatography with tandem mass spectrometry method for determining dinotefuran and its main metabolites in samples of plants, animalâ€derived foods, soil, and water. Journal of Separation Science, 2018, 41, 2913-2923.	2.5	15
2880	Development of a LC-MS method for simultaneous determination of amoxicillin and metronidazole in human serum using hydrophilic interaction chromatography (HILIC). Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1089, 78-83.	2.3	20
2881	Determination of cocaine, metabolites and a crack cocaine biomarker in whole blood by liquid–liquid extraction and UHPLC–MS/MS. Forensic Science International, 2018, 289, 165-174.	2.2	17
2882	ESI and APCI LC-MS/MS in Model Investigations on the Absorption and Transformation of Organic Xenobiotics by Poplar Plants (Populus alba L.). Comprehensive Analytical Chemistry, 2018, 79, 241-266.	1.3	1
2883	Some Applications of Liquid Chromatography-Mass Spectrometry in the Biomedical Field. Comprehensive Analytical Chemistry, 2018, 79, 329-375.	1.3	1
2884	High-throughput and sensitive determination of urinary zearalenone and metabolites by UPLC-MS/MS and its application to a human exposure study. Analytical and Bioanalytical Chemistry, 2018, 410, 5301-5312.	3.7	28
2885	Determination of voriconazole and co-administered drugs in plasma of pediatric cancer patients using UPLC-MS/MS: A key step towards personalized therapeutics. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1092, 489-498.	2.3	9
2886	Adduct Formation-Supported Two-Way Electrospray Ionization Strategy for the Determination of Urinary Creatinine Concentration with LC–MS-MS in Abstinence Control. Journal of Analytical Toxicology, 2018, 42, 625-629.	2.8	5

#	Article	IF	CITATIONS
2887	Optimization of extraction methods for comprehensive profiling of perfluoroalkyl and polyfluoroalkyl substances in firefighting foam impacted soils. Analytica Chimica Acta, 2018, 1034, 74-84.	5.4	63
2888	Reduced graphene oxide-coated magnetic-nanoparticles as sorbent for the determination of phthalates in environmental samples by micro-dispersive solid-phase extraction followed by ultra-high-performance liquid chromatography tandem mass spectrometry. Journal of Chromatography A. 2018, 1565, 36-47.	3.7	49
2889	Rapid quantitative analysis of methylphenidate and ritalinic acid in oral fluid by liquid chromatography triple quadrupole mass spectrometry (LC-QqQ-MS). Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1092, 313-319.	2.3	6
2890	Application of QuEChERS Coupled with HPLC-DAD-ESI-MS/MS for Determination of Heterocyclic Amines in Commercial Meat Products. Food Analytical Methods, 2018, 11, 3243-3256.	2.6	16
2891	Determination of 12 commonly found compounds in DUID cases in whole blood using fully automated supported liquid extraction and UHPLC-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1093-1094, 8-23.	2.3	26
2892	Screening and Identification of the Metabolites of Water Extracts of Raw and Honey-Processed <i>Astragalus</i> in Rat Urine Based on UHPLC/ESI-Q-TOF-MS and Multivariate Statistical Analysis. Journal of the American Society for Mass Spectrometry, 2018, 29, 1919-1935.	2.8	12
2893	Development, validation and application of a novel HPLC-MS/MS method for the quantification of atorvastatin, bisoprolol and clopidogrel in a large cardiovascular patient cohort. Journal of Pharmaceutical and Biomedical Analysis, 2018, 159, 272-281.	2.8	16
2894	Simultaneous Determination of Nitroimidazoles and Quinolones in Honey by Modified QuEChERS and LC-MS/MS Analysis. International Journal of Analytical Chemistry, 2018, 2018, 1-12.	1.0	19
2895	Reusable 2-(Dimethylamino)ethyl Methacrylate Polymers On-line Solid-Phase Extraction Coupled to Liquid Chromatography Tandem Mass Spectrometry for Rapid Determination of Acidic Pesticides in Foods. Food Analytical Methods, 2018, 11, 3304-3313.	2.6	6
2896	The development and validation of a LC-MS/MS method for the quantitation of metformin, rifampicin and isoniazid in rat plasma using HILIC chromatography. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1095, 127-137.	2.3	11
2897	Detection of α-, β-, and γ-amanitin in urine by LC-MS/MS using 15N10-α-amanitin as the internal standard. Toxicon, 2018, 152, 71-77.	1.6	26
2898	Simultaneous Analysis of 20 Mycotoxins in Grapes and Wines from Hexi Corridor Region (China): Based on a QuEChERS–UHPLC–MS/MS Method. Molecules, 2018, 23, 1926.	3.8	34
2899	Multiresidue determination of 21 pharmaceuticals in crayfish (Procambarus clarkii) using enzymatic microwave-assisted liquid extraction and ultrahigh-performance liquid chromatography-triple quadrupole mass spectrometry analysis. Journal of Pharmaceutical and Biomedical Analysis, 2018, 160, 144-151.	2.8	20
2900	Determination of trehalose by ion chromatography and its application to a pharmacokinetic study in rats after intramuscular injection. Biomedical Chromatography, 2018, 32, e4355.	1.7	4
2901	<i>In vitro</i> model to assess the adsorption of oral veterinary drugs to mycotoxin binders in a feed- and aflatoxin B1-containing buffered matrix. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2018, 35, 1728-1738.	2.3	7
2902	Review of Chromatographic Bioanalytical Assays for the Quantitative Determination of Marine-Derived Drugs for Cancer Treatment. Marine Drugs, 2018, 16, 246.	4.6	16
2903	A rapid UHPLC-MS/MS method for simultaneous quantitation of 23 perfluoroalkyl substances (PFAS) in estuarine water. Talanta, 2018, 190, 95-102.	5.5	38
2904	Environmental behaviors of spirotetramat in water. Environmental Science and Pollution Research, 2018, 25, 24162-24171.	5.3	2

#	Article	IF	CITATIONS
2905	Postmortem analysis of three methoxyacetylfentanyl-related deaths in Denmark and in vitro metabolite profiling in pooled human hepatocytes. Forensic Science International, 2018, 290, 310-317.	2.2	24
2906	Hydrophilic Interaction Liquid Chromatography-Electrospray Ionization Mass Spectrometry for Therapeutic Drug Monitoring of Metformin and Rosuvastatin in Human Plasma. Molecules, 2018, 23, 1548.	3.8	9
2907	Quantification of 6-Mercaptopurine and Its Metabolites in Patients with Acute Lympoblastic Leukemia Using Dried Blood Spots and UPLC-MS/MS. Scientia Pharmaceutica, 2018, 86, 18.	2.0	9
2908	Determination of Multi-Class Mycotoxins in Tartary Buckwheat by Ultra-Fast Liquid Chromatography Coupled with Triple Quadrupole Mass Spectrometry. Toxins, 2018, 10, 28.	3.4	13
2909	Development and Validation of a UPLC-MS/MS and UPLC-HR-MS Method for the Determination of Fumonisin B1 and Its Hydrolysed Metabolites and Fumonisin B2 in Broiler Chicken Plasma. Toxins, 2018, 10, 62.	3.4	18
2910	Optimized QuEChERS Method Combined with UHPLC-MS/MS for the Simultaneous Determination of 15 Mycotoxins in Liquorice. Journal of AOAC INTERNATIONAL, 2018, 101, 633-642.	1.5	13
2911	Quantification of ondansetron, granisetron and tropisetron in goat plasma using hydrophilic interaction liquid chromatography-solid phase extraction coupled with hydrophilic interaction liquid chromatography-triple quadrupole tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1095, 50-58.	2.3	8
2912	Low false response rates in screening a hundred veterinary drug residues in foodstuffs by LC-MS/MS with analyte-specific correction of the matrix effect. Food Control, 2018, 94, 353-360.	5.5	21
2913	Validation of a simple, fast liquid chromatography-tandem mass spectrometry method for the simultaneous quantification of 40 antidepressant drugs or their metabolites in plasma. Clinica Chimica Acta, 2018, 485, 243-257.	1.1	30
2914	Fatal zolpidem poisoning due to its intravenous self-injection: Postmortem distribution/redistribution of zolpidem and its predominant metabolite zolpidem phenyl-4-carboxylic acid in body fluids and solid tissues in an autopsy case. Forensic Science International, 2018, 290, 111-120.	2.2	16
2915	Phytoestrogens in soyâ€based meat substitutes: Comparison of different extraction methods for the subsequent analysis by liquid chromatographyâ€ŧandem mass spectrometry. Journal of Mass Spectrometry, 2018, 53, 862-870.	1.6	7
2916	Development and validation of a UHPLC–MS/MS assay for elvitegravir measurement in human plasma and cerebrospinal fluid. Separation Science Plus, 2018, 1, 325-333.	0.6	2
2917	A Liquid Chromatography-Mass Spectrometry Assay for Determination of Perampanel and Concomitant Antiepileptic Drugs in the Plasma of Patients With Epilepsy Compared With a Fluorescent HPLC Assay. Therapeutic Drug Monitoring, 2018, 40, 477-485.	2.0	27
2918	Development of an in-house mixed-mode solid-phase extraction for the determination of 16 basic drugs in urine by High Performance Liquid Chromatography-Ion Trap Mass Spectrometry. Journal of Chromatography A, 2018, 1560, 10-18.	3.7	14
2919	Determination of nucleosidic/tidic reverse transcriptase inhibitors in plasma and cerebrospinal fluid by ultra-high-pressure liquid chromatography coupled with tandem mass spectrometry. Clinical Mass Spectrometry, 2018, 8, 8-20.	1.9	10
2920	Quantitative method for analysis of six anticoagulant rodenticides in faeces, applied in a case with repeated samples from a dog. Acta Veterinaria Scandinavica, 2018, 60, 3.	1.6	16
2921	Simultaneous accelerated solvent extraction and purification for the determination of 13 organophosphate esters in soils by gas chromatography-tandem mass spectrometry. Environmental Science and Pollution Research, 2018, 25, 19546-19554.	5.3	21
2922	Development and validation of an ultrahigh performance liquid chromatography-high resolution tandem mass spectrometry assay for nine toxic alkaloids from endophyte-infected pasture grasses in horse serum, Journal of Chromatography A, 2018, 1560, 35-44	3.7	11

#	Article	IF	CITATIONS
2923	Development and validation of an HPLC-MS/MS method for the detection of ketamine in Calliphora vomitoria (L.) (Diptera: Calliphoridae). Journal of Clinical Forensic and Legal Medicine, 2018, 58, 64-71.	1.0	8
2924	Volumetric absorptive MicroSampling vs. other blood sampling materials in LC–MS-based protein analysis – preliminary investigations. Journal of Pharmaceutical and Biomedical Analysis, 2018, 156, 239-246.	2.8	19
2925	Quantification of Serum Voriconazole, Isavuconazole, and Posaconazole by Liquid Chromatography Tandem Mass Spectrometry (LCâ€MS/MS). Current Protocols in Toxicology / Editorial Board, Mahin D Maines (editor-in-chief) [et Al], 2018, 76, e47.	1.1	10
2926	Sensitive quantification of the somatostatin analog AP102 in plasma by ultraâ€high pressure liquid chromatography–tandem mass spectrometry and application to a pharmacokinetic study in rats. Drug Testing and Analysis, 2018, 10, 1448-1457.	2.6	2
2927	Facile determination of sphingolipids under alkali condition using metal-free column by LC-MS/MS. Analytical and Bioanalytical Chemistry, 2018, 410, 4793-4803.	3.7	7
2928	Pesticides in the atmospheric environment: an overview on their determination methodologies. Analytical Methods, 2018, 10, 4484-4504.	2.7	20
2929	Mass spectrometric method for distinguishing isomers of dexamethasone via fragment mass ratio: An HRMS approach. Journal of Mass Spectrometry, 2018, 53, 1046-1058.	1.6	15
2930	Urine analysis of 28 designer benzodiazepines by liquid chromatography–high-resolution mass spectrometry. Clinical Mass Spectrometry, 2018, 10, 25-32.	1.9	15
2931	Newborn screening for cerebrotendinous xanthomatosis is the solution for early identification and treatment. Journal of Lipid Research, 2018, 59, 2214-2222.	4.2	28
2932	The development of simple flow injection analysis tandem mass spectrometric methods for the cutaneous determination of peptide-modified cationic gemini surfactants used as gene delivery vectors. Journal of Pharmaceutical and Biomedical Analysis, 2018, 159, 536-547.	2.8	6
2933	Determination of tocopherols and tocotrienols in human breast adipose tissue with the use of high performance liquid chromatography–fluorescence detection. Biomedical Chromatography, 2018, 32, e4361.	1.7	3
2934	A pressurized liquid extraction approach followed by standard addition method and UPLC-MS/MS for a fast multiclass determination of antibiotics in a complex matrix. Chemosphere, 2018, 211, 893-902.	8.2	21
2935	The role of lipids in the inception, maintenance and complications of dengue virus infection. Scientific Reports, 2018, 8, 11826.	3.3	31
2936	lon-pair solid phase extraction for the simultaneous separation and quantitation of metformin and canagliflozin in human plasma by LC-MS/MS. Microchemical Journal, 2018, 143, 181-189.	4.5	18
2937	Ethyl Glucuronide in Alcoholic Beverages. Alcohol and Alcoholism, 2018, 53, 532-538.	1.6	5
2938	Application of bioconjugation chemistry on biosensor fabrication for detection of TAR-DNA binding protein 43. Biosensors and Bioelectronics, 2018, 117, 60-67.	10.1	36
2939	Polyphenolic profile of Cichorium intybus L. endemic varieties from the Veneto region of Italy. Food Chemistry, 2018, 266, 175-182.	8.2	29
2940	Hyphenated and non-hyphenated chromatographic techniques for trace level explosives in water bodies $\hat{a} \in \hat{a}$ review. International Journal of Environmental Analytical Chemistry, 2018, 98, 387-412.	3.3	3

#	Article	IF	CITATIONS
2941	Rapid determination of designer benzodiazepines, benzodiazepines, and Z-hypnotics in whole blood using parallel artificial liquid membrane extraction and UHPLC-MS/MS. Analytical and Bioanalytical Chemistry, 2018, 410, 4967-4978.	3.7	32
2942	Matrix Effect Assessment of an Ion Chromatographic Method to Determine Inorganic Anions in Wastewater. Water, Air, and Soil Pollution, 2018, 229, 1.	2.4	7
2943	Simple and robust LC–MS/MS analysis method for therapeutic drug monitoring of micafungin. Bioanalysis, 2018, 10, 877-886.	1.5	9
2944	Challenges in Simultaneous Determination of Hydrochlorothiazide and Ramipril in Human Plasma: Application to a Bioequivalence Study. Journal of Chromatographic Science, 2018, 56, 867-878.	1.4	4
2945	Capillary electrophoresis-mass spectrometry of derivatized amino acids for targeted neurometabolomics – pH mediated reversal of diastereomer migration order. Journal of Chromatography A, 2018, 1564, 199-206.	3.7	16
2946	New supported liquid membrane for electromembrane extraction of polar basic endogenous metabolites. Journal of Pharmaceutical and Biomedical Analysis, 2018, 159, 53-59.	2.8	35
2947	Sensitive Detection of Neonicotinoid Insecticides and Other Selected Pesticides in Pollen and Nectar Using Nanoflow Liquid Chromatography Orbitrap Tandem Mass Spectrometry. Journal of AOAC INTERNATIONAL, 2018, 101, 367-373.	1.5	10
2948	Simultaneous Preconcentration, Identification, and Quantitation of Selenoamino Acids in Oils by Enantioselective High Performance Liquid Chromatography and Mass Spectrometry. Analytical Chemistry, 2018, 90, 8326-8330.	6.5	7
2949	Sampling root exudates – Mission impossible?. Rhizosphere, 2018, 6, 116-133.	3.0	241
2950	Hair analysis can provide additional information in doping and forensic cases involving clostebol. Drug Testing and Analysis, 2019, 11, 95-101.	2.6	13
2951	Determination of phosphatidylethanol 16:0/18:1 in whole blood by 96â€well supported liquid extraction and <scp>UHPLC</scp> â€ <scp>MS</scp> / <scp>MS</scp> . Journal of Clinical Laboratory Analysis, 2019, 33, e22631.	2.1	18
2952	Comprehensive analysis of photoinitiators and primary aromatic amines in food contact materials using liquid chromatography High-Resolution Mass Spectrometry. Talanta, 2019, 191, 109-118.	5.5	35
2953	The pharmacokinetics of ketamine following intramuscular injection to F344 rats. Drug Testing and Analysis, 2019, 11, 68-76.	2.6	3
2954	Blood plasma level determination using an automated LC–MS ⁿ screening system and electronically stored calibrations exemplified for 22 drugs and two active metabolites often requested in emergency toxicology. Drug Testing and Analysis, 2019, 11, 102-111.	2.6	11
2955	The experimental design approach to the optimization of a simple quick easy cheap effective rugged and safe method for the analysis of phytoestrogens in complex soyâ€based food. Journal of Separation Science, 2019, 42, 3225-3233.	2.5	6
2956	Comprehensive lipidomics of mouse plasma using class-specific surrogate calibrants and SWATH acquisition for large-scale lipid quantification in untargeted analysis. Analytica Chimica Acta, 2019, 1086, 90-102.	5.4	27
2957	Development and validation of an ultraâ€highâ€performance liquid chromatography–tandem mass spectrometry method to determine the bioavailability of warfarin and its major metabolite 7â€hydroxy warfarin in rats dosed with oral formulations containing different polymorphic forms. Biomedical Chromatography, 2019, 33, e4685.	1.7	4
2958	Trace Enantioselective Determination of Imidazolinone Herbicides in Various Food Matrices Using a Modified QuEChERS Method and Ultra-Performance Liquid Chromatography/Tandem Mass Spectrometry. Food Analytical Methods, 2019, 12, 2647-2664.	2.6	19

#	Article	IF	CITATIONS
2959	Solvent demulsification-dispersive liquid-liquid microextraction based on solidification of floating organic drop coupled with ultra-high-performance liquid chromatography-tandem mass spectrometry for simultaneous determination of 13 organophosphate esters in aqueous samples. Scientific Reports, 2019, 9, 11292.	3.3	11
2960	Monitoring of cyanotoxins in water from hypersaline microalgae colonies by ultra high performance liquid chromatography with diode array and tandem mass spectrometry detection following salting-out liquid-liquid extraction. Journal of Chromatography A, 2019, 1608, 460409.	3.7	13
2961	Determination of tryptoquialanines A and C produced by Penicillium digitatum in oranges: Are we safe?. Food Chemistry, 2019, 301, 125285.	8.2	12
2962	UHPLC-MS/MS assay for simultaneous determination of amlodipine, metoprolol, pravastatin, rosuvastatin, atorvastatin with its active metabolites in human plasma, for population-scale drug-drug interactions studies in people living with HIV. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2019, 1125, 121733.	2.3	10
2963	Enrichment procedure based on graphitized carbon black and liquid chromatography-high resolution mass spectrometry for elucidating sulfolipids composition of microalgae. Talanta, 2019, 205, 120162.	5.5	12
2964	Challenges in confirmation testing for drugs of abuse. , 2019, , 243-256.		1
2965	Detection and quantification of metastable photoproducts of trenbolone and altrenogest using liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2019, 1603, 150-159.	3.7	8
2966	Postmortem analysis of human bone marrow aspirate - Quantitative determination of SSRI and SNRI drugs. Talanta, 2019, 204, 607-612.	5.5	9
2967	Highâ€throughput method to analyze tegafur and 5â€fluorouracil in human tears and plasma using hydrophilic interaction liquid chromatography/tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2019, 33, 1906-1914.	1.5	4
2968	Development and Validation of a Method for the Analysis of Bisoprolol and Atenolol in Human Bone. Molecules, 2019, 24, 2400.	3.8	6
2969	Dummy Molecularly Imprinted Matrix Solid-Phase Dispersion for Selective Extraction of Seven Estrogens in Aquatic Products. Food Analytical Methods, 2019, 12, 2241-2249.	2.6	10
2970	A semi-automated, isotope-dilution high-resolution mass spectrometry assay for therapeutic drug monitoring of antidepressants. Clinical Mass Spectrometry, 2019, 14, 89-98.	1.9	10
2971	Development of two complementary LC–HRMS methods for analyzing sotatercept in dried blood spots for doping controls. Bioanalysis, 2019, 11, 923-940.	1.5	16
2972	One-pot synthesized visible-light-responsive MoS2@CdS nanosheets-on- nanospheres for hydrogen evolution from the antibiotic wastewater: Waste to energy insight. International Journal of Hydrogen Energy, 2019, 44, 21577-21587.	7.1	26
2973	Sensitive and reliable gas chromatography tandem mass spectrometry assay for ethyl glucuronide in neonatal meconium. Journal of Pharmaceutical and Biomedical Analysis, 2019, 175, 112743.	2.8	3
2974	Improvement of hair testing for Ethylglucuronide by supported liquid extraction and ultra-high performance liquid chromatography tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2019, 174, 707-710.	2.8	3
2975	Cloud Point Extraction Combined with Liquid Chromatography Coupled to Tandem Mass Spectrometry for the Determination of Verapamil in Urine. Journal of Analytical Chemistry, 2019, 74, 701-706.	0.9	6
2976	Determination of urinary retinol and creatinine as an early sensitive marker of renal dysfunction. Journal of Chromatography A, 2019, 1607, 460390.	3.7	6

		CITATION REI	PORT	
#	Article		IF	CITATIONS
2977	Lead analysis in paints for high impact control in homes. Analytical Methods, 2019, 11, 4254-	4259.	2.7	4
2978	Development of carbohydrate functionalized magnetic nanoparticles for aminoglycosides ma solid phase extraction. Analytica Chimica Acta, 2019, 1082, 37-48.	gnetic	5.4	13
2979	Nanomaterials as alternative dispersants for the multiresidue analysis of phthalates in soil san using matrix solid phase dispersion prior to ultra-high performance liquid chromatography tar mass spectrometry. Chemosphere, 2019, 236, 124377.	ıples dem	8.2	14
	Detection of 13 Ginsenosides (Rb1, Rb2, Rc, Rd, Re, Rf, Rg1, Rg3, Rh2, F1, Compound K,) Tj E	Qq1 1 0.784314 rgl	BT /Overlo	ock 10 Tf 5
2980	Method to Human Pharmacokinetic Studies Following Two Week-Repeated Administration of Ginseng Extract. Molecules. 2019. 24. 2618.	Red	3.8	55
2981	Fundamentals of assay development and validation. , 2019, , 117-148.			0
2982	Liquid-phase microextraction in 96-well plates - calibration and accurate quantification of pharmaceuticals in human plasma samples. Journal of Chromatography A, 2019, 1602, 117-1	23.	3.7	27
2983	An ultra-sensitive UHPLC-MS/MS assay for the quantification of orally administered vancomyc plasma. Journal of Pharmaceutical and Biomedical Analysis, 2019, 174, 633-638.	in in	2.8	8
2984	Detection and quantification of 5F-ADB and its methyl ester hydrolysis metabolite in fatal intoxication cases by liquid chromatography–high resolution mass spectrometry. Forensic S International, 2019, 302, 109866.	science	2.2	17
2985	A LC-MS/MS method for the determination of common synthetic cathinones in meconium. Jo Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1124,	urnal of 349-355.	2.3	10
2986	Determination of iohexol by capillary blood microsampling and UHPLC-MS/MS. Journal of Pharmaceutical Analysis, 2019, 9, 259-265.		5.3	11
2987	Evaluation of Lysophospholipid Measurement in Cerebrospinal Fluid Samples using Liquid Chromatography–Tandem Mass Spectrometry. Lipids, 2019, 54, 487-500.		1.7	20
2988	Electromembrane extraction with solvent modification of the acceptor solution: improved ma transfer of drugs of abuse from human plasma. Bioanalysis, 2019, 11, 755-771.	SS	1.5	12
2989	An ultrasensitive UPLC–MS/MS assay for the quantification of the therapeutic peptide lirag plasma to assess the oral and nasal bioavailability in beagle dogs. Bioanalysis, 2019, 11, 887-8	utide in 398.	1.5	9
2990	Dissipation, risk assessment, halfâ€life period and method validation of carbendazim and triaz green pea by highâ€performance liquid chromatography. Separation Science Plus, 2019, 2, 28	rophos in 84-290.	0.6	14
2991	Magnetic cucurbit[6]uril-based hypercrosslinked polymers for efficient enrichment of ubiquiti Mikrochimica Acta, 2019, 186, 510.	n.	5.0	1
2992	Synthesis of DABCO-based ionic liquid functionalized magnetic nanoparticles as a novel sorbe the determination of cephalosporins in milk samples by dispersive solid-phase extraction follo ultra-performance liquid chromatography-tandem mass spectrometry. New Journal of Chemis 43, 13554-13570.	nt for wed by try, 2019,	2.8	24
2993	Assessment of Dried Blood Spots for Multi-Mycotoxin Biomarker Analysis in Pigs and Broiler Chickens. Toxins, 2019, 11, 541.		3.4	10
2994	Investigation of diagnostic performance of five urinary cholesterol metabolites for Niemann-P disease type C. Journal of Lipid Research, 2019, 60, 2074-2081.	ick	4.2	16

#	Article	IF	CITATIONS
2995	Rapid Quantitation of 25-Hydroxyvitamin D2 and D3 in Human Serum Using Liquid Chromatography/Drift Tube Ion Mobility-Mass Spectrometry. Analytical Chemistry, 2019, 91, 13555-13561.	6.5	15
2996	A patient-centric liquid chromatography-tandem mass spectrometry microsampling assay for analysis of cannabinoids in human whole blood: Application to pediatric pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1130-1131, 121828.	2.3	7
2997	Preclinical evaluation of exemestane as a novel chemotherapy for gastric cancer. Journal of Cellular and Molecular Medicine, 2019, 23, 7417-7426.	3.6	12
2998	Recent advances in the determination of insulins from biological fluids. Advances in Clinical Chemistry, 2019, 93, 115-167.	3.7	22
2999	Learning representations of microbe–metabolite interactions. Nature Methods, 2019, 16, 1306-1314.	19.0	184
3000	Quantitation of Mycotoxins in Four Food Matrices Comparing Stable Isotope Dilution Assay (SIDA) with Matrix-Matched Calibration Methods by LC–MS/MS. Journal of AOAC INTERNATIONAL, 2019, 102, 1673-1680.	1.5	12
3001	Method for Postmortem Quantification of Δ9-Tetrahydrocannabinol and Metabolites Using LC–MS–MS. Journal of Analytical Toxicology, 2019, 43, 703-719.	2.8	14
3002	The Usefulness of MS3 to Confirm Poisoning on the Example of Dog Poisoning with Strychnine. Molecules, 2019, 24, 3765.	3.8	4
3003	Heavy Heparin: A Stable Isotopeâ€Enriched, Chemoenzymaticallyâ€Synthesized, Polyâ€Component Drug. Angewandte Chemie, 2019, 131, 6023-6027.	2.0	2
3004	Fast analysis of 19 anabolic steroids in bovine tissues by high performance liquid chromatography with tandem mass spectrometry. Journal of Separation Science, 2019, 42, 3319-3329.	2.5	6
3005	Optimization of Integrating Inventory and Transportation of Engineering Logistics Based on an Improved Heuristics Approach. , 2019, , .		0
3006	Matrix effect-free on-line pass-through cleanup procedure for the fast determination of local anesthetic drug by LC-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1130-1131, 121831.	2.3	6
3007	Targeted Metabolic Profiling of Methionine Cycle Metabolites and Redox Thiol Pools in Mammalian Plasma, Cells and Urine. Metabolites, 2019, 9, 235.	2.9	26
3008	An ultra HPLC–MS/MS method for quantification of hypidone hydrochloride (YL-0919) and application to a pharmacokinetic study. Bioanalysis, 2019, 11, 1243-1254.	1.5	1
3009	Comparison of sample preparation approaches and validation of an extraction method for nitrosatable pesticides and metabolites in human serum and urine analyzed by liquid chromatography – Orbital ion trap mass spectrometry. Journal of Chromatography A, 2019, 1603, 83-91.	3.7	11
3010	Determination of 107 Pesticide Residues in Wolfberry with Acetate-buffered Salt Extraction and Sin-QuEChERS Nano Column Purification Coupled with Ultra Performance Liquid Chromatography Tandem Mass Spectrometry. Molecules, 2019, 24, 2918.	3.8	23
3011	Multi-target methodology for the screening of blood specimens in drug-facilitated sexual assault cases. Microchemical Journal, 2019, 150, 104204.	4.5	5
3012	Expanding the Theory of Planned Behaviour to Reveal Urban Residents' Pro-Environment Travel Behaviour. Atmosphere, 2019, 10, 467.	2.3	29

#	ARTICLE Identification and determination of deoxynivalenol (DON) and deepoxy-deoxynivalenol (DOM-1) in pig	IF	CITATIONS
3013	colostrum and serum using liquid chromatography in combination with high resolution mass spectrometry (LC-MS/MS (HR)). Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1126-1127, 121735.	2.3	14
3014	Analysis of the neurotoxin Î ² -N-methylamino-L-alanine (BMAA) and isomers in surface water by FMOC derivatization liquid chromatography high resolution mass spectrometry. PLoS ONE, 2019, 14, e0220698.	2.5	14
3015	Polare Perfluoralkylcarbonsären. , 2019, , .		1
3016	Development of an UPLC-MS/MS Method for the Analysis of Mycotoxins in Rumen Fluid with and without Maize Silage Emphasizes the Importance of Using Matrix-Matched Calibration. Toxins, 2019, 11, 519.	3.4	19
3017	Determination of doravirine in human plasma using liquid–liquid extraction and HPLC–MS/MS. Bioanalysis, 2019, 11, 1495-1508.	1.5	6
3018	High-throughput quantification of ten antiarrhythmic drugs in human plasma using UPLC-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1129, 121793.	2.3	7
3019	A pass-through solid-phase extraction clean-up method for the determination of 11 quinolone antibiotics in chicken meat and egg samples using ultra-performance liquid chromatography tandem mass spectrometry. Microchemical Journal, 2019, 151, 104213.	4.5	47
3020	Identification and quantification of phytoprostanes and phytofurans of coffee and cocoa by- and co-products. Food and Function, 2019, 10, 6882-6891.	4.6	12
3021	Simultaneous determination of 16 alkaloids in blood by ultrahigh-performance liquid chromatography-tandem mass spectrometry coupled with supported liquid extraction. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1128, 121789.	2.3	13
3022	Impact of matrix effects and ionization efficiency in non-quantitative untargeted metabolomics. Metabolomics, 2019, 15, 135.	3.0	33
3023	Simultaneous determination of 24 free amino acids in MGC803 cells by hydrophilic interaction liquid chromatography with tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1132, 121792.	2.3	7
3024	Residue analysis of tetraniliprole in rice and related environmental samples by HPLC/MS. Microchemical Journal, 2019, 150, 104168.	4.5	19
3025	Rapid, hydrolysis-free, dilute-and-shoot method for the determination of buprenorphine, norbuprenorphine and their glucuronides in urine samples using UHPLC-MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2019, 166, 236-243.	2.8	11
3026	QuEChERS and HPLC-MS/MS Combination for the Determination of Chloramphenicol in Twenty Two Different Matrices. Molecules, 2019, 24, 384.	3.8	23
3027	Validation of a liquid chromatography-tandem mass spectrometry method for analyzing cannabinoids in oral fluid. Clinica Chimica Acta, 2019, 491, 30-38.	1.1	24
3028	LC-MS/MS determination of 4-hydroxynimesulide, an active metabolite of nimesulide and application to bioequivalence study in Indian subjects. European Journal of Mass Spectrometry, 2019, 25, 399-411.	1.0	6
3029	Effects of endophytic and ectomycorrhizal basidiomycetes on <i>Quercus virginiana</i> seedling growth and nutrient absorption. Journal of Sustainable Forestry, 2019, 38, 457-470.	1.4	12
3030	Buprofezin dissipation and safety assessment in open field cabbage and cauliflower using GC/ITMS employing an analyte protectant. Biomedical Chromatography, 2019, 33, e4492.	1.7	9

#	Article	IF	CITATIONS
3031	Bioaccumulation behaviour of pharmaceuticals and personal care products in a constructed wetland. Chemosphere, 2019, 222, 275-285.	8.2	59
3032	Critical assessment of two sample treatment methods for multiresidue determination of veterinary drugs in milk by UHPLC-MS/MS. Analytical and Bioanalytical Chemistry, 2019, 411, 1433-1442.	3.7	39
3033	Retention time bracketing for targeted sphingolipidomics by liquid chromatography–tandem mass spectrometry. Bioanalysis, 2019, 11, 185-201.	1.5	3
3034	Evaluation of polysaccharide-based chiral stationary phases in modern SFC–MS/MS for enantioselective bioanalysis. Bioanalysis, 2019, 11, 251-266.	1.5	12
3035	Dried Blood Spot Multiplexed Steroid Profiling Using Liquid Chromatography Tandem Mass Spectrometry in Korean Neonates. Annals of Laboratory Medicine, 2019, 39, 263-270.	2.5	20
3036	High throughput bar adsorptive microextraction: A novel cost-effective tool for monitoring benzodiazepines in large number of biological samples. Talanta, 2019, 199, 195-202.	5.5	26
3037	Aflatoxin M ₁ and B ₁ in Colombian milk powder and estimated risk exposure. Food Additives and Contaminants: Part B Surveillance, 2019, 12, 97-104.	2.8	13
3038	Simultaneous detection of 4(5)-methylimidazole and acrylamide in biscuit products by isotope-dilution UPLC-MS/MS. Food Control, 2019, 105, 64-70.	5.5	7
3039	A combined LC-MS/MS and LC-MS3 multi-method for the quantification of iodothyronines in human blood serum. Analytical and Bioanalytical Chemistry, 2019, 411, 5605-5616.	3.7	23
3040	Liquid chromatography–tandem mass spectrometry screening method using informationâ€dependent acquisition of enhanced product ion mass spectra for synthetic cannabinoids including metabolites in urine. Drug Testing and Analysis, 2019, 11, 1369-1376.	2.6	13
3041	Ready for TDM: Simultaneous quantification of amikacin, vancomycin and creatinine in human plasma employing ultra-performance liquid chromatography-tandem mass spectrometry. Clinical Biochemistry, 2019, 70, 39-45.	1.9	16
3042	A Simple Ultraperformance Liquid Chromatography-Tandem Mass Spectrometry Method for Measurement of Cortisol Level in Human Saliva. International Journal of Analytical Chemistry, 2019, 2019, 1-8.	1.0	5
3043	Carboxylesterase catalyzed 18O-labeling of carboxylic acid and its potential application in LC-MS/MS based quantification of drug metabolites. Drug Metabolism and Pharmacokinetics, 2019, 34, 308-316.	2.2	7
3044	Analysis of josamycin in three kinds of feed using ultra high performance liquid chromatography with tandem mass spectrometry. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2019, 36, 1302-1313.	2.3	4
3045	Characterization and quantification of thiol-peptides in Arabidopsis thaliana using combined dilution and high sensitivity HPLC-ESI-MS-MS. Phytochemistry, 2019, 164, 215-222.	2.9	19
3046	Development and validation of a multiplex UHPLC-MS/MS method for the determination of the investigational antibiotic against multi-resistant tuberculosis macozinone (PBTZ169) and five active metabolites in human plasma. PLoS ONE, 2019, 14, e0217139.	2.5	14
3047	Matrix-matched standards in the liquid chromatography–mass spectrometry determination of neonicotinoids in soil and sediment. Journal of Chromatography A, 2019, 1602, 246-252.	3.7	22
3048	Detection of cocaine and its metabolites in whole blood and plasma following a single dose, controlled administration of intranasal cocaine. Drug Testing and Analysis, 2019, 11, 1419-1430.	2.6	9

#	Article	IF	CITATIONS
3049	An LC–MS/MS method for the simultaneous determination of 12 psychotropic drugs and metabolites in hair: Identification of acute quetiapine poisoning using hair root. Forensic Science International, 2019, 301, 341-349.	2.2	8
3050	Validation of an LC-MS/MS method for the quantitative analysis of 1P-LSD and its tentative metabolite LSD in fortified urine and serum samples including stability tests for 1P-LSD under different storage conditions. Journal of Pharmaceutical and Biomedical Analysis, 2019, 174, 270-276.	2.8	20
3051	Analyzing a broader spectrum of endocrine active organic contaminants in sewage sludge with high resolution LC-QTOF-MS suspect screening and QSAR toxicity prediction. Environmental Sciences: Processes and Impacts, 2019, 21, 1099-1114.	3.5	14
3052	Application of a validated UHPLC-MS/MS method for 28 fentanyl-analogue and novel synthetic opioids in whole blood in authentic forensic cases. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1124, 82-99.	2.3	28
3053	Development and Optimisation of a Multiresidue Method for the Determination of 40 Anthelmintic Compounds in Environmental Water Samples by Solid Phase Extraction (SPE) with LC-MS/MS Detection. Molecules, 2019, 24, 1978.	3.8	17
3054	Rapid determination of volatile organic acids in edible salt and high-salinity food by direct analysis in real time mass spectrometry. International Journal of Mass Spectrometry, 2019, 444, 116166.	1.5	6
3055	Comparison of electrospray and UniSpray, a novel atmospheric pressure ionization interface, for LC-MS/MS analysis of 81 pesticide residues in food and water matrices. Analytical and Bioanalytical Chemistry, 2019, 411, 5099-5113.	3.7	18
3056	Novel fast ultraâ€performance liquid chromatography–tandem mass spectrometry (UHPLC–MS/MS) and extraction of ethylglucuronide in meconium samples. Drug Testing and Analysis, 2019, 11, 1471-1475.	2.6	5
3057	Phthalate sum determination in farmland soils using highâ€performance liquid chromatographyâ€ŧandem mass spectrometry. Journal of Separation Science, 2019, 42, 2715-2724.	2.5	1
3058	Development and Interlaboratory Validation of Two Fast UPLC–MS-MS Methods Determining Urinary Bisphenols, Parabens and Phthalates. Journal of Analytical Toxicology, 2019, 43, 452-464.	2.8	20
3059	Fast and Sensitive Quantification of Δ ⁹ -Tetrahydrocannabinol and Its Main Oxidative Metabolites by Liquid Chromatography/Tandem Mass Spectrometry. Cannabis and Cannabinoid Research, 2019, 4, 110-123.	2.9	24
3060	Paradigm Shift in the Arena of Sample Preparation and Bioanalytical Approaches Involving Liquid Chromatography Mass Spectroscopic Technique. Analytical Sciences, 2019, 35, 1069-1082.	1.6	9
3061	A fast and simple approach for the quantification of 40 illicit drugs, medicines, and pesticides in blood and urine samples by UHPLCâ€MS/MS. Journal of Mass Spectrometry, 2019, 54, 600-611.	1.6	16
3062	Dissipation of carbendazim and its metabolites in cucumber using liquid chromatography tandem mass spectrometry. International Journal of Environmental Analytical Chemistry, 2019, 99, 968-976.	3.3	16
3063	Acidic transformation of nordiazepam can affect recovery estimate during trace analysis of diazepam and nordiazepam in environmental water samples by liquid chromatography–tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2019, 411, 3919-3928.	3.7	1
3064	Improved folate monoglutamate extraction and application to folate quantification from wild lentil seeds by ultra-performance liquid chromatography-selective reaction monitoring mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1121, 39-47.	2.3	18
3065	Recent Trends in the Quantification of Biogenic Amines in Biofluids as Biomarkers of Various Disorders: A Review. Journal of Clinical Medicine, 2019, 8, 640.	2.4	31
3066	Hexanol-Based Supramolecular Solvents Tool for the Determination of 11 Illicit Phenethylamines in Oral Fluid by LCâ \in MS/MS. Journal of Analytical Toxicology, 2020, 44, 15-21.	2.8	6

#	Article	IF	CITATIONS
3067	Multiresidue Pesticides Analysis of Vegetables in Vietnam by Ultrahigh-Performance Liquid Chromatography in Combination with High-Resolution Mass Spectrometry (UPLC-Orbitrap MS). Journal of Analytical Methods in Chemistry, 2019, 2019, 1-12.	1.6	8
3068	Simultaneous determination of 24 opioids, stimulants and new psychoactive substances in wastewater. MethodsX, 2019, 6, 953-960.	1.6	34
3069	Fast and simple method of simultaneous preservative determination in different processed foods by QuEChERS and HPLC-UV: Method development, survey and estimate of daily intake. Food Chemistry, 2019, 293, 112-119.	8.2	22
3070	Development and validation of a method for analysing of duloxetine, venlafaxine and amitriptyline in human bone. Forensic Science International, 2019, 299, 154-160.	2.2	10
3071	Direct Mass Spectrometry Analysis Using In-Capillary Dicationic Ionic Liquid-Based in Situ Dispersive Liquid–Liquid Microextraction and Sonic-Spray Ionization. Analytical Chemistry, 2019, 91, 6661-6668.	6.5	13
3072	Electric modeling and characterization of pulsed highâ€voltage nanoelectrospray ionization sources by a miniature ion trap mass spectrometer. Journal of Mass Spectrometry, 2019, 54, 583-591.	1.6	4
3073	Measurement of ultra-trace level of intact oxytocin in plasma using SALLE combined with nano-LC–MS. Journal of Pharmaceutical and Biomedical Analysis, 2019, 173, 62-67.	2.8	11
3074	Halogen bonding for increasing efficiency in liquid-liquid microextraction: Application to the extraction of hexabromocyclododecane enantiomers in river water. Journal of Chromatography A, 2019, 1600, 95-104.	3.7	10
3075	A sensitive method for the simultaneous UHPLC-MS/MS analysis of milrinone and dobutamine in blood plasma using NH4F as the eluent additive and ascorbic acid as a stabilizer. Clinical Mass Spectrometry, 2019, 12, 23-29.	1.9	5
3076	Quantification of munition compounds in the marine environment by solid phase extraction – ultra high performance liquid chromatography with detection by electrospray ionisation – mass spectrometry. Talanta, 2019, 200, 366-372.	5.5	29
3077	Occurrence of pesticides in fruits and vegetables from organic and conventional agriculture by QuEChERS extraction liquid chromatography tandem mass spectrometry. Food Control, 2019, 104, 74-82.	5.5	49
3078	A novel extraction method for simultaneous determination of neonicotinoid insecticides and their metabolites in human urine. Analytical Methods, 2019, 11, 2571-2578.	2.7	28
3079	Significant role of supercritical fluid chromatography - mass spectrometry in improving the matrix effect and analytical efficiencyÂduring multi-pesticides residue analysis of complex chrysanthemum samples. Analytica Chimica Acta, 2019, 1074, 108-116.	5.4	45
3080	Quantification of multi-classes of endocrine-disrupting compounds in estuarine water. Environmental Pollution, 2019, 249, 1019-1028.	7.5	51
3081	Occurrence and risk assessment of multiclass endocrine disrupting compounds in an urban tropical river and a proposed risk management and monitoring framework. Science of the Total Environment, 2019, 671, 431-442.	8.0	81
3082	Development and application of a LC-HRMS/MS method for analyzing antihypertensive drugs in oral fluid for monitoring drug adherence. Analytica Chimica Acta, 2019, 1070, 69-79.	5.4	19
3083	Comparative pharmacokinetic study on three formulations of Astragali Radix by an LC–MS/MS method for determination of formononetin in human plasma. Biomedical Chromatography, 2019, 33, e4563.	1.7	7
3084	Determination of Persistent and Mobile Organic Contaminants (PMOCs) in Water by Mixed-Mode Liquid Chromatography–Tandem Mass Spectrometry. Analytical Chemistry, 2019, 91, 5176-5183.	6.5	41

		15	C 17171011
# 3085	Development and validation of an analytical procedure to detect spatio-temporal differences in antidepressant use through a wastewater-based approach. Talanta, 2019, 200, 340-349	5.5	31
3086	Detection of glyphosate and its metabolites in food of animal origin based on ion-chromatography-high resolution mass spectrometry (IC-HRMS). Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2019, 36, 592-600.	2.3	34
3087	Rapid Quantitation of Flecainide in Human Plasma for Therapeutic Drug Monitoring Using Liquid Chromatography and Time-of-Flight Mass Spectrometry. Therapeutic Drug Monitoring, 2019, 41, 391-395.	2.0	7
3088	Dilute and shoot ultra-high performance liquid chromatography tandem mass spectrometry (UHPLC–MS/MS) analysis of psychoactive drugs in oral fluid. Journal of Pharmaceutical and Biomedical Analysis, 2019, 170, 63-67.	2.8	32
3089	A monoclonal antibody-based immunosensor for the electrochemical detection of imidacloprid pesticide. Analyst, The, 2019, 144, 2936-2941.	3.5	35
3090	Simultaneous Quantification of 13 Cannabinoids and Metabolites in Human Plasma by Liquid Chromatography Tandem Mass Spectrometry in Adult Epilepsy Patients. Therapeutic Drug Monitoring, 2019, 41, 357-370.	2.0	16
3091	Quantification of U-47700 and its metabolites in plasma by LC-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1112, 41-47.	2.3	18
3092	A concise review of quantification methods for determination of vitamin K in various biological matrices. Journal of Pharmaceutical and Biomedical Analysis, 2019, 169, 133-141.	2.8	25
3093	Miniaturized SPME tips directly coupled to mass spectrometry for targeted determination and untargeted profiling of small samples. Talanta, 2019, 199, 689-697.	5.5	44
3094	Solid Phase Microextraction-Based Miniaturized Probe and Protocol for Extraction of Neurotransmitters from Brains in Vivo. Analytical Chemistry, 2019, 91, 4896-4905.	6.5	77
3095	Rapid Determination of Sulfonamides in Chicken Muscle and Milk Using Efficient Graphene Oxide-Based Monolith On-Line Solid-Phase Extraction Coupled with Liquid Chromatography–Tandem Mass Spectrometry. Food Analytical Methods, 2019, 12, 271-281.	2.6	17
3096	Application of combined acetate salt based multiple analyte adduct formation in signal separated quantification performed for the purposes of forensic toxicology with liquid chromatography–tandem mass spectrometry — Discussion on the basis of salicylic acid applied as a	2.2	0
3097	A survey and risk assessment of neonicotinoids in water, soil and sediments of Belize. Environmental Pollution, 2019, 249, 949-958.	7.5	79
3098	Rapid method for quantification of anthocyanidins and anthocyanins in human biological samples. Food Chemistry, 2019, 290, 56-63.	8.2	12
3099	The study and application of analyte adduct based ionisation of propofol in the analysis with liquid chromatography-tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1114-1115, 1-4.	2.3	7
3100	Miniaturized imprinted solid phase extraction to the selective analysis of Coenzyme Q10 in urine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1116, 24-29.	2.3	6
3101	Multi LC-MS/MS and LC-HRMS Methods for Determination of 24 Mycotoxins including Major Phase I and II Biomarker Metabolites in Biological Matrices from Pigs and Broiler Chickens. Toxins, 2019, 11, 171.	3.4	48
3102	Development and validation of a sensitive LC–MS/MS method for determination of gefitinib and its major metabolites in human plasma and its application in non-small cell lung cancer patients. Journal of Pharmaceutical and Biomedical Analysis, 2019, 172, 364-371.	2.8	20

#	Article	IF	CITATIONS
3103	Pharmacokinetic properties of 4â€fluoroamphetamine in serum and oral fluid after oral ingestion. Drug Testing and Analysis, 2019, 11, 1028-1034.	2.6	8
3104	Analysis of 27 β-Blockers and Metabolites in Milk Powder by High Performance Liquid Chromatography Coupled to Quadrupole Orbitrap High-Resolution Mass Spectrometry. Molecules, 2019, 24, 820.	3.8	11
3105	Determination of boldenone in postmortem specimens including blood and urine samples using LC-MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2019, 169, 111-115.	2.8	9
3106	Development and validation of an assay to measure cannabidiol and Δ9-tetrahydrocannabinol in human EDTA plasma by UHPLC-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1112, 56-60.	2.3	14
3107	Assay of Endogenous 3,5-diiodo-L-thyronine (3,5-T2) and 3,3′-diiodo-L-thyronine (3,3′-T2) in Human Serum: A Feasibility Study. Frontiers in Endocrinology, 2019, 10, 88.	3.5	24
3108	Development and Comparison of Two Multiresidue Methods for the Determination of 17 Aspergillus and Fusarium Mycotoxins in Cereals Using HPLC-ESI-TQ-MS/MS. Frontiers in Microbiology, 2019, 10, 361.	3.5	21
3109	Heavy Heparin: A Stable Isotopeâ€Enriched, Chemoenzymaticallyâ€Synthesized, Polyâ€Component Drug. Angewandte Chemie - International Edition, 2019, 58, 5962-5966.	13.8	35
3110	A sensitive and selective phosphopeptide enrichment strategy by combining polyoxometalates and cysteamine hydrochloride-modified chitosan through layer-by-layer assembly. Analytica Chimica Acta, 2019, 1066, 58-68.	5.4	29
3111	Liquid chromatography-mass spectrometry-based determination of ergocristine, ergocryptine, ergotamine, ergovaline, hypoglycin A, lolitrem B, methylene cyclopropyl acetic acid carnitine, N-acetylloline, N-formylloline, paxilline, and peramine in equine hair. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2019, 1117, 127-135	2.3	8
3112	Ultra-High-Performance Liquid Chromatography-Tandem Mass Spectrometry Assay for Quantifying Fentanyl and 22 Analogs and Metabolites in Whole Blood, Urine, and Hair. Frontiers in Chemistry, 2019, 7, 184.	3.6	60
3113	Sensitive, rapid and non-derivatized determination of glyphosate, glufosinate, bialaphos and metabolites in surface water by LC–MS/MS. SN Applied Sciences, 2019, 1, 1.	2.9	10
3114	LC-MS/MS analysis of two new designer drugs (FLY serie) in rat plasma and its application to a pharmacokinetic study. Legal Medicine, 2019, 38, 58-63.	1.3	4
3115	Evidence for nonlinear accumulation of the ultrapotent fentanyl analog, carfentanil, after systemic administration to male rats. Neuropharmacology, 2019, 158, 107596.	4.1	17
3116	Analysis and fate of 14 relevant wastewater-derived organic pollutants in long-term exposed soil. Analytical and Bioanalytical Chemistry, 2019, 411, 2687-2696.	3.7	18
3117	Simultaneous determination of cocaine, ecgonine methyl ester, benzoylecgonine, cocaethylene and norcocaine in dried blood spots by ultra-performance liquid chromatography coupled to tandem mass spectrometry. Forensic Science International, 2019, 298, 408-416.	2.2	11
3118	Multi-residue quantification and screening of emerging organic micropollutants in the Belgian Part of the North Sea by use of Speedisk extraction and Q-Orbitrap HRMS. Marine Pollution Bulletin, 2019, 142, 350-360.	5.0	25
3119	Development of Sensitive and Reliable UPLC-MS/MS Methods for Food Analysis of Emerging Mycotoxins in China Total Diet Study. Toxins, 2019, 11, 166.	3.4	21
3120	Determination of daptomycin in human plasma and breast milk by UPLC/MS-MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1116, 38-43.	2.3	10

#	Article	IF	CITATIONS
3121	The use of a plant enzyme for rapid and sensitive analysis of naturally-occurring folates in food by liquid chromatography-tandem mass spectrometry. Journal of Chromatography A, 2019, 1594, 34-44.	3.7	9
3122	Online Sol-gel Capillary Microextraction-Mass Spectrometry (CME-MS) Analysis of Illicit Drugs. Journal of the American Society for Mass Spectrometry, 2019, 30, 595-604.	2.8	7
3123	Liquid chromatography-high resolution mass spectrometry for broad-spectrum drug screening of dried blood spot as microsampling procedure. Analytica Chimica Acta, 2019, 1063, 110-116.	5.4	29
3124	New SPE-LC-MS/MS method for the simultaneous determination in urine of 22 metabolites of DEHP and alternative plasticizers from PVC medical devices. Talanta, 2019, 198, 377-389.	5.5	33
3125	Application of Liquid Chromatography Combined With High Resolution Mass Spectrometry for Urine Drug Testing. , 2019, , 321-332.		3
3126	Comparisons of analysis of fatty acid methyl ester (FAME) of microalgae by chromatographic techniques. Algal Research, 2019, 39, 101449.	4.6	18
3127	Simultaneous and systematic analysis of cytostatic drugs in wastewater samples by ultra-high performance liquid chromatography tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1110-1111, 124-132.	2.3	16
3128	Development, validation and application of a novel HPLC-MS/MS method for the measurement of minocycline in human plasma and urine. Journal of Pharmaceutical and Biomedical Analysis, 2019, 169, 90-98.	2.8	13
3129	Fast and Simple LC-MS/MS Method for Rifampicin Quantification in Human Plasma. International Journal of Analytical Chemistry, 2019, 2019, 1-7.	1.0	8
3130	Development and validation of an assay for quantifying budesonide in dried blood spots collected from extremely low gestational age neonates. Journal of Pharmaceutical and Biomedical Analysis, 2019, 167, 7-14.	2.8	13
3131	Simultaneous determination of six antipsychotics, two of their metabolites and caffeine in human plasma by LC-MS/MS using a phospholipid-removal microelution-solid phase extraction method for sample preparation. Talanta, 2019, 198, 159-168.	5.5	39
3132	Trace analysis of estrogens in milk samples by molecularly imprinted solid phase extraction with genistein as a dummy template molecule and high-performance liquid chromatography–tandem mass spectrometry. Steroids, 2019, 145, 23-31.	1.8	23
3133	Data-independent screening method for 14 fentanyl analogs in whole blood and oral fluid using LC-QTOF-MS. Forensic Science International, 2019, 297, 189-197.	2.2	32
3134	Development and validation of a LC-MS/MS assay for quantification of serum estradiol using calibrators with values assigned by the CDC reference measurement procedure. Clinica Chimica Acta, 2019, 492, 45-49.	1.1	10
3135	Occurrence and level of emerging organic contaminant in fish and mollusk from Klang River estuary, Malaysia and assessment on human health risk. Environmental Pollution, 2019, 248, 763-773.	7.5	60
3136	The possibility to use multi-walled carbon nanotubes as a sorbent for dispersive solid phase extraction of selected pharmaceuticals and their metabolites: Effect of extraction condition. Microchemical Journal, 2019, 146, 1113-1125.	4.5	27
3137	A Multiplex Phytosterol Assay Utilizing Gas Chromatography-Mass Spectrometry for Diagnosis of Inherited Lipid Storage Disorders. Annals of Laboratory Medicine, 2019, 39, 411-413.	2.5	5
3138	Up-Converting Nanoparticle-Based Immunochromatographic Strip for Multi-Residue Detection of Three Organophosphorus Pesticides in Food. Frontiers in Chemistry, 2019, 7, 18.	3.6	43

#	Article	IF	Citations
3139	An LC–MS/MS method for the quantification of diclofenac sodium in dairy cow plasma and its application in pharmacokinetics studies. Biomedical Chromatography, 2019, 33, e4520.	1.7	6
3140	Quantification of d-mannose in plasma: Development and validation of a reliable and accurate HPLC-MS-MS method. Clinica Chimica Acta, 2019, 493, 31-35.	1.1	10
3141	Method validation and preliminary pharmacokinetic studies on the new designer stimulant 3â€fluorophenmetrazine (3â€FPM). Drug Testing and Analysis, 2019, 11, 1009-1017.	2.6	5
3142	Simultaneous measurement of 18 steroids in human and mouse serum by liquid chromatography–mass spectrometry without derivatization to profile the classical and alternate pathways of androgen synthesis and metabolism. Clinical Mass Spectrometry, 2019, 11, 42-51.	1.9	19
3143	Direct injection high performance liquid chromatography coupled to data independent acquisition mass spectrometry for the screening of antibiotics in honey. Journal of Food and Drug Analysis, 2019, 27, 679-691.	1.9	28
3144	Development and validation of an analytical method for determination of pharmaceuticals in fish muscle based on QuEChERS extraction and SWATH acquisition using LC-QTOF-MS/MS system. Talanta, 2019, 199, 370-379.	5.5	34
3146	Separation and Identification of the Enantiomeric Doping agent Racemorphan in Equine Urine by Using Normal Phase Chiral-High Resolution Mass Spectrometry. Analytical Chemistry Letters, 2019, 9, 747-756.	1.0	0
3147	Quantitation of Mycotoxins in Four Food Matrices Comparing Stable Isotope Dilution Assay (SIDA) with Matrix-Matched Calibration Methods by LC–MS/MS. Journal of AOAC INTERNATIONAL, 2019, 102, 1673-1680.	1.5	5
3148	A validated LC-MSMS method for the simultaneous quantification of meropenem and vaborbactam in human plasma and renal replacement therapy effluent and its application to a pharmacokinetic study. Analytical and Bioanalytical Chemistry, 2019, 411, 7831-7840.	3.7	11
3149	Determination of δ13C of Trace Hydrocarbons in Natural Gas Using Syringe Solid Phase Extraction (SSPE) Coupled with Gas Chromatography/Isotope Ratio Mass Spectrometry (GC/IRMS). Geofluids, 2019, 2019, 1-10.	0.7	2
3150	Determination of Endogenous Concentrations of Uracil and Dihydrouracil in Dried Saliva Spots by LC-MS/MS: Method Development, Validation, and Clinical Application. Therapeutic Drug Monitoring, 2019, 41, 383-390.	2.0	10
3151	Volumetric Absorptive Microsampling: A New Sampling Tool for Therapeutic Drug Monitoring of Antiepileptic Drugs. Therapeutic Drug Monitoring, 2019, 41, 681-692.	2.0	38
3152	Chitosan grafted onto Fe ₃ O ₄ @poly(<i>N</i> -vinylcaprolactam) as a new sorbent for detecting Imatinib mesylate in biosamples using UPLC-MS/MS. Analyst, The, 2019, 144, 7336-7350.	3.5	20
3153	Simultaneous determination of urinary 31 metabolites of VOCs, 8-hydroxy-2′-deoxyguanosine, and trans-3′-hydroxycotinine by UPLC-MS/MS: 13C- and 15N-labeled isotoped internal standards are more effective on reduction of matrix effect. Analytical and Bioanalytical Chemistry, 2019, 411, 7841-7855.	3.7	29
3154	GC-MS Modified Quechers Method for Multiresidue Pesticide Determination in Red Wine. Croatica Chemica Acta, 2019, 92, 419-428.	0.4	1
3155	Metabolomics: Basic Principles and Strategies. , 0, , .		34
3156	Development and application of a urine drug concentration method for the evaluation of oral absorption of ibandronate in clinical patients. Bioanalysis, 2019, 11, 1337-1345.	1.5	0
3157	Official International Association for Therapeutic Drug Monitoring and Clinical Toxicology Guideline: Development and Validation of Dried Blood Spot–Based Methods for Therapeutic Drug Monitoring. Therapeutic Drug Monitoring, 2019, 41, 409-430.	2.0	188

#	Article	IF	CITATIONS
3158	LC-MS/MS-Based Quantification of 9 Antiepileptic Drugs From a Dried Sample Spot Device. Therapeutic Drug Monitoring, 2019, 41, 331-339.	2.0	22
3159	Study of temporal variability of salivary cortisol and cortisone by LC-MS/MS using a new atmospheric pressure ionization source. Scientific Reports, 2019, 9, 19313.	3.3	14
3160	Postmortem tissue distribution of morphine and its metabolites in a series of heroinâ€related deaths. Drug Testing and Analysis, 2019, 11, 292-304.	2.6	20
3161	Ultrasound-assisted solvent extraction of porous membrane packed solid samples: A new approach for extraction of target analytes from solid samples. Microchemical Journal, 2019, 144, 117-123.	4.5	19
3162	Frequency and levels of regulated and emerging mycotoxins in silage in Poland. Mycotoxin Research, 2019, 35, 17-25.	2.3	53
3163	Ultrasound assisted dispersive liquid-liquid microextraction for fast and accurate analysis of chloramphenicol in honey. Food Research International, 2019, 115, 572-579.	6.2	40
3164	Determination of dodecanol and ethoxylated fatty alcohols from environmental samples using diatomaceous earth as a green sorbent for solid-phase extraction. Journal of Separation Science, 2019, 42, 1019-1026.	2.5	0
3165	Sensitive assessment of multi-class mycotoxins residue in Atractylodis rhizoma. Industrial Crops and Products, 2019, 127, 1-10.	5.2	9
3166	Bioanalytical method validation: new FDA guidance vs. EMA guideline. Better or worse?. Journal of Pharmaceutical and Biomedical Analysis, 2019, 165, 381-385.	2.8	103
3167	Optimized liquid chromatography–tandem mass spectrometry for Otaplimastat quantification in rat plasma and brain tissue. Journal of Chromatographic Science, 2019, 57, 258-264.	1.4	1
3168	Simultaneous determination of amitraz, chlordimeform, formetanate and metabolites in human blood by liquid chromatography tandem mass spectrometry with phospholipidâ€removal pretreatment. Biomedical Chromatography, 2019, 33, e4477.	1.7	6
3169	Simultaneous quantification of four first line antitubercular drugs and metabolites in human plasma by hydrophilic interaction chromatography and tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1105, 129-135.	2.3	21
3170	Simultaneous determination of vancomycin and creatinine in plasma applied to volumetric absorptive microsampling devices using liquid chromatography-tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2019, 165, 315-324.	2.8	26
3171	Use of Basolite® F300 metal-organic framework for the dispersive solid-phase extraction of phthalic acid esters from water samples prior to LC-MS determination. Talanta, 2019, 195, 236-244.	5.5	38
3172	A convenient strategy to overcome interference in LC-MS/MS analysis: Application in a microdose absolute bioavailability study. Journal of Pharmaceutical and Biomedical Analysis, 2019, 165, 198-206.	2.8	9
3173	Quantification of Thiopurine Nucleotides in Erythrocytes and Clinical Application to Pediatric Acute Lymphoblastic Leukemia. Therapeutic Drug Monitoring, 2019, 41, 75-85.	2.0	6
3174	Development and validation of a fully automated solid phase microextraction high throughput method for quantitative analysis of multiresidue veterinary drugs in chicken tissue. Analytica Chimica Acta, 2019, 1056, 34-46.	5.4	42
3175	Metabolic profiling of synthetic cannabinoid 5Fâ€ADB by human liver microsome incubations and urine samples using highâ€resolution mass spectrometry. Drug Testing and Analysis, 2019, 11, 847-858.	2.6	34

#	Article	IF	CITATIONS
3176	Use of a modified QuEChERS method for the determination of mycotoxin residues in edible nuts by nano flow liquid chromatography high resolution mass spectrometry. Food Chemistry, 2019, 279, 144-149.	8.2	50
3177	Development of a mass spectrometry based detection method for the mitochondrionâ€derived peptide MOTSâ€c in plasma samples for doping control purposes. Rapid Communications in Mass Spectrometry, 2019, 33, 371-380.	1.5	16
3178	Amantadineâ€functionalized magnetic microspheres and stable isotope labeled internal standards for reducing matrix effect in determination of five opium alkaloids by liquid chromatographyâ€quadrupole linear ion trap mass spectrometry. Journal of the Chinese Chemical Society, 2019, 66, 484-492.	1.4	12
3179	Automated on-line SPE determination of amisulpride in human plasma using LC coupled with restricted-access media column. Microchemical Journal, 2019, 145, 154-161.	4.5	10
3180	Investigation of free seleno-amino acids in extra-virgin olive oil by mixed mode solid phase extraction cleanup and enantioselective hydrophilic interaction liquid chromatography-tandem mass spectrometry. Food Chemistry, 2019, 278, 17-25.	8.2	6
3181	Using magnetic coreâ€shell nanoparticles coated with an ionic liquid dispersion assisted by effervescence powder for the microâ€solidâ€phase extraction of four beta blockers from human plasma by ultra high performance liquid chromatography with mass spectrometry detection. Journal of Separation Science, 2019, 42, 698-705.	2.5	24
3182	Palmitic acid ester of tetrahydrocannabinol (THC) and palmitic acid diester of 11-hydroxy-THC — Unsuccessful search for additional THC metabolites in human body fluids and tissues. Forensic Science International, 2019, 294, 86-95.	2.2	7
3183	Fatal poisoning involving cyclopropylfentanyl — Investigation of time-dependent postmortem redistribution. Forensic Science International, 2019, 294, 80-85.	2.2	17
3184	Design of Two-Dimensional Layered Double Hydroxide Nanosheets Embedded with Fe ₃ O ₄ for Highly Selective Enrichment and Isotope Labeling of Phosphopeptides. ACS Sustainable Chemistry and Engineering, 2019, 7, 421-429.	6.7	24
3185	Development and validation of a gas chromatography–mass spectrometry method for opiates and cocaine in human bone. Journal of Pharmaceutical and Biomedical Analysis, 2019, 164, 636-641.	2.8	21
3186	Quantitative analysis of chemoresistance-inducing fatty acid in food supplements using UHPLC–ESI-MS/MS. Analytical and Bioanalytical Chemistry, 2019, 411, 479-491.	3.7	5
3187	Quantification of seven novel synthetic opioids in blood using LC–MS/MS. Forensic Toxicology, 2019, 37, 215-223.	2.4	12
3188	Determination of emerging chlorinated byproducts of diazepam in drinking water. Chemosphere, 2019, 218, 223-231.	8.2	28
3189	Simultaneous determination of twenty heterocyclic amines in cooking oil using dispersive solid phase extraction (QuEChERS) and high performance liquid chromatography–electrospray-tandem mass spectrometry. Journal of Chromatography A, 2019, 1585, 82-91.	3.7	27
3190	Matrix effect screening for cloud-point extraction combined with liquid chromatography coupled to mass spectrometry: Bioanalysis of pharmaceuticals. Journal of Chromatography A, 2019, 1591, 44-54.	3.7	14
3191	First application of atmospheric-pressure chemical ionization gas chromatography tandem mass spectrometry to the determination of cannabinoids in serum. Journal of Chromatography A, 2019, 1591, 147-154.	3.7	17
3192	Dielectrophoresis-based filtration effect and detection of amyloid beta in plasma for Alzheimer's disease diagnosis. Biosensors and Bioelectronics, 2019, 128, 166-175.	10.1	18
3193	Evaluation of Matrix Effects in Quantifying Microbial Secondary Metabolites in Indoor Dust Using Ultraperformance Liquid Chromatograph–Tandem Mass Spectrometer. Safety and Health at Work, 2019, 10, 196-204.	0.6	10

CITATI	ON	Report
CII/III		

#	Article	IF	CITATIONS
3194	Fundamentals of Pharmacokinetics to Assess the Correlation Between Plasma Drug Concentrations and Different Blood Sampling Methods. Pharmaceutical Research, 2019, 36, 32.	3.5	6
3195	Monitoring of direct alcohol markers in alcohol use disorder patients during withdrawal treatment and successive rehabilitation. Drug Testing and Analysis, 2019, 11, 859-869.	2.6	31
3196	Comprehensive screening of 63 coloring agents in cosmetics using matrix solid-phase dispersion and ultra-high-performance liquid chromatography coupled with quadrupole-Orbitrap high-resolution mass spectrometry. Journal of Chromatography A, 2019, 1590, 27-38.	3.7	15
3197	Sub-picomolar quantification of PTH 1-34 in plasma by UHPLC-MS/MS after subcutaneous injection of teriparatide and identification of PTH 1-33, its degradation product. Journal of Pharmaceutical and Biomedical Analysis, 2019, 166, 205-212.	2.8	3
3198	Amendment of municipal sewage sludge with lime and mussel shell: Effects on fate of organic matter and pharmaceutically active compounds. Waste Management, 2019, 85, 272-282.	7.4	9
3199	Determination of multiâ€class antibiotic residues in compost by microwaveâ€enhanced accelerated solvent extraction and ultra performance convergence chromatography with tandem mass spectrometry. Journal of Separation Science, 2019, 42, 1281-1288.	2.5	9
3200	Use of PBPK Modeling To Evaluate the Performance of Dissolv <i>lt</i> , a Biorelevant Dissolution Assay for Orally Inhaled Drug Products. Molecular Pharmaceutics, 2019, 16, 1245-1254.	4.6	18
3201	Method development and validation of ursodiol and its major metabolites in human plasma by HPLC-tandem mass spectrometry. Clinical Pharmacology: Advances and Applications, 2019, Volume 11, 1-13.	1.2	0
3202	Evaluation of the suitability of ionic liquid-based liquid-liquid microextractions for blood protein removal. Journal of Pharmaceutical and Biomedical Analysis, 2019, 164, 57-61.	2.8	5
3203	Cloud point extraction combined with HPLC–MS for the determination of nimesulide in biological samples. Chemical Papers, 2019, 73, 693-699.	2.2	10
3204	Volumetric absorptive microsampling as an alternative sampling strategy for the determination of paracetamol in blood and cerebrospinal fluid. Analytical and Bioanalytical Chemistry, 2019, 411, 181-191.	3.7	20
3205	Simultaneous determination of amino acids, purines and derivatives in serum by ultrahighâ€performance liquid chromatography/tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2019, 33, 81-88.	1.5	8
3206	Highly sensitive and rapid determination of tacrolimus in peripheral blood mononuclear cells by liquid chromatography–tandem mass spectrometry. Biomedical Chromatography, 2019, 33, e4416.	1.7	23
3207	Quantification of cocaine and cocaine metabolites in dried blood spots from a controlled administration study using liquid chromatography–tandem mass spectrometry. Drug Testing and Analysis, 2019, 11, 709-720.	2.6	16
3208	Theoretical and experimental approach to hydrophilic interaction dispersive solid-phase extraction of 2-aminothiazoline-4-carboxylic acid from human post-mortem blood. Journal of Chromatography A, 2019, 1587, 61-72.	3.7	22
3209	A fully automated high-throughput liquid chromatography tandem mass spectrometry method for measuring creatinine in urine. Clinical Mass Spectrometry, 2019, 11, 1-7.	1.9	14
3210	Analysis of polyhalogenated carbazoles in sediment using liquid chromatography–tandem mass spectrometry. Ecotoxicology and Environmental Safety, 2019, 170, 148-155.	6.0	31
3211	Restricted Access Volatile Supramolecular Solvents for Single-Step Extraction/Cleanup of Benzimidazole Anthelmintic Drugs in Milk Prior to LC-MS/MS. Journal of Agricultural and Food Chemistry, 2019, 67, 520-530.	5.2	14

#	Article	IF	CITATIONS
3212	Isotope–labeled versus analog internal standard in LC–MS/MS method for tacrolimus determination in human whole blood samples – A compensation of matrix effects. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1104, 220-227.	2.3	11
3213	Multi-residues UHPLC–MS/MS analysis of 53 antibacterial compounds in poultry feathers as an analytical tool in food safety assurance. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1104, 182-189.	2.3	16
3214	Assay development for determination of DZ2002, a new reversible SAHH inhibitor, and its acid metabolite DZA in blood and application to rat pharmacokinetic study. Journal of Pharmaceutical Analysis, 2019, 9, 25-33.	5.3	3
3215	Free phenolic compounds in waters of the Ross Sea. Science of the Total Environment, 2019, 650, 2117-2128.	8.0	10
3216	Determination of the Pharmacokinetics and Tissue Distribution of Methyl 3,4-Dihydroxybenzoate (MDHB) in Mice Using Liquid Chromatography-Tandem Mass Spectrometry. European Journal of Drug Metabolism and Pharmacokinetics, 2019, 44, 237-249.	1.6	3
3217	A QuEChERS based extraction procedure coupled to UPLC-MS/MS detection for mycotoxins analysis in beer. Food Chemistry, 2019, 275, 703-710.	8.2	58
3218	Quantitative determination of potential urine biomarkers of respiratory illnesses using new targeted metabolomic approach. Analytica Chimica Acta, 2019, 1047, 81-92.	5.4	17
3219	Systematic Evaluation and Validation of Benzodiazepines Confirmation Assay Using LC–MS-MS. Journal of Analytical Toxicology, 2019, 43, 96-103.	2.8	9
3220	LC-HRMS suspect screening to show spatial patterns of New Psychoactive Substances use in Australia. Science of the Total Environment, 2019, 650, 2181-2187.	8.0	58
3221	Relative matrix effects: A step forward using standard line slopes and ANOVA analysis. Arabian Journal of Chemistry, 2019, 12, 1378-1386.	4.9	9
3222	Robust trace analysis of polar (C2-C8) perfluorinated carboxylic acids by liquid chromatography-tandem mass spectrometry: method development and application to surface water, groundwater and drinking water. Environmental Science and Pollution Research, 2019, 26, 7326-7336.	5.3	87
3223	An efficient sample preparation method based on dispersive liquid–liquid microextraction associated with back extraction for trace determination of acidic pharmaceuticals. Arabian Journal of Chemistry, 2020, 13, 1924-1932.	4.9	15
3224	[Hmim]PF6 enhanced the extraction of polycyclic aromatic hydrocarbons from soil with the QuEChERS method. Arabian Journal of Chemistry, 2020, 13, 4102-4110.	4.9	4
3225	Bioanalytical LC–MS/MS validation of therapeutic drug monitoring assays in oncology. Biomedical Chromatography, 2020, 34, e4623.	1.7	13
3226	Determination of azathioprine/6-mercaptopurine metabolites in dried blood spots: Correlation with RBC concentrations. Journal of Pharmaceutical and Biomedical Analysis, 2020, 178, 112870.	2.8	2
3227	Multi-mycotoxins analysis in liquid milk by UHPLC-Q-Exactive HRMS after magnetic solid-phase extraction based on PEGylated multi-walled carbon nanotubes. Food Chemistry, 2020, 305, 125429.	8.2	56
3228	Analytical methodology to screen UV-filters and synthetic musk compounds in market tomatoes. Chemosphere, 2020, 238, 124605.	8.2	19
3229	On the performance of multivariate curve resolution to resolve highly complex liquid chromatography–full scan mass spectrometry data for quantification of selected immunosuppressants in blood and water samples. Microchemical Journal, 2020, 1 <u>52, 104298.</u>	4.5	18

#	Article	IF	CITATIONS
3230	Validation of bioanalytical chromatographic methods for the quantification of drugs in biological fluids. Handbook of Analytical Separations, 2020, , 115-134.	0.8	15
3231	Quantification of bisphenol A in urine samples from children studying in public schools from the Brazilian Capital. Microchemical Journal, 2020, 152, 104347.	4.5	6
3232	The development and validation of a novel LC–MS/MS method for the quantification of c enicriviroc in human plasma and cerebrospinal fluid. Biomedical Chromatography, 2020, 34, e4711.	1.7	1
3233	Maturation of midazolam clearance in critically ill children with severe bronchiolitis: A population pharmacokinetic analysis. European Journal of Pharmaceutical Sciences, 2020, 141, 105095.	4.0	4
3234	Comparison of bracketing calibration and classical calibration curve quantification methods in establishing a candidate reference measurement procedure for human serum 17β-estradiol by isotope dilution liquid chromatography tandem mass spectrometry. Microchemical Journal, 2020, 152, 104270.	4.5	6
3235	Distribution of plasma oxidised phosphatidylcholines in chronic kidney disease and periodontitis as a co-morbidity. Free Radical Biology and Medicine, 2020, 146, 130-138.	2.9	20
3236	Simultaneous targeted and untargeted UHPLC-ESI-MS/MS method with data-independent acquisition for quantification and profiling of (oxidized) fatty acids released upon platelet activation by thrombin. Analytica Chimica Acta, 2020, 1094, 57-69.	5.4	15
3237	Preparation of monodisperse porous polymeric ionic liquid microspheres and their application as stationary phases for HPLC. Talanta, 2020, 208, 120462.	5.5	33
3238	Effective quantification of 11 tyrosine kinase inhibitors and caffeine in human plasma by validated LC-MS/MS method with potent phospholipids clean-up procedure. Application to therapeutic drug monitoring. Talanta, 2020, 208, 120450.	5.5	43
3239	Solidâ€phase extraction–liquid chromatography–tandem mass spectrometry method for the qualitative analysis of 61 synthetic cannabinoid metabolites in urine. Drug Testing and Analysis, 2020, 12, 27-40.	2.6	17
3240	Graphene oxide-Fe3O4 nanocomposite magnetic solid phase extraction followed by UHPLC-MS/MS for highly sensitive determination of eight psychoactive drugs in urine samples. Talanta, 2020, 206, 120212.	5.5	57
3241	Determination of Piperazine in Eggs Using Accelerated Solvent Extraction (ASE) and Solid Phase Extraction (SPE) with High-Performance Liquid Chromatography – Fluorescence Detection (HPLC-FLD) and Pre-Column Derivatization with Dansyl Chloride. Analytical Letters, 2020, 53, 53-71.	1.8	7
3242	Matrix interference in LC-ESI-MS/MS analysis of metanephrines in protein precipitated plasma samples. European Journal of Mass Spectrometry, 2020, 26, 46-54.	1.0	2
3243	Development, validation and application of an inductively coupled plasma – mass spectrometry method to determine cobalt in metal-on-metal prosthesis patients using volumetric absorptive microsampling. Talanta, 2020, 208, 120055.	5.5	21
3244	Fatal intoxication with N-ethylpentylone: a case report and method for determining N-ethylpentylone in biological material. Forensic Toxicology, 2020, 38, 255-263.	2.4	22
3245	Use of ammonium sulfite as a post-column derivatization reagent for rapid detection and quantification of aldehydes by LC-MS. Talanta, 2020, 206, 120172.	5.5	12
3246	Application of in-sample calibration curve methodology for regulated bioanalysis: Critical considerations in method development, validation and sample analysis. Journal of Pharmaceutical and Biomedical Analysis, 2020, 177, 112844.	2.8	9
3247	Simultaneous determination of four triazines in soil by isotope dilution mass spectrometry using 13C-labeled triazines as internal standards. International Journal of Environmental Analytical Chemistry, 2020, 100, 1468-1478.	3.3	0

#	Article	IF	CITATIONS
3248	Fast and sensitive UHPLC-MS/MS analysis of cannabinoids and their acid precursors in pharmaceutical preparations of medical cannabis and their metabolites in conventional and non-conventional biological matrices of treated individual. Talanta, 2020, 209, 120537.	5.5	36
3249	Using postâ€column infused internal standard assisted quantitative metabolomics for establishing prediction models for breast cancer detection. Rapid Communications in Mass Spectrometry, 2020, 34, e8581.	1.5	6
3250	Fast and efficient analyses of the post-mortem human blood and bone marrow using DI-SPME/LC-TOFMS method for forensic medicine purposes. Talanta, 2020, 209, 120533.	5.5	31
3251	Phospholipidome of extra virgin olive oil: Development of a solid phase extraction protocol followed by liquid chromatography–high resolution mass spectrometry for its software-assisted identification. Food Chemistry, 2020, 310, 125860.	8.2	18
3252	Development of analytical method of melamine in placenta from pregnant women by isotopeâ€dilution liquid chromatography/tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2020, 34, e8599.	1.5	3
3253	Cloud Point Extraction in the Determination of Drugs in Biological Matrices. Journal of Chromatographic Science, 2020, 58, 151-162.	1.4	19
3254	Development of a sensitive LC–MS/MS method for quantification of linezolid and its primary metabolites in human serum. Journal of Pharmaceutical and Biomedical Analysis, 2020, 178, 112968.	2.8	11
3255	Simultaneous Quantitative Determination of Amphetamines, Opiates, Ketamine, Cocaine and Metabolites in Human Hair: Application to Forensic Cases of Drug Abuse. Journal of Forensic Sciences, 2020, 65, 563-569.	1.6	27
3256	Development and Validation of a New LC–MS/MS Analytical Method for Direct-Acting Antivirals and Its Application in End-Stage Renal Disease Patients. European Journal of Drug Metabolism and Pharmacokinetics, 2020, 45, 89-99.	1.6	5
3257	Impact factors on the production of β-methylamino-L-alanine (BMAA) by cyanobacteria. Chemosphere, 2020, 243, 125355.	8.2	15
3258	Postmortem Fluid Concentrations of Heroin Biomarkers and Their Metabolites. Journal of Forensic Sciences, 2020, 65, 570-579.	1.6	14
3259	What makes hybrid insourcing successful: A new public–private partnership model for social welfare services. Asian Social Work and Policy Review, 2020, 14, 11-21.	1.4	6
3260	Detection and phase I metabolism of the 7â€azaindoleâ€derived synthetic cannabinoid 5Fâ€ABâ€P7AICA including a preliminary pharmacokinetic evaluation. Drug Testing and Analysis, 2020, 12, 78-91.	2.6	21
3261	Simultaneous analysis of 29 synthetic cannabinoids and metabolites, amphetamines, and cannabinoids in human whole blood by liquid chromatography–tandem mass spectrometry – A New Zealand perspective of use in 2018. Drug Testing and Analysis, 2020, 12, 195-214.	2.6	35
3262	Analysis of artificially oxidized cardiolipins and monolysoâ€cardiolipins via liquid chromatography/highâ€resolution mass spectrometry and Kendrick mass defect plots after hydrophilic interaction liquid chromatography based sample preparation. Rapid Communications in Mass Spectrometry, 2020, 34, e8566.	1.5	13
3263	Determination of 21 synthetic cathinones, phenethylamines, amphetamines and opioids in influent wastewater using liquid chromatography coupled to tandem mass spectrometry. Talanta, 2020, 208, 120479.	5.5	53
3264	Simultaneous determination of bisphenol A and its chlorinated derivatives in human plasma: Development, validation and application of a UHPLC–MS/MS method. Chemosphere, 2020, 242, 125236.	8.2	17
3265	Multiresidue analysis of tetracycline and Î ² -receptor agonists in chicken by pressurized liquid extraction and liquid chromatography-tandem mass spectrometry: Comparison with QuEChERS extraction method and ultrasound assisted extraction. Journal of Food Composition and Analysis, 2020, 85, 103339.	3.9	8

#	Article	IF	CITATIONS
3266	Simplified quantification of insulin, its synthetic analogs and Câ€peptide in human plasma by means of LCâ€HRMS. Drug Testing and Analysis, 2020, 12, 382-390.	2.6	26
3267	Development and validation of a candidate reference method for serum cortisol by isotope dilution liquid chromatography-tandem mass spectrometry combined with dextran sulfate-Mg2+ precipitation. Analytical and Bioanalytical Chemistry, 2020, 412, 1325-1333.	3.7	0
3268	Determination of sulfonylurea pesticide residues in edible seeds used as nutraceuticals by QuEChERS in combination with ultra-high-performance liquid chromatography-tandem mass spectrometry. Journal of Chromatography A, 2020, 1617, 460831.	3.7	18
3269	Assessment of paper tip angular position, carryover, matrix effects and dried blood spot storage effect on paper spray mass spectrometry. Analytical Methods, 2020, 12, 747-757.	2.7	5
3270	Determination of organophosphorus pesticides in wastewater samples using vortex-assisted dispersive liquid–liquid microextraction with liquid chromatography–mass spectrometry. International Journal of Environmental Science and Technology, 2020, 17, 2325-2336.	3.5	23
3271	Preparation of magnetic iron oxide nanoparticles modified with imidazolium-based ionic liquids as a sorbent for the extraction of eight phthalate acid esters in water samples followed by UPLC-MS/MS analysis: an experimental design methodology. Analytical Methods, 2020, 12, 73-84.	2.7	17
3272	Segmental analysis of antidepressant and antipsychotic drugs in the hair of schizophrenic patients. Drug Testing and Analysis, 2020, 12, 472-484.	2.6	14
3273	Four cases of death involving the novel synthetic cannabinoid 5F-Cumyl-PEGACLONE. Forensic Toxicology, 2020, 38, 314-326.	2.4	21
3274	Detection and quantification of synthetic cathinones and selected piperazines in hair by LC-MS/MS. Forensic Science, Medicine, and Pathology, 2020, 16, 32-42.	1.4	17
3275	Micelle-dominated distribution strategy for non-matrix matched calibration without an internal standard: "Extract-and-shoot―approach for analyzing hydrophilic targets in blood and cell samples. Analytica Chimica Acta, 2020, 1102, 24-35.	5.4	6
3276	Novel high-performance liquid chromatography–tandem mass spectrometry method for simultaneous quantification of BCR-ABL and Bruton's tyrosine kinase inhibitors and their three active metabolites in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2020, 1137, 121928.	2.3	24
3277	Quantification of aromatic amines derived from azo colorants in textile by ion-pairing liquid chromatography tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1137, 121957.	2.3	8
3278	Organic UV filters in marine environments: An update of analytical methodologies, occurrence and distribution. Trends in Environmental Analytical Chemistry, 2020, 25, e00079.	10.3	75
3279	Simultaneous quantification of ambrisentan, macitentan and sitaxentan in human plasma using UPLC–MS/MS. Biomedical Chromatography, 2020, 34, e4787.	1.7	2
3280	Matrix matching in quantitative bioanalysis by LC–MS/MS a dream or a reality?. Bioanalysis, 2020, 12, 67-69.	1.5	3
3281	Developing a novel packed inâ€tube solidâ€phase extraction method for determination ^{â^†} 9â€tetrahydrocannabinol in biological samples and cannabis leaves. Journal of Separation Science, 2020, 43, 1128-1136.	2.5	7
3282	Determination of buprenorphine, naloxone and phase I and phase II metabolites in rat whole blood by LC–MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2020, 180, 113042.	2.8	4
3283	Ultrafast laser diode thermal desorption method for analysis of representative pharmaceuticals in soil leachate samples. Talanta, 2020, 208, 120382.	5.5	8
#	Article	IF	CITATIONS
------	---	-----	-----------
3284	An LC-MS/MS method for creatine and creatinine analysis in paraquat-intoxicated patients. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2020, 55, 273-282.	1.5	6
3285	Isotope-labeled internal standards and grouping scheme for determination of neonicotinoid insecticides and their metabolites in fruits, vegetables and cereals – A compensation of matrix effects. Food Chemistry, 2020, 311, 125871.	8.2	28
3286	High-Throughput Urinary Neopterin-to-Creatinine Ratio Monitoring of Systemic Inflammation. journal of applied laboratory medicine, The, 2020, 5, 101-113.	1.3	7
3287	Simultaneous determination of 11 preservatives in cosmetics and pharmaceuticals by matrix solid-phase dispersion coupled with gas chromatography. Acta Chromatographica, 2020, 32, 203-209.	1.3	6
3288	Two dimensional chromatography mass spectrometry: Quantitation of chiral shifts in metabolism of propranolol in bioanalysis. Journal of Chromatography A, 2020, 1617, 460828.	3.7	6
3289	Occurrence of estrogens, androgens and progestogens and estrogenic activity in surface water runoff from beef and dairy manure amended crop fields. Science of the Total Environment, 2020, 710, 136247.	8.0	28
3290	An Insight into Gabapentin and Pregabalin in Scottish Prisoners. Journal of Analytical Toxicology, 2020, 44, 504-513.	2.8	5
3291	Pitfalls in drug testing by hyphenated low―and high―esolution mass spectrometry. Drug Testing and Analysis, 2020, 12, 172-179.	2.6	14
3292	Pharmacodynamic Monitoring of Mycophenolic Acid Therapy: Improved Liquid Chromatography–Tandem Mass Spectrometry Method for Measuring Inosin-5′-Monophosphate Dehydrogenase Activity. Therapeutic Drug Monitoring, 2020, 42, 282-288.	2.0	7
3293	Liquid chromatography-tandem mass spectrometry bioanalytical method for the determination of kavain in mice plasma: Application to a pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1137, 121939.	2.3	5
3294	A green and simple procedure based on deep eutectic solvents for the extraction of phthalates from beverages. Food Chemistry, 2020, 312, 125798.	8.2	41
3295	Improved measurement of ethyl glucuronide concentrations in hair using UPLCMS/MS for the evaluation of chronic ethanol consumption. Forensic Science International, 2020, 306, 110071.	2.2	6
3296	Targeted metabolomics: Liquid chromatography coupled to mass spectrometry method development and validation for the identification and quantitation of modified nucleosides as putative cancer biomarkers. Talanta, 2020, 210, 120640.	5.5	20
3297	Determination of Sudan dyes in chili products by micellar electrokinetic chromatography-MS/MS using a volatile surfactant. Food Chemistry, 2020, 310, 125963.	8.2	40
3298	Quantification of anidulafungin and micafungin in human body fluids by high performance-liquid chromatography with UV-detection. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1139, 121937.	2.3	9
3299	Optimization of chromatography to overcome matrix effect for reliable estimation of four small molecular drugs from biological fluids using LC–MS/MS. Biomedical Chromatography, 2020, 34, e4777.	1.7	2
3300	Quantification of Neuropeptide Y and Four of Its Metabolites in Human Plasma by Micro-UHPLC-MS/MS. Analytical Chemistry, 2020, 92, 859-866.	6.5	10
3301	Performance evaluation of a MIP for the MISPE-LC determination of p-[18F]MPPF and a potential metabolite in human plasma. Journal of Pharmaceutical and Biomedical Analysis, 2020, 180, 113015.	2.8	2

#	Article	IF	CITATIONS
3302	Rapid and reliable HILIC-MS/MS method for monitoring allantoin as a biomarker of oxidative stress. Analytical Biochemistry, 2020, 589, 113509.	2.4	13
3303	High throughput bar adsorptive microextraction: A simple and effective analytical approach for the determination of nicotine and cotinine in urine samples. Journal of Chromatography A, 2020, 1615, 460750.	3.7	9
3304	Simple and sensitive method for the analysis of 14 antituberculosis drugs using liquid chromatography/tandem mass spectrometry in human plasma. Rapid Communications in Mass Spectrometry, 2020, 34, e8667.	1.5	8
3305	A LC–MS/MS method for the quantification of caffeine, betamethasone, clonidine and furosemide in cerebrospinal fluid of preterm infants. Journal of Pharmaceutical and Biomedical Analysis, 2020, 179, 112996.	2.8	5
3306	Excretion of 4-fluoroamphetamine and three metabolites in urine after controlled oral ingestion. Journal of Pharmaceutical and Biomedical Analysis, 2020, 179, 113008.	2.8	6
3307	Current trends in isotopeâ€coded derivatization liquid chromatographicâ€mass spectrometric analyses with special emphasis on their biomedical application. Biomedical Chromatography, 2020, 34, e4756.	1.7	26
3308	An isotope dilution LC-MS/MS based candidate reference method for the quantification of cyclosporine A, tacrolimus, sirolimus and everolimus in human whole blood. Clinical Biochemistry, 2020, 82, 73-84.	1.9	16
3309	UPLC-MS/MS analysis of Sudan I, butylated-hydroxytoluene and its major metabolites from sampling sites along the Nile River-Egypt: Environmentally evaluated study. Microchemical Journal, 2020, 153, 104432.	4.5	11
3310	Electromembrane Extraction of Highly Polar Compounds: Analysis of Cardiovascular Biomarkers in Plasma. Metabolites, 2020, 10, 4.	2.9	25
3311	A New LC-MS/MS Method for Simultaneous and Quantitative Detection of Bisphenol-A and Steroids in Target Tissues: A Power Tool to Characterize the Interference of Bisphenol-A Exposure on Steroid Levels. Molecules, 2020, 25, 48.	3.8	11
3312	Determination of free G-type nerve agents in blood: in situ derivatization on a dried blood spot (DBS) paper followed by LC–MS/MS analysis. Forensic Toxicology, 2020, 38, 327-339.	2.4	8
3313	Parallel Reaction Monitoring-Based Quantification of Cannabinoids in Whole Blood. Journal of Analytical Toxicology, 2020, 44, 541-548.	2.8	10
3314	Fast Hollow Fiber Liquid-Phase Microextraction as a Greener Alternative for the Determination of N,N-Dimethyltryptamine and Harmala Alkaloids in Human Urine. Frontiers in Chemistry, 2020, 8, 558501.	3.6	5
3315	Biomonitoring and temporal trends of bisphenols exposure in Japanese school children. Environmental Research, 2020, 191, 110172.	7.5	45
3316	Heart-cutting two-dimensional liquid chromatography coupled to quadrupole-orbitrap high resolution mass spectrometry for determination of N,N-dimethyltryptamine in rat plasma and brain; Method development and application. Journal of Pharmaceutical and Biomedical Analysis, 2020, 191, 113615.	2.8	5
3317	Determination of selected testosterone esters in blood serum of slaughter animals by liquid chromatography with tandem mass spectrometry. Steroids, 2020, 163, 108723.	1.8	3
3318	Analysis of pharmaceuticals in fish using ultrasound extraction and dispersive spe clean-up on que Z-Sep/C18 followed by LC-QToF-MS detection. MethodsX, 2020, 7, 101010.	1.6	7
3319	βâ€Cyclodextrin coupled to graphene oxide supported on aminopropyl silica as a sorbent material for determination of isoflavones. Journal of Separation Science, 2020, 43, 4347-4355.	2.5	4

#	Article	IF	CITATIONS
3320	Functional Up-Conversion Nanoparticle-Based Immunochromatography Assay for Simultaneous and Sensitive Detection of Residues of Four Tetracycline Antibiotics in Milk. Frontiers in Chemistry, 2020, 8, 759.	3.6	15
3321	Determination of capsaicinoids by magnetic solid phase extraction coupled with UPLC-MS/MS for screening of gutter oil. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1158, 122344.	2.3	18
3322	Validation and clinical application of a volumetric absorptive microsampling method for 14 psychiatric drugs. Bioanalysis, 2020, 12, 1129-1147.	1.5	11
3323	Targeted Strategy to Analyze Antiepileptic Drugs in Human Serum by LC-MS/MS and LC-Ion Mobility-MS. Analytical Chemistry, 2020, 92, 14648-14656.	6.5	9
3324	High-Throughput Fractionation Coupled to Mass Spectrometry for Improved Quantitation in Metabolomics. Analytical Chemistry, 2020, 92, 14330-14338.	6.5	7
3325	Cannabinoids Determination in Brain: A Supplemental Helpful in Postmortem Evaluation. Journal of Analytical Toxicology, 2020, 45, 918-926.	2.8	2
3326	Electrodeposition of polyâ€ethylenedioxythiopheneâ€graphene oxide nanocomposite in a stainless steel tube for solidâ€phase microextraction of letrozole in plasma samples. Journal of Separation Science, 2020, 43, 4338-4346.	2.5	17
3327	Determination of pyraclostrobin dynamic residual distribution in tilapia tissues by UPLC-MS/MS under acute toxicity conditions. Ecotoxicology and Environmental Safety, 2020, 206, 111182.	6.0	18
3328	Multiplex detection of 14 fentanyl analogues and U-47700 in biological samples: Application to a panel of French hospitalized patients. Forensic Science International, 2020, 317, 110437.	2.2	9
3329	Development and validation of a simple and versatile method for the quantification of everolimus loaded in H-ferritin nanocages using UHPLC-MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2020, 191, 113644.	2.8	6
3330	Molecularly imprinted polymer solid phase extraction coupled with liquid chromatography-high resolution mass spectrometry for the detection of gonyautoxins 2&3 in seawater. Marine Pollution Bulletin, 2020, 157, 111333.	5.0	4
3331	Determination of 37 fentanyl analogues and novel synthetic opioids in hair by UHPLC-MS/MS and its application to authentic cases. Scientific Reports, 2020, 10, 11569.	3.3	19
3332	An isotope dilution LC–MS/MS-based candidate reference method for the quantification of androstenedione in human serum and plasma. Clinical Mass Spectrometry, 2020, 16, 1-10.	1.9	7
3333	A fast-multiclass method for the determination of 21 endocrine disruptors in human urine by using vortex-assisted dispersive liquid-liquid microextraction (VADLLME) and LC-MS/MS. Environmental Research, 2020, 189, 109883.	7.5	33
3334	Method for Postmortem Tissue Quantification of Δ9-Tetrahydrocannabinol and Metabolites Using LC–MS-MS. Journal of Analytical Toxicology, 2020, 44, 718-733.	2.8	5
3335	Natural co-occurrence of Fusarium toxins in poultry feed and its ingredients. Journal Fur Verbraucherschutz Und Lebensmittelsicherheit, 2020, 15, 341-350.	1.4	2
3336	Drug-mediated ion suppression and mitigation of interferences using liquid chromatography-quadrupole/time of flight mass spectrometry (LC-Q/TOF-MS) and liquid chromatography tandem mass spectrometry (LC-MS/MS). Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1152, 122265.	2.3	0
3337	Improved quantification of mass fraction of colorants in textile by high-performance liquid chromatography coupled with tandem mass spectrometric detector. Accreditation and Quality Assurance, 2020, 25, 259-272.	0.8	2

ARTICLE

IF CITATIONS

3338	Method validation. , 2020, , 57-75.		0
3339	Technological advancement in dry blood matrix microsampling and its clinical relevance in quantitative drug analysis. Bioanalysis, 2020, 12, 1483-1501.	1.5	2
3340	Bioanalytical Assay Development and Validation for the Pharmacokinetic Study of GMC1, a Novel FKBP52 Co-chaperone Inhibitor for Castration Resistant Prostate Cancer. Pharmaceuticals, 2020, 13, 386.	3.8	2
3341	Detection of a New Tert-Leucinate Synthetic Cannabinoid 5F-MDMB-PICA and Its Metabolites in Human Hair: Application to Authentic Cases. Frontiers in Chemistry, 2020, 8, 610312.	3.6	10
3342	Segmental hair analysis for flunitrazepam and 7-aminoflunitrazepam in users: a comparison to existing literature. Forensic Sciences Research, 2022, 7, 299-307.	1.6	5
3343	Pressurized Liquid Extraction (PLE) and QuEChERS evaluation for the analysis of antibiotics in agricultural soils. MethodsX, 2020, 7, 101171.	1.6	11
3344	Determination of cannabinoids in plasma using saltingâ€outâ€assisted liquid–liquid extraction followed by LC–MS/MS analysis. Biomedical Chromatography, 2020, 34, e4952.	1.7	6
3345	Validation of a Reversed Phase UPLC-MS/MS Method to Determine Dopamine Metabolites and Oxidation Intermediates in Neuronal Differentiated SH-SY5Y Cells and Brain Tissue. ACS Chemical Neuroscience, 2020, 11, 2679-2687.	3.5	8
3346	Bioanalysis of biological matrix samples using liquid chromatography–tandem mass spectrometry detection. , 2020, , 641-659.		1
3347	LC-HRMS of derivatized urinary estrogens and estrogen metabolites in postmenopausal women. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1154, 122288.	2.3	5
3348	A simple and robust method for broad range screening of hair samples for drugs of abuse using a high-throughput UHPLC-Ion Trap MS instrument. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1152, 122263.	2.3	12
3349	Quick and Sensitive Enantioselective Determination of Permethrin in Fruits and Vegetables by Combining Supramolecular Solvents and Chiral Liquid Chromatography-Tandem Mass Spectrometry. Journal of Agricultural and Food Chemistry, 2020, 68, 9014-9023.	5.2	10
3350	Methods for the Determination of Selective Androgen Receptor Modulators. Journal of Analytical Chemistry, 2020, 75, 835-850.	0.9	3
3351	A Fast and Reliable UHPLC–MS/MS-Based Method for Screening Selected Pharmacologically Significant Natural Plant Indole Alkaloids. Molecules, 2020, 25, 3274.	3.8	11
3352	Quantification of neurotransmitters in microdialysate samples following quetiapine dosing to schizophrenia phenotyped rats using a validated LC-MS/MS method. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1155, 122282.	2.3	5
3353	Ceftriaxone pharmacokinetics by a sensitive and simple LC–MS/MS method: Development and application. Journal of Pharmaceutical and Biomedical Analysis, 2020, 189, 113484.	2.8	14
3354	Application of Dispersive Liquid–Liquid Microextraction Followed by Highâ€Performance Liquid Chromatography/Tandem Mass Spectrometry Analysis to Determine Tetrabromobisphenol A in Complex Matrices. Environmental Toxicology and Chemistry, 2020, 39, 2147-2157.	4.3	10
3355	Exploring sample preparation and data evaluation strategies for enhanced identification of host cell proteins in drug products of therapeutic antibodies and Fc-fusion proteins. Analytical and Bioanalytical Chemistry, 2020, 412, 6583-6593.	3.7	8

#	Article	IF	CITATIONS
3356	Characteristics of Korean patients with methamphetamine use disorder based on the quantitative analysis of methamphetamine and amphetamine in hair. Archives of Pharmacal Research, 2020, 43, 798-807.	6.3	8
3357	Cocultivating rye with berseem clover affects benzoxazinoid production and expression of related genes. Crop Science, 2020, 60, 3228-3246.	1.8	10
3358	Assessment of tacrolimus and creatinine concentration collected using Mitra microsampling devices. Annals of Clinical Biochemistry, 2020, 57, 389-396.	1.6	30
3359	A simple and reliable analytical method for simultaneous quantification of first line antitubercular drugs in human plasma by LCMS/MS. Analytical Methods, 2020, 12, 3909-3917.	2.7	7
3360	A comprehensive review of NÎμ-carboxymethyllysine and NÎμ-carboxyethyllysine in thermal processed meat products. Trends in Food Science and Technology, 2020, 98, 30-40.	15.1	53
3361	Phenotyping of Uracil and 5-Fluorouracil Metabolism Using LC-MS/MS for Prevention of Toxicity and Dose Adjustment of Fluoropyrimidines. Therapeutic Drug Monitoring, 2020, 42, 540-547.	2.0	13
3362	Development of an Improved Method of Sample Extraction and Quantitation of Multi-Mycotoxin in Feed by LC-MS/MS. Toxins, 2020, 12, 462.	3.4	29
3363	Comparing ultrafiltration and equilibrium dialysis to measure unbound plasma dolutegravir concentrations based on a design of experiment approach. Scientific Reports, 2020, 10, 12265.	3.3	7
3364	Evaluation of swabs from 15 commercially available oral fluid sample collection devices for the analysis of commonly abused substances: doping agents and drugs of abuse. Analyst, The, 2020, 145, 7279-7288.	3.5	19
3365	Validated Liquid Chromatography–Tandem Mass Spectroscopic Method for Simultaneous Determination of Certain Drugs Used in Cataract Surgery in Rabbit Aqueous Humor. Journal of Chromatographic Science, 2020, 58, 814-822.	1.4	0
3366	Calcination Improves the In Vivo Efficacy of a Montmorillonite Clay to Bind Aflatoxin G1 in Broiler Chickens: A Toxicokinetic Approach. Toxins, 2020, 12, 660.	3.4	0
3367	A Comprehensive Multi-Analyte Method for Hair Analysis: Substance-Specific Quantification Ranges and Tool for Task-Oriented Data Evaluation. Journal of Analytical Toxicology, 2021, 45, 701-712.	2.8	22
3368	Accelerated air-assisted in-syringe extraction and needle spray ionization coupled with miniature mass spectrometry: A streamlined platform for rapid on-site analysis. Analytica Chimica Acta, 2020, 1136, 106-114.	5.4	11
3369	The role of ethanol in fatalities in Jeddah, Saudi Arabia. Forensic Science International, 2020, 316, 110464.	2.2	6
3370	Collision energy-breakdown curves – An additional tool to characterize MS/MS methods. Clinical Mass Spectrometry, 2020, 18, 48-53.	1.9	7
3371	UHPLC-MS/MS method for simultaneously detecting 16 tryptamines and their metabolites in human hair and applications to real forensics cases. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1159, 122392.	2.3	13
3372	Inâ€Syringe Electrokinetic Protein Removal from Biological Samples prior to Electrospray Ionization Mass Spectrometry. Angewandte Chemie, 2020, 132, 23362-23368.	2.0	0
3373	Inâ€Syringe Electrokinetic Protein Removal from Biological Samples prior to Electrospray Ionization Mass Spectrometry. Angewandte Chemie - International Edition, 2020, 59, 23162-23168.	13.8	4

#	Article	IF	CITATIONS
3374	QuEChERS: a simple extraction for monitoring quaternary ammonium biocide pollution in soils and antimicrobial resistance. Analytical Methods, 2020, 12, 4387-4393.	2.7	7
3375	Vitamin D Metabolism and Profiling in Veterinary Species. Metabolites, 2020, 10, 371.	2.9	21
3376	An improved strategy to analyse strigolactones in complex sample matrices using UHPLC–MS/MS. Plant Methods, 2020, 16, 125.	4.3	31
3377	A systematic approach of method development for analysis of multiple classes of emerging contaminants in wastewater: a case study of a biological nutrient removal based plant. Analytical Methods, 2020, 12, 4363-4376.	2.7	12
3378	Determination of Non-Steroidal Anti-Inflammatory Drugs in Animal Urine Samples by Ultrasound Vortex-Assisted Dispersive Liquid–Liquid Microextraction and Gas Chromatography Coupled to Ion Trap-Mass Spectrometry. Applied Sciences (Switzerland), 2020, 10, 5441.	2.5	12
3379	Simultaneous Quantification of Bisphenol A, Its Glucuronide Metabolite, and Commercial Alternatives by LC-MS/MS for <i>In Vitro</i> Skin Absorption Evaluation. Chemical Research in Toxicology, 2020, 33, 2390-2400.	3.3	3
3380	Investigating the Association of the Biogenic Amine Profile in Urine with Therapeutic Response to Neoadjuvant Chemotherapy in Breast Cancer Patients. Journal of Proteome Research, 2020, 19, 4061-4070.	3.7	4
3381	Simultaneous Determination and Validation of 5F-ADBICA and 5F-NPB-22 in Whole Blood and Urine by LC/MS–MS. Chromatographia, 2020, 83, 1283-1291.	1.3	4
3382	Toxic metabolite profiling of Inocybe virosa. Scientific Reports, 2020, 10, 13669.	3.3	8
3383	Comprehensive analysis of synthetic cannabinoids and metabolites in oral fluid by online solid-phase extraction coupled to liquid chromatography-triple quadrupole-mass spectrometry. Analytical and Bioanalytical Chemistry, 2020, 412, 7937-7953.	3.7	16
3384	Driving Under the Influence of Drugs: A Single Parallel Monitoring-Based Quantification Approach on Whole Blood. Frontiers in Chemistry, 2020, 8, 626.	3.6	4
3385	Direct sample introduction GC-MS/MS for quantification of organic chemicals in mammalian tissues and blood extracted with polymers without clean-up. Analytical and Bioanalytical Chemistry, 2020, 412, 7295-7305.	3.7	10
3386	Development and Validation of an LC–MS-MS Method for the Detection of 40 Benzodiazepines and Three Z-Drugs in Blood and Urine by Solid-Phase Extraction. Journal of Analytical Toxicology, 2020, 44, 708-717.	2.8	21
3387	Simultaneous quantitation of four androgens and 17â€hydroxyprogesterone in polycystic ovarian syndrome patients by LCâ€MS/MS. Journal of Clinical Laboratory Analysis, 2020, 34, e23539.	2.1	12
3388	A Comprehensive HPLC–MS-MS Screening Method for 77 New Psychoactive Substances, 24 Classic Drugs and 18 Related Metabolites in Blood, Urine and Oral Fluid. Journal of Analytical Toxicology, 2020, 44, 769-783.	2.8	32
3389	Determination of the Synthetic Cannabinoids JWH-122, JWH-210, UR-144 in Oral Fluid of Consumers by GC-MS and Quantification of Parent Compounds and Metabolites by UHPLC-MS/MS. International Journal of Molecular Sciences, 2020, 21, 9414.	4.1	12
3390	Residues Analysis and Dissipation Dynamics of Broflanilide in Rice and Its Related Environmental Samples. International Journal of Analytical Chemistry, 2020, 2020, 1-14.	1.0	4
3391	Relative Abundance of Alpha-Amylase/Trypsin Inhibitors in Selected Sorghum Cultivars. Molecules, 2020, 25, 5982.	3.8	8

#	Article	IF	CITATIONS
3392	Determination of Antidepressants in Human Plasma by Modified Cloud-Point Extraction Coupled with Mass Spectrometry. Pharmaceuticals, 2020, 13, 458.	3.8	9
3393	Development of PCR, LAMP and qPCR Assays for the Detection of Aflatoxigenic Strains of Aspergillus flavus and A. parasiticus in Hazelnut. Toxins, 2020, 12, 757.	3.4	8
3394	Mass Spectrometry-Based Metabolomics Reveals a Concurrent Action of Several Chemical Mechanisms in <i>Arabidopsis-Fusarium oxysporum</i> Compatible and Incompatible Interactions. Journal of Agricultural and Food Chemistry, 2020, 68, 15335-15344.	5.2	6
3395	Rapid and sensitive determination of four bisphosphonates in rat plasma after MTBSTFA derivatization using liquid chromatography-mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2020, 190, 113579.	2.8	7
3396	LC-MS/MS method for nine different antibiotics. Clinica Chimica Acta, 2020, 511, 360-367.	1.1	18
3397	Online Turbulent Flow Extraction and Column Switching for the Confirmatory Analysis of Stimulants in Urine by Liquid Chromatography–Mass Spectrometry. Journal of Analytical Toxicology, 2020, 45, 666-678.	2.8	2
3398	Detection of Cannabinoids by LC–MS-MS and ELISA in Breast Milk. Journal of Analytical Toxicology, 2021, 45, 686-692.	2.8	22
3399	Glycocyamine functionalized magnetic layered double hydroxides with multiple affinity sites for trace phosphopeptides enrichment. Analytica Chimica Acta, 2020, 1136, 25-33.	5.4	10
3400	Enhanced Metabolome Coverage and Evaluation of Matrix Effects by the Use of Experimental-Condition-Matched 13C-Labeled Biological Samples in Isotope-Assisted LC-HRMS Metabolomics. Metabolites, 2020, 10, 434.	2.9	4
3401	Skin tissue sample collection, sample homogenization, and analyte extraction strategies for liquid chromatographic mass spectrometry quantification of pharmaceutical compounds. Journal of Pharmaceutical and Biomedical Analysis, 2020, 191, 113590.	2.8	12
3402	Determination of citalopram in fish brain tissue: benefits of coupling laser diode thermal desorption with low- and high-resolution mass spectrometry. Analytical and Bioanalytical Chemistry, 2020, 412, 4353-4361.	3.7	10
3403	Plasma N-acetylaspartate: Development and validation of a quantitative assay based on HPLC-MS-MS and sample derivatization. Clinica Chimica Acta, 2020, 508, 146-153.	1.1	5
3404	Postmortem analysis of quetiapine and pregabalin in human bone. Legal Medicine, 2020, 46, 101717.	1.3	4
3405	Rapid Analysis of Four Amphetamines in Urine by Self-Made Pipette-Tip Solid-Phase Extraction Followed by GC-MS/MS. Journal of Chromatographic Science, 2020, 58, 569-575.	1.4	7
3406	Quantification of Colistin in Plasma by Liquid Chromatography-Tandem Mass Spectrometry: Application to a Pharmacokinetic Study. Scientific Reports, 2020, 10, 8198.	3.3	9
3407	Development and validation of a specific and sensitive liquid chromatography tandem mass spectrometry method for determination of tetrodotoxin in human urine and its pharmacokinetic study. Biomedical Chromatography, 2020, 34, e4900.	1.7	0
3408	Determination of 5â€fluorocytosine, 5â€fluorouracil, and 5â€fluorouridine in hospital wastewater by liquid chromatography–mass spectrometry. Journal of Separation Science, 2020, 43, 3074-3082.	2.5	2
3409	Determination of glycosylation degree for glycoconjugate vaccines using a solidâ€phase extraction combined with liquid chromatography and tandem mass spectrometry method. Journal of Separation Science, 2020, 43, 2880-2888.	2.5	5

#	Article	IF	CITATIONS
3410	Comparison of Heated Electrospray Ionization and Nanoelectrospray Ionization Sources Coupled to Ultra-High-Resolution Mass Spectrometry for Analysis of Highly Complex Atmospheric Aerosol Samples. Analytical Chemistry, 2020, 92, 8396-8403.	6.5	17
3411	Unambiguous determination of farnesol and tyrosol in vaginal fluid using fast and sensitive UHPLC-MS/MS method. Analytical and Bioanalytical Chemistry, 2020, 412, 6529-6541.	3.7	6
3412	Analysis of five bisphenol compounds in sewage sludge by dispersive solid-phase extraction with magnetic montmorillonite. Microchemical Journal, 2020, 157, 105040.	4.5	11
3413	Quantification and Analysis of Trace Levels of Phenicols in Feed by Liquid Chromatography–Mass Spectrometry. Chromatographia, 2020, 83, 715-723.	1.3	2
3414	Development and validation of an UHPLC–MS/MS method for extended serum steroid profiling in female populations. Bioanalysis, 2020, 12, 753-768.	1.5	16
3415	The Stability of 4â€Chloromethcathinone in Blood and Vitreous Humor. Journal of Forensic Sciences, 2020, 65, 1784-1790.	1.6	11
3416	UHPLC-QqQ-MS/MS method development and validation with statistical analysis: Determination of raspberry ketone metabolites in mice plasma and brain. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1149, 122146.	2.3	12
3417	Automated microextraction by packed sorbent of cannabinoids from human urine using a lab-made device packed with molecularly imprinted polymer. Talanta, 2020, 219, 121185.	5.5	35
3418	A new LC-MS/MS confirmation method for the determination of 17 drugs of abuse in oral fluid and its application to real samples. Forensic Science International, 2020, 312, 110330.	2.2	26
3419	Enantiomeric separation and quantification of R/Sâ€amphetamine in serum using semiâ€automated liquidâ€liquid extraction and ultraâ€high performance supercritical fluid chromatographyâ€ŧandem mass spectrometry. Drug Testing and Analysis, 2020, 12, 1344-1353.	2.6	9
3420	Quantification of methadone, buprenorphine, naloxone, opioids, and their derivates in whole blood by liquid chromatography-high-resolution mass spectrometry: Analysis of their involvement in fatal forensic cases. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1152, 122226.	2.3	13
3421	Mass Spectrometry–Based Method Targeting Ig Variable Regions for Assessment of Minimal Residual Disease in Multiple Myeloma. Journal of Molecular Diagnostics, 2020, 22, 901-911.	2.8	22
3422	Analysis of peptide antibiotic residues in milk using liquid chromatography-high resolution mass spectrometry (LC-HRMS). Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2020, 37, 1264-1278.	2.3	7
3423	Quantification of testosterone, androstenedione and 17-hydroxyprogesterone in whole blood collected using Mitra microsampling devices. Annals of Clinical Biochemistry, 2020, 57, 351-359.	1.6	3
3424	Determination of 62 veterinary drugs in feedingstuffs by novel pressurized liquid extraction methods and LC-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1152, 122232.	2.3	29
3425	A rapid method for the quantification of urinary phthalate monoesters: A new strategy for the assessment of the exposure to phthalate ester by solidâ€phase microextraction with gas chromatography and tandem mass spectrometry. Journal of Separation Science, 2020, 43, 3061-3073.	2.5	11
3426	Postmortem distribution/redistribution of buformin in body fluids and solid tissues in an autopsy case using liquid chromatography-tandem mass spectrometry with QuEChERS extraction method. Forensic Science International, 2020, 314, 110376.	2.2	6
3427	Determination of Illicit Drugs in Dried Blood Spots by LC–MS/MS Method: Validation and Application to Real Samples. Chromatographia, 2020, 83, 885-892.	1.3	9

#	Article	IF	CITATIONS
3428	ldentification of phytolaccosides in biological samples from pokeweed intoxication patients using liquid chromatography-tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1149, 122123.	2.3	7
3429	Miniaturization of liquid chromatography coupled to mass spectrometry TrAC - Trends in Analytical Chemistry, 2020, 128, 115910.	11.4	30
3430	Simultaneous Determination of Deoxynivalenol, Its Modified Forms, Nivalenol and Fusarenone-X in Feedstuffs by the Liquid Chromatography–Tandem Mass Spectrometry Method. Toxins, 2020, 12, 362.	3.4	8
3431	Folate monoglutamate in cereal grains: Evaluation of extraction techniques and determination by LC-MS/MS. Journal of Food Composition and Analysis, 2020, 91, 103510.	3.9	13
3432	Simultaneous Determination of Dabigatran, Rivaroxaban, and Apixaban in Human Plasma by Liquid Chromatography/Tandem Mass Spectrometry. Therapeutic Drug Monitoring, 2020, 42, 473-480.	2.0	9
3433	Fatal intoxication by intravenous injection of castor bean (Ricinus communis L.) extract—a case study. International Journal of Legal Medicine, 2020, 134, 2133-2141.	2.2	6
3434	Analysis of valsartan, clindamycin and mesalamine in human plasma by LC–MS/MS using different extraction methodologies to overcome matrix effect. Chemical Papers, 2020, 74, 4365-4378.	2.2	3
3435	Development of the High Sensitivity and Selectivity Method for the Determination of Histamine in Fish and Fish Sauce from Vietnam by UPLC-MS/MS. International Journal of Analytical Chemistry, 2020, 2020, 1-9.	1.0	10
3436	Validation of a Bioanalytical Method for the Determination of Synthetic and Natural Cannabinoids (New Psychoactive Substances) in Oral Fluid Samples by Means of HPLC-MS/MS. Frontiers in Chemistry, 2020, 8, 439.	3.6	9
3437	Extraction of dried oral fluid spots (DOFS) for the identification of drugs of abuse using liquid chromatography tandem mass spectrometry (LC-MS/MS). Forensic Chemistry, 2020, 19, 100254.	2.8	11
3438	Applicability of Supercritical fluid chromatography–Mass spectrometry to metabolomics. Il–Assessment of a comprehensive library of metabolites and evaluation of biological matrices. Journal of Chromatography A, 2020, 1620, 461021.	3.7	34
3439	Determination of ethyl glucuronide in human hair samples: Decontamination vs extraction. Drug Testing and Analysis, 2020, 12, 948-956.	2.6	9
3440	Validation of an LC-MS/MS-based dilute-and-shoot approach for the quantification of > 500 mycotoxins and other secondary metabolites in food crops: challenges and solutions. Analytical and Bioanalytical Chemistry, 2020, 412, 2607-2620.	3.7	160
3441	Three-dimensional aspects of formulation excipients in drug discovery: a critical assessment on orphan excipients, matrix effects and drug interactions. Journal of Pharmaceutical Analysis, 2020, 10, 522-531.	5.3	12
3442	Ultra-sensitive bioanalysis of the therapeutic peptide exenatide for accurate pharmacokinetic analyses at effective plasma concentrations utilizing UPLC-MS/MS. Journal of Pharmaceutical Analysis, 2020, 10, 233-239.	5.3	5
3443	Development, validation and evaluation of a quantitative method for the analysis of twenty-four new psychoactive substances in oral fluid by LC–MS/MS. Forensic Chemistry, 2020, 19, 100231.	2.8	9
3444	A Validated LC–MS/MS Method for Simultaneous Determination of 3-O-Acetyl-11-Keto-β-Boswellic Acid (AKBA) and its Active Metabolite Acetyl-11-Hydroxy-β-Boswellic Acid (Ac-11-OH-BA) in Rat Plasma: Application to a Pharmacokinetic Study. Journal of Chromatographic Science, 2020, 58, 485-493.	1.4	4
3445	Comprehensive tropane alkaloids analysis and retrospective screening of contaminants in honey samples using liquid chromatography-high resolution mass spectrometry (Orbitrap). Food Research International, 2020, 133, 109130.	6.2	16

#	Article	IF	CITATIONS
3446	High-sensitivity detection of therapeutic drugs in complex biofluids using a packed ballpoint-electrospray ionization technique. Analytical and Bioanalytical Chemistry, 2020, 412, 2711-2720.	3.7	2
3447	Quantification of Plasma and Urine Thymidine and 2'-Deoxyuridine by LC-MS/MS for the Pharmacodynamic Evaluation of Erythrocyte Encapsulated Thymidine Phosphorylase in Patients with Mitochondrial Neurogastrointestinal Encephalomyopathy. Journal of Clinical Medicine, 2020, 9, 788.	2.4	6
3448	Development of a Sensitive and Reliable UHPLC-MS/MS Method for the Determination of Multiple Urinary Biomarkers of Mycotoxin Exposure. Toxins, 2020, 12, 193.	3.4	17
3449	Development and validation of a rapid, specific and sensitive LC-MS/MS bioanalytical method for eicosanoid quantification - assessment of arachidonic acid metabolic pathway activity in hypertensive rats. Biochimie, 2020, 171-172, 223-232.	2.6	13
3450	A liquid chromatography-tandem mass spectrometry platform for the routine therapeutic drug monitoring of 14 antibiotics: Application to critically ill pediatric patients. Journal of Pharmaceutical and Biomedical Analysis, 2020, 186, 113273.	2.8	67
3451	Development and validation of a UPLC–MS/MS method for simultaneous determination of LBPT and its metabolites in human plasma. Bioanalysis, 2020, 12, 211-220.	1.5	Ο
3452	Simultaneous analysis of currentâ€use pesticides and their transformation products in water using mixtureâ€sorbent solid phase extraction and highâ€performance liquid chromatography–tandem mass spectrometry. Journal of Separation Science, 2020, 43, 2409-2418.	2.5	11
3453	Skeletal tissue, a viable option in forensic toxicology? A view into post mortem cases. Forensic Science International, 2020, 309, 110225.	2.2	9
3454	Evaluation of Matrix Effects and Extraction Efficiencies of LC–MS/MS Methods as the Essential Part for Proper Validation of Multiclass Contaminants in Complex Feed. Journal of Agricultural and Food Chemistry, 2020, 68, 3868-3880.	5.2	86
3455	UPLC-MS/MS method for determination of retinol and α-tocopherol in serum using a simple sample pretreatment and UniSpray as ionization technique to reduce matrix effects. Clinical Chemistry and Laboratory Medicine, 2020, 58, 769-779.	2.3	7
3456	Screening procedure for 38 fentanyl analogues and five other new opioids in whole blood by liquid chromatographyâ€ŧandem mass spectrometry. Journal of Applied Toxicology, 2020, 40, 1033-1046.	2.8	22
3457	Simultaneous determination of VD2, VD3, 25(OH) D2, and 25(OH) D3 in human plasma using electrospray LC–MS/MS as well as its application to evaluate VD plasma levels in depressive, schizophrenic patients and healthy individuals. Biomedical Chromatography, 2020, 34, e4932.	1.7	11
3458	Supramolecular solvent-based high-throughput sample treatment for monitoring phytohormones in plant tissues. Talanta, 2020, 219, 121249.	5.5	9
3459	Determination of prescribed and designer benzodiazepines and metabolites in influent wastewater. Analytical Methods, 2020, 12, 3637-3644.	2.7	26
3460	Sensitive Determination of Imatinib Mesylate in Human Plasma Using DABCO-Based Ionic Liquid-Modified Magnetic Nanoparticles. Chromatographia, 2020, 83, 1009-1019.	1.3	9
3461	Targeted Lipidomics Profiling Reveals the Generation of Hydroxytyrosol-Fatty Acids in Hydroxytyrosol-Fortified Oily Matrices: New Analytical Methodology and Cytotoxicity Evaluation. Journal of Agricultural and Food Chemistry, 2020, 68, 7789-7799.	5.2	9
3462	Development and validation of a combined enzymatic-digestion/mass spectrometry assay for Tacrolimus quantitation in cardiac biopsies. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1152, 122215.	2.3	3
3463	An investigation of the utility of QuEChERS for extracting acid, base, neutral and amphiphilic species from example environmental and clinical matrices. Analytical Science Advances, 2020, 1, 152-160.	2.8	5

#	Article	IF	CITATIONS
3464	Two rapid, accurate liquid chromatography tandem mass spectrometry methods for the quantification of seven uremic toxins: An application for describing their accumulation kinetic profile in a context of acute kidney injury. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1152, 122234.	2.3	19
3465	Validation and clinical application of a multiplex high performance liquid chromatography – tandem mass spectrometry assay for the monitoring of plasma concentrations of 12 antibiotics in patients with severe bacterial infections. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2020. 1157. 122160.	2.3	38
3466	Compensate for or Minimize Matrix Effects? Strategies for Overcoming Matrix Effects in Liquid Chromatography-Mass Spectrometry Technique: A Tutorial Review. Molecules, 2020, 25, 3047.	3.8	91
3467	Analysis of Busulfan in Plasma by Liquid Chromatographyâ€Tandem Mass Spectrometry (LCâ€MS/MS). Current Protocols in Toxicology / Editorial Board, Mahin D Maines (editor-in-chief) [et Al], 2020, 84, e93.	1.1	2
3468	Micro-UHPLC-MS/MS method for analysis of oxylipins in plasma and platelets. Journal of Pharmaceutical and Biomedical Analysis, 2020, 189, 113426.	2.8	14
3469	Application of a chiral highâ€performance liquid chromatographyâ€tandem mass spectrometry method for the determination of 13 related amphetamineâ€type stimulants to forensic samples: Interpretative hypotheses. Drug Testing and Analysis, 2020, 12, 1354-1365.	2.6	10
3470	Study of Controlled Atmosphere Flexible Microtube Plasma Soft Ionization Mass Spectrometry for Detection of Volatile Organic Compounds as Potential Biomarkers in Saliva for Cancer. Analytical Chemistry, 2020, 92, 9722-9729.	6.5	13
3471	Quantification of steroid hormones in low volume plasma and tissue homogenates of fish using LC-MS/MS. General and Comparative Endocrinology, 2020, 296, 113543.	1.8	22
3472	Investigation of space charge effects and ion trapping capacity on direct introduction ultra-high resolution mass spectrometry workflows for metabolomics. Journal of Mass Spectrometry, 2020, 55, e4613.	1.6	12
3473	Curcumin loaded poly (amidoamine) dendrimer-plamitic acid core-shell nanoparticles as anti-stress therapeutics. Drug Development and Industrial Pharmacy, 2020, 46, 412-426.	2.0	25
3474	Enhancement in MSâ€based peptide detection by microfluidic freeâ€flow zone electrophoresis. Electrophoresis, 2020, 41, 545-553.	2.4	10
3475	Dried blood microsamples: Suitable as an alternative matrix for the quantification of paracetamol-protein adducts?. Toxicology Letters, 2020, 324, 65-74.	0.8	4
3476	Absorption, Biokinetics, and Metabolism of the Dopamine D2 Receptor Agonist Hordenine (N,N-Dimethyltyramine) after Beer Consumption in Humans. Journal of Agricultural and Food Chemistry, 2020, 68, 1998-2006.	5.2	11
3477	Method validation, storage stability and field trial for residues of florasulam and pyroxsulam in cereal by liquid chromatography with tandem mass spectrometry. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2020, 37, 793-803.	2.3	9
3478	Determination of 19 anthelmintics in environmental water and sediment using an optimized PLE and SPE method coupled with UHPLC-MS/MS. Science of the Total Environment, 2020, 719, 137516.	8.0	21
3479	Developing and Validating a Fast and Accurate Method to Quantify 18 Antidepressants in Oral Fluid Samples Using SPE and LC–MS-MS. Journal of Analytical Toxicology, 2020, 44, 610-617.	2.8	13
3480	Determination of multi-class emerging contaminants in sludge and recovery materials from waste water treatment plants: Development of a modified QuEChERS method coupled to LC–MS/MS. Microchemical Journal, 2020, 155, 104732.	4.5	29
3481	Quantification of PET cyclic and linear oligomers in teabags by a validated LC-MS method – In silico toxicity assessment and consumer's exposure. Food Chemistry, 2020, 317, 126427.	8.2	58

#	Article	IF	CITATIONS
3482	A validated LC–MS/MS method for the quantification of amlodipine, bisoprolol, enalapril and enalaprilat—Application to pharmacokinetic study in healthy volunteers. Microchemical Journal, 2020, 155, 104700.	4.5	11
3483	Calibrating from Within: Multipoint Internal Calibration of a Quantitative Mass Spectrometric Assay of Serum Methotrexate. Clinical Chemistry, 2020, 66, 474-482.	3.2	8
3484	Quantification of Furanylfentanyl and its Metabolites in Human and Rat Plasma Using LC–MS-MS. Journal of Analytical Toxicology, 2020, 44, 589-595.	2.8	5
3485	Development and validation of fast UHPLC-MS/MS screening method for 87 NPS and 32 other drugs of abuse in hair and nails: application to real cases. Analytical and Bioanalytical Chemistry, 2020, 412, 5125-5145.	3.7	40
3486	A Stable Isotope Dilution Assay for Multi-class Antibiotics in Pregnant Urines by LC–MS/MS. Chromatographia, 2020, 83, 507-521.	1.3	16
3487	Method Consolidation to Improve Scope and Efficiency in Postmortem Toxicology. Journal of Analytical Toxicology, 2020, 44, 422-439.	2.8	9
3488	Multiplexed therapeutic drug monitoring of antipsychotics in dried plasma spots by LCâ€MS/MS. Journal of Separation Science, 2020, 43, 1440-1449.	2.5	17
3489	Fast Isolation of Flavonoids from the Endemic Species Nolana ramosissima I.M. Johnst and Its Endothelium-Independent Relaxation Effect in Rat Aorta. Molecules, 2020, 25, 520.	3.8	6
3490	Validation of an assay for quantifying ganciclovir in dried blood spots. Journal of Pharmaceutical and Biomedical Analysis, 2020, 184, 113181.	2.8	11
3491	Development and validation of a multiplex UHPLCâ€MS/MS assay with stable isotopic internal standards for the monitoring of the plasma concentrations of the antiretroviral drugs bictegravir, cabotegravir, doravirine, and rilpivirine in people living with HIV. Journal of Mass Spectrometry, 2020, 55. e4506.	1.6	22
3492	Determination and uptake of abamectin and difenoconazole in the stingless bee Melipona scutellaris Latreille, 1811 via oral and topic acute exposure. Environmental Pollution, 2020, 265, 114313.	7.5	13
3493	Dried plasma spots for therapeutic monitoring of amikacin: Validation of an UHPLC-MS/MS assay and pharmacokinetic application. Journal of Pharmaceutical and Biomedical Analysis, 2020, 184, 113201.	2.8	11
3494	Method for the identification and quantification of sixty drugs and their metabolites in postmortem whole blood using liquid chromatography tandem mass spectrometry. Forensic Science International, 2020, 309, 110193.	2.2	22
3495	The First Comprehensive LC–MS/MS Method Allowing Dissection of the Thiamine Pathway in Plants. Analytical Chemistry, 2020, 92, 4073-4081.	6.5	11
3496	Side-chain fluorinated polymer surfactants in biosolids from wastewater treatment plants. Journal of Hazardous Materials, 2020, 388, 122044.	12.4	51
3497	Quality by design applied to olanzapine and quetiapine LC-MS/MS bioanalysis. Journal of Chromatographic Science, 2020, 58, 117-126.	1.4	2
3498	Quantification of fluoroquinolones in wastewaters by liquid chromatography-tandem mass spectrometry. Environmental Pollution, 2020, 259, 113927.	7.5	42
3499	Partial Mitigation of Oxidized Phospholipid-Mediated Mitochondrial Dysfunction in Neuronal Cells by Oxocarotenoids. Journal of Alzheimer's Disease, 2020, 74, 113-126.	2.6	10

#	Article	IF	CITATIONS
3500	Validation of a sensitive high performance liquid chromatography tandem mass spectrometric method for measuring carbohydrates in aerosol samples. Journal of Chromatography A, 2020, 1619, 460941.	3.7	7
3501	HPLC-MS/MS method for the simultaneous quantification of dolutegravir, elvitegravir, rilpivirine, darunavir, ritonavir, raltegravir and raltegravir-β-d-glucuronide in human plasma. Journal of Pharmaceutical and Biomedical Analysis, 2020, 182, 113119.	2.8	19
3502	A new sensitive method for the simultaneous chromatographic separation and tandem mass spectrometry detection of anticoccidials, including highly polar compounds, in environmental waters. Journal of Chromatography A, 2020, 1618, 460857.	3.7	13
3503	Analysis and reduction of heterocyclic amines and cholesterol oxidation products in chicken by controlling flavorings and roasting condition. Food Research International, 2020, 131, 109004.	6.2	21
3504	Simultaneous determination of five penicillins in milk using a new ionic liquid-modified magnetic nanoparticle based dispersive micro-solid phase extraction followed by ultra-performance liquid chromatography-tandem mass spectrometry. Microchemical Journal, 2020, 154, 104605.	4.5	45
3505	Protein Biomarker Quantification by Immunoaffinity Liquid Chromatography–Tandem Mass Spectrometry: Current State and Future Vision. Clinical Chemistry, 2020, 66, 282-301.	3.2	69
3506	A Validated Method for the Simultaneous Determination of Quetiapine, Clozapine and Mirtazapine in Postmortem Blood and Tissue Samples. Journal of Analytical Toxicology, 2020, 44, 440-448.	2.8	9
3507	Development and Validation of Analytical Method for SH-1242 in the Rat and Mouse Plasma by Liquid Chromatography/Tandem Mass Spectrometry. Molecules, 2020, 25, 531.	3.8	1
3508	Reversed phase UPLC/APCI-MS determination of Vitamin K1 and menaquinone-4 in human plasma: Application to a clinical study. Journal of Pharmaceutical and Biomedical Analysis, 2020, 183, 113147.	2.8	9
3509	Dispersive micro solid phase extraction of busulfan from plasma samples using novel mesoporous sorbent prior to determination by HPLC-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1145, 122091.	2.3	9
3510	An Ultrasensitive Routine LC-MS/MS Method for Estradiol and Estrone in the Clinically Relevant Sub-Picomolar Range. Journal of the Endocrine Society, 2020, 4, bvaa047.	0.2	17
3511	Determination of Alternaria Toxins in Sunflower Oil by Liquid Chromatography Isotope Dilution Tandem Mass Spectrometry. Molecules, 2020, 25, 1685.	3.8	18
3512	Development and validation of a liquid chromatography/tandem mass spectrometry method to quantify metabolites of phthalates, including diâ€2â€ethylhexyl terephthalate (DEHTP) and bisphenol A, in human urine. Rapid Communications in Mass Spectrometry, 2020, 34, e8796.	1.5	10
3513	Post-extraction disulfide bond cleavage for MS/MS quantification of collision-induced dissociation-resistant cystine-cyclized peptides and its application to the ultra-sensitive UPLC-MS/MS bioanalysis of octreotide in plasma. Analytica Chimica Acta, 2020, 1114, 42-49.	5.4	5
3514	An adapted LC-MS/MS method for the determination of free plasma concentration of cefoperazone in children: Age-dependent protein binding. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1144, 122081.	2.3	6
3515	A UHPLC-MS/MS method to simultaneously quantify apixaban, edoxaban and rivaroxaban in human plasma and breast milk: For emerging lactation studies. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1144, 122095.	2.3	14
3516	Ultra-sensitive quantification of the therapeutic cyclic peptide bremelanotide utilizing UHPLC-MS/MS for evaluation of its oral plasma pharmacokinetics. Journal of Pharmaceutical and Biomedical Analysis, 2020, 186, 113276.	2.8	2
3517	Determination of Praziquantel in Sparus aurata L. after Administration of Medicated Animal Feed. Animals, 2020, 10, 528.	2.3	8

#	Article	IF	CITATIONS
3518	Derivatization assisted LC-p-MRM-MS with high CID voltage for rapid analysis of brassinosteroids. Talanta, 2020, 217, 121058.	5.5	3
3519	Development of an LC-MS/MS method for determining 5-MeO-DIPT in dried urine spots and application to forensic cases. Journal of Clinical Forensic and Legal Medicine, 2020, 72, 101963.	1.0	10
3520	Postmortem Determination of Short-Term Markers of Hyperglycemia for the Purposes of Medicolegal Opinions. Diagnostics, 2020, 10, 236.	2.6	2
3521	Fully automated dried blood spot sample preparation enables the detection of lower molecular mass peptide and non-peptide doping agents by means of LC-HRMS. Analytical and Bioanalytical Chemistry, 2020, 412, 3765-3777.	3.7	40
3522	Direct Chiral HPLC-MS/MS Method for Determination of R-Lacosamide in Human Plasma. Pharmaceutical Chemistry Journal, 2020, 54, 90-97.	0.8	3
3523	A rapid analytical strategy for the determination of ayahuasca alkaloids in non-ritualistic approaches by UHPLC-MS/MS. Forensic Science International, 2020, 312, 110298.	2.2	6
3524	Semiquantitative Activity-Based Detection of JWH-018, a Synthetic Cannabinoid Receptor Agonist, in Oral Fluid after Vaping. Analytical Chemistry, 2020, 92, 6065-6071.	6.5	5
3525	High Throughput Detection of 327 Drugs in Blood by LC–MS-MS with Automated Data Processing. Journal of Analytical Toxicology, 2021, 45, 154-183.	2.8	31
3526	Postmortem Analysis of Benzodiazepines in Human Bone by Gas Chromatography–Mass Spectrometry. Journal of Analytical Toxicology, 2021, 44, 985-992.	2.8	2
3527	Therapeutic drug monitoring of valproic acid using a dried plasma spot sampling device. Journal of Mass Spectrometry, 2021, 56, e4603.	1.6	16
3528	Quantitation of Fentanyl and Metabolites from Liver Tissue Using a Validated QuEChERS Extraction and LC–MS-MS Analysis. Journal of Analytical Toxicology, 2021, 44, 957-967.	2.8	6
3529	Multi-residue analysis of 20 mycotoxins including major metabolites and emerging mycotoxins in freshwater using UHPLC-MS/MS and application to freshwater ponds in flanders, Belgium. Environmental Research, 2021, 196, 110366.	7.5	12
3530	Non-lethal microsampling and rapid identification of multi-residue veterinary drugs in aquacultured fish by direct analysis in real time coupled with quadrupole-Orbitrap high-resolution mass spectrometry. Microchemical Journal, 2021, 160, 105673.	4.5	5
3531	Ethyl glucuronide and ethanol concentrations in femoral blood, urine and vitreous humor from 117 autopsy cases. Forensic Science International, 2021, 318, 110567.	2.2	6
3532	In-line molecularly imprinted polymer solid phase extraction-capillary electrophoresis coupled with tandem mass spectrometry for the determination of patulin in apple-based food. Food Chemistry, 2021, 334, 127607.	8.2	32
3533	An <i>inÂvitro</i> approach to simulate the process of 5-fluorouracil degradation with dihydropyrimidine dehydrogenase: the process in accordance to the first-order kinetic reaction. Xenobiotica, 2021, 51, 24-30.	1.1	1
3534	A SPE-HPLC-MS/MS method for the simultaneous determination of prioritised pharmaceuticals and EDCs with high environmental risk potential in freshwater. Journal of Environmental Sciences, 2021, 100, 18-27.	6.1	26
3535	Development of a multiclass method to quantify phthalates, pharmaceuticals, and personal care products in river water using ultraâ€high performance liquid chromatography coupled with quadrupole hybrid Orbitrap mass spectrometry. Analytical Science Advances, 2021, 2, 373-386.	2.8	4

#	Article	IF	CITATIONS
3536	Optimization and validation of a QuEChERS-based method for the simultaneous environmental monitoring of 218 pesticide residues in clay loam soil. Science of the Total Environment, 2021, 753, 142015.	8.0	66
3537	Identification of the bioactive components of Banxia Xiexin Decoction that protect against CPT-11-induced intestinal toxicity via UPLC-based spectrum-effect relationship analyses. Journal of Ethnopharmacology, 2021, 266, 113421.	4.1	24
3538	Toxicological analyses: analytical method validation for prevention or diagnosis. Toxicology Mechanisms and Methods, 2021, 31, 18-32.	2.7	4
3540	An ion-pair free LC-MS/MS method for quantitative metabolite profiling of microbial bioproduction systems. Talanta, 2021, 222, 121625.	5.5	10
3541	UHPLC-MS/MS analysis of cannabidiol metabolites in serum and urine samples. Application to an individual treated with medical cannabis. Talanta, 2021, 223, 121772.	5.5	17
3542	Challenges and strategies of matrix effects using chromatography-mass spectrometry: An overview from research versus regulatory viewpoints. TrAC - Trends in Analytical Chemistry, 2021, 134, 116068.	11.4	62
3543	Validation of a QuEChERS method for extraction of estrogens from a complex water matrix and quantitation via high-performance liquid chromatography-mass spectrometry. Chemosphere, 2021, 263, 128315.	8.2	9
3544	Application of triple quadrupole tandem mass spectrometry to the bioanalysis of collision-induced dissociation-resistant cyclic peptides – Ultra-sensitive quantification of the somatostatin-analog pasireotide utilizing UHPLC-MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2021, 194, 113728.	2.8	3
3545	Understanding the pharmacokinetics of synthetic cathinones: Evaluation of the blood–brain barrier permeability of 13 related compounds in rats. Addiction Biology, 2021, 26, e12979.	2.6	6
3546	Therapeutic drug monitoring of tranexamic acid in plasma and urine of renally impaired patients using solid phase microextraction. Talanta, 2021, 225, 121945.	5.5	13
3547	Quantitation using HRMS: A new tool for rapid, specific and sensitive determination of catecholamines and deconjugated methanephrines metanephrines in urine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1166, 122391.	2.3	5
3548	Vitamin K (phylloquinone and menaquinones) in foods – Optimisation of extraction, clean-up and LC–ESI-MS/MS method for quantification. Food Chemistry, 2021, 345, 128835.	8.2	13
3549	Determination of testosterone in serum and saliva by liquid chromatography-tandem mass spectrometry: An accurate and sensitive method applied on clinical and forensic samples. Journal of Pharmaceutical and Biomedical Analysis, 2021, 195, 113823.	2.8	3
3550	Development and validation of a fast and reliable method for the quantification of glucagon by liquid chromatography and tandem mass spectrometry. Clinica Chimica Acta, 2021, 512, 156-165.	1.1	4
3551	Preliminary results about the efficacy of abamectin trunk injection against the walnut husk fly (Rhagoletis completa). Journal of Plant Diseases and Protection, 2021, 128, 333-338.	2.9	7
3552	An optimized LC-MS/MS method as a pivotal tool to steer thiamine biofortification strategies in rice. Talanta, 2021, 224, 121905.	5.5	5
3553	HPLC-UV-QDa analysis of Citrus aurantium-labelled pre-workout supplements suggest only a minority contain the plant extract. Journal of Pharmaceutical and Biomedical Analysis, 2021, 193, 113746.	2.8	9
3554	Targeted LC–MS/MS analysis of steroid glucuronides in human urine. Journal of Steroid Biochemistry and Molecular Biology, 2021, 205, 105774.	2.5	17

#	Article	IF	CITATIONS
3555	Occurrence and Fate of Bisphenol A and its Congeners in Two Wastewater Treatment Plants and Receiving Surface Waters in Romania. Environmental Toxicology and Chemistry, 2021, 40, 435-446.	4.3	19
3556	Development and validation of a rapid and efficient method for simultaneous determination of mycotoxins in coix seed using one-step extraction and UHPLC-HRMS. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2021, 38, 148-159.	2.3	26
3557	Essential oil-based dispersive liquid-liquid microextraction for the determination of N,N-dimethyltryptamine and β-carbolines in human plasma: A novel solvent-free alternative. Talanta, 2021, 225, 121976.	5.5	7
3558	Comparison of QuEChERS and "dilute and shoot―extraction methods for multi-mycotoxin analysis of samples from button mushroom (Agaricus bisporus) cultivation. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2021, 56, 99-108.	1.5	3
3559	Simultaneous determination of the herbicide bixlozone and its metabolites in plant and animal samples by liquid chromatography–tandem mass spectrometry. Journal of Separation Science, 2021, 44, 822-832.	2.5	8
3560	Cyclic imines in shellfish and ascidians in the northern Adriatic Sea. Food Additives and Contaminants: Part B Surveillance, 2021, 14, 12-22.	2.8	9
3561	Skin Absorption of Bisphenol A and Its Alternatives in Thermal Paper. Annals of Work Exposures and Health, 2021, 65, 206-218.	1.4	17
3562	Optimization and validation of a new approach based on CEâ€HRMS for the screening analysis of novel psychoactive substances (cathinones, phenethylamines, and tryptamines) in urine. Electrophoresis, 2021, 42, 450-459.	2.4	6
3563	Occurrence and distribution of endocrine-disrupting chemicals in mariculture fish and the human health implications. Food Chemistry, 2021, 345, 128806.	8.2	22
3564	Establishment and validation of the LC-MS/MS method for the determination of lincomycin in human blood: Application to an allergy case in forensic science. Journal of Clinical Forensic and Legal Medicine, 2021, 77, 102094.	1.0	5
3565	Challenges associated with quantification of selected urinary biomarkers of exposure to tobacco products. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1162, 122490.	2.3	1
3566	A validated method for the simultaneous quantification of cannabidiol, Δ ⁹ â€tetrahydrocannabinol, and their metabolites in human plasma and application to plasma samples from an oral cannabidiol openâ€label trial. Drug Testing and Analysis, 2021, 13, 614-627.	2.6	14
3567	Novel and Nonroutine Benzodiazepines and Suvorexant by LC–MS-MS. Journal of Analytical Toxicology, 2021, 45, 462-474.	2.8	12
3568	Quantification of mycophenolic acid in human plasma by liquid chromatography with timeâ€ofâ€flight mass spectrometry for therapeutic drug monitoring. Biomedical Chromatography, 2021, 35, e5011.	1.7	2
3569	Determination of the alcohol biomarker phosphatidylethanol 16:0/18:1 and 33 compounds from eight different drug classes in whole blood by LC-MS/MS. Journal of Pharmacological and Toxicological Methods, 2021, 107, 106939.	0.7	10
3570	Ratiometric upconversion luminescence nanoprobes for quick sensing of Hg2+ and cells imaging. Sensors and Actuators B: Chemical, 2021, 326, 128841.	7.8	37
3571	Quantification by LC–MS/MS of astragaloside IV and isoflavones in <i>Astragali radix</i> can be more accurate by using standard addition. Phytochemical Analysis, 2021, 32, 466-473.	2.4	13
3572	Automated sample preparation for the detection and confirmation of hypoxiaâ€inducible factor stabilizers in urine. Biomedical Chromatography, 2021, 35, e4970.	1.7	7

#	Article	IF	CITATIONS
3573	STRATEGIES AND CHALLENGES IN METHOD DEVELOPMENT AND VALIDATION FOR THE ABSOLUTE QUANTIFICATION OF ENDOGENOUS BIOMARKER METABOLITES USING LIQUID CHROMATOGRAPHYâ€TANDEM MASS SPECTROMETRY. Mass Spectrometry Reviews, 2021, 40, 31-52.	5.4	49
3574	Chromatography as a core step for an analytical procedure. , 2021, , 79-127.		1
3575	Determination of Pharmaceutical Residues by UPLC-MS/MS Method: Validation and Application on Surface Water and Hospital Wastewater. Journal of Analytical Methods in Chemistry, 2021, 2021, 1-12.	1.6	7
3576	UHPLC-MS/MS Method for Determination of Hydroxychloroquine and Its Main Metabolites in Oral Fluid and Whole Blood for Therapeutic Drug Monitoring. journal of applied laboratory medicine, The, 2021, 6, 868-880.	1.3	2
3577	Bioanalytical method development and validation for establishing bioavailability and bioequivalence. , 2021, , 487-516.		0
3578	Cannabinoid type 1 receptor inverse agonism attenuates dyslipidemia and atherosclerosis in APOEâ^—3-Leiden.CETP mice. Journal of Lipid Research, 2021, 62, 100070.	4.2	9
3579	Patient-Centric Assessment of Thiamine Status in Dried Blood Volumetric Absorptive Microsamples Using LC–MS/MS Analysis. Analytical Chemistry, 2021, 93, 2660-2668.	6.5	13
3580	Sustainable polypyrrole-based magnetic-microextraction of phthalates from jellies and apple-based beverages prior to tandem mass spectrometry analysis. Journal of Chromatography A, 2021, 1637, 461858.	3.7	5
3581	Overview, consequences, and strategies for overcoming matrix effects in LC-MS analysis: a critical review. Analyst, The, 2021, 146, 6049-6063.	3.5	53
3582	Quantitation and Validation of 34 Fentanyl Analogs from Liver Tissue Using a QuEChERS Extraction and LC–MS-MS Analysis. Journal of Analytical Toxicology, 2021, , .	2.8	4
3583	Development of a Green Alternative Vortex-Assisted Dispersive Liquid–Liquid Microextraction Based on Natural Hydrophobic Deep Eutectic Solvents for the Analysis of Phthalate Esters in Soft Drinks. ACS Sustainable Chemistry and Engineering, 2021, 9, 2161-2170.	6.7	38
3584	Tracing the anticancer compound [Ru ^{II} (η ⁶ - <i>p</i> cymene)(8-oxyquinolinato)Cl] in a biological environment by mass spectrometric methods. Analytical Methods, 2021, 13, 1463-1469.	2.7	6
3585	High-Performance Liquid Chromatography-Tandem Mass Spectrometry for Buprenorphine Evaluation in Plasma—Application to Pharmacokinetic Studies in Rabbits. Molecules, 2021, 26, 437.	3.8	6
3586	Quantification of methadone and its metabolites: EDDP and EMDP determined in autopsy cases using LCâ€MS/MS. Journal of Forensic Sciences, 2021, 66, 1003-1012.	1.6	3
3587	CHAPTER 1. Detection Strategies for Traditional Illicit Substances. RSC Detection Science, 2021, , 1-40.	0.0	0
3588	Analytical determination of oestrogenic endocrine disruptors: the method of choice for wastewater treatment plant effluents. Environmental Chemistry, 2021, 18, 143-155.	1.5	2
3589	Development of an analytical method for fumonisin B ₁ in porcine tissues and body fluids using UHPLC-MS/MS. Environmental Monitoring and Contaminants Research, 2021, 1, 47-53.	0.9	0
3590	Dried urine spots as sampling technique for multi-mycotoxin analysis in human urine. Mycotoxin Research, 2021, 37, 129-140.	2.3	12

#	Article	IF	Citations
3591	High-throughput identification and determination of aminoglycoside antibiotics in human plasma using UPLC–Q-ToF-MS. European Journal of Mass Spectrometry, 2021, 27, 63-70.	1.0	4
3592	Quantification of cannabinoids in human hair using a modified derivatization procedure and liquid chromatography–tandem mass spectrometry. Drug Testing and Analysis, 2021, 13, 1095-1107.	2.6	6
3593	Sensitive quantitative analysis of psilocin and psilocybin in hair samples from suspected users and their distribution in seized hallucinogenic mushrooms. Forensic Toxicology, 2021, 39, 464-473.	2.4	7
3594	A Dilute and Shoot Strategy for Determining Alternaria Toxins in Tomato-Based Samples and in Different Flours Using LC-IDMS Separation. Molecules, 2021, 26, 1017.	3.8	7
3595	Removal of Matrix Interferences by Nano-MgO and Co-Adsorbents for Accurate Multi-Pesticide Residue Analysis in the Chinese Medicinal Herb, Paeoniae Radix Alba. Journal of Analytical Methods in Chemistry, 2021, 2021, 1-10.	1.6	2
3596	Systematic Studies on Temperature-Dependent <i>In</i> Vitro Stability during Storage and Smoking of the Synthetic Cannabinoid 5F-MDMB-P7AICA. Journal of Analytical Toxicology, 2022, 46, 374-382.	2.8	1
3597	Volumetric absorptive microsampling for the quantification of tacrolimus in capillary blood by high performance liquid chromatography-tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1165, 122521.	2.3	23
3598	Extracellular and intracellular zilpaterol and clenbuterol quantification in Hep G2 liver cells by UPLC-PDA and UPLC–MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2021, 195, 113817.	2.8	7
3599	A validated liquid chromatography tandem mass spectrometry assay for the analysis of pretomanid in plasma samples from pulmonary tuberculosis patients. Journal of Pharmaceutical and Biomedical Analysis, 2021, 195, 113885.	2.8	4
3600	Toward Alginate-Based Membrane Technology for High Performance Recovery of Heavy Metals in Cells. ACS Applied Bio Materials, 2021, 4, 2558-2569.	4.6	3
3601	Quality assessment of environmental water by a simple and fast non-ionic hydrophobic natural deep eutectic solvent-based extraction procedure combined with liquid chromatography tandem mass spectrometry for the determination of plastic migrants. Analytical and Bioanalytical Chemistry, 2021, 413, 1967-1981.	3.7	35
3602	Assessment of solid phase microextraction as a sample preparation tool for untargeted analysis of brain tissue using liquid chromatography-mass spectrometry. Journal of Chromatography A, 2021, 1638, 461862.	3.7	18
3603	Simultaneous quantification of cyclosporin, tacrolimus, sirolimus and everolimus in whole blood by UHPLC–MS/MS for therapeutic drug monitoring. Biomedical Chromatography, 2021, 35, e5071.	1.7	6
3604	High-Throughput Analysis of Water-Soluble Forms of Choline and Related Metabolites in Human Milk by UPLC-MS/MS and Its Application. Frontiers in Nutrition, 2020, 7, 604570.	3.7	4
3605	Analysis of Choline, Carnitine, Acetylcarnitine and Acetylcholine in Animal Feeds, Blood and Urine Using Ion Chromatography Coupled with Tandem Mass Spectrometry. Journal of Chromatographic Science, 2021, 59, 405-411.	1.4	2
3606	A Novel and Sensitive LC-MS/MS Method for the Quantitation of Ceftiofur in Pharmaceutical Preparations and Milk Samples. Combinatorial Chemistry and High Throughput Screening, 2021, 24, 386-399.	1.1	2
3607	Targeted Profiling of Short-, Medium-, and Long-Chain Fatty Acyl-Coenzyme As in Biological Samples by Phosphate Methylation Coupled to Liquid Chromatography–Tandem Mass Spectrometry. Analytical Chemistry, 2021, 93, 4342-4350.	6.5	10
3608	Total Analysis of the Major Secoiridoids in Extra Virgin Olive Oil: Validation of an UHPLC-ESI-MS/MS Method. Antioxidants, 2021, 10, 540.	5.1	17

#	Article	IF	CITATIONS
3609	Cyanogenic Glycoside Analysis in American Elderberry. Molecules, 2021, 26, 1384.	3.8	19
3610	Simultaneous Quantification of 17 Cannabinoids by LC–MS-MS in Human Plasma. Journal of Analytical Toxicology, 2022, 46, 383-392.	2.8	13
3611	Development of a simple and rapid method to determine the unbound fraction of dolutegravir, raltegravir and darunavir in human plasma using ultrafiltration and LC–MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2021, 196, 113923.	2.8	4
3612	Simultaneous quantification of seven repurposed COVID-19 drugs remdesivir (plus metabolite) Tj ETQq1 1 0.784 two-dimensional isotope dilution LC–MS/MS method in human serum. Journal of Pharmaceutical and Biomedical Analysis 2021, 196, 113935	314 rgBT 2.8	Overlock 10 50
3613	Comprehensive UHPLC-HR-MSE screening workflow optimized for use in routine laboratory medicine: Four workflows in one analytical method. Journal of Pharmaceutical and Biomedical Analysis, 2021, 196, 113936.	2.8	10
3614	Simultaneous determination of two galangin metabolites from <i>Alpinia Officinarum</i> Hance in rat plasma by UF LC-MS/MS and its application in pharmacokinetics study. PeerJ, 2021, 9, e11041.	2.0	8
3615	A sensitive and highâ€throughput quantitative liquid chromatography highâ€resolution mass spectrometry method for therapeutic drug monitoring of 10 <i>l²</i> â€lactam antibiotics, linezolid and two <i>l²</i> â€lactamase inhibitors in human plasma. Biomedical Chromatography, 2021, 35, e5092.	1.7	13
3616	We need to talk about the analytical performance of our laboratory developed clinical LC-MS/MS tests, and start separating the wheat from the chaff. Clinica Chimica Acta, 2021, 514, 80-83.	1.1	7
3617	Effective determination of the principal non-psychoactive cannabinoids in fiber-type Cannabis sativa L. by UPLC-PDA following a comprehensive design and optimization of extraction methodology. Analytica Chimica Acta, 2021, 1150, 338200.	5.4	18
3618	Analysis of Nucleosides and Nucleotides in Plants: An Update on Sample Preparation and LC–MS Techniques. Cells, 2021, 10, 689.	4.1	10
3619	A single-run, rapid polarity switching method for simultaneous quantification of cardiovascular disease-related metabolites using liquid chromatography–tandem mass spectrometry. International Journal of Mass Spectrometry, 2021, 461, 116500.	1.5	2
3620	Sensing serotonin secreted from human serotonergic neurons using aptamer-modified nanopipettes. Molecular Psychiatry, 2021, 26, 2753-2763.	7.9	19
3621	Stability of Nitrogen-Containing Polyfluoroalkyl Substances in Aerobic Soils. Environmental Science & Technology, 2021, 55, 4698-4708.	10.0	34
3622	An efficient and label-free LC-MS/MS method for assessing drug's activity at dopamine and serotonin transporters using transporter-transfected HEK293T cells. Journal of Psychopharmacology, 2021, 35, 693-700.	4.0	3
3623	Absolute Configuration, Enantioselective Bioactivity, and Degradation of the Novel Chiral Triazole Fungicide Mefentrifluconazole. Journal of Agricultural and Food Chemistry, 2021, 69, 4960-4967.	5.2	25
3624	Analysis of 14 endocannabinoids and endocannabinoid congeners in human plasma using column switching high-performance atmospheric pressure chemical ionization liquid chromatography–mass spectrometry. Analytical and Bioanalytical Chemistry, 2021, 413, 3381-3392.	3.7	9
3625	Brain Microdialysis Coupled to LC-MS/MS Revealed That CVT-10216, a Selective Inhibitor of Aldehyde Dehydrogenase 2, Alters the Neurochemical and Behavioral Effects of Methamphetamine. ACS Chemical Neuroscience, 2021, 12, 1552-1562.	3.5	10
3626	Development and Validation of a Highly Sensitive Liquid Chromatography-Tandem Mass Spectrometry Technique to Determine Levamisole in Plasma and Saliva. Therapeutic Drug Monitoring, 2021, 43, 279-285.	2.0	1

		CLFORT	
#	Article	IF	Citations
3627	Development and validation of a LC-HRMS method for the quantification of cannabinoids and their metabolites in human plasma. European Journal of Pharmaceutical Sciences, 2021, 159, 105705.	4.0	8
3628	Simple extraction of toxicologically relevant psychotropic compounds and metabolites from whole blood using miniâ€QuEChERS followed by UPLC–MS/MS analysis. Biomedical Chromatography, 2021, 35, e5142.	1.7	2
3629	Application of an ultra-performance liquid chromatography-tandem mass spectrometric method for the detection and quantification of cannabis in cerumen samples. Journal of Chromatography A, 2021, 1642, 462035.	3.7	10
3630	Pinus pinaster Early Hormonal Defence Responses to Pinewood Nematode (Bursaphelenchus) Tj ETQq1 1 0.784	4314 rgBT / 2.9	Overlock 10
3631	A stable isotope dilution method for a highly accurate analysis of karrikins. Plant Methods, 2021, 17, 37.	4.3	1
3632	Determination of 21 photoinitiators in human plasma by using high-performance liquid chromatography coupled with tandem mass spectrometry: A systemically validation and application in healthy volunteers. Journal of Chromatography A, 2021, 1643, 462079.	3.7	5
3633	Determination of salmeterol, α â€hydroxysalmeterol and fluticasone propionate in human urine and plasma for doping control using UHPLC–QTOF–MS. Biomedical Chromatography, 2021, 35, e5114.	1.7	2
3634	Determination of estrogens and estrogen mimics by solid-phase extraction with liquid chromatography-tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1168, 122559.	2.3	21
3635	Dried Blood Spot Technique Applied in Therapeutic Drug Monitoring of Anticancer Drugs: a Review on Conversion Methods to Correlate Plasma and Dried Blood Spot Concentrations. Pharmaceutical Research, 2021, 38, 759-778.	3.5	19
3636	Dissipation Behavior, Residue, and Risk Assessment of Benziothiazolinone in Apples. International Journal of Environmental Research and Public Health, 2021, 18, 4478.	2.6	8
3637	LC-ESI-MS/MS Method for the Profiling of Glycerophospholipids and its Application to the Analysis of Tobacco Hairy Roots as Early Indicators of Phenol Pollution. Chromatographia, 2021, 84, 597-608.	1.3	3
3638	Validation and Use of an Accurate, Sensitive Method for Sample Preparation and Gas Chromatography–Mass Spectrometry Determination of Different Endocrine-Disrupting Chemicals in Dairy Products. Foods, 2021, 10, 1040.	4.3	6
3639	UPLC-MS/MS Assay for Quantification of Wedelolactone and Demethylwedelolactone in Rat Plasma and the Application to a Preclinical Pharmacokinetic Study. Combinatorial Chemistry and High Throughput Screening, 2021, 24, .	1.1	0
3640	Intact plasma quantification of the large therapeutic lipopeptide bulevirtide. Analytical and Bioanalytical Chemistry, 2021, 413, 5645-5654.	3.7	4
3641	Quantification of beta-lactam antibiotics cefuroxime and flucloxacillin in human synovial fluid, using ultra-performance convergence chromatography-tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1173, 122696.	2.3	2
3642	Long-Term Stability of 13 Fentanyl Analogs in Blood. Journal of Analytical Toxicology, 2021, 45, 870-877.	2.8	7
3643	Determination and structural characterization of ravidasvir metabolites by LC coupled to triple quadrupole linear ion trap MS: Application to pharmacokinetics and phase I metabolism in rats. Biomedical Chromatography, 2021, 35, e5146.	1.7	3
3644	Determination of selected water-soluble vitamins (thiamine, riboflavin, nicotinamide and pyridoxine) from a food matrix using hydrophilic interaction liquid chromatography coupled with mass spectroscopy. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Science, 2021, 1171, 122541	2.3	15

#	Article	IF	CITATIONS
3645	Unified chromatography – Mass spectrometry as a versatile tool for determination of food dyes. Analytica Chimica Acta, 2021, 1157, 338401.	5.4	13
3646	Simultaneous measurement of 13 circulating vitamin D3 and D2 mono and dihydroxy metabolites using liquid chromatography mass spectrometry. Clinical Chemistry and Laboratory Medicine, 2021, 59, 1642-1652.	2.3	27
3647	Determination of 13 antidepressants in blood by UPLC-MS/MS with supported liquid extraction pretreatment. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1171, 122608.	2.3	19
3648	Quantification of eight hematological tyrosine kinase inhibitors in both plasma and whole blood by a validated LC-MS/MS method. Talanta, 2021, 226, 122140.	5.5	20
3649	Determination of tigecycline in human lung epithelial cells and polymorphonuclear neutrophils by liquid chromatography/tandem mass spectrometry and its application in a cellular pharmacokinetics study. Rapid Communications in Mass Spectrometry, 2021, 35, e9112.	1.5	4
3650	LC-MS/MS analysis of vitamin D3 metabolites in human serum using a salting-out based liquid-liquid extraction and DAPTAD derivatization. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1173, 122654.	2.3	10
3651	Analysis of the California list of pesticides, mycotoxins, and cannabinoids in chocolate using liquid chromatography and lowâ€pressure gas chromatographyâ€based platforms. Journal of Separation Science, 2021, 44, 2564-2576.	2.5	12
3653	Characterization and Separation of Platinum-Based Antineoplastic Drugs by Zwitterionic Hydrophilic Interaction Liquid Chromatography (HILIC)–Tandem Mass Spectrometry, and Its Application in Surface Wipe Sampling. Separations, 2021, 8, 69.	2.4	3
3654	Bio-activation of simeprevir in liver microsomes and characterization of its glutathione conjugates by liquid chromatography coupled to ultrahigh-resolution quadrupole time-of-flight mass spectrometry. Journal of Chromatography A, 2021, 1645, 462095.	3.7	4
3655	A sensitive LC-MS/MS method for the quantitation of oxycodone, noroxycodone, 6α-oxycodol, 6β-oxycodol, oxymorphone, and noroxymorphone in human blood. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1171, 122625.	2.3	1
3656	Multiclass analysis of emerging organic contaminants in tropical marine biota using improved QuEChERS extraction followed by LC MS/MS. Microchemical Journal, 2021, 164, 106063.	4.5	1
3657	Blood Microsampling to Monitor Metabolic Profiles During Physical Exercise. Frontiers in Molecular Biosciences, 2021, 8, 681400.	3.5	8
3658	Volumetric absorptive microsampling as alternative sampling technique for renal function assessment in the paediatric population using iohexol. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1171, 122623.	2.3	7
3659	A dispersive liquid-liquid microextraction method for determination of bongkrekic acid in plasma by LC-MS/MS. Journal of Liquid Chromatography and Related Technologies, 0, , 1-14.	1.0	1
3660	Electrochemical Biosensing of Dopamine Neurotransmitter: A Review. Biosensors, 2021, 11, 179.	4.7	98
3661	Methadone, Buprenorphine, Oxycodone, Fentanyl and Tramadol in Multiple Postmortem Matrices. Journal of Analytical Toxicology, 2022, 46, 600-610.	2.8	4
3662	An overview of sample preparation in forensic toxicology. Wiley Interdisciplinary Reviews Forensic Science, 2022, 4, .	2.1	7
3663	Targeted and suspect screening of contaminants in coastal water and sediment samples in Qatar. Science of the Total Environment, 2021, 774, 145043.	8.0	13

#	Article	IF	CITATIONS
3664	The standard addition method and its validation in forensic toxicology. Forensic Toxicology, 2021, 39, 311-333.	2.4	30
3665	Characterization of the PRODUCTION of ANTHOCYANIN PIGMENT 1 Arabidopsis dominant mutant using DLEMMA dual isotope labeling approach. Phytochemistry, 2021, 186, 112740.	2.9	2
3666	Simultaneous Measurement of 11 Antibiotics for use in the Intensive Care Unit by Ultra Performance Liquid Chromatography-Tandem Mass Spectrometry. Therapeutic Drug Monitoring, 2021, Publish Ahead of Print, .	2.0	5
3667	Analysis of 28 hair samples from users of the hallucinogenic beverage ayahuasca. Forensic Science International, 2021, 323, 110790.	2.2	6
3668	Correction of Matrix Effects for Reliable Non-target Screening LC–ESI–MS Analysis of Wastewater. Analytical Chemistry, 2021, 93, 8432-8441.	6.5	30
3669	Determination of atropine and scopolamine in spinach-based products contaminated with genus Datura by UHPLC–MS/MS. Food Chemistry, 2021, 347, 129020.	8.2	15
3670	lsomer Selective Comprehensive Lipidomics Analysis of Phosphoinositides in Biological Samples by Liquid Chromatography with Data Independent Acquisition Tandem Mass Spectrometry. Analytical Chemistry, 2021, 93, 9583-9592.	6.5	27
3671	Combined Paper Centrifugal Chromatographic Separation and SERS Detection for Multicomponent Substances. Analytical Chemistry, 2021, 93, 8693-8697.	6.5	11
3672	Overcoming matrix effects in quantitative liquid chromatography–mass spectrometry analysis of steroid hormones in surface waters. Rapid Communications in Mass Spectrometry, 2022, 36, e9154.	1.5	4
3673	Automated method to determine pharmaceutical compounds in wastewater using on-line solid-phase extraction coupled to LC-MS/MS. Analytical and Bioanalytical Chemistry, 2021, 413, 5147-5160.	3.7	6
3674	Bioanalysis of selinexor in mouse plasma micro-samples utilizing UPLC-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1176, 122781.	2.3	2
3675	Development and validation of an UHPLC-qTOF-MS method for the quantification of cyclic polyesters oligomers in pasta by applying a modified QuEChERS clean-up. Food Chemistry, 2021, 347, 129040.	8.2	11
3676	Determination of Urinary Mycotoxin Biomarkers Using a Sensitive Online Solid Phase Extraction-UHPLC-MS/MS Method. Toxins, 2021, 13, 418.	3.4	13
3677	Longitudinal Assessment of Chlorpyrifos Exposure in Farmers and Residents of an Italian Alpine Region. Exposure and Health, 2021, 13, 651-659.	4.9	3
3678	A synergy of liquid chromatography with highâ€resolution mass spectrometry and coagulation test for determination of direct oral anticoagulants for clinical and toxicological purposes. Biomedical Chromatography, 2021, 35, e5195.	1.7	3
3679	Signal-Separated Quantification of γ-Hydroxybutyrate with Liquid Chromatography–Tandem Mass Spectrometry in Human Urine and Serum as an Improvement of the Analyte Adduct Ion–Based Quantification. Journal of Analytical Toxicology, 2021, , .	2.8	1
3680	Development and validation of a fast ultraâ€highâ€performance liquid chromatography tandem mass spectrometry method for determining carbonic anhydrase inhibitors and their metabolites in urine and hair. Drug Testing and Analysis, 2021, 13, 1552-1560.	2.6	12
3681	Single Quadrupole Multiple Fragment Ion Monitoring Quantitative Mass Spectrometry. Analytical Chemistry, 2021, 93, 10879-10889.	6.5	9

#	Article	IF	CITATIONS
3682	Lipemia in the Plasma Sample Affects Fentanyl Measurements by Means of HPLC-MS2 after Liquid-Liquid Extraction. Molecules, 2021, 26, 4514.	3.8	6
3683	Engineered extracellular vesicles for concurrent Anti-PDL1 immunotherapy and chemotherapy. Bioactive Materials, 2022, 9, 251-265.	15.6	30
3684	Simple and accurate quantitative analysis of cefiderocol and ceftobiprole in human plasma using liquid chromatography-isotope dilution tandem mass spectrometry: interest for their therapeutic drug monitoring and pharmacokinetic studies. Clinical Chemistry and Laboratory Medicine, 2021, 59, 1800-1810.	2.3	11
3685	In Vitro Cell Toxicity and Intracellular Uptake of Doxorubicin Exposed as a Solution or Liposomes: Implications for Treatment of Hepatocellular Carcinoma. Cells, 2021, 10, 1717.	4.1	25
3686	A Single Method for 127 Recommended and Additional DUID Drugs in Blood and Urine by LC–MS-MS. Journal of Analytical Toxicology, 2022, 46, 658-669.	2.8	14
3687	Quantification of ribociclib in dried blood spots by LC–MS/MS: Method development and clinical validation. Journal of Pharmaceutical and Biomedical Analysis, 2021, 201, 114118.	2.8	6
3688	Evaluation of the diagnostic performance of an oral fluid screening test device for substance abuse at traffic controls. Clinical Biochemistry, 2021, 93, 112-118.	1.9	2
3689	Developing an analytical method for free amino acids in atmospheric precipitation using gas chromatography coupled with mass spectrometry. Atmospheric Research, 2021, 256, 105579.	4.1	8
3690	Determination of nootkatone in rat plasma by LC–tandem mass spectrometry and its application in a pharmacokinetic study. Biomedical Chromatography, 2021, 35, e5197.	1.7	3
3691	Major bioactive chemical compounds in Astragali Radix samples from different vendors vary greatly. PLoS ONE, 2021, 16, e0254273.	2.5	11
3692	Post-mortem distribution of mephedrone and its metabolites in body fluids and organ tissues of an intoxication case. Journal of Pharmaceutical and Biomedical Analysis, 2021, 201, 114093.	2.8	4
3693	Linear retention index approach applied to liquid chromatography coupled to triple quadrupole mass spectrometry to determine oxygen heterocyclic compounds at trace level in finished cosmetics. Journal of Chromatography A, 2021, 1649, 462183.	3.7	15
3694	Study of Δ9-tetrahydrocannabinol (THC) and cannabidiol (CBD) extraction FROM dried oral fluid spots (DOFS) and LC–MS/MS detection. Journal of Cannabis Research, 2021, 3, 30.	3.2	4
3695	Appraisal of different clean-up strategies for the determination of fipronil and its metabolites in eggs by UHPLC-MS/MS. Microchemical Journal, 2021, 166, 106275.	4.5	3
3696	The history of electron ionization in LC-MS, from the early days to modern technologies: A review. Analytica Chimica Acta, 2021, 1167, 338350.	5.4	25
3697	Identification and determination of emerging pollutants in sewage sludge driven by UPLC-QTOF-MS data mining. Science of the Total Environment, 2021, 778, 146256.	8.0	18
3698	Chloroform-based liquid-liquid extraction and LC–MS/MS quantification of endocannabinoids, cortisol and progesterone in human hair. Journal of Pharmaceutical and Biomedical Analysis, 2021, 201, 114103.	2.8	15
3699	Quantitative analysis of 20 fentanyl analogues by modified QuEChERS-LC–MS/MS in health products and transdermal patches. Journal of Pharmaceutical and Biomedical Analysis, 2021, 201, 114100.	2.8	7

#	Article	IF	CITATIONS
3700	Quantification of fentanyl analogs in oral fluid using LCâ€QTOFâ€MS. Journal of Forensic Sciences, 2021, 66, 1871-1878.	1.6	6
3701	Enantioselective Quantification of Amphetamine and Metabolites in Serum Samples: Forensic Evaluation and Estimation of Consumption Time. Metabolites, 2021, 11, 521.	2.9	8
3702	Development of an LC-MS/MS Method for Measurement of Irinotecan and Its Major Metabolites in Plasma: Technical Considerations. Laboratory Medicine, 2021, , .	1.2	0
3703	Direct and specific analysis of nitrite and nitrate in biological and non-biological samples by capillary ion analysis for the rapid identification of fatal intoxications with sodium nitrite. Forensic Science International, 2021, 325, 110855.	2.2	8
3704	A Dilute-and-Shoot UHPLC-MS/MS Isotope Dilution Method for Simultaneous Determination and Confirmation of Eleven Mycotoxins in Dried Distillers Grains with Solubles. Journal of AOAC INTERNATIONAL, 2021, , .	1.5	1
3705	A systematic review of quantitative analysis of cannabinoids in oral fluid. Journal of Forensic Sciences, 2021, 66, 2104-2112.	1.6	7
3706	Fast and reliable analysis of veterinary metomidate and etomidate in human blood samples by liquid chromatography–tandem mass spectrometry (LC–MS/MS) in a postmortem case. Journal of Forensic Sciences, 2021, 66, 2532-2538.	1.6	4
3707	Sensitive determination of gentamicin in plasma using ion-exchange solid-phase extraction followed by UHPLC-MS/MS analysis. Practical Laboratory Medicine, 2021, 26, e00246.	1.3	7
3708	Simple implementation of muscle tissue into routine workflow of blood analysis in forensic cases – A validated method for quantification of 29 drugs in postmortem blood and muscle samples by UHPLC–MS/MS. Forensic Science International, 2021, 325, 110901.	2.2	14
3709	Discovery of Quality Markers of Nucleobases, Nucleosides, Nucleotides and Amino Acids for Chrysanthemi Flos From Different Geographical Origins Using UPLC–MS/MS Combined With Multivariate Statistical Analysis. Frontiers in Chemistry, 2021, 9, 689254.	3.6	4
3710	Bosentan alters endo- and exogenous bile salt disposition in sandwich-cultured human hepatocytes. Journal of Pharmacology and Experimental Therapeutics, 2021, 379, JPET-AR-2021-000695.	2.5	2
3711	Suspect screening of pharmaceuticals in fish livers based on QuEChERS extraction coupled with high resolution mass spectrometry. Science of the Total Environment, 2021, 783, 146902.	8.0	12
3712	An extensive clean-up method for extraction of 17β-estradiol from eel aquaculture waste solids for quantitation via high-performance liquid chromatography tandem-mass spectrometry. Aquaculture, 2021, 542, 736873.	3.5	1
3713	Analytical method for the simultaneous determination of a broad range of opioids in influent wastewater: Optimization, validation and applicability to monitor consumption patterns. Talanta, 2021, 232, 122443.	5.5	19
3714	Determination of 6 biogenic amines in food using high-performance liquid chromatography-tandem mass spectrometry without derivatization. Journal of Chromatography A, 2021, 1653, 462415.	3.7	20
3715	Determination of ceftriaxone in human plasma using liquid chromatography–tandem mass spectrometry. Wellcome Open Research, 0, 4, 47.	1.8	2
3716	Optimization of a rapid sample pretreatment for the quantification of COCAINE and its main metabolites in hair through a new and validated GC-MS/MS method. Journal of Pharmaceutical and Biomedical Analysis, 2021, 204, 114282.	2.8	8
3717	Pharmacokinetic profile, tissue residue depletion and anthelmintic efficacy of supramolecular fenbendazole. International Journal of Pharmaceutics, 2021, 607, 120957.	5.2	4

#	Article	IF	CITATIONS
3718	Postmortem Analysis of Opioids and Metabolites in Skeletal Tissue. Journal of Analytical Toxicology, 2022, 46, 783-790.	2.8	5
3719	Circulating Conjugated and Unconjugated Vitamin D Metabolite Measurements by Liquid Chromatography Mass Spectrometry. Journal of Clinical Endocrinology and Metabolism, 2022, 107, 435-449.	3.6	19
3720	Design of Gd3+-immobilized two-dimensional magnetic magadiite nanosheets for highly selective enrichment of phosphopeptides. Mikrochimica Acta, 2021, 188, 327.	5.0	6
3721	Detection of amfepramone and its metabolite cathinone in human hair: Application to a uthentic cases of amfepramone use. Drug Testing and Analysis, 2022, 14, 101-109.	2.6	3
3722	Development and validation of a method for the analysis of trifludimoxazin, picarbutrazox and pyraziflumid residues in cereals, vegetables and fruits using ultra-performance liquid chromatography/tandem mass spectrometry. Microchemical Journal, 2021, 168, 106477.	4.5	6
3723	Development and validation of an LC-MS/MS method to quantify the bromodomain and extra-terminal (BET) inhibitor JQ1 in mouse plasma and brain microdialysate: Application to cerebral microdialysis study. Journal of Pharmaceutical and Biomedical Analysis, 2021, 204, 114274.	2.8	3
3724	Identification of Potential Drug Targets of Broad-Spectrum Inhibitors with a Michael Acceptor Moiety Using Shotgun Proteomics. Viruses, 2021, 13, 1756.	3.3	10
3725	Quantification of vitamin D3 and 25-hydroxyvitamin D3 in food – The impact of eluent additives and labelled internal standards on matrix effects in LC-MS/MS analysis. Food Chemistry, 2021, 357, 129588.	8.2	11
3726	Development and validation of a liquid chromatography high-resolution mass spectrometry orbitrap method for the sensitive quantification of amoxicillin, piperacillin, tazobactam and meropenem in human faeces. Analytica Chimica Acta, 2021, 1177, 338760.	5.4	3
3727	Mass Spectrometry for Investigation of Natural Dyes in Historical Textiles: Unveiling the Mystery behind Safflower-Dyed Fibers. Journal of the American Society for Mass Spectrometry, 2021, 32, 2552-2566.	2.8	13
3728	Application of non-target analysis to study the thermal transformation of malachite and leucomalachite green in brook trout and shrimp. Current Research in Food Science, 2021, 4, 707-715.	5.8	6
3729	Fully Automated Dried Blood Spot Extraction coupled to Liquid Chromatography-tandem Mass Spectrometry for Therapeutic Drug Monitoring of Immunosuppressants. Journal of Chromatography A, 2021, 1653, 462430.	3.7	22
3730	Quantification of serum thyroid hormones using tandem mass spectrometry in patients with Down syndrome. Biomedical Chromatography, 2021, , e5249.	1.7	0
3731	Prevalence and concentrations of new designer stimulants, synthetic opioids, benzodiazepines, and hallucinogens in postmortem hair samples: A 13â€year retrospective study. Drug Testing and Analysis, 2022, 14, 110-121.	2.6	9
3732	Physicochemical Stability and Compatibility Testing of Voriconazole in All-in-One Parenteral Nutrition Admixtures. Pharmaceutics, 2021, 13, 1447.	4.5	2
3733	Simultaneous quantification of 19 analytes in breast milk by liquid chromatography-tandem mass spectrometry (LC-MS/MS). Journal of Pharmaceutical and Biomedical Analysis, 2021, 204, 114236.	2.8	4
3734	Evaluation of the matrix effect of pH value and sugar content on the analysis of pesticides in tropical fruits by UPLC-MS/MS. Microchemical Journal, 2021, 168, 106375.	4.5	15
3735	Development of LC-HRMS methods for evaluation of metabolic conversion of 5-fluorocytosine at GDEPT procedure. Journal of Pharmaceutical and Biomedical Analysis, 2021, 203, 114168.	2.8	0

#	Article	IF	CITATIONS
3736	Developing a Fast Ultra-High-Performance Liquid Chromatography–Tandem Mass Spectrometry Method for High-Throughput Surface Contamination Monitoring of 26 Antineoplastic Drugs. Separations, 2021, 8, 150.	2.4	2
3737	Investigating the Central Nervous System Disposition of Actinomycin D: Implementation and Evaluation of Cerebral Microdialysis and Brain Tissue Measurements Supported by UPLC-MS/MS Quantification. Pharmaceutics, 2021, 13, 1498.	4.5	3
3738	A fast-screening dispersive liquid–liquid microextraction–gas chromatography–mass spectrometry method applied to the determination of efavirenz in human plasma samples. Analytical and Bioanalytical Chemistry, 2021, 413, 6401-6412.	3.7	3
3739	L C-tandem mass spectrometry for quantifying three drugs simultaneously utilized for treating Chlamydia Trachomatis infection in Rabbit's aqueous humor: Experimental central composite aided design augmented Lean Six Sigma. Microchemical Journal, 2021, 169, 106571.	4.5	2
3740	Analysis of cannabis seizures by non-targeted liquid chromatography-tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2021, 205, 114313.	2.8	8
3741	Determination of twenty herbicides in blood by ultrapressure liquid chromatography–tandem mass spectrometry. Forensic Science International, 2021, 327, 110910.	2.2	7
3742	Fast accurate quantification of salivary cortisol and cortisone in a large-scale clinical stress study by micro-UHPLC-ESI-MS/MS using a surrogate calibrant approach. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1182, 122939.	2.3	6
3743	A quantitative UHPLC-MS/MS method for the growth hormone-releasing peptide-6 determination in complex biological matrices and transdermal formulations. Talanta, 2021, 233, 122555.	5.5	2
3744	Determination of chlorothalonil metabolites in soil and water samples. Journal of Chromatography A, 2021, 1655, 462507.	3.7	9
3745	The development and validation of a novel LC-MS/MS method for the simultaneous quantification of Molnupiravir and its metabolite ß-d-N4-hydroxycytidine in human plasma and saliva. Journal of Pharmaceutical and Biomedical Analysis, 2021, 206, 114356.	2.8	45
3746	Determination of 8 biogenic amines in aquatic products and their derived products by high-performance liquid chromatography-tandem mass spectrometry without derivatization. Food Chemistry, 2021, 361, 130044.	8.2	17
3747	Mass spectrometry determination of seized oil-based anabolic-androgenic steroids products. Forensic Science International, 2021, 328, 111012.	2.2	4
3748	Determination of paracetamol and its metabolites via LC-MS/MS in dried blood volumetric absorptive microsamples: A tool for pharmacokinetic studies. Journal of Pharmaceutical and Biomedical Analysis, 2021, 206, 114361.	2.8	7
3749	Ultrasound-assisted electromembrane extraction with supported semi-liquid membrane. Analytica Chimica Acta, 2021, 1184, 339038.	5.4	6
3750	Simultaneous analysis of 21 bioactive compounds in biorefinery oil: Multivariate optimization of a method based on liquid chromatography, atmospheric pressure chemical ionization and tandem mass spectrometry. Microchemical Journal, 2021, 170, 106761.	4.5	2
3751	Worldwide survey of pesticide residues in citrus-flavored soft drinks. Food Chemistry, 2021, 365, 130486.	8.2	7
3752	A multi-plug filtration (m-PFC) cleanup method based on carboxylic multi-walled carbon nanotubes for the detection of 14 perfluorinated compounds and dietary risk assessment of chicken, beef, and mutton collected from Shanghai markets. Food Control, 2021, 130, 108330.	5.5	6
3753	Assessment of a specific sample cleanup for the multiresidue determination of veterinary drugs and pesticides in salmon using liquid chromatography/tandem mass spectrometry. Food Control, 2021, 130, 108311.	5.5	17

#	Article	IF	CITATIONS
3754	Ultra-high performance liquid chromatography tandem mass spectrometry analysis of UV filters in marine mussels (Mytilus galloprovinciallis) from the southern coast of Spain. Microchemical Journal, 2021, 171, 106800.	4.5	6
3755	Green and sustainable drug analysis – Combining microsampling and microextraction of drugs of abuse. Sustainable Chemistry and Pharmacy, 2021, 24, 100517.	3.3	7
3756	A novel analytical strategy for the determination of perfluoroalkyl acids in various food matrices using a home-made functionalized fluorine interaction SPME in combination with LC-MS/MS. Food Chemistry, 2022, 366, 130572.	8.2	10
3757	A UHPLC/MS/MS method for the analysis of active and inactive forms of GLP-1 and GIP incretins in human plasma. Talanta, 2022, 236, 122806.	5.5	3
3758	Ultrasound assisted extraction and quantification of targeted bioactive compounds of Centella asiatica (Gotu Kola) by UHPLC-MS/MS MRM tandem mass spectroscopy. Food Chemistry, 2022, 371, 131187.	8.2	12
3759	Evaluation of different extractions for the metabolite identification of malachite green in brook trout and shrimp. Food Chemistry, 2022, 369, 130567.	8.2	7
3760	Automation in quantifying phenoxy herbicides and bentazon in surface water and groundwater using novel solid phase extraction and liquid chromatography tandem mass spectrometry. Chemosphere, 2022, 286, 131927.	8.2	12
3761	Pharmaceuticals, hormones, plasticizers, and pesticides in drinking water. Journal of Hazardous Materials, 2022, 424, 127327.	12.4	24
3762	Fatal, Intentional Overdose of Ranolazine: Postmortem Distribution of Parent Drug and Its Major Metabolite. Journal of Analytical Toxicology, 2020, , .	2.8	2
3763	Organic-solvent-free electromembrane extraction based on semi-interpenetrating polymer networks. Green Chemistry, 2021, 23, 1782-1793.	9.0	16
3764	Analytical Methodologies for the Characterization and Analysis of the Parent Compound and Phase I Metabolites of 4F-MDMB-BICA in Human Microsome, Urine and Blood Samples. Journal of Analytical Toxicology, 2022, 46, 135-145.	2.8	12
3765	Analytical Methods for Quantification and Identification of Intact Glucosinolates in Arabidopsis Roots Using LC-QqQ(LIT)-MS/MS. Metabolites, 2021, 11, 47.	2.9	11
3766	Trace Analysis of Multiclass Antibiotics in Food Products by Liquid Chromatography-Tandem Mass Spectrometry: Method Development. Journal of Agricultural and Food Chemistry, 2021, 69, 1656-1666.	5.2	35
3769	Plant Metabolite Profiling for Industrial Applications. , 2006, , 327-339.		1
3770	Capillary HPLC Coupled to Electrospray Ionization Quadrupole Time-of-flight Mass Spectrometry. Biotechnology in Agriculture and Forestry, 2006, , 65-79.	0.2	3
3771	The Analysis of Antipsychotic Drugs in Human Biosamples by LC-MS. , 2012, , 177-195.		1
3772	Therapeutic Drug Monitoring of Targeted Anticancer Therapy. Tyrosine Kinase Inhibitors and Selective Estrogen Receptor Modulators: A Clinical Pharmacology Laboratory Perspective. , 2012, , 197-250.		2
3773	Bioanalysis. AAPS Advances in the Pharmaceutical Sciences Series, 2014, , 419-458.	0.6	1

		CITATION REPORT		
#	Article		IF	CITATIONS
3774	Polyamine Analysis by LC-MS. Methods in Molecular Biology, 2011, 720, 505-518.		0.9	7
3775	Tandem Mass Spectrometry in Hormone Measurement. Methods in Molecular Biology,	2013, 1065, 45-74.	0.9	10
3776	Dietary Phenolic Compounds in Biological Samples: Current Challenges in Analytical Ch Reference Series in Phytochemistry, 2019, , 1929-1958.	emistry.	0.4	1
3777	Sample Collection, Biobanking, and Analysis. Handbook of Experimental Pharmacology, 203-217.	2011, 205,	1.8	4
3778	Elucidating the mode-of-action of compounds from metabolite profiling studies. , 2007	, 64, 103-129.		2
3779	Metabolite-Based Biomarkers for Plant Genetics and Breeding. , 2013, , 281-309.			6
3780	A combined LC-MS/MS and LC-MS3 multi-method for the quantification of iodothyronin blood serum. , 2019, 411, 5605.	ies in human		1
3781	A combined LC-MS/MS and LC-MS3 multi-method for the quantification of iodothyronin blood serum. , 2019, 411, 5605.	nes in human		1
3782	Simultaneous determination of nine dinitroaniline herbicides in environmental samples validated vortex-assisted dispersive liquid–liquid microextraction procedure coupled GC–MS/MS. Chemical Papers, 2020, 74, 2311-2326.	using a with	2.2	12
3783	High-Throughput Determination of 30 Veterinary Drug Residues in Milk Powder by Disp Solid-Phase Extraction Coupled with Ultra-High Performance Liquid Chromatography Ta Spectrometry. Food Analytical Methods, 2017, 10, 3753-3762.	ersive Indem Mass	2.6	8
3784	Quantitative profiling of eicosanoids derived from n-6 and n-3 polyunsaturated fatty ac derivatization strategy combined with LC-MS/MS in patients with type 2 diabetes melli Chimica Acta, 2020, 1120, 24-35.	ids by twin cus. Analytica	5.4	27
3785	Liquid chromatography–mass spectrometry in occupational toxicology: A novel appro of biotransformation of industrial chemicals. Journal of Chromatography A, 2004, 1058	pach to the study , 21-37.	3.7	22
3786	Determination of benzothiazoles from complex aqueous samples by liquid chromatogra spectrometry following solid-phase extraction. Journal of Chromatography A, 2004, 10	aphy–mass 58, 81-88.	3.7	38
3787	Matrix effect in LC-ESI-MS and LC-APCI-MS with off-line and on-line extraction procedur Chromatography A, 2004, 1058, 61-66.	es. Journal of	3.7	163
3788	Steroid profiling in urine of intact glucuronidated and sulfated steroids using liquid chromatography-mass spectrometry. Journal of Chromatography A, 2020, 1624, 46123	31.	3.7	17
3789	Development and validation of a QuEChERS method coupled to liquid chromatography resolution mass spectrometry to determine pyrrolizidine and tropane alkaloids in honey Chemistry, 2017, 234, 295-302.	and high v. Food	8.2	76
3790	Simultaneous determination of gentisic, salicyluric and salicylic acid in human plasma u solid-phase extraction, liquid chromatography and electrospray ionization mass spectro Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Science 257-264.	sing metry. es, 2004, 809,	2.3	8
3791	Quantitative determination of pesticide residues in specific parts of bee specimens by r chromatography high resolution mass spectrometry. Science of the Total Environment, 137005.	anoflow liquid 2020, 715,	8.0	13

#	Article	IF	CITATIONS
3792	Ion Suppression of Basic Nitrogen Compounds in Vacuum Gas Oil Studied by Positive Electrospray Ionization Fourier Transform Ion Cyclotron Resonance Mass Spectrometry. Energy & Fuels, 2020, 34, 15949-15956.	5.1	4
3793	Chiral Serum Pharmacokinetics of 4-Fluoroamphetamine after Controlled Oral Administration: Can (R)/(S)-Concentration Ratios Help in Interpreting Forensic Cases?. Journal of Analytical Toxicology, 2021, 45, 985-992.	2.8	7
3794	Application of a Validated UPLC–MS-MS Method for the Determination of Diphenidol in Biological Samples in 15 Authentic Lethal Cases. Journal of Analytical Toxicology, 2021, 45, 976-984.	2.8	3
3795	A Novel Quantitative Method for Analyzing Desmopressin in Human Plasma Using Liquid Chromatography–Tandem Mass Spectrometry. Therapeutic Drug Monitoring, 2020, 42, 880-885.	2.0	1
3796	Dried Plasma Spots and Oral Fluid as Alternative Matrices for Therapeutic Drug Monitoring of Busulfan. Therapeutic Drug Monitoring, 2020, Publish Ahead of Print, 376-385.	2.0	4
3797	Simultaneous Quantification of BCR-ABL and Bruton Tyrosine Kinase Inhibitors in Dried Plasma Spots and Its Application to Clinical Sample Analysis. Therapeutic Drug Monitoring, 2021, 43, 386-393.	2.0	8
3798	Matrix Effects. , 2004, , 103-150.		5
3799	Strategies and Techniques for Bioanalytical Assays as Part of New Drug Discovery. , 2009, , 1-31.		2
3800	Analysis of Antibiotics in Milk and Its Products. , 2010, , 887-905.		1
3801	Validation of a LC-MS/MS Method for Quantifying Urinary Nicotine, Six Nicotine Metabolites and the Minor Tobacco Alkaloids—Anatabine and Anabasine—in Smokers' Urine. PLoS ONE, 2014, 9, e101816.	2.5	52
3802	In Vivo Availability of Pro-Resolving Lipid Mediators in Oxazolone Induced Dermal Inflammation in the Mouse. PLoS ONE, 2015, 10, e0143141.	2.5	13
3803	Age-Related Changes of Plasma Bile Acid Concentrations in Healthy Adults—Results from the Cross-Sectional KarMeN Study. PLoS ONE, 2016, 11, e0153959.	2.5	66
3805	AN LC- MS/MS METHOD FOR THE DETERMINATION OF OMEPRAZOLE ON PROTON PUMP INHIBITOR IN HUMAN PLASMA. Indonesian Journal of Pharmacy, 2016, 27, 80.	0.3	4
3806	Quantification of vancomycin in human serum by LC-MS/MS. Clinical Chemistry and Laboratory Medicine, 2013, 51, 1761-9.	2.3	33
3807	The pathway through LC-MS method development: in-house or ready-to-use kit-based methods?. Clinical Chemistry and Laboratory Medicine, 2020, 58, 1002-1009.	2.3	13
3808	Development of a total serum testosterone, androstenedione, 17-hydroxyprogesterone, 11β-hydroxyandrostenedione and 11-ketotestosterone LC-MS/MS assay and its application to evaluate pre-analytical sample stability. Clinical Chemistry and Laboratory Medicine, 2020, 58, 741-752.	2.3	22
3809	Isotope dilution-LC-MS/MS method for quantification of the urinary cotinine-to-creatinine ratio. Clinical Chemistry and Laboratory Medicine, 2020, 58, 1469-1476.	2.3	2
3810	Validation of a liquid chromatography tandem mass spectrometry method for the simultaneous determination of hydroxychloroquine and metabolites in human whole blood. Clinical Chemistry and Laboratory Medicine, 2020, 58, 2047-2061.	2.3	4

#	Article	IF	CITATIONS
3811	Analysis of the Polyphenols of Tobacco Using Pressurized Liquid Extraction (PLE) and Ultra Performance Liquid Chromatography With Electrospray Ionization – Tandem Mass Spectometric Detection (UPLC-ESI-MS/MS). Beitrage Zur Tabakforschung International/ Contributions To Tobacco Research, 2017, 27, 195-207.	0.3	3
3812	Sensitive determination of ethyl glucuronide in serum and whole blood: detection time after alcohol exposure compared with urine. Journal of Laboratory Medicine, 2020, 44, 211-219.	1.1	5
3813	Quantification of tamsulosin in human plasma by high-performance liquid chromatography coupled with electrospray tandem mass spectrometry. Acta Chromatographica, 2010, 22, 99-116.	1.3	2
3814	Multi-Perfluoroalkyl Derivatization of Polyamines for Selective Liquid Chromatography-Tandem Mass Spectrometric Analysis Utilizing Fluorous Affinity. Chromatography, 2017, 38, 107-113.	1.7	2
3815	Development of a Stability Indicating UPLC-MS/MS Method for Rapid and Reliable Determination of Fenofibrate in Marketed Product (Lypanthyl 200M) and Human Plasma. Journal of Pharmaceutics and Drug Development, 2013, 1, .	0.1	3
3816	Quantitative Analysis of 30 Drugs in Whole Blood by SPE and UHPLC-TOF-MS. Journal of Forensic Science & Criminology, 2013, 1, .	0.0	3
3817	Quantification of isoniazid, pyrazinamide and ethambutol in serum using liquid chromatography-tandem mass spectrometry. Journal of Applied Bioanalysis, 2015, 1, 89-98.	0.2	16
3818	Determination of levofloxacin in human serum using liquid chromatography tandem mass spectrometry. Journal of Applied Bioanalysis, 2018, 4, 16-25.	0.2	9
3820	Matrix Effect in the Quantitative Determination of Mandelic and Phenylglyoxylic Acid in Urine Samples by HPLC-MS/MS with Isotopic Dilution. Current Analytical Chemistry, 2013, 9, 439-446.	1.2	14
3821	Automated Post-Column Sample Manipulation Prior to Detection in Liquid Chromatography: A Review of Pharmaceutical and Bioanalytical Applications. Current Analytical Chemistry, 2019, 15, 759-775.	1.2	7
3822	Matrix effect in analysis of pesticide residues in fruits and vegetables by high performance liquid chromatography with quadrupole-time of flight mass spectrometry. NauÄno-TehniÄeskij Vestnik Brânskogo Gosudarstvennogo Universiteta, 2017, 3, 09-17.	0.0	2
3823	Development and validation of a LC-ESI-MS/MS method for simultaneous whole blood analysis of 51 new psychoactive substances. Drug Analytical Research, 2019, 3, 36-45.	0.6	3
3825	Dried Blood Spot Multiplexed Steroid Profiling Using Liquid Chromatography Tandem Mass Spectrometry in Korean Neonates. Annals of Laboratory Medicine, 2019, 39, 263.	2.5	2
3826	Recommendations for Liquid Chromatography-Mass Spectrometry in the Clinical Laboratory: Part II. Method Validation. Laboratory Medicine Online, 2020, 10, 95.	0.2	7
3827	Rapid Liquid Chromatography—Tandem Mass Spectrometry Analysis of Two Urinary Oxidative Stress Biomarkers: 8-oxodG and 8-isoprostane. Antioxidants, 2021, 10, 38.	5.1	4
3828	Dissipation of Emamectin Benzoate Residues in Rice and Rice-Growing Environments. Molecules, 2020, 25, 483.	3.8	8
3831	Evaluation of Analysis of Cholesterol Oxidation Products and Heterocyclic Amines in Duck and Their Formation as Affected by Roasting Methods. Journal of Food and Drug Analysis, 2020, 28, 322-336.	1.9	5
3832	Quantitative determination of human serum testosterone via isotope dilution ultra‑performance liquid chromatography tandem mass spectrometry. Molecular Medicine Reports, 2020, 22, 1576-1582.	2.4	5

#	Article	IF	CITATIONS
3833	Collaborative investigation of matrix effects in mycotoxin determination by high performance liquid chromatography coupled to mass spectrometry. Quality Assurance and Safety of Crops and Foods, 2013, 5, 91-103.	3.4	6
3834	Simultaneous determination of aflatoxin B1, aflatoxin B2, mycophenolic acid and sterigmatocystin in grape pomace by UHPLC-MS/MS. World Mycotoxin Journal, 2014, 7, 121-129.	1.4	5
3835	<i>In vitro</i> metabolism of sodium 9-dehydro-17-hydro- andrographolide-19-yl sulfate in rat liver s9 by liquid chromatography–mass spectrometry method. Pharmacognosy Magazine, 2016, 12, 102.	0.6	8
3836	Ionization Polarity as a Cause of Matrix Effects, its Removal and Estimation in ESI-LC-MS/MS Bio-analysis. Journal of Analytical & Bioanalytical Techniques, 2010, 01, .	0.6	12
3837	Solid Phase Extraction and Analysis of THC and Metabolites from Whole Blood using a Novel Automated Procedure using Liquid Chromatography and Tandem Mass Spectrometry(LC-MS/MS). Journal of Forensic Toxicology and Pharmacology, 2012, 01, .	0.1	5
3838	Stability Study of Fifteen Synthetic Cannabinoids of Aminoalkylindole Type in Whole Blood, Stored in Vacutainer® Evacuated Class Tubes. Journal of Forensic Toxicology and Pharmacology, 2013, 02, .	0.1	8
3839	The Detection of 1-Palmitoyl-2-oleoyl- <i>sn</i> -glycero-3-phosphoethanol and Ethyl Glucuronide in Human Umbilical Cord. American Journal of Analytical Chemistry, 2012, 03, 800-810.	0.9	12
3840	Comparison of Accelerated Solvent Extraction, Soxhlet and Sonication Techniques for the Extraction of Estrogens, Androgens and Progestogens from Soils. Journal of Agricultural Chemistry and Environment, 2014, 03, 103-120.	0.5	5
3841	Method Development for the Detection of Basic/Weak Basic Drugs in Hair by LCMSMS: Comparison between Methanolic and Alkaline Extraction on Real Samples. Pharmacology & Pharmacy, 2012, 03, 263-274.	0.7	12
3842	Development of Isotope Dilution-Liquid Chromatography/Tandem Mass Spectrometry as a Candidate Reference Method for the Determination of Folic Acid in Infant Milk Formula. Bulletin of the Korean Chemical Society, 2007, 28, 745-750.	1.9	12
3843	Development and Validation of a Robust LC-MS/MS Method for the Simultaneous Quantification of Doxifluridine and its Two Metabolites in Beagle Dog Plasma. Bulletin of the Korean Chemical Society, 2010, 31, 2235-2241.	1.9	1
3844	Quantitative Determination of Amitriptyline and Its Metabolite in Rat Plasma by Liquid Chromatography-tandem Mass Spectrometry. Bulletin of the Korean Chemical Society, 2012, 33, 2163-2167.	1.9	7
3845	Application of a Reliable LC-MS/MS Method for Determination of Rizatriptan in Healthy Subject Samples: Demonstration of Assay Reproducibility by Incurred Sample Reanalysis. ISRN Chromatography, 2012, 2012, 1-10.	0.6	1
3846	Optimization of 204 veterinary drug residues method and establishing their mass spectrum library. International Journal of Food Properties, 2021, 24, 1658-1680.	3.0	3
3847	Challenges in Translating Clinical Metabolomics Data SetsÂfrom the Bench to the Bedside. Clinical Chemistry, 2021, 67, 1581-1583.	3.2	8
3848	Multiplexed Assay to Quantify the PP-Fold Family of Peptides in Human Plasma Using Microflow Liquid Chromatography–Tandem Mass Spectrometry. Clinical Chemistry, 2022, 68, 584-594.	3.2	7
3849	Improving LC-MS analysis of human milk B-vitamins by lactose removal. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1183, 122968.	2.3	5
3850	lsotope dilution LC-MS/MS quantification of the cystic fibrosis transmembrane conductance regulator (CFTR) modulators ivacaftor, lumacaftor, tezacaftor, elexacaftor, and their major metabolites in human serum. Clinical Chemistry and Laboratory Medicine, 2021, 60, 82-91.	2.3	8

#	Article	IF	CITATIONS
3851	Rapid method for the detection of rodenticides in contaminated foods. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1186, 123005.	2.3	5
3852	Determination of cortisol in hair using UHPLC–MS/MS: application to patients admitted for ethanol dependence treatment. Bioanalysis, 2021, 13, 1559-1568.	1.5	0
3853	Toxicokinetics of U-47700, tramadol, and their main metabolites in pigs following intravenous administration: is a multiple species allometric scaling approach useful for the extrapolation of toxicokinetic parameters to humans?. Archives of Toxicology, 2021, 95, 3681-3693.	4.2	4
3854	Pharmacokinetics and pharmacodynamics of cyclopropylfentanyl in male rats. Psychopharmacology, 2021, 238, 3629-3641.	3.1	6
3855	Assessing glyphosate in water, marine particulate matter, and sediments in the Lagoon of Venice. Environmental Science and Pollution Research, 2022, 29, 16383-16391.	5.3	24
3856	Simultaneous Determination of Seven Antibiotics and Five of Their Metabolites in Municipal Wastewater and Evaluation of Their Stability under Laboratory Conditions. International Journal of Environmental Research and Public Health, 2021, 18, 10640.	2.6	13
3857	Relative comparisons of extraction methods and solvent composition for Australian blueberry anthocyanins. Journal of Food Composition and Analysis, 2022, 105, 104232.	3.9	8
3858	Enantioselective metabolomics by liquid chromatography-mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2022, 207, 114430.	2.8	18
3859	Rapid and sensitive UHPLC-MS/MS methods for dietary sample analysis of 43 mycotoxins in China total diet study. Journal of Advanced Research, 2022, 39, 15-47.	9.5	6
3860	Simultaneous determination of 5-hydroxytryptophan and 3-O-methyldopa in dried blood spot by UPLC-MS/MS: A useful tool for the diagnosis of L-amino acid decarboxylase deficiency. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1185, 122999.	2.3	2
3861	Development of a novel UPLC-MS/MS method for the simultaneously quantification of polydatin and resveratrol in plasma: Application to a pharmacokinetic study in rats. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1185, 123000.	2.3	6
3862	Application of liquid chromatography coupled to data-independent acquisition mass spectrometry for the metabolic profiling of N-ethyl heptedrone. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1185, 122989.	2.3	2
3863	Sensitive determination of 11-nor-9-carboxy-î"9-tetrahydrocannabinol and complementary cannabinoids in hair using alkaline digestion and mixed-mode solid phase extraction followed by liquid-chromatography-tandem mass spectrometry. Forensic Science International, 2021, 328, 111047.	2.2	4
3864	Evaluation and analytical applicability of a novel volumetric absorptive microsampling strategy for adherence monitoring of antihypertensive drugs by means of LC-HRMS/MS. Analytica Chimica Acta, 2021, 1187, 339137.	5.4	7
3865	MASS SPECTROMETRY Electrospray., 2005,, 373-379.		0
3866	In Vivo 15N-Enrichment of Metabolites in Arabidopsis Cultured Cell T87 and Its Application to Metabolomics. , 2007, , 287-297.		0
3867	Determination of Pesticides by Matrix Solid-Phase Dispersion and Liquid Chromatography– Tandem Mass Spectrometry. , 2009, , 141-164.		1
3868	Determination of losartan concentrations in rat plasma,urine and bile by liquid chromatography-tandem mass spectrometry. Academic Journal of Second Military Medical University, 2009, 28, 1091-1095.	0.0	0

ARTICLE IF CITATIONS Supercritical Fluid Chromatography'ÄìMass Spectrometry. , 2009, , 277-296. 0 3869 Pharmacokinetics of CasiopeĀna IIgly in Beagle Dog: A Copper Based Compound with Antineoplastic 3870 0.1 Activity. Journal of Bioanalysis & Biomedicine, 2010, 02, . Quantification of Tamsulosin in Human Plasma Using LC-MS/MS. Journal of Bioanalysis & Biomedicine, 3871 0 0.1 2011,03,. Optimization and validation of bioanalytical SPE – HPLC method for the simultaneous determination of carbamazepine and its main metabolite, carbamazepine-10, 11-epoxide, in plasma. Makedonsko 0.0 Farmacevtski Bilten, 2011, 57, 53-61 Application of the Calculated Physicochemical Property, Log D, to Hydrophilic Interaction 3873 0.1 0 Chromatography in the Bioanalytical Laboratory. Chromatographic Science, 2011, , 27-46. Liquid Chromatography-Mass Spectrometry for the Determination of Antidepressants and Some of their Major Metabolites in Human Biological Matrices., 2012, , 143-175. 3877 Méthodes analytiques. , 2012, , 139-194. 0 A New Approach of Abnormal Apoptosis Implicated in Malignancy and Autoimmunity. Journal of 3878 0.1 Bioanalysis & Biomedicine, 2012, 04, . Pharmacokinetics, tissue distribution and oral bioavailability evaluation of isoimperatorin by 3879 high-performance liquid chromatography coupled with mass spectrometry. Journal of Medicinal 0.4 0 Plant's Research, 2012, 6, . High Sensitive Method Development and validation of Imotriptan in Human Plasma by UPLC Tandem 0.1 Mass Spectrometry. IOSR Journal of Pharmacy and Biological Sciences, 2013, 5, 31-36. Metabolomics. Springer Protocols, 2014, , 425-451. 3882 0 0.3 The choice of preparation method for the determination of Alternaria toxins from wheat samples by 3883 0.5 LC-MS/MS. Food and Feed Research, 2014, 41, 131-138. Simultaneous Determination of Methylphenidate, Amphetamine and their Metabolites in Urine using Direct Injection Liquid Chromatography-Tandem Mass Spectrometry. Mass Spectrometry Letters, 2014, 3884 0.5 1 5, 104-109. The True Value of a Sample Composition Is There. American Journal of Analytical Chemistry, 2015, 06, 3885 285-296. Development and Validation of a UPLC-MS/MS Assay for Simultaneous Estimation of Raloxifene and its 3886 0.1 0 Metabolites in Human Plasma. Journal of Bioanalysis & Biomedicine, 2015, 04, . Use the Extended Activated Sludge Process to Remove Triclosan (TCS) from Wastewater Treatment Plant. KahramanmaraÅŸ SÃ1⁄4tçÃ1⁄4 İmam Üniversitesi MÃ1⁄4hendislik Bilimleri Dergisi, 2015, 17, 1. 3887 Simultaneous determination of preservatives in sausages using liquid chromatography with 3888 electrospray ionization tandem mass spectrometry. Korean Journal of Veterinary Service, 2015, 38, 0.3 0 127-136. Urine analysis of buprenorphine/norbuprenorphine/ naloxone in drugs and driving cases. Journal of 3889 Applied Bioanalysis, 2015, 1, 80-88.

#	Article	IF	CITATIONS
3890	Development of a new ultra-high performance liquid chromatography - tandem mass spectrometry method for determination of ambroxol hydrochloride in serum with pharmacokinetic application. Hemijska Industrija, 2016, 70, 409-418.	0.7	2
3893	Application of solid-phase extraction for the quantification of several abused drugs in sports in human urine using UHPLC-MS/MS method. Analitika I Kontrol, 2018, 22, 236-244.	0.2	0
3894	An analytical method for quantifying diazinon, chlorfenapyr, and lufenuron in Napa cabbage using QuEChERS and HPLC-UV. Korean Journal of Food Preservation, 2018, 25, 446-452.	0.5	2
3895	[Special Issue for Honor Award dedicating to Prof Kimito Funatsu]Chemoinformatics Approach for Estimating Recovery Rates of Pesticides in Fruits and Vegetables. Journal of Computer Aided Chemistry, 2019, 20, 92-103.	0.3	2
3896	Simultaneous Determination of Total Cortisol and Cortisone in Human Plasma by Liquid Chromatography-Tandem Mass Spectrometry: Method Development, Validation and Preliminary Clinical Application. Current Pharmaceutical Analysis, 2019, 15, 363-370.	0.6	0
3897	False Immunosuppressant Measurement by LC-MS/MS Method Due to Radiopaque Agents. Combinatorial Chemistry and High Throughput Screening, 2019, 22, 129-134.	1.1	5
3898	Determination of Benznidazole in Human Dried Blood Spots by Liquid Chromatography–Mass Spectrometry to Monitor Adherence to Trypanosoma cruzi Infection Treatment in Infants and Children. American Journal of Tropical Medicine and Hygiene, 2019, 101, 116-122.	1.4	2
3899	Analytical Method Development for Coq10 Determination in Human Plasma Using HPLC-UV and HPLC/MS/MS. Current Pharmaceutical Analysis, 2019, 15, 795-807.	0.6	4
3900	Enhanced specificity due to method specific limits for relative ion intensities in a high-performance liquid chromatography – tandem mass spectrometry method for iohexol in human serum. Clinical Chemistry and Laboratory Medicine, 2020, 58, 709-718.	2.3	1
3901	Determination of 5-HT3 Receptor Antagonists in Human Urine by Porous Graphitic Carbon (PGC) Solid Phase Extraction (SPE) Coupled with High Performance Liquid Chromatography-Tandem Mass Spectrometry (HPLC-MS/MS). Analytical Letters, 2021, 54, 453-467.	1.8	1
3902	Quantification and validation of nine nonsteroidal antiâ€inflammatory drugs in equine urine using gas chromatography–mass spectrometry for doping control. Drug Testing and Analysis, 2020, 12, 1065-1077.	2.6	3
3903	A technical overview of supercritical fluid chromatography-mass spectrometry (SFC-MS) and its recent applications in pharmaceutical research and development. Drug Discovery Today: Technologies, 2021, 40, 69-75.	4.0	10
3904	A systematic review on chromatography-based method validation for quantification of vancomycin in biological matrices. Bioanalysis, 2020, 12, 1767-1786.	1.5	0
3905	Development and validation of an assay for the measurement of gentamicin concentrations in dried blood spots using UHPLC-MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2022, 208, 114448.	2.8	4
3906	Volumetric absorptive microsampling as a suitable tool to monitor tyrosine kinase inhibitors. Journal of Pharmaceutical and Biomedical Analysis, 2022, 207, 114418.	2.8	14
3907	Methods of Detection, Identification, andÂQuantitation. , 2022, , 245-275.		0
3908	Spectroscopic quantifiication of preservatives in different food matrices using QuEChERS extraction and multivariate calibration with comparison against liquid chromatography. Arabian Journal of Chemistry, 2022, 15, 103462.	4.9	8
3909	The establishment of a practical method for the determination of piperazine residues using accelerated solvent extraction and UHPLC-FLD. Quality Assurance and Safety of Crops and Foods, 2020, 12, 28-39.	3.4	1

#	Article	IF	Citations
3910	Further Analytical, Pharmacokinetic, and Clinical Observations on Low-Dose Ponatinib in Patients with Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia. Chemotherapy, 2020, 65, 35-41.	1.6	1
3911	Development of a Target Screening Method of Organic Pollutants in Environmental Water by a Rapid Pretreatment Cartridge (2) —Application to LC/MS/MS—. Bunseki Kagaku, 2020, 69, 121-134.	0.2	0
3912	An UHPLC-TOF-MS method for quantifying novel brominated anticancer compound bromophenol-thiosemicarbazone hybrid and its application to in vivo pharmacokinetic study. Journal of Analytical Science and Technology, 2020, 11, .	2.1	0
3913	Simultaneous determination of fluconazole and ofloxacin in rabbit tear fluid by LC-MS/MS: Application to ocular pharmacokinetic studies. Journal of Pharmaceutical and Biomedical Analysis, 2022, 208, 114463.	2.8	17
3914	Practical aspect of dimer adduct formation in small-molecule drug analysis with LC-MS/MS. Bioanalysis, 2021, 13, 1671-1679.	1.5	0
3915	Synthesis, Evaluation, and Characterization of an Ergotamine Imprinted Styrene-Based Polymer for Potential Use as an Ergot Alkaloid Selective Adsorbent. ACS Omega, 2021, 6, 30260-30280.	3.5	2
3916	Influence of isotopically labeled internal standards on quantification of serum/plasma 17α-hydroxyprogesterone (17OHP) by liquid chromatography mass spectrometry. Clinical Chemistry and Laboratory Medicine, 2020, 58, 1731-1739.	2.3	5
3917	Simultaneous quantification of 8 nucleotides and adenosine in cells and their medium using UHPLC-HRMS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1148, 122156.	2.3	3
3918	Analysis of six phenolic environmental estrogens in bullfrog blood by using dispersive solid-phase extraction and ultrafast liquid chromatography-tandem mass spectrometry. Chinese Journal of Chromatography (Se Pu), 2013, 30, 665-671.	0.8	0
3919	Analysis of amino acids in rat plasma by solid phase extraction-high performance liquid chromatography-electrospray tandem mass spectrometry and the application to radiation injury rat model. Chinese Journal of Chromatography (Se Pu), 2013, 30, 696-704.	0.8	0
3920	Determination of Levoglucosan in Tibetan Glacier Snow and Ice Samples. Springer Theses, 2021, , 13-22.	0.1	0
3921	Simultaneous determination of 4F-MDMB BINACA, a new synthetic cannabinoid, and its metabolites in human blood samples by LC-MS/MS. Journal of the Turkish Chemical Society, Section A: Chemistry, 2020, 7, 827-832.	1.1	3
3922	Matrix Effects in Mass Spectrometry Analysis. Analytical Sciences, 2020, 36, 1151-1151.	1.6	13
3923	Potential 2-Aminoindane Fatality Invalidated by Careful Mass Spectrometric Analysis. Journal of Analytical Toxicology, 2020, , .	2.8	1
3924	A Simple and High-Throughput LC–MS-MS Method for Simultaneous Measurement of Nicotine, Cotinine, 3-OH Cotinine, Nornicotine and Anabasine in Urine and Its Application in the General Korean Population. Journal of Analytical Toxicology, 2022, 46, 25-36.	2.8	3
3925	Preparation of a teicoplanin-bonded chiral stationary phase for simultaneous determination of clenbuterol and salbutamol enantiomers in meat by LC-MS/MS. Microchemical Journal, 2020, 157, 104925.	4.5	11
3926	Measurement of serum 17-hydroxyprogesterone using isotope dilution liquid chromatography-tandem mass spectrometry candidate reference method and evaluation of the performance for three routine methods. Clinical Chemistry and Laboratory Medicine, 2021, 59, 523-532.	2.3	4
3927	A validated LC-MS/MS method for the simultaneous quantification of the novel combination antibiotic, ceftolozane–tazobactam, in plasma (total and unbound), CSF, urine and renal replacement therapy effluent: application to pilot pharmacokinetic studies. Clinical Chemistry and Laboratory Medicine, 2021, 59, 921-933.	2.3	4

#	Article	IF	CITATIONS
3928	Principles and applications of liquid chromatography-mass spectrometry in clinical biochemistry. Clinical Biochemist Reviews, 2009, 30, 19-34.	3.3	259
3929	LC-MS/MS in the Clinical Laboratory - Where to From Here?. Clinical Biochemist Reviews, 2011, 32, 5-31.	3.3	299
3930	Bioanalysis: methods, techniques, and applications. , 2022, , 1-24.		0
3931	Evaluation of the selectivity of molecularly imprinted polymer cartridges for nitroimidazoles. Application to the simultaneous extraction of nitroimidazoles and benzimidazoles from samples of animal origin. Microchemical Journal, 2022, 172, 107000.	4.5	4
3932	Isomer-selective analysis of inositol phosphates with differential isotope labelling by phosphate methylation using liquid chromatography with tandem mass spectrometry. Analytica Chimica Acta, 2022, 1191, 339286.	5.4	4
3933	Quantification of 15 Antibiotics Widely Used in the Critical Care Unit with a LC-MS/MS System: An Easy Method to Perform a Daily Therapeutic Drug Monitoring. Pharmaceuticals, 2021, 14, 1214.	3.8	12
3934	Occurrence and sorption behaviour of bisphenols and benzophenone UV-filters in e-waste plastic and vehicle fluff. Journal of Hazardous Materials, 2022, 426, 127814.	12.4	8
3935	Targeted and Untargeted Metabolomics Profiling of Wheat Reveals Amino Acids Increase Resistance to Fusarium Head Blight. Frontiers in Plant Science, 2021, 12, 762605.	3.6	15
3936	Fully Automatic Multi-Class Multi-Residue Analysis of Veterinary Drugs Simultaneously in an Integrated Chip-MS Platform. Journal of Agricultural and Food Chemistry, 2021, 69, 14320-14329.	5.2	3
3937	Identification of chemicals leaching from dental resin-based materials after in vitro chemical and salivary degradation. Dental Materials, 2022, 38, 19-32.	3.5	8
3938	Pharmacokinetics and Excretion Study of Lycium barbarum Polysaccharides in Rats by FITC-Fluorescence Labeling. Foods, 2021, 10, 2851.	4.3	11
3939	Automated Solid Phase Extraction and Polarity-Switching Tandem Mass Spectrometry Technique for High Throughput Analysis of Urine Biomarkers for 14 Tobacco-related Compounds. ACS Omega, 2021, 6, 30901-30909.	3.5	3
3940	What Is Bioanalytical Chemistry? Scientific Opportunities with Immediate Impact. , 2022, , 1-24.		0
3941	Impedimetric Sensors for Cyclocreatine Phosphate Determination in Plasma Based on Electropolymerized Poly(<i>o</i> -phenylenediamine) Molecularly Imprinted Polymers. ACS Omega, 2021, 6, 31282-31291.	3.5	10
3942	Measurement of 5- fluorouracil, capecitabine and its metabolite concentrations in blood using volumetric absorptive microsampling technology and LC-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2022, 1188, 123075.	2.3	6
3943	Rapid determination of multi-antibiotic residues in honey based on modified QuEChERS method coupled with UPLC–MS/MS. Food Chemistry, 2022, 374, 131733.	8.2	33
3944	Evaluation of matrix effect in determination of mevinphos stereoisomers in tobacco by supercritical fluid chromatography tandem mass spectrometry. Microchemical Journal, 2022, 175, 107174.	4.5	8
3945	Fatty acid esters as novel metabolites of γâ€hydroxybutyric acid: A preliminary investigation. Drug Testing and Analysis, 2022, , .	2.6	5
#	Article	IF	CITATIONS
------	---	-----	-----------
3946	Application of a UPLC-MS/MS method for quantitative analysis of 29 synthetic cannabinoids and their metabolites, such as ADB-BUTINACA and MDMB-4en-PINACA in human hair in real cases. Forensic Science International, 2022, 331, 111139.	2.2	15
3947	A sensitive approach for screening acetylcholinesterase inhibition of water samples using ultra-performance liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2022, 1190, 123101.	2.3	5
3948	Occurrence of bisphenols and benzophenone UV filters in wild brown mussels (Perna perna) from Algoa Bay in South Africa. Science of the Total Environment, 2022, 813, 152571.	8.0	11
3949	Determination of contamination levels for multiple endocrine disruptors in hair from a non-occupationally exposed population living in Liege (Belgium). Science of the Total Environment, 2022, 815, 152734.	8.0	13
3950	Analysis of alkylphenols, bisphenols and alkylphenol ethoxylates in microbial-fermented functional beverages and bottled water: Optimization of a dispersive liquid-liquid microextraction protocol based on natural hydrophobic deep eutectic solvents. Food Chemistry, 2022, 377, 131921.	8.2	19
3951	Effect of sample matrices on supported liquid membrane: Efficient electromembrane extraction of cathinones from biological samples. Talanta, 2022, 240, 123175.	5.5	10
3952	Using solid phase extraction for determination of pesticides by GC-MS method in postmortem cases. Forensic-medical Examination, 2016, , 62-66.	0.0	0
3953	A Review: Protein Identification by LC-MS: Principles, Instrumentation, and Applications. Iraqi Journal of Science, 0, , 2448-2466.	0.3	1
3954	Impact of UPLC-MS in Food and Drug/Metabolite Analysis. Current Pharmaceutical Analysis, 2021, 17, 10-30.	0.6	4
3955	A biomimetic enzyme-linked immunosorbent assay (BELISA) for the analysis of gonadorelin by using molecularly imprinted polymer-coated microplates. Analytical and Bioanalytical Chemistry, 2022, 414, 5423-5434.	3.7	10
3956	Analytical perspective on biomarkers research: from untargeted to targeted metabolomics. , 2022, , 545-586.		1
3957	Determination of Parabens, Bisphenol A and Its Analogs, Triclosan, and Benzophenone-3 Levels in Human Urine by Isotope-Dilution-UPLC-MS/MS Method Followed by Supported Liquid Extraction. Toxics, 2022, 10, 21.	3.7	11
3958	Bioanalysis of aminoglycosides using high-performance liquid chromatography. ADMET and DMPK, 2022, 10, 27-62.	2.1	6
3959	Rapid determination of acyclovir, its main metabolite 9â€carboxymethoxymethylguanine, ganciclovir, and penciclovir in human serum using LC–MS/MS. Biomedical Chromatography, 2022, 36, e5315.	1.7	6
3960	Biological matrix compatible porous thin film for quick extraction of drugs of abuse from urine prior to liquid chromatography-mass spectrometry analysis. Talanta, 2022, 241, 123264.	5.5	3
3961	Expanding Antineoplastic Drugs Surface Monitoring Profiles: Enhancing of Zwitterionic Hydrophilic Interaction Methods. Separations, 2022, 9, 34.	2.4	1
3962	Fast screening of saxitoxin, neosaxitoxin, and decarbamoyl analogues in fresh and brackish surface waters by on-line enrichment coupled to HILIC-HRMS. Talanta, 2022, 241, 123267.	5.5	3
3963	Antemortem and postmortem rodenticide analysis in forensic toxicology as a part of an LCâ€MS/MSâ€based multiâ€ŧarget screening strategy. Drug Testing and Analysis, 2022, 14, 1149-1154.	2.6	1

#	Article	IF	CITATIONS
3964	Solidâ€phase microextraction combined with gas chromatography/triple quadrupole tandem mass spectrometry for determination of nitrated polycyclic aromatic hydrocarbons in sediments. Journal of Separation Science, 2022, , .	2.5	1
3965	An Optimized MRM-Based Workflow of the l-Arginine/Nitric Oxide Pathway Metabolites Revealed Disease- and Sex-Related Differences in the Cardiovascular Field. International Journal of Molecular Sciences, 2022, 23, 1136.	4.1	0
3966	Clinical Utility and Analytical Aspects of Direct Measurements of Free Hormones Using Mass Spectrometry-Based Methods. journal of applied laboratory medicine, The, 2022, 7, 945-970.	1.3	2
3967	Multilayered solid phase extraction and ultra performance liquid chromatographic method for suspect screening of halogenated pharmaceuticals and photo-transformation products in freshwater - comparison between data-dependent and data-independent acquisition mass spectrometry. Journal of Chromatography A 2022, 1663, 462760	3.7	11
3968	Separation of fosetyl and phosphonic acid in food matrices with mixed-mode HPLC column coupled with tandem mass spectrometric detection and method application to other highly polar pesticides. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2022, 1189, 123083.	2.3	9
3969	Validation of a liquid chromatography tandem mass spectrometry (LC-MS/MS) method for erythrocyte phosphatidylethanol revealing critical considerations for its use as a clinical biomarker. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2022, 1192, 123134.	2.3	5
3970	Occurrence and Seasonal Monitoring of Domoic Acid in Three Shellfish Species from the Northern Adriatic Sea. Toxins, 2022, 14, 33.	3.4	4
3971	Development and Validation of a Bioanalytical UHPLC-MS/MS Method Applied to Murine Liver Tissue for the Determination of Indocyanine Green Loaded in H-Ferritin Nanoparticles. Frontiers in Chemistry, 2021, 9, 784123.	3.6	3
3972	Development and Comprehensive SPE-UHPLC-MS/MS Analysis Optimization, Comparison, and Evaluation of 2,4-Epibrassinolide in Different Plant Tissues. Molecules, 2022, 27, 831.	3.8	3
3973	Chiral pharmacokinetics of tetramisole stereoisomers—Enantioselective quantification of levamisole and dexamisole in serum samples from users of adulterated cocaine. Drug Testing and Analysis, 2022, ,	2.6	2
3974	Development and Validation of a Reliable UHPLC-MS/MS Method for Simultaneous Quantification of Macrocyclic Lactones in Bovine Plasma. Molecules, 2022, 27, 998.	3.8	4
3975	Analyte recovery in LC-MS/MS bioanalysis: An old issue revisited. Analytica Chimica Acta, 2022, 1198, 339512.	5.4	1
3976	Molecularly imprinted polymer as sorbent phase for disposable pipette extraction: A potential approach for creatinine analysis in human urine samples. Journal of Pharmaceutical and Biomedical Analysis, 2022, 211, 114625.	2.8	7
3977	2-μm fused-core column ultra-high-performance liquid chromatography/tandem mass spectrometric determination of donepezil in human plasma: Application to a bioequivalence study. Journal of Pharmaceutical and Biomedical Analysis, 2022, 211, 114596.	2.8	0
3978	Simultaneous determination of seven bisphenol analogues in surface water by solid-phase extraction and ultra-performance liquid chromatography-tandem mass spectrometry. Microchemical Journal, 2022, 175, 107098.	4.5	16
3979	Exploring the adsorption behavior of benzotriazoles and benzothiazoles on polyvinyl chloride microplastics in the water environment. Science of the Total Environment, 2022, 821, 153471.	8.0	13
3980	MRM3-based UHPLC-MS/MS method for quantitation of total florfenicol residue content in milk and withdrawal study profile of milk from treated cows. Food Chemistry, 2022, 379, 132070.	8.2	7
3981	The impact of cold plasma on the phenolic composition and biogenic amine content of red wine. Food Chemistry, 2022, 381, 132257.	8.2	8

#	Article	IF	CITATIONS
3982	Development of an LC-MS/MS Method for Non-Invasive Biomonitoring of Neonicotinoid and Systemic Herbicide Pesticide Residues in Bat Hair. Toxics, 2022, 10, 73.	3.7	4
3983	Simultaneous Determination of Vitamin D and Its Hydroxylated and Esterified Metabolites by Ultrahigh-Performance Supercritical Fluid Chromatography–Tandem Mass Spectrometry. Analytical Chemistry, 2022, 94, 3065-3073.	6.5	11
3984	Polyamide Noncoated Device for Adsorption-Based Microextraction and Novel 3D Printed Thin-Film Microextraction Supports. Analytical Chemistry, 2022, 94, 2764-2771.	6.5	12
3985	Development and greenness evaluation of solid-phase extraction and salting-out liquid–liquid extraction method for determination of herbicides in water, soil and rice. Journal of the Iranian Chemical Society, 2022, 19, 2983-3012.	2.2	4
3986	Development of a new ultraâ€highâ€performance liquid chromatography–tandem mass spectrometry method for the determination of digoxin and digitoxin in plasma: Comparison with a clinical immunoassay. Electrophoresis, 2022, 43, 1019-1026.	2.4	7
3987	Simultaneous Determination of Seven α-Dicarbonyl Compounds in Milk and Milk Products Based on an LC–MS/MS Method with Matrix-Matched Calibration. Food Analytical Methods, 2022, 15, 1652-1662.	2.6	6
3988	A tandem liquid chromatography and tandem mass spectrometry (LC/LC–MS/MS) technique to separate and quantify steroid isomers 11l²-methyl-19-nortestosterone and testosterone. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2022, 1193, 123165.	2.3	2
3989	A comparison of an optimized automated sample preparation of PEth in blood pretreated by freezing versus manual preparation in whole blood, analyzing by UHPLC – MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2022, 212, 114635.	2.8	2
3990	Determination of ten iodinated X-ray contrast media by solid-phase extraction and ultra-high performance liquid chromatography coupled with high-resolution orbitrap mass spectrometry. Microchemical Journal, 2022, 177, 107270.	4.5	1
3991	Constructing magnetic covalent organic framework EB-COF@Fe3O4 for sensitive determination of five benzoylurea insecticides. Food Chemistry, 2022, 382, 132362.	8.2	31
3992	Validation of the method for determination of Phenolphthalein and Sibutramine in weightâ€loss functional foods from Viet Nam by <scp>UPLCâ€MS</scp> / <scp>MS</scp> . , 2021, 59, 467-474.		1
3993	High-Resolution Mass Spectrometry Screening of Emerging Organophosphate Esters (OPEs) in Wild Fish: Occurrence, Species-Specific Difference, and Tissue-Specific Distribution. Environmental Science & Technology, 2022, 56, 302-312.	10.0	47
3994	Application of UPLC-MS/MS Method for Analyzing B-vitamins in Human Milk. Biomedical and Environmental Sciences, 2015, 28, 738-50.	0.2	13
3995	Magnetic nanoparticles and their application in bioanalysis. , 2022, , 413-445.		0
3996	An efficient LC-MS method for isomer separation and detection of sugars, phosphorylated sugars, and organic acids. Journal of Experimental Botany, 2022, 73, 2938-2952.	4.8	12
3997	Alternative Strategies for the Calibration and Elimination of Matrix Effects in LC-MS/MS Multiresidue Analysis of Tea Matrix. Journal of Analytical Chemistry, 2022, 77, 224-234.	0.9	2
3998	Trace-Level Determination of Polycyclic Aromatic Hydrocarbons in Dairy Products Available in Spanish Supermarkets by Semi-Automated Solid-Phase Extraction and Gas Chromatography–Mass Spectrometry Detection. Foods, 2022, 11, 713.	4.3	11
3999	Research and Application of In Situ Sample-Processing Methods for Rapid Simultaneous Detection of Pyrethroid Pesticides in Vegetables. Separations, 2022, 9, 59.	2.4	3

ARTICLE IF CITATIONS Fast Liquid Chromatography Coupled with Tandem Mass Spectrometry for the Analysis of Vanillic and 4000 6.5 3 Syringic Acids in Ice Cores. Analytical Chemistry, 2022, 94, 5344-5351. Simultaneous Quantification and Pharmacokinetic Characterization of Doxapram and 2-Ketodoxapram 4.5 in Porcine Plasma and Brain Tissue. Pharmaceutics, 2022, 14, 762. Development and evaluation of a multiâ€class analytical method based on solidâ€phase extraction 4002 combined with liquid chromatographyâ€tandem mass spectrometry for the analysis of pharmaceuticals 0.6 3 and personal care products in urban wastewater samples. Separation Science Plus, 2022, 5, 105-119. Metabolomics in clinical and forensic toxicology, sports antiâ€doping and veterinary residues. Drug Testing and Analysis, 2022, 14, 794-807. Chiral analysis of dextromethorphan and levomethorphan in human hair by liquid 4004 2.4 3 chromatography–tandem mass spectrometry. Forensic Toxicology, 2022, 40, 312-321. Rapid Mass Spectrometric Calibration and Standard Addition Using Hydrophobic/Hydrophilic Patterned Surfaces and Discontinuous Dewetting. Journal of the American Society for Mass 2.8 Spectrometry, 2022, 33, 660-670. Systematic optimization of targeted and multiplexed MS-based screening workflows for protein 4006 1.5 1 bíomarkers. Bioanalysis, 2022, 14, 341-356. Development and Validation of the New Liquid Chromatography-Tandem Mass Spectrometry Method for the Determination of Unbound Tacrolimus in the Plasma Ultrafiltrate of Transplant Recipients. 4007 4.5 Pharmaceutics, 2022, 14, 632. Functional Characterization of the Solute Carrier LAT-1 (SLC7A5/SLC2A3) in Human Brain Capillary 4008 Endothelial Cells with Rapid UPLC-MS/MS Quantification of Intracellular Isotopically Labelled 4.1 4 L-Leucine. International Journal of Molecular Sciences, 2022, 23, 3637. An automated magnetic bead extraction method for measuring plasma metanephrines and 3-methoxytyramine using liquid chromatography tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2022, 414, 3541-3549. The Pyrazolo[3,4-d]Pyrimidine Derivative Si306 Encapsulated into Anti-GD2-Immunoliposomes as 4010 3.2 6 Therapeutic Treatment of Neuroblastoma. Biomedicines, 2022, 10, 659. Validation of a single liquid chromatographyâ€tandem mass spectrometry approach for oxytetracycline determination in bull plasma, seminal plasma and urine. Drug Testing and Analysis, 2022, , . Two DFSA cases involving midazolam clarified by the micro-segmental hair analyses. Forensic 4012 2.4 6 Toxicology, 2022, 40, 374-382. Determination of Heterocyclic Aromatic Amines (HAAs) in Urban Particulate Standard Reference Material and Wildfire-Influenced Particulate Matter by High-Performance Liquid Chromatography-Tandem Mass Spectrometry (HPLC-MS/MS). Analytical Letters, 0, , 1-14. 4013 1.8 A method for assessing plasma free fatty acids from C2 to C18 and its application for the early 4014 2.8 5 detection of colorectal cancer. Journal of Pharmaceutical and Biomedical Analysis, 2022, 215, 114762. Development and Validation of a Modified QuEChERS Method for the Analysis of Bisphenols in Meats by UPLC-MS/MS. Chromatographia, 2022, 85, 433-445. A Simple and Sensitive HPLC-MS/MS Assay for the Quantitation of Blonanserin and N-Desethyl 4016 Blonanserin in Rat Plasma and Its Application to Pharmacokinetic Study. Journal of Analytical 1.6 0 Methods in Chemistry, 2022, 2022, 1-9. HPLC-ESI-HRMS2 Determination of <i>N</i>-(2-hydroxyethyl)-L-valyl-L-leucine in Human Urine: Method 2.8 Validation. Journal of Analytical Toxicology, 2022, , .

#	Article	IF	CITATIONS
4018	Single-use porous polymer thin-film device: A reliable sampler for analysis of drugs in small volumes of biofluids. Analytica Chimica Acta, 2022, 1203, 339651.	5.4	2
4019	Quantitative determination and metabolic profiling of synthetic cathinone eutylone <i>in vitro</i> and in urine samples by liquid chromatography tandem quadrupole timeâ€ofâ€flight mass spectrometry. Drug Testing and Analysis, 2022, 14, 1325-1337.	2.6	3
4020	Determining the trace-level photoinitiators in juices and milk from various types of packages in Taiwan by a micro-QuEChERS-based UPLC-MS/MS. Food Chemistry, 2022, 388, 132929.	8.2	8
4021	Detection of mescaline in human hair samples by UPLC-MS/MS: Application to 19 authentic forensic cases. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2022, 1195, 123202.	2.3	6
4022	Unexpected sensitivity enhancement in analysing alfatoxin M1 using LC-IDMS. Microchemical Journal, 2022, , 107469.	4.5	4
4023	Accumulation of HT-2 toxin from contaminated mushroom compost by edible <i>Agaricus bisporus</i> . Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2022, , 1-14.	2.3	0
4024	Safety assessment of citrus and olive by-products using a sustainable methodology based on natural deep eutectic solvents. Journal of Chromatography A, 2022, 1669, 462922.	3.7	12
4025	Simultaneous Determination of Carvedilol, Enalaprilat, and Perindoprilat in Human Plasma Using LC–MS/MS and Its Application to a Pharmacokinetic Pilot Study. Chromatographia, 2022, 85, 455-468.	1.3	2
4026	Application of polyaniline-based magnetic-dispersive-solid-phase microextraction combined with liquid chromatography tandem mass spectrometry for the evaluation of plastic migrants in food matrices. Journal of Chromatography A, 2022, 1670, 462988.	3.7	11
4027	Determination of morpholine residue in fruit and fruit juices by gas Chromatographyâ^'Tandem mass spectrometry. LWT - Food Science and Technology, 2022, 161, 113369.	5.2	5
4028	A validated LC-MS/MS method for the quantitation of cefazolin in human adipose tissue: Application of EMR-Lipid sorbent as an efficient sample clean-up before mass spectrometric analyses. Journal of Pharmaceutical and Biomedical Analysis, 2022, 213, 114696.	2.8	3
4029	Post-aggression suicide under the influence of new psychoactive substances AMB–FUBINACA and U-47700. Legal Medicine, 2022, 56, 102053.	1.3	0
4030	Simultaneous determination of 12 illicit drugs in human plasma by the PRiME clover-shaped nano-titania functionalized covalent organic frameworks pass-through cleanup procedure followed by ultra-performance liquid chromatography-tandem mass spectrometry. Journal of Chromatography A 2022 1671 463022	3.7	2
4031	A facile molecularly imprinted column coupled to GC-MS/MS for sensitive and selective determination of polycyclic aromatic hydrocarbons and study on their migration in takeaway meal boxes. Talanta, 2022, 243, 123385.	5.5	2
4032	Establishment of modified QuEChERS-GC–MS-LC–MS/MS method for simultaneous screening of multi-class multi-pesticide residues in betelvine and consumer risk assessment. Microchemical Journal, 2022, 179, 107444.	4.5	8
4033	Vitamin K (phylloquinone and menaquinones) in foods – Cost-effective quantification by LC-ESI-MS/MS. Food Chemistry, 2022, 385, 132672.	8.2	6
4034	Profiling of naturally occurring folates in a diverse soybean germplasm by HPLC-MS/MS. Food Chemistry, 2022, 384, 132520.	8.2	13
4035	Green, simple analytical method for biogenic amines determination in fruit juice samples using salting-out assisted liquid-liquid microextraction and gas chromatography-mass spectrometry. Food Chemistry. 2022. 384, 132557.	8.2	18

#	Article	IF	CITATIONS
4036	Assessment of Phytotoxins Using Different Technologies. , 2021, 22, .		3
4037	Evaluation of rapid and standard tandem mass spectrometric methods to analyse veterinary drugs and their metabolites in antemortem bodily fluids from food animals. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2022, 39, 462-474.	2.3	5
4038	A Sensitive Liquid Chromatography-Mass Spectrometry Method for Determination of Toosendanin in Rat Plasma and its Application to Pharmacokinetic Study. Journal of Chromatographic Science, 2021, , .	1.4	1
4039	Methodology for the quantitative determination of fenbendazole and its metabolites in organs and tissues of animals by high performance liquid chromatography with tandem mass spectrometry detection. Russian Journal of Parasitology, 2021, 15, 43-50.	0.3	0
4040	Application of a Liquid-Liquid Microextraction Method Based on a Natural Hydrophobic Deep Eutectic Solvent for the Extraction of Plastic Migrants from Kombuchas. Molecules, 2022, 27, 178.	3.8	7
4041	Analysis of S-Adenosylmethionine and S-Adenosylhomocysteine: Method Optimisation and Profiling in Healthy Adults upon Short-Term Dietary Intervention. Metabolites, 2022, 12, 373.	2.9	11
4042	Detection of glyphosate residues in feed, saliva, urine and faeces from a cattle farm: a pilot study. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2022, 39, 1248-1254.	2.3	2
4043	Development of a liquid chromatography mass spectrometry method for the determination of vitamin K1, menaquinone-4, menaquinone-7 and vitamin K1-2,3 epoxide in serum of individuals without vitamin K supplements. Clinical Chemistry and Laboratory Medicine, 2022, 60, 1011-1019.	2.3	4
4044	Validation and application of a quantitative liquid chromatography tandem mass spectrometry assay for the analysis of rifapentine and 25-O-desacetyl rifapentine in human milk. Journal of Pharmaceutical and Biomedical Analysis, 2022, 215, 114774.	2.8	2
4045	Simultaneous determination of 16 urinary metabolites of organophosphate flame retardants and organophosphate pesticides by solid phase extraction and ultra performance liquid chromatography coupled to tandem mass spectrometry. Chemosphere, 2022, 300, 134585.	8.2	8
4059	Evaluation of a cyano stationary phase for the determination of tacrolimus, sirolimus and cyclosporin A in whole blood by high-performance liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2004, 809, 287-294	2.3	2
4063	Simultaneous quantification of marine neutral neoagaro-oligosaccharides and agar-oligosaccharides by UHPLC-MS/MS method: Application to the intestinal transport study by Caco-2 cells monolayer. Analytical Methods, 0, , .	2.7	2
4064	Development of Method Determining Tetramethylammonium Hydroxide and Tetramethylammonium Salts in Industrial Wastewater by LC-MS/MS. Journal of Japan Society on Water Environment, 2022, 45, 115-123.	0.4	0
4065	Determination of IQZ23 in rat plasma using LC-MS/MS: consideration for matrix effect and internal standard interference. Bioanalysis, 2022, 14, 455-465.	1.5	1
4066	Postcolumn Infusion as a Quality Control Tool for LC-MS-Based Analysis. Journal of the American Society for Mass Spectrometry, 2022, 33, 1077-1080.	2.8	5
4067	Development and Validation for Simultaneous Determination of Disulfoton and Its Five Metabolites in Seven Agro-Products Using Liquid Chromatography-Tandem Mass Spectrometry Combined with QuEChERS Extraction Method. Chromatographia, 2022, 85, 529-537.	1.3	1
4068	Design and validation of an LC-MS/MS method for simultaneous quantification of asymmetric dimethylguanidino valeric acid, asymmetric dimethylarginine and symmetric dimethylarginine in human plasma. Pathology, 2022, 54, 591-598.	0.6	2
4069	A rapid LC-MS/MS assay for detection and monitoring of underivatized branched-chain amino acids in maple syrup urine disease. Journal of Mass Spectrometry and Advances in the Clinical Lab, 2022, 24, 107-117	2.4	7

#	Article	IF	CITATIONS
4070	Determination of Market, Field Samples, and Dietary Risk Assessment of Chlorfenapyr and Tralopyril in 16 Crops. Foods, 2022, 11, 1246.	4.3	5
4071	Quantification of twenty pharmacologically active dyes in water samples using UPLC-MS/MS. Heliyon, 2022, 8, e09331.	3.2	9
4072	Analysis of mycotoxins in grain samples using 3D covalent organic frameworks and stable isotope labeling technique. Journal of Liquid Chromatography and Related Technologies, 2021, 44, 741-749.	1.0	4
4073	An application of the standardised reference extract quantification strategy in the quality control of ginseng infusions by liquid chromatography with mass spectrometric detection. Phytochemical Analysis, 2022, , .	2.4	0
4074	Biomarker Assay Validation by Mass Spectrometry. AAPS Journal, 2022, 24, 66.	4.4	6
4075	Supercritical fluid chromatography-tandem mass spectrometry of oxygen heterocyclic compounds in Citrus essential oils. Analytical and Bioanalytical Chemistry, 2022, 414, 4821-4836.	3.7	4
4076	Anxiety in Duckweed–Metabolism and Effect of Diazepam on Lemna minor. Water (Switzerland), 2022, 14, 1484.	2.7	0
4077	The detection of bacterial exometabolites in marine dissolved organic matter through ultrahighâ€resolution mass spectrometry. Limnology and Oceanography: Methods, 2022, 20, 350-360.	2.0	5
4078	LC–MS/MS quantification of levetiracetam, lamotrigine and 10â€hydroxycarbazepine in TDM of epileptic patients. Biomedical Chromatography, 2022, 36, e5393.	1.7	4
4079	First liquid chromatography–high resolution mass spectrometry method for the determination of cocaine on banknote dust. Forensic Toxicology, 0, , .	2.4	2
4080	Development and Validation of a Rapid Method for Identification of New Synthetic Cannabinoids in Hair Based on High-Performance Liquid Chromatography–Ion Trap Mass Spectrometry Using a Simplified User Interface. Journal of Analytical Toxicology, 2023, 47, 72-80.	2.8	2
4081	Response boosting-based approach for absolute quantification of gelatin peptides using LC-MS/MS. Food Chemistry, 2022, 390, 133111.	8.2	4
4082	Determination of parabens in wastewater samples via robotâ€∎ssisted dynamic singleâ€drop microextraction and liquid chromatography–tandem mass spectrometry. Electrophoresis, 2022, 43, 1567-1576.	2.4	5
4083	Liquid chromatography-tandem mass spectrometry methods for quantification of roxadustat (FC-4592) in human plasma and urine and the applications in two clinical pharmacokinetic studies. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2022, 1203, 122274	2.3	3
4084	Comparison of anti-peptide and anti-protein antibody-based purification techniques for detection of SARS-CoV-2 by targeted LC-MS/MS. Advances in Sample Preparation, 2022, 2, 100018.	3.0	0
4085	Method Validation and Residue Analysis of Mesosulfuron-Methyl and Diflufenican in Wheat Field Trial by Liquid Chromatography with Tandem Mass Spectrometry. Food Analytical Methods, 2022, 15, 2617-2624.	2.6	3
4087	Identification and semi-quantification of nitrooxy organosulfates in aerosol particles by HPLC-MS/MS. Analytical Methods, 0, , .	2.7	0
4088	Establishment and Validation of Anticoagulant Rodenticides in Animal Samples by HPLC-MS/MS, Focusing on Evaluating the Effect of Modified QuEChERS Protocol on Matrix Effect Reduction. ACS Omega, 2022, 7, 18146-18158.	3.5	3

#	Article	IF	CITATIONS
4089	Ultra-high-performance liquid chromatography-tandem mass spectrometry assay for quantifying THC, CBD and their metabolites in hair. Application to patients treated with medical cannabis. Journal of Pharmaceutical and Biomedical Analysis, 2022, 217, 114841.	2.8	8
4090	Optimisation of the conditions of dispersive liquid–liquid microextraction for environmentally friendly determination of bisphenols and benzophenone in complex water matrices by LC-MS/MS. Microchemical Journal, 2022, 180, 107636.	4.5	4
4091	Liquid Chromatography High-Resolution Mass Spectrometry in Forensic Toxicology: What are the Specifics of Method Development, Validation and Quality Assurance for Comprehensive Screening Approaches?. Current Pharmaceutical Design, 2022, 28, 1230-1244.	1.9	10
4092	Development, Validation and Application of an Ultra-High-Performance Liquid Chromatography–Tandem Mass Spectrometry (UHPLC-MS/MS) Method after QuEChERS Cleanup for Selected Dichloroanilines and Phthalates in Rice Samples. Foods, 2022, 11, 1482.	4.3	7
4094	Simultaneous screening and analysis of 155 veterinary drugs in livestock foods using ultra-high performance liquid chromatography tandem quadrupole linear-ion-trap mass spectrometry. Food Chemistry, 2022, 393, 133260.	8.2	13
4095	Difficulties interpreting concentrations in fatal cases: example of 2,5-dimethoxy-4-chloroamphetamine. Forensic Toxicology, 0, , .	2.4	1
4096	Determination of ceftriaxone in human plasma using liquid chromatography–tandem mass spectrometry. Wellcome Open Research, 0, 4, 47.	1.8	3
4097	Determination of fentanyl and norfentanyl in cerumen in the setting of postmortem investigation. Journal of Forensic Sciences, 0, , .	1.6	1
4098	23,25-Dihydroxyvitamin D3 is liberated as a major vitamin D3 metabolite in human urine after treatment with β-glucuronidase: Quantitative comparison with 24,25-dihydroxyvitamin D3 by LC/MS/MS. Journal of Steroid Biochemistry and Molecular Biology, 2022, 223, 106133.	2.5	1
4100	Simultaneous quantification of apolipoproteins A-I, E, and J in human plasma by LC-MS/MS for clinical application to diabetes mellitus complicated with cardiovascular disease. RSC Advances, 2022, 12, 16763-16771.	3.6	0
4101	Development of cVSSI-APCI for the Improvement of Ion Suppression and Matrix Effects in Complex Mixtures. Analytical Chemistry, 0, , .	6.5	4
4102	Carbamazepine Overdose after Psychiatric Conditions: A Case Study for Postmortem Analysis in Human Bone. Toxics, 2022, 10, 322.	3.7	4
4103	Application of Nontarget Analysis and High-Resolution Mass Spectrometry for the Identification of Thermal Transformation Products of Oxytetracycline in Pacific White Shrimp. Journal of Food Protection, 2022, 85, 1469-1478.	1.7	1
4104	Liquid chromatography–mass spectrometry analysis of carvacrol in chicken tissues. Journal of Veterinary Research (Poland), 2022, .	1.0	2
4105	Identification and Quantification of Urinary Microbial Phenolic Metabolites by HPLC-ESI-LTQ-Orbitrap-HRMS and Their Relationship with Dietary Polyphenols in Adolescents. Antioxidants, 2022, 11, 1167.	5.1	12
4106	Chromatographic Techniques to Separate and Identify Bioactive Compounds in Microalgae. Frontiers in Energy Research, 0, 10, .	2.3	0
4107	Rapid and accurate method for quantifying busulfan in plasma samples by isocratic liquid chromatography-tandem mass spectrometry (LC-MS/MS). Advances in Laboratory Medicine / Avances En Medicina De Laboratorio, 2022, 3, 263-271.	0.2	1
4108	Quantification of three antineoplastic agents in urine using the UniSpray ionisation source. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2022, 1205, 123331.	2.3	1

#	Article	IF	CITATIONS
4109	Sensitive detection and primary metabolism analysis of flualprazolam in blood. Journal of Clinical Forensic and Legal Medicine, 2022, 90, 102388.	1.0	1
4110	Targeted analysis of sugar phosphates from glycolysis pathway by phosphate methylation with liquid chromatography coupled to tandem mass spectrometry. Analytica Chimica Acta, 2022, 1221, 340099.	5.4	6
4111	A green and rapid analytical method for determination of kitasamycin in animal feedstuffs by ultra-high performance liquid chromatography tandem mass spectrometry. Journal of Chromatography A, 2022, 1676, 463203.	3.7	1
4112	Application of LEDA algorithm for the recognition of P-glycoprotein and Carbonic Anhydrase hybrid inhibitors and evaluation of their plasma stability by HPLC-MS/MS analysis. Journal of Pharmaceutical and Biomedical Analysis, 2022, 219, 114887.	2.8	3
4113	Evaluation of 4 quantification methods for monitoring 16 antibiotics and 1 beta-lactamase inhibitor in human serum by high-performance liquid chromatography with tandem mass spectrometry detection. Journal of Pharmaceutical and Biomedical Analysis, 2022, 219, 114900.	2.8	10
4114	Airborne polar pesticides in rural and mountain sites of North-Eastern Italy: An emerging air quality issue. Environmental Pollution, 2022, 308, 119657.	7.5	11
4115	Synthesis and evaluation of a Zn–Al layered double hydroxide for the removal of ochratoxin A. Greenness assessment. Analytical Methods, 2022, 14, 2841-2848.	2.7	2
4116	Characterization of analytes and matrices. , 2022, , 179-205.		0
4117	Mitigating Matrix Effects in LC-ESI-MS/MS Analysis of a Urinary Biomarker of Xylenes Exposure. Journal of Analytical Toxicology, 0, , .	2.8	1
4118	The key role of hydrophobicity in the determination of pharmaceuticals by liquid chromatography–electrospray ionization-mass spectrometry under the interference of natural organic matter. Environmental Science and Pollution Research, 0, , .	5.3	0
4119	Approaches to Improve the Quantitation of Oxytocin in Human Serum by Mass Spectrometry. Frontiers in Chemistry, 0, 10, .	3.6	1
4120	Determination of short-chain fatty acids by N,N-dimethylethylenediamine derivatization combined with liquid chromatography/mass spectrometry and their implication in influenza virus infection. Analytical and Bioanalytical Chemistry, 2022, 414, 6419-6430.	3.7	5
4121	Simultaneous LC-ESI-MS/MS Quantification of Levosimendan and Its Metabolites for Therapeutic Drug Monitoring of Cardiac Surgery Patients. Pharmaceutics, 2022, 14, 1454.	4.5	1
4122	A simple, highâ€ŧhroughput and validated LCâ€MS/MS method for determination of azithromycin in human plasma and its application to a clinical pharmacokinetic study. Biomedical Chromatography, 0, , .	1.7	3
4123	Novel Amperometric Biosensor Based on Tyrosinase/Chitosan Nanoparticles for Sensitive and Interference-Free Detection of Total Catecholamine. Biosensors, 2022, 12, 519.	4.7	14
4124	Fundamentals, operations and applications of electromembrane extraction: An overview of reviews. Microchemical Journal, 2022, 181, 107751.	4.5	13
4125	An optimized processing method for polar organic chemical integrative samplers deployed in seawater: Toward a maximization of the analysis accuracy for trace emerging contaminants. Journal of Chromatography A, 2022, 1677, 463309.	3.7	5
4126	High-throughput analysis for the simultaneous quantification of nine beta-lactam antibiotics in human plasma by UPC2-MS/MS: Method development, validation, and clinical application. Journal of Pharmaceutical and Biomedical Analysis, 2022, 219, 114904.	2.8	2

#	Article	IF	CITATIONS
4127	Improved method for the determination of endocrine-disrupting chemicals in urine of school-age children using microliquid–liquid extraction and UHPLC-MS/MS. Analytical and Bioanalytical Chemistry, 2022, 414, 6681-6694.	3.7	5
4128	Proneuropeptide Y and neuropeptide Y metabolites in healthy volunteers and patients with a pheochromocytoma or paraganglioma. Clinica Chimica Acta, 2022, 534, 146-155.	1.1	4
4130	Hair analysis for betaâ€blockers and calciumâ€channel blockers by using liquid chromatographyâ€ŧandem mass spectrometryÂas a tool for monitoring adherence to antihypertensive therapy. Drug Testing and Analysis, 2022, 14, 1773-1778.	2.6	7
4131	Quantification of cortisol and its metabolites in human urine by LC-MSn: applications in clinical diagnosis and anti-doping control. Analytical and Bioanalytical Chemistry, 2022, 414, 6841-6853.	3.7	9
4132	HPLC–MS/MS method for the simultaneous determination of aflatoxins in blood: toxicokinetics of aflatoxin B1 and aflatoxin M1 in rats. Journal of Analytical Science and Technology, 2022, 13, .	2.1	5
4133	Liquid chromatography–tandem mass spectrometry method for simultaneous quantification of neurotransmitters in rat brain tissue exposed to 4′â€Fluoroâ€î±â€PHP. Biomedical Chromatography, 0, , .	1.7	1
4134	Rapid quantification of cannabinoids in beef tissues and bodily fluids using direct-delivery electrospray ionization mass spectrometry. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2022, 39, 1705-1717.	2.3	1
4135	Método rÃjpido y preciso para la cuantificación de busulfán en muestras de plasma mediante cromatografÃa lÃquida acoplada a espectrometrÃa de masas en tándem (LC-MS/MS). Advances in Laboratory Medicine / Avances En Medicina De Laboratorio, 2022, 3, 272-281.	0.2	0
4136	Identification and quantification of phytoprostanes and phytofurans in Acacia cyanophylla Lindl. seeds. , 2022, 1, 100077.		1
4137	Current prospects on nano liquid chromatography coupled to electron ionization mass spectrometry (nanoLC-EI-MS). Journal of Liquid Chromatography and Related Technologies, 0, , 1-10.	1.0	1
4138	Analytical method for the biomonitoring of bisphenols and parabens by liquid chromatography coupled to tandem mass spectrometry in human hair. Ecotoxicology and Environmental Safety, 2022, 243, 113986.	6.0	11
4139	Effect of fermentation stages on glucosinolate profiles in kimchi: Quantification of 14 intact glucosinolates using ultra-performance liquid chromatography-tandem mass spectrometry. Food Chemistry: X, 2022, 15, 100417.	4.3	2
4140	Quantification of serotonin and eight of its metabolites in plasma of healthy volunteers by mass spectrometry. Clinica Chimica Acta, 2022, 535, 19-26.	1.1	5
4141	Analysis of the free amino acid content and profile of 129 peach (Prunus persica (L.) Batsch) germplasms using LC-MS/MS without derivatization. Journal of Food Composition and Analysis, 2022, 114, 104811.	3.9	10
4142	A method for improved detection of 8-isoprostaglandin F2α/β and benzodiazepines in wastewater. Science of the Total Environment, 2022, 851, 158061.	8.0	2
4143	Investigation of ochratoxin A in commercial cheeses and pork meat products by liquid chromatography–tandem mass spectrometry. Journal of Food Science, 2022, 87, 4465-4475.	3.1	5
4144	Dilute-and-shoot versus clean-up approaches: A comprehensive evaluation for the determination of mycotoxins in nuts by UHPLC-MS/MS. LWT - Food Science and Technology, 2022, 169, 113976.	5.2	7
4145	Oral fluid as a new investigative matrix for the determination of organic gunshot residue exposure. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2022, 1210, 123477.	2.3	0

#	Article	IF	CITATIONS
4146	Development andÂvalidation of a bioanalytical method for the quantification of axitinib from plasma and capillary blood using volumetric absorptive microsampling (VAMS) and on-line solid phase extraction (SPE) LC-MS. Journal of Pharmaceutical and Biomedical Analysis, 2022, 221, 115033.	2.8	5
4147	Solvent bar microextraction combined with HPLC-DAD and multivariate optimization for simultaneous determination of three antiarrhythmic drugs in human urine and plasma samples. Talanta Open, 2022, 6, 100140.	3.7	4
4148	Determination of a novel pesticide cyetpyrafen and its two main metabolites in crops, soils and water. Food Chemistry, 2023, 400, 134049.	8.2	5
4149	Novel molecularly imprinted phenolic resin–dispersive filter extraction for rapid determination of perfluorooctanoic acid and perfluorooctane sulfonate in milk. Food Chemistry, 2023, 400, 134062.	8.2	9
4150	Calibration Practices in Clinical Mass Spectrometry: Review and Recommendations. Annals of Laboratory Medicine, 2023, 43, 5-18.	2.5	12
4151	A User-Friendly Sample Preparation Alternative for Manual and Automated LC-MS/MS Quantification of Testosterone. Methods in Molecular Biology, 2022, , 459-472.	0.9	0
4152	A multi-analyte LC-MS/MS method for the determination of 57 pharmaceuticals and illicit drugs in plasma, and its application to poisoning cases. Journal of Pharmaceutical and Biomedical Analysis, 2023, 222, 115082.	2.8	4
4153	Unraveling the influence of human fecal pollution on antibiotic resistance gene levels in different receiving water bodies using crAssphage indicator gene. Journal of Hazardous Materials, 2023, 442, 130005.	12.4	5
4154	Pesticides monitoring in biological fluids: Mapping the gaps in analytical strategies. Talanta, 2023, 253, 123969.	5.5	3
4155	UHPLC–HRMS Method for the Simultaneous Screening of 235 Drugs in Capillary Blood for Doping Control Purpose: Comparative Evaluation of Volumetric and Non-volumetric Dried Blood Spotting Devices. ACS Omega, 2022, 7, 31845-31868.	3.5	9
4156	Thalidomide measurement in plasma and dried plasma spot by SPE combined with UHPLC-MS/MS for therapeutic drug monitoring. Bioanalysis, 2022, 14, 1039-1050.	1.5	0
4157	Development and validation of an ultra-performance liquid chromatography–tandem mass spectrometric method for the determination of 25 psychoactive drugs in cerumen and its application to real postmortem samples. Forensic Toxicology, 2023, 41, 94-104.	2.4	2
4158	A battery of tandem mass spectrometry assays with stable isotope-dilution for the quantification of 15 anti-tuberculosis drugs and two metabolites in patients with susceptible-, multidrug-resistant- and extensively drug-resistant tuberculosis. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2022, 1211, 123456.	2.3	6
4159	Characterization of long-chain fatty acid-linked bile acids: a major conjugation form of 3β-hydroxy bile acids in feces. Journal of Lipid Research, 2022, 63, 100275.	4.2	6
4160	Determination of Lipoxygenase, CYP450, and Non-Enzymatic Metabolites of Arachidonic Acid in Essential Hypertension and Type 2 Diabetes. Metabolites, 2022, 12, 859.	2.9	2
4161	Validation of an LC-MS/MS Method Using Solid-Phase Extraction for the Quantification of 1-84 Parathyroid Hormone: Toward a Candidate Reference Measurement Procedure. Clinical Chemistry, 2022, 68, 1399-1409.	3.2	13
4162	Liquid chromatography-high-resolution mass spectrometry (LC-HRMS) analysis following voluntary carvedilol poisoning in a subject with cirrhosis: a case report. Journal of Analytical Toxicology, 0, , .	2.8	1
4163	Sustainable sample preparation method based on hydrophobic natural deep eutectic solvents. Chemometric tools and green metrics for ibuprofen in groundwater. Separation and Purification Technology, 2022, 303, 122240.	7.9	9

#	Article	IF	CITATIONS
4164	Quantitative analysis of nutrients for nucleosides, nucleobases, and amino acids hidden behind five distinct regionsâ€derived <i>Poria cocos</i> using ultraâ€performance liquid chromatography coupled with tripleâ€quadrupole linear ionâ€trap tandem mass spectrometry. Journal of Separation Science, 2022, 45, 4039-4051.	2.5	5
4165	Analysis of 2,5-dimethoxy-amphetamines and 2,5-dimethoxy-phenethylamines aiming their determination in biological matrices: a review. Forensic Toxicology, 0, , .	2.4	0
4166	Development of a UPLC-MS/MS method for the determination of orelabrutinib in rat plasma and its application in pharmacokinetics. Frontiers in Pharmacology, 0, 13, .	3.5	2
4167	LC–MS/MS Method for Determination of Non-opioid Analgesics Adulterants in Herbal Medicines. Chemistry Africa, 2022, 5, 2149-2162.	2.4	1
4168	Development and validation of a chiral LC-MS/MS method for the separation and quantification of four synthetic cathinones in human whole blood and its application in stability analysis. Talanta, 2023, 253, 123986.	5.5	4
4170	A rapid Dilute-and-Shoot LC-MS/MS method for quantifying THC-COOH and THC-COO(Gluc) in urine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2022, 1211, 123495.	2.3	5
4171	A comprehensive UHPLC–MS/MS method for the analysis of endogenous and exogenous steroids in serum for antiâ€doping purposes. Drug Testing and Analysis, 2022, 14, 1904-1919.	2.6	5
4172	Will tetrahydrocannabinol be formed from cannabidiol in gastric fluid? An in vivo experiment. International Journal of Legal Medicine, 2023, 137, 79-87.	2.2	3
4173	UHPLC-ESI-MS/MS assay for quantification of endocannabinoids in cerebrospinal fluid using surrogate calibrant and surrogate matrix approaches. Journal of Pharmaceutical and Biomedical Analysis, 2023, 222, 115090.	2.8	5
4174	Analysis of two intestinal bacterial metabolites (trimethylamine N-oxide and phenylacetylglutamine) in human serum samples of patients with T2DM and AMI using a liquid chromatography tandem mass spectrometry method. Clinica Chimica Acta, 2022, 536, 162-168.	1.1	2
4175	Validation and application of a quantitative LC-MS/MS assay for the analysis of first-line anti-tuberculosis drugs, rifabutin and their metabolites in human breast milk. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2022, 1211, 123489.	2.3	4
4176	Recovery of per- and polyfluoroalkyl substances after solvent evaporation. Environmental Sciences: Processes and Impacts, 2022, 24, 2263-2271.	3.5	1
4178	The First Evidence on the Occurrence of Bisphenol Analogues in the Aqueous Humor of Patients Undergoing Cataract Surgery. Journal of Clinical Medicine, 2022, 11, 6402.	2.4	1
4179	A Simple, Efficient, Eco-Friendly Sample Preparation Procedure for the Simultaneous Determination of Hormones in Meat and Fish Products by Gas Chromatography—Mass Spectrometry. Foods, 2022, 11, 3095.	4.3	2
4180	UHPLC–MS-MS Determination of THC, CBD and Their Metabolites in Whole Blood of Light Cannabis Smokers. Journal of Analytical Toxicology, 2023, 46, e256-e261.	2.8	4
4181	Simultaneous Degradation Study of Isomers in Human Plasma by HPLC-MS/MS and Application of LEDA Algorithm for Their Characterization. International Journal of Molecular Sciences, 2022, 23, 13139.	4.1	4
4182	Rapid Simultaneous Determination of Three Synthetic Cannabinoids in Urine and Plasma of Rats Using Ultra-High Performance Liquid Chromatography Tandem Mass Spectrometry. Toxics, 2022, 10, 619.	3.7	1
4183	Analytical method development, validation and study on behaviour of ipfencarbazone in paddy (rice). Environmental Science and Pollution Research, 0, , .	5.3	0

#	Article	IF	CITATIONS
4184	Development of a highly sensitive lateral flow strip device for nucleic acid detection using molecular beacons. Frontiers in Sensors, 0, 3, .	3.3	2
4185	Simple and fast determination of tetrodotoxin in human plasma based on hydrophilic-interaction/ion-exchange mixed-mode solid phase extraction combined with liquid chromatography-tandem mass spectroscopy. Journal of Chromatography A, 2022, 1684, 463567.	3.7	2
4187	Automated HPLC-MS/MS assay for the simultaneous determination of ten plasma antibiotic concentrations. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2022, 1211, 123496.	2.3	9
4188	Metabolic profiling workflow for cell extracts by targeted hydrophilic interaction liquid chromatography-tandem mass spectrometry. Journal of Chromatography A, 2022, 1684, 463556.	3.7	8
4189	A preliminary study of the poultry body weight effect of carvacrol in litter and of carvacrol residue in organ tissue of exposed chickens. Journal of Veterinary Research (Poland), 2022, .	1.0	0
4190	Closing the gap $\hat{a} \in$ " development of an analytical methodology using volumetric absorptive microsampling of finger prick blood followed by LC-HRMS/MS for adherence monitoring of antihypertensive drugs. Analytical and Bioanalytical Chemistry, 2023, 415, 167-177.	3.7	2
4191	Determination of 17α-methyltestosterone in aquatic products using high-performance liquid chromatography-tandem mass spectrometry. Microchemical Journal, 2022, 183, 108119.	4.5	3
4192	Simultaneous determination of four sedative-hypnotics in human urine based on dendritic structured magnetic nanomaterials. Arabian Journal of Chemistry, 2022, 15, 104363.	4.9	4
4193	Quantification of vancomycin and clindamycin in human plasma and synovial fluid applying ultra-performance liquid chromatography tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2022, 1212, 123493.	2.3	3
4194	Use of psychoactive and stimulant plants on the south coast of Peru from the Early Intermediate to Late Intermediate Period. Journal of Archaeological Science, 2022, 148, 105688.	2.4	3
4195	A Rapid Determination of 30 Prohibited Pesticide Residues in Lycii Fructus by UPLC-MS/MS. Phyton, 2023, 92, 423-437.	0.7	0
4196	Single cell-asymmetrical flow field-flow fractionation/ICP-time of flight-mass spectrometry (sc-AF4/ICP-ToF-MS): an efficient alternative for the cleaning and multielemental analysis of individual cells. Journal of Analytical Atomic Spectrometry, 2022, 37, 2691-2700.	3.0	5
4197	Hyphenated Chromatographic Techniques in Forensic Science. , 2023, , 199-212.		0
4198	UHPLC-MS/MS method for chiral separation of 3-hydroxy fatty acids on amylose-based chiral stationary phase and its application for the enantioselective analysis in plasma and platelets. Journal of Pharmaceutical and Biomedical Analysis, 2023, 223, 115151.	2.8	1
4200	Simultaneous assessment of ciprofloxacin and dexamethasone in ocular tear fluid by LC-MS/MS: Application to a pharmacokinetic study in rabbits. Chinese Journal of Analytical Chemistry, 2023, 51, 100197.	1.7	2
4201	An LC-MS/MS method for the simultaneous determination of 18 antibacterial drugs in human plasma and its application in therapeutic drug monitoring. Frontiers in Pharmacology, 0, 13, .	3.5	9
4202	Low-interference norepinephrine signal on dopamine detection using nafion-coated boron doped diamond electrodes. Biosensors and Bioelectronics, 2023, 220, 114892.	10.1	9
4203	Development and validation of a simple and rapid HILIC-MS/MS method for the quantification of low-abundant lysoglycerophospholipids in human plasma. Analytical and Bioanalytical Chemistry, 2023, 415, 411-425.	3.7	1

#	Article	IF	CITATIONS
4204	High-throughput interspecies profiling of acidic plant hormones using miniaturised sample processing. Plant Methods, 2022, 18, .	4.3	11
4205	Liquid chromatographyâ€ŧandem mass spectrometry method for simultaneous assessment of ofloxacin and dexamethasone in ocular biofluids: Application to ocular pharmacokinetic studies. Separation Science Plus, 2022, 5, 593-601.	0.6	8
4206	Extraction of Emerging Contaminants from Environmental Waters and Urine by Dispersive Liquid–Liquid Microextraction with Solidification of the Floating Organic Droplet Using Fenchol:Acetic Acid Deep Eutectic Mixtures. ACS Sustainable Chemistry and Engineering, 2022, 10, 15714-15725.	6.7	7
4207	Dual Delivery of Cyclosporin A and Etodolac Using Polymeric Nanocapsules in a Rabbit Eye Model: Ocular Biodistribution and Pharmacokinetic Study. Journal of Ocular Pharmacology and Therapeutics, 2022, 38, 734-744.	1.4	1
4208	Accurate determination of vitamin B12 in infant formula by liquid chromatography/isotope dilution high-resolution mass spectrometry. LWT - Food Science and Technology, 2022, 171, 114170.	5.2	2
4209	Determination of polycyclic aromatic hydrocarbons in edible oil by magnetic solid phase extraction based on a mesoporous molybdenum disulfide/graphite prior to gas chromatography-mass spectrometry. Microchemical Journal, 2022, 183, 108146.	4.5	5
4210	Method validation and clinical application for the quantification of Lopinavir, Efavirenz and Ritonavir in breast milk using LCâ€MS/MS. Journal of Mass Spectrometry, 0, , .	1.6	0
4211	Targeted profiling of polar metabolites in cancer metabolic reprogramming by hydrophilic interaction liquid chromatography-tandem mass spectrometry. Journal of Chromatography A, 2022, 1686, 463654.	3.7	2
4212	Rapid determination of polyethoxylated tallow amine surfactants in human plasma by LC-MSMS. Talanta, 2023, 254, 124115.	5.5	2
4213	Validation of a quantitative multiplex LC-MS/MS assay of carvedilol, enalaprilat, and perindoprilat in dried blood spots from heart failure patients and its cross validation with a plasma assay. Journal of Mass Spectrometry and Advances in the Clinical Lab, 2023, 27, 7-17.	2.4	0
4214	Isolation and quantification of synthetic cannabinoid receptor agonists in human urine using membrane-assisted solvent extraction followed by liquid chromatography-tandem mass spectrometry. Analytical Methods, 2023, 15, 333-342.	2.7	1
4215	Development and validation of a liquid chromatography coupled to tandem mass spectrometry method for the monitoring of temsavir plasma concentrations in people living with HIV. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2023, 1214, 123575.	2.3	1
4216	Optimized LC-MS/MS quantification of tuberculosis drug candidate macozinone (PBTZ169), its dearomatized Meisenheimer Complex and other metabolites, in human plasma and urine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2023, 1215, 123555.	2.3	4
4217	Broken into pieces: The challenges of determining sulfonated azo dyes in biological reactor effluents using LC-ESI-MS/MS analysis. Environmental Pollution, 2023, 318, 120877.	7.5	2
4218	Simultaneous determination of phenolic pollutants in dairy products held in various types of packaging by gas chromatographyâ~'mass spectrometry. Food Control, 2023, 146, 109564.	5.5	7
4219	Analysis of Near 400 Pesticides in Tea via LC–MS/MS: Simple Sample Preparation and APCI to Improve Analyte Coverage. LC-GC North America, 2022, , 432-438.	0.5	0
4220	Evaluation of hemaPEN [®] sampling device for measurement of cocaine and metabolites in capillary blood by LC-MS/MS. Bioanalysis, 2022, 14, 1295-1303.	1.5	1
4221	Design and Validation of a Sensitive Multisteroid LC-MS/MS Assay for the Routine Clinical Use: One-Step Sample Preparation with Phospholipid Removal and Comparison to Immunoassays. International Journal of Molecular Sciences, 2022, 23, 14691.	4.1	2

#	Article	IF	CITATIONS
4222	Quantitative Determination of Bisphenol A and Its Congeners in Plant-Based Beverages by Liquid Chromatography Coupled to Tandem Mass Spectrometry. Foods, 2022, 11, 3853.	4.3	3
4224	Dissipation Kinetics and Safety Evaluation of Flonicamid in Four Various Types of Crops. Molecules, 2022, 27, 8615.	3.8	2
4225	New gammaâ€hydroxybutyric acid (GHB) biomarkers: Development and validation of a liquid chromatography–tandem mass spectrometry method for the determination of GHB amino acid, carnitine, and fatty acid conjugates in urine. Drug Testing and Analysis, 2023, 15, 426-443.	2.6	2
4226	From the Streets to the Judicial Evidence: Determination of Traditional Illicit Substances in Drug Seizures by a Rapid and Sensitive UHPLC-MS/MS-Based Platform. Molecules, 2023, 28, 164.	3.8	0
4227	Therapeutic drug monitoring in breast cancer therapy – LC-MS/MS method for quantification of the CDK4/6 inhibitors abemaciclib, palbociclib, ribociclib, and major metabolites abemaciclib M20 and M2 in human serum. Journal of Pharmaceutical and Biomedical Analysis, 2023, 225, 115211.	2.8	8
4228	Driving under the Influence of Amphetamine: Analytical Evaluation of Illegal or Prescription Drug Intake Using Chiral UHPLC–MS/MS. Journal of Analytical Toxicology, 0, , .	2.8	1
4229	Dried Urine Spot Analysis for assessing cardiovascular drugs exposure applicable in spaceflight conditions. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2022, , 123539.	2.3	0
4230	Simultaneous quantification of tryptophan metabolites by liquid chromatography tandem mass spectrometry during early human pregnancy. Clinical Chemistry and Laboratory Medicine, 2023, 61, 442-451.	2.3	4
4231	Simultaneous determination of three components of sodium nitrophenolate in foodstuffs of animal origin by high performance liquid chromatography-tandem mass spectrometry using atmospheric pressure chemical ionization. Chinese Journal of Chromatography (Se Pu), 2022, 40, 1095-1101.	0.8	0
4232	Comparative Study of Postmortem Concentrations of Benzodiazepines and Z-Hypnotics in Several Different Matrices. Journal of Analytical Toxicology, 2023, 47, 287-298.	2.8	1
4233	The use of lipids from textiles as soft-tissue biomarkers of human decomposition. Forensic Science International, 2023, 343, 111547.	2.2	2
4234	Development of High-Throughput Sample Preparation Procedures for the Quantitative Determination of Aflatoxins in Biological Matrices of Chickens and Cattle Using UHPLC-MS/MS. Toxins, 2023, 15, 37.	3.4	6
4235	Development and Validation of a Non-Targeted Screening Method for Most Psychoactive, Analgesic, Anaesthetic, Anti-Diabetic, Anti-Coagulant and Anti-Hypertensive Drugs in Human Whole Blood and Plasma Using High-Resolution Mass Spectrometry. Pharmaceuticals, 2023, 16, 76.	3.8	2
4236	Application of Teeth in Toxicological Analysis of Decomposed Cadavers Using a Carbamazepine-Administered Rat Model. Diagnostics, 2023, 13, 311.	2.6	0
4237	Foxtail millet [Setaria italica (L.) P. Beauv.] grown under nitrogen deficiency exhibits a lower folate contents. Frontiers in Nutrition, 0, 10, .	3.7	2
4238	Monitoring of the presence of plasticizers and effect of temperature and storage time in bottled water using a green liquid–liquid microextraction method. Food Research International, 2023, 164, 112424.	6.2	2
4239	Pharmaceuticals and personal care products (PPCPs) in the aquatic environment: Biotoxicity, determination and electrochemical treatment. Journal of Cleaner Production, 2023, 388, 135923.	9.3	17
4240	Liquid chromatography-tandem mass spectrometry for therapeutic drug monitoring of immunosuppressants and creatinine from a single dried blood spot using the Capitainer® qDBS device. Analytica Chimica Acta, 2023, 1242, 340797	5.4	6

#	Article	IF	CITATIONS
4241	Accurate identification and quantification of ultra-multi-target flavours in essential oils through a combination of retention index distribution-based parallel dual-column GC-MS/MS and analyte protectants. Industrial Crops and Products, 2023, 193, 116186.	5.2	3
4242	Portable and green solid contact potentiometric sensor for the rapid and direct assay of clozapine in post-mortem rat liver and dosage forms: An analytical approach to forensic and pharmaceutical samples. Microchemical Journal, 2023, 186, 108364.	4.5	4
4243	Study of the ionic strength effect on the migration of polyamide 6 and 66 oligomers into liquid simulants by a LC-qTOF-MS method. Food Packaging and Shelf Life, 2023, 35, 101015.	7.5	4
4244	Single-run UHPLC-MS/MS method for simultaneous quantification of endogenous steroids and their phase II metabolites in serum for anti-doping purposes. Talanta, 2023, 255, 124218.	5.5	5
4245	Rapid and High-Throughput Determination of Sixteen β-agonists in Livestock Meat Using One-Step Solid-Phase Extraction Coupled with UHPLC-MS/MS. Foods, 2023, 12, 76.	4.3	4
4246	Simultaneous Measurement of Cortisol, Cortisone, Dexamethasone and Additional Exogenous Corticosteroids by Rapid and Sensitive LC–MS/MS Analysis. Molecules, 2023, 28, 248.	3.8	5
4247	Ultramicronized N-Palmitoylethanolamine Regulates Mast Cell-Astrocyte Crosstalk: A New Potential Mechanism Underlying the Inhibition of Morphine Tolerance. Biomolecules, 2023, 13, 233.	4.0	0
4248	Development of a Dispersive Liquid–Liquid Microextraction for Synthetic Cathinones in Biological Fluids Based on Principles of Green Analytical Toxicology. Journal of Analytical Toxicology, 2023, 47, 353-365.	2.8	3
4249	Liquid chromatography with tandem mass spectrometric method for determination of 425 drugs and poisons in dried blood spots and application to forensic cases. Forensic Toxicology, 0, , .	2.4	0
4250	Bioanalytical Methods for Poly(ADP-Ribose) Polymerase Inhibitor Quantification: A Review for Therapeutic Drug Monitoring. Therapeutic Drug Monitoring, 2023, Publish Ahead of Print, .	2.0	1
4251	An isotope dilution-liquid chromatography-tandem mass spectrometry (ID-LC-MS/MS)-based candidate reference measurement procedure (RMP) for the quantification of gabapentin in human serum and plasma. Clinical Chemistry and Laboratory Medicine, 2023, 61, 1955-1966.	2.3	3
4252	Concurrent Analysis of 84 Compounds among Emerging Contaminants Listed by the Ministry of the Environment, Japan, in Domestic Wastewater Treatment Plants Using Liquid Chromatography and High-resolution Mass Spectrometry (LC-HRMS). Journal of Water and Environment Technology, 2023, 21, 108-118.	0.7	0
4253	Mass spectrometry using electrospray ionization. Nature Reviews Methods Primers, 2023, 3, .	21.2	11
4255	Determination of carbamazepine and its main metabolite in human hair by capillary electrophoresis and liquid chromatography techniques, both coupled with mass spectrometry. , 2023, , 100009.		0
4256	A fast and convenient sample preparation method for the analysis of cannabinoids in oral fluid. Biomedical Chromatography, 0, , .	1.7	0
4257	Quantitative tandem mass spectrometry in the clinical laboratory: Regulation and opportunity for validation of laboratory developed tests. Journal of Mass Spectrometry and Advances in the Clinical Lab, 2023, 28, 82-90.	2.4	1
4258	Determination of 5 synthetic cannabinoids in hair by Segmental analysis using UHPLC-MS/MS and its application to eight polydrug abuse cases. Forensic Science International, 2023, 346, 111611.	2.2	1
4259	Innovative, simple, and green: A sample preparation method based on 3D printed polymers. Talanta, 2023, 257, 124380.	5.5	4

#	Article	IF	CITATIONS
4260	Acetylcholinesterase biosensors for electrochemical detection of neurotoxic pesticides and acetylcholine neurotransmitter: A literature review. Environmental Research, 2023, 227, 115724.	7.5	18
4261	Development of an equilibrium dialysis ID-UPLC-MS/MS candidate reference measurement procedure for free thyroxine in human serum. Clinical Biochemistry, 2023, 116, 42-51.	1.9	2
4262	Development and validation of a liquid chromatographic-tandem mass spectrometric assay for the quantification of cabotegravir and rilpivirine from dried blood spots. Journal of Pharmaceutical and Biomedical Analysis, 2023, 228, 115307.	2.8	3
4263	Development and validation of a multiplexed assay for the measurement of long-acting hormonal contraceptives in plasma via liquid chromatography-tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2023, 228, 115321.	2.8	0
4264	Development of an enantioselective high-performance liquid chromatography-tandem mass spectrometry method for the quantitative determination of methorphan and its O-demethylated metabolite in human blood and its application to post-mortem samples. Journal of Pharmaceutical and Biomedical Analysis, 2023, 230, 115384.	2.8	3
4265	Extraction of ibuprofen from baby lettuces by natural deep eutectic systems. Journal of Food Composition and Analysis, 2023, 119, 105225.	3.9	0
4266	Age-related reference intervals for serum phytosterols in children by gas chromatography-mass spectrometry and its application in diagnosing sitosterolemia. Clinica Chimica Acta, 2023, 540, 117234.	1.1	1
4267	Impact of valproic acid on busulfan pharmacokinetics: In vitro assessment of potential drug-drug interaction. PLoS ONE, 2023, 18, e0280574.	2.5	0
4268	Concentrations of LSD, 2-oxo-3-hydroxy-LSD, and iso-LSD in hair segments of 18 drug abusers. Forensic Science International, 2023, 344, 111578.	2.2	0
4269	Liquid chromatography-tandem mass spectrometry analysis of delamanid and its metabolite in human cerebrospinal fluid using protein precipitation and on-line solid-phase extraction. Journal of Pharmaceutical and Biomedical Analysis, 2023, 227, 115281.	2.8	1
4270	Analysis of doping control samples using supercritical fluid chromatographyâ€ŧandem mass spectrometry: Ready for routine use. Journal of Separation Science, 2023, 46, .	2.5	2
4271	An in-depth analysis of four classes of antidepressants quantification from human serum using LC–MS/MS. Scientific Reports, 2023, 13, .	3.3	1
4272	Simultaneous Determination of Fungicides in Wood and Bamboo Food-Contact Materials by High-Performance Liquid Chromatography–Tandem Mass Spectrometry (HPLC–MS/MS). Analytical Letters, 2023, 56, 2371-2384.	1.8	1
4273	Advantages of Multiplexing Ability of the Orbitrap Mass Analyzer in the Multi-Mycotoxin Analysis. Toxins, 2023, 15, 134.	3.4	4
4274	Use of Liquid ChromatographyTandem Mass Spectrometry to Quantify and Confirm the Fentanyl Metabolite <i>N</i> -[1-(2-Phenethy-4-Piperidinyl)] Maloanilinic Acid in Equine Urine for Doping Control. Journal of Analytical Toxicology, 2023, 47, 393-402.	2.8	0
4275	Simultaneous pharmacokinetic assessment of phytopharmaceuticals in fenugreek extract using LC–MS/MS in Sprague–Dawley rats. Biomedical Chromatography, 2023, 37, .	1.7	11
4277	Development and Validation of a Novel LC-MS/MS Method for a TDM-Guided Personalization of HSCT Conditioning with High-Dose Busulfan in Children. Biomedicines, 2023, 11, 530.	3.2	1
4278	An isotope dilution-liquid chromatography-tandem mass spectrometry (ID-LC-MS/MS)-based candidate reference measurement procedure (RMP) for the quantification of lamotrigine in human serum and plasma. Clinical Chemistry and Laboratory Medicine, 2023, 61, 1930-1941.	2.3	3

#	Article	IF	CITATIONS
4279	An isotope dilution-liquid chromatography-tandem mass spectrometry (ID-LC-MS/MS)-based candidate reference measurement procedure (RMP) for the quantification of methotrexate in human serum and plasma. Clinical Chemistry and Laboratory Medicine, 2023, 61, 1917-1929.	2.3	5
4280	Development, validation and application of a selective and sensitive LC-MS/MS method for the quantification of daptomycin in a suspension of Mammaliicoccus sciuri in Mueller-Hinton broth. Journal of Pharmaceutical and Biomedical Analysis, 2023, 227, 115293.	2.8	1
4281	Simultaneous Quantification of Ivacaftor, Tezacaftor, and Elexacaftor in Cystic Fibrosis Patients' Plasma by a Novel LC–MS/MS Method. Biomedicines, 2023, 11, 628.	3.2	3
4282	Determination of β2-Agonist Residues in Fermented Ham Using UHPLC-MS/MS after Enzymatic Digestion and Sulfonic Resin Solid Phase Purification. Molecules, 2023, 28, 2039.	3.8	5
4283	Bioactive Oxylipins Profile in Marine Microalgae. Marine Drugs, 2023, 21, 136.	4.6	5
4284	Convenient estimation of oxytetracycline and polymyxin B by a novel high-performance liquid chromatography method: development and validation. , 0, , 6-17.		Ο
4285	Development and Validation of a Liquid Chromatography-Tandem Mass Spectrometry Method for Analysis of Riluzole in Human Plasma and Its Application on a Bioequivalence Study. Drug Development and Registration, 2023, 12, 192-198.	0.6	0
4286	A review on bioanalytical method development and validation of anticancer drugs by using lc/ms/ms and its applications on routine analysis. , 0, , 4-19.		0
4287	HPLC-MS-MS quantification of short-chain fatty acids actively secreted by probiotic strains. Frontiers in Microbiology, 0, 14, .	3.5	5
4288	Heroin-Related Fatalities in Jeddah, Saudi Arabia, between 2008 and 2018. Toxics, 2023, 11, 248.	3.7	2
4289	Cross-Platform Comparison of Amino Acid Metabolic Profiling in Three Model Organisms Used in Environmental Metabolomics. Metabolites, 2023, 13, 402.	2.9	1
4290	Anthropocentric perspective on climatic variability, potentially toxic elements, and health risk assessment in the Mansehra district: a case study of the Kunhar River, Pakistan. Journal of Water and Climate Change, 2023, 14, 1132-1146.	2.9	2
4291	Advances in solid-phase extraction techniques: Role of nanosorbents for the enrichment of antibiotics for analytical quantification. Journal of Chromatography A, 2023, 1695, 463937.	3.7	10
4292	Steroid hormone levels and bone mineral density in women over 65Âyears of age. Scientific Reports, 2023, 13, .	3.3	2
4293	Analysis of psychoactive substances and metabolites in sludges, soils, sediments and biota: a review. Environmental Chemistry Letters, 0, , .	16.2	0
4294	The Bright and Dark Sides of Herbal Infusions: Assessment of Antioxidant Capacity and Determination of Tropane Alkaloids. Toxins, 2023, 15, 245.	3.4	1
4295	Quantitation of 10 antibiotics in plasma: Sulfosalicylic acid combined with 2D-LC-MS/MS is a robust assay for beta-lactam therapeutic drug monitoring. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2023, 1221, 123685.	2.3	3
4296	Elimination of Cefquinome Sulfate Residue in Cow's Milk after Intrauterine Infusion. Metabolites, 2023, 13, 492.	2.9	0

#	Article	IF	CITATIONS
4297	An isotope dilution-liquid chromatography-tandem mass spectrometry (ID-LC-MS/MS)-based candidate reference measurement procedure for the quantification of levetiracetam in human serum and plasma. Clinical Chemistry and Laboratory Medicine, 2023, 61, 1967-1977.	2.3	3
4298	Simultaneous analysis of antihyperglycemic small molecule drugs and peptide drugs by means of dual liquid chromatography high-resolution mass spectrometry. Clinical Chemistry and Laboratory Medicine, 2023, 61, 1300-1308.	2.3	0
4299	Investigation of the adsorption/desorption mechanism of perfluoroalkyl substances on HLB-WAX extraction phases for microextraction. Analytica Chimica Acta, 2023, 1260, 341206.	5.4	6
4300	Analysis of tetramisole metabolites – Is "Aminorex†found in forensic samples of cocaine users actually 4â€phenylâ€2â€imidazolidinone?. Drug Testing and Analysis, 0, , .	2.6	0
4301	The analysis of ramipril/ramiprilat concentration in human serum with liquid chromatography-tandem mass spectrometry – interpretation of high concentrations for the purposes of forensic toxicology. Forensic Science, Medicine, and Pathology, 0, , .	1.4	0
4302	Determination of Anticancer Drugs in the Aquatic Environment by SPE–LC–MS/MS—A Lebanese Case Study. Water (Switzerland), 2023, 15, 1560.	2.7	0
4303	LC–MS/MS-based multiplex antibacterial platform for therapeutic drug monitoring in intensive care unit patients. Frontiers in Pharmacology, 0, 14, .	3.5	2
4304	Abamectin and difenoconazole monitoring in strawberry flowers and pollen sampled from Tetragonisca angustula (Latreille) (Hymenoptera: Apidae) hives located in crop vicinities. Environmental Science and Pollution Research, 2023, 30, 65401-65411.	5.3	0
4305	Fiber coating based on a green metal-organic framework to determine phthalates in bottled waters by direct-immersion micro solid-phase extraction. Microchemical Journal, 2023, 191, 108767.	4.5	5
4306	Development and Validation of an LC-MS/MS Method to Quantify the Alcohol Biomarker Phosphatidylethanol 16:0/18:1 in Dried Blood Spots for Clinical Research Purposes. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2023, , 123725.	2.3	0
4307	Hidden threat lurking in extensive hand hygiene during the Covid-19 pandemic: investigation of sensitizing molecules in gel products by hyphenated chromatography techniques. Analytical and Bioanalytical Chemistry, 2023, 415, 3327-3340.	3.7	2
4308	Fabrication of magnetic magnesium oxide cleanup adsorbent for high-throughput pesticides residue analysis coupled with supercritical fluid chromatography-tandem mass spectrometry. Analytica Chimica Acta, 2023, 1265, 341266.	5.4	0
4309	Analytical approaches for screening of per- and poly fluoroalkyl substances in food items: A review of recent advances and improvements. Environmental Pollution, 2023, 329, 121705.	7.5	8
4310	Development and validation of an LC-MS/MS method for quantification of favipiravir in human plasma. Journal of Pharmaceutical and Biomedical Analysis, 2023, 233, 115436.	2.8	3
4311	GC-MS/MS Method for Determination of Polycyclic Aromatic Hydrocarbons in Herbal Medicines. Molecules, 2023, 28, 3853.	3.8	3
4312	A molecularly imprinted polymer for microextraction by packed sorbent of sulfonylureas herbicides from corn samples. Journal of Food Composition and Analysis, 2023, 121, 105388.	3.9	5
4313	Characteristic fragmentation of polyunsaturated fatty acids with allylic vicinal diols in positive-ion LC/ESI-MS/MS. Journal of Lipid Research, 2023, 64, 100384.	4.2	1
4314	Development and Validation of a New LC-MS/MS Bioanalytical Method for the Simultaneous Determination of Levodopa, Levodopa Methyl Ester, and Carbidopa in Human Plasma Samples. Molecules, 2023, 28, 4264.	3.8	2

#	Article	IF	CITATIONS
4315	Florfenicol and Florfenicol Amine Quantification in Bull Serum and Seminal Plasma by a Single Validated UHPLC-MS/MS Method. Veterinary Medicine International, 2023, 2023, 1-10.	1.5	1
4316	Impact of LC-MS/MS quantification methods on analytical results by example of nationwide U.S. environmental samples. Science of the Total Environment, 2023, 892, 164425.	8.0	0
4317	An intoxication involving 2â€methyl APâ€237 and APâ€238 from Victoria, Australia: Case report. Drug Testing and Analysis, 2024, 16, 93-98.	2.6	0
4318	Derivatized versus non-derivatized LC-MS/MS techniques for the analysis of estrogens and estrogen-like endocrine disruptors in human plasma. Ecotoxicology and Environmental Safety, 2023, 260, 115083.	6.0	1
4319	Generic Liquid Membranes for Electromembrane Extraction of Bases with Low or Moderate Hydrophilicity. Analytical Chemistry, 2023, 95, 8982-8989.	6.5	9
4320	Development and Validation of UPLC–MS/MS Method for Quantitative Analysis of 5-Fluorouracil in Aqueous Humor of Rabbits. Separations, 2023, 10, 343.	2.4	0
4321	Bioconcentration and cellular effects of emerging contaminants in sponges from Maldivian coral reefs: A managing tool for sustainable tourism. Marine Pollution Bulletin, 2023, 192, 115084.	5.0	2
4322	Avermectin Trunk Injections: A Promising Approach for Managing the Walnut Husk Fly (Rhagoletis) Tj ETQq1 1 0	.784314 r 2.8	gBJ /Overlo <mark>c</mark> i
4323	Development of a novel UPLC-MS/MS method for the simultaneous quantification of mycophenolic mofetil, mycophenolic acid, and its major metabolites: Application to pharmacokinetic and tissue distribution study in rats. Journal of Pharmaceutical and Biomedical Analysis, 2023, 234, 115504.	2.8	1
4324	Recent advances in emerging application of functional materials in sample pretreatment methods for liquid chromatography-mass spectrometry analysis of plant growth regulators: A mini-review. Journal of Chromatography A, 2023, 1704, 464130.	3.7	5
4325	Evaluation of testosterone, estradiol andÂprogesterone immunoassay calibrators byÂliquid chromatography mass spectrometry. Clinical Chemistry and Laboratory Medicine, 2023, 61, 1612-1618.	2.3	0
4326	Application of novel plasma separation filter cards for quantification of nucleoside/nucleotide reverse transcriptase inhibitor di/triphosphates in dried blood spots using LC–MS. Bioanalysis, 0, , .	1.5	0
4327	Development of an LC-MS/MS method for the determination of multiple mycotoxins in human urine. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 0, , 1-11.	2.3	0
4328	Evaluation of direct sample injection as a fast, no-sample handling, approach for the LC-MS/MS monitoring of pharmaceuticals in different water matrices. Microchemical Journal, 2023, 193, 108985.	4.5	4
4329	A Sensitive, Simple, and Fast LC–MS/MS Method for Quantification of Remifentanil in Human Plasma: Applications in Critically III Patients' Plasma during Extracorporeal Membrane Oxygenation. Separations, 2023, 10, 359.	2.4	0
4330	A Novel UHPLC-MS/MS Method for the Quantification of Seven Opioids in Different Human Tissues. Pharmaceuticals, 2023, 16, 903.	3.8	0
4331	Evaluation of dried blood spots as an alternative sampling strategy for 5-fluorouracil monitoring: From method development to clinical application. Journal of Pharmaceutical and Biomedical Analysis, 2023, 235, 115539.	2.8	0
4332	A simple approach for determination of plasmatic levels of carbamazepine and phenobarbital in poisoning cases using DLLME and liquid chromatography. Toxicologie Analytique Et Clinique, 2023, , .	0.1	0

#	Article	IF	CITATIONS
4333	How does the order of sample analysis influence the matrix effect during LC-MS bioanalysis?. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2023, 1227, 123800.	2.3	3
4334	Quantitation of Formoterol, Salbutamol, and Salbutamol-4′-O-Sulfate in Human Urine and Serum via UHPLC-MS/MS. Separations, 2023, 10, 368.	2.4	1
4335	Determination of amphetamines, opioids, cocaine metabolites and 11-nor-9-carboxy-Δ9-tetrahydrocannabinol in urine using biocompatible solid-phase microextraction and ultra-performance LC–MS/MS. Bioanalysis, 0, , .	1.5	0
4336	Preclinical pharmacokinetics of 4-hydroxy isoleucine using LC–MS/MS: a potential polycystic ovary syndrome phytopharmaceutical therapeutics. Bioanalysis, 2023, 15, 711-725.	1.5	2
4337	Practical considerations for accurate determination of free thyroxine by equilibrium dialysis. Journal of Mass Spectrometry and Advances in the Clinical Lab, 2023, 29, 9-15.	2.4	1
4338	LC–MS/MS bioanalytical method for the quantitative analysis of nifedipine, bisoprolol, and captopril in human plasma: Application to pharmacokinetic studies. Biomedical Chromatography, 0, , .	1.7	0
4339	High Persistence of Novel Polyfluoroalkyl Betaines in Aerobic Soils. Environmental Science & Technology, 2023, 57, 7442-7453.	10.0	2
4340	LC-MS/MS Method for the Quantification of PARP Inhibitors Olaparib, Rucaparib and Niraparib in Human Plasma and Dried Blood Spot: Development, Validation and Clinical Validation for Therapeutic Drug Monitoring. Pharmaceutics, 2023, 15, 1524.	4.5	2
4341	Tandem mass spectrometry for Structural characterization of marine natural products with selective exemplary case studies. Studies in Natural Products Chemistry, 2023, , 421-441.	1.8	0
4342	Korean Proficiency Tests for Pesticide Residues in Rice: Comparison of Various Proficiency Testing Evaluation Methods and Identification of Critical Factors for Multiresidue Analysis. Foods, 2023, 12, 2085.	4.3	0
4344	Efficient flat membrane based liquid phase microextraction of cathinones from environmental water and biological samples. Talanta Open, 2023, 7, 100232.	3.7	3
4345	Overview of chromatographic and electrophoretic methods for the determination of branchedâ€chain amino acids. Journal of Separation Science, 2023, 46, .	2.5	2
4346	Quantification of nine antiretroviral drugs in cerebrospinal fluid: An approach to overcome sample collection tube adsorption. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2023, 1227, 123810.	2.3	1
4347	A novel method for quantification of cefazolin local tissue concentration in blood, fat, synovium, and bone marrow using liquid chromatography â' mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2023, 234, 115566.	2.8	0
4348	Development of enantioselective high-performance liquid chromatography-tandem mass spectrometry method for quantitative determination of methylone and some of its metabolites in oral fluid. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2023, 1228, 123824.	2.3	2
4349	BIOANALYTICAL METHOD VALIDATION: A COMPREHENSIVE ASSESSMENT OF VARIOUS REGULATORY GUIDELINES. Indian Drugs, 2023, 60, 7-25.	0.1	0
4350	Review of quality control measures of determination of per- and polyflfluoroalkyl substances in water using liquid chromatography-mass spectrometry: The basis for safe utilization and production. Thermal Science and Engineering Progress, 2023, 43, 102012.	2.7	0
4351	Application of natural deep eutectic solvents for the extraction of plasticizers in laying hen and goat feed. Microchemical Journal, 2023, 193, 109072.	4.5	1

#	Article	IF	Citations
4352	Comparison of recovery efficiency and matrix effect reduction in pesticide residue analysis: QuEChERS with d-SPE, SPE, and FaPEx in apples and Korean cabbage. Analytical Methods, 2023, 15, 3709-3716.	2.7	1
4353	Development of a green liquid-phase microextraction procedure using a customized device for the comprehensive determination of legacy and current pesticides in distinct types of wine samples. Talanta, 2024, 266, 124914.	5.5	3
4354	Surveillance of ochratoxin A in cocoa beans from cocoa-growing regions of Ghana. Heliyon, 2023, 9, e18206.	3.2	1
4356	Detection of major psychoactive compounds (safrole, myristicin, and elemicin) of nutmeg in human serum via GC–MS/MS using MonoSpin® extraction: Application in a nutmeg poisoning case. Journal of Pharmaceutical and Biomedical Analysis, 2023, 234, 115565.	2.8	0
4357	Assessment of endocrine disruptor pollutants and their metabolites in environmental water samples using a sustainable natural deep eutectic solvent-based analytical methodology. Chemosphere, 2023, 338, 139480.	8.2	2
4358	A new application of the switchable hydrophilicity solvent-based homogenous liquid–liquid microextraction to analyze synthetic cannabinoids in plasma by LC-MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2023, 234, 115588.	2.8	1
4359	Yang-Xin-Shu-Mai granule alleviates atherosclerosis by regulating macrophage polarization via the TLR9/MyD88/NF-κB signaling pathway. Journal of Ethnopharmacology, 2024, 318, 116868.	4.1	2
4360	Organotin compounds in seafood by ultrasonic assisted extraction and gas chromatography-triple quadrupole tandem mass spectrometry. Food Additives and Contaminants: Part B Surveillance, 0, , 1-15.	2.8	0
4361	Drugs possessing aryloxypropanamine pharmacophore, duloxetine, dapoxetine and propranolol, increase allopregnanolone in rat brain: Possible involvement of allopregnanolone in their central nervous system effects. Steroids, 2023, 198, 109272.	1.8	0
4362	A simple and sensitive LC-MS/MS method for the quantitation of sertraline and N-desmethylsertraline in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2023, 1228, 123827.	2.3	2
4363	An isotope dilution-liquid chromatography-tandem mass spectrometry (ID-LC-MS/MS)-based candidate reference measurement procedure for the quantification of topiramate in human serum and plasma. Clinical Chemistry and Laboratory Medicine, 2023, 61, 1942-1954.	2.3	3
4364	Determination of benzodiazepines and Z-hypnotic drugs in whole blood samples by GC–MS/MS: Method development, validation and application. Microchemical Journal, 2023, 193, 109115.	4.5	3
4365	NanoLC-EI-MS: Perspectives in Biochemical Analysis. International Journal of Molecular Sciences, 2023, 24, 11746.	4.1	0
4366	Determination of cortisone and cortisol in human scalp hair using an improved LC-MS/MS-based method. Clinical Chemistry and Laboratory Medicine, 2024, 62, 118-127.	2.3	2
4367	Improved separation of fentanyl isomers using metal cation adducts and highâ€resolution ion mobilityâ€mass spectrometry. Drug Testing and Analysis, 0, , .	2.6	4
4368	LC-MS/MS-MS3 for the Determination and Quantification of Δ9-Tetrahydrocannabinol and Metabolites in Blood Samples. Journal of Analytical Toxicology, 0, , .	2.8	0
4369	Metabolic profiles of 2-oxindole-3-acetyl-amino acid conjugates differ in various plant species. Frontiers in Plant Science, 0, 14, .	3.6	1
4370	Are the NPS commonly used? An extensive investigation inÂNorthern Italy based onÂhair analysis. Journal of Analytical Toxicology, 2023, 47, 574-579.	2.8	1

#	Article	IF	CITATIONS
4371	Biosynthesis of Salbutamol-4′-O-sulfate as Reference for Identification of Intake Routes and Enantiopure Salbutamol Administration by Achiral UHPLC-MS/MS. Separations, 2023, 10, 427.	2.4	1
4372	A highly sensitive method for determination of tacrolimus in peripheral blood mononuclear cells by nano liquid chromatography–high resolution accurate mass spectrometry. Journal of Chromatography A, 2023, 1706, 464259.	3.7	0
4373	The role of sample preparation in suspect and non-target screening for exposome analysis using human urine. Chemosphere, 2023, 339, 139690.	8.2	4
4374	Automated microextraction by packed sorbent of endocrine disruptors in wastewater using a high-throughput robotic platform followed by liquid chromatography–tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 0, , .	3.7	1
4375	Determination of bisphenols in sediment by accelerated solvent extraction and solid-phase extraction purification coupled with ultra performance liquid chromatography-tandem mass spectrometry. Chinese Journal of Chromatography (Se Pu), 2023, 41, 582-590.	0.8	0
4376	LC–MS/MS separation and quantitation of ribavirin in chicken and comparison of different mass spectrometric platforms. BMC Chemistry, 2023, 17, .	3.8	0
4377	Recent advances in rare earth ionâ€doped upconversion nanomaterials: From design to their applications in food safety analysis. Comprehensive Reviews in Food Science and Food Safety, 2023, 22, 3732-3764.	11.7	4
4378	Dissipation, Processing Factors and Dietary Exposure Assessment of Myclobutanil in Tomato. Molecules, 2023, 28, 5978.	3.8	0
4380	A protocol based on solid phase microextraction -gas chromatography-tandem mass spectrometry for the monitoring of parabens and bisphenols in human saliva. Journal of Chromatography A, 2023, 1707, 464303.	3.7	2
4381	Development and validation of a multianalyte method for quantification of isoxazolines in animal-derived matrix samples using SPE-HPLC–MS/MS. Journal of Food Composition and Analysis, 2023, 123, 105620.	3.9	0
4382	Development and validation of a liquid chromatographic-tandem mass spectrometric assay for the quantification of the direct acting antivirals glecaprevir and pibrentasvir in plasma. Journal of Pharmaceutical and Biomedical Analysis, 2023, 235, 115629.	2.8	0
4383	Comparison of supercritical fluid chromatography–tandem mass spectrometry and liquid chromatography–tandem mass spectrometry for the stereoselective analysis of chlorfenvinphos and dimethylvinphos in tobacco. Journal of Separation Science, 0, , .	2.5	0
4384	Mycotoxin Determination in Peaches and Peach Products with a Modified QuEChERS Extraction Procedure Coupled with UPLC-MS/MS Analysis. Foods, 2023, 12, 3216.	4.3	1
4385	Quantitative analysis of lycorine dietary exposure in commercial foods and the Amaryllidaceae family. Journal of Food Composition and Analysis, 2023, 124, 105654.	3.9	0
4386	11-Nor-9-Carboxy Tetrahydrocannabinol Distribution in Fluid from the Chest Cavity in Cannabis-Related Post-Mortem Cases. Toxics, 2023, 11, 740.	3.7	1
4387	Utilization of volumetric absorptive microsampling and dried plasma spot for quantification of anti-fungal triazole agents in pediatric patients by using liquid chromatography-tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2023, 236, 115688.	2.8	1
4388	Development, Validation, and Two-Year Application of Rapid and Simple LC-MS/MS-Based Method for the Determination of K2MK-7 in Blood Samples. Molecules, 2023, 28, 6523.	3.8	0
4389	Covalent organic framework-based magnetic solid-phase extraction coupled with gas chromatography-tandem mass spectrometry for the determination of trace phthalate esters in liquid foods. Mikrochimica Acta, 2023, 190, .	5.0	0

#	Article	IF	CITATIONS
4390	Vanadium Selenide Nanobelt Electrocatalyst for Dopamine-Selective Detection. ACS Applied Nano Materials, 2023, 6, 16242-16252.	5.0	1
4391	Determination of Parabens and Phenolic Compounds in Dairy Products through the Use of a Two-Step Continuous SPE System Including an Enhanced Matrix Removal Sorbent in Combination with UHPLCâ^MS/MS. Foods, 2023, 12, 2909.	4.3	0
4392	INVESTIGATION OF RECENTLY ABUSED DRUGS IN DRIED BLOOD SPOTS USING FTA CARDS BY LIQUID CHROMATOGRAPHY TANDEM MASS SPECTROMETRY: VALIDATION AND APPLICATION TO REAL SAMPLES. , 2023, , 251-263.		0
4393	Occurrence and conversion of progestogens and androgens are conserved in land plants. New Phytologist, 2023, 240, 318-337.	7.3	1
4394	A green method for the determination of illicit drugs in wastewater and surface waters-based on a semi-automated liquid-liquid microextraction device. Journal of Chromatography A, 2023, 1710, 464230.	3.7	3
4396	Infrared pulsed fiber laserâ€produced gold and silverâ€109 nanoparticles for laser desorption/ionization mass spectrometry of steroid hormones. Rapid Communications in Mass Spectrometry, 2023, 37, .	1.5	Ο
4397	An effervescence-assisted microextraction for parabens in foodstuffs based on deep eutectic solvent composed of methyltrioctyl ammonium chloride and decanoic acid. Food Chemistry, 2024, 433, 137348.	8.2	1
4399	Easy determination of benzophenone and its derivatives in sunscreen samples by direct-immersion solid-phase microextraction and gas chromatography–mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2023, 236, 115711.	2.8	1
4400	Can plant hormonomics be built on simple analysis? A review. Plant Methods, 2023, 19, .	4.3	0
4401	Selectivity of β-Cyclodextrin Polymer toward Aquatic Contaminants: Insights from Ultrahigh-Resolution Mass Spectrometry of Dissolved Organic Matter. Analytical Chemistry, 2023, 95, 15505-15513.	6.5	Ο
4402	Eco-friendly approach developed for the microextraction of xenobiotic contaminants from tropical beverages using a camphor-based natural hydrophobic deep eutectic solvent. Talanta, 2024, 266, 124932.	5.5	1
4403	Quantitative analysis of steroids. , 2023, , 353-471.		Ο
4404	QuEChERS method combined to liquid chromatography highâ€resolution mass spectrometry for the accurate and sensitive simultaneous determination of pyrrolizidine and tropane alkaloids in cereals and spices. Journal of Mass Spectrometry, 2023, 58, .	1.6	1
4405	Development of a new green analytical methodology for the determination of phthalates in single-use babies diapers using ultrasound-assisted extraction and polypropylene porous membrane. Microchemical Journal, 2023, 193, 109228.	4.5	3
4407	Synthetic and analytical routes to the L-amino acid conjugates of cis-OPDA and their identification and quantification in plants. Phytochemistry, 2023, 215, 113855.	2.9	1
4408	A High-throughput Novel Approach for the Determination of Cresols in Wastewater Based on Stir Bar Sorptive Extraction Along with Thermal Desorption GC-MS/MS. Journal of Analytical Chemistry, 2023, 78, 1255-1266.	0.9	0
4409	Simultaneous detection of 87 synthetic cannabinoids and their metabolites in urine samples by UHPLC-MS/MS and application to 109 authentic forensic cases. Microchemical Journal, 2023, 195, 109389.	4.5	0
4410	Generic conditions for electromembrane extraction of polar bases. Talanta, 2024, 267, 125215.	5.5	5

#	Article	IF	CITATIONS
4411	Dose-response formation of N7-(3-benzo[1,3]dioxol-5-yl-2-hydroxypropyl)guanine in liver and urine correlates with micronucleated reticulocyte frequencies in mice administered safrole oxide. Food and Chemical Toxicology, 2023, 181, 114056.	3.6	0
4412	Synthetic cannabinoids in hair—Prevalence of use in abstinence control programs for driver's license regranting in Germany. Drug Testing and Analysis, 0, , .	2.6	1
4413	A UPLC-MS/MS Based Rapid, Sensitive, and Non-Enzymatic Methodology for Quantitation of Dietary Isoflavones in Biological Fluids. Molecules, 2023, 28, 6729.	3.8	1
4414	ICH M10 guideline - a harmonized global approach to bioanalysis. , 2023, 21, 57-63.		0
4415	A Novel LC-MS/MS Method for Therapeutic Drug Monitoring of Baricitinib in Plasma of Pediatric Patients. Therapeutic Drug Monitoring, 2023, , .	2.0	0
4416	Accurate LC-MS/MS Analysis of Diacylglycerols in Human Plasma with Eliminating Matrix Effect by Phospholipids Using Fluorous Biphasic Extraction. Analytical Chemistry, 2023, 95, 14898-14904.	6.5	3
4417	Polyethersulfone membrane as a single-phase passive sampler: Evaluation of the sampling performance for emerging contaminants in water. Microchemical Journal, 2023, 195, 109445.	4.5	1
4419	Development of enantioselective high-performance liquid chromatography-tandem mass spectrometry method for the quantitative determination of 3,4-methylenedioxy-methamphetamine (MDMA) and its phase-1 metabolites in human biological fluids. Journal of Pharmaceutical and Biomedical Analysis, 2024, 238, 115768.	2.8	2
4420	An accurate and precise liquid chromatography–tandem mass spectrometry method for the determination of six phosphatidylethanol homologues in whole blood with phospholipid interferences minimized. Journal of Chromatography A, 2023, , 464451.	3.7	0
4421	Determination of polycyclic aromatic hydrocarbons in bud-derived supplements by magnetic molecular imprinted microparticles and GC-MS: D-optimal design for a fast method optimization. Scientific Reports, 2023, 13, .	3.3	1
4422	Elucidating the Role of Ion Suppression in Secondary Electrospray Ionization. Journal of the American Society for Mass Spectrometry, 0, , .	2.8	0
4423	A simple and rapid external standard calibration HPLC method for determination of lumefantrine in dried blood spot samples from malaria patients in Botswana. Biomedical Chromatography, 2024, 38, .	1.7	0
4424	Matrix effect in bioanalytical assay development using supercritical fluid chromatographyâ€nass spectrometry. Biomedical Chromatography, 2024, 38, .	1.7	0
4425	Introduction of Metabolomics: An Overview. , 2023, , 1-37.		0
4427	Quantification of the lung cancer tumor marker CYFRA 21-1 using protein precipitation, immunoaffinity bottom-up LC-MS/MS. Clinical Chemistry and Laboratory Medicine, 2024, 62, 720-728.	2.3	0
4428	The disinfection by-products are in the air: Aerosol measurements in the urban area of Venice. Atmospheric Environment, 2024, 318, 120224.	4.1	0
4429	Simultaneous Quantification of Seven Antifungal Agents in Human Serum Using Liquid Chromatography-Tandem Mass Spectrometry. Pharmaceuticals, 2023, 16, 1537.	3.8	0
4430	Quantitative analysis of the glutathione pathway cellular metabolites by targeted liquid chromatographyâ€tandem mass spectrometry. Journal of Separation Science, 2024, 47, .	2.5	1

#	Article	IF	CITATIONS
4431	Simultaneous determination of 12 illicit drugs in hair sample by the nano-titania-modified covalent organic frameworks (NTM-COFs) on-line pass-through cleanup followed by UPLC-MS/MS. Chemical Papers, 2024, 78, 823-831.	2.2	0
4432	A liquid chromatography electrospray ionization tandem mass spectrometry method for quantification of up to eighteen cannabinoids in hemp-derived products. Journal of Pharmaceutical and Biomedical Analysis, 2024, 238, 115847.	2.8	Ο
4433	Simultaneous determination of acepromazine and atropine residues in porks, livers, kidneys by <scp>Ultraâ€Highâ€Performance</scp> Liquid <scp>Chromatographyâ€Tandem</scp> Mass Spectrometry. , 2021, 59, 331-340.		1
4434	Phytoprostanes and phytofurans: Bioactive compounds in aerial parts of Acacia cyanophylla Lindl. Fìtoterapìâ, 2024, 172, 105717.	2.2	0
4435	A fast energized dispersive guided extraction of polycyclic aromatic hydrocarbons for risk-based seafood monitoring after an oil spill. Microchemical Journal, 2024, 196, 109714.	4.5	0
4436	Monitoring Exposure to Five Chemical Warfare Agents Using the Dried Urine Spot Technique and Liquid Chromatography-Mass Spectrometry/Mass Spectrometry—In Vivo Determination of Sarin Metabolite in Mice. Molecules, 2023, 28, 7687.	3.8	0
4437	Development and validation of a multiplex HPLC-MS/MS assay for the monitoring of JAK inhibitors in patient plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2023, 1230, 123917.	2.3	0
4440	Simple andÂrapid detection ofÂthree amatoxins andÂthree phallotoxins inÂhuman body fluids by UPLC-MS/MS andÂits application inÂ15 poisoning cases. Journal of Analytical Toxicology, 0, , .	2.8	Ο
4441	Validation of a quantitative liquid chromatography tandem mass spectrometry assay for linezolid in cerebrospinal fluid and its application to patients with HIV-associated TB-meningitis. Heliyon, 2023, 9, e21962.	3.2	0
4442	Simultaneous determination of trigonelline and caffeine and its application in the identification of Chinese Citrus, Coffee and Rape honey. Journal of Food Measurement and Characterization, 0, , .	3.2	Ο
4443	Residue dissipation dynamics and dietary risk assessment of emamectin benzoate, chlorantraniliprole, chlorfenapyr, and lufenuron in cabbage. Environmental Science and Pollution Research, 0, , .	5.3	0
4444	Rapid profiling of cytokinins using supercritical fluid chromatography coupled with tandem mass spectrometry. Analytica Chimica Acta, 2024, 1285, 342010.	5.4	0
4446	Fully Automated Multiple Standard Addition on a Centrifugal Microfluidic System. Analytical Chemistry, 2023, 95, 17629-17636.	6.5	0
4447	Analysis of perfluoroalkyl compounds in marine fish muscle samples by liquid chromatography tandem mass spectrometry. International Journal of Environmental Analytical Chemistry, 0, , 1-17.	3.3	0
4448	Simultaneous quantification of 55 psychotropic drugs and metabolites in human plasma with a fast UPLC-MS/MS method. Biomedicine and Pharmacotherapy, 2023, 169, 115918.	5.6	1
4449	Quantitative analysis of drugs of abuse and cognitive enhancers in influent wastewater by means of two chromatographic methods. Drug Testing and Analysis, 0, , .	2.6	0
4450	Optimization of antibiotic analysis in leafy vegetables by simple solid-phase extraction and liquid chromatography triple quadrupole mass spectrometry. Environmental Advances, 2024, 15, 100463.	4.8	0
4451	Insights into emerging organic pollutants extraction from polypropylene, polystyrene, and polyethylene microplastics. Analytica Chimica Acta, 2024, 1287, 342071.	5.4	0

#	Article	IF	CITATIONS
4452	Quantification of 108 illicit drugs and metabolites in bile matrix by LC–MS/MS for the toxicological testing of sudden death cases. Archives of Toxicology, 0, , .	4.2	0
4453	SFCâ€MS/MS for orthogonal separation of hydroxylated 17αâ€methyltestosterone isomers. Drug Testing and Analysis, 0, , .	2.6	0
4455	Bioanalysis of the Ex Vivo Labile PACE4 Inhibitory Peptide Ac-[d-Leu]LLLRVK-Amba in Whole Blood Using Ultra-Performance Liquid Chromatography-Tandem Mass Spectrometry Quantification. Pharmaceutics, 2023, 15, 2745.	4.5	0
4456	Development and validation of a LC–MS/MS method for the quantification of phenolic compounds in human saliva after intake of a procyanidin-rich pine bark extract. Journal of Pharmaceutical and Biomedical Analysis, 2024, 239, 115914.	2.8	0
4457	Stereoselective separation of omeprazole and 5-hydroxy-omeprazole using dried plasma spots and a heart-cutting 2D-LC approach for accurate CYP2C19 phenotyping. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2024, 1232, 123962.	2.3	0
4458	Determination of MCPA in environmental samples using an analytical on-line system based on imprinted poly[2-(3-butenyl)-2-oxazoline] and ambient ionization mass spectrometry. Sensors and Actuators B: Chemical, 2024, 403, 135140.	7.8	0
4460	A Liquid Chromatography-Tandem Mass Spectrometry Assay for Quantification of Ethyl Glucuronide and Ethyl Sulfate in Urine. Methods in Molecular Biology, 2024, , 265-273.	0.9	0
4461	The first LC-MS/MS stereoselective bioanalytical methods to quantitatively detect 9R- and 9S-hexahydrocannabinols and their metabolites in human blood, oral fluid and urine. Journal of Pharmaceutical and Biomedical Analysis, 2024, 240, 115918.	2.8	0
4462	Development and validation of a liquid chromatography tandem mass spectrometry assay for the analysis of bedaquiline and M2 in breast milk. Journal of Mass Spectrometry and Advances in the Clinical Lab, 2024, 31, 8-16.	2.4	0
4463	An isotope dilution-liquid chromatography-tandem mass spectrometry (ID-LC-MS/MS)-based candidate reference measurement procedure for the quantification of carbamazepine in human serum and plasma. Clinical Chemistry and Laboratory Medicine, 2023, .	2.3	0
4464	Stability Studies of Kynurenine Pathway Metabolites in Blood Components Define Optimal Blood Processing Conditions. International Journal of Tryptophan Research, 2023, 16, .	2.3	0
4465	A targeted and non-targeted discovery screening approach for poly-and per-fluoroalkyl substances in model environmental biota samples. Journal of Chromatography A, 2024, 1715, 464584.	3.7	0
4466	An isotope dilution-liquid chromatography-tandem mass spectrometry (ID-LC-MS/MS)-based candidate reference measurement procedure for the quantification of zonisamide in human serum and plasma. Clinical Chemistry and Laboratory Medicine, 2023, .	2.3	0
4467	Isolation and characterization of undescribed flavonoid from Abrus precatorius L. based on HPTLC-DPPH bioautography and its cytotoxicity evaluation. Future Journal of Pharmaceutical Sciences, 2023, 9, .	2.8	0
4468	Novel proteomic technologies to address gaps in pre-clinical ovarian cancer biomarker discovery efforts. Expert Review of Proteomics, 2023, 20, 439-450.	3.0	0
4469	Bioanalysis of six antibiotics from volumetric microsamples: a new tool for precision dosing in critically ill children. Bioanalysis, 2024, 16, 19-31.	1.5	0
4471	Is the stability of folates in dried blood microsamples sufficient to perform home-sampling studies?. Analyst, The, 0, , .	3.5	0
4472	Phenibut screening and quantification with liquid chromatography–tandem mass spectrometry and its application to driving cases. Journal of Forensic Sciences, 2024, 69, 725-729.	1.6	0

щ		IF	CITATION
# 4473	Development and validation of a bioanalytical method for the quantification of methotrexate from serum and capillary blood using volumetric absorptive microsampling (VAMS) and on-line solid phase	3.7	0
4475	extraction (SPE) LC-MS. Journal of Chromatography A, 2024, 1715, 464610. Validation of a LC-MS/MS method to simultaneously quantify thiafentanil and naltrexone in plasma for pharmacokinetic studies in wildlife. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2024, 1222, 122000	2.3	0
4476	A high-throughput LC-MS/MS assay for piperaquine from dried blood spots: Improving malaria treatment in resource-limited settings. Journal of Mass Spectrometry and Advances in the Clinical Lab, 2024, 31, 19-26.	2.4	0
4477	Quantitative analysis of tetrahydrocannabinol isomers and other toxicologically relevant drugs in blood. Drug Testing and Analysis, 0, , .	2.6	0
4478	Oneâ€step functionalization of paper and simplified antibody immobilization for onâ€theâ€spot immunocapture from dried serum in liquid chromatographyâ€tandem mass spectrometry based targeted protein determination. Journal of Mass Spectrometry, 2024, 59, .	1.6	0
4479	Adaptation of organic reactions in the industrial production of bioactive compounds. , 2024, , 353-380.		0
4480	Determining Plasma Tacrolimus Concentrations Using High-Performance LC-MS/MS in Renal Transplant Recipients. Therapeutic Drug Monitoring, 2024, 46, 49-56.	2.0	0
4482	Quantification of prohibited substances and endogenous corticosteroids in saliva using traditional, alternative microextraction-based, and novel 3D printed sample-preparation methods coupled with LC-MS. Analytica Chimica Acta, 2024, 1291, 342236.	5.4	Ο
4483	Ocular bioanalysis of moxifloxacin and ketorolac tromethamine in rabbit lacrimal matrix using liquid chromatography–tandem mass spectrometry. Bioanalysis, 2024, 16, 219-232.	1.5	1
4484	Developing and Evaluating the Greenness of a Reliable, All-in-One Thin-Film Microextraction Protocol for Determining Fentanyl, Methadone, and Zolpidem in Plasma, Urine, and Oral Fluid. Molecules, 2024, 29, 335.	3.8	1
4485	Application of the Bland–Altman and Receiver Operating Characteristic (ROC) Approaches to Study Isotope Effects in Gas Chromatography–Mass Spectrometry Analysis of Human Plasma, Serum and Urine Samples. Molecules, 2024, 29, 365.	3.8	0
4486	Choline chloride based natural deep eutectic solvents coupling with ultra-high performance liquid chromatography-tandem mass spectroscopy for effective extraction and rapid detection of adenosine and cordycepin in Cordyceps millitaris. Journal of Molecular Liquids, 2024, 397, 124107.	4.9	Ο
4487	Automated enzymatic hydrolysis of urine samples for improved systematic toxicological analysis of drugâ€facilitated sexual assault cases. Drug Testing and Analysis, 0, , .	2.6	0
4488	Determination of sulfadoxine and pyrimethamine in microvolume human plasma using ultra high performance liquid chromatography-tandam mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2024, 1234, 124030.	2.3	0
4489	Evaluation of an Oral Fluid Collection Device and a Solid-Phase Extraction Method for the Determination of Coca Leaf Alkaloids by Gas Chromatography–Mass Spectrometry. Molecules, 2024, 29, 592.	3.8	0
4490	A liquid chromatographic-mass spectrometric procedure for analysis of pentaerythrityl tetranitrate metabolites – Development, validation and application to ovine serum and human plasma samples. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2024, 1234, 124028.	2.3	0
4491	Akkreditierung, QualitÃæsicherung. , 2023, , 13-21.		0
4492	An Automated Micro Solid-Phase Extraction (μSPE) Liquid Chromatography-Mass Spectrometry Method for Cyclophosphamide and Iphosphamide: Biological Monitoring in Antineoplastic Drug (AD) Occupational Exposure. Molecules, 2024, 29, 638.	3.8	0

#	Article	IF	CITATIONS
4493	<i>In vitro</i> , <i>inÂvivo</i> metabolism and quantification of the novel synthetic opioid N-piperidinyl etonitazene (etonitazepipne). Clinical Chemistry and Laboratory Medicine, 2024, .	2.3	0
4494	A validated liquid chromatography-tandem mass spectrometry assay for the analysis of isoniazid and its metabolite acetyl-isoniazid in urine. Journal of Mass Spectrometry and Advances in the Clinical Lab, 2024, 32, 11-17.	2.4	0
4495	Polar licit and illicit ingredients in dietary supplements: chemometric optimization of extraction and HILIC-MS/MS analysis. Analytical and Bioanalytical Chemistry, 2024, 416, 1679-1695.	3.7	1
4496	A validated dilute-and-shoot LC–MS-MS urine screening for the analysis of 95 illicit drugs and medicines: Insights from clinical and forensic Brazilian cases. Journal of Analytical Toxicology, 0, , .	2.8	0
4497	Fecal biomarkers and micromorphological indicators of sheep penning and flooring at La Fortaleza pre-Hispanic site (Gran Canaria, Canary Islands). IScience, 2024, 27, 109171.	4.1	0
4498	OptiMS: An Accessible Program for Automating Mass Spectrometry Parameter Optimization and Configuration. Journal of the American Society for Mass Spectrometry, 2024, 35, 449-455.	2.8	0
4500	Validation and application of a method for the quantification of 137 drugs of abuse and new psychoactive substances in hair. Journal of Pharmaceutical and Biomedical Analysis, 2024, 243, 116054.	2.8	0
4501	Determination of nitrofuran metabolites in muscle by LC-MS/MS and LC-MS/MS/MS: Alternative validation according to Commission Implementing Regulation (EU) 2021/808. Microchemical Journal, 2024, 199, 110197.	4.5	0
4502	Extention and interlaboratory comparison of an LC-MS/MS multi-class method for the determination of 15 different classes of veterinary drug residues in milk and poultry feed. Food Chemistry, 2024, 449, 138834.	8.2	0
4503	Development of an Untargeted LC-MS Metabolomics Method with Postcolumn Infusion for Matrix Effect Monitoring in Plasma and Feces. Journal of the American Society for Mass Spectrometry, 2024, 35, 590-602.	2.8	0
4504	Quantitative Analysis of Cenobamate and Concomitant Anti-Seizure Medications in Human Plasma via Ultra-High Performance Liquid Chromatography–Tandem Mass Spectrometry. Molecules, 2024, 29, 884.	3.8	0
4505	Analytical methods and biomonitoring results in hair for the assessment of exposure to endocrine-disrupting chemicals: A literature review. Chemosphere, 2024, 353, 141523.	8.2	0
4506	Solvent-free parallel artificial liquid membrane extraction for drugs of abuse in plasma samples using LC-MS/MS. Analytica Chimica Acta, 2024, 1301, 342387.	5.4	0
4507	An isotope dilution-liquid chromatography-tandem mass spectrometry (ID-LC-MS/MS)-based candidate reference measurement procedure (RMP) for the quantification of phenobarbital in human serum and plasma. Clinical Chemistry and Laboratory Medicine, 2024, .	2.3	0
4508	Development and Validation of an HPLC-UV Method for the Quantification of Acyclovir and Ganciclovir in the Plasma of Pediatric Immunocompromised Patients. International Journal of Molecular Sciences, 2024, 25, 2685.	4.1	0
4509	In-capillary aptamer-functionalized dispersive solid-phase microextraction for dynamic transfer enrichment and miniature mass spectrometry analysis: A magnetically driven capture-and-release strategy. Chemical Engineering Journal, 2024, 485, 149997.	12.7	0
4510	Spatial distribution of two acaricides and five neonicotinoids in beehives and surrounding environments in China. Journal of Hazardous Materials, 2024, 469, 133892.	12.4	0
4511	Development of a validated bioanalytical method for the simultaneous estimation of ornidazole and miconazole in rat plasma by LC-MS/MS and its application to a pharmacokinetic study. Journal of Liquid Chromatography and Related Technologies, 2024, 47, 35-43.	1.0	0

#	Article	IF	CITATIONS
4512	Preparation of nylon-6 modified cellulose paper for extraction and determination of perfluoroalkyl substances in water. Industrial Crops and Products, 2024, 212, 118263.	5.2	0
4513	An efficient and green method for the analysis of synthetic cathinones in whole blood using 96-well electromembrane extraction and LC-MS/MS. Sustainable Chemistry and Pharmacy, 2024, 38, 101494.	3.3	Ο
4514	A multicomponent LC-MS/MS method for drugs of abuse testing using volumetric DBS and a clinical evaluation by comparison with urine. Journal of Pharmaceutical and Biomedical Analysis, 2024, 243, 116075.	2.8	0
4515	Multiplexed quantification of venlafaxine and metabolites in human plasma by liquid chromatography-tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2024, 243, 116082.	2.8	0
4516	Development and validation of an LC-MSMS method to quantify creatinine from dried blood spots. Journal of Mass Spectrometry and Advances in the Clinical Lab, 2024, 32, 50-59.	2.4	0
4517	A review of analytical parameters in â€~rapid' liquid chromatographic methods for bioanalysis: Can we do better?. Journal of Chromatography A, 2024, 1721, 464803.	3.7	0
4518	Analysing and quantifying chronic stressâ€associated endogenous steroids in hair samples. Drug Testing and Analysis, 0, , .	2.6	0
4519	Profiling of 1-aminocyclopropane-1-carboxylic acid and selected phytohormones in Arabidopsis using liquid chromatography-tandem mass spectrometry. Plant Methods, 2024, 20, .	4.3	0
4520	Comprehensive profiling of amino acids and derivatives in biological samples: A robust UHPLC-MS/MS method for investigating acute lung injury. Journal of Chromatography A, 2024, 1721, 464816.	3.7	0
4521	Wastewater and seawater monitoring in Antarctica: Passive sampling as a powerful strategy to evaluate emerging pollution. Science of the Total Environment, 2024, 925, 171755.	8.0	Ο
4522	Rapidly enrichment and detection of per-and polyfluoroalkyl substances in foods using a novel bifunctional covalent organic framework. Food Chemistry, 2024, 447, 139016.	8.2	0
4523	Search for new green natural solid phases for sample preparation for PAHs determination in seafood samples followed by LC and GC–MS/MS analysis. Food Research International, 2024, 183, 114240.	6.2	0
4524	Determination of carbamazepine in fingerprints: a feasibility study to evaluate adherence in epilepsy patients. Bioanalysis, 0, , .	1.5	0
4525	Use of the dummy approach for the synthesis of ion imprinted polymers with Ni(II) or Zn(II) as template ion for the solidâ€phase extraction of Cu(II). Journal of Separation Science, 2024, 47, .	2.5	0
4526	Quantification of endogenous Angiotensin 1-10, 1-9, 1-8, 1-7, and 1-5 in human plasma using micro-UHPLC-MS/MS: Outlining the importance of the pre-analytics for reliable results. Journal of Pharmaceutical and Biomedical Analysis, 2024, 243, 116101.	2.8	0
4527	Assessing the potentialities of an easy-to-use sample treatment strategy: Multivariate investigation on "Moka extraction―of typical ingredients from dietary supplements. Advances in Sample Preparation, 2024, 10, 100110.	3.0	0
4528	Archaeology of psychotropic substances: The problem of analytical detection of ayahuasca. Archaeometry, 0, , .	1.3	0
4529	An isotope dilution-liquid chromatography-tandem mass spectrometry (ID-LC-MS/MS)-based candidate reference measurement procedure for the quantification of carbamazepine-10,11-epoxide in human serum and plasma. Clinical Chemistry and Laboratory Medicine, 2024	2.3	0

#	Article	IF	CITATIONS
4530	LC-MS/MS measurement of endogenous steroid hormones and phase II metabolites in blood volumetric absorptive microsampling (VAMS) for doping control purposes. Clinica Chimica Acta, 2024, 557, 117890.	1.1	0