

CITATION REPORT

List of articles citing

**Tryptophan depletion decreases the recognition of fear
in female volunteers**

DOI: 10.1007/s00213-003-1401-6

Psychopharmacology, 2003, 167, 411-7.

Source: <https://exaly.com/paper-pdf/34952193/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
131	Acute administration of nutritionally sourced tryptophan increases fear recognition. <i>Psychopharmacology</i> , 2003 , 169, 104-7	4.7	89
130	Face-memory and emotion: associations with major depression in children and adolescents. 2004 , 45, 1199-208		71
129	Positive and negative affect differentially influence identification of facial emotions. 2004 , 19, 31-4		33
128	The selective serotonin reuptake inhibitor citalopram increases fear after acute treatment but reduces fear with chronic treatment: a comparison with tianeptine. 2004 , 55, 1171-8		184
127	Neurocognitive elements of antisocial behavior: Relevance of an orbitofrontal cortex account. 2004 , 55, 185-97		58
126	Tryptofaandepletie als experimenteel model voor depressie. 2005 , 9, 91-96		
125	Stop signal response inhibition is not modulated by tryptophan depletion or the serotonin transporter polymorphism in healthy volunteers: implications for the 5-HT theory of impulsivity. <i>Psychopharmacology</i> , 2005 , 182, 570-8	4.7	138
124	Individual differences in threat sensitivity predict serotonergic modulation of amygdala response to fearful faces. <i>Psychopharmacology</i> , 2005 , 180, 670-9	4.7	120
123	The effects of high-dose and low-dose tryptophan depletion on mood and cognitive functions of remitted depressed patients. <i>Journal of Psychopharmacology</i> , 2005 , 19, 267-75	4.6	84
122	Emotion recognition deficits in pediatric anxiety disorders: implications for amygdala research. 2005 , 15, 563-70		53
121	Acute tryptophan depletion. Part II: clinical effects and implications. 2005 , 39, 565-74		79
120	The effect of citalopram pretreatment on neuronal responses to neuropsychological tasks in normal volunteers: an fMRI study. <i>Neuropsychopharmacology</i> , 2005 , 30, 1724-34	8.7	216
119	The distribution of serotonergic fibers in the macaque monkey amygdala: an immunohistochemical study using antisera to 5-hydroxytryptamine. 2005 , 136, 193-203		46
118	Low-dose tryptophan depletion in recovered depressed patients induces changes in cognitive processing without depressive symptoms. 2005 , 57, 517-24		127
117	Serotonergic modulation of prefrontal cortex during negative feedback in probabilistic reversal learning. <i>Neuropsychopharmacology</i> , 2005 , 30, 1138-47	8.7	169
116	Acute tryptophan depletion reduces activation in the right hippocampus during encoding in an episodic memory task. 2006 , 31, 1188-96		32
115	Acute tryptophan depletion improves performance and modulates the BOLD response during a Stroop task in healthy females. 2006 , 32, 248-55		58

114	Social-emotion recognition in borderline personality disorder. 2006 , 47, 468-74		117
113	Anxiety and depression may have an evolutionary role as negative reinforcers, encouraging socialisation. 2006 , 66, 796-800		4
112	Dorsal raphe vs. median raphe serotonergic antagonism. Anatomical, physiological, behavioral, neuroendocrinological, neuropharmacological and clinical evidences: relevance for neuropharmacological therapy. 2006 , 30, 565-85		74
111	Serotonergic modulation of neuronal responses to behavioural inhibition and reinforcing stimuli: an fMRI study in healthy volunteers. 2006 , 23, 552-60		84
110	The effect of acute tryptophan depletion on the BOLD response during performance monitoring and response inhibition in healthy male volunteers. <i>Psychopharmacology</i> , 2006 , 187, 200-8	4.7	58
109	The effect of polymorphism at the serotonin transporter gene on decision-making, memory and executive function in ecstasy users and controls. <i>Psychopharmacology</i> , 2006 , 188, 213-27	4.7	84
108	Lorazepam dose-dependently decreases risk-taking related activation in limbic areas. <i>Psychopharmacology</i> , 2006 , 189, 105-16	4.7	29
107	Impaired recognition of fear facial expressions in 5-HTTLPR S-polymorphism carriers following tryptophan depletion. <i>Psychopharmacology</i> , 2006 , 189, 387-94	4.7	40
106	Selective processing of social threat cues following acute tryptophan depletion. <i>Journal of Psychopharmacology</i> , 2006 , 20, 33-9	4.6	30
105	The impact of tryptophan depletion and 5-HTTLPR genotype on passive avoidance and response reversal instrumental learning tasks. <i>Neuropsychopharmacology</i> , 2007 , 32, 206-15	8.7	72
104	A single dose of the selective serotonin reuptake inhibitor citalopram exacerbates anxiety in humans: a fear-potentiated startle study. <i>Neuropsychopharmacology</i> , 2007 , 32, 225-31	8.7	121
103	Effects of acute tryptophan depletion on mood and facial emotion perception related brain activation and performance in healthy women with and without a family history of depression. <i>Neuropsychopharmacology</i> , 2007 , 32, 216-24	8.7	92
102	Differential effects of tryptophan depletion on emotion processing according to face direction. 2007 , 2, 264-73		25
101	Effects of alpha-lactalbumin on emotional processing in healthy women. <i>Journal of Psychopharmacology</i> , 2007 , 21, 519-24	4.6	23
100	Neurobiology of Impulsive Aggression: Focus on Serotonin and the Orbitofrontal Cortex. 170-186		6
99	Citalopram modulation of neuronal responses to aversive face emotions: a functional MRI study. 2007 , 18, 1351-5		107
98	A single dose of citalopram increases fear recognition in healthy subjects. <i>Journal of Psychopharmacology</i> , 2007 , 21, 684-90	4.6	190
97	The role of serotonin in risky choice and the acquisition of reciprocal cooperative behaviour: 2 investigations using tryptophan depletion. 2007 , 1304, 144-149		1

96	The effects of serotonin manipulations on emotional information processing and mood. <i>Journal of Affective Disorders</i> , 2007 , 103, 43-62	6.6	87
95	Role of functional magnetic resonance imaging in drug discovery. 2007 , 17, 179-88		24
94	The role of 5-HTTLPR in choosing the lesser of two evils, the better of two goods: examining the impact of 5-HTTLPR genotype and tryptophan depletion in object choice. <i>Psychopharmacology</i> , 2008 , 196, 29-38	4.7	29
93	Escitalopram effects on insula and amygdala BOLD activation during emotional processing. <i>Psychopharmacology</i> , 2008 , 196, 661-72	4.7	157
92	Residual cognitive impairments in remitted depressed patients. 2008 , 25, E27-36		32
91	Toward a neurogenetic theory of neuroticism. 2008 , 1129, 153-74		75
90	Anti-obesity Drugs: From Animal Models to Clinical Efficacy. 2008 , 271-315		4
89	Serotonin and emotional processing: does it help explain antidepressant drug action?. 2008 , 55, 1023-8		162
88	Serotonergic regulation of emotional and behavioural control processes. 2008 , 12, 31-40		463
87	Chapter 5.2 How effective are current drug treatments for anxiety disorders, and how could they be improved?. 2008 , 395-411		2
86	Increased anxiety during anticipation of unpredictable but not predictable aversive stimuli as a psychophysiologic marker of panic disorder. 2008 , 165, 898-904		209
85	Serotonin, inhibition, and negative mood. 2008 , 4, e4		166
84	The effects of experimentally lowered serotonin function on emotional information processing and memory in remitted depressed patients. <i>Journal of Psychopharmacology</i> , 2008 , 22, 653-62	4.6	38
83	The effect of acute tryptophan depletion on the neural correlates of emotional processing in healthy volunteers. <i>Neuropsychopharmacology</i> , 2008 , 33, 1992-2006	8.7	63
82	Increased serotonin and dopamine transporter binding in psychotropic medication-naïve patients with generalized social anxiety disorder shown by 123I-beta-(4-iodophenyl)-tropane SPECT. 2008 , 49, 757-63		79
81	Serotonergic modulation of face-emotion recognition. 2008 , 41, 263-9		19
80	Tryptophan research in panic disorder. 2008 , 1, 3-12		2
79	Long-chain polyunsaturated fatty acids modulate interleukin-1beta-induced changes in behavior, monoaminergic neurotransmitters, and brain inflammation in rats. 2008 , 138, 954-63		77

78	Genetic contributions of the serotonin transporter to social learning of fear and economic decision making. 2009 , 4, 399-408		123
77	The effect of acute tryptophan depletion on emotional distraction and subsequent memory. 2009 , 4, 357-68		14
76	Two-week treatment with the selective serotonin reuptake inhibitor citalopram reduces contextual anxiety but not cued fear in healthy volunteers: a fear-potentiated startle study. <i>Neuropsychopharmacology</i> , 2009 , 34, 964-71	8.7	61
75	Apamin increases 5-HT cell firing in raphe dorsalis and extracellular 5-HT levels in amygdala: a concomitant in vivo study in anesthetized rats. 2009 , 1281, 35-46		15
74	Impaired identification of fearful faces in Generalised Social Phobia. <i>Journal of Affective Disorders</i> , 2009 , 115, 460-5	6.6	33
73	Effects of acute tryptophan depletion on memory, attention and executive functions: a systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2009 , 33, 926-52	9	117
72	Increased anxiety during anticipation of unpredictable aversive stimuli in posttraumatic stress disorder but not in generalized anxiety disorder. 2009 , 66, 47-53		193
71	Serotonin and sensitivity to trauma-related exposure in selective serotonin reuptake inhibitors-recovered posttraumatic stress disorder. 2009 , 66, 17-24		36
70	The effects of tryptophan depletion on neural responses to emotional words in remitted depression. 2009 , 66, 441-50		92
69	Effects of paroxetine on emotional functioning and treatment awareness: a 4-week randomized placebo-controlled study in healthy clinicians. <i>Psychopharmacology</i> , 2010 , 207, 619-29	4.7	3
68	Oxytocin improves specific recognition of positive facial expressions. <i>Psychopharmacology</i> , 2010 , 209, 225-32	4.7	241
67	Effects of acute tryptophan depletion on neural processing of facial expressions of emotion in humans. <i>Psychopharmacology</i> , 2010 , 210, 499-510	4.7	17
66	How genes make up your mind: Individual biological differences and value-based decisions. 2010 , 31, 818-831		16
65	Mood state moderates the role of serotonin in cognitive biases. <i>Journal of Psychopharmacology</i> , 2010 , 24, 573-83	4.6	29
64	Recognizing emotions in faces: effects of acute tryptophan depletion and bright light. <i>Journal of Psychopharmacology</i> , 2010 , 24, 1447-54	4.6	9
63	Electrocortical effects of acute tryptophan depletion on emotive facial processing in depression-prone individuals. 2010 , 20, 473-86		12
62	Serotonin in Mood and Emotion. 2010 , 367-378		4
61	Acute hydrocortisone treatment increases anxiety but not fear in healthy volunteers: a fear-potentiated startle study. 2011 , 69, 549-55		26

60	Serotonergic activity influences the cognitive appraisal of close intimate relationships in healthy adults. 2011 , 69, 720-5		24
59	The roles of dopamine and serotonin in decision making: evidence from pharmacological experiments in humans. <i>Neuropsychopharmacology</i> , 2011 , 36, 114-32	8.7	158
58	Relationships among 5-HTT genotype, life events and gender in the recognition of facial emotions. 2011 , 172, 303-13		25
57	Acute tryptophan depletion attenuates conscious appraisal of social emotional signals in healthy female volunteers. <i>Psychopharmacology</i> , 2011 , 213, 603-13	4.7	15
56	Affective cognition and its disruption in mood disorders. <i>Neuropsychopharmacology</i> , 2011 , 36, 153-82	8.7	217
55	Efficacy markers in depression. <i>Journal of Psychopharmacology</i> , 2011 , 25, 1148-58	4.6	93
54	Modulation of central serotonin affects emotional information processing in impulsive aggressive personality disorder. 2012 , 32, 329-35		13
53	Depressed mood enhances anxiety to unpredictable threat. 2012 , 42, 1397-407		14
52	Effects of low dose tryptophan depletion on emotional processing in dieters. 2012 , 13, 154-7		3
51	Neural and personality correlates of individual differences related to the effects of acute tryptophan depletion on future reward evaluation. 2012 , 65, 55-64		10
50	The temporal electrocortical profile of emotive facial processing in depressed males and females and healthy controls. <i>Journal of Affective Disorders</i> , 2012 , 136, 1072-81	6.6	26
49	Interactive effects of estrogen and serotonin on brain activation during working memory and affective processing in menopausal women. 2012 , 37, 372-82		64
48	Acute and chronic effects of selective serotonin reuptake inhibitor treatment on fear conditioning: implications for underlying fear circuits. 2013 , 247, 253-72		75
47	Acute pharmacologically induced shifts in serotonin availability abolish emotion-selective responses to negative face emotions in distinct brain networks. 2013 , 23, 368-78		29
46	Neuroimaging Approaches to the Understanding of Depression and the Identification of Novel Antidepressants. 2013 , 343-411		1
45	The effect of raising and lowering tryptophan levels on human mood and social behaviour. 2013 , 368, 20110375		69
44	The neurobiology of oppositional defiant disorder and conduct disorder: altered functioning in three mental domains. 2013 , 25, 193-207		132
43	Acute serotonin 2A receptor blocking alters the processing of fearful faces in the orbitofrontal cortex and amygdala. <i>Journal of Psychopharmacology</i> , 2013 , 27, 903-14	4.6	16

42	Food-derived serotonergic modulators: effects on mood and cognition. 2013 , 26, 223-34		27
41	Variation in the oxytocin receptor gene is associated with behavioral and neural correlates of empathic accuracy. 2014 , 8, 423		36
40	Preliminary evidence that sub-chronic citalopram triggers the re-evaluation of value in intimate partnerships. 2014 , 9, 1419-25		7
39	Effects of acute treatment with a tryptophan-rich protein hydrolysate on plasma amino acids, mood and emotional functioning in older women. <i>Psychopharmacology</i> , 2014 , 231, 4595-610	4.7	21
38	Association Study of Genotype by Depressive Response during Tryptophan Depletion in Subjects Recovered from Major Depression. 2015 , 1, 165-174		4
37	Early effects of duloxetine on emotion recognition in healthy volunteers. <i>Journal of Psychopharmacology</i> , 2015 , 29, 634-41	4.6	10
36	Studying the neurobiology of human social interaction: Making the case for ecological validity. 2015 , 10, 219-29		10
35	Why do fearful facial expressions elicit behavioral approach? Evidence from a combined approach-avoidance implicit association test. 2015 , 15, 223-31		24
34	Evidence for serotonin function as a neurochemical difference between fear and anxiety disorders in humans?. <i>Journal of Psychopharmacology</i> , 2015 , 29, 1061-9	4.6	16
33	Chronic treatment with a tryptophan-rich protein hydrolysate improves emotional processing, mental energy levels and reaction time in middle-aged women. 2015 , 113, 350-65		31
32	Tianeptine in an experimental medicine model of antidepressant action. <i>Journal of Psychopharmacology</i> , 2015 , 29, 582-90	4.6	6
31	The CRH1 antagonist GSK561679 increases human fear but not anxiety as assessed by startle. <i>Neuropsychopharmacology</i> , 2015 , 40, 1064-71	8.7	33
30	Serotonin, Amygdala and Fear: Assembling the Puzzle. <i>Frontiers in Neural Circuits</i> , 2016 , 10, 24	3.5	81
29	Empathic accuracy and oxytocin after tryptophan depletion in adults at risk for depression. <i>Psychopharmacology</i> , 2016 , 233, 111-20	4.7	9
28	The role of serotonin in personality inference: tryptophan depletion impairs the identification of neuroticism in the face. <i>Psychopharmacology</i> , 2017 , 234, 2139-2147	4.7	8
27	Distinct responses to predictable and unpredictable threat in anxiety pathologies: effect of panic attack. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2017 , 2, 575-581	3.4	19
26	Clinical pilot study of transcranial direct current stimulation combined with Cognitive Emotional Training for medication resistant depression. <i>Journal of Affective Disorders</i> , 2018 , 232, 89-95	6.6	25
25	Tryptophan supplementation and serotonin function: genetic variations in behavioural effects. <i>Proceedings of the Nutrition Society</i> , 2018 , 77, 174-188	2.9	21

24	Neuroticism predicts the impact of serotonin challenges on fear processing in subgenual anterior cingulate cortex. <i>Scientific Reports</i> , 2018 , 8, 17889	4.9	8
23	Dissociable effects of acute SSRI (escitalopram) on executive, learning and emotional functions in healthy humans. <i>Neuropsychopharmacology</i> , 2018 , 43, 2645-2651	8.7	40
22	Exercise modulates the interaction between cognition and anxiety in humans. <i>Cognition and Emotion</i> , 2019 , 33, 863-870	2.3	4
21	Blunted emotion-modulated startle reflex in anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2019 , 52, 270-277	6.3	9
20	Differences in how macaques monitor others: Does serotonin play a central role?. <i>Wiley Interdisciplinary Reviews: Cognitive Science</i> , 2019 , 10, e1494	4.5	4
19	Neurotransmitters and Intermittent Explosive Disorder. 2019 , 87-110		1
18	Psychological mechanisms and functions of 5-HT and SSRIs in potential therapeutic change: Lessons from the serotonergic modulation of action selection, learning, affect, and social cognition. <i>Neuroscience and Biobehavioral Reviews</i> , 2020 , 119, 138-167	9	7
17	Crosstalk between the microbiota-gut-brain axis and depression. <i>Heliyon</i> , 2020 , 6, e04097	3.6	32
16	Inducing Affective Learning Biases with Cognitive Training and Prefrontal tDCS: A Proof-of-Concept Study. <i>Cognitive Therapy and Research</i> , 2021 , 45, 869-884	2.7	0
15	Serotonin differentially modulates the temporal dynamics of the limbic response to facial emotions in male adults with and without autism spectrum disorder (ASD): a randomised placebo-controlled single-dose crossover trial. <i>Neuropsychopharmacology</i> , 2020 , 45, 2248-2256	8.7	3
14	Social-emotional functioning in young people with symptoms of eating disorders: A gender inclusive analogue study. <i>Brain and Behavior</i> , 2021 , 11, e02017	3.4	3
13	Selective serotonin reuptake inhibitor treatment retunes emotional valence in primate ventral striatum. <i>Neuropsychopharmacology</i> , 2021 , 46, 2073-2082	8.7	2
12	Differences in social brain function in autism spectrum disorder are linked to the serotonin transporter.		0
11	Effect of Tryptophan Depletion on Conditioned Threat Memory Expression: Role of Intolerance of Uncertainty. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021 , 6, 590-598	3.4	1
10	Reduced emotion recognition from nonverbal cues in anorexia nervosa. <i>European Eating Disorders Review</i> , 2021 , 29, 868-878	5.3	0
9	Test-retest reliability of the facial expression labeling task. <i>Psychological Assessment</i> , 2017 , 29, 1537-1542	5.3	12
8	Brain Structural Correlates of Emotion Recognition in Psychopaths. <i>PLoS ONE</i> , 2016 , 11, e0149807	3.7	19
7	The Diagnosis and Treatment of Anxiety Disorders in Chronic Spinal Pain. 2008 , 173-185		

6 Pregnancy. 183-206

5	Tryptophan-enriched diet or 5-hydroxytryptophan supplementation given in a randomized controlled trial impacts social cognition on a neural and behavioral level. <i>Scientific Reports</i> , 2021 , 11, 21637	4.9	1
4	Emotional context effect on recognition of varying facial emotion expression intensities in depression.. <i>Journal of Affective Disorders</i> , 2022 ,	6.6	
3	Differences in social brain function in autism spectrum disorder are linked to the serotonin transporter: A randomised placebo-controlled single-dose crossover trial.. <i>Journal of Psychopharmacology</i> , 2022 , 2698811221092509	4.6	0
2	The Genetics of Risk Aversion: A Systematic Review. 2022 , 19, 14307		0
1	Sex Differences in Tryptophan Metabolism: A Systematic Review Focused on Neuropsychiatric Disorders. 2023 , 24, 6010		0