

Source partitioning using stable isotopes: coping with t

Oecologia

136, 261-269

DOI: [10.1007/s00442-003-1218-3](https://doi.org/10.1007/s00442-003-1218-3)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Sources of carbon and dietary habits of new Lessepsian entry <i>Brachidontes pharaonis</i> (Bivalvia), Tj ETQq0 0 0 rgBT Overlock 10 Tf 50 74	0.7	33
3	Dietary variation in a predatory shrimp <i>Macrobrachium hainanense</i> (Palaemonidae) in Hong Kong forest streams. <i>Archiv Für Hydrobiologie</i> , 2004, 160, 305-328.	1.1	40
4	RECONSTRUCTING PLANT ROOT AREA AND WATER UPTAKE PROFILES. <i>Ecology</i> , 2004, 85, 1967-1978.	1.5	87
5	Nutritional ecology of ursids: a review of newer methods and management implications. <i>Ursus</i> , 2004, 15, 161-171.	0.3	131
6	Contribution of the natural biota associated with substrates to the nutritional requirements of the post-larval shrimp, <i>Penaeus esculentus</i> (Haswell), in high-density rearing systems. <i>Aquaculture Research</i> , 2004, 35, 508-515.	0.9	56
7	Multi-source mixing models to quantify food web sources and pathways. <i>Journal of Applied Ecology</i> , 2004, 41, 996-1008.	1.9	52
8	Consumption of salmon by Alaskan brown bears: a trade-off between nutritional requirements and the risk of infanticide?. <i>Oecologia</i> , 2004, 138, 465-474.	0.9	200
9	A critical evaluation of intrapopulation variation of $\delta^{13}C$ and isotopic evidence of individual specialization. <i>Oecologia</i> , 2004, 140, 361-371.	0.9	143
10	Foodweb structure in a tropical Asian forest stream. <i>Journal of the North American Benthological Society</i> , 2004, 23, 728-755.	3.0	89
11	Dietary reconstruction of an early to middle Holocene human population from the central California coast: insights from advanced stable isotope mixing models. <i>Journal of Archaeological Science</i> , 2004, 31, 1101-1115.	1.2	129
12	Effects of fish farming waste to sedimentary and particulate organic matter in a southern Mediterranean area (Gulf of Castellammare, Sicily): a multiple stable isotope study ($\delta^{13}C$ and $\delta^{15}N$). <i>Aquaculture</i> , 2004, 234, 199-213.	1.7	161
13	A STABLE ISOTOPE SIMULATOR THAT CAN BE COUPLED TO EXISTING MASS BALANCE MODELS. , 2005, 15, 1772-1782.		12
14	Does transported seagrass provide an important trophic link in unvegetated, nearshore areas?. <i>Estuarine, Coastal and Shelf Science</i> , 2005, 63, 633-643.	0.9	72
15	Determination of the dietary habits of a Magdalenian woman from Saint-Germain-la-Rivière in southwestern France using stable isotopes. <i>Journal of Human Evolution</i> , 2005, 49, 19-35.	1.3	55
16	Isotopic evidence for diet and subsistence pattern of the Saint-Césaire I Neanderthal: review and use of a multi-source mixing model. <i>Journal of Human Evolution</i> , 2005, 49, 71-87.	1.3	242
17	Measuring the Flow of Energy and Matter in Marine Benthic Animal Populations. , 0, , 326-408.		15
18	Food webs supporting fish over subtropical mudflats are based on transported organic matter not in situ microalgae. <i>Marine Biology</i> , 2005, 148, 363-371.	0.7	58
19	A new approach to the solution of the linear mixing model for a single isotope: application to the case of an opportunistic predator. <i>Oecologia</i> , 2005, 143, 143-147.	0.9	40

#	ARTICLE	IF	CITATIONS
20	Combining sources in stable isotope mixing models: alternative methods. <i>Oecologia</i> , 2005, 144, 520-527.	0.9	697
21	Marine-derived nitrogen and carbon in freshwater-riparian food webs of the Copper River Delta, southcentral Alaska. <i>Oecologia</i> , 2005, 144, 558-569.	0.9	77
22	Tracing Mississippi River influences in estuarine food webs of coastal Louisiana. <i>Oecologia</i> , 2005, 144, 659-672.	0.9	79
23	Intrapopulation variation in gray wolf isotope ($\delta^{15}\text{N}$ and $\delta^{13}\text{C}$) profiles: implications for the ecology of individuals. <i>Oecologia</i> , 2005, 145, 316-325.	0.9	108
24	Avian assimilation and dispersal of carbon and nitrogen brought ashore by breeding Westland petrels (<i>Procellaria westlandica</i>): a stable isotope study. <i>Journal of Zoology</i> , 2005, 266, 419-426.	0.8	26
25	Nutritional ecology of thalassinidean shrimps constructing burrows with debris chambers: The distribution and use of macronutrients and micronutrients. <i>Marine Biology Research</i> , 2005, 1, 202-215.	0.3	14
26	Pleistocene to recent dietary shifts in California condors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 16707-16711.	3.3	163
27	What do harp seals eat? Comparing diet composition from different compartments of the digestive tract with diets estimated from stable-isotope ratios. <i>Canadian Journal of Zoology</i> , 2005, 83, 1365-1372.	0.4	28
28	Isotopic Discrimination between Food and Blood and Feathers of Captive Penguins: Implications for Dietary Studies in the Wild. <i>Physiological and Biochemical Zoology</i> , 2005, 78, 106-115.	0.6	231
29	ANTHROPOGENIC ENRICHMENT ALTERS A MARINE BENTHIC FOOD WEB. <i>Ecology</i> , 2005, 86, 2726-2736.	1.5	82
30	Source Apportionment of Organic Pollutants of a Highway-Traffic-Influenced Urban Area in Bayreuth (Germany) Using Biomarker and Stable Carbon Isotope Signatures. <i>Environmental Science & Technology</i> , 2005, 39, 3911-3917.	4.6	101
31	Applications, Considerations, and Sources of Uncertainty When Using Stable Isotope Analysis in Ecotoxicology. <i>Environmental Science & Technology</i> , 2006, 40, 7501-7511.	4.6	308
32	Turnover of stable isotopes in Hokkaido brown bear (<i>Ursus arctos yesoyensis</i>). <i>Mammal Study</i> , 2006, 31, 59-63.	0.2	5
33	Major components of grizzly bear diet across North America. <i>Canadian Journal of Zoology</i> , 2006, 84, 473-489.	0.4	202
34	Using Stable Isotopes To Reveal Shifts In Prey Consumption By Generalist Predators. , 2006, 16, 865-876.		76
35	Evidence for local specialization in a generalist mammalian herbivore, <i>Neotoma fuscipes</i> . <i>Oikos</i> , 2006, 113, 440-448.	1.2	38
36	Efficiencies of benthic and pelagic trophic pathways in a subalpine lake. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2006, 63, 2608-2620.	0.7	127
37	Stable isotopes as an indicator of diet in omnivorous crayfish (<i>Pacifastacus leniusculus</i>): the influence of tissue, sample treatment, and season. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2006, 63, 821-831.	0.7	95

#	ARTICLE	IF	CITATIONS
38	Food sources of two detritivore amphipods associated with the seagrass <i>Posidonia oceanica</i> leaf litter. <i>Marine Biology Research</i> , 2006, 2, 355-365.	0.3	50
39	Macroinvertebrate diet in intertidal seagrass and sandflat communities: A study using C, N, and S stable isotopes. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2006, 40, 615-629.	0.8	18
40	Identifying predators of the SW Atlantic Patagonian scallop <i>Zygochlamys patagonica</i> using stable isotopes. <i>Fisheries Research</i> , 2006, 81, 45-50.	0.9	32
41	TESTING ISOSOURCE: STABLE ISOTOPE ANALYSIS OF A TROPICAL FISHERY WITH DIVERSE ORGANIC MATTER SOURCES. <i>Ecology</i> , 2006, 87, 326-333.	1.5	113
42	Trophic ecology of the supralittoral rocky shore (Roscoff, France): A dual stable isotope ($\delta^{13}C$, $\delta^{15}N$) and experimental approach. <i>Journal of Sea Research</i> , 2006, 56, 27-36.	0.6	16
43	COUPLING STABLE ISOTOPES WITH BIOENERGETICS TO ESTIMATE INTERSPECIFIC INTERACTIONS. , 2006, 16, 1893-1900.		24
44	Contrasting Pathways of Assimilation. <i>Journal of Environmental Quality</i> , 2006, 35, 1884-1893.	1.0	7
45	Effects of dust deposition and river discharges on trace metal composition of <i>Trichodesmium</i> spp. in the tropical and subtropical North Atlantic Ocean. <i>Limnology and Oceanography</i> , 2006, 51, 1755-1761.	1.6	49
46	Carbon flows through a benthic food web: Integrating biomass, isotope and tracer data. <i>Journal of Marine Research</i> , 2006, 64, 453-482.	0.3	135
47	Trophic position of zebra mussel veligers and their use of dissolved organic carbon. <i>Limnology and Oceanography</i> , 2006, 51, 1473-1484.	1.6	37
48	Animal components in the diet of Japanese black bears <i>Ursus thibetanus japonicus</i> in the Kyoto area, Japan. <i>Wildlife Biology</i> , 2006, 12, 375-384.	0.6	9
49	Evidence of the exploitation of marine resource by the terrestrial insect <i>Scapteriscus didactylus</i> through stable isotope analyzes of its cuticle. <i>BMC Ecology</i> , 2006, 6, 6.	3.0	6
50	Temporal and intrapopulation variation in prey choice of wintering geese determined by stable isotope analysis. <i>Journal of Animal Ecology</i> , 2006, 75, 1190-1200.	1.3	97
51	Using daily ration models and stable isotope analysis to predict biomass depletion by herbivores. <i>Journal of Applied Ecology</i> , 2006, 43, 1022-1030.	1.9	29
52	A revised model for lipid-normalizing $\delta^{13}C$ values from aquatic organisms, with implications for isotope mixing models. <i>Journal of Applied Ecology</i> , 2006, 43, 1213-1222.	1.9	361
53	Spatial and temporal scaling of intercellular CO ₂ concentration in a temperate rain forest dominated by <i>Dacrydium cupressinum</i> in New Zealand. <i>Plant, Cell and Environment</i> , 2006, 29, 497-510.	2.8	11
54	Potential carbon release from permafrost soils of Northeastern Siberia. <i>Global Change Biology</i> , 2006, 12, 2336-2351.	4.2	307
55	Exotic plant communities shift water-use timing in a shrub-steppe ecosystem. <i>Plant and Soil</i> , 2006, 288, 271-284.	1.8	69

#	ARTICLE	IF	CITATIONS
56	Significance of instream autotrophs in trophic dynamics of the Upper Mississippi River. <i>Oecologia</i> , 2006, 147, 76-85.	0.9	125
57	Determining soil and ground water use of vegetation from heat pulse, water potential and stable isotope data. <i>Oecologia</i> , 2006, 148, 97-107.	0.9	32
58	Stable isotope analysis of production and trophic relationships in a tropical marine hard-bottom community. <i>Oecologia</i> , 2006, 148, 334-341.	0.9	43
59	Correlation of metabolism with tissue carbon and nitrogen turnover rate in small mammals. <i>Oecologia</i> , 2006, 150, 190-201.	0.9	105
60	Feeding ecology of two planktonic sculpins, <i>Comephorus baicalensis</i> and <i>Comephorus dybowskii</i> (Comephoridae), in Lake Baikal. <i>Ichthyological Research</i> , 2006, 53, 419-422.	0.5	9
61	Eutrophication processes and trophic interactions in a shallow estuary: Preliminary results based on stable isotope analysis ($\delta^{13}C$ and $\delta^{15}N$). <i>Estuaries and Coasts</i> , 2006, 29, 277-285.	1.0	43
62	The role of perched aquifers in hydrological connectivity and biogeochemical processes in vernal pool landscapes, Central Valley, California. <i>Hydrological Processes</i> , 2006, 20, 1157-1175.	1.1	84
63	Contributions of biogeochemistry to understanding hominin dietary ecology. <i>American Journal of Physical Anthropology</i> , 2006, 131, 131-148.	2.1	110
64	Combining stable isotope and intestinal parasite information to evaluate dietary differences between individual ringed seals (<i>Phoca hispida botnica</i>). <i>Canadian Journal of Zoology</i> , 2006, 84, 823-831.	0.4	29
65	Ontogenetic Trophic Interactions and Benthopelagic Coupling in Lake Washington: Evidence from Stable Isotopes and Diet Analysis. <i>Transactions of the American Fisheries Society</i> , 2006, 135, 1312-1328.	0.6	45
67	CONDITION, REPRODUCTIVE ACTIVITY, AND GROSS BIOCHEMICAL COMPOSITION OF THE MANILA CLAM, <i>TAPES PHILIPPINARUM</i> IN NATURAL AND NEWLY CREATED SANDY HABITATS OF THE SOUTHERN COAST OF KOREA. <i>Journal of Shellfish Research</i> , 2007, 26, 401-412.	0.3	15
68	Multiple Sources of Isotopic Variation in a Terrestrial Arthropod Community: Challenges for Disentangling Food Webs. <i>Environmental Entomology</i> , 2007, 36, 776-791.	0.7	5
69	Gut content- and stable isotope-derived diets of four commercially and recreationally important fish species in two intermittently open estuaries. <i>Marine and Freshwater Research</i> , 2007, 58, 363.	0.7	55
70	Dietary and spatial overlap between sympatric ursids relative to salmon use. <i>Ursus</i> , 2007, 18, 19-29.	0.3	75
71	A climate-driven switch in plant nitrogen acquisition within tropical forest communities. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 8902-8906.	3.3	234
72	FOOD WEB STRUCTURE, ENERGETICS, AND IMPORTANCE OF ALLOCHTHONOUS CARBON IN A DESERT CAVERNOUS LIMNOCRENE: DEVILS HOLE, NEVADA. <i>Western North American Naturalist</i> , 2007, 67, 185-198.	0.2	26
73	The diet of pelagic loggerhead sea turtles (<i>Caretta caretta</i>) off the Balearic archipelago (western) United Kingdom, 2007, 87, 805-813.	0.4	55
74	Sedimentary and particulate organic matter: mixed sources for cockle <i>Cerastoderma glaucum</i> in a shallow pond, Western Mediterranean. <i>Aquatic Living Resources</i> , 2007, 20, 271-277.	0.5	29

#	ARTICLE	IF	CITATIONS
75	Hunters, fishers and scavengers. Before Farming, 2007, 2007, 1-16.	0.2	11
76	Does stable isotope analysis separate transgenic and traditional corn (<i>Zea mays</i> L.) detritus and their consumers?. Applied Soil Ecology, 2007, 35, 449-453.	2.1	16
77	Linking lithology and land use to sources of dissolved and particulate organic matter in headwaters of a temperate, passive-margin river system. Geochimica Et Cosmochimica Acta, 2007, 71, 4233-4250.	1.6	61
78	Plant water sources in the cold semiarid ecosystem of the upper Kherlen River catchment in Mongolia: A stable isotope approach. Journal of Hydrology, 2007, 333, 109-117.	2.3	78
79	Food web analysis in two permanently open temperate estuaries: Consequences of saltmarsh loss?. Marine Environmental Research, 2007, 64, 286-304.	1.1	31
80	Using movements and diet analyses to assess effects of introduced muskellunge (<i>Esox masquinongy</i>) on Atlantic salmon (<i>Salmo salar</i>) in the Saint John River, New Brunswick. , 2007, , 49-60.		1
82	Carnivore-specific stable isotope variables and variation in the foraging ecology of modern and ancient wolf populations: case studies from Isle Royale, Minnesota, and La Brea. Canadian Journal of Zoology, 2007, 85, 458-471.	0.4	121
83	FOOD SOURCES OF THREE BIVALVES LIVING IN TWO HABITATS OF JIAOZHOU BAY (QINGDAO, CHINA): INDICATED BY LIPID BIOMARKERS AND STABLE ISOTOPE ANALYSIS. Journal of Shellfish Research, 2007, 26, 561-567.	0.3	54
84	TROPHIC STRUCTURE OF COASTAL ANTARCTIC FOOD WEBS ASSOCIATED WITH CHANGES IN SEA ICE AND FOOD SUPPLY. Ecology, 2007, 88, 2810-2820.	1.5	117
85	Spatial and temporal patterns in the food web structure of a large floodplain river assessed using stable isotopes. Canadian Journal of Fisheries and Aquatic Sciences, 2007, 64, 495-508.	0.7	31
86	Trophic habits of <i>Muscardinus avellanarius</i> (Mammalia Gliridae) as revealed by multiple stable isotope analysis. Ethology Ecology and Evolution, 2007, 19, 215-223.	0.6	8
87	Quantifying foodweb interactions with simultaneous linear equations: stable isotope models of the Truckee River, USA. Journal of the North American Benthological Society, 2007, 26, 642-662.	3.0	5
88	Stream Food Webs. , 2007, , 637-659.		7
89	A niche for isotopic ecology. Frontiers in Ecology and the Environment, 2007, 5, 429-436.	1.9	607
90	Food web structure of a subtropical headwater stream. Marine and Freshwater Research, 2007, 58, 596.	0.7	18
91	Sources of Sediment and Phosphorus in Stream Flow of a Highly Productive Dairy Farmed Catchment. Journal of Environmental Quality, 2007, 36, 540-548.	1.0	36
92	Effect of temperature, ration, body size and age on sulphur isotope fractionation in fish. Rapid Communications in Mass Spectrometry, 2007, 21, 1461-1467.	0.7	44
93	Stable isotope evidence of trophic interactions between introduced brook trout <i>Salvelinus fontinalis</i> and native brown trout <i>Salmo trutta</i> in a mountain stream of south-west France. Journal of Fish Biology, 2007, 71, 210-223.	0.7	65

#	ARTICLE	IF	CITATIONS
94	Feeding habits and trophic levels of bluefin tuna <i>Thunnus thynnus</i> of different size classes in the Mediterranean Sea. <i>Journal of Applied Ichthyology</i> , 2007, 23, 122-127.	0.3	82
95	Prolonging the arctic pulse: long-term exploitation of cached eggs by arctic foxes when lemmings are scarce. <i>Journal of Animal Ecology</i> , 2007, 76, 873-880.	1.3	58
96	Variations in the diet of introduced Norway rats (<i>Rattus norvegicus</i>) inferred using stable isotope analysis. <i>Journal of Zoology</i> , 2007, 271, 463-468.	0.8	41
97	Limitations of stable carbon isotope analysis for determining natal host origins of tobacco budworm, <i>Heliothis virescens</i> . <i>Entomologia Experimentalis Et Applicata</i> , 2007, 126, 071115163010004-???	0.7	1
98	Food webs of two intermittently open estuaries receiving 15N-enriched sewage effluent. <i>Estuarine, Coastal and Shelf Science</i> , 2007, 71, 347-358.	0.9	64
99	Benthic trophic network in the Bay of Banyuls-sur-Mer (northwest Mediterranean, France): An assessment based on stable carbon and nitrogen isotopes analysis. <i>Estuarine, Coastal and Shelf Science</i> , 2007, 72, 1-15.	0.9	102
100	Trophic subsidies of <i>Crassostrea gigas</i> , <i>Mytilus edulis</i> and <i>Crepidula fornicata</i> in the Bay of Mont Saint Michel (France): A $\delta^{13}C$ and $\delta^{15}N$ investigation. <i>Estuarine, Coastal and Shelf Science</i> , 2007, 72, 33-41.	0.9	48
101	A seasonal survey of the food web in the Lapalme Lagoon (northwestern Mediterranean) assessed by carbon and nitrogen stable isotope analysis. <i>Estuarine, Coastal and Shelf Science</i> , 2007, 73, 299-315.	0.9	65
102	Marine macrophytes directly enhance abundances of sandy beach fauna through provision of food and habitat. <i>Estuarine, Coastal and Shelf Science</i> , 2007, 74, 77-86.	0.9	130
103	Osmium in environmental samples from Northeast Sweden. Part II. Identification of anthropogenic sources. <i>Science of the Total Environment</i> , 2007, 386, 159-168.	3.9	32
104	Trophic interactions between two introduced suspension-feeders, <i>Crepidula fornicata</i> and <i>Crassostrea gigas</i> , are influenced by seasonal effects and qualitative selection capacity. <i>Journal of Experimental Marine Biology and Ecology</i> , 2007, 342, 231-241.	0.7	75
105	Importance of biofilm as food source for shrimp (<i>Farfantepenaeus paulensis</i>) evaluated by stable isotopes ($\delta^{13}C$ and $\delta^{15}N$). <i>Journal of Experimental Marine Biology and Ecology</i> , 2007, 347, 88-96.	0.7	69
106	Variation among diets in discrimination of $\delta^{13}C$ and $\delta^{15}N$ in the amphipod <i>Allorchestes compressa</i> . <i>Journal of Experimental Marine Biology and Ecology</i> , 2007, 349, 370-377.	0.7	40
107	Isotope trophic-step fractionation of suspension-feeding species: Implications for food partitioning in coastal ecosystems. <i>Journal of Experimental Marine Biology and Ecology</i> , 2007, 351, 121-128.	0.7	119
108	Stable isotopes of carbon and nitrogen in soil ecological studies. <i>Biology Bulletin</i> , 2007, 34, 395-407.	0.1	181
109	Variation in water uptake dynamics among contrasting agricultural and native plant communities in the Midwestern U.S.. <i>Agriculture, Ecosystems and Environment</i> , 2007, 121, 343-356.	2.5	125
110	Stable isotope analyses ($\delta^{15}N$ and $\delta^{13}C$) of the trophic relationships of <i>Callinectes sapidus</i> in two North Carolina estuaries. <i>Estuaries and Coasts</i> , 2007, 30, 1049-1059.	1.0	19
111	Nursery ground value of an endangered wetland to juvenile shrimps. <i>Wetlands Ecology and Management</i> , 2007, 15, 311-327.	0.7	21

#	ARTICLE	IF	CITATIONS
112	Assimilation dynamics of soil carbon and nitrogen by wheat roots and Collembola. <i>Plant and Soil</i> , 2007, 295, 253-264.	1.8	19
113	Using movements and diet analyses to assess effects of introduced muskellunge (<i>Esox masquinongy</i>) on Atlantic salmon (<i>Salmo salar</i>) in the Saint John River, New Brunswick. <i>Environmental Biology of Fishes</i> , 2007, 79, 49-60.	0.4	13
114	Changes in trophic linkages to shortfin eels (<i>Anguilla australis</i>) since the collapse of submerged macrophytes in Lake Ellesmere, New Zealand. <i>Hydrobiologia</i> , 2007, 579, 161-173.	1.0	17
115	Stable isotope characterization of mammalian predator-prey relationships in a South African savanna. <i>European Journal of Wildlife Research</i> , 2007, 53, 161-170.	0.7	86
116	Water source partitioning among trees growing on shallow karst soils in a seasonally dry tropical climate. <i>Oecologia</i> , 2007, 152, 26-36.	0.9	166
117	Using $\delta^{13}\text{C}$ stable isotopes to quantify individual-level diet variation. <i>Oecologia</i> , 2007, 152, 643-654.	0.9	163
118	Food web structure in exotic and native mangroves: a Hawaii-Puerto Rico comparison. <i>Oecologia</i> , 2007, 153, 675-686.	0.9	71
119	Seasonal variations in moisture use in a piñon-juniper woodland. <i>Oecologia</i> , 2007, 153, 787-798.	0.9	136
120	Landscape-Scale Hydrologic Characteristics Differentiate Patterns of Carbon Flow in Large-River Food Webs. <i>Ecosystems</i> , 2007, 10, 1019-1033.	1.6	113
121	Evaluation of the mobility and discrimination of Ca, Sr and Ba in forest ecosystems: consequence on the use of alkaline-earth element ratios as tracers of Ca. <i>Plant and Soil</i> , 2008, 302, 105-124.	1.8	46
122	Seasonal patterns in depth of water uptake under contrasting annual and perennial systems in the Corn Belt Region of the Midwestern U.S.. <i>Plant and Soil</i> , 2008, 308, 69-92.	1.8	123
123	Evaluating the utility of stable isotope analyses of archived freshwater sample materials. <i>Hydrobiologia</i> , 2008, 600, 121-130.	1.0	87
124	Carbon and nitrogen stable isotope analysis indicates freshwater shrimp <i>Paratya australiensis</i> Kemp, 1917 (Atyidae) assimilate cyanobacterial accumulations. <i>Hydrobiologia</i> , 2008, 608, 121-132.	1.0	10
125	The fate of organic matter sources in coastal environments: a comparison of three Mediterranean lagoons. <i>Hydrobiologia</i> , 2008, 611, 67-79.	1.0	34
126	What Insights Can Baboon Feeding Ecology Provide for Early Hominin Niche Differentiation?. <i>International Journal of Primatology</i> , 2008, 29, 757-772.	0.9	68
127	Evidence of abalone (<i>Haliotis rubra</i>) diet from combined fatty acid and stable isotope analyses. <i>Marine Biology</i> , 2008, 153, 579-588.	0.7	43
128	Stable isotopes ($\delta^{13}\text{C}$, $\delta^{15}\text{N}$) and modelling as tools to estimate the trophic ecology of cultivated oysters in two contrasting environments. <i>Marine Biology</i> , 2008, 153, 673-688.	0.7	76
129	Role of peat organic matter on isotopic composition of most abundant benthic organisms in intertidal habitats of SW Iceland. <i>Marine Biology</i> , 2008, 154, 191-198.	0.7	4

#	ARTICLE	IF	CITATIONS
130	Temporal and spatial variability in stable isotope ratios of SPM link to local hydrography and longer term SPM averages suggest heavy dependence of mussels on nearshore production. <i>Marine Biology</i> , 2008, 154, 899-909.	0.7	26
131	Trophic segregation between sexes in the Black Skimmer revealed through the analysis of stable isotopes. <i>Marine Biology</i> , 2008, 155, 443-450.	0.7	17
132	Dietary contribution of the microphytobenthos to infaunal deposit feeders in an estuarine mudflat in Japan. <i>Marine Biology</i> , 2008, 155, 543-553.	0.7	38
133	Identifying Source Soils in Contemporary Estuarine Sediments: A New Compound-Specific Isotope Method. <i>Estuaries and Coasts</i> , 2008, 31, 344-359.	1.0	115
134	Comparing dietary preferences of Bufflehead ducklings in Western Canada through gut content and stable isotope analysis. <i>Aquatic Ecology</i> , 2008, 42, 61-70.	0.7	6
135	Drifting plankton from a reservoir subsidize downstream food webs and alter community structure. <i>Oecologia</i> , 2008, 156, 363-371.	0.9	67
136	Beyond the reaction progress variable: the meaning and significance of isotopic incorporation data. <i>Oecologia</i> , 2008, 156, 765-772.	0.9	81
137	Tracing carbon flow in an arctic marine food web using fatty acid-stable isotope analysis. <i>Oecologia</i> , 2008, 157, 117-129.	0.9	182
138	Food web of a SW Atlantic shallow coastal lagoon: spatial environmental variability does not impose substantial changes in the trophic structure. <i>Marine Ecology - Progress Series</i> , 2008, 362, 69-83.	0.9	56
139	Habitat utilisation during staging affects body condition in a long distance migrant, <i>Branta bernicla</i> : potential impacts on fitness?. <i>Journal of Avian Biology</i> , 2008, 39, 704-708.	0.6	29
140	The diet of ruffe <i>Gymnocephalus cernuus</i> (L.) in northern lakes: new insights from stable isotope analyses. <i>Journal of Fish Biology</i> , 2008, 72, 1720-1735.	0.7	11
141	Food resources of shredders and other benthic macroinvertebrates in relation to shading conditions in tropical Hong Kong streams. <i>Freshwater Biology</i> , 2008, 53, 2011-2025.	1.2	91
142	Terrestrial detritus supports the food webs in lowland intermittent streams of southeastern Australia: a stable isotope study. <i>Freshwater Biology</i> , 2008, 53, 2036-2050.	1.2	108
143	The loss of aquatic and riparian plant communities: Implications for their consumers in a riverine food web. <i>Austral Ecology</i> , 2008, 33, 672-683.	0.7	10
144	Hydrology of Clay Settling Areas and Surrounding Landscapes in the Phosphate Mining District, Peninsular Florida. <i>Journal of the American Water Resources Association</i> , 2008, 44, 980-995.	1.0	5
145	How many potential prey species account for the bulk of the diet of mammalian predators? Implications for stable isotope paleodietary analyses. <i>Journal of Zoology</i> , 2008, 275, 9-17.	0.8	6
146	Applications of stable isotope analyses to avian ecology. <i>Ibis</i> , 2008, 150, 447-461.	1.0	417
147	Incorporating uncertainty and prior information into stable isotope mixing models. <i>Ecology Letters</i> , 2008, 11, 470-480.	3.0	997

#	ARTICLE	IF	CITATIONS
148	Discrimination factors ($\delta^{15}\text{N}$ and $\delta^{13}\text{C}$) in an omnivorous consumer: effect of diet isotopic ratio. <i>Functional Ecology</i> , 2008, 22, 255-263.	1.7	161
149	Applications of stable isotope techniques to the ecology of mammals. <i>Mammal Review</i> , 2008, 38, 87-107.	2.2	216
150	Geographical variation in the use of intertidal rocky shores by the lizard <i>Microlophus atacamensis</i> in relation to changes in terrestrial productivity along the Atacama Desert coast. <i>Journal of Animal Ecology</i> , 2008, 77, 458-468.	1.3	13
151	Dietary shift of an invasive predator: rats, seabirds and sea turtles. <i>Journal of Applied Ecology</i> , 2008, 45, 428-437.	1.9	155
152	Predation by jellyfish on large and emergent zooplankton: Implications for benthic-pelagic coupling. <i>Estuarine, Coastal and Shelf Science</i> , 2008, 76, 827-833.	0.9	65
153	Trophic coupling between two adjacent benthic food webs within a man-made intertidal area: A stable isotopes evidence. <i>Estuarine, Coastal and Shelf Science</i> , 2008, 77, 523-534.	0.9	44
154	Pathways of organic matter through food webs of diverse habitats in the regulated Nakdong River estuary (Korea). <i>Estuarine, Coastal and Shelf Science</i> , 2008, 78, 215-226.	0.9	58
155	Western rock lobsters (<i>Panulirus cygnus</i>) in Western Australian deep coastal ecosystems (35-60m) are more carnivorous than those in shallow coastal ecosystems. <i>Estuarine, Coastal and Shelf Science</i> , 2008, 79, 114-120.	0.9	19
156	$\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ biogeographic trends in rocky intertidal communities along the coast of South Africa: Evidence of strong environmental signatures. <i>Estuarine, Coastal and Shelf Science</i> , 2008, 80, 261-268.	0.9	50
157	Incorporation of terrestrial wetland material into aquatic food webs in a tropical estuarine wetland. <i>Estuarine, Coastal and Shelf Science</i> , 2008, 80, 401-412.	0.9	46
158	Carbon isotope signatures reveal that diet is related to the relative sizes of the gills and palps in bivalves. <i>Journal of Experimental Marine Biology and Ecology</i> , 2008, 361, 104-110.	0.7	24
159	Blood fatty acids indicate inter- and intra-annual variation in the diet of Adelie penguins: Comparison with stomach content and stable isotope analysis. <i>Journal of Experimental Marine Biology and Ecology</i> , 2008, 367, 65-74.	0.7	20
160	Micro-scale modelling of carbon turnover driven by microbial succession at a biogeochemical interface. <i>Soil Biology and Biochemistry</i> , 2008, 40, 864-878.	4.2	75
161	Biogeochemical and Ecomorphological Inferences On Prey Selection and Resource Partitioning Among Mammalian Carnivores In An Early Pleistocene Community. <i>Palaios</i> , 2008, 23, 724-737.	0.6	61
162	Carbon sources and trophic structure in an eelgrass <i>Zostera marina</i> bed, based on stable isotope and fatty acid analyses. <i>Marine Ecology - Progress Series</i> , 2008, 358, 103-114.	0.9	91
163	CAN STABLE ISOTOPE RATIOS PROVIDE FOR COMMUNITY-WIDE MEASURES OF TROPHIC STRUCTURE? COMMENT. <i>Ecology</i> , 2008, 89, 2353-2357.	1.5	112
164	Lead pollution in subtropical ecosystems on the SE Gulf of California Coast: A study of concentrations and isotopic composition. <i>Marine Environmental Research</i> , 2008, 66, 451-458.	1.1	48
165	Sensitivity of bulk sedimentary stable carbon isotopes to prehistoric forest clearance and maize agriculture. <i>Journal of Archaeological Science</i> , 2008, 35, 2119-2132.	1.2	31

#	ARTICLE	IF	CITATIONS
166	Organic matter exchange and cycling in mangrove ecosystems: Recent insights from stable isotope studies. <i>Journal of Sea Research</i> , 2008, 59, 44-58.	0.6	343
167	Retrospective quantification of estuarine feeding activity by coastally caught marine fishes. <i>Journal of Sea Research</i> , 2008, 60, 210-214.	0.6	6
168	Food web structure of two Mediterranean lagoons under varying degree of eutrophication. <i>Journal of Sea Research</i> , 2008, 60, 264-275.	0.6	54
169	Pleistocene megafauna from eastern Beringia: Paleocological and paleoenvironmental interpretations of stable carbon and nitrogen isotope and radiocarbon records. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2008, 261, 30-46.	1.0	141
170	Tracing the ecophysiology of ungulates and predator-prey relationships in an early Pleistocene large mammal community. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2008, 266, 95-111.	1.0	72
171	Stable isotope and fatty acid tracers in energy and nutrient studies of jellyfish: a review. , 2008, , 119-132.		4
172	An alternative approach to reconstructing organic matter accumulation with contrasting watershed disturbance histories from lake sediments. <i>Environmental Pollution</i> , 2008, 155, 117-124.	3.7	10
173	Comparison of C and N stable isotope ratios between surface particulate organic matter and microphytoplankton in the Gulf of Lions (NW Mediterranean). <i>Continental Shelf Research</i> , 2008, 28, 1911-1919.	0.9	134
174	CAN STABLE ISOTOPE RATIOS PROVIDE FOR COMMUNITY-WIDE MEASURES OF TROPHIC STRUCTURE? REPLY. <i>Ecology</i> , 2008, 89, 2358-2359.	1.5	41
175	Chemoautotrophic Production Incorporated by Heterotrophs in Gulf of Mexico Hydrocarbon Seeps: An Examination of Mobile Benthic Predators and Seep Residents. <i>Journal of Shellfish Research</i> , 2008, 27, 153-161.	0.3	28
176	The influence of food quality and availability on trophic position, carbon signature, and growth rate of an omnivorous crayfish. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2008, 65, 2293-2304.	0.7	38
177	Terrestrial carbon contribution to lake food webs: could the classical stable isotope approach be misleading?. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2008, 65, 2719-2727.	0.7	9
178	EVIDENCE SUPPORTING THE IMPORTANCE OF TERRESTRIAL CARBON IN A LARGE-RIVER FOOD WEB. <i>Ecology</i> , 2008, 89, 1733-1743.	1.5	149
179	Influence of marine sources on ¹⁴ C ages: Isotopic data from Watom Island, Papua New Guinea inhumations and pig teeth in light of new dietary standards. <i>Journal of the Royal Society of New Zealand</i> , 2008, 38, 1-23.	1.0	56
180	Comparison of methods to determine algal ¹³ C in freshwater. <i>Limnology and Oceanography: Methods</i> , 2008, 6, 51-63.	1.0	59
181	The source and fate of organic matter and the significance of detrital pathways in a tropical coastal ecosystem. <i>Limnology and Oceanography</i> , 2008, 53, 1479-1492.	1.6	24
182	Endogenous and Environmental Factors Influence the Dietary Fractionation of ¹³ C and ¹⁵ N in Hissing Cockroaches <i>Gromphadorhina portentosa</i> . <i>Physiological and Biochemical Zoology</i> , 2008, 81, 14-24.	0.6	26
183	Caution on isotopic model use for analyses of consumer diet. <i>Canadian Journal of Zoology</i> , 2008, 86, 438-445.	0.4	110

#	ARTICLE	IF	CITATIONS
184	Seasonal changes in depth of water uptake for encroaching trees <i>Juniperus virginiana</i> and <i>Pinus ponderosa</i> and two dominant C4 grasses in a semiarid grassland. <i>Tree Physiology</i> , 2008, 29, 157-169.	1.4	204
185	Bypassing the abyssal benthic food web: Macrourid diet in the eastern North Pacific inferred from stomach content and stable isotopes analyses. <i>Limnology and Oceanography</i> , 2008, 53, 2644-2654.	1.6	91
186	Relative importance of vascular plants and algal production in the food web of a <i>Spartina</i> -invaded salt marsh in the Yangtze River estuary. <i>Marine Ecology - Progress Series</i> , 2008, 367, 93-107.	0.9	18
187	Trophic interactions in <i>Zostera marina</i> beds along the Swedish coast. <i>Marine Ecology - Progress Series</i> , 2008, 369, 63-76.	0.9	71
188	Using Community-Level Analyses to Identify Dietary Patterns for Species in Space and Time. <i>Journal of Freshwater Ecology</i> , 2008, 23, 519-528.	0.5	4
189	WHOLE-LAKE DISSOLVED INORGANIC ¹³ C ADDITIONS REVEAL SEASONAL SHIFTS IN ZOOPLANKTON DIET. <i>Ecology</i> , 2008, 89, 463-474.	1.5	93
190	Stable isotopes as ecological tracers: an efficient method for assessing the contribution of multiple sources to mixtures. <i>Biogeosciences</i> , 2008, 5, 1351-1359.	1.3	7
191	Influence of river discharge in the tropical and subtropical North Atlantic Ocean. <i>Limnology and Oceanography</i> , 2009, 54, 644-648.	1.6	7
192	Challenges for interpreting stable isotope fractionation of carbon and nitrogen in tropical aquatic ecosystems. <i>Verhandlungen Der Internationalen Vereinigung Fur Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology</i> , 2009, 30, 749-753.	0.1	11
193	Using stable isotopes and a multiple-source mixing model to evaluate fish dietary niches in a mesotrophic lake. <i>Lake and Reservoir Management</i> , 2009, 25, 167-175.	0.4	15
194	Carnivory is Positively Correlated with Latitude among Omnivorous Mammals: Evidence from Brown Bears, Badgers and Pine Martens. <i>Annales Zoologici Fennici</i> , 2009, 46, 395-415.	0.2	92
195	Sources of Food Delivered to Ring-Billed, Herring and Great Black-Backed Gull Chicks in Marine Environments. <i>Waterbirds</i> , 2009, 32, 507-513.	0.2	4
196	Increasing demands on limited water resources: Consequences for two endangered plants in Amargosa Valley, USA. <i>American Journal of Botany</i> , 2009, 96, 620-626.	0.8	21
197	Contribution of organic matter sources to cyprinid fishes in the Chany Lake - Kargat River estuary, western Siberia. <i>Marine and Freshwater Research</i> , 2009, 60, 510.	0.7	14
198	Trophic plasticity in similar habitats: an example which severely limits generalization among ecosystems. <i>Marine Biodiversity Records</i> , 2009, 2, .	1.2	7
199	Dietary Segregation of Pelagic and Littoral Fish Assemblages in a Highly Modified Tidal Freshwater Estuary. <i>Marine and Coastal Fisheries</i> , 2009, 1, 200-217.	0.6	28
200	Macroalgae blooms and $\delta^{15}\text{N}$ in subtropical coastal lagoons from the Southeastern Gulf of California: Discrimination among agricultural, shrimp farm and sewage effluents. <i>Marine Pollution Bulletin</i> , 2009, 58, 1144-1151.	2.3	55
201	Tissue-specific isotopic discrimination factors in gentoo penguin (<i>Pygoscelis papua</i>) egg components: Implications for dietary reconstruction using stable isotopes. <i>Journal of Experimental Marine Biology and Ecology</i> , 2009, 372, 106-112.	0.7	36

#	ARTICLE	IF	CITATIONS
202	The diet composition of immature loggerheads: Insights on trophic niche, growth rates, and fisheries interactions. <i>Journal of Experimental Marine Biology and Ecology</i> , 2009, 373, 50-57.	0.7	71
203	Diet and physiological responses of <i>Spondyliosoma cantharus</i> (Linnaeus, 1758) to the <i>Caulerpa racemosa</i> var. <i>cylindracea</i> invasion. <i>Journal of Experimental Marine Biology and Ecology</i> , 2009, 380, 11-19.	0.7	33
204	Quantifying the trophic base for benthic secondary production in the Nakdong River estuary of Korea using stable C and N isotopes. <i>Journal of Experimental Marine Biology and Ecology</i> , 2009, 382, 18-26.	0.7	24
205	Seasonal dynamics of trophic relationships among co-occurring suspension-feeders in two shellfish culture dominated ecosystems. <i>Estuarine, Coastal and Shelf Science</i> , 2009, 82, 415-425.	0.9	72
206	Food web structure in a near-pristine mangrove area of the Australian Wet Tropics. <i>Estuarine, Coastal and Shelf Science</i> , 2009, 82, 597-607.	0.9	104
207	Strong pathways for incorporation of terrestrially derived organic matter into benthic communities. <i>Estuarine, Coastal and Shelf Science</i> , 2009, 82, 645-653.	0.9	60
208	Importance of seagrass as a carbon source for heterotrophic bacteria in a subtropical estuary (Florida Bay). <i>Estuarine, Coastal and Shelf Science</i> , 2009, 85, 507-514.	0.9	27
209	Trophic significance of the kelp <i>Laminaria digitata</i> (Lamour.) for the associated food web: a between-sites comparison. <i>Estuarine, Coastal and Shelf Science</i> , 2009, 85, 565-572.	0.9	40
210	Scramble or contest competition over food in solitary foraging mouse lemurs (<i>Microcebus</i>)	2.1	40
211	Mangrove-Exported Nutrient Incorporation by Sessile Coral Reef Invertebrates. <i>Ecosystems</i> , 2009, 12, 462-472.	1.6	71
212	The hydrogeological role of trees in water-limited environments. <i>Hydrogeology Journal</i> , 2009, 17, 247-259.	0.9	86
213	<i>Caulerpa racemosa</i> var. <i>cylindracea</i> as a potential source of organic matter for benthic consumers: evidences from a stable isotope analysis. <i>Aquatic Ecology</i> , 2009, 43, 1023-1029.	0.7	30
214	Stable isotope and fatty acid tracers in energy and nutrient studies of jellyfish: a review. <i>Hydrobiologia</i> , 2009, 616, 119-132.	1.0	62
215	Avoiding surprise effects on Surprise Island: alien species control in a multitrophic level perspective. <i>Biological Invasions</i> , 2009, 11, 1689-1703.	1.2	65
216	Sources of organic matter and methylmercury in littoral macroinvertebrates: a stable isotope approach. <i>Biogeochemistry</i> , 2009, 94, 81-94.	1.7	37
217	Root exclusion through trenching does not affect the isotopic composition of soil CO ₂ efflux. <i>Plant and Soil</i> , 2009, 319, 1-13.	1.8	19
218	Clues to the cause of the Tsushima leopard cat (<i>Prionailurus bengalensis euptilura</i>) decline from isotopic measurements in three species of Carnivora. <i>Ecological Research</i> , 2009, 24, 897-908.	0.7	9
219	Influence from Hydrological Modification on Energy and Nutrient Transference in a Deltaic Food Web. <i>Estuaries and Coasts</i> , 2009, 32, 173-187.	1.0	9

#	ARTICLE	IF	CITATIONS
220	Combining Organic Matter Source and Relative Trophic Position Determinations to Explore Trophic Structure. <i>Estuaries and Coasts</i> , 2009, 32, 999-1010.	1.0	30
221	The Role of Marsh-Derived Macrodetritus to the Food Webs of Juvenile Chinook Salmon in a Large Altered Estuary. <i>Estuaries and Coasts</i> , 2009, 32, 984-998.	1.0	30
222	Stable Isotopes Reveal Complex Changes in Trophic Relationships Following Nutrient Addition in a Coastal Marine Ecosystem. <i>Estuaries and Coasts</i> , 2009, 32, 1152-1164.	1.0	21
223	Effect of shrimp farming organic waste on food availability for deposit feeder crabs in a mangrove estuary, based on stable isotope analysis. <i>Fisheries Science</i> , 2009, 75, 715-722.	0.7	18
224	Diet, individual specialisation and breeding of brown skuas (<i>Catharacta antarctica lonnbergi</i>): an investigation using stable isotopes. <i>Polar Biology</i> , 2009, 32, 27-33.	0.5	41
225	Preliminary assessment of Greenland halibut diet in Cumberland Sound using stable isotopes. <i>Polar Biology</i> , 2009, 32, 941-945.	0.5	31
226	Delayed ontogenic dietary shift and high levels of omnivory in green turtles (<i>Chelonia mydas</i>) from the NW coast of Africa. <i>Marine Biology</i> , 2009, 156, 1487-1495.	0.7	99
227	Metabolic turnover rates of carbon and nitrogen stable isotopes in captive juvenile snakes. <i>Rapid Communications in Mass Spectrometry</i> , 2009, 23, 319-326.	0.7	34
228	Sulphur stable isotopes can distinguish trophic dependence on sediments and plankton in boreal lakes. <i>Freshwater Biology</i> , 2009, 54, 1006-1015.	1.2	58
229	Trophic relationships in a tropical stream food web assessed by stable isotope analysis. <i>Freshwater Biology</i> , 2009, 54, 1028-1041.	1.2	54
230	Ten years of experimental animal isotopic ecology. <i>Functional Ecology</i> , 2009, 23, 17-26.	1.7	255
231	Individual-level diet variation in four species of Brazilian frogs. <i>Journal of Animal Ecology</i> , 2009, 78, 848-856.	1.3	96
232	Variation in discrimination factors ($\delta^{15}\text{N}$ and $\delta^{13}\text{C}$): the effect of diet isotopic values and applications for diet reconstruction. <i>Journal of Applied Ecology</i> , 2009, 46, 443-453.	1.9	1,159
233	Effects of N:P loading ratios on phytoplankton community composition, primary production and N fixation in a eutrophic lake. <i>Freshwater Biology</i> , 2009, 54, 331-344.	1.2	101
234	The effect of permafrost thaw on old carbon release and net carbon exchange from tundra. <i>Nature</i> , 2009, 459, 556-559.	13.7	966
235	Lake morphometry predicts the degree of habitat coupling by a mobile predator. <i>Oikos</i> , 2009, 118, 1230-1238.	1.2	84
236	Ecological and genetic differentiation among the Arctic charr of Lake Aigueau, Northern Québec. <i>Ecology of Freshwater Fish</i> , 2009, 18, 445-460.	0.7	48
237	Stable isotope evidence of ontogenetic changes in the diet of gizzard shad <i>Dorosoma cepedianum</i> . <i>Journal of Fish Biology</i> , 2009, 74, 105-119.	0.7	13

#	ARTICLE	IF	CITATIONS
238	Specialized morphology for a generalist diet: evidence for Liem's Paradox in a cichlid fish. <i>Journal of Fish Biology</i> , 2009, 75, 1683-1699.	0.7	34
239	Food partitioning and spatial subsidy in shelter-limited fishes inhabiting patchy reefs of Patagonia. <i>Journal of Fish Biology</i> , 2009, 75, 2585-2605.	0.7	33
240	Erroneous behaviour of MixSIR, a recently published Bayesian isotope mixing model: a discussion of Moore & Semmens (2008). <i>Ecology Letters</i> , 2009, 12, E1-5.	3.0	174
241	Isotopic ecology ten years after a call for more laboratory experiments. <i>Biological Reviews</i> , 2009, 84, 91-111.	4.7	773
242	Water sources and controls on water loss rates of epigeous ectomycorrhizal fungal sporocarps during summer drought. <i>New Phytologist</i> , 2009, 182, 483-494.	3.5	45
243	Reciprocal effects of caulerpenyne and intense herbivorism on the antioxidant response of <i>Bittium reticulatum</i> and <i>Caulerpa taxifolia</i> . <i>Ecotoxicology and Environmental Safety</i> , 2009, 72, 795-801.	2.9	26
244	Trophic relationships and transference of cadmium, copper, lead and zinc in a subtropical coastal lagoon food web from SE Gulf of California. <i>Chemosphere</i> , 2009, 77, 1366-1373.	4.2	84
245	Detecting changes in habitat-scale bee foraging in a tropical fragmented landscape using stable isotopes. <i>Forest Ecology and Management</i> , 2009, 258, 1846-1855.	1.4	22
246	Inorganic synthesis of Fe-Ca-Mg carbonates at low temperature. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 5361-5376.	1.6	73
247	Origin of lead in the Gulf of California Ecoregion using stable isotope analysis. <i>Journal of Geochemical Exploration</i> , 2009, 101, 209-217.	1.5	36
248	Stable isotope evidence for nutritional stress, competition, and loss of functional habitat as factors limiting recovery of rare antelope in southern Africa. <i>Journal of Arid Environments</i> , 2009, 73, 449-457.	1.2	10
249	Stable isotopic evidence for diet in a Roman and Late Roman population from Leptiminus, Tunisia. <i>Journal of Archaeological Science</i> , 2009, 36, 51-63.	1.2	87
250	Sealing, whaling and caribou revisited: additional insights from the skeletal isotope chemistry of eastern Arctic foragers. <i>Journal of Archaeological Science</i> , 2009, 36, 764-775.	1.2	44
251	Re-engineering the eastern Lake Erie littoral food web: The trophic function of non-indigenous Ponto-Caspian species. <i>Journal of Great Lakes Research</i> , 2009, 35, 224-231.	0.8	68
252	B and Li isotopes as intrinsic tracers for injection tests in aquifer storage and recovery systems. <i>Applied Geochemistry</i> , 2009, 24, 1214-1223.	1.4	35
253	Effects of restricted feeding on growth of red sea bream and sedimentation of aquaculture wastes. <i>Aquaculture</i> , 2009, 286, 80-88.	1.7	31
254	Consistent trophic patterns among fishes in lagoon and channel habitats of a tropical floodplain river: Evidence from stable isotopes. <i>Acta Oecologica</i> , 2009, 35, 513-522.	0.5	33
255	Feeding behaviour of Black Sea bottom fishes: Did it change over time?. <i>Acta Oecologica</i> , 2009, 35, 769-777.	0.5	17

#	ARTICLE	IF	CITATIONS
256	Reliability of $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ in faeces for reconstructing savanna herbivore diet. <i>Mammalian Biology</i> , 2009, 74, 36-48.	0.8	43
257	Trophic effects of fishing southern rock lobster <i>Jasus edwardsii</i> shown by combined fatty acid and stable isotope analyses. <i>Marine Ecology - Progress Series</i> , 2009, 388, 169-184.	0.9	34
258	Mercury Cycling in Stream Ecosystems. 3. Trophic Dynamics and Methylmercury Bioaccumulation. <i>Environmental Science & Technology</i> , 2009, 43, 2733-2739.	4.6	197
260	Trophic Interactions between Cormorants and Fisheries: Towards a More Quantitative Approach Using Stable Isotopes. <i>Waterbirds</i> , 2009, 32, 481-490.	0.2	20
261	Stable isotope fingerprinting: a novel method for identifying plant, fungal, or bacterial origins of amino acids. <i>Ecology</i> , 2009, 90, 3526-3535.	1.5	188
262	The Potential Utility of Stable Isotopes for Food Web Analysis in Douglas-Fir and Red Alder Riparian Forests of Western Oregon. <i>Northwest Science</i> , 2009, 83, 315-324.	0.1	2
263	Diet of spotted bats (<i>Euderma maculatum</i>) in Arizona as indicated by fecal analysis and stable isotopes. <i>Canadian Journal of Zoology</i> , 2009, 87, 865-875.	0.4	37
264	Trophic links and riverine effects on food webs of pelagic fish of the north-western Black Sea. <i>Marine and Freshwater Research</i> , 2009, 60, 529.	0.7	19
265	Intrapopulation niche partitioning in a generalist predator limits food web connectivity. <i>Ecology</i> , 2009, 90, 2263-2274.	1.5	203
266	Analysis of the trophic role of Mediterranean seagrasses in marine coastal ecosystems: a review. <i>Botanica Marina</i> , 2009, 52, 383-393.	0.6	29
267	Macroalgae and seagrass contribution to gastropods in sub-tropical and temperate tidal flats. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2009, 89, 399-404.	0.4	13
268	Composition, production, and loss of carbohydrates in subtropical shallow subtidal sandy sediments: Rapid processing and long-term retention revealed by ^{13}C labeling. <i>Limnology and Oceanography</i> , 2010, 55, 2126-2138.	1.6	65
269	Wetland-driven shifts in suspended particulate organic matter composition of the Hudson River estuary, New York. <i>Limnology and Oceanography</i> , 2010, 55, 1653-1667.	1.6	19
270	Decoupled conservatism of Grinnellian and Eltonian niches in an invasive arthropod. <i>Ecosphere</i> , 2010, 1, 1-13.	1.0	50
271	Foraging ecology of Cory's shearwaters in different oceanic environments of the North Atlantic. <i>Marine Ecology - Progress Series</i> , 2010, 410, 257-268.	0.9	43
272	Food Source Estimation of Benthic Invertebrates Using Carbon and Nitrogen Stable Isotope Ratios. <i>Japanese Journal of Benthology</i> , 2010, 65, 28-40.	0.1	5
273	Autochthonous and allochthonous plant contributions to coastal benthic detritus deposits: a dual-stable isotope study in a volcanic lake. <i>Aquatic Sciences</i> , 2010, 72, 227-236.	0.6	39
274	A seasonal stable isotope survey of the food web associated to a peri-urban rocky shore. <i>Marine Biology</i> , 2010, 157, 283-294.	0.7	26

#	ARTICLE	IF	CITATIONS
275	A three-isotope approach to disentangling the diet of a generalist consumer: the yellow-legged gull in northwest Spain. <i>Marine Biology</i> , 2010, 157, 545-553.	0.7	118
276	Carbon sources for lake food webs in the Canadian High Arctic and other regions of Arctic North America. <i>Polar Biology</i> , 2010, 33, 1111-1123.	0.5	31
277	Stable isotopes in aquatic food web of an artificial lagoon in the Hangzhou Bay, China. <i>Chinese Journal of Oceanology and Limnology</i> , 2010, 28, 489-497.	0.7	12
278	Quantifying Food Web Flows Using Linear Inverse Models. <i>Ecosystems</i> , 2010, 13, 32-45.	1.6	113
279	Diets of crustacean zooplankton, inferred from stable carbon and nitrogen isotope analyses, in lakes with varying allochthonous dissolved organic carbon content. <i>Aquatic Ecology</i> , 2010, 44, 781-795.	0.7	60
280	King eiders use an income strategy for egg production: a case study for incorporating individual dietary variation into nutrient allocation research. <i>Oecologia</i> , 2010, 164, 1-12.	0.9	27
281	Concentration-dependent Stable Isotope Analysis of Consumers in the Upper Reaches of a Freshwater-dominated Estuary: Apalachicola Bay, FL, USA. <i>Estuaries and Coasts</i> , 2010, 33, 1406-1419.	1.0	17
282	Interaction between the invasive macroalga <i>Lophocladia lallemandii</i> and the bryozoan <i>Reteporella grimaldii</i> at seagrass meadows: density and physiological responses. <i>Biological Invasions</i> , 2010, 12, 41-52.	1.2	29
283	Identifying sources of dissolved organic carbon in agriculturally dominated rivers using radiocarbon age dating: Sacramento-San Joaquin River Basin, California. <i>Biogeochemistry</i> , 2010, 99, 79-96.	1.7	60
284	Food webs and the Upper Mississippi River: contributions to our understanding of ecosystem function in large rivers. <i>Hydrobiologia</i> , 2010, 640, 89-101.	1.0	26
285	Spatial and temporal variation in invertebrate consumer diets in forested and herbaceous wetlands. <i>Hydrobiologia</i> , 2010, 651, 145-159.	1.0	20
286	Temporal variability of benthic algal $\delta^{13}\text{C}$ signatures influences assessments of carbon flows in stream food webs. <i>Hydrobiologia</i> , 2010, 651, 239-251.	1.0	31
287	The requirement for accurate diet-tissue discrimination factors for interpreting stable isotopes in sharks. <i>Hydrobiologia</i> , 2010, 654, 1-5.	1.0	43
288	Reply to Hussey et al.: The requirement for accurate diet-tissue discrimination factors for interpreting stable isotopes in sharks. <i>Hydrobiologia</i> , 2010, 654, 7-12.	1.0	10
289	Management of natural <i>Ulva</i> spp. blooms in San Quintin Bay, Baja California: Is it justified?. <i>Journal of Applied Phycology</i> , 2010, 22, 549-558.	1.5	16
290	Carbon and nitrogen stable isotope ratios of macroinvertebrates in the littoral zone of Lake Biwa as indicators of anthropogenic activities in the watershed. <i>Ecological Research</i> , 2010, 25, 847-855.	0.7	31
291	Stable isotopes confirm a foraging dichotomy in juvenile loggerhead sea turtles. <i>Journal of Experimental Marine Biology and Ecology</i> , 2010, 387, 44-51.	0.7	104
292	The importance of pelagic longline fishery discards for a seabird community determined through stable isotope analysis. <i>Journal of Experimental Marine Biology and Ecology</i> , 2010, 391, 190-200.	0.7	85

#	ARTICLE	IF	CITATIONS
293	Asynchrony between dietary and nutritional shifts during the ontogeny of green turtles (<i>Chelonia</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.7	59
294	Trophic structure and mercury distribution in a Gulf of St. Lawrence (Canada) food web using stable isotope analysis. <i>Science of the Total Environment</i> , 2010, 408, 5529-5539.	3.9	132
295	Characterizing the impact of diffusive and advective soil gas transport on the measurement and interpretation of the isotopic signal of soil respiration. <i>Soil Biology and Biochemistry</i> , 2010, 42, 435-444.	4.2	41
296	Spatial variation in organic matter utilization by benthic communities from Yura Riverâ€“Estuary to offshore of Tango Sea, Japan. <i>Estuarine, Coastal and Shelf Science</i> , 2010, 86, 107-117.	0.9	42
297	Food partitioning of leaf-eating mangrove crabs (<i>Sesarminae</i>): Experimental and stable isotope (^{13}C and) Tj ETQq0 0 0 rgBT /Overlock 1	0.9	41
298	Nutritional support of estuary perch (<i>Macquaria colonorum</i>) in a temperate Australian inlet: Evaluating the relative importance of invasive <i>Spartina</i> . <i>Estuarine, Coastal and Shelf Science</i> , 2010, 90, 159-167.	0.9	16
299	Trophic models in sandy beaches with contrasting morphodynamics: Comparing ecosystem structure and biomass flow. <i>Ecological Modelling</i> , 2010, 221, 2751-2759.	1.2	51
300	$\delta^{15}\text{N}$ and $\delta^{13}\text{C}$ dietâ€“tissue discrimination factors for large sharks under semi-controlled conditions. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2010, 155, 445-453.	0.8	179
301	Using stable isotopes to determine the water sources in alpine ecosystems on the east Qinghaiâ€“Tibet plateau, China. <i>Hydrological Processes</i> , 2010, 24, 3270-3280.	1.1	22
302	Partitioning hydrologic contributions to an â€“oldâ€“growthâ€“ riparian area in the Huron Mountains of Michigan, USA. <i>Ecohydrology</i> , 2010, 3, 315-324.	1.1	8
303	Quantitative evaluation of marine protein contribution in ancient diets based on nitrogen isotope ratios of individual amino acids in bone collagen: An investigation at the Kitakogane Jomon site. <i>American Journal of Physical Anthropology</i> , 2010, 143, 31-40.	2.1	91
304	An expanded radiocarbon age calibration procedure to correct for the marine reservoir effect in mixed marine and terrestrial samples. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2010, 268, 969-971.	0.6	0
305	The natural abundance of ^{15}N in plant and soilâ€“available N indicates a shift of main plant N resources to NO_3^- from NH_4^+ along the N leaching gradient. <i>Rapid Communications in Mass Spectrometry</i> , 2010, 24, 1001-1008.	0.7	69
306	Longitudinal trends in river functioning: Patterns of nutrient and carbon processing in three Australian rivers. <i>River Research and Applications</i> , 2010, 26, 1129-1152.	0.7	44
307	Effects of Flow Restoration and Exotic Species Removal on Recovery of Native Fish: Lessons from a Dam Decommissioning. <i>Restoration Ecology</i> , 2010, 18, 934-943.	1.4	54
308	Phosphorus fertilizer form affects phosphorus loss to waterways: a paired catchment study. <i>Soil Use and Management</i> , 2010, 26, 365-373.	2.6	26
309	Stable isotope and molecular analyses indicate that hybridization with non-native domesticated common carp influence habitat use of native carp. <i>Oikos</i> , 2010, 119, 964-971.	1.2	7
310	The importance of aquatic vegetation in beaver diets and the seasonal and habitat specificity of aquatic-terrestrial ecosystem linkages in a subarctic environment. <i>Oikos</i> , 2010, 119, 1877-1886.	1.2	45

#	ARTICLE	IF	CITATIONS
311	Overlap and partitioning of the ecological and isotopic niches. <i>Oikos</i> , 2010, 119, 1409-1416.	1.2	97
312	Diet and trophic niche overlap of native and nonnative fishes in the Gila River, USA: implications for native fish conservation. <i>Ecology of Freshwater Fish</i> , 2010, 19, 300-321.	0.7	55
313	Trophic level delineation and resource partitioning in a South African afro-montane forest bird community using carbon and nitrogen stable isotopes. <i>African Journal of Ecology</i> , 2010, 48, 984-993.	0.4	16
314	Spatial heterogeneity of trophic pathways in the invertebrate community of a temperate bog. <i>Freshwater Biology</i> , 2010, 55, 450-462.	1.2	5
315	Tracing energy flow in stream food webs using stable isotopes of hydrogen. <i>Freshwater Biology</i> , 2010, 55, 941-951.	1.2	65
316	Carry-over effects reveal reproductive costs in a long-distance migrant. <i>Journal of Animal Ecology</i> , 2010, 79, 974-982.	1.3	102
317	Individual responses of seabirds to commercial fisheries revealed using GPS tracking, stable isotopes and vessel monitoring systems. <i>Journal of Applied Ecology</i> , 2010, 47, 487-497.	1.9	227
318	Use of allochthonous and autochthonous carbon sources by <i>Chironomus</i> in arctic lakes. <i>Verhandlungen Der Internationalen Vereinigung Fur Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology</i> , 2010, 30, 1321-1325.	0.1	0
319	Dietary Reconstruction of the Okhotsk Culture of Hokkaido, Japan, Based on Nitrogen Composition of Amino Acids: Implications for Correction of $\delta^{14}\text{C}$ Marine Reservoir Effects on Human Bones. <i>Radiocarbon</i> , 2010, 52, 671-681.	0.8	38
320	Identifying Sources of Lead Exposure for Children, with Lead Concentrations and Isotope Ratios. <i>Journal of Occupational and Environmental Hygiene</i> , 2010, 7, 253-260.	0.4	31
321	Changes in diet and trophic position of a top predator 10 years after a mass mortality of a key prey. <i>ICES Journal of Marine Science</i> , 2010, 67, 1710-1720.	1.2	65
322	Diverse diet compositions among harpaline ground beetle species revealed by mixing model analyses of stable isotope ratios. <i>Ecological Entomology</i> , 2010, 35, 307-316.	1.1	39
323	Effects of Lipid Extraction and Lipid Normalization on Stable Carbon and Nitrogen Isotope Ratios in Double-Crested Cormorants: Implications for Food Web Studies. <i>Waterbirds</i> , 2010, 33, 273-284.	0.2	17
324	Re-examining the Importance of Fish in the Diets of Stream-dwelling Crayfishes: Implications for Food Web Analyses and Conservation. <i>American Midland Naturalist</i> , 2010, 163, 280-293.	0.2	20
325	Millennial-aged organic carbon subsidies to a modern river food web. <i>Ecology</i> , 2010, 91, 2385-2393.	1.5	114
326	Marine effect of introduced salmonids: Prey consumption by exotic steelhead and anadromous brown trout in the Patagonian Continental Shelf. <i>Limnology and Oceanography</i> , 2010, 55, 2181-2192.	1.6	16
327	Diet and food availability: implications for foraging and dispersal of Prince of Wales northern flying squirrels across managed landscapes. <i>Journal of Mammalogy</i> , 2010, 91, 79-91.	0.6	37
328	Temporal variations in the feeding habits and trophic levels of three deep-sea demersal fishes from the western Mediterranean Sea, based on stomach contents and stable isotope analyses. <i>Marine Ecology - Progress Series</i> , 2010, 402, 213-232.	0.9	46

#	ARTICLE	IF	CITATIONS
329	Variation in $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ diet- $\delta^{15}\text{N}$ vibrissae trophic discrimination factors in a wild population of California sea otters. <i>Ecological Applications</i> , 2010, 20, 1744-1752.	1.8	87
330	Source Partitioning Using Stable Isotopes: Coping with Too Much Variation. <i>PLoS ONE</i> , 2010, 5, e9672.	1.1	2,255
331	Diet shift of lentic dragonfly larvae in response to reduced terrestrial prey subsidies. <i>Journal of the North American Benthological Society</i> , 2010, 29, 602-613.	3.0	6
332	Foodweb structure in small streams: do we need different models for the tropics?. <i>Journal of the North American Benthological Society</i> , 2010, 29, 395-412.	3.0	54
333	Seagrass sediments as a global carbon sink: Isotopic constraints. <i>Global Biogeochemical Cycles</i> , 2010, 24, .	1.9	495
334	Stable isotope differentiation of freshwater and terrestrial vascular plants in two subarctic regions. <i>Ecoscience</i> , 2010, 17, 265-275.	0.6	18
335	Contribution of Declining Anadromous Fishes to the Reproductive Investment of a Common Piscivorous Seabird, The Double-Crested Cormorant (<i>Phalacrocorax auritus</i>). <i>Auk</i> , 2010, 127, 696-703.	0.7	17
336	Inter-annual variability in diet of non-breeding pelagic seabirds <i>Puffinus</i> spp. at migratory staging areas: evidence from stable isotopes and fatty acids. <i>Marine Ecology - Progress Series</i> , 2010, 419, 267-282.	0.9	38
337	The Fate of Carbon in Growing Fish: An Experimental Study of Isotopic Routing. <i>Physiological and Biochemical Zoology</i> , 2010, 83, 473-480.	0.6	60
338	Remote influence of off-shore fish farm waste on Mediterranean seagrass (<i>Posidonia oceanica</i>) meadows. <i>Marine Environmental Research</i> , 2010, 69, 118-126.	1.1	48
339	The relationship between fog, floods, groundwater and tree growth along the lower Kuiseb River in the hyperarid Namib. <i>Journal of Arid Environments</i> , 2010, 74, 1632-1637.	1.2	44
340	Temporal changes in diet: a stable isotope analysis of late Iron Age and Roman Dorset, Britain. <i>Journal of Archaeological Science</i> , 2010, 37, 1149-1160.	1.2	54
341	Paleodietary analysis of the prehistoric population of the Canary Islands inferred from stable isotopes (carbon, nitrogen and hydrogen) in bone collagen. <i>Journal of Archaeological Science</i> , 2010, 37, 1490-1501.	1.2	54
342	Apportioning catchment scale sediment sources using a modified composite fingerprinting technique incorporating property weightings and prior information. <i>Geoderma</i> , 2010, 155, 249-261.	2.3	251
343	Macrofaunal succession in sediments around kelp and wood falls in the deep NE Pacific and community overlap with other reducing habitats. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2010, 57, 708-723.	0.6	103
344	The trophic significance of the invasive seaweed <i>Sargassum muticum</i> in sandy beaches. <i>Journal of Sea Research</i> , 2010, 63, 52-61.	0.6	33
345	Trophic plasticity of the gastropod <i>Hydrobia ulvae</i> within an intertidal bay (Roscoff, France): A stable isotope evidence. <i>Journal of Sea Research</i> , 2010, 63, 78-83.	0.6	34
346	A study of root water uptake of crops indicated by hydrogen and oxygen stable isotopes: A case in Shanxi Province, China. <i>Agricultural Water Management</i> , 2010, 97, 475-482.	2.4	119

#	ARTICLE	IF	CITATIONS
347	Sensitivity of stable isotope mixing models to variation in isotopic ratios: evaluating consequences of lipid extraction. <i>Methods in Ecology and Evolution</i> , 2010, 1, 231-241.	2.2	62
348	A general hypothesisâ€testing framework for stable isotope ratios in ecological studies. <i>Ecology</i> , 2010, 91, 2227-2233.	1.5	188
349	Research progress on water uptake through foliage. <i>Acta Ecologica Sinica</i> , 2010, 30, 172-177.	0.9	7
350	Stable Isotopes Confirm Community Patterns in Foraging Among Hawaiian Procellariiformes. <i>Waterbirds</i> , 2010, 33, 50-58.	0.2	19
351	Dynamic stability in dry season food webs within tropical floodplain rivers. <i>Marine and Freshwater Research</i> , 2010, 61, 357.	0.7	44
352	Including Source Uncertainty and Prior Information in the Analysis of Stable Isotope Mixing Models. <i>Environmental Science & Technology</i> , 2010, 44, 4645-4650.	4.6	103
353	Turnover and fractionation of carbon and nitrogen stable isotopes in tissues of a migratory coastal predator, summer flounder (<i>Paralichthys dentatus</i>). <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2010, 67, 445-461.	0.7	222
354	Potential Effects of an Invasive Nitrogen-Fixing Tree on a Hawaiian Stream Food Web. <i>Pacific Science</i> , 2010, 64, 367-379.	0.2	19
355	On raptors and rodents: testing the ecological fidelity and spatiotemporal resolution of cave death assemblages. <i>Paleobiology</i> , 2010, 36, 137-160.	1.3	109
356	Stable isotopes and C/N ratios in marine sediments as a tool for discriminating anthropogenic impact. <i>Journal of Environmental Monitoring</i> , 2011, 13, 3399.	2.1	85
357	Variability in Isotopic ($\delta^{13}\text{C}$, $\delta^{15}\text{N}$, $\delta^{34}\text{S}$) Composition of Organic Matter Contributing to Detritus-Based Food Webs of the Columbia River Estuary. <i>Northwest Science</i> , 2011, 85, 41-54.	0.1	13
358	Variation in carbon and nitrogen stable isotope ratios in flight feathers of a moulting White-bellied Sunbird <i>Cinnyris talatala</i> . <i>Ostrich</i> , 2011, 82, 163-166.	0.4	6
359	Arctic herbivore diet can be inferred from stable carbon and nitrogen isotopes in C_3 plants, faeces, and wool. <i>Canadian Journal of Zoology</i> , 2011, 89, 892-899.	0.4	53
360	Sources of variability and comparability between salmonid stomach contents and isotopic analyses: study design lessons and recommendations. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2011, 68, 137-151.	0.7	37
361	Intraspecific comparison of diet of California sea lions (<i>Zalophus californianus</i>) assessed using fecal and stable isotope analyses. <i>Canadian Journal of Zoology</i> , 2011, 89, 109-122.	0.4	28
362	Benthic and pelagic contributions to <i>Mysis</i> nutrition across Lake Superior. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2011, 68, 1051-1063.	0.7	40
363	Strong evidence for terrestrial support of zooplankton in small lakes based on stable isotopes of carbon, nitrogen, and hydrogen. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 1975-1980.	3.3	291
364	Terrestrial, benthic, and pelagic resource use in lakes: results from a three-isotope Bayesian mixing model. <i>Ecology</i> , 2011, 92, 1115-1125.	1.5	146

#	ARTICLE	IF	CITATIONS
365	Feeding-preference trials confirm unexpected stable isotope analysis results: freshwater macroinvertebrates do consume macrophytes. <i>Marine and Freshwater Research</i> , 2011, 62, 1248.	0.7	18
366	Cormorantâ€™ fisheries conflicts: Stable isotopes reveal a consistent niche for avian piscivores in diverse food webs. , 2011, 21, 2987-3001.		37
367	Intrapopulation variations in diet and habitat use in a marine apex predator, the broadnose sevengill shark <i>Notorynchus cepedianus</i> . <i>Marine Ecology - Progress Series</i> , 2011, 442, 133-148.	0.9	48
368	Dietary success of a â€™newâ€™ key fish in an overfished ecosystem: evidence from fatty acid and stable isotope signatures. <i>Marine Ecology - Progress Series</i> , 2011, 428, 219-233.	0.9	25
369	Using stable isotopes to define diets of wolves in northern British Columbia, Canada. <i>Journal of Mammalogy</i> , 2011, 92, 295-304.	0.6	39
370	Trophic dynamics in a relatively pristine subtropical fringing mangrove community. <i>Marine Ecology - Progress Series</i> , 2011, 428, 49-61.	0.9	32
371	Ontogenetic diet shift in the euphausiid <i>Euphausia pacifica</i> quantified using stable isotope analysis. <i>Marine Ecology - Progress Series</i> , 2011, 429, 103-109.	0.9	23
372	Recent Bayesian stable-isotope mixing models are highly sensitive to variation in discrimination factors. , 2011, 21, 1017-1023.		351
373	Evaluation of food web and fish dietary niches in oligotrophic Lake Annecy by gut content and stable isotope analysis. <i>Lake and Reservoir Management</i> , 2011, 27, 115-127.	0.4	11
374	Variation in Maize Consumption by Brown Bears (<i>Ursus arctos</i>) in Two Coastal Areas of Hokkaido, Japan. <i>Mammal Study</i> , 2011, 36, 33-39.	0.2	38
375	Biomagnification of Perfluorinated Compounds in a Remote Terrestrial Food Chain: Lichenâ€™ Caribouâ€™ Wolf. <i>Environmental Science & Technology</i> , 2011, 45, 8665-8673.	4.6	154
376	Naturally-occurring stable isotopes as direct measures of larval feeding efficiency, nutrient incorporation and turnover. <i>Aquaculture</i> , 2011, 315, 95-103.	1.7	49
377	The contribution of naturally occurring food items to the diet of <i>Cherax destructor</i> when fed formulated diets of differing protein levels. <i>Aquaculture</i> , 2011, 313, 107-114.	1.7	19
378	Food webs of a sandy beach macroinvertebrate community using stable isotopes analysis. <i>Acta Oecologica</i> , 2011, 37, 422-432.	0.5	41
379	The impact of vegetation and soil on runoff regulation in headwater streams on the east Qinghaiâ€™ Tibet Plateau, China. <i>Catena</i> , 2011, 87, 182-189.	2.2	42
380	Analyzing relationships among water uptake patterns, rootlet biomass distribution and soil water content profile in a subalpine shrubland using water isotopes. <i>European Journal of Soil Biology</i> , 2011, 47, 380-386.	1.4	45
381	Stable isotope chemistry, population histories and Late Prehistoric subsistence change in the Aleutian Islands. <i>Journal of Archaeological Science</i> , 2011, 38, 183-196.	1.2	35
382	Paleonutritional and paleodietary survey on prehistoric humans from Las CaÃ±adas del Teide (Tenerife,) Tj ETQq1 1 0.784314 rgBT /Otel Science, 2011, 38, 884-895.	1.2	26

#	ARTICLE	IF	CITATIONS
383	Understanding the dynamics of $\delta^{13}C$ and $\delta^{15}N$ in soft tissues of the bivalve <i>Crassostrea gigas</i> facing environmental fluctuations in the context of Dynamic Energy Budgets (DEB). <i>Journal of Sea Research</i> , 2011, 66, 361-371.	0.6	21
384	Shifts in an epibenthic trophic web across a marine frontal area in the Southwestern Atlantic (Argentina). <i>Journal of Sea Research</i> , 2011, 66, 248-255.	0.6	9
385	Trophic Interactions in Coastal and Estuarine Mangrove Forest Ecosystems. , 2011, , 43-93.		22
386	Fishes of the Atlantic Rain Forest Streams: Ecological Patterns and Conservation. , 0, , .		21
387	Merging Resource Availability with Isotope Mixing Models: The Role of Neutral Interaction Assumptions. <i>PLoS ONE</i> , 2011, 6, e22015.	1.1	26
388	Ecosystem Resilience and Threshold Response in the Galápagos Coastal Zone. <i>PLoS ONE</i> , 2011, 6, e22376.	1.1	26
389	Parasite-induced changes in the diet of a freshwater amphipod: field and laboratory evidence. <i>Parasitology</i> , 2011, 138, 537-546.	0.7	26
390	A quantitative approach to combine sources in stable isotope mixing models. <i>Ecosphere</i> , 2011, 2, art19.	1.0	45
391	The role of cyanobacteria in Southern California salt marsh food webs. <i>Marine Ecology</i> , 2011, 32, 346-363.	0.4	27
392	Quantifying dietary pathways of proteins and lipids to tissues of a marine predator. <i>Journal of Applied Ecology</i> , 2011, 48, 373-381.	1.9	50
393	Epilithic biofilm as a key factor for small-scale river fisheries on Caribbean islands. <i>Fisheries Management and Ecology</i> , 2011, 18, 211-220.	1.0	12
394	Biogenic methane in freshwater food webs. <i>Freshwater Biology</i> , 2011, 56, 213-229.	1.2	153
395	The nutritional significance of a winter-flowering succulent for opportunistic avian nectarivores. <i>Ibis</i> , 2011, 153, 110-121.	1.0	21
396	Dietary plasticity in Arctic charr (<i>Salvelinus alpinus</i>) in response to long-term environmental change. <i>Ecology of Freshwater Fish</i> , 2011, 20, 5-13.	0.7	23
397	Evaluating gull diets: a comparison of conventional methods and stable isotope analysis. <i>Journal of Field Ornithology</i> , 2011, 82, 297-310.	0.3	32
398	Stable-isotope analyses reveal the importance of seagrass beds as feeding areas for juveniles of the speckled worm eel <i>Myrophis punctatus</i> (Teleostei: Ophichthidae) in Florida. <i>Journal of Fish Biology</i> , 2011, 79, 692-706.	0.7	12
399	Trophic ecology of green sea turtles in a highly urbanized bay: Insights from stable isotopes and mixing models. <i>Journal of Experimental Marine Biology and Ecology</i> , 2011, 405, 25-32.	0.7	92
400	Natural abundance stable isotopes and dual isotope tracer additions help to resolve resources supporting a saltmarsh food web. <i>Journal of Experimental Marine Biology and Ecology</i> , 2011, 410, 1-11.	0.7	39

#	ARTICLE	IF	CITATIONS
401	Stable isotopes as a useful tool for revealing the environmental fate and trophic effect of open-sea-cage fish farm wastes on marine benthic organisms with different feeding guilds. <i>Marine Pollution Bulletin</i> , 2011, 63, 77-85.	2.3	17
402	Study of the trophic web of San Sim3n Bay (R3a de Vigo) by using stable isotopes. <i>Continental Shelf Research</i> , 2011, 31, 476-487.	0.9	23
403	The problem of isotopic baseline: Reconstructing the diet and trophic position of fossil animals. <i>Earth-Science Reviews</i> , 2011, 106, 131-148.	4.0	111
404	Modelling the effects of eutrophication, mitigation measures and an extreme flood event on estuarine benthic food webs. <i>Ecological Modelling</i> , 2011, 222, 1209-1221.	1.2	67
405	Food web structure of sandy beaches: Temporal and spatial variation using stable isotope analysis. <i>Estuarine, Coastal and Shelf Science</i> , 2011, 91, 536-543.	0.9	88
406	Functional changes due to invasive species: Food web shifts at shallow <i>Posidonia oceanica</i> seagrass beds colonized by the alien macroalga <i>Caulerpa racemosa</i> . <i>Estuarine, Coastal and Shelf Science</i> , 2011, 93, 106-116.	0.9	47
407	Organochlorine pollution in tropical rivers (Guadeloupe): Role of ecological factors in food web bioaccumulation. <i>Environmental Pollution</i> , 2011, 159, 1692-1701.	3.7	108
408	Coupling a two-tip linear mixing model with a $\delta^{18}O$ plot to determine water sources consumed by maize during different growth stages. <i>Field Crops Research</i> , 2011, 123, 196-205.	2.3	30
409	Is PCBs concentration variability between and within freshwater fish species explained by their contamination pathways?. <i>Chemosphere</i> , 2011, 85, 502-508.	4.2	24
410	Effects of size and diet on stable hydrogen isotope values (δ^2H) in fish: implications for tracing origins of individuals and their food sources. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2011, 68, 2011-2019.	0.7	35
411	On the Use of Stable Isotopes in Trophic Ecology. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2011, 42, 411-440.	3.8	752
412	Seasonal water use patterns of woody species growing on the continuous dolostone outcrops and nearby thin soils in subtropical China. <i>Plant and Soil</i> , 2011, 341, 399-412.	1.8	142
413	Effects of Watershed Vegetation on Tributary Water Yields During the Wet Season in the Heishui Valley, China. <i>Water Resources Management</i> , 2011, 25, 1449-1464.	1.9	5
414	Do purely capital layers exist among flying birds? Evidence of exogenous contribution to arctic-nesting common eider eggs. <i>Oecologia</i> , 2011, 165, 593-604.	0.9	58
415	Fast carnivores and slow herbivores: differential foraging strategies among grizzly bears in the Canadian Arctic. <i>Oecologia</i> , 2011, 165, 877-889.	0.9	104
416	Coexistence in streams: do source-sink dynamics allow salamanders to persist with fish predators?. <i>Oecologia</i> , 2011, 166, 1043-1054.	0.9	9
417	Increasing donor ecosystem productivity decreases terrestrial consumer reliance on a stream resource subsidy. <i>Oecologia</i> , 2011, 167, 821-834.	0.9	45
418	Isotopic ornithology: a perspective. <i>Journal of Ornithology</i> , 2011, 152, 49-66.	0.5	97

#	ARTICLE	IF	CITATIONS
419	Energy flow to two abundant consumers in a subtropical oyster reef food web. <i>Aquatic Ecology</i> , 2011, 45, 267-277.	0.7	31
420	The trophic importance of epiphytic algae in a freshwater macrophyte system (Potamogeton) Tj ETQq1 1 0.784314 rgBT /Ovgrlock 10	0.8	35
421	Diet of young Atlantic bluefin tuna (<i>Thunnus thynnus</i>) in eastern and western Atlantic foraging grounds. <i>Marine Biology</i> , 2011, 158, 73-85.	0.7	77
422	Foraging ecology of leatherback sea turtles in the Western North Atlantic determined through multi-tissue stable isotope analyses. <i>Marine Biology</i> , 2011, 158, 2813-2824.	0.7	50
423	Food Web Structure in a Chesapeake Bay Eelgrass Bed as Determined through Gut Contents and ¹³ C and ¹⁵ N Isotope Analysis. <i>Estuaries and Coasts</i> , 2011, 34, 701-711.	1.0	33
424	Potential influence of water level changes on energy flows in a lake food web. <i>Science Bulletin</i> , 2011, 56, 2794-2802.	1.7	44
425	Application of stable isotope techniques in studies of carbon and nitrogen biogeochemical cycles of ecosystem. <i>Chinese Geographical Science</i> , 2011, 21, 129-148.	1.2	12
426	Contribution of glacier meltwater to streamflow in the Wind River Range, Wyoming, inferred via a Bayesian mixing model applied to isotopic measurements. <i>Hydrological Processes</i> , 2011, 25, 2228-2236.	1.1	98
427	Identification of alien predators that should not be removed for controlling invasive crayfish threatening endangered odonates. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2011, 21, 292-298.	0.9	17
428	Using and interpreting isotope data for source identification. <i>TrAC - Trends in Analytical Chemistry</i> , 2011, 30, 302-312.	5.8	38
429	An Analysis of the Last 1000 Years Human Diet on Tutuila (American Samoa) Using Carbon and Nitrogen Stable Isotope Data. <i>American Antiquity</i> , 2011, 76, 473-486.	0.6	14
430	When animals are not quite what they eat: diet digestibility influences ¹³ C-incorporation rates and apparent discrimination in a mixed-feeding herbivore. <i>Canadian Journal of Zoology</i> , 2011, 89, 453-465.	0.4	45
431	Urbanization of the Silver Gull: Evidence of Anthropogenic Feeding Regimes from Stable Isotope Analyses. <i>Waterbirds</i> , 2011, 34, 70-76.	0.2	24
432	Spatial, seasonal, and ontogenetic variations in the significance of detrital pathways and terrestrial carbon for a benthic shark, <i>Chiloscyllium plagiosum</i> (Hemiscylliidae), in a tropical estuary. <i>Limnology and Oceanography</i> , 2011, 56, 1035-1053.	1.6	21
433	Trophic Levels of North Pacific Humpback Whales (<i>Megaptera novaeangliae</i>) Through Analysis of Stable Isotopes: Implications on Prey and Resource Quality. <i>Aquatic Mammals</i> , 2011, 37, 101-110.	0.4	30
434	Neanderthals <i>versus</i> Modern Humans: Evidence for Resource Competition from Isotopic Modelling. <i>International Journal of Evolutionary Biology</i> , 2011, 2011, 1-16.	1.0	10
435	Use of Stable Isotopes to Understand Food Webs and Ecosystem Functioning in Estuaries. , 2011, , 143-173.		79
436	Trophic importance of a temperate intertidal wetland to resident and itinerant taxa: evidence from multiple stable isotope analyses. <i>Marine and Freshwater Research</i> , 2011, 62, 11.	0.7	40

#	ARTICLE	IF	CITATIONS
437	Seasonal and Age-Dependent Dietary Partitioning between the Great Black-backed and Herring Gulls. <i>Condor</i> , 2011, 113, 795-805.	0.7	49
438	Summer autotrophy and winter heterotrophy in the temperate symbiotic coral <i>Cladocora caespitosa</i> . <i>Limnology and Oceanography</i> , 2011, 56, 1429-1438.	1.6	90
439	Multiple tracers demonstrate distinct sources of dissolved organic matter to lakes of the Mackenzie Delta, western Canadian Arctic. <i>Limnology and Oceanography</i> , 2011, 56, 1297-1309.	1.6	63
440	Body distribution and source of mycosporine-like amino acids in the cyclopoid copepod <i>Cyclops abyssorum taticus</i> . <i>Journal of Plankton Research</i> , 2011, 33, 1430-1444.	0.8	14
441	Trophic Relationships in Salt Marshes of Coastal and Estuarine Ecosystems. , 2011, , 261-269.		0
443	Terrestrial trophic subsidy in sandy beaches: evidence from stable isotope analysis in organic matter sources and isopod <i>Excitrolana armata</i> . <i>Aquatic Biology</i> , 2012, 14, 129-134.	0.5	12
444	Isotopic Model Estimate of Relative Contribution of Potential Water Pools to Water Uptake of <i>Pinus sylvestris</i> var. <i>mongolica</i> in Horqin Sandy Land. <i>Journal of Resources and Ecology</i> , 2012, 3, 308-315.	0.2	6
445	Willamette River Basin surface water isoscape ($\delta^{18}\text{O}$ and $\delta^2\text{H}$): temporal changes of source water within the river. <i>Ecosphere</i> , 2012, 3, 1-21.	1.0	58
446	Terrestrial support of zebra mussels and the Hudson River food web: A multi-isotope, Bayesian analysis. <i>Limnology and Oceanography</i> , 2012, 57, 1802-1815.	1.6	45
447	Effects of Garlic Mustard Invasion on Arthropod Diets as Revealed through Stable-Isotope Analyses. <i>Southeastern Naturalist</i> , 2012, 11, 575-588.	0.2	14
448	Carbon isotopes in exhaled breath track metabolic substrates in brown bears (<i>Ursus arctos</i>). <i>Journal of Mammalogy</i> , 2012, 93, 413-421.	0.6	14
449	Assessing diet of the non-indigenous predatory cladoceran <i>Cercopagis pengoi</i> using stable isotopes. <i>Journal of Plankton Research</i> , 2012, 34, 376-387.	0.8	13
450	Cyanobacteria as a carbon source for zooplankton in eutrophic Lake Taihu, China, measured by ^{13}C labeling and fatty acid biomarkers. <i>Limnology and Oceanography</i> , 2012, 57, 1245-1254.	1.6	90
451	^{14}C Dating Human Skeletons from Medieval Archaeological Sites in Kamakura, Japan: Were they Victims of Nitta Yoshisada's Attack?. <i>Radiocarbon</i> , 2012, 54, 599-613.	0.8	4
452	Diet Composition of Seabirds from Corossol Island, Canada, Using Direct Dietary and Stable Isotope Analyses. <i>Waterbirds</i> , 2012, 35, 402-419.	0.2	18
453	Stable Isotope Analysis Challenges Wasp-Waist Food Web Assumptions in an Upwelling Pelagic Ecosystem. <i>Scientific Reports</i> , 2012, 2, 654.	1.6	80
454	Transformation and fate of microphytobenthos carbon in subtropical shallow subtidal sands: A ^{13}C labeling study. <i>Limnology and Oceanography</i> , 2012, 57, 1846-1856.	1.6	40
455	Methods of estimating marine mammal diets: A review of validation experiments and sources of bias and uncertainty. <i>Marine Mammal Science</i> , 2013, 29, 719-754.	0.9	105

#	ARTICLE	IF	CITATIONS
456	Sources of primary production supporting food webs in an arid coastal embayment. <i>Marine Biology</i> , 2012, 159, 1753-1762.	0.7	14
457	Estimation of riverine carbon and organic matter source contributions using time-based isotope mixing models. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	30
458	Trophic diversity in amphipods within a temperate eelgrass ecosystem as determined by gut contents and C and N isotope analysis. <i>Marine Biology</i> , 2012, 159, 1943-1954.	0.7	10
459	Sources of soil CO ₂ in calcareous grassland with woody plant encroachment. <i>Journal of Soils and Sediments</i> , 2012, 12, 1327-1338.	1.5	27
460	Influence of seabird guano and camelid dung fertilization on the nitrogen isotopic composition of field-grown maize (<i>Zea mays</i>). <i>Journal of Archaeological Science</i> , 2012, 39, 3721-3740.	1.2	129
461	Carbon Sources Supporting Large River Food Webs: A Review of Ecological Theories and Evidence from Stable Isotopes. <i>Freshwater Reviews: A Journal of the Freshwater Biological Association</i> , 2012, 5, 85-103.	1.0	38
462	Stable Carbon and Nitrogen Isotope Discrimination Factors for Quantifying Spectacled Eider Nutrient Allocation to Egg Production. <i>Condor</i> , 2012, 114, 726-732.	0.7	9
463	Temporal variation of energy sources in a floodplain lake fish community. <i>Journal of Freshwater Ecology</i> , 2012, 27, 295-303.	0.5	10
464	The Use and Application of Stable Isotope Analysis to the Study of Starvation, Fasting, and Nutritional Stress in Animals. , 2012, , 337-364.		36
465	From lavage to lipids: estimating diets of seabirds. <i>Marine Ecology - Progress Series</i> , 2012, 451, 263-284.	0.9	93
466	Gut content and stable isotope analyses provide complementary understanding of ontogenetic dietary shifts and trophic relationships among fishes in a tropical river. <i>Freshwater Biology</i> , 2012, 57, 2156-2172.	1.2	114
467	Stable isotope analysis as a tool for elasmobranch conservation research: a primer for non-specialists. <i>Marine and Freshwater Research</i> , 2012, 63, 635.	0.7	75
468	¹³ C and ¹⁵ N analysis in muscle and liver of wild and reared young-of-the-year (YOY) Atlantic bluefin tuna. <i>Aquaculture</i> , 2012, 354-355, 17-21.	1.7	24
469	The relative importance of mangroves and seagrass beds as feeding areas for resident and transient fishes among different mangrove habitats in Florida and Belize: Evidence from dietary and stable-isotope analyses. <i>Journal of Experimental Marine Biology and Ecology</i> , 2012, 434-435, 81-93.	0.7	69
470	Prehistoric dietary adaptations among hunter-fisher-gatherers from the Little Sea of Lake Baikal, Siberia, Russian Federation. <i>Journal of Archaeological Science</i> , 2012, 39, 2612-2626.	1.2	63
471	An investigation of diet in early Anglo-Saxon England using carbon and nitrogen stable isotope analysis of human bone collagen. <i>Journal of Archaeological Science</i> , 2012, 39, 867-874.	1.2	39
472	Historical ecology of late Holocene sea otters (<i>Enhydra lutris</i>) from northern British Columbia: isotopic and zooarchaeological perspectives. <i>Journal of Archaeological Science</i> , 2012, 39, 1553-1571.	1.2	82
473	Stable isotopes, diet, and taphonomy: a look at using isotope-based dietary reconstructions to infer differential survivorship in zooarchaeological assemblages. <i>Journal of Archaeological Science</i> , 2012, 39, 1401-1411.	1.2	15

#	ARTICLE	IF	CITATIONS
474	Origin and composition of particulate organic matter in a macrotidal turbid estuary: The Gironde Estuary, France. <i>Estuarine, Coastal and Shelf Science</i> , 2012, 108, 16-28.	0.9	86
475	Spatial and temporal dynamics of biotic and abiotic features of temperate coastal ecosystems as revealed by a combination of ecological indicators. <i>Estuarine, Coastal and Shelf Science</i> , 2012, 108, 109-118.	0.9	17
476	Tracing crop-specific sediment sources in agricultural catchments. <i>Geomorphology</i> , 2012, 139-140, 322-329.	1.1	121
477	A method of stable carbon and nitrogen isotope analysis in assessment of the diet of birds of prey. <i>Biology Bulletin</i> , 2012, 39, 590-592.	0.1	3
478	Stable isotopes and elasmobranchs: tissue types, methods, applications and assumptions. <i>Journal of Fish Biology</i> , 2012, 80, 1449-1484.	0.7	203
479	Spatial-temporal feeding dynamics of benthic communities in an estuary-marine gradient. <i>Estuarine, Coastal and Shelf Science</i> , 2012, 112, 86-97.	0.9	39
480	On the trophic ecology of Gammaridea (Crustacea: Amphipoda) in coastal waters: A European-scale analysis of stable isotopes data. <i>Estuarine, Coastal and Shelf Science</i> , 2012, 114, 130-139.	0.9	30
481	Watershed and lake influences on the energetic base of coastal wetland food webs across the Great Lakes Basin. <i>Journal of Great Lakes Research</i> , 2012, 38, 418-428.	0.8	19
482	Using $\delta^{15}\text{N}$ in Fish Larvae as an Indicator of Watershed Sources of Anthropogenic Nitrogen: Response at Multiple Spatial Scales. <i>Estuaries and Coasts</i> , 2012, 35, 1453-1467.	1.0	31
483	Archaeometry meets archaeozoology: Viking Haithabu and medieval Schleswig reconsidered. <i>Archaeological and Anthropological Sciences</i> , 2012, 4, 241-262.	0.7	43
484	Assemblage structure and trophic ecology of deep-sea demersal cephalopods in the Balearic basin (NW Tj ETQq0 0.0 rgBT /Overlock 10	0.7	15
485	Comparative Physiology of Fasting, Starvation, and Food Limitation. , 2012, , .		39
486	Seasonal changes in food uptake by the sea cucumber <i>Apostichopus japonicus</i> in a farm pond: Evidence from C and N stable isotopes. <i>Journal of Ocean University of China</i> , 2012, , 1.	0.6	2
487	Effect of dietary stable isotopic ratios of carbon and nitrogen on the extent of their incorporation into tissues of rats. <i>Journal of Animal Science and Biotechnology</i> , 2012, 3, 14.	2.1	3
488	Tools for quantifying isotopic niche space and dietary variation at the individual and population level. <i>Journal of Mammalogy</i> , 2012, 93, 329-341.	0.6	144
489	Converting isotope values to diet composition: the use of mixing models. <i>Journal of Mammalogy</i> , 2012, 93, 342-352.	0.6	254
490	Dietary Differentiation and the Evolution of Population Genetic Structure in a Highly Mobile Carnivore. <i>PLoS ONE</i> , 2012, 7, e39341.	1.1	40
491	Estimating Niche Width Using Stable Isotopes in the Face of Habitat Variability: A Modelling Case Study in the Marine Environment. <i>PLoS ONE</i> , 2012, 7, e40539.	1.1	27

#	ARTICLE	IF	CITATIONS
492	Ecosystem Services Transcend Boundaries: Estuaries Provide Resource Subsidies and Influence Functional Diversity in Coastal Benthic Communities. <i>PLoS ONE</i> , 2012, 7, e42708.	1.1	69
493	Spatial Variability of Benthic-Pelagic Coupling in an Estuary Ecosystem: Consequences for Microphytobenthos Resuspension Phenomenon. <i>PLoS ONE</i> , 2012, 7, e44155.	1.1	86
494	Estimating the Diets of Animals Using Stable Isotopes and a Comprehensive Bayesian Mixing Model. <i>PLoS ONE</i> , 2012, 7, e28478.	1.1	131
495	Tissue Turnover Rates and Isotopic Trophic Discrimination Factors in the Endothermic Teleost, Pacific Bluefin Tuna (<i>Thunnus orientalis</i>). <i>PLoS ONE</i> , 2012, 7, e49220.	1.1	122
496	Progress and challenges in using stable isotopes to trace plant carbon and water relations across scales. <i>Biogeosciences</i> , 2012, 9, 3083-3111.	1.3	138
497	Monsoons and habitat influence trophic pathways and the importance of terrestrial-marine linkages for estuary sharks. <i>Ecosphere</i> , 2012, 3, 1-31.	1.0	11
498	Organic matter dynamics and stable isotope signature as tracers of the sources of suspended sediment. <i>Biogeosciences</i> , 2012, 9, 1985-1996.	1.3	35
499	Partitioning of soil water among canopy trees during a soil desiccation period in a temperate mixed forest. <i>Biogeosciences</i> , 2012, 9, 3465-3474.	1.3	44
500	Temporal variations in organic carbon utilization by consumers in a lowland river. <i>River Research and Applications</i> , 2012, 28, 513-528.	0.7	36
501	THE INFLUENCE OF HYDROLOGICAL CONNECTIVITY ON FOOD WEB STRUCTURE IN FLOODPLAIN LAKES. <i>River Research and Applications</i> , 2012, 28, 827-844.	0.7	32
502	Stable Isotopes of Carbon and Nitrogen as Tracers for Paleo-Diet Reconstruction. <i>Advances in Isotope Geochemistry</i> , 2012, , 725-742.	1.4	45
503	Trophic ecology of juvenile flatfish in a coastal nursery ground: contributions of intertidal primary production and freshwater particulate organic matter. <i>Marine Ecology - Progress Series</i> , 2012, 449, 221-232.	0.9	31
504	Estimates of carbon turnover rates in the sea cucumber <i>Apostichopus japonicus</i> (Selenka) using stable isotope analysis: the role of metabolism and growth. <i>Marine Ecology - Progress Series</i> , 2012, 457, 101-112.	0.9	42
505	Stable Isotope Analysis in Primatology: A Critical Review. <i>American Journal of Primatology</i> , 2012, 74, 969-989.	0.8	42
506	Importance of phytodetritus and microphytobenthos for heterotrophs in a shallow subtidal sandy sediment. <i>Marine Ecology - Progress Series</i> , 2012, 455, 13-31.	0.9	47
507	Kelp as a trophic resource for marine suspension feeders: a review of isotope-based evidence. <i>Marine Biology</i> , 2012, 159, 1391-1402.	0.7	89
508	Applying stable isotopes to examine food web structure: an overview of analytical tools. <i>Biological Reviews</i> , 2012, 87, 545-562.	4.7	936
509	Impact of chronic and pulse dilution disturbances on metabolism and trophic structure in a saline Mediterranean stream. <i>Hydrobiologia</i> , 2012, 686, 225-239.	1.0	12

#	ARTICLE	IF	CITATIONS
510	Effects of an experimental environmental flow release on the diet of fish in a regulated coastal Australian river. <i>Hydrobiologia</i> , 2012, 686, 195-212.	1.0	17
511	Limnocyprid medusae (Cnidaria: Hydrozoa): a semiautonomous microcosm in the food web of Lake Tanganyika. <i>Hydrobiologia</i> , 2012, 690, 97-112.	1.0	14
512	Stable Isotope Techniques and Applications for Primatologists. <i>International Journal of Primatology</i> , 2012, 33, 673-701.	0.9	60
513	Methodological uncertainty in resource mixing models for generalist fishes. <i>Oecologia</i> , 2012, 169, 1083-1093.	0.9	31
514	Integrating stomach content and stable isotope analyses to elucidate the feeding habits of non-native sharpnose catfish <i>Clarias gariepinus</i> . <i>Biological Invasions</i> , 2012, 14, 779-795.	1.2	54
515	Consumer-resource coupling in wet-dry tropical rivers. <i>Journal of Animal Ecology</i> , 2012, 81, 310-322.	1.3	63
516	Modeling the diet of humpback whales: An approach using stable carbon and nitrogen isotopes in a Bayesian mixing model. <i>Marine Mammal Science</i> , 2012, 28, E233.	0.9	32
517	Importance of allochthonous material in benthic macrofaunal community functioning in estuarine salt marshes. <i>Estuarine, Coastal and Shelf Science</i> , 2012, 96, 236-244.	0.9	18
518	Contribution of planktonic and benthic food sources to the diet of the reef-forming vermetid gastropod <i>Dendropoma petraeum</i> in the western Mediterranean. <i>Estuarine, Coastal and Shelf Science</i> , 2012, 96, 262-267.	0.9	17
519	Depth of water uptake in woody plants relates to groundwater level and vegetation structure along a topographic gradient in a neotropical savanna. <i>Environmental and Experimental Botany</i> , 2012, 77, 259-266.	2.0	124
520	Using stable isotopes to test for trophic niche partitioning: a case study with stream salamanders and fish. <i>Freshwater Biology</i> , 2012, 57, 1399-1409.	1.2	12
521	Longitudinal variation in food sources and their use by aquatic fauna along a subtropical river in Taiwan. <i>Freshwater Biology</i> , 2012, 57, 1839-1853.	1.2	14
522	Benefiting from a migratory prey: spatio-temporal patterns in allochthonous subsidization of an arctic predator. <i>Journal of Animal Ecology</i> , 2012, 81, 533-542.	1.3	72
523	The influence of bacteria-dominated diets on <i>Daphnia magna</i> somatic growth, reproduction, and lipid composition. <i>FEMS Microbiology Ecology</i> , 2012, 82, 50-62.	1.3	75
524	Spatial and temporal variations in food web structure from newly-opened habitat at hydrothermal vents. <i>Marine Environmental Research</i> , 2012, 77, 129-140.	1.1	16
525	Spatio-temporal variation of suspended and sedimentary organic matter quality in the Bay of Marseilles (NW Mediterranean) assessed by biochemical and isotopic analyses. <i>Marine Pollution Bulletin</i> , 2012, 64, 1112-1121.	2.3	64
526	Climatic warming and overgrazing induced the high concentration of organic matter in Lake Hulun, a large shallow eutrophic steppe lake in northern China. <i>Science of the Total Environment</i> , 2012, 431, 332-338.	3.9	58
527	Foraging ecology of five toothed whale species in the Northwest Iberian Peninsula, inferred using carbon and nitrogen isotope ratios. <i>Journal of Experimental Marine Biology and Ecology</i> , 2012, 413, 150-158.	0.7	63

#	ARTICLE	IF	CITATIONS
528	Water source utilization by woody plants growing on dolomite outcrops and nearby soils during dry seasons in karst region of Southwest China. <i>Journal of Hydrology</i> , 2012, 420-421, 264-274.	2.3	127
529	Origin and composition of sediment organic matter in a coastal semi-enclosed ecosystem: An elemental and isotopic study at the ecosystem space scale. <i>Journal of Marine Systems</i> , 2012, 94, 64-73.	0.9	78
530	Dietary ontogeny and niche shift to piscivory in lacustrine brown trout (<i>Salmo trutta</i>) revealed by stomach content and stable isotope analyses. <i>Journal of Fish Biology</i> , 2012, 80, 2448-2462.	0.7	59
531	Using stable isotope analyses to determine the ecological effects of non-native fishes. <i>Fisheries Management and Ecology</i> , 2012, 19, 111-119.	1.0	78
532	Isotopic Data Do Not Support Food Sharing Within Large Networks of Female Vampire Bats (<i>Desmodus rotundus</i>). <i>Ethology</i> , 2012, 118, 260-268.	0.5	11
533	Food web structure within kelp holdfasts (<i>Laminaria</i>): a stable isotope study. <i>Marine Ecology</i> , 2012, 33, 370-376.	0.4	26
534	Determination of Trophic Transfer at a Created Intertidal Oyster (<i>Crassostrea ariakensis</i>) Reef in the Yangtze River Estuary Using Stable Isotope Analyses. <i>Estuaries and Coasts</i> , 2012, 35, 109-120.	1.0	25
535	Habitat Use by Coastal Birds Inferred from Stable Carbon and Nitrogen Isotopes. <i>Estuaries and Coasts</i> , 2012, 35, 633-645.	1.0	11
536	Distribution and trophic links of gelatinous zooplankton on Dogger Bank, North Sea. <i>Marine Biology</i> , 2012, 159, 239-253.	0.7	13
537	Elevated air carbon dioxide concentrations increase dissolved carbon leaching from a cropland soil. <i>Biogeochemistry</i> , 2012, 108, 135-148.	1.7	20
538	Leaf litter chemistry, decomposition and assimilation by macroinvertebrates in two tropical streams. <i>Hydrobiologia</i> , 2012, 680, 63-77.	1.0	35
539	High site fidelity and low site connectivity in temperate salt marsh fish populations: a stable isotope approach. <i>Oecologia</i> , 2012, 168, 245-255.	0.9	59
540	Fish mediate high food web connectivity in the lower reaches of a tropical floodplain river. <i>Oecologia</i> , 2012, 168, 829-838.	0.9	113
541	The partitioning of water uptake between growth forms in a Neotropical savanna: do herbs exploit a third water source niche?. <i>Plant Biology</i> , 2013, 15, 84-92.	1.8	56
542	Trophic relationships between a Patagonian gastropod and its epibiotic anemone revealed by using stable isotopes and direct observations. <i>Marine Biology</i> , 2013, 160, 909-919.	0.7	21
543	Stable isotopes and fatty acids as dietary tracers of intertidal bivalves. <i>Fisheries Science</i> , 2013, 79, 749-756.	0.7	15
544	Groundwater use by plants in a semi-arid coal-mining area at the Mu Us Desert frontier. <i>Environmental Earth Sciences</i> , 2013, 69, 1015-1024.	1.3	40
545	Bayesian stable isotope mixing models. <i>Environmetrics</i> , 2013, 24, 387-399.	0.6	519

#	ARTICLE	IF	CITATIONS
546	Spatial Variability of Stable Isotope Ratios in Oysters (<i>Crassostrea gigas</i>) and Primary Producers Along an Estuarine Gradient (Bay of Brest, France). <i>Estuaries and Coasts</i> , 2013, 36, 808-819.	1.0	26
547	Diet of harbor porpoises along the Dutch coast: A combined stable isotope and stomach contents approach. <i>Marine Mammal Science</i> , 2013, 29, E295.	0.9	23
548	Sediment tracers in water erosion studies: current approaches and challenges. <i>Journal of Soils and Sediments</i> , 2013, 13, 816-833.	1.5	124
549	Incorporation of diet information derived from Bayesian stable isotope mixing models into mass-balanced marine ecosystem models: A case study from the Marennes-Oléron Estuary, France. <i>Ecological Modelling</i> , 2013, 267, 127-137.	1.2	27
550	Improving estimates of trophic shift ($\delta^{15}N$ trophic) for diet reconstruction studies using enzyme activities. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2013, 164, 579-583.	0.8	1
551	Empirically Characterising Trophic Networks. <i>Advances in Ecological Research</i> , 2013, , 177-224.	1.4	133
552	Sources and impact of sulphate on groundwaters of Triassic carbonate aquifers, Upper Silesia, Poland. <i>Journal of Hydrology</i> , 2013, 486, 136-150.	2.3	38
553	Seasonal variation of oxygen-18 in precipitation and surface water of the Poyang Lake Basin, China. <i>Isotopes in Environmental and Health Studies</i> , 2013, 49, 188-196.	0.5	29
554	Evaluation of carnivory in inland Jomon hunter-gatherers based on nitrogen isotopic compositions of individual amino acids in bone collagen. <i>Journal of Archaeological Science</i> , 2013, 40, 2913-2923.	1.2	39
555	Functional traits of two co-occurring sea urchins across a barren/forest patch system. <i>Journal of Sea Research</i> , 2013, 76, 170-177.	0.6	44
556	Isotope turnover rates and diet-tissue discrimination in skin of <i>ex situ</i> Bottlenose Dolphins (<i>Tursiops truncatus</i>). <i>Journal of Experimental Biology</i> , 2014, 217, 214-21.	0.8	77
557	Trophic position and growth stages of Caddisfly (<i>Stenopsyche marmorata</i> Navas) larvae in the Echi River, Japan. <i>Limnology</i> , 2013, 14, 283-291.	0.8	6
558	The evolution of sediment source fingerprinting investigations in fluvial systems. <i>Journal of Soils and Sediments</i> , 2013, 13, 1658-1675.	1.5	247
559	Temporal changes in carbon and nitrogen stable isotope ratios of macrozoobenthos on an artificial tidal flat facing a hypertrophic canal, inner Tokyo Bay. <i>Marine Pollution Bulletin</i> , 2013, 71, 179-189.	2.3	17
560	Development of non-lethal sampling of carbon and nitrogen stable isotope ratios in salmonids: effects of lipid and inorganic components of fins. <i>Isotopes in Environmental and Health Studies</i> , 2013, 49, 555-566.	0.5	22
561	The Contribution of Naturally Occurring Food Items to the Diet of <i>Bidyanus bidyanus</i> When Fed Differing Formulated Diets. <i>Journal of Applied Aquaculture</i> , 2013, 25, 206-218.	0.7	0
562	Vertical patterns of soil water acquisition by non-native rubber trees (<i>Hevea brasiliensis</i>) in Xishuangbanna, southwest China. <i>Ecohydrology</i> , 2014, 7, 1234-1244.	1.1	22
563	Resource partitioning among top predators in a Miocene food web. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20122138.	1.2	32

#	ARTICLE	IF	CITATIONS
564	First taxon date and stable isotopes ($\delta^{13}\text{C}$, $\delta^{15}\text{N}$) for the large hypercarnivorous South American canid <i>Protocyon troglodytes</i> (Canidae, Carnivora). <i>Quaternary International</i> , 2013, 305, 67-73.	0.7	21
565	Identifying trophic variation in a marine suspension feeder: DNA- and stable isotope-based dietary analysis in <i>Mytilus</i> spp.. <i>Marine Biology</i> , 2013, 160, 479-490.	0.7	23
566	Bimodality in stable isotope composition facilitates the tracing of carbon transfer from macrophytes to higher trophic levels. <i>Hydrobiologia</i> , 2013, 710, 205-218.	1.0	28
567	Water use patterns of estuarine vegetation in a tidal creek system. <i>Oecologia</i> , 2013, 172, 485-494.	0.9	41
568	Trophic analysis of two subtropical South American freshwater crabs using stable isotope ratios. <i>Hydrobiologia</i> , 2013, 702, 5-13.	1.0	22
569	Influence of stream-floodplain biogeochemical linkages on aquatic foodweb structure along a gradient of stream size in a tropical catchment. <i>Freshwater Science</i> , 2013, 32, 217-229.	0.9	13
570	Analyzing Effects of Shrub Canopy on Throughfall and Phreatic Water Using Water Isotopes, Western China. <i>Clean - Soil, Air, Water</i> , 2013, 41, 179-184.	0.7	1
571	Quantifying carnivory by grizzly bears in a multi-ungulate system. <i>Journal of Wildlife Management</i> , 2013, 77, 39-47.	0.7	52
572	Estimating diets of pre-spawning Atlantic bluefin tuna from stomach content and stable isotope analyses. <i>Journal of Sea Research</i> , 2013, 76, 187-192.	0.6	35
573	Habitat and diet differentiation by two strains of rainbow trout in Lake Superior based on archival tags, stable isotopes, and bioenergetics. <i>Journal of Great Lakes Research</i> , 2013, 39, 578-590.	0.8	8
574	Seasonal changes in food uptake by the sea cucumber <i>Apostichopus japonicus</i> in a farm pond: Evidence from C and N stable isotopes. <i>Journal of Ocean University of China</i> , 2013, 12, 160-168.	0.6	47
575	Ontogenetic and individual diet variation in amphibian larvae across an environmental gradient. <i>Freshwater Biology</i> , 2013, 58, 223-236.	1.2	46
576	Thawing permafrost increases old soil and autotrophic respiration in tundra: Partitioning ecosystem respiration using $\delta^{13}\text{C}$ and $\delta^{14}\text{C}$. <i>Global Change Biology</i> , 2013, 19, 649-661.	4.2	134
577	Trophic characteristics of a mangrove fish community in Southwest Thailand: Important mangrove contribution and intraspecies feeding variability. <i>Estuarine, Coastal and Shelf Science</i> , 2013, 119, 145-152.	0.9	19
578	Ecological connectivity and niche differentiation between two closely related fish species in the mangrove-seagrass-coral reef continuum. <i>Marine Ecology - Progress Series</i> , 2013, 477, 201-215.	0.9	41
579	Nutrient acquisition in four Mediterranean gorgonian species. <i>Marine Ecology - Progress Series</i> , 2013, 473, 179-188.	0.9	35
580	Iron Age pastoral nomadism and agriculture in the eastern Eurasian steppe: implications from dental palaeopathology and stable carbon and nitrogen isotopes. <i>Journal of Archaeological Science</i> , 2013, 40, 2547-2560.	1.2	96
581	Nutrient Assimilation by First-Feeding African Catfish, <i>Clarias gariepinus</i> , Assessed Using Stable Isotope Analysis. <i>Journal of the World Aquaculture Society</i> , 2013, 44, 161-172.	1.2	7

#	ARTICLE	IF	CITATIONS
582	Trophic fingerprint of fish communities in subtropical floodplain lakes. <i>Ecology of Freshwater Fish</i> , 2013, 22, 246-256.	0.7	19
583	Source water, phenology and growth of two tropical dry forest tree species growing on shallow karst soils. <i>Trees - Structure and Function</i> , 2013, 27, 1297-1307.	0.9	34
585	To fit or not to fit: evaluating stable isotope mixing models using simulated mixing polygons. <i>Methods in Ecology and Evolution</i> , 2013, 4, 612-618.	2.2	216
586	Temporal variation in western Hudson Bay ringed seal <i>Phoca hispida</i> diet in relation to environment. <i>Marine Ecology - Progress Series</i> , 2013, 481, 269-287.	0.9	52
587	Spatio-temporal variation in river otter (<i>Lontra canadensis</i>) diet and latrine site activity. <i>Ecoscience</i> , 2013, 20, 28-39.	0.6	17
588	Maritime adaptations and dietary variation in prehistoric Western Alaska: Stable isotope analysis of permafrost-preserved human hair. <i>American Journal of Physical Anthropology</i> , 2013, 151, 448-461.	2.1	52
589	Mangrove Fish Production is Largely Fuelled by External Food Sources: A Stable Isotope Analysis of Fishes at the Individual, Species, and Community Levels from Across the Globe. <i>Ecosystems</i> , 2013, 16, 1336-1352.	1.6	51
590	Stable carbon and nitrogen isotope ratios as tools to evaluate the nature of particulate organic matter in the Venice lagoon. <i>Estuarine, Coastal and Shelf Science</i> , 2013, 135, 66-76.	0.9	45
591	Diet-tissue fractionation of $\delta^{15}\text{N}$ by consumers from streams and rivers. <i>Limnology and Oceanography</i> , 2013, 58, 765-773.	1.6	89
592	Environmental factors affecting incorporation of terrestrial material into large river food webs. <i>Freshwater Science</i> , 2013, 32, 283-298.	0.9	57
593	Omnivores as seasonally important predators in a stream food web. <i>Freshwater Science</i> , 2013, 32, 548-562.	0.9	34
594	Seasonal and site-specific variability in terrigenous particulate organic carbon concentration in near-shore waters of Lake Biwa, Japan. <i>Limnology</i> , 2013, 14, 167-177.	0.8	12
595	Trophodynamics and functional feeding groups of North Sea fauna: a combined stable isotope and fatty acid approach. <i>Biogeochemistry</i> , 2013, 113, 189-212.	1.7	42
596	A Bayesian framework for stable isotope mixing models. <i>Environmental and Ecological Statistics</i> , 2013, 20, 377-397.	1.9	36
597	Rise and Fall of a Medieval Trade Centre: Economic Change from Viking Haithabu to Medieval Schleswig Revealed by Stable Isotope Analysis. <i>European Journal of Archaeology</i> , 2013, 16, 137-166.	0.3	39
598	Stable Isotopic Study on Water Utilization Sources of <i>Pinus yunnanensis</i> Plantations in the Central Yunnan Karst Plateau. <i>Advanced Materials Research</i> , 2013, 726-731, 3888-3893.	0.3	2
599	Contributions of autochthonous and allochthonous sources to dissolved organic matter in a large, shallow, eutrophic lake with a highly calcareous catchment. <i>Limnology and Oceanography</i> , 2013, 58, 1259-1270.	1.6	77
600	Methane as a carbon source for the food web in raised bog pools. <i>Freshwater Science</i> , 2013, 32, 1260-1272.	0.9	15

#	ARTICLE	IF	CITATIONS
601	Dietary niche partitioning by sympatric <i>Peromyscus boylii</i> and <i>P. californicus</i> in a mixed evergreen forest. <i>Journal of Mammalogy</i> , 2013, 94, 1248-1257.	0.6	20
602	Effect of reservoir-derived plankton released from dams on particulate organic matter composition in a tailwater river (Uji River, Japan): source partitioning using stable isotopes of carbon and nitrogen. <i>Ecohydrology</i> , 2014, 7, 1172-1186.	1.1	11
603	Benthic foodweb of a salt marsh in an artificial lagoon, central Japan. <i>Aquatic Ecosystem Health and Management</i> , 2013, 16, 40-50.	0.3	1
604	Ammonium first: natural mosses prefer atmospheric ammonium but vary utilization of dissolved organic nitrogen depending on habitat and nitrogen deposition. <i>New Phytologist</i> , 2013, 199, 407-419.	3.5	63
605	Earthworms facilitate carbon sequestration through unequal amplification of carbon stabilization compared with mineralization. <i>Nature Communications</i> , 2013, 4, 2576.	5.8	141
606	Trophic ecology drives spatial variability in growth among subpopulations of an exploited temperate reef fish. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2013, 47, 73-89.	0.8	9
607	Investigation of the Composition and Origin of Particulate Organic Matter in a Forested River. <i>Journal of Water and Environment Technology</i> , 2013, 11, 131-142.	0.3	1
608	Erosion source discrimination in a rural Australian catchment using compound-specific isotope analysis (CSIA). <i>Hydrological Processes</i> , 2013, 27, 923-932.	1.1	67
609	Application of isotope mixing models to discriminate dietary sources over small-scale patches in saltmarsh. <i>Marine Ecology - Progress Series</i> , 2013, 487, 113-122.	0.9	15
610	- Age and Age Estimation in Sea Turtles. , 2013, , 116-153.		36
611	Profiles of Biochemical Tracers in Unionid Mussels Across a Broad Geographical Range. <i>Journal of Shellfish Research</i> , 2013, 32, 497-507.	0.3	25
612	Distribution and sources of organic matter in surface sediments of the eastern continental margin of India. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2013, 118, 1484-1494.	1.3	41
613	Trophic ecology of Arapaima in Guyana: giant omnivores in Neotropical floodplains. <i>Neotropical Ichthyology</i> , 2013, 11, 341-349.	0.5	21
614	Application Of Stable Isotope Analysis To Study Temporal Changes In Foraging Ecology In A Highly Endangered Amphibian. <i>PLoS ONE</i> , 2013, 8, e53041.	1.1	33
615	Dietary Plasticity of Generalist and Specialist Ungulates in the Namibian Desert: A Stable Isotopes Approach. <i>PLoS ONE</i> , 2013, 8, e72190.	1.1	11
616	Variable $\delta^{15}N$ Diet-Tissue Discrimination Factors among Sharks: Implications for Trophic Position, Diet and Food Web Models. <i>PLoS ONE</i> , 2013, 8, e77567.	1.1	46
617	Bias in Diet Determination: Incorporating Traditional Methods in Bayesian Mixing Models. <i>PLoS ONE</i> , 2013, 8, e80019.	1.1	52
618	Seasonal water use patterns of semi-arid plants in China. <i>Forestry Chronicle</i> , 2013, 89, 169-177.	0.5	12

#	ARTICLE	IF	CITATIONS
619	Food Sources for <i>Ruditapes philippinarum</i> in a Coastal Lagoon Determined by Mass Balance and Stable Isotope Approaches. <i>PLoS ONE</i> , 2014, 9, e86732.	1.1	31
620	Food Reconstruction Using Isotopic Transferred Signals (FRUITS): A Bayesian Model for Diet Reconstruction. <i>PLoS ONE</i> , 2014, 9, e87436.	1.1	260
621	Comparative Analysis of Japanese Three-Spined Stickleback Clades Reveals the Pacific Ocean Lineage Has Adapted to Freshwater Environments while the Japan Sea Has Not. <i>PLoS ONE</i> , 2014, 9, e112404.	1.1	27
622	The effect of drought and interspecific interactions on depth of water uptake in deep- and shallow-rooting grassland species as determined by $\delta^{18}\text{O}$ natural abundance. <i>Biogeosciences</i> , 2014, 11, 4493-4506.	1.3	57
623	Quantifying transpirable soil water and its relations to tree water use dynamics in a water-limited pine forest. <i>Ecohydrology</i> , 2014, 7, 409-419.	1.1	69
624	Evidence for Social and Cultural Change in Central Vanuatu Between 3000 and 2000 BP: Comparing Funerary and Dietary Patterns of the First and Later Generations at Teouma, Efate. <i>Journal of Island and Coastal Archaeology</i> , 2014, 9, 381-399.	0.6	30
625	Reduced Root Cortical Cell File Number Improves Drought Tolerance in Maize. <i>Plant Physiology</i> , 2014, 166, 1943-1955.	2.3	154
626	The use of visible and near-infrared reflectance measurements for identifying the source of suspended sediment in rivers and comparison with geochemical fingerprinting. <i>Journal of Soils and Sediments</i> , 2014, 14, 1869-1885.	1.5	13
627	Seasonal and spatial variations of the food web structure in a shallow eutrophic lake assessed by stable isotope analysis. <i>Fisheries Science</i> , 2014, 80, 1045-1056.	0.7	12
628	Seasonal changes in the water use strategies of three co-occurring desert shrubs. <i>Hydrological Processes</i> , 2014, 28, 6265-6275.	1.1	74
629	Investigating the interaction between Crescent Spring and groundwater in a Chinese dune-lake environment using hydraulic gradient and isotope analysis methods. <i>Holocene</i> , 2014, 24, 798-804.	0.9	4
630	Evaluation of nitrogen sources in the Urias lagoon system, Gulf of California, based on stable isotopes in macroalgae. <i>Ciencias Marinas</i> , 2013, 39, 413-430.	0.4	18
631	Plasticity of source-water acquisition in epiphytic, transitional and terrestrial growth phases of <i>Ficus tinctoria</i> . <i>Ecohydrology</i> , 2014, 7, 1524-1533.	1.1	33
632	Omnivory and opportunism characterize food webs in a large dry-tropics river system. <i>Freshwater Science</i> , 2014, 33, 142-158.	0.9	47
633	Large Root Cortical Cell Size Improves Drought Tolerance in Maize. <i>Plant Physiology</i> , 2014, 166, 2166-2178.	2.3	148
634	Stream carbon and nitrogen supplements during leaf litter decomposition: contrasting patterns for two foundation species. <i>Oecologia</i> , 2014, 176, 1111-1121.	0.9	45
635	Isotopic studies of the diet of the people of the coast of British Columbia. <i>American Journal of Physical Anthropology</i> , 2014, 155, 460-468.	2.1	16
636	Determination of spatiotemporal variability of tree water uptake using stable isotopes ($\delta^{18}\text{O}$, $\delta^2\text{H}$) in an alluvial system supplied by a high-altitude watershed, Pfyn forest, Switzerland. <i>Ecohydrology</i> , 2014, 7, 319-333.	1.1	70

#	ARTICLE	IF	CITATIONS
637	Trophodynamics of current use pesticides and ecological relationships in the Bathurst region vegetation-caribou-wolf food chain of the Canadian Arctic. <i>Environmental Toxicology and Chemistry</i> , 2014, 33, 1956-1966.	2.2	11
638	Terrestrial Contributions to the Aquatic Food Web in the Middle Yangtze River. <i>PLoS ONE</i> , 2014, 9, e102473.	1.1	18
639	Searching for the True Diet of Marine Predators: Incorporating Bayesian Priors into Stable Isotope Mixing Models. <i>PLoS ONE</i> , 2014, 9, e92665.	1.1	50
640	Radiocarbon Dating Human Skeletal Material on Rapa Nui: Evaluating the Effect of Uncertainty in Marine-Derived Carbon. <i>Radiocarbon</i> , 2014, 56, 277-294.	0.8	14
641	Amino Acid $\delta^{13}\text{C}$ Analysis Shows Flexibility in the Routing of Dietary Protein and Lipids to the Tissue of an Omnivore. <i>Integrative and Comparative Biology</i> , 2014, 54, 890-902.	0.9	83
642	Variations in Diet and Stature: Are They Linked? Bioarchaeology and Paleodietary Bayesian Mixing Models from Linköping, Sweden. <i>International Journal of Osteoarchaeology</i> , 2014, 24, 543-556.	0.6	18
643	Dry-season water utilization by trees growing on thin karst soils in a seasonal tropical rainforest of Xishuangbanna, Southwest China. <i>Ecohydrology</i> , 2014, 7, 927-935.	1.1	34
644	The role of pre-event canopy storage in throughfall and stemflow by using isotopic tracers. <i>Ecohydrology</i> , 2014, 7, 858-868.	1.1	67
645	Cloud immersion: an important water source for spruce and fir saplings in the southern Appalachian Mountains. <i>Oecologia</i> , 2014, 174, 319-326.	0.9	54
646	Diet diversity among five co-existing fish species in a tropical river: integration of dietary and stable isotope data. <i>Limnology</i> , 2014, 15, 99-107.	0.8	4
647	Trophic dynamics of U, Ni, Hg and other contaminants of potential concern on the Department of Energy's Savannah River Site. <i>Environmental Monitoring and Assessment</i> , 2014, 186, 481-500.	1.3	12
648	A jellyfish diet for the herbivorous green turtle <i>Chelonia mydas</i> in the temperate SW Atlantic. <i>Marine Biology</i> , 2014, 161, 339-349.	0.7	72
649	The foraging ecology of coastal bottlenose dolphins based on stable isotope mixing models and behavioural sampling. <i>Marine Biology</i> , 2014, 161, 953-961.	0.7	34
650	Does flat oyster (<i>Ostrea edulis</i>) rearing improve under open-sea integrated multi-trophic conditions?. <i>Aquaculture International</i> , 2014, 22, 447-467.	1.1	11
651	Soil water uptake by trees using water stable isotopes (^2H and ^{18}O)—a method test regarding soil moisture, texture and carbonate. <i>Plant and Soil</i> , 2014, 376, 327-335.	1.8	103
652	Factors influencing stable nitrogen isotope ratios in wing membranes of insectivorous bat species: A field study. <i>Mammalian Biology</i> , 2014, 79, 110-116.	0.8	10
653	Benthic community responses to macroalgae invasions in seagrass beds: Diversity, isotopic niche and food web structure at community level. <i>Estuarine, Coastal and Shelf Science</i> , 2014, 142, 12-22.	0.9	17
654	Large variation in nitrogen isotopic composition of a fertilized legume. <i>Journal of Archaeological Science</i> , 2014, 45, 72-79.	1.2	62

#	ARTICLE	IF	CITATIONS
655	Applying trait-based models to achieve functional targets for theory-driven ecological restoration. <i>Ecology Letters</i> , 2014, 17, 771-784.	3.0	364
656	Stable isotope analysis as a tool to monitor dietary trends in little penguins (<i>Eudyptula minor</i>). <i>Austral Ecology</i> , 2014, 39, 656-667.	0.7	9
657	Evidence of spatial and temporal changes in sources of organic matter in estuarine sediments: stable isotope and fatty acid analyses. <i>Hydrobiologia</i> , 2014, 732, 133-145.	1.0	36
658	Water use strategies of two co-occurring tree species in a semi-arid karst environment. <i>Hydrological Processes</i> , 2014, 28, 2003-2017.	1.1	31
659	Terrestrialization alters organic matter dynamics and habitat quality for freshwater mussels (<i>Utionoida</i>) in floodplain backwaters. <i>Freshwater Biology</i> , 2014, 59, 1026-1038.	1.2	15
661	Use of stable isotopes to assess the intraspecific foraging niche of males and female colour morphs of the damselfly <i>Enallagma hageni</i> . <i>Ecological Entomology</i> , 2014, 39, 109-117.	1.1	6
662	Trophic resource use by macrozoobenthic primary consumers within a semi-enclosed coastal ecosystem: Stable isotope and fatty acid assessment. <i>Journal of Sea Research</i> , 2014, 88, 87-99.	0.6	29
663	Food webs of the Paraná River floodplain: Assessing basal sources using stable carbon and nitrogen isotopes. <i>Limnologia</i> , 2014, 46, 22-30.	0.7	44
664	Feeding grounds of juvenile scalloped hammerhead sharks (<i>Sphyrna lewini</i>) in the south-eastern Gulf of California. <i>Hydrobiologia</i> , 2014, 726, 81-94.	1.0	29
665	Differences in the contributions of dietary water to the hydrogen stable isotope ratios of cultured Atlantic salmon and Arctic charr tissues. <i>Hydrobiologia</i> , 2014, 721, 45-55.	1.0	18
666	Stoichiometry of a semi-aquatic plethodontid salamander: Intraspecific variation due to location, size and diet. <i>Integrative Zoology</i> , 2014, 9, 613-622.	1.3	3
667	Food Web Linkages Demonstrate Importance of Terrestrial Prey for the Threatened California Red-Legged Frog. <i>Journal of Herpetology</i> , 2014, 48, 137-143.	0.2	13
668	Utilization of organic matter by invertebrates along an estuarine gradient in an intermittently open estuary. <i>Estuarine, Coastal and Shelf Science</i> , 2014, 149, 232-243.	0.9	15
669	Trophic overlap between sexes in the dimorphic African black oystercatcher foraging on an alien mussel. <i>Austral Ecology</i> , 2014, 39, 567-578.	0.7	2
670	Understanding specifics in generalist diets of carnivorans by analyzing stable carbon isotope values in Pleistocene mammals of Florida. <i>Paleobiology</i> , 2014, 40, 477-493.	1.3	14
671	How picky can you be? Temporal variations in trophic niches of co-occurring suspension-feeding species. <i>Food Webs</i> , 2014, 1, 1-9.	0.5	38
672	Stable carbon and nitrogen isotope signatures to determine predator dispersal between alfalfa and maize. <i>Biological Control</i> , 2014, 77, 66-75.	1.4	26
673	Best practices for use of stable isotope mixing models in food-web studies. <i>Canadian Journal of Zoology</i> , 2014, 92, 823-835.	0.4	873

#	ARTICLE	IF	CITATIONS
674	Quantification of Nitrate Sources to an Urban Stream Using Dual Nitrate Isotopes. <i>Environmental Science & Technology</i> , 2014, 48, 10580-10587.	4.6	99
675	Depth gradients in food web processes linking habitats in large lakes: Lake Superior as an exemplar ecosystem. <i>Freshwater Biology</i> , 2014, 59, 2122-2136.	1.2	69
676	Feeding ecology and basal food sources that sustain the Paradoxal frog <i>Pseudis minuta</i> : a multiple approach combining stomach content, prey availability, and stable isotopes. <i>Hydrobiologia</i> , 2014, 740, 253-264.	1.0	31
677	Do hydraulic redistribution and nocturnal transpiration facilitate nutrient acquisition in <i>Aspalathus linearis</i> ?. <i>Oecologia</i> , 2014, 175, 1129-1142.	0.9	26
678	Water utilization of <i>Pinus sylvestris</i> var. <i>mongolica</i> in a sparse wood grassland in the semiarid sandy region of Northeast China. <i>Trees - Structure and Function</i> , 2014, 28, 971-982.	0.9	44
679	Effects of land use on sources and ages of inorganic and organic carbon in temperate headwater streams. <i>Biogeochemistry</i> , 2014, 119, 275-292.	1.7	88
680	Water use sources of desert riparian <i>Populus euphratica</i> forests. <i>Environmental Monitoring and Assessment</i> , 2014, 186, 5469-5477.	1.3	54
681	Spatial and temporal patterns of carbon flow in a temperate, large river food web. <i>Hydrobiologia</i> , 2014, 729, 107-131.	1.0	41
682	Does hatchery-reared <i>Siniperca chuatsi</i> (Actinopterygii, Perciformes) compete significantly with two wild <i>Siniperca</i> populations for diets in a shallow lake?. <i>Hydrobiologia</i> , 2014, 741, 125-138.	1.0	7
683	Water uptake and redistribution during drought in a semiarid shrub species. <i>Functional Plant Biology</i> , 2014, 41, 812.	1.1	12
684	Spatio-temporal Variability in Larval-Stage Feeding and Nutritional Sources as Factors Influencing Striped Bass (<i>Morone saxatilis</i>) Recruitment Success. <i>Estuaries and Coasts</i> , 2014, 37, 561-575.	1.0	12
685	Isotopic niche ($\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ values) of soil macrofauna in temperate forests. <i>Rapid Communications in Mass Spectrometry</i> , 2014, 28, 1303-1311.	0.7	33
686	Ecology of Artificial Reefs in the Subtropics. <i>Advances in Marine Biology</i> , 2014, 68, 1-63.	0.7	11
687	Niche differentiation between sympatric alien aquatic crustaceans: An isotopic evidence. <i>Basic and Applied Ecology</i> , 2014, 15, 453-463.	1.2	19
688	Foraging ecology and choice of feeding habitat in the New Zealand Fairy Tern <i>Sternula nereis davisae</i> . <i>Bird Conservation International</i> , 2014, 24, 72-87.	0.7	8
689	Diet-specific biomarkers show that high-quality phytoplankton fuels herbivorous zooplankton in large boreal lakes. <i>Freshwater Biology</i> , 2014, 59, 1902-1915.	1.2	78
690	Influence of environmental gradients on C and N stable isotope ratios in coral reef biota of the Red Sea, Saudi Arabia. <i>Journal of Sea Research</i> , 2014, 85, 379-394.	0.6	46
691	Sedimentary records of $\delta^{13}\text{C}$, $\delta^{15}\text{N}$ and organic matter accumulation in lakes receiving nutrient-rich mine waters. <i>Science of the Total Environment</i> , 2014, 485-486, 205-215.	3.9	6

#	ARTICLE	IF	CITATIONS
692	The Use of Stable Isotopes Analysis in Wildlife Studies. , 2014, , 159-174.		0
693	Nutritional role of natural productivity and formulated feed in semi-intensive shrimp farming as indicated by natural stable isotopes. Reviews in Aquaculture, 2014, 6, 36-47.	4.6	20
694	Earthworm eco-physiological characteristics and quantification of earthworm feeding in vermifiltration system for sewage sludge stabilization using stable isotopic natural abundance. Journal of Hazardous Materials, 2014, 276, 353-361.	6.5	26
695	Characterization and source identification of organic matter in view of land uses and heavy rainfall in the Lake Shihwa, Korea. Marine Pollution Bulletin, 2014, 84, 322-329.	2.3	42
696	Production sources and food web of a macrophyte-dominated region in Lake Taihu, based on gut contents and stable isotope analyses. Journal of Great Lakes Research, 2014, 40, 656-665.	0.8	12
697	Prey preferences of sympatric fin (<i>Balaenoptera physalus</i>) and humpback (<i>Megaptera</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5 242-258.	0.9	44
698	Stable isotopes dissect aquatic food webs from the top to the bottom. Biogeosciences, 2014, 11, 2357-2371.	1.3	177
699	Food web structures of subtidal benthic muddy habitats: evidence of microphytobenthos contribution supported by an engineer species. Marine Ecology - Progress Series, 2014, 500, 25-41.	0.9	27
700	Gull diets reveal dietary partitioning, influences of isotopic signatures on body condition, and ecosystem changes at a remote colony. Marine Ecology - Progress Series, 2014, 514, 247-261.	0.9	34
701	Stable isotope analysis of larval mosquito diets in agricultural wetlands in the coastal plain of Georgia, U.S.A.. Journal of Vector Ecology, 2014, 39, 288-297.	0.5	6
702	Are Riparian Bur Oak Phreatophytic? A Stable Water Isotope Study in Homestead National Monument, Nebraska. Natural Areas Journal, 2014, 34, 56-64.	0.2	6
703	Application of stable isotope mixing models for defining trophic biomagnification pathways of mercury and selenium. Limnology and Oceanography, 2014, 59, 1181-1192.	1.6	14
704	Isotopes and elemental ratios in multi-parameter mixing models. Limnology and Oceanography: Methods, 2014, 12, 694-702.	1.0	3
705	Controls on methane released through ebullition in peatlands affected by permafrost degradation. Journal of Geophysical Research G: Biogeosciences, 2014, 119, 418-431.	1.3	46
706	Sources and fate of nitrate in a groundwater-fed estuary elucidated using stable isotope ratios of nitrogen and oxygen. Limnology and Oceanography, 2014, 59, 1493-1509.	1.6	34
707	Food resource partitioning in syntopic nectarivorous bats on Puerto Rico. Journal of Tropical Ecology, 2014, 30, 359-369.	0.5	3
708	Prey consumption and trace element concentrations in double-crested cormorants (<i>Phalacrocorax</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 4	0.8	4
709	Fish productivity in the lower lakes and Coorong, Australia, during severe drought. Transactions of the Royal Society of South Australia, 2015, 139, 189-215.	0.1	16

#	ARTICLE	IF	CITATIONS
710	How are microbial and detrital sources partitioned among and within gastropods species at <sc>East Pacific Rise hydrothermal vents?. <i>Marine Ecology</i> , 2015, 36, 18-34.	0.4	6
711	Geographic variability in organic carbon stock and accumulation rate in sediments of East and Southeast Asian seagrass meadows. <i>Global Biogeochemical Cycles</i> , 2015, 29, 397-415.	1.9	133
712	A dual-isotope approach to allow conclusive partitioning between three sources. <i>Nature Communications</i> , 2015, 6, 8708.	5.8	30
713	Climate-driven environmental changes around 8,200 years ago favoured increases in cetacean strandings and Mediterranean hunter-gatherers exploited them. <i>Scientific Reports</i> , 2015, 5, 16288.	1.6	37
714	Irrigation depth far exceeds water uptake depth in an oasis cropland in the middle reaches of Heihe River Basin. <i>Scientific Reports</i> , 2015, 5, 15206.	1.6	35
715	Diet in Peru's pre-Hispanic central coast. <i>Journal of Archaeological Science: Reports</i> , 2015, 4, 371-386.	0.2	6
716	Light and nutrients regulate energy transfer through benthic and pelagic food chains. <i>Oikos</i> , 2015, 124, 1648-1663.	1.2	22
717	The Distribution of Larval Sea Lampreys, <i>Petromyzon marinus</i> , and Their Nutritional Sources in the Hudson River Basin. <i>Northeastern Naturalist</i> , 2015, 22, 69-83.	0.1	5
718	Evidence for the assimilation of ancient glacier organic carbon in a proglacial stream food web. <i>Limnology and Oceanography</i> , 2015, 60, 1118-1128.	1.6	79
719	Laboratory and field methods for stable isotope analysis in human biology. <i>American Journal of Human Biology</i> , 2015, 27, 593-604.	0.8	15
720	Salinity, groundwater, and water uptake depth of plants in coastal uplands of Everglades National Park (Florida, USA). <i>Ecohydrology</i> , 2015, 8, 128-136.	1.1	15
721	Impact of extreme hydrologic disturbance upon the sediment carbon quality in agriculturally impacted temperate streams. <i>Ecohydrology</i> , 2015, 8, 438-449.	1.1	19
722	Identifying subsoil sediment sources with carbon and nitrogen stable isotope ratios. <i>Hydrological Processes</i> , 2015, 29, 1956-1971.	1.1	41
723	Fluorescence-based source tracking of organic sediment in restored and unrestored urban streams. <i>Limnology and Oceanography</i> , 2015, 60, 1439-1461.	1.6	21
724	Stable Isotopic Analysis on Water Utilization of Two Xerophytic Shrubs in a Revegetated Desert Area: Tengger Desert, China. <i>Water (Switzerland)</i> , 2015, 7, 1030-1045.	1.2	23
725	Groundwater-dependent ecosystems: recent insights from satellite and field-based studies. <i>Hydrology and Earth System Sciences</i> , 2015, 19, 4229-4256.	1.9	116
726	Feeding and Digestion in Elasmobranchs: Tying Diet and Physiology Together. <i>Fish Physiology</i> , 2015, 34, 347-394.	0.2	10
727	Stable Isotope Turnover and Half-Life in Animal Tissues: A Literature Synthesis. <i>PLoS ONE</i> , 2015, 10, e0116182.	1.1	412

#	ARTICLE	IF	CITATIONS
728	A Fatty Acid Based Bayesian Approach for Inferring Diet in Aquatic Consumers. PLoS ONE, 2015, 10, e0129723.	1.1	60
729	Isotopic Differences between Forage Consumed by a Large Herbivore in Open, Closed, and Coastal Habitats: New Evidence from a Boreal Study System. PLoS ONE, 2015, 10, e0142781.	1.1	4
730	Use of ^{2}H and ^{18}O stable isotopes to investigate water sources for different ages of <i>Populus euphratica</i> along the lower Heihe River. Ecological Research, 2015, 30, 581-587.	0.7	36
731	Root distribution of <i>Nitraria sibirica</i> with seasonally varying water sources in a desert habitat. Journal of Plant Research, 2015, 128, 613-622.	1.2	33
732	Mysis zooplanktivory in Lake Champlain: A bioenergetics analysis. Journal of Great Lakes Research, 2015, 41, 492-501.	0.8	12
733	Food web structure and trophic levels in polyculture rice-crab fields. Chinese Journal of Oceanology and Limnology, 2015, 33, 735-740.	0.7	10
734	Benthic cyanobacterial mats serve as a refuge and food for the amphipod <i>Gammarus fasciatus</i> . Hydrobiologia, 2015, 758, 171-181.	1.0	5
735	Potential omnivory in the sea urchin <i>Diadema antillarum</i> ?. Regional Studies in Marine Science, 2015, 2, 11-18.	0.4	15
736	Stable oxygen isotopes reveal distinct water use patterns of two <i>Haloxylon</i> species in the Gurbantonggut Desert. Plant and Soil, 2015, 389, 73-87.	1.8	116
737	Functional Relationships of Freshwater Invertebrates. , 2015, , 65-82.		7
738	Macrophytes and periphyton carbon subsidies to bacterioplankton and zooplankton in a shallow eutrophic lake in tropical China. Limnology and Oceanography, 2015, 60, 375-385.	1.6	40
739	Feeding Habitats, Connectivity and Origin of Organic Matter Supporting Fish Populations in an Estuary with a Reduced Intertidal Area Assessed by Stable Isotope Analysis. Estuaries and Coasts, 2015, 38, 1431-1447.	1.0	38
740	Landscape-Scale Food Webs of Fish Nursery Habitat Along a River-Coast Mixing Zone. Estuaries and Coasts, 2015, 38, 1335-1349.	1.0	18
741	Application of stable isotopes to assess the feeding ecology of long-finned pilot whale (<i>Globicephala</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 182 56-63.	0.7	18
742	Diet composition and seasonal feeding patterns of a freshwater ringed seal (<i>Pusa hispida</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 182 0.9	0.9	15
743	Determining tree water acquisition zones with stable isotopes in a temperate tree-based intercropping system. Agroforestry Systems, 2015, 89, 611-620.	0.9	25
744	Seasonal water use strategy of <i>Cyclobalanopsis glauca</i> in a karst area of southern China. Environmental Earth Sciences, 2015, 74, 1007-1014.	1.3	31
745	Using stable isotopes to quantify water uptake by <i>Cyclobalanopsis glauca</i> in typical clusters of karst peaks in China. Environmental Earth Sciences, 2015, 74, 1039-1046.	1.3	10

#	ARTICLE	IF	CITATIONS
746	Use of Arctic ground squirrels (<i>Urocitellus parryii</i>) by brown bears (<i>Ursus arctos</i>). <i>Polar Biology</i> , 2015, 38, 369-379.	0.5	37
747	Incorporating stable isotopes into a multidisciplinary framework to improve data inference and their conservation and management application. <i>African Journal of Marine Science</i> , 2015, 37, 189-197.	0.4	12
748	Food web of the intertidal rocky shore of the west Portuguese coast—Determined by stable isotope analysis. <i>Marine Environmental Research</i> , 2015, 110, 53-60.	1.1	28
749	Nutritional stress in Northern gannets during an unprecedented low reproductive success year: Can extreme sea surface temperature event and dietary change be the cause?. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2015, 181, 1-8.	0.8	13
750	An integrated approach to assess heavy metal source apportionment in peri-urban agricultural soils. <i>Journal of Hazardous Materials</i> , 2015, 299, 540-549.	6.5	223
751	Food preferences and Hg distribution in <i>Chelonia mydas</i> assessed by stable isotopes. <i>Environmental Pollution</i> , 2015, 206, 236-246.	3.7	30
752	The effect of water management on extensive aquaculture food webs in the reconstructed wetlands of the Doñana Natural Park, Southern Spain. <i>Aquaculture</i> , 2015, 448, 451-463.	1.7	21
753	Nitrogen sharing and water source partitioning co-occur in estuarine wetlands. <i>Functional Plant Biology</i> , 2015, 42, 410.	1.1	5
754	Apportioning sources of organic matter in streambed sediments: An integrated molecular and compound-specific stable isotope approach. <i>Science of the Total Environment</i> , 2015, 520, 187-197.	3.9	73
755	Temporal and sex-specific variability in Rhinoceros Auklet diet in the central California Current system. <i>Journal of Marine Systems</i> , 2015, 146, 99-108.	0.9	12
756	Fish reduce habitat coupling by a waterbird: evidence from combined stable isotope and conventional dietary approaches. <i>Aquatic Ecology</i> , 2015, 49, 21-31.	0.7	9
757	Quantifying uncertainty in stable isotope mixing models. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2015, 120, 903-923.	1.3	43
758	Isotopic tracking of large carnivore palaeoecology in the mammoth steppe. <i>Quaternary Science Reviews</i> , 2015, 117, 42-71.	1.4	115
759	Quantifying the multiple facets of isotopic diversity: New metrics for stable isotope ecology. <i>Ecological Indicators</i> , 2015, 56, 152-160.	2.6	124
760	Trophic structure in a pilot system for the integrated multi-trophic aquaculture off the east coast of Korean peninsula as determined by stable isotopes. <i>Marine Pollution Bulletin</i> , 2015, 95, 207-214.	2.3	16
761	Isotopic fingerprinting of groundwaters in southwestern Ontario: Applications to abandoned well remediation. <i>Applied Geochemistry</i> , 2015, 58, 1-13.	1.4	9
762	Indigenous generalist predators and plant residues: conservation biological control of pests in an organically managed cabbage field. <i>International Journal of Pest Management</i> , 2015, 61, 113-120.	0.9	2
763	Are Large Herbivores Vectors of Terrestrial Subsidies for Riverine Food Webs?. <i>Ecosystems</i> , 2015, 18, 686-706.	1.6	35

#	ARTICLE	IF	CITATIONS
764	Technical note: A linear model for predicting $\delta^{13}\text{C}_{\text{protein}}$. American Journal of Physical Anthropology, 2015, 157, 694-703.	2.1	39
765	Spatial analysis of carbon isotopes reveals seagrass contribution to fishery food web. Ecosphere, 2015, 6, 1-12.	1.0	36
766	Isotopic Evidence for Oil Sands Petroleum Coke in the Peaceâ€“Athabasca Delta. Environmental Science & Technology, 2015, 49, 12062-12070.	4.6	47
767	Roles of epiphytes associated with macroalgae in benthic food web of a eutrophic coastal lagoon. Continental Shelf Research, 2015, 110, 201-209.	0.9	18
769	Rice Fields Used as Feeding Habitats for Waterfowl throughout the Growing Season. Waterbirds, 2015, 38, 238-251.	0.2	5
770	Reduced Lateral Root Branching Density Improves Drought Tolerance in Maize. Plant Physiology, 2015, 168, 1603-1615.	2.3	248
771	Different impacts of native and exotic earthworms on rhizodeposit carbon sequestration in a subtropical soil. Soil Biology and Biochemistry, 2015, 90, 152-160.	4.2	20
772	Iron Age migration on the island of Å–land: Apportionment of Åstrontium by means of Bayesian mixing analysis. Journal of Archaeological Science, 2015, 64, 30-45.	1.2	29
773	Effects of gut content on $\delta^{15}\text{N}$, $\delta^{13}\text{C}$ and C:N of the macroinvertebrate Mysis diluviana. Journal of Great Lakes Research, 2015, 41, 926-929.	0.8	0
774	Assessing anthropogenic pressures on coastal marine ecosystems using stable CNS isotopes: State of the art, knowledge gaps, and community-scale perspectives. Estuarine, Coastal and Shelf Science, 2015, 156, 195-204.	0.9	44
775	The contrasting feeding ecology of great egrets and roseate spoonbills in limnetic and estuarine colonies. Hydrobiologia, 2015, 744, 187-210.	1.0	13
776	Variations of soil water isotopes and effective contribution times of precipitation and throughfall to alpine soil water, in Wolong Nature Reserve, China. Catena, 2015, 126, 201-208.	2.2	34
777	Spatial variations in dietary organic matter sources modulate the size and condition of fish juveniles in temperate lagoon nursery sites. Estuarine, Coastal and Shelf Science, 2015, 152, 78-90.	0.9	26
778	Small pelagic fish feeding patterns in relation to food resource variability: an isotopic investigation for Sardina pilchardus and Engraulis encrasicolus from the Bay of Biscay (north-east Atlantic). Marine Biology, 2015, 162, 15-37.	0.7	31
779	Reconstruction of the Gravettian food-web at PÅ™edmostÅ–I using multi-isotopic tracking (^{13}C , ^{15}N , ^{34}S) of bone collagen. Quaternary International, 2015, 359-360, 211-228.	0.7	118
780	Evaluating contribution of soil water to paddy rice by stable isotopes of hydrogen and oxygen. Paddy and Water Environment, 2015, 13, 125-133.	1.0	17
781	<i>Kana Tamata</i> or Feasts of Men: An Interdisciplinary Approach for Identifying Cannibalism in Prehistoric Fiji. International Journal of Osteoarchaeology, 2015, 25, 127-145.	0.6	20
782	Factors affecting biotic mercury concentrations and biomagnification through lake food webs in the Canadian high Arctic. Science of the Total Environment, 2015, 509-510, 195-205.	3.9	49

#	ARTICLE	IF	CITATIONS
783	Assessing dissolved organic matter dynamics and source strengths in a subtropical estuary: Application of stable carbon isotopes and optical properties. <i>Continental Shelf Research</i> , 2015, 92, 98-107.	0.9	21
784	Size, sex and individual-level behaviour drive intrapopulation variation in cross-ecosystem foraging of a top-predator. <i>Journal of Animal Ecology</i> , 2015, 84, 35-48.	1.3	44
785	A new probabilistic method for quantifying n -dimensional ecological niches and niche overlap. <i>Ecology</i> , 2015, 96, 318-324.	1.5	306
786	Seasonal water use by deciduous and evergreen woody species in a scrub community is based on water availability and root distribution. <i>Ecohydrology</i> , 2015, 8, 538-551.	1.1	88
787	Tree water uptake in a tropical plantation varying in tree diversity: interspecific differences, seasonal shifts and complementarity. <i>Ecohydrology</i> , 2015, 8, 1-12.	1.1	152
788	Water-use advantage for lianas over trees in tropical seasonal forests. <i>New Phytologist</i> , 2015, 205, 128-136.	3.5	115
789	Utilization of corn meal and extruded soybean meal by sea cucumber <i>Apostichopus japonicus</i> (Selenka): Insights from carbon stable isotope analysis. <i>Aquaculture</i> , 2015, 435, 106-110.	1.7	24
790	Quantitative sediment source attribution with compound-specific isotope analysis in a C3 plant-dominated catchment (central Switzerland). <i>Biogeosciences</i> , 2016, 13, 1587-1596.	1.3	63
791	Water Use Strategy of Four Desert Shrubs in Gonghe Basin, Qinghai-Tibetan Plateau. , 2016, , .		1
793	Trophic ecology of sea urchins in coral-rocky reef systems, Ecuador. <i>PeerJ</i> , 2016, 4, e1578.	0.9	19
795	Blue carbon stocks in Baltic Sea eelgrass (<i>Zostera marina</i>) meadows. <i>Biogeosciences</i> , 2016, 13, 6139-6153.	1.3	114
796	Isotopic variation among Amazonian floodplain woody plants and implications for food-web research. <i>Biota Neotropica</i> , 2016, 16, .	1.0	5
797	Dominance of <i>Myriophyllum spicatum</i> in submerged macrophyte communities associated with grass carp. <i>Knowledge and Management of Aquatic Ecosystems</i> , 2016, , 24.	0.5	12
798	Use of Multi-Carbon Sources by Zooplankton in an Oligotrophic Lake in the Tibetan Plateau. <i>Water (Switzerland)</i> , 2016, 8, 565.	1.2	7
799	Exploring the Isotopic Niche: Isotopic Variance, Physiological Incorporation, and the Temporal Dynamics of Foraging. <i>Frontiers in Ecology and Evolution</i> , 2016, 4, .	1.1	65
800	Eelgrass (<i>Zostera marina</i>) Food Web Structure in Different Environmental Settings. <i>PLoS ONE</i> , 2016, 11, e0146479.	1.1	31
801	Estimating tissue-specific discrimination factors and turnover rates of stable isotopes of nitrogen and carbon in the smallnose fanskate <i>Sympterygia bonapartii</i> (Rajidae). <i>Journal of Fish Biology</i> , 2016, 89, 1258-1270.	0.7	16
802	Insights into plant water uptake from xylem-water isotope measurements in two tropical catchments with contrasting moisture conditions. <i>Hydrological Processes</i> , 2016, 30, 3210-3227.	1.1	110

#	ARTICLE	IF	CITATIONS
803	Fine-scale spatial differences in humpback whale diet composition near Kodiak, Alaska. <i>Marine Mammal Science</i> , 2016, 32, 1099-1114.	0.9	5
804	Influence of timing of fishing on trophic levels and diets of typical fish and invertebrate species in the Bohai Strait over a single year based on carbon and nitrogen isotope analysis. <i>Ecological Indicators</i> , 2016, 70, 348-356.	2.6	4
805	Multiple strategies for drought survival among woody plant species. <i>Functional Ecology</i> , 2016, 30, 517-526.	1.7	119
806	Trace metal accumulation as complementary dietary information for the isotopic analysis of complex food webs. <i>Methods in Ecology and Evolution</i> , 2016, 7, 910-918.	2.2	13
807	Chemolithoautotrophy supports macroinvertebrate food webs and affects diversity and stability in groundwater communities. <i>Ecology</i> , 2016, 97, 1530-1542.	1.5	52
808	A framework for partitioning plant rooting profiles from neighbours using multiple data types. <i>Journal of Vegetation Science</i> , 2016, 27, 587-595.	1.1	1
809	Advances in primate stable isotope ecology—Achievements and future prospects. <i>American Journal of Primatology</i> , 2016, 78, 995-1003.	0.8	13
810	Food sources and trophic structure of fishes and benthic macroinvertebrates in a tropical seagrass meadow revealed by stable isotope analysis. <i>Marine Biology Research</i> , 2016, 12, 748-757.	0.3	23
811	Is fog an important water source for woody plants in an Asian tropical karst forest during the dry season?. <i>Ecohydrology</i> , 2016, 9, 964-972.	1.1	30
812	A Simple(R) Model to Predict the Source of Dietary Carbon in Individual Consumers. <i>Archaeometry</i> , 2016, 58, 500-512.	0.6	55
813	Below-ground interspecific competition for water in a rubber agroforestry system may enhance water utilization in plants. <i>Scientific Reports</i> , 2016, 6, 19502.	1.6	26
814	<i>Manta birostris</i> , predator of the deep? Insight into the diet of the giant manta ray through stable isotope analysis. <i>Royal Society Open Science</i> , 2016, 3, 160717.	1.1	46
815	Feeding ecology of two sympatric species of <i>Acetes</i> (Decapoda: Sergestidae) in Panguil Bay, the Philippines. <i>Marine and Freshwater Research</i> , 2016, 67, 1420.	0.7	5
816	Groundwater Dependent Ecosystems. , 2015, , 460-483.		0
817	Trophic ecology of the blue shark (<i>Prionace glauca</i>) based on stable isotopes ($\delta^{13}C$). <i>Overlook 10 Kingdom</i> , 2016, 96, 1403-1410.	0.4	28
818	Analysis of isotope tracing of domestic sewage sources in Taihu Lake—A case study of Meiliang Bay and Gonghu Bay. <i>Ecological Indicators</i> , 2016, 66, 113-120.	2.6	19
819	A century of Chinook salmon consumption by marine mammal predators in the Northeast Pacific Ocean. <i>Ecological Informatics</i> , 2016, 34, 44-51.	2.3	16
820	Diet and subsistence mode of Neolithic Yuan-Shan people in Taiwan: Perspective from carbon and nitrogen isotope analyses of bone collagen. <i>Archaeological Research in Asia</i> , 2016, 7, 18-27.	0.2	3

#	ARTICLE	IF	CITATIONS
821	Estimating distribution of water uptake with depth of winter wheat by hydrogen and oxygen stable isotopes under different irrigation depths. <i>Journal of Integrative Agriculture</i> , 2016, 15, 891-906.	1.7	43
822	Differential soil moisture pulse uptake by coexisting plants in an alpine <i>Achnatherum splendens</i> grassland community. <i>Environmental Earth Sciences</i> , 2016, 75, 1.	1.3	26
823	Radiocarbon and Climate Change. , 2016, , .		33
824	Soil-water interacting use patterns driven by <i>Ziziphus jujuba</i> on the Chenier Island in the Yellow River Delta, China. <i>Archives of Agronomy and Soil Science</i> , 2016, 62, 1614-1624.	1.3	10
825	Food web structure and trophic levels in a saltwater pond sea cucumber and prawn polyculture system. <i>Acta Oceanologica Sinica</i> , 2016, 35, 58-62.	0.4	5
826	Feeding ecology and habitat preferences of top predators from two Miocene carnivore-rich assemblages. <i>Paleobiology</i> , 2016, 42, 489-507.	1.3	18
827	Seasonal variation exceeds effects of salmon carcass additions on benthic food webs in the Elwha River. <i>Ecosphere</i> , 2016, 7, e01422.	1.0	32
828	The effects of groundwater depth on water uptake of <i>Populus euphratica</i> and <i>Tamarix ramosissima</i> in the hyperarid region of Northwestern China. <i>Environmental Science and Pollution Research</i> , 2016, 23, 17404-17412.	2.7	25
829	Notes on the ecological roles of <i>Podostemum ceratophyllum</i> Michx., 1803 and <i>Cladophora glomerata</i> (L.) Kütz., 1843 in the habitat and diet of riverine hydropsychid caddisflies (Trichoptera). <i>Aquatic Insects</i> , 2016, 37, 225-239.	0.6	2
830	Dynamics of water uptake by maize on sloping farmland in a shallow Entisol in Southwest China. <i>Catena</i> , 2016, 147, 511-521.	2.2	10
831	Compound-specific $\delta^{13}\text{C}$ isotopes and Bayesian inference for erosion estimates under different land use in Vietnam. <i>Geoderma Regional</i> , 2016, 7, 311-322.	0.9	15
832	Dietary partitioning between sympatric species of spiny lobster in a coral reef system. <i>Bulletin of Marine Science</i> , 2016, 92, 355-369.	0.4	9
833	Groundwater Dependent Ecosystems: Classification, Identification Techniques and Threats. , 2016, , 313-346.		25
834	Spatial, seasonal and individual variation in the diet of White-tailed Eagles <i>Haliaeetus albicilla</i> assessed using stable isotope ratios. <i>Ibis</i> , 2016, 158, 1-15.	1.0	27
835	Illuminating hydrological processes at the soil-vegetation-atmosphere interface with water stable isotopes. <i>Reviews of Geophysics</i> , 2016, 54, 674-704.	9.0	342
836	A rapid approach to evaluate putative nursery sites for penaeid prawns. <i>Journal of Sea Research</i> , 2016, 114, 26-31.	0.6	35
837	Reduced crown root number improves water acquisition under water deficit stress in maize (<i>Zea mays</i>). <i>Plant, Cell & Environment</i> , 2016, 39, 1995-2004.	2.4	195
838	Comparison of the trophic niches between two planktivorous fishes in two large lakes using stable isotope analysis. <i>Biochemical Systematics and Ecology</i> , 2016, 68, 148-155.	0.6	5

#	ARTICLE	IF	CITATIONS
839	What are you eating? A stable isotope insight into the trophic ecology of short-beaked common dolphins in the Southwestern Atlantic Ocean. <i>Mammalian Biology</i> , 2016, 81, 571-578.	0.8	20
840	Unifying error structures in commonly used biotracer mixing models. <i>Ecology</i> , 2016, 97, 2562-2569.	1.5	228
842	Using multiple tracers and directly accounting for trophic modification improves dietary mixing model performance. <i>Ecosphere</i> , 2016, 7, e01440.	1.0	35
843	Source apportionment of atmospheric ammonia before, during, and after the 2014 APEC summit in Beijing using stable nitrogen isotope signatures. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 11635-11647.	1.9	116
844	Design and Validation of an Assay for Isotope Ratio Mass Spectrometry Analysis of Biologically Relevant Dissolved and Heat-Extracted Organic Carbon with Neutral Potassium Phosphate Buffer. <i>Communications in Soil Science and Plant Analysis</i> , 2016, 47, 2017-2025.	0.6	0
845	Stable isotopes reveal spatial variability in the trophic structure of a macrobenthic invertebrate community in a tropical coral reef. <i>Rapid Communications in Mass Spectrometry</i> , 2016, 30, 433-446.	0.7	12
846	Dissolved inorganic carbon sourcing using $\delta^{13}\text{C}_{\text{DIC}}$ from a karst influenced river system. <i>Earth Surface Processes and Landforms</i> , 2016, 41, 392-405.	1.2	22
847	Radiocarbon Nomenclature, Theory, Models, and Interpretation: Measuring Age, Determining Cycling Rates, and Tracing Source Pools. , 2016, , 45-82.		31
848	Compound-specific isotopes of fatty acids as indicators of trophic interactions in the East China Sea ecosystem. <i>Chinese Journal of Oceanology and Limnology</i> , 2016, 34, 1085-1096.	0.7	6
849	Specialized morphology corresponds to a generalist diet: linking form and function in smashing mantis shrimp crustaceans. <i>Oecologia</i> , 2016, 182, 429-442.	0.9	27
850	Using stable isotope analysis to determine the contribution of naturally occurring pond biota and supplementary feed to the diet of farmed Australian freshwater crayfish, redclaw (<i>Cherax</i>). <i>Journal of Great Lakes Research</i> , 2016, 42, 337-346.	1.0	60
851	Hydrologic controls on radiogenic Sr in meltwater from an alpine glacier system: Athabasca Glacier, Canada. <i>Applied Geochemistry</i> , 2016, 69, 42-49.	1.4	5
852	Stable isotope on the evaluation of water quality in the presence of WWTPs in rivers. <i>Environmental Science and Pollution Research</i> , 2016, 23, 18175-18182.	2.7	12
853	Identifying nitrogen sources to thermal tide pools in Kapoho, Hawai'i, U.S.A, using a multi-stable isotope approach. <i>Marine Pollution Bulletin</i> , 2016, 103, 63-71.	2.3	20
854	Using stable isotopes to determine seasonal variations in water uptake of summer maize under different fertilization treatments. <i>Science of the Total Environment</i> , 2016, 550, 471-483.	3.9	91
855	Reconstruction of historical lead contamination and sources in Lake Hailing, Eastern China: a Pb isotope study. <i>Environmental Science and Pollution Research</i> , 2016, 23, 9183-9191.	2.7	9
856	Trophic structure of common marine species in the Bohai Strait, North China Sea, based on carbon and nitrogen stable isotope ratios. <i>Ecological Indicators</i> , 2016, 66, 405-415.	2.6	11
857	Precipitation Pattern Determines the Inter-annual Variation of Herbaceous Layer and Carbon Fluxes in a Phreatophyte-Dominated Desert Ecosystem. <i>Ecosystems</i> , 2016, 19, 601-614.	1.6	45

#	ARTICLE	IF	CITATIONS
858	Spatial interpolation of N concentrations and $\delta^{15}N$ values in the moss <i>Hypnum cupressiforme</i> collected in the forests of Slovenia. <i>Ecological Indicators</i> , 2016, 61, 366-377.	2.6	8
859	Water use patterns of <i>Pinus sylvestris</i> var. <i>mongolica</i> trees of different ages in a semiarid sandy lands of Northeast China. <i>Environmental and Experimental Botany</i> , 2016, 129, 94-107.	2.0	60
860	Identification of the nutritional resources of larval sea lamprey in two Great Lakes tributaries using stable isotopes. <i>Journal of Great Lakes Research</i> , 2016, 42, 99-107.	0.8	14
861	Quantification of maize water uptake from different layers and root zones under alternate furrow irrigation using stable oxygen isotope. <i>Agricultural Water Management</i> , 2016, 168, 35-44.	2.4	56
862	Impoundment constraint of fish niche diversity in a temperate Australian river. <i>Hydrobiologia</i> , 2016, 771, 195-206.	1.0	12
863	Long-term carbon storage and its recent loss in an estuarine <i>Posidonia australis</i> meadow (Albany, Tj ETQq1 1 0.784314 rgBT /Overlook	0.9	42
864	Submerged macrophytes facilitate dominance of omnivorous fish in a subtropical shallow lake: implications for lake restoration. <i>Hydrobiologia</i> , 2016, 775, 97-107.	1.0	47
865	Different hydrodynamic conditions on the deposition of organic carbon in sediment of two reservoirs. <i>Hydrobiologia</i> , 2016, 765, 15-26.	1.0	16
866	Sources of water used by <i>Pinus sylvestris</i> var. <i>mongolica</i> trees based on stable isotope measurements in a semiarid sandy region of Northeast China. <i>Agricultural Water Management</i> , 2016, 164, 281-290.	2.4	49
867	Trophic overlap between native and invasive stream crayfish. <i>Hydrobiologia</i> , 2016, 766, 237-246.	1.0	18
868	Contrasting water use pattern of introduced and native plants in an alpine desert ecosystem, Northeast Qinghai-Tibet Plateau, China. <i>Science of the Total Environment</i> , 2016, 542, 182-191.	3.9	107
869	Enhanced forensic discrimination of pollutants by position-specific isotope analysis using isotope ratio monitoring by ^{13}C nuclear magnetic resonance spectrometry. <i>Talanta</i> , 2016, 147, 383-389.	2.9	21
870	Assessing interactions among native snails and the invasive New Zealand mud snail, <i>Potamopyrgus antipodarum</i> , using grazing experiments and stable isotope analysis. <i>Hydrobiologia</i> , 2016, 763, 147-159.	1.0	18
871	Feeding ecology of dusky dolphins <i>Lagenorhynchus obscurus</i> : evidence from stable isotopes. <i>Journal of Mammalogy</i> , 2016, 97, 310-320.	0.6	19
872	Uptake of benthic matter by sea cucumber <i>Apostichopus japonicus</i> (Selenka): Insights from carbon stable isotopes and fatty acid profiles. <i>Journal of Experimental Marine Biology and Ecology</i> , 2016, 474, 46-53.	0.7	10
873	Characterizing organic matter inputs to sediments of small, intermittent, prairie streams: a molecular marker and stable isotope approach. <i>Aquatic Sciences</i> , 2016, 78, 343-354.	0.6	6
874	Old soil carbon losses increase with ecosystem respiration in experimentally thawed tundra. <i>Nature Climate Change</i> , 2016, 6, 214-218.	8.1	67
875	Potential of submerged macrophytes to support food webs in lowland agricultural streams. <i>Marine and Freshwater Research</i> , 2017, 68, 549.	0.7	16

#	ARTICLE	IF	CITATIONS
876	Developing empirical monthly groundwater recharge equations based on modeling and remote sensing data – Modeling future groundwater recharge to predict potential climate change impacts. <i>Journal of Hydrology</i> , 2017, 546, 1-13.	2.3	49
877	Water sources and water-use efficiency of desert plants in different habitats in Dunhuang, NW China. <i>Ecological Research</i> , 2017, 32, 243-258.	0.7	15
878	The potential for deep groundwater use by <i>Acacia papyrocarpa</i> (Western myall) in a water-limited environment. <i>Ecohydrology</i> , 2017, 10, e1791.	1.1	5
879	Nitrogen isotopic characterisation of macroalgae blooms from different sites within a subtropical bay in the Gulf of California. <i>Marine Pollution Bulletin</i> , 2017, 116, 130-136.	2.3	15
880	Combined gut-content and stable isotope trophic analysis of the pelagic stingray <i>Pteroplytrygon violacea</i> (Bonaparte, 1832) diet from the western North Atlantic Ocean. <i>Journal of Applied Ichthyology</i> , 2017, 33, 386-394.	0.3	4
881	Geophysical constraints for organic carbon sequestration capacity of <i>Zostera marina</i> seagrass meadows and surrounding habitats. <i>Limnology and Oceanography</i> , 2017, 62, 954-972.	1.6	50
882	Varying water utilization of <i>Haloxylon ammodendron</i> plantations in a desert-oasis ecotone. <i>Hydrological Processes</i> , 2017, 31, 825-835.	1.1	54
883	Mangroves as a major source of soil carbon storage in adjacent seagrass meadows. <i>Scientific Reports</i> , 2017, 7, 42406.	1.6	60
884	Non-reliance of metazoans on stromatolite-forming microbial mats as a food resource. <i>Scientific Reports</i> , 2017, 7, 42614.	1.6	25
885	Prevalence and magnitude of groundwater use by vegetation: a global stable isotope meta-analysis. <i>Scientific Reports</i> , 2017, 7, 44110.	1.6	109
886	Physiological homeostasis and morphological plasticity of two tree species subjected to precipitation seasonal distribution changes. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2017, 25, 1-19.	1.1	19
887	Modeling middle Neolithic funnel beaker diet on Falbygden, Sweden. <i>Journal of Archaeological Science: Reports</i> , 2017, 12, 295-306.	0.2	10
888	Methodological perspectives on the application of compound-specific stable isotope fingerprinting for sediment source apportionment. <i>Journal of Soils and Sediments</i> , 2017, 17, 1537-1553.	1.5	46
889	Source organic matter analysis of saltmarsh sediments using <i>SIAR</i> and its application in relative sea-level studies in regions of C_4 plant invasion. <i>Boreas</i> , 2017, 46, 642-654.	1.2	16
890	Chemical archives in fishes beyond otoliths: A review on the use of other body parts as chronological recorders of microchemical constituents for expanding interpretations of environmental, ecological, and life-history changes. <i>Limnology and Oceanography: Methods</i> , 2017, 15, 238-263.	1.0	82
891	Coral reef mesopredators switch prey, shortening food chains, in response to habitat degradation. <i>Ecology and Evolution</i> , 2017, 7, 2626-2635.	0.8	57
892	Nitrogen dynamic in Eurasian coastal Arctic ecosystem: Insight from nitrogen isotope. <i>Global Biogeochemical Cycles</i> , 2017, 31, 836-849.	1.9	23
893	Carbon stores from a tropical seagrass meadow in the midst of anthropogenic disturbance. <i>Marine Pollution Bulletin</i> , 2017, 119, 253-260.	2.3	34

#	ARTICLE	IF	CITATIONS
894	A review of source tracking techniques for fine sediment within a catchment. <i>Environmental Geochemistry and Health</i> , 2017, 39, 1221-1243.	1.8	14
895	Are food web structures well represented in isotopic spaces?. <i>Functional Ecology</i> , 2017, 31, 1975-1984.	1.7	20
896	Verification of tropical cyclone deposits with oxygen isotope analyses of coeval ostracod valves. <i>Journal of Paleolimnology</i> , 2017, 57, 245-255.	0.8	12
897	Effect of Collembola on mineralization of litter and soil organic matter. <i>Biology and Fertility of Soils</i> , 2017, 53, 563-571.	2.3	18
898	Source apportionment of sediment organic material in a semi-enclosed sea using Bayesian isotopic mixing model. <i>Marine Pollution Bulletin</i> , 2017, 119, 365-371.	2.3	13
899	Herbivory level and niche breadth of juvenile green turtles (<i>Chelonia mydas</i>) in a tropical coastal area: insights from stable isotopes. <i>Marine Biology</i> , 2017, 164, 1.	0.7	20
900	Isotopic analysis of epidermal mucus in freshwater fishes can reveal short-term diet variations. <i>Ecological Research</i> , 2017, 32, 643-652.	0.7	13
901	Tracing nitrogen cycling in mining waters using stable nitrogen isotope analysis. <i>Applied Geochemistry</i> , 2017, 84, 41-51.	1.4	12
902	Plant source water apportionment using stable isotopes: A comparison of simple linear, two-compartment mixing model approaches. <i>Hydrological Processes</i> , 2017, 31, 3750-3758.	1.1	75
903	Benthic primary producers are key to sustain the Wadden Sea food web: stable carbon isotope analysis at landscape scale. <i>Ecology</i> , 2017, 98, 1498-1512.	1.5	115
904	The CSSIAR v.1.00 Software: A new tool based on SIAR to assess soil redistribution using Compound Specific Stable Isotopes. <i>SoftwareX</i> , 2017, 6, 13-18.	1.2	6
905	Trophic discrimination of stable isotopes and potential food source partitioning by leaf-eating crabs in mangrove environments. <i>Limnology and Oceanography</i> , 2017, 62, 2097-2112.	1.6	35
906	Multi-seasonal pattern in 5-year record of stable H, O and S isotope compositions of precipitation (Wrocław, SW Poland). <i>Atmospheric Environment</i> , 2017, 158, 197-210.	1.9	13
907	Dynamics of particulate organic matter composition in coastal systems: A spatio-temporal study at multi-systems scale. <i>Progress in Oceanography</i> , 2017, 156, 221-239.	1.5	63
908	Sex-specific foraging during parental care in a size-monomorphic seabird, the Australasian Gannet (<i>Morus serrator</i>). <i>Wilson Journal of Ornithology</i> , 2017, 129, 139-147.	0.1	12
909	Larval Anuran Stable Isotope Signatures and Stoichiometry Across Multiple Geographically Isolated Wetlands in the Southeastern United States. <i>Southeastern Naturalist</i> , 2017, 16, 87.	0.2	4
910	Dynamics of carbon sources supporting burial in seagrass sediments under increasing anthropogenic pressure. <i>Limnology and Oceanography</i> , 2017, 62, 1451-1465.	1.6	39
911	Minimizing risk on the margins: Insights on Iron Age agriculture from stable isotope analyses in central Croatia. <i>Journal of Anthropological Archaeology</i> , 2017, 48, 250-261.	0.7	12

#	ARTICLE	IF	CITATIONS
912	Trophic structure of mesopelagic fishes in the Gulf of Mexico revealed by gut content and stable isotope analyses. <i>Marine Ecology</i> , 2017, 38, e12449.	0.4	45
913	Assessing the ecohydrological separation hypothesis and seasonal variations in water use by <i>Ginkgo biloba</i> L. in a subtropical riparian area. <i>Journal of Hydrology</i> , 2017, 553, 486-500.	2.3	29
914	Relative contribution of groundwater to plant transpiration estimated with stable isotopes. <i>Scientific Reports</i> , 2017, 7, 10580.	1.6	119
915	Low Carbon sink capacity of Red Sea mangroves. <i>Scientific Reports</i> , 2017, 7, 9700.	1.6	87
916	Using nitrogen concentration and isotopic composition in lichens to spatially assess the relative contribution of atmospheric nitrogen sources in complex landscapes. <i>Environmental Pollution</i> , 2017, 230, 632-638.	3.7	25
917	Seasonal dynamics of particulate organic matter and its response to flooding in the <i>earl River estuary, China</i> , revealed by stable isotope ($\delta^{13}C$ and $\delta^{15}N$) analyses. <i>Journal of Geophysical Research: Oceans</i> , 2017, 122, 6835-6856.	1.0	72
918	Nutritional support of inland aquatic food webs by aged carbon and organic matter. <i>Limnology and Oceanography Letters</i> , 2017, 2, 131-149.	1.6	17
919	Detect and exploit hidden structure in fatty acid signature data. <i>Ecosphere</i> , 2017, 8, e01896.	1.0	7
920	Utilization of dietary carbohydrates by sea cucumber <i>Apostichopus japonicus</i> (Selenka) as indicated by carbon stable isotope analysis. <i>Aquaculture Research</i> , 2017, 48, 6001-6008.	0.9	3
921	Dual-tracer-based isotope turnover rates in a highly invasive mysid <i>Limnomysis benedini</i> from Lake Constance. <i>Ecology and Evolution</i> , 2017, 7, 4173-4178.	0.8	1
922	Simultaneous estimation of diet composition and calibration coefficients with fatty acid signature data. <i>Ecology and Evolution</i> , 2017, 7, 6103-6113.	0.8	37
923	Inter-specific niche partitioning and overlap in albatrosses and petrels: dietary divergence and the role of fishing discards. <i>Marine Biology</i> , 2017, 164, 1.	0.7	7
924	Using stable isotope analysis to assess the effects of hypolimnetic oxygenation on diet in a mixed cold- and warmwater fish community. <i>Environmental Biology of Fishes</i> , 2017, 100, 1007-1017.	0.4	2
925	Goose persistence in fall strongly influences Arctic fox diet, but not reproductive success, in the southern Arctic. <i>Polar Research</i> , 2017, 36, 5.	1.6	20
926	Partial diel vertical migration in an omnivorous macroinvertebrate, <i>Mysis diluviana</i> . <i>Hydrobiologia</i> , 2017, 787, 387-396.	1.0	18
927	Differences in water-use strategies along an aridity gradient between two coexisting desert shrubs (<i>Reaumuria soongorica</i> and <i>Nitraria sphaerocarpa</i>): isotopic approaches with physiological evidence. <i>Plant and Soil</i> , 2017, 419, 169-187.	1.8	38
928	Strategies trees use to overcome seasonal water limitation in an agroforestry system in semiarid West Africa. <i>Ecohydrology</i> , 2017, 10, e1808.	1.1	25
929	Le concept d'approche écosystémique appliquée à l'estuaire maritime du Saint-Laurent (Canada). <i>Environmental Reviews</i> , 2017, 25, 26-96.	2.1	4

#	ARTICLE	IF	CITATIONS
930	Contrasting water sources of evergreen and deciduous tree species in rocky mountain area of Beijing, China. <i>Catena</i> , 2017, 150, 108-115.	2.2	31
931	Functional groupings and food web of an artificial reef used for sea cucumber aquaculture in northern China. <i>Journal of Sea Research</i> , 2017, 119, 1-7.	0.6	19
932	Epiphytes and nutrient contents influence <i>Sarpa salpa</i> herbivory on <i>Caulerpa</i> spp vs. seagrass species in Mediterranean meadows. <i>Estuarine, Coastal and Shelf Science</i> , 2017, 184, 54-66.	0.9	21
933	Temporal variation in isotopic composition of <i>Pygoscelis</i> penguins at Ardley Island, Antarctic: Are foraging habits impacted by environmental change?. <i>Polar Biology</i> , 2017, 40, 903-916.	0.5	11
934	Eating out or dining in: modeling diverse dietary strategies in the Middle Period, San Pedro de Atacama, Chile. <i>Archaeological and Anthropological Sciences</i> , 2017, 9, 1363-1377.	0.7	9
935	Effects of temperature and food quality on isotopic turnover and discrimination in a cladoceran. <i>Aquatic Ecology</i> , 2017, 51, 33-44.	0.7	5
936	Dietary composition of endangered seahorses determined by stable isotope analysis. <i>Marine and Freshwater Research</i> , 2017, 68, 831.	0.7	18
937	Field-grown transgenic switchgrass (<i>Panicum virgatum</i> L.) with altered lignin does not affect soil chemistry, microbiology, and carbon storage potential. <i>GCB Bioenergy</i> , 2017, 9, 1100-1109.	2.5	20
938	Distinguish water utilization strategies of trees growing on earth's rocky mountainous area with transpiration and water isotopes. <i>Ecology and Evolution</i> , 2017, 7, 10640-10651.	0.8	22
939	Ontogenetic diet shift in Antarctic krill (<i>Euphausia superba</i>) in the Prydz Bay: a stable isotope analysis. <i>Acta Oceanologica Sinica</i> , 2017, 36, 67-78.	0.4	16
940	Reviews and syntheses: Isotopic approaches to quantify root water uptake: a review and comparison of methods. <i>Biogeosciences</i> , 2017, 14, 2199-2224.	1.3	200
941	Feeding ecology of <i>Limnoperna fortunei</i> in southern China: insights from stable isotopes and fatty-acid biomarkers. <i>Journal of Freshwater Ecology</i> , 2017, 32, 761-772.	0.5	4
942	Tritium analysis shows apple trees may be transpiring water several decades old. <i>Hydrological Processes</i> , 2017, 31, 1196-1201.	1.1	72
943	Ecology II. <i>Developments in Aquaculture and Fisheries Science</i> , 2017, 41, 139-208.	1.3	1
944	Measurement and Partitioning of Evapotranspiration for Application to Vadose Zone Studies. <i>Vadose Zone Journal</i> , 2017, 16, 1-9.	1.3	28
945	A simple greenhouse experiment to explore the effect of cryogenic water extraction for tracing plant source water. <i>Ecohydrology</i> , 2018, 11, e1967.	1.1	23
946	Stable isotope analysis reveals prolonged drought stress in poplar plantation mortality of the Three-North Shelter Forest in Northern China. <i>Agricultural and Forest Meteorology</i> , 2018, 252, 39-48.	1.9	50
947	Importance of seagrass-mangrove continuum as feeding grounds for juvenile pink ear emperor <i>Lethrinus lentjan</i> in Setiu Lagoon, Malaysia: Stable isotope approach. <i>Journal of Sea Research</i> , 2018, 135, 1-10.	0.6	12

#	ARTICLE	IF	CITATIONS
948	Nutritional Contribution of Biofloc within the Diet of Growout and Broodstock of <i>Litopenaeus vannamei</i> , Determined by Stable Isotopes and Fatty Acids. <i>Journal of the World Aquaculture Society</i> , 2018, 49, 919-932.	1.2	16
949	Isotopic characterization of NH _x -N in deposition and major emission sources. <i>Biogeochemistry</i> , 2018, 138, 85-102.	1.7	38
950	Water use strategies of natural <i>Pinus sylvestris</i> var. <i>Mongolica</i> trees of different ages in Hulunbuir Sandy Land of Inner Mongolia, China, based on stable isotope analysis. <i>Trees - Structure and Function</i> , 2018, 32, 1001-1011.	0.9	18
951	Temporal partitioning of water between plants and hillslope flow in a subtropical climate. <i>Catena</i> , 2018, 165, 133-144.	2.2	24
952	Phytoplankton N ₂ -fixation efficiency and its effect on harmful algal blooms. <i>Freshwater Science</i> , 2018, 37, 264-275.	0.9	8
953	Water use strategies of <i>Populus euphratica</i> seedlings under groundwater fluctuation in the Tarim River Basin of Central Asia. <i>Catena</i> , 2018, 166, 89-97.	2.2	14
954	Water use patterns of co-occurring C ₃ and C ₄ shrubs in the Gurbantonggut desert in northwestern China. <i>Science of the Total Environment</i> , 2018, 634, 341-354.	3.9	51
955	Quantifying learning in biotracer studies. <i>Oecologia</i> , 2018, 187, 597-608.	0.9	15
956	Combining emission inventory and isotope ratio analyses for quantitative source apportionment of heavy metals in agricultural soil. <i>Chemosphere</i> , 2018, 204, 140-147.	4.2	75
957	Towards global applicability? Erosion source discrimination across catchments using compound-specific ¹³ C isotopes. <i>Agriculture, Ecosystems and Environment</i> , 2018, 256, 114-122.	2.5	6
958	Changes in plant nitrogen acquisition strategies during the restoration of spruce plantations on the eastern Tibetan Plateau, China. <i>Soil Biology and Biochemistry</i> , 2018, 119, 50-58.	4.2	55
959	Biofloc and food contribution to grow-out and broodstock of <i>Farfantepenaeus brasiliensis</i> (Latreille, 1817) determined by stable isotopes and fatty acids. <i>Aquaculture Research</i> , 2018, 49, 1782-1794.	0.9	15
960	Soil water movement in the unsaturated zone of an inland arid region: Mulched drip irrigation experiment. <i>Journal of Hydrology</i> , 2018, 559, 13-29.	2.3	26
961	Greenhouse gas emissions from diverse Arctic Alaskan lakes are dominated by young carbon. <i>Nature Climate Change</i> , 2018, 8, 166-171.	8.1	72
962	Water use strategies for two dominant tree species in pure and mixed plantations of the semiarid Chinese Loess Plateau. <i>Ecohydrology</i> , 2018, 11, e1943.	1.1	37
963	Summertime diurnal variations in the isotopic composition of atmospheric nitrogen dioxide at a small midwestern United States city. <i>Atmospheric Environment</i> , 2018, 179, 1-11.	1.9	34
964	Quantitative paleodietary reconstruction with complex foodwebs: An isotopic case study from the Caribbean. <i>Journal of Archaeological Science: Reports</i> , 2018, 17, 393-403.	0.2	6
965	Isotopic and dietary niches as indicators for resource partitioning in the gleaner bats <i>Myotis bechsteinii</i> , <i>M. nattereri</i> , and <i>Plecotus auritus</i> . <i>Mammalian Biology</i> , 2018, 89, 62-70.	0.8	12

#	ARTICLE	IF	CITATIONS
966	Stable isotope ecology ($\delta^{18}\text{O}$, $\delta^{13}\text{C}$, $\delta^{15}\text{N}$) of modern land snails along an altitudinal gradient in southern Appalachian Mountains, USA. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 492, 92-103.	1.0	12
967	Evapotranspiration partitioning using a simple isotope-based model in a semiarid marsh wetland in northeastern China. <i>Hydrological Processes</i> , 2018, 32, 493-506.	1.1	7
968	Seasonal water use by <i>Larix principis-rupprechtii</i> in an alpine habitat. <i>Forest Ecology and Management</i> , 2018, 409, 47-55.	1.4	28
969	Novel application of Compound Specific Stable Isotope (CSSI) techniques to investigate on-site sediment origins across arable fields. <i>Geoderma</i> , 2018, 316, 19-26.	2.3	45
970	Atmospheric Contributions of Nitrate to Stormwater Runoff from Two Urban Watersheds. <i>Journal of Environmental Engineering, ASCE</i> , 2018, 144, .	0.7	10
971	Improving Marine Ecosystem Models with Biochemical Tracers. <i>Annual Review of Marine Science</i> , 2018, 10, 199-228.	5.1	69
972	Water utilization characteristics of typical vegetation in the rocky mountain area of Beijing, China. <i>Ecological Indicators</i> , 2018, 91, 249-258.	2.6	21
973	Quantitative assessment of Pb sources in isotopic mixtures using a Bayesian mixing model. <i>Scientific Reports</i> , 2018, 8, 6154.	1.6	39
974	Stable isotope insights into the weathering processes of a phosphogypsum disposal area. <i>Water Research</i> , 2018, 140, 344-353.	5.3	30
975	The diet and feeding rates of gastropod grazers in Singapore's seagrass meadows. <i>Botanica Marina</i> , 2018, 61, 181-192.	0.6	18
976	Hydrogeological characterization of flow system in a karstic aquifer, Seymareh dam, Iran. <i>Journal of African Earth Sciences</i> , 2018, 143, 266-277.	0.9	9
977	Integrating abundance and diet data to improve inferences of food web dynamics. <i>Methods in Ecology and Evolution</i> , 2018, 9, 1581-1591.	2.2	5
978	Stable isotope analysis to quantify contributions of supplementary feed in Nile Tilapia <i>Oreochromis niloticus</i> (GIFT strain) aquaculture. <i>Aquaculture Research</i> , 2018, 49, 1866-1874.	0.9	17
979	Modeling soil water flow and quantification of root water extraction from different soil layers under multi-chemicals application in dry land field. <i>Agricultural Water Management</i> , 2018, 203, 75-86.	2.4	9
980	A marine heatwave drives massive losses from the world's largest seagrass carbon stocks. <i>Nature Climate Change</i> , 2018, 8, 338-344.	8.1	318
981	Effects of reclaimed water discharge in the Maneadero coastal aquifer, Baja California, Mexico. <i>Applied Geochemistry</i> , 2018, 92, 121-139.	1.4	24
982	Compound-specific amino acid isotopic proxies for distinguishing between terrestrial and aquatic resource consumption. <i>Archaeological and Anthropological Sciences</i> , 2018, 10, 1-18.	0.7	38
983	Stable carbon, nitrogen and sulphur isotope analysis of permafrost preserved human hair from rescue excavations (2009, 2010) at the precontact site of Nunalleq, Alaska. <i>Journal of Archaeological Science: Reports</i> , 2018, 17, 950-963.	0.2	15

#	ARTICLE	IF	CITATIONS
984	Isotopic insights into migration patterns of Pacific bluefin tuna in the eastern Pacific Ocean. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2018, 75, 260-270.	0.7	21
985	Water use by broadleaved tree species in response to changes in precipitation in a mountainous area of Beijing. <i>Agriculture, Ecosystems and Environment</i> , 2018, 251, 132-140.	2.5	16
986	Patterns and drivers of $\delta^{13}\text{C}$ variation in the giant kelp, <i>Macrocystis pyrifera</i> . <i>Limnology and Oceanography</i> , 2018, 63, 871-885.	1.6	11
987	Detection of terrigenous and marine organic matter flow into a eutrophic semi-enclosed bay by $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ of intertidal macrobenthos and basal food sources. <i>Science of the Total Environment</i> , 2018, 613-614, 847-860.	3.9	18
988	Direct and Indirect Interactions Between Lower Estuarine Mangrove and Saltmarsh Habitats and a Commercially Important Penaeid Shrimp. <i>Estuaries and Coasts</i> , 2018, 41, 815-826.	1.0	20
989	Partitioning daily evapotranspiration from a marsh wetland using stable isotopes in a semiarid region. <i>Hydrology Research</i> , 2018, 49, 1005-1015.	1.1	7
990	The effects of rainfall and irrigation on cherry root water uptake under drip irrigation. <i>Agricultural Water Management</i> , 2018, 197, 9-18.	2.4	23
991	Estimation of different source contributions to sediment organic matter in an agricultural-forested watershed using end member mixing analyses based on stable isotope ratios and fluorescence spectroscopy. <i>Science of the Total Environment</i> , 2018, 618, 569-578.	3.9	79
992	Trophic relationship between the invasive parasitic copepod <i>Mytilicola orientalis</i> and its native blue mussel (<i>Mytilus edulis</i>) host. <i>Parasitology</i> , 2018, 145, 814-821.	0.7	12
993	Stable isotopes reveal food web reliance on different carbon sources in a subtropical watershed in South China. <i>Limnologia</i> , 2018, 69, 39-45.	0.7	5
994	Stable isotope mixing models fail to estimate the diet of an avian predator. <i>Auk</i> , 2018, 135, 60-70.	0.7	26
995	Soil microorganisms exhibit enzymatic and priming response to root mucilage under drought. <i>Soil Biology and Biochemistry</i> , 2018, 116, 410-418.	4.2	35
996	Community-wide consistence in plant N acquisition during post-agricultural succession in a karst area, southwest China. <i>New Forests</i> , 2018, 49, 197-214.	0.7	7
997	Pathways of organic matter in an estuarine mangrove trophic network assessed by carbon and nitrogen stable isotopes. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2018, 98, 1559-1569.	0.4	1
998	Seasonal Variations in Water Uptake Patterns of Winter Wheat under Different Irrigation and Fertilization Treatments. <i>Water (Switzerland)</i> , 2018, 10, 1633.	1.2	13
999	Divergence in energy sources for <i>Prochilodus lineatus</i> (Characiformes: Prochilodontidae) in Neotropical floodplains. <i>Neotropical Ichthyology</i> , 2018, 16, .	0.5	7
1000	Ecosystem carbon stock of a tropical mangrove forest in North Sulawesi, Indonesia. <i>Acta Oceanologica Sinica</i> , 2018, 37, 85-91.	0.4	12
1001	Mixing models and stable isotopes as tools for research on feeding aquatic organisms. <i>Ciencia Rural</i> , 2018, 48, .	0.3	1

#	ARTICLE	IF	CITATIONS
1002	Diet characterization and a preliminary investigation into trophic niche placement for an endangered lake sturgeon (<i>Acipenser fulvescens</i>) population in the Saskatchewan River, SK, Canada. <i>PLoS ONE</i> , 2018, 13, e0206313.	1.1	0
1003	Trophic Interaction in a <i>Portunus rituberculatus</i> Polyculture Ecosystem Based on Carbon and Nitrogen Stable Isotope Analysis. <i>Journal of Ocean University of China</i> , 2018, 17, 1432-1440.	0.6	4
1004	A benthic bioindicator reveals distinct land and oceanâ€Based influences in an urbanized coastal embayment. <i>PLoS ONE</i> , 2018, 13, e0205408.	1.1	4
1005	Coastal complexity: Ancient human diets inferred from Bayesian stable isotope mixing models and a primate analogue. <i>PLoS ONE</i> , 2018, 13, e0209411.	1.1	19
1006	Intrapopulation variability in wolf diet revealed using a combined stable isotope and fatty acid approach. <i>Ecosphere</i> , 2018, 9, e02420.	1.0	21
1007	Estimating the Root Water Uptake of Surface-Irrigated Apples Using Water Stable Isotopes and the Hydrus-1D Model. <i>Water (Switzerland)</i> , 2018, 10, 1624.	1.2	17
1008	Integrated Diet Analyses Reveal Contrasting Trophic Niches for Wild and Hatchery Juvenile Chinook Salmon in a Large River Delta. <i>Transactions of the American Fisheries Society</i> , 2018, 147, 818-841.	0.6	17
1009	Species identity matters when interpreting trophic markers in aquatic food webs. <i>PLoS ONE</i> , 2018, 13, e0204767.	1.1	5
1010	Stable isotope measurements show increases in corn water use efficiency under deficit irrigation. <i>Scientific Reports</i> , 2018, 8, 14113.	1.6	8
1011	Carbon stocks and accumulation rates in Red Sea seagrass meadows. <i>Scientific Reports</i> , 2018, 8, 15037.	1.6	41
1012	Stable isotope analysis of water sources for <i>Tamarix laxa</i> in the mega-dunes of the Badain Jaran Desert, China. <i>Journal of Arid Land</i> , 2018, 10, 821-832.	0.9	5
1013	Largeâ€scale molecular diet analysis in a generalist marine mammal reveals male preference for prey of conservation concern. <i>Ecology and Evolution</i> , 2018, 8, 9889-9905.	0.8	30
1014	The Sources and Transformations of Dissolved Organic Matter in the Pearl River Estuary, China, as Revealed by Stable Isotopes. <i>Journal of Geophysical Research: Oceans</i> , 2018, 123, 6893-6908.	1.0	25
1015	Examination of deep root water uptake using anomalies of soil water stable isotopes, depth-controlled isotopic labeling and mixing models. <i>Journal of Hydrology</i> , 2018, 566, 122-136.	2.3	67
1016	Water-use strategies of coexisting shrub species in the Yellow River Delta, China. <i>Canadian Journal of Forest Research</i> , 2018, 48, 1099-1107.	0.8	8
1017	Quantification of plant water uptake by water stable isotopes in rice paddy systems. <i>Plant and Soil</i> , 2018, 429, 281-302.	1.8	28
1018	Exploring innovative techniques for identifying geochemical elements as fingerprints of sediment sources in an agricultural catchment of Argentina affected by soil erosion. <i>Environmental Science and Pollution Research</i> , 2018, 25, 20868-20879.	2.7	18
1019	The cycle of nitrogen in river systems: sources, transformation, and flux. <i>Environmental Sciences: Processes and Impacts</i> , 2018, 20, 863-891.	1.7	132

#	ARTICLE	IF	CITATIONS
1020	Variability in copepod trophic levels and feeding selectivity based on stable isotope analysis in Gwangyang Bay of the southern coast of the Korean Peninsula. <i>Biogeosciences</i> , 2018, 15, 2055-2073.	1.3	27
1021	Water consumption by an agroecosystem with shelter forests of corn and <i>Populus</i> in the North China Plain. <i>Agriculture, Ecosystems and Environment</i> , 2018, 265, 178-189.	2.5	29
1022	Seasonal and habitat-wise variations of creek water particulate and dissolved organic carbon in arid mangrove (the Persian Gulf). <i>Continental Shelf Research</i> , 2018, 165, 60-70.	0.9	13
1023	Partitioning water source and sinking process of a groundwater-dependent desert plant community. <i>Plant and Soil</i> , 2018, 430, 73-85.	1.8	11
1024	Complex food webs of tropical intertidal rocky shores (SE Brazil) – An isotopic perspective. <i>Ecological Indicators</i> , 2018, 95, 485-491.	2.6	14
1026	Contribution of deltaic wetland food sources to coastal macrobenthic consumers (Po River Delta), <i>Tj ETQq1 1 0.784314 rgBT /Overlook</i>	3.9	16
1027	Evaluating Temporal and Spatial Variation in Nitrogen Sources along the Lower Reach of Fenhe River (Shanxi Province, China) Using Stable Isotope and Hydrochemical Tracers. <i>Water (Switzerland)</i> , 2018, 10, 231.	1.2	24
1028	Plant Harvesting Impacts on Soil Water Patterns and Phenology for Shrub-encroached Grassland. <i>Water (Switzerland)</i> , 2018, 10, 736.	1.2	2
1029	A review of species role concepts in food webs. <i>Food Webs</i> , 2018, 16, e00093.	0.5	48
1030	Seasonal water use patterns of rainfed jujube trees in stands of different ages under semiarid Plantations in China. <i>Agriculture, Ecosystems and Environment</i> , 2018, 265, 392-401.	2.5	49
1031	Muscle and carapace tissue – diet isotope discrimination factors for the freshwater crayfish <i>Cherax destructor</i> . <i>Marine and Freshwater Research</i> , 2018, 69, 56.	0.7	11
1032	Stable-Isotope Techniques to Investigate Sources of Plant Water. , 2018, , 439-456.		7
1033	Contrasting response of coexisting plant – ¹³ C water-use patterns to experimental precipitation manipulation in an alpine grassland community of Qinghai Lake watershed, China. <i>PLoS ONE</i> , 2018, 13, e0194242.	1.1	9
1034	Studying root water uptake of wheat genotypes in different soils using water ¹⁸ O stable isotopes. <i>Agriculture, Ecosystems and Environment</i> , 2018, 264, 119-129.	2.5	14
1035	Uncovering trophic positions and food resources of soil animals using bulk natural stable isotope composition. <i>Biological Reviews</i> , 2019, 94, 37-59.	4.7	144
1036	Assessing the efficacy of nitrogen isotopes to distinguish Colorado Front Range ammonia sources affecting Rocky Mountain National Park. <i>Atmospheric Environment</i> , 2019, 215, 116881.	1.9	9
1037	Seasonal variation in the groundwater dependency of two dominant woody species in a desert region of Central Asia. <i>Plant and Soil</i> , 2019, 444, 39-55.	1.8	29
1038	Spatiotemporal variations in the hydrochemical characteristics and controlling factors of streamflow and groundwater in the Wei River of China. <i>Environmental Pollution</i> , 2019, 254, 113006.	3.7	29

#	ARTICLE	IF	CITATIONS
1039	Tracking the fate of deposited nitrogen and its redistribution in a subtropical watershed in China. <i>Ecohydrology</i> , 2019, 12, e2094.	1.1	8
1040	Organic Carbon in the Surface Sediments from the Intensive Mariculture Zone of Sanggou Bay: Distribution, Seasonal Variations and Sources. <i>Journal of Ocean University of China</i> , 2019, 18, 985-996.	0.6	8
1041	The influence of body size and season on the feeding ecology of three freshwater fishes with different diets in Lake Erie. <i>Journal of Great Lakes Research</i> , 2019, 45, 795-804.	0.8	14
1042	Characterization of aquatic organic matter: Assessment, perspectives and research priorities. <i>Water Research</i> , 2019, 163, 114908.	5.3	78
1043	Variation in depth of water uptake for <i>Pinus sylvestris</i> var. <i>mongolica</i> along a precipitation gradient in sandy regions. <i>Journal of Hydrology</i> , 2019, 577, 123921.	2.3	28
1044	Stable water isotope modeling reveals spatio-temporal variability of glacier meltwater contributions to Ganges River headwaters. <i>Journal of Hydrology</i> , 2019, 577, 123983.	2.3	41
1045	Plasticity and specialisation in the isotopic niche of African clawless otters foraging in marine and freshwater habitats. <i>Mammalian Biology</i> , 2019, 98, 61-72.	0.8	8
1046	Tracing and quantifying contributions of end members to karst water at a coalfield in southwest China. <i>Chemosphere</i> , 2019, 234, 777-788.	4.2	28
1047	Variation of carbon contents in eelgrass (<i>Zostera marina</i>) sediments implied from depth profiles. <i>Biology Letters</i> , 2019, 15, 20180831.	1.0	13
1048	Analysis of organic carbon sources in tropical seagrass fish: a case study of the east coast of Hainan Province. <i>Marine Biology Research</i> , 2019, 15, 513-522.	0.3	8
1049	Identifying water sources used by alpine riparian plants in a restoration zone on the Qinghai-Tibet Plateau: Evidence from stable isotopes. <i>Science of the Total Environment</i> , 2019, 697, 134092.	3.9	34
1050	Estimating the nitrogen source apportionment of <i>Sophora japonica</i> in roadside green spaces using stable isotope. <i>Science of the Total Environment</i> , 2019, 689, 1348-1357.	3.9	9
1051	Shared Histories of Co-evolution May Affect Trophic Interactions in a Freshwater Community Dominated by Alien Species. <i>Frontiers in Ecology and Evolution</i> , 2019, 7, .	1.1	26
1052	Concentration, fluxes, risks, and sources of heavy metals in atmospheric deposition in the Lihe River watershed, Taihu region, eastern China. <i>Environmental Pollution</i> , 2019, 255, 113301.	3.7	39
1053	Distribution of agricultural land regulates stream water isotopes over multiple spatial scale in a subtropical forested watershed. <i>Journal of Hydrology</i> , 2019, 579, 124206.	2.3	8
1054	Influence of Mo Additions on the Mechanical Properties of Cast Duplex Stainless Steels before and after Thermal Aging. <i>Metals</i> , 2019, 9, 295.	1.0	4
1055	Evaluation of Water Uptake and Root Distribution of Cherry Trees Under Different Irrigation Methods. <i>Water (Switzerland)</i> , 2019, 11, 495.	1.2	7
1056	Does lipid-correction introduce biases into isotopic mixing models? Implications for diet reconstruction studies. <i>Oecologia</i> , 2019, 191, 745-755.	0.9	29

#	ARTICLE	IF	CITATIONS
1057	Identification of Sourceâ€Water Oxygen Isotopes in Trees Toolkit (ISOâ€Tool) for Deciphering Historical Water Use by Forest Trees. <i>Water Resources Research</i> , 2019, 55, 10954-10975.	1.7	7
1058	Preferential assimilation of seagrass detritus by two coexisting Mediterranean sea cucumbers: <i>Holothuria polii</i> and <i>Holothuria tubulosa</i> . <i>Estuarine, Coastal and Shelf Science</i> , 2019, 231, 106464.	0.9	24
1059	Revisiting â€what do tadpoles really eat?â€ A 10â€year perspective. <i>Freshwater Biology</i> , 2019, 64, 2269-2282.	1.2	30
1060	Quantifying moisture availability in soil profiles of cherry orchards under different irrigation regimes. <i>Agricultural Water Management</i> , 2019, 225, 105780.	2.4	4
1061	Stable isotopes as a method for analysis of the contribution of different dietary sources in the production of <i>Macrobrachium amazonicum</i> . <i>Latin American Journal of Aquatic Research</i> , 2019, 47, 282-291.	0.2	5
1062	Predation risk and space use of a declining Dall sheep (<i>Ovis dalli dalli</i>) population. <i>PLoS ONE</i> , 2019, 14, e0215519.	1.1	5
1063	Quantitative identification of anthropogenic trace metal sources in surface river sediments from a hilly agricultural watershed, East China. <i>Environmental Science and Pollution Research</i> , 2019, 26, 32266-32275.	2.7	15
1064	Stable isotope analysis of food sources sustaining the subtidal food web of the Yellow River Estuary. <i>Ecological Indicators</i> , 2019, 101, 303-312.	2.6	13
1065	Isotopic evaluation on relative contributions of major NOx sources to nitrate of PM2.5 in Beijing. <i>Environmental Pollution</i> , 2019, 248, 183-190.	3.7	69
1066	Source partitioning of atmospheric methane using stable carbon isotope measurements in the Reuss Valley, Switzerland. <i>Isotopes in Environmental and Health Studies</i> , 2019, 55, 1-24.	0.5	3
1067	Using stable isotope data to advance marine food web modelling. <i>Reviews in Fish Biology and Fisheries</i> , 2019, 29, 277-296.	2.4	30
1068	Drainage enhances modern soil carbon contribution but reduces old soil carbon contribution to ecosystem respiration in tundra ecosystems. <i>Global Change Biology</i> , 2019, 25, 1315-1325.	4.2	27
1069	Reliance of coastal intertidal food webs on river input â€ Current and future perspectives. <i>Ecological Indicators</i> , 2019, 101, 632-639.	2.6	10
1070	Effect of Drought and Topographic Position on Depth of Soil Water Extraction of <i>Pinus sylvestris</i> L. var. <i>mongolica</i> Litv. Trees in a Semiarid Sandy Region, Northeast China. <i>Forests</i> , 2019, 10, 370.	0.9	18
1071	An overview of contemporary advances in the usage of ¹⁵ N natural abundance (Î ¹⁵ N) as a tracer of agro-ecosystem N cycle processes that impact the environment. <i>Agriculture, Ecosystems and Environment</i> , 2019, 283, 106570.	2.5	23
1072	Influences of fish on food web structure and function in mountain lakes. <i>Freshwater Biology</i> , 2019, 64, 1572-1583.	1.2	6
1073	Isotopically-tracked hydrological changes in carbon cycling and its sources in a Chinese subtropical forested watershed. <i>Journal of Hydrology</i> , 2019, 575, 1041-1051.	2.3	7
1074	Source apportionment of Pb in a rice-soil system using field monitoring and isotope composition analysis. <i>Journal of Geochemical Exploration</i> , 2019, 204, 83-89.	1.5	34

#	ARTICLE	IF	CITATIONS
1093	Primary production in coastal lagoons supported by groundwater discharge and porewater fluxes inferred from nitrogen and carbon isotope signatures. <i>Marine Chemistry</i> , 2019, 210, 48-60.	0.9	23
1094	Seasonal and spatial variations of water use among riparian vegetation in tropical monsoon region of SW China. <i>Ecohydrology</i> , 2019, 12, e2085.	1.1	15
1095	Identification of source apportionment and its spatial variability of dissolved organic matter in Dagu River-Jiaozhou Bay estuary based on the isotope and fluorescence spectroscopy analysis. <i>Ecological Indicators</i> , 2019, 102, 528-537.	2.6	31
1096	Seasonal Sources of Whole-Lake CH ₄ and CO ₂ Emissions From Interior Alaskan Thermokarst Lakes. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2019, 124, 1209-1229.	1.3	23
1097	Application of modified receptor model for soil heavy metal sources apportionment: a case study of an industrial city, China. <i>Environmental Science and Pollution Research</i> , 2019, 26, 16345-16354.	2.7	8
1098	Characterizing the Fluxes and Age Distribution of Soil Water, Plant Water, and Deep Percolation in a Model Tropical Ecosystem. <i>Water Resources Research</i> , 2019, 55, 3307-3327.	1.7	73
1099	Anthropogenic Impact on <i>Zostera noltei</i> Seagrass Meadows (NW Iberian Peninsula) Assessed by Carbon and Nitrogen Stable Isotopic Signatures. <i>Estuaries and Coasts</i> , 2019, 42, 987-1000.	1.0	6
1100	Phenology and sowing time affect water use in four warm-season annual grasses under a semi-arid environment. <i>Agricultural and Forest Meteorology</i> , 2019, 269-270, 257-269.	1.9	33
1101	Response of plants water uptake patterns to tunnels excavation based on stable isotopes in a karst trough valley. <i>Journal of Hydrology</i> , 2019, 571, 485-493.	2.3	48
1102	Complementary water uptake depth of <i>Quercus petraea</i> and <i>Pinus sylvestris</i> in mixed stands during an extreme drought. <i>Plant and Soil</i> , 2019, 437, 93-115.	1.8	37
1103	Using $\delta^{13}C$ to reveal the importance of different water transport pathways in two nested karst basins, Southwest China. <i>Journal of Hydrology</i> , 2019, 571, 425-436.	2.3	12
1104	Resource use by and trophic variability of <i>Armases cinereum</i> (Crustacea, Brachyura) across human-impacted mangrove transition zones. <i>PLoS ONE</i> , 2019, 14, e0212448.	1.1	6
1105	Meltwater is the dominant water source controlling $\delta^{18}O$ -cellulose $\delta^{18}O$ in a vascular-plant-dominated alpine peatland in the Altai Mountains, Central Asia. <i>Journal of Hydrology</i> , 2019, 572, 192-205.	2.3	18
1106	Inter-comparison of stable isotope mixing models for determining plant water source partitioning. <i>Science of the Total Environment</i> , 2019, 666, 685-693.	3.9	90
1107	Lead, zinc, and copper redistributions in soils along a deposition gradient from emissions of a Pb-Ag smelter decommissioned 100 years ago. <i>Science of the Total Environment</i> , 2019, 665, 502-512.	3.9	50
1108	Disentangling the trophic interactions between American bullfrogs and native anurans: Complications resulting from post-metamorphic ontogenetic niche shifts. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2019, 29, 270-281.	0.9	15
1109	Responses of two desert riparian species to fluctuating groundwater depths in hyperarid areas of Northwest China. <i>Ecohydrology</i> , 2019, 12, e2078.	1.1	17
1110	Technical note: Uncertainty in multi-source partitioning using large tracer data sets. <i>Hydrology and Earth System Sciences</i> , 2019, 23, 5059-5068.	1.9	6

#	ARTICLE	IF	CITATIONS
1111	What Do Plants Leave after Summer on the Ground?â€”The Effect of Afforested Plants in Arid Environments. <i>Water</i> (Switzerland), 2019, 11, 2559.	1.2	4
1112	The Depth of Water Taken up by Walnut Trees during Different Phenological Stages in an Irrigated Arid Hilly Area in the Taihang Mountains. <i>Forests</i> , 2019, 10, 121.	0.9	13
1113	Winter emissions of CO_2 , CH_4 , and N_2O from temperate agricultural dams: fluxes, sources, and processes. <i>Ecosphere</i> , 2019, 10, e02914.	1.0	18
1114	Approach deliberation for source identification of sedimentary organic matters via comparing freshwater lakes with multi-ecotypes. <i>Science of the Total Environment</i> , 2019, 649, 327-334.	3.9	8
1115	Species-specific differences in water uptake depth of mature temperate trees vary with water availability in the soil. <i>Plant Biology</i> , 2019, 21, 71-81.	1.8	95
1116	Estimating Contaminants Transfers Over Complex food webs (ESCROC): An innovative Bayesian method for estimating POP's biomagnification in aquatic food webs. <i>Science of the Total Environment</i> , 2019, 658, 638-649.	3.9	14
1117	Relative contributions of nearshore and wetland habitats to coastal food webs in the Great Lakes. <i>Journal of Great Lakes Research</i> , 2019, 45, 129-137.	0.8	5
1118	Pelagicâ€”littoral resource polymorphism in Hovsgol grayling <i>Thymallus nigrescens</i> from Lake Hovsgol, Mongolia. <i>Ecology of Freshwater Fish</i> , 2019, 28, 411-423.	0.7	9
1119	Dorset Pre-Inuit and Beothuk foodways in Newfoundland, ca. AD 500-1829. <i>PLoS ONE</i> , 2019, 14, e0210187.	1.1	3
1120	Effective root growth zone of apple tree under water storage pit irrigation using stable isotope methodology. <i>Archives of Agronomy and Soil Science</i> , 2019, 65, 1521-1535.	1.3	13
1121	Assessing Contributions of Agricultural and Nonagricultural Emissions to Atmospheric Ammonia in a Chinese Megacity. <i>Environmental Science & Technology</i> , 2019, 53, 1822-1833.	4.6	130
1122	Trophic connectivity between intertidal and offshore food webs in Mirs Bay, China. <i>Oceanologia</i> , 2019, 61, 208-217.	1.1	8
1123	Short-term changing patterns of stem water isotopes in shallow soils underlain by fractured bedrock. <i>Hydrology Research</i> , 2019, 50, 577-588.	1.1	6
1124	Age-related water uptake patterns of alpine plantation shrubs in reforestation region of Qinghaiâ€”Tibetan Plateau based on stable isotopes. <i>Ecohydrology</i> , 2019, 12, e2049.	1.1	13
1125	Water uptake by coniferous and broad-leaved forest in a rocky mountainous area of northern China. <i>Agricultural and Forest Meteorology</i> , 2019, 265, 381-389.	1.9	39
1126	Does phenology play a role in the feedbacks underlying shrub encroachment?. <i>Science of the Total Environment</i> , 2019, 657, 1064-1073.	3.9	17
1127	Varying responses of two Haloxylon species to extreme drought and groundwater depth. <i>Environmental and Experimental Botany</i> , 2019, 158, 63-72.	2.0	31
1128	Trophic niche partitioning of dominant Northâ€”Atlantic krill species, <i>Meganyctiphanes norvegica</i> , <i>Thysanoessa inermis</i> , and <i>T. raschii</i> . <i>Limnology and Oceanography</i> , 2019, 64, 165-181.	1.6	25

#	ARTICLE	IF	CITATIONS
1129	Gastropod relevance in predator-prey interactions on a benthic shallow sandy ecosystem at Mar del Plata, Argentina (38°S). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2019, 99, 403-409.	0.4	2
1130	Variations in $\delta^{13}\text{C}$ values of sedimentary organic matter since late Miocene time in the Indus Fan (IODP Tj ETQq1 1,0,784314,rgBT /Ov	0.9	13
1131	Isotopic Variation of Macroinvertebrates and Their Sources of Organic Matter Along an Estuarine Gradient. <i>Estuaries and Coasts</i> , 2020, 43, 496-511.	1.0	21
1132	Climate and ecology of the palaeo-Agulhas Plain from stable carbon and oxygen isotopes in bovid tooth enamel from Nelson Bay Cave, South Africa. <i>Quaternary Science Reviews</i> , 2020, 235, 105974.	1.4	15
1133	Efficient and stable solid state luminophores with colloidal quantum dots-based silica monolith. <i>Solid State Communications</i> , 2020, 305, 113765.	0.9	3
1134	The Commitment Conundrum of Inventory Sharing. <i>Production and Operations Management</i> , 2020, 29, 353-370.	2.1	16
1135	Comparison of water-use patterns for non-native and native woody species in a semiarid sandy region of Northeast China based on stable isotopes. <i>Environmental and Experimental Botany</i> , 2020, 174, 103923.	2.0	9
1136	Linking reliance on deep soil water to resource economy strategies and abundance among coexisting understorey shrub species in subtropical pine plantations. <i>New Phytologist</i> , 2020, 225, 222-233.	3.5	31
1137	Identification of the sources and influencing factors of potentially toxic elements accumulation in the soil from a typical karst region in Guangxi, Southwest China. <i>Environmental Pollution</i> , 2020, 256, 113505.	3.7	50
1138	Using stable isotope analysis to answer fundamental questions in invasion ecology: Progress and prospects. <i>Methods in Ecology and Evolution</i> , 2020, 11, 196-214.	2.2	26
1139	Isotopic evidence revealing spatial heterogeneity for source and composition of sedimentary organic matters in Taihu Lake, China. <i>Ecological Indicators</i> , 2020, 109, 105854.	2.6	24
1140	Methods for Trophic Ecology Assessment in Fishes: A Critical Review of Stomach Analyses. <i>Reviews in Fisheries Science and Aquaculture</i> , 2020, 28, 71-106.	5.1	33
1141	The use of stable isotope ratios $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ to track the incorporation of <i>Ulva</i> and other important dietary ingredients into the gonads of the sea urchin <i>Tripneustes gratilla</i> . <i>Aquaculture Nutrition</i> , 2020, 26, 174-185.	1.1	5
1142	Stable Isotopes of Water and Nitrate for the Identification of Groundwater Flowpaths: A Review. <i>Water (Switzerland)</i> , 2020, 12, 138.	1.2	34
1143	Seasonal contributions of water and pollutants to Lake St. Charles, a drinking water reservoir. <i>Canadian Water Resources Journal</i> , 2020, 45, 125-143.	0.5	4
1144	Legacy nitrate in the deep loess deposits after conversion of arable farmland to non-fertilized land uses for degraded land restoration. <i>Land Degradation and Development</i> , 2020, 31, 1355-1365.	1.8	20
1145	Runoff dominated by supra-permafrost water in the source region of the Yangtze river using environmental isotopes. <i>Journal of Hydrology</i> , 2020, 582, 124506.	2.3	43
1146	Productivity and the complementary use of nitrogen in the coupled rice-crab system. <i>Agricultural Systems</i> , 2020, 178, 102742.	3.2	23

#	ARTICLE	IF	CITATIONS
1147	Depth distribution of soil water sourced by plants at the global scale: A new direct inference approach. <i>Ecohydrology</i> , 2020, 13, e2177.	1.1	43
1148	Application of $\delta^{15}\text{N}$ to trace the impact of penguin guano on terrestrial and aquatic nitrogen cycles in Victoria Land, Ross Sea region, Antarctica. <i>Science of the Total Environment</i> , 2020, 709, 134496.	3.9	6
1149	Characterizing DOC sources in China's Haihe River basin using spectroscopy and stable carbon isotopes. <i>Environmental Pollution</i> , 2020, 258, 113684.	3.7	26
1150	Source apportionment of polycyclic aromatic hydrocarbons in continental shelf of the East China Sea with dual compound-specific isotopes ($\delta^{13}\text{C}$ and $\delta^2\text{H}$). <i>Science of the Total Environment</i> , 2020, 704, 135459.	3.9	17
1151	River damming affects energy flow and food web structure: a case study from a subtropical large river. <i>Hydrobiologia</i> , 2020, 847, 679-695.	1.0	15
1152	From diet to hair and blood: empirical estimation of discrimination factors for C and N stable isotopes in five terrestrial mammals. <i>Journal of Mammalogy</i> , 2020, 101, 1332-1344.	0.6	7
1153	Identifying patterns in the multitrophic community and food-web structure of a low-turbidity temperate estuarine bay. <i>Scientific Reports</i> , 2020, 10, 16637.	1.6	9
1154	Ancient Beringian paleodiets revealed through multiproxy stable isotope analyses. <i>Science Advances</i> , 2020, 6, .	4.7	7
1155	Stable isotopes reveal the importance of saltmarsh-derived nutrition for two exploited penaeid prawn species in a seagrass dominated system. <i>Estuarine, Coastal and Shelf Science</i> , 2020, 236, 106622.	0.9	13
1156	Quantitative Determination of Biomass-Derived Renewable Carbon in Fuels from Coprocessing of Bio-Oils in Refinery Using a Stable Carbon Isotopic Approach. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 17565-17572.	3.2	4
1157	Fingerprinting characterization of sedimentary PAHs and black carbon in the East China Sea using carbon and hydrogen isotopes. <i>Environmental Pollution</i> , 2020, 267, 115415.	3.7	12
1158	Responses of plant water uptake to groundwater depth in limestone outcrops. <i>Journal of Hydrology</i> , 2020, 590, 125377.	2.3	11
1159	Use of geochemical fingerprints to trace sediment sources in an agricultural catchment of Argentina. <i>International Soil and Water Conservation Research</i> , 2020, 8, 410-417.	3.0	4
1160	Interpreting Past Human Diets Using Stable Isotope Mixing Models. <i>Journal of Archaeological Method and Theory</i> , 2021, 28, 1106-1142.	1.4	16
1161	Influence of spatial heterogeneity of artificial reefs on food sources and trophic levels of marine animals based on stable isotope ratios. <i>Ecological Indicators</i> , 2020, 118, 106779.	2.6	3
1162	Sources of gaseous NH_3 in urban Beijing from parallel sampling of NH_3 and NH_4^+ , their nitrogen isotope measurement and modeling. <i>Science of the Total Environment</i> , 2020, 747, 141361.	3.9	52
1163	LINX: A topology based methodology to rank the importance of flow measurements in compartmental systems. <i>Environmental Modelling and Software</i> , 2020, 133, 104796.	1.9	1
1164	Food web structure prior to and following construction of artificial reefs, based on stable isotope analysis. <i>Regional Studies in Marine Science</i> , 2020, 37, 101354.	0.4	3

#	ARTICLE	IF	CITATIONS
1165	Water Use Strategies of Dominant Species (<i>Caragana korshinskii</i> and <i>Reaumuria soongorica</i>) in Natural Shrubs Based on Stable Isotopes in the Loess Hill, China. <i>Water (Switzerland)</i> , 2020, 12, 1923.	1.2	11
1166	Distribution patterns, carbon sources and niche partitioning in cave shrimps (<i>Atyidae: Typhlatya</i>). <i>Scientific Reports</i> , 2020, 10, 12812.	1.6	20
1167	Quantitative isotopic fingerprinting of thallium associated with potentially toxic elements (PTEs) in fluvial sediment cores with multiple anthropogenic sources. <i>Environmental Pollution</i> , 2020, 266, 115252.	3.7	30
1168	Sea spray correction in $\delta^{13}\text{C}$ carbonate, $\delta^{18}\text{O}$ carbonate, $\delta^{18}\text{O}$ phosphate, and $\delta^{34}\text{S}$ collagen values of coastal humans - A methodological approach. <i>Science of the Total Environment</i> , 2020, 744, 140907.	3.9	7
1169	Studies on water uptake and heat status of cherry root under water-saving measures. <i>Agricultural Water Management</i> , 2020, 242, 106359.	2.4	4
1170	Cascading multiscale watershed effects on differential carbon isotopic characteristics and associated hydrological processes. <i>Journal of Hydrology</i> , 2020, 588, 125139.	2.3	7
1171	Plant and root-zone water isotopes are difficult to measure, explain, and predict: Some practical recommendations for determining plant water sources. <i>Methods in Ecology and Evolution</i> , 2020, 11, 1352-1367.	2.2	48
1172	Using stable nitrogen and oxygen isotopes to identify nitrate sources in the Lancang River, upper Mekong. <i>Journal of Environmental Management</i> , 2020, 274, 111197.	3.8	25
1173	Water sources effects on soil salinity and biomass production of agriculture and agroforest systems in raised fields. <i>Journal of Plant Interactions</i> , 2020, 15, 303-312.	1.0	2
1174	Global Systematic Review of Methodological Approaches to Analyze Coastal Shelf Food Webs. <i>Frontiers in Marine Science</i> , 2020, 7, .	1.2	6
1175	Water use strategy of <i>Ammopiptanthus mongolicus</i> community in a drought year on the Mongolian Plateau. <i>Journal of Plant Ecology</i> , 2020, 13, 793-800.	1.2	6
1176	Integration of palaeo-and-modern food webs reveal slow changes in a river floodplain wetland ecosystem. <i>Scientific Reports</i> , 2020, 10, 12955.	1.6	4
1177	Interpreting ancient food practices: stable isotope and molecular analyses of visible and absorbed residues from a year-long cooking experiment. <i>Scientific Reports</i> , 2020, 10, 13704.	1.6	33
1178	FingerPro: an R Package for Tracking the Provenance of Sediment. <i>Water Resources Management</i> , 2020, 34, 3879-3894.	1.9	45
1179	Water sources of major plant species along a strong climatic gradient in the inland Heihe River Basin. <i>Plant and Soil</i> , 2020, 455, 439-466.	1.8	12
1180	Evaluating the performance of the Bayesian mixing tool MixSIAR with fatty acid data for quantitative estimation of diet. <i>Scientific Reports</i> , 2020, 10, 20780.	1.6	15
1181	The diet of spotted-necked otters foraging in trout-stocked waters in Mpumalanga, South Africa. <i>African Zoology</i> , 2020, 55, 141-148.	0.2	2
1182	Tracking nitrate and sulfate sources in groundwater of an urbanized valley using a multi-tracer approach combined with a Bayesian isotope mixing model. <i>Water Research</i> , 2020, 182, 115962.	5.3	164

#	ARTICLE	IF	CITATIONS
1183	Effects of food availability on the trophic niche of the hazel dormouse <i>Muscardinus avellanarius</i> . <i>Forest Ecology and Management</i> , 2020, 470-471, 118215.	1.4	4
1184	Dietary plasticity and the importance of salmon to brown bear (<i>Ursus arctos</i>) body size and condition in a low Arctic ecosystem. <i>Polar Biology</i> , 2020, 43, 825-833.	0.5	12
1185	Resource Niches of Co-occurring Invertebrate Species at an Offshore Wind Turbine Indicate a Substantial Degree of Trophic Plasticity. <i>Frontiers in Marine Science</i> , 2020, 7, .	1.2	18
1186	N ₂ Fixation and New Insights Into Nitrification From the Ice-Edge to the Equator in the South Pacific Ocean. <i>Frontiers in Marine Science</i> , 2020, 7, .	1.2	18
1187	Sources of organic matter in an atypical phytoplankton rich coral ecosystem, Marquesas Islands: composition and properties. <i>Marine Biology</i> , 2020, 167, 1.	0.7	3
1188	Impact of vegetation restoration on soil properties in near-surface fissures located in karst rocky desertification regions. <i>Soil and Tillage Research</i> , 2020, 200, 104620.	2.6	44
1189	Relationship between bacterial compartment and particulate organic matter (POM) in coastal systems: An assessment using fatty acids and stable isotopes. <i>Estuarine, Coastal and Shelf Science</i> , 2020, 239, 106720.	0.9	3
1190	Consensus ranking as a method to identify non-conservative and dissenting tracers in fingerprinting studies. <i>Science of the Total Environment</i> , 2020, 720, 137537.	3.9	34
1191	Variation of the stable isotopes of water in the soil-plant-atmosphere continuum of a <i>Cinnamomum camphora</i> woodland in the East Asian monsoon region. <i>Journal of Hydrology</i> , 2020, 589, 125199.	2.3	39
1192	Using stable nitrogen isotopes to reproduce the process of the impact of human activities on the lakes in the Yunnan Guizhou Plateau in the past 150–200 years. <i>Science of the Total Environment</i> , 2020, 741, 140191.	3.9	15
1193	Carbon Sources in the Sediments of a Restoring vs. Historically Unaltered Salt Marsh. <i>Estuaries and Coasts</i> , 2020, 43, 1345-1360.	1.0	22
1194	Variations in organic carbon sourcing along a trans-Himalayan river determined by a Bayesian mixing approach. <i>Geochimica Et Cosmochimica Acta</i> , 2020, 286, 159-176.	1.6	17
1195	Coupled plant traits adapted to wetting/drying cycles of substrates co-define niche multidimensionality. <i>Plant, Cell and Environment</i> , 2020, 43, 2394-2408.	2.8	22
1196	Seasonal $\delta^{13}\text{C}_{\text{DIC}}$ sourcing and geochemical flux in telogenetic epikarst of south-central Kentucky. <i>Earth Surface Processes and Landforms</i> , 2020, 45, 785-799.	1.2	2
1197	Source apportionment of atmospheric volatile aromatic compounds (BTEX) by stable carbon isotope analysis: A case study during heating period in Taiyuan, northern China. <i>Atmospheric Environment</i> , 2020, 225, 117369.	1.9	18
1198	Contribution of Seagrass Blue Carbon Toward Carbon Neutral Policies in a Touristic and Environmentally-Friendly Island. <i>Frontiers in Marine Science</i> , 2020, 7, .	1.2	51
1199	The stable isotopic composition variation characteristics of desert plants and water sources in an artificial revegetation ecosystem in Northwest China. <i>Catena</i> , 2020, 189, 104499.	2.2	23
1200	Tidal elevation is the key factor modulating burial rates and composition of organic matter in a coastal wetland with multiple habitats. <i>Science of the Total Environment</i> , 2020, 724, 138205.	3.9	14

#	ARTICLE	IF	CITATIONS
1201	Leaf nitrogen acquisition of <i>Leymus chinensis</i> varies with leaf age and land use change in a semiarid grassland. <i>Environmental and Experimental Botany</i> , 2020, 175, 104051.	2.0	4
1202	Tracking the evolution of particulate organic matter sources during summer storm events via end-member mixing analysis based on spectroscopic proxies. <i>Chemosphere</i> , 2020, 252, 126445.	4.2	20
1203	Consequences of drought severity for tropical live oak (<i>Quercus oleoides</i>) in Mesoamerica. <i>Ecological Applications</i> , 2020, 30, e02135.	1.8	2
1204	Transition in the isotopic signatures of fatty-acid soil biomarkers under changing land use: Insights from a multi-decadal chronosequence. <i>Science of the Total Environment</i> , 2020, 722, 137850.	3.9	6
1205	Temporal variabilities of $\delta^{13}C$ and $\delta^{15}N$ in an ecosystem from the Central-East Gulf of California: estimating trophic relationships. <i>Aquatic Ecosystem Health and Management</i> , 2021, 22, .	0.3	1
1206	Stable isotope analyses of nitrogen source and preference for ammonium versus nitrate of riparian plants during the plant growing season in Taihu Lake Basin. <i>Science of the Total Environment</i> , 2021, 763, 143029.	3.9	18
1207	Feeding ecology of the highly threatened common bottlenose dolphin of the Gulf of Ambracia, Greece, through stable isotope analysis. <i>Marine Mammal Science</i> , 2021, 37, 98-110.	0.9	10
1208	Geochemistry of Holocene sediments from Chilika Lagoon, India: inferences on the sources of organic matter and variability of the Indian summer monsoon. <i>Quaternary International</i> , 2021, 599-600, 148-157.	0.7	19
1209	Effects of manure on topsoil and subsoil organic carbon depend on irrigation regimes in a 9-year wheat-maize rotation. <i>Soil and Tillage Research</i> , 2021, 205, 104790.	2.6	19
1210	Modeling organic matter sources of sediment fluxes in eroding landscapes: Review, key challenges, and new perspectives. <i>Geoderma</i> , 2021, 383, 114704.	2.3	16
1211	Use of multiple isotopes to evaluate nitrate dynamics in groundwater under the barrier effect of underground cutoff walls. <i>Environmental Science and Pollution Research</i> , 2021, 28, 7076-7089.	2.7	6
1212	Nitrate-nitrogen transport in streamwater and groundwater in a loess covered region: Sources, drivers, and spatiotemporal variation. <i>Science of the Total Environment</i> , 2021, 761, 143278.	3.9	22
1213	Understanding the origin of carbonaceous aerosols during periods of extensive biomass burning in northern India. <i>Environmental Pollution</i> , 2021, 270, 116082.	3.7	25
1214	Direct versus indirect effects of human activities on dissolved organic matter in highly impacted lakes. <i>Science of the Total Environment</i> , 2021, 752, 141839.	3.9	50
1215	Revealing carbon balance characteristics in a water conveyance-type lake and differences in carbon sources through its connective hydrological channels. <i>Journal of Hydrology</i> , 2021, 592, 125820.	2.3	13
1216	Compound-specific isotope analysis with nested sampling approach detects spatial and temporal variability in the sources of suspended sediments in a Scottish mesoscale catchment. <i>Science of the Total Environment</i> , 2021, 755, 142916.	3.9	12
1217	Groundwater sources and the influencing factors on water quality in the river-lake transition zone of Lake Shengjin, lower reaches of the Yangtze River. <i>Hupo Kexue/Journal of Lake Sciences</i> , 2021, 33, 1448-1457.	0.3	0
1218	Quantitative estimation of carbon dynamics in terrestrial ecosystems using natural variations in the $\delta^{13}C$ abundance of soils and biota. <i>Advances in Agronomy</i> , 2021, , 63-104.	2.4	5

#	ARTICLE	IF	CITATIONS
1219	Catchment-scale groundwater-flow and recharge paradox revealed from base flow analysis during the Australian Millennium Drought (Mt Lofty Ranges, South Australia). <i>Hydrogeology Journal</i> , 2021, 29, 963-983.	0.9	3
1220	Seasonal changes in the water-use strategies of three herbaceous species in a native desert steppe of Ningxia, China. <i>Journal of Arid Land</i> , 2021, 13, 109-122.	0.9	10
1221	A dietary assessment of colonial Cape Town's enslaved population. <i>Archaeological and Anthropological Sciences</i> , 2021, 13, 1.	0.7	1
1222	Variability in tree water uptake determined with stable water isotopes in an African tropical montane forest. <i>Ecohydrology</i> , 2021, 14, e2278.	1.1	5
1223	Moisture, Temperature, and Salinity of a Typical Desert Plant (<i>Haloxylon ammodendron</i>) in an Arid Oasis of Northwest China. <i>Sustainability</i> , 2021, 13, 1908.	1.6	8
1224	Eye fluke infection changes diet composition in juvenile European perch (<i>Perca fluviatilis</i>). <i>Scientific Reports</i> , 2021, 11, 3440.	1.6	10
1225	Offshore wind farms and the attraction's production hypothesis: insights from a combination of stomach content and stable isotope analyses. <i>Hydrobiologia</i> , 2021, 848, 1639-1657.	1.0	26
1226	Water source and transmission in <i>Haloxylon ammodendron</i> in the desert margin of the Manas River Basin, China. <i>Israel Journal of Ecology and Evolution</i> , 2021, 67, 156-167.	0.2	0
1227	$\delta^{15}\text{N}$ -stable isotope analysis of NH_x : An overview on analytical measurements, source sampling and its source apportionment. <i>Frontiers of Environmental Science and Engineering</i> , 2021, 15, 126.	3.3	25
1228	New insight into trophic niche partitioning and diet of mackerel (<i>Scomber scombrus</i>) and herring (<i>Clupea harengus</i>) in Icelandic waters. <i>ICES Journal of Marine Science</i> , 2021, 78, 1485-1499.	1.2	1
1229	Water use patterns differed notably with season and slope aspect for <i>Caragana korshinskii</i> on the Loess Plateau of China. <i>Catena</i> , 2021, 198, 105028.	2.2	13
1230	Identification and quantification of lead source in sediment in the northern East China Sea using stable lead isotopes. <i>Journal of Oceanology and Limnology</i> , 2021, 39, 1887-1900.	0.6	8
1231	Importance of estuary morphology for ecological connectivity with their adjacent coast: A case study in Brazilian tropical estuaries. <i>Estuarine, Coastal and Shelf Science</i> , 2021, 251, 107184.	0.9	12
1232	Radiocarbon Data Reveal Contrasting Sources for Carbon Fractions in Thermokarst Lakes and Rivers of Eastern Canada (Nunavik, Quebec). <i>Journal of Geophysical Research G: Biogeosciences</i> , 2021, 126, e2020JG005938.	1.3	6
1233	Hydrological and biogeochemical controls on temporal variations of dissolved carbon and solutes in a karst river, South China. <i>Environmental Sciences Europe</i> , 2021, 33, .	2.6	4
1234	Divergent root water uptake depth and coordinated hydraulic traits among typical karst plantations of subtropical China: Implication for plant water adaptation under precipitation changes. <i>Agricultural Water Management</i> , 2021, 249, 106798.	2.4	20
1235	Quantitative food web structure and ecosystem functions in a warm-temperate seagrass bed. <i>Marine Biology</i> , 2021, 168, 1.	0.7	7
1236	Using stable isotope data to quantify niche overlap and diets of muskellunge, northern pike and walleye in a deep Minnesota lake. <i>Ecology of Freshwater Fish</i> , 2022, 31, 60-71.	0.7	7

#	ARTICLE	IF	CITATIONS
1237	Temporal, spatial and gender-based dietary differences in middle period San Pedro de Atacama, Chile: A model-based approach. <i>PLoS ONE</i> , 2021, 16, e0252051.	1.1	5
1238	Presentation and applications of mixing elements and dissolved isotopes in rivers (MEANDIR), a customizable MATLAB model for Monte Carlo inversion of dissolved river chemistry. <i>Numerische Mathematik</i> , 2021, 321, 579-642.	0.7	19
1239	Caution in using two end-member Pb isotope pollution source apportionment models. <i>Environment International</i> , 2021, 150, 106421.	4.8	2
1240	Nitrogen uptake strategies of mature conifers in Northeastern China, illustrated by the ^{15}N natural abundance method. <i>Ecological Processes</i> , 2021, 10, .	1.6	5
1241	Rhizosphere Effects of Maize and Wheat Increase Soil Organic and Inorganic Carbon Release in Carbonate-Rich Soils: A Three-Source ^{13}C Partitioning Study. <i>Frontiers in Environmental Science</i> , 2021, 9, .	1.5	6
1242	Organic N compounds in plant nutrition: have methodologies based on stable isotopes provided unequivocal evidence of direct N uptake?. <i>Isotopes in Environmental and Health Studies</i> , 2021, 57, 333-349.	0.5	3
1243	Reviews and syntheses: Gaining insights into evapotranspiration partitioning with novel isotopic monitoring methods. <i>Biogeosciences</i> , 2021, 18, 3701-3732.	1.3	10
1244	Seasonal transpiration dynamics of evergreen <i>Ligustrum lucidum</i> linked with water source and water-use strategy in a limestone karst area, southwest China. <i>Journal of Hydrology</i> , 2021, 597, 126199.	2.3	21
1245	Stable isotope analyses reveal major nutritional deficiencies in captive vs. field juvenile individuals of <i>Pinna nobilis</i> . <i>Marine Environmental Research</i> , 2021, 168, 105304.	1.1	5
1246	Halophytes Differ in Their Adaptation to Soil Environment in the Yellow River Delta: Effects of Water Source, Soil Depth, and Nutrient Stoichiometry. <i>Frontiers in Plant Science</i> , 2021, 12, 675921.	1.7	9
1247	Strong Precipitation and Human Activity Spur Rapid Nitrate Deposition in Estuarine Delta: Multi-Isotope and Auxiliary Data Evidence. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6221.	1.2	3
1248	Source identification of particulate organic carbon using stable isotopes and n-alkanes: modeling and application. <i>Water Research</i> , 2021, 197, 117083.	5.3	33
1249	Influence of ontogeny on stable isotope ratios and trophic discrimination factors of African penguin (<i>Spheniscus demersus</i>) tissues. <i>Marine Biology</i> , 2021, 168, 1.	0.7	4
1250	A critical assessment of widely used techniques for nitrate source apportionment in arid and semi-arid regions. <i>Science of the Total Environment</i> , 2021, 775, 145688.	3.9	19
1251	Pb Content, Risk Level and Primary-Source Apportionment in Wheat and Rice Grains in the Lihe River Watershed, Taihu Region, Eastern China. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6256.	1.2	2
1252	Stable oxygen isotope analysis of the water uptake mechanism via the roots in spring maize under the ridge-furrow rainwater harvesting system in a semi-arid region. <i>Agricultural Water Management</i> , 2021, 252, 106879.	2.4	17
1253	Stable isotopes track the ontogenetic movement of three commercially important fishes along a coastal Tanzanian seascape. <i>Marine Ecology - Progress Series</i> , 2021, 670, 139-154.	0.9	1
1254	Sediment source apportionment using optical property composite signatures in a rural catchment, Brazil. <i>Catena</i> , 2021, 202, 105208.	2.2	11

#	ARTICLE	IF	CITATIONS
1255	Grassland ecological restoration based on the relationship between vegetation and its below-ground habitat analysis in steppe coal mine area. <i>Science of the Total Environment</i> , 2021, 778, 146221.	3.9	25
1256	Robust Estimation of Absorbing Root Surface Distributions From Xylem Water Isotope Compositions With an Inverse Plant Hydraulic Model. <i>Frontiers in Forests and Global Change</i> , 2021, 4, .	1.0	2
1257	Trophic structures of artificial reef communities off the southern coast of the Korean peninsula as determined using stable isotope analyses. <i>Marine Pollution Bulletin</i> , 2021, 169, 112474.	2.3	5
1258	Seasonal variations in stable nitrate isotopes combined with stable water isotopes in a wastewater treatment plant: Implications for nitrogen sources and transformation. <i>Journal of Hydrology</i> , 2021, 599, 126488.	2.3	13
1259	Diet-tissue discrimination and turnover of $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ in muscle tissue of a penaeid prawn. <i>Rapid Communications in Mass Spectrometry</i> , 2021, 35, e9167.	0.7	3
1260	Tropical forest water source patterns revealed by stable isotopes: A preliminary analysis of 46 neighboring species. <i>Forest Ecology and Management</i> , 2021, 494, 119355.	1.4	11
1261	Loads and ages of carbon from the five largest rivers in South Korea under Asian monsoon climates. <i>Journal of Hydrology</i> , 2021, 599, 126363.	2.3	6
1262	Water Source of Six Woody Plants in Different Habitats on Desertified Land of Ordos Plateau, Semi-Arid China. , 0, , .		0
1263	Long-term crop rotation diversification enhances maize drought resistance through soil organic matter. <i>Environmental Research Letters</i> , 2021, 16, 084067.	2.2	37
1264	Plasticity of trophic interactions in fish assemblages results in temporal stability of benthic-pelagic couplings. <i>Marine Environmental Research</i> , 2021, 170, 105412.	1.1	12
1265	Evidence of foliar water uptake in a conifer species. <i>Agricultural Water Management</i> , 2021, 255, 106993.	2.4	15
1266	Evaluation of the comprehensive feeding strategy and trophic role of overexploited mesopredator species in the Sea of Marmara (northeastern Mediterranean). <i>Estuarine, Coastal and Shelf Science</i> , 2021, 259, 107448.	0.9	9
1267	Source analysis of heavy metal pollution in agricultural soil irrigated with sewage in Wuqing, Tianjin. <i>Scientific Reports</i> , 2021, 11, 17816.	1.6	22
1268	Effect of Litter-Derived Dissolved Organic Carbon Addition on Forest Soil Microbial Community Composition. <i>Frontiers in Soil Science</i> , 2021, 1, .	0.8	1
1269	A preliminary estimate of how stream water age is influenced by changing runoff sources in the Nagqu river water shed, Qinghai-Tibet Plateau. <i>Hydrological Processes</i> , 2021, 35, e14380.	1.1	4
1270	Lichen nitrogen concentrations and isotopes for indicating nitrogen deposition levels and source changes. <i>Science of the Total Environment</i> , 2021, 787, 147616.	3.9	3
1271	Water-use patterns of Chinese wolfberry (<i>Lycium barbarum</i> L.) on the Tibetan Plateau. <i>Agricultural Water Management</i> , 2021, 255, 107010.	2.4	11
1272	Impact assessment of ephemeral discharge of contamination downstream of two legacy base metal mines using environmental DNA. <i>Journal of Hazardous Materials</i> , 2021, 419, 126483.	6.5	7

#	ARTICLE	IF	CITATIONS
1273	A novel method for analysing consistency and unravelling multiple solutions in sediment fingerprinting. <i>Science of the Total Environment</i> , 2021, 789, 147804.	3.9	20
1274	Uncovering the mechanisms of seasonal river groundwater circulation using isotopes and water chemistry in the middle reaches of the Yarlungzangbo River, Tibet. <i>Journal of Hydrology</i> , 2021, 603, 127010.	2.3	17
1275	Diagnosing underdetermination in stable isotope mixing models. <i>PLoS ONE</i> , 2021, 16, e0257818.	1.1	0
1276	Natural and anthropogenic impacts on the DOC characteristics in the Yellow River continuum. <i>Environmental Pollution</i> , 2021, 287, 117231.	3.7	23
1277	Spatial-temporal variation, sources and driving factors of organic carbon burial in rift lakes on Yunnan-Guizhou plateau since 1850. <i>Environmental Research</i> , 2021, 201, 111458.	3.7	19
1278	Arthropod Predation of Vertebrates Structures Trophic Dynamics in Island Ecosystems. <i>American Naturalist</i> , 2021, 198, 540-550.	1.0	4
1279	Isotopic fractionation from deep roots to tall shoots: A forensic analysis of xylem water isotope composition in mature tropical savanna trees. <i>Science of the Total Environment</i> , 2021, 795, 148675.	3.9	16
1280	Quantification of Pb pollution sources in complex urban environments through a multi-source isotope mixing model based on Pb isotopes in lichens and road sediment. <i>Environmental Pollution</i> , 2021, 288, 117815.	3.7	27
1281	Using insights from water isotopes to improve simulation of surface water-groundwater interactions. <i>Science of the Total Environment</i> , 2021, 798, 149253.	3.9	15
1282	Identifying the provenance of bottom sediments in the Three Gorges Reservoir using stable Pb isotopes. <i>Catena</i> , 2021, 207, 105656.	2.2	2
1283	Estimating NOx removal capacity of urban trees using stable isotope method: A case study of Beijing, China. <i>Environmental Pollution</i> , 2021, 290, 118004.	3.7	10
1284	Water Uptake from Different Soil Depths for Desert Plants in Saline Lands of Dunhuang, NW China. <i>Frontiers in Environmental Science</i> , 2021, 8, .	1.5	1
1285	Continental-scale spatial distribution, sources, and health risks of heavy metals in seafood: challenge for the water-food-energy nexus sustainability in coastal regions?. <i>Environmental Science and Pollution Research</i> , 2021, 28, 63815-63828.	2.7	38
1291	Geochemical Fingerprinting. <i>SpringerBriefs in Earth Sciences</i> , 2015, , 11-51.	0.5	2
1292	The Roles of Stable Isotopes in Forest Hydrology and Biogeochemistry. <i>Ecological Studies</i> , 2011, , 137-161.	0.4	34
1293	Isotope Analyses and the Histories of Maize. , 2006, , 131-142.		26
1294	Assessment of fish trophic status and relationships by stable isotope data in the coral reef lagoon of New Caledonia, southwest Pacific. <i>Aquatic Living Resources</i> , 2008, 21, 1-12.	0.5	42
1295	Assessing the trophic link between seagrass habitats and piscivorous fishes. <i>Marine and Freshwater Research</i> , 2006, 57, 121.	0.7	21

#	ARTICLE	IF	CITATIONS
1296	The diet and trophic positions of translocated, sympatric populations of <i>Cherax destructor</i> and <i>Cherax cainii</i> in the Hutt River, Western Australia: evidence of resource overlap. <i>Marine and Freshwater Research</i> , 2006, 57, 825.	0.7	40
1297	Sources of nutrition supporting juvenile penaeid prawns in an Australian dry tropics estuary. <i>Marine and Freshwater Research</i> , 2009, 60, 949.	0.7	20
1298	Equivalence of trophic structure between a tropical and temperate mangrove ecosystem in the Indo-Pacific. <i>Marine and Freshwater Research</i> , 2019, 70, 1436.	0.7	4
1299	Grazing kangaroos act as local recyclers of energy on semiarid floodplains. <i>Australian Journal of Zoology</i> , 2010, 58, 145.	0.6	19
1301	Trophic Shifts of a Generalist Consumer in Response to Resource Pulses. <i>PLoS ONE</i> , 2011, 6, e17970.	1.1	12
1302	IsoWeb: A Bayesian Isotope Mixing Model for Diet Analysis of the Whole Food Web. <i>PLoS ONE</i> , 2012, 7, e41057.	1.1	41
1303	An Empirical Evaluation of the Utility of Convex Hull and Standard Ellipse Areas for Assessing Population Niche Widths from Stable Isotope Data. <i>PLoS ONE</i> , 2013, 8, e56094.	1.1	175
1304	Major Sources of Organic Matter in a Complex Coral Reef Lagoon: Identification from Isotopic Signatures ($\delta^{13}C$ and $\delta^{15}N$). <i>PLoS ONE</i> , 2015, 10, e0131555.	1.1	46
1305	Diversification of Nitrogen Sources in Various Tundra Vegetation Types in the High Arctic. <i>PLoS ONE</i> , 2015, 10, e0136536.	1.1	42
1306	Seasonal Dynamics of Water Use Strategy of Two <i>Salix</i> Shrubs in Alpine Sandy Land, Tibetan Plateau. <i>PLoS ONE</i> , 2016, 11, e0156586.	1.1	11
1307	The influence of sulfur and hair growth on stable isotope diet estimates for grizzly bears. <i>PLoS ONE</i> , 2017, 12, e0172194.	1.1	23
1308	Isotope analyses to explore diet and mobility in a medieval Muslim population at Tauste (NE Spain). <i>PLoS ONE</i> , 2017, 12, e0176572.	1.1	31
1309	Diet of bottlenose dolphins (<i>Tursiops truncatus</i>) from the Gulf of Cadiz: Insights from stomach content and stable isotope analyses. <i>PLoS ONE</i> , 2017, 12, e0184673.	1.1	45
1310	Foraging Behaviours and Population Dynamics of Arctic Foxes. <i>Arctic</i> , 2004, 57, .	0.2	3
1311	When maize is not the first choice: advances in paleodietary studies in the Archaeological Site R�o Doncellas (Jujuy, Argentina). <i>Anthropological Review</i> , 2016, 79, 265-279.	0.2	7
1312	Review on the Bone Chemistry for Prehistoric Anthropology. <i>Anthropological Science</i> , 2006, 114, 5-15.	0.2	3
1313	H�bitos alimenticios y migratorios del tibur�n blanco <i>Carcharodon carcharias</i> (Lamniformes): Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 10 <i>Biologia Tropical</i> , 2014, 62, 637.	0.1	12
1314	Aplica�o dos is�topos est�veis em aq�icultura. <i>Revista Brasileira De Zootecnia</i> , 2007, 36, 1-10.	0.3	11

#	ARTICLE	IF	CITATIONS
1315	Multiple Sources of Isotopic Variation in a Terrestrial Arthropod Community: Challenges for Disentangling Food Webs. <i>Environmental Entomology</i> , 2007, 36, 776-791.	0.7	4
1316	Stable Isotope Analyses in Aquatic Ecology (a review). <i>Journal of Siberian Federal University - Biology</i> , 2009, 2, 381-402.	0.2	6
1317	The influences of eutrophication for the carbon and nitrogen sources for aquatic consumer communities—A case study in Lake Baiyangdian. <i>Hupo Kexue/Journal of Lake Sciences</i> , 2020, 32, 1657-1670.	0.3	2
1318	<code>xsample()</code> : An R-Function for Sampling Linear Inverse Problems. <i>Journal of Statistical Software</i> , 2009, 30, .	1.8	41
1319	Effects of Exotic Submerged Aquatic Vegetation on Waterfowl in the Mobile-Tensaw Delta. <i>Gulf of Mexico Science</i> , 2006, 24, .	0.4	3
1320	Beyond simple linear mixing models: process-based isotope partitioning of ecological processes. , 2014, 24, 181-195.		16
1321	Beyond simple linear mixing models: process-based isotope partitioning of ecological processes. , 2014, 24, 181-195.		33
1322	A niche for isotopic ecology. <i>Frontiers in Ecology and the Environment</i> , 2007, 5, 429.	1.9	917
1323	Terrestrial, benthic, and pelagic resource use in lakes: results from a three-isotope Bayesian mixing model. <i>Ecology</i> , 2011, 92, 1115-1125.	1.5	37
1324	Stable Isotope Trophic Shifts in White-Tailed Deer. <i>Journal of Wildlife Management</i> , 2008, 72, 1525-1531.	0.7	24
1325	Stable carbon isotope compositions of foot tissue, conchiolin opercula, and organic matrix within the shells of two marine gastropods from a seagrass meadow in the Philippines. <i>Geochemical Journal</i> , 2017, 51, 241-250.	0.5	1
1326	Benthic macroinvertebrate and fish communities in Lake Huron are linked to submerged groundwater vents. <i>Aquatic Biology</i> , 2011, 12, 1-11.	0.5	22
1327	Spatial variation in the trophic base of the trichopteran filter feeder <i>Stenopsyche marmorata</i> in an intermittent river in Japan. <i>Aquatic Biology</i> , 2011, 12, 291-298.	0.5	3
1328	Trophic model of the subtropical headwater stream habitat of Formosan landlocked salmon <i>Oncorhynchus formosanus</i> . <i>Aquatic Biology</i> , 2012, 17, 269-283.	0.5	18
1329	Carbon stable isotope turnover and fractionation in grass carp <i>Ctenopharyngodon idella</i> tissues. <i>Aquatic Biology</i> , 2013, 19, 207-216.	0.5	19
1330	Turnover and fractionation of nitrogen stable isotope in tissues of grass carp <i>Ctenopharyngodon idellus</i> . <i>Aquaculture Environment Interactions</i> , 2013, 3, 177-186.	0.7	33
1331	Utilization of different macroalgae by sea cucumber <i>Apostichopus japonicus</i> revealed by carbon stable isotope analysis. <i>Aquaculture Environment Interactions</i> , 2016, 8, 171-178.	0.7	3
1332	Fatty acid stable isotope signatures of molluscs exposed to finfish farming outputs. <i>Aquaculture Environment Interactions</i> , 2016, 8, 611-617.	0.7	10

#	ARTICLE	IF	CITATIONS
1333	Uptake of farming wastes by sea cucumber <i>Apostichopus japonicus</i> in polyculture systems of abalone <i>Haliotis discus hannai</i> : evidence from C and N stable isotopes. <i>Aquaculture Environment Interactions</i> , 2017, 9, 223-230.	0.7	3
1334	Optimal mud to sand ratios in sediment for sea cucumber aquaculture as revealed by carbon stable isotopes. <i>Aquaculture Environment Interactions</i> , 2017, 9, 281-291.	0.7	2
1335	Sympatric elasmobranchs and fecal samples provide insight into the trophic ecology of the smalltooth sawfish. <i>Endangered Species Research</i> , 2017, 32, 491-506.	1.2	21
1336	Production sources and food web structure of a temperate tidal estuary: integration of dietary and stable isotope data. <i>Marine Ecology - Progress Series</i> , 2007, 343, 63-76.	0.9	90
1337	Variation in food sources of the macrobenthos along a land-sea transect: a stable isotope study. <i>Marine Ecology - Progress Series</i> , 2007, 346, 127-141.	0.9	46
1338	Tidal marshes as energy sources for commercially important nektonic organisms: stable isotope analysis. <i>Marine Ecology - Progress Series</i> , 2007, 352, 89-99.	0.9	36
1339	Assessing the importance of land and marine sources of organic matter to help forest food webs. <i>Marine Ecology - Progress Series</i> , 2008, 360, 47-62.	0.9	70
1340	Effects of small rivers on chemical properties of sediment and diets for primary consumers in estuarine tidal flats. <i>Marine Ecology - Progress Series</i> , 2008, 360, 13-24.	0.9	13
1341	Evidence of bottom-up control of diet driven by top-down processes in a declining harbor seal <i>Phoca vitulina richardsi</i> population. <i>Marine Ecology - Progress Series</i> , 2009, 374, 287-300.	0.9	24
1342	Allochthonous brown algae are the primary food source for consumers in a temperate, coastal environment. <i>Marine Ecology - Progress Series</i> , 2009, 376, 33-44.	0.9	76
1343	Temporal variability of a benthic food web: patterns and processes in a low-diversity system. <i>Marine Ecology - Progress Series</i> , 2009, 378, 13-26.	0.9	42
1344	Oligochaetes as a possible entry route for terrigenous organic carbon into estuarine benthic food webs. <i>Marine Ecology - Progress Series</i> , 2009, 384, 147-157.	0.9	13
1345	Feeding ecology and ontogenetic dietary shift of yellowstripe goatfish <i>Mulloidichthys flavolineatus</i> (Mullidae) at Reunion Island, SW Indian Ocean. <i>Marine Ecology - Progress Series</i> , 2009, 386, 181-195.	0.9	30
1346	Determination of diet in Manila clams by spatial analysis of stable isotopes. <i>Marine Ecology - Progress Series</i> , 2009, 387, 167-177.	0.9	31
1347	Trophic typology of coastal ecosystems based on $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ ratios in an opportunistic suspension feeder. <i>Marine Ecology - Progress Series</i> , 2009, 390, 27-37.	0.9	40
1348	Feeding preferences of West Indian manatees in Florida, Belize, and Puerto Rico as indicated by stable isotope analysis. <i>Marine Ecology - Progress Series</i> , 2010, 402, 255-267.	0.9	37
1349	Carbon and nitrogen flows through the benthic food web of a photic subtidal sandy sediment. <i>Marine Ecology - Progress Series</i> , 2010, 416, 1-16.	0.9	63
1350	Stable isotopes and trace elements as indicators of diet and habitat use in cetaceans: predicting errors related to preservation, lipid extraction, and lipid normalization. <i>Marine Ecology - Progress Series</i> , 2010, 419, 249-265.	0.9	88

#	ARTICLE	IF	CITATIONS
1351	Stable isotopes reveal regional heterogeneity in the pre-breeding distribution and diets of sympatrically breeding <i>Pygoscelis</i> spp. penguins. <i>Marine Ecology - Progress Series</i> , 2011, 421, 265-277.	0.9	45
1352	$\delta^{15}\text{N}$ and $\delta^{13}\text{C}$ reveal differences in carbon flow through estuarine benthic food webs in response to the relative availability of macroalgae and eelgrass. <i>Marine Ecology - Progress Series</i> , 2011, 421, 83-96.	0.9	42
1353	Associations in ephemeral systems: the lack of trophic relationships between sandhoppers and beach wrack. <i>Marine Ecology - Progress Series</i> , 2011, 426, 253-262.	0.9	22
1354	Seasonal variation in carbon sources of mesograzers and small predators in an eelgrass community: stable isotope and fatty acid analyses. <i>Marine Ecology - Progress Series</i> , 2011, 431, 69-82.	0.9	33
1355	Habitat surrounding patch reefs influences the diet and nutrition of the western rock lobster. <i>Marine Ecology - Progress Series</i> , 2011, 436, 191-205.	0.9	23
1356	Continental and marine sources of organic matter and nitrogen for rAs of northern Galicia (Spain). <i>Marine Ecology - Progress Series</i> , 2011, 437, 13-26.	0.9	18
1357	Feeding strategies and resource partitioning mitigate the effects of oligotrophy for marine cave mysids. <i>Marine Ecology - Progress Series</i> , 2011, 440, 163-176.	0.9	24
1358	Prey assemblage isotopic variability as a tool for assessing diet and the spatial distribution of bowhead whale <i>Balaena mysticetus</i> foraging in the Canadian eastern Arctic. <i>Marine Ecology - Progress Series</i> , 2012, 469, 161-174.	0.9	25
1359	Faunal trophic structure at hydrothermal vents on the southern Mohna€™s Ridge, Arctic Ocean. <i>Marine Ecology - Progress Series</i> , 2013, 473, 115-131.	0.9	39
1360	Alternative approaches for solving underdetermined isotope mixing problems. <i>Marine Ecology - Progress Series</i> , 2013, 472, 1-13.	0.9	129
1361	Statistical basis and outputs of stable isotope mixing models: Comment on Fry (2013). <i>Marine Ecology - Progress Series</i> , 2013, 490, 285-289.	0.9	31
1362	Minmax solutions for underdetermined isotope mixing problems: Reply to Semmens et al. (2013). <i>Marine Ecology - Progress Series</i> , 2013, 490, 291-294.	0.9	19
1363	Riverine subsidies for inshore filter-feeder communities: potential influences on trophic patterns among bioregions. <i>Marine Ecology - Progress Series</i> , 2014, 498, 13-26.	0.9	5
1364	Reaction of an estuarine food web to disturbance: Lindemana€™s perspective. <i>Marine Ecology - Progress Series</i> , 2014, 512, 141-154.	0.9	21
1365	Resource polygon geometry predicts Bayesian stable isotope mixing model bias. <i>Marine Ecology - Progress Series</i> , 2014, 514, 1-12.	0.9	85
1366	Top predators rely on carbon derived from giant kelp <i>Macrocystis pyrifera</i> . <i>Marine Ecology - Progress Series</i> , 2015, 537, 1-8.	0.9	37
1367	Linking nitrogen sources utilised by seagrass in a temperate marine embayment to patterns of seagrass change during drought. <i>Marine Ecology - Progress Series</i> , 2016, 549, 79-88.	0.9	23
1368	Sources of sediment carbon sequestered in restored seagrass meadows. <i>Marine Ecology - Progress Series</i> , 2016, 551, 95-105.	0.9	34

#	ARTICLE	IF	CITATIONS
1369	Intrinsic tracers reveal recent foraging ecology of giant Pacific bluefin tuna at their primary spawning grounds. <i>Marine Ecology - Progress Series</i> , 2016, 553, 253-266.	0.9	32
1370	Invisible trophic links? Quantifying the importance of non-standard food sources for key intertidal avian predators in the Eastern Atlantic. <i>Marine Ecology - Progress Series</i> , 2017, 563, 219-232.	0.9	13
1371	Trophic niche of the invasive red king crab <i>Paralithodes camtschaticus</i> in a benthic food web. <i>Marine Ecology - Progress Series</i> , 2017, 565, 113-129.	0.9	22
1372	Biodiversity surveys and stable isotope analyses reveal key differences in intertidal assemblages between tropical seawalls and rocky shores. <i>Marine Ecology - Progress Series</i> , 2018, 587, 41-53.	0.9	29
1373	Functional role of the soft coral <i>Dendronephthya australis</i> in the benthic food web of temperate estuaries. <i>Marine Ecology - Progress Series</i> , 2018, 593, 61-72.	0.9	9
1374	Global review and inventory: how stable isotopes are helping us understand ecology and inform conservation of marine turtles. <i>Marine Ecology - Progress Series</i> , 2019, 613, 217-245.	0.9	34
1375	Discriminating trophic niches of carnivorous benthic macroinvertebrates with gut contents, stable isotopes, and fatty acids. <i>Marine Ecology - Progress Series</i> , 2019, 631, 49-66.	0.9	4
1376	Effect of diet on breeders and inheritance in syngnathids: application of isotopic experimentally derived data to field studies. <i>Marine Ecology - Progress Series</i> , 2020, 650, 107-123.	0.9	16
1377	Foraging ecology of the common dolphin <i>Delphinus delphis</i> revealed by stable isotope analysis. <i>Marine Ecology - Progress Series</i> , 2020, 652, 173-186.	0.9	22
1378	Seagrass and epiphytic algae support nutrition of a fisheries species, <i>Sillago schomburgkii</i> , in adjacent intertidal habitats. <i>Marine Ecology - Progress Series</i> , 2005, 286, 69-79.	0.9	178
1379	Food sources of tropical thalassinidean shrimps: a stable-isotope study. <i>Marine Ecology - Progress Series</i> , 2005, 291, 159-168.	0.9	50
1380	Use of stable isotopes to investigate dispersal of waste from fish farms as a function of hydrodynamics. <i>Marine Ecology - Progress Series</i> , 2006, 313, 261-270.	0.9	65
1381	Phytoplankton and macrophyte contributions to littoral food webs in the Galician upwelling estimated from stable isotopes. <i>Marine Ecology - Progress Series</i> , 2006, 318, 89-102.	0.9	95
1382	Exploitation of natural food sources by two sympatric, invasive suspension-feeders: <i>Crassostrea gigas</i> and <i>Crepidula fornicata</i> . <i>Marine Ecology - Progress Series</i> , 2007, 334, 179-192.	0.9	70
1383	Meadows of the seagrass <i>Posidonia oceanica</i> are a significant source of organic matter for adjoining ecosystems. <i>Marine Ecology - Progress Series</i> , 2007, 335, 123-131.	0.9	53
1384	Small-scale spatial variability of food partitioning between cultivated oysters and associated suspension-feeding species, as revealed by stable isotopes. <i>Marine Ecology - Progress Series</i> , 2007, 336, 151-160.	0.9	103
1385	The Food of <i>Selene Peruviana</i> (Actinopterygii: Perciformes: Carangidae) in the Southern Gulf of California. <i>Acta Ichthyologica Et Piscatoria</i> , 2012, 42, 1-7.	0.3	7
1386	Increasing Population of the Invader Round Goby, <i>Neogobius Melanostomus</i> (Actinopterygii: Perciformes: Gobiidae), and its Trophic Role in the Curonian Lagoon, Se Baltic Sea. <i>Acta Ichthyologica Et Piscatoria</i> , 2013, 43, 95-108.	0.3	39

#	ARTICLE	IF	CITATIONS
1387	The role of coral mucus in the material cycle in reef ecosystems: biogeochemical and ecological perspectives. <i>Journal of the Japanese Coral Reef Society</i> , 2014, 16, 3-27.	0.1	7
1388	Tropical Coastal Ecosystems: Rarely Explored for their Interaction!. <i>Ecologia</i> , 2010, 1, 1-22.	0.3	15
1389	The Use of Stable Isotopes and Stomach Contents to Identify Dietary Components of the Spotted Rose Snapper, <i>Lutjanus guttatus</i> (Steindachner, 1869), off the Eastern Coast of the Southern Gulf of California. <i>Journal of Fisheries and Aquatic Science</i> , 2009, 4, 274-284.	0.1	9
1390	Assessing the effects of a trawling ban on diet and trophic level of hake, <i>Merluccius merluccius</i> , in the southern Tyrrhenian Sea. <i>Scientia Marina</i> , 2011, .	0.3	12
1391	Patrones de uso del hábitat de la centolla <i>Maja brachydactyla</i> ; mediante el uso de isótopos estables. <i>Scientia Marina</i> , 2009, 73, .	0.3	6
1392	Effects of the invasive macroalga <i>Lophocladia lallemandii</i> on the diet and trophism of <i>Pinna nobilis</i> (Mollusca: Bivalvia) and its guests <i>Pontonia pinnophylax</i> and <i>Nepinnotheres pinnotheres</i> (Crustacea: Decapoda). <i>Scientia Marina</i> . 2010. 74. 101-110.	0.3	27
1393	Diet plasticity of the South American sea lion in Chile: stable isotope evidence. <i>Revista De Biología Marina Y Oceanografía</i> , 2013, 48, 613-622.	0.1	22
1394	Recursos y Dietas Humanas en Laguna Llanquanelo (Mendoza, Nordpatagonia): Una Discusión Isotópica del Registro Arqueológico. <i>Magallania</i> , 2014, 42, 111-131.	0.1	16
1395	ARQUEOLOGÍA DEL HOLOCENO MEDIO Y TARDÍO EN PATAGONIA MERIDIONAL: POBLAMIENTO HUMANO Y FLUCTUACIONES CLIMÁTICAS. <i>Dialogo Andino</i> , 2013, , 5-23.	0.1	9
1396	Stable Isotope Sourcing Using Sampling. <i>Open Journal of Ecology</i> , 2014, 04, 289-298.	0.4	37
1397	Causes and consequences of pronounced variation in the isotope composition of plant xylem water. <i>Biogeosciences</i> , 2020, 17, 4853-4870.	1.3	33
1405	Validation and application of a cryogenic vacuum extraction system for soil and plant water extraction for isotope analysis. <i>Journal of Sensors and Sensor Systems</i> , 2013, 2, 179-193.	0.6	140
1407	Stable isotope analyses of web-spinning spider assemblages along a headwater stream in Puerto Rico. <i>PeerJ</i> , 2015, 3, e1324.	0.9	11
1408	Analyzing mixing systems using a new generation of Bayesian tracer mixing models. <i>PeerJ</i> , 2018, 6, e5096.	0.9	676
1409	<i>Sargassum</i> blooms in the Caribbean alter the trophic structure of the sea urchin <i>Diadema antillarum</i> . <i>PeerJ</i> , 2019, 7, e7589.	0.9	58
1410	Bayesian estimation of predator diet composition from fatty acids and stable isotopes. <i>PeerJ</i> , 2015, 3, e920.	0.9	32
1411	Can diet composition estimates using stable isotope analysis of feathers predict growth and condition in nestling mountain bluebirds (<i>Sialia currucoides</i>)?. <i>Ecology and Evolution</i> , 2021, 11, 15273-15288.	0.8	3
1412	Macroalgal and mangrove provenances demonstrate their relevance in contributing to the blue carbon pool of a tropical seagrass meadow. <i>Ecological Research</i> , 2022, 37, 21-32.	0.7	10

#	ARTICLE	IF	CITATIONS
1435	Source and distribution of carbon and nitrogen in the suspended organic matter in the migratory bird habitat of Poyang Lake: The case study of Lake Dahuchi and Lake Shahu. <i>Hupo Kexue/Journal of Lake Sciences</i> , 2018, 30, 1655-1663.	0.3	1
1436	Are prey remains accurate indicators of chick diet? A comparison of diet quantification techniques for Black Oystercatchers. <i>Wader Study</i> , 2018, 125, .	0.2	3
1438	Divergent water sources of three dominant plant species following precipitation events in enclosed and mowing grassland steppes. <i>PeerJ</i> , 2019, 7, e7737.	0.9	3
1439	First study of food webs in a large glacial river: the trophic role of invasive trout. <i>Neotropical Ichthyology</i> , 2020, 18, .	0.5	0
1440	Age- and Sex-Associated Differences in the Diet of the Asian Black Bear: Importance of Hard Mast and Sika Deer. <i>Mammal Study</i> , 2020, 45, 155.	0.2	5
1441	Water uptake of riparian plants in the lower Lhasa River Basin, South Tibetan Plateau using stable water isotopes. <i>Hydrological Processes</i> , 2020, 34, 3492-3505.	1.1	11
1442	Assessment of Organic Matter Sources in the Singil Stream Flowing into Lake Shihwa, South Korea. <i>Korean Journal of Ecology and Environment</i> , 2020, 53, 138-147.	0.3	1
1443	Discrimination of Nitrogen Sources in Karst Spring Contributing Areas Using a Bayesian Isotope Mixing Model and Wastewater Tracers (Florida, USA). <i>Environmental and Engineering Geoscience</i> , 2020, 26, 291-311.	0.3	2
1444	Assessing the Reliability of Quantitative Fatty Acid Signature Analysis and Compound-Specific Isotope Analysis-Based Mixing Models for Trophic Studies. <i>Biomolecules</i> , 2021, 11, 1590.	1.8	3
1445	Sources and fate of organic matter in a hypersaline lagoon: A study based on stable isotopes from the Pulicat lagoon, India. <i>Science of the Total Environment</i> , 2022, 807, 150617.	3.9	9
1446	Variations of water sources for a typical mesophyte vegetation in the Lake Poyang wetland using stable isotopes. <i>Hupo Kexue/Journal of Lake Sciences</i> , 2020, 32, 1749-1760.	0.3	2
1447	Positive Effects of Scattered Trees on Soil Water Dynamics in a Pasture Landscape in the Tropics. <i>Frontiers in Water</i> , 2021, 3, .	1.0	6
1448	Hydrochemical and Isotopic Characterization of the Impact of Water Diversion on Water in Drainage Channels, Groundwater, and Lake Ulansuhai in China. <i>Water (Switzerland)</i> , 2021, 13, 3033.	1.2	8
1449	Sources and composition of riverine dissolved organic matter to marginal seas from mainland China. <i>Journal of Hydrology</i> , 2021, 603, 127152.	2.3	19
1450	Stable isotope characterisation of mammalian predatorâ€“prey relationships in a South African savanna. <i>European Journal of Wildlife Research</i> , 2007, 53, 161.	0.7	5
1452	Effect of P availability on straw-induced priming effect was mainly regulated by fungi in croplands. <i>Applied Microbiology and Biotechnology</i> , 2021, 105, 9403-9418.	1.7	8
1453	Understanding how inland lake system environmental gradients on the Qinghai-Tibet Plateau impact the geographical patterns of carbon and water sources or sink. <i>Journal of Hydrology</i> , 2022, 604, 127219.	2.3	6
1454	Structure and Trophic Niches in Mobile Epifauna Assemblages Associated With Seaweeds and Habitats of Syngnathid Fishes in CÅes Archipelago (Atlantic Islands Marine National Park, North West Iberia). <i>Frontiers in Marine Science</i> , 2021, 8, .	1.2	6

#	ARTICLE	IF	CITATIONS
1455	Lead Isotopic Fingerprinting as a Tracer to Identify the Sources of Heavy Metals in Sediments from the Four River Inlets to Dongting Lake, China. SSRN Electronic Journal, 0, , .	0.4	0
1456	The difference of trophic magnification factors of Quinolones antibiotics (QNs) between pelagic and benthic foodwebs in a shallow lake: importance of carbon and nitrogen sources. Journal of Hazardous Materials, 2022, 427, 128209.	6.5	5
1457	<sc><i>EcoDiet</i></sc> A hierarchical <sc>Bayesian</sc> model to combine stomach, biotracer, and literature data into diet matrix estimation. Ecological Applications, 2022, 32, e2521.	1.8	7
1458	Distribution of Pb Isotopes in Different Chemical Fractions in Bed Sediments from Lower Reaches of the Xiangjiang River, Hunan Province of China. SSRN Electronic Journal, 0, , .	0.4	0
1459	Sources of CO ₂ Produced in Freshly Thawed Pleistocene-Age Yedoma Permafrost. Frontiers in Earth Science, 2022, 9, .	0.8	5
1460	Stable Isotope and Radiocarbon Analysis for Diet, Climate and Mobility Reconstruction in Agras (Early Tj ETQq1 1 0,784314 rgBT /Overl	1.3	2
1461	Soil ¹³ C and ¹⁵ N baselines clarify biogeographic heterogeneity in isotopic discrimination of European badgers (<i>Meles meles</i>). Scientific Reports, 2022, 12, 200.	1.6	1
1462	Considerations on the use of carbon and nitrogen isotopic ratios for sediment fingerprinting. Science of the Total Environment, 2022, 817, 152640.	3.9	6
1463	Kelp detritus: Unutilized productivity or an unacknowledged trophic resource?. Science of the Total Environment, 2022, 820, 153191.	3.9	5
1464	Identification and apportionment of shallow groundwater nitrate pollution in Weining Plain, northwest China, using hydrochemical indices, nitrate stable isotopes, and the new Bayesian stable isotope mixing model (MixSIAR). Environmental Pollution, 2022, 298, 118852.	3.7	92
1465	Water Use Characteristics of <i>Populus euphratica</i> Oliv. and <i>Tamarix chinensis</i> Lour. at Different Growth Stages in a Desert Oasis. Forests, 2022, 13, 236.	0.9	8
1466	Inferences to estimate consumerâ€™s diet using stable isotopes: Insights from a dynamic mixing model. PLoS ONE, 2022, 17, e0263454.	1.1	5
1467	A practical guide on stable isotope analysis for cetacean research. Marine Mammal Science, 2022, 38, 1200-1228.	0.9	14
1468	Using stable isotopes to investigate differences of plant water sources in subalpine habitats. Hydrological Processes, 2022, 36, .	1.1	10
1469	Tissue-specific Isotopic Incorporation Turnover Rates and Trophic Discrimination Factors in the Freshwater Shrimp (Crustacea: Decapoda: Palaemonidae).. Zoological Studies, 2021, 60, e32.	0.3	9
1470	Linking Indicator Species and Their Co-Occurrences to Straw-Induced Priming Effect in Agricultural Soil Exposed to Long-term Nitrogen Fertilization. SSRN Electronic Journal, 0, , .	0.4	0
1471	Understanding the trophic relationships amongst arthropods in olive grove by ¹⁵ N and ¹³ C stable isotope analysis. Journal of Applied Entomology, 0, , .	0.8	3
1472	Using aquatic animals as partners to increase yield and maintain soil nitrogen in the paddy ecosystems. ELife, 2022, 11, .	2.8	17

#	ARTICLE	IF	CITATIONS
1473	Migration, transformation and nitrate source in the Lihu Underground River based on dual stable isotopes of $^{15}\text{N-NO}_3^-$ and $^{18}\text{O-NO}_3^-$. <i>Environmental Science and Pollution Research</i> , 2022, , 1.	2.7	0
1474	Water Uptake by <i>Artemisia ordosica</i> Roots at Different Topographic Positions in an Alpine Desert Dune on the Northeastern Qinghai-Tibet Plateau. <i>Frontiers in Earth Science</i> , 2022, 10, .	0.8	3
1475	The Stem Sap Flow and Water Sources for <i>Tamarix ramosissima</i> in an Artificial Shelterbelt With a Deep Groundwater Table in Northwest China. <i>Frontiers in Plant Science</i> , 2022, 13, 794084.	1.7	3
1476	Soil Water Use Strategies of Dominant Tree Species Based on Stable Isotopes in Subtropical Regions, Central China. <i>Water (Switzerland)</i> , 2022, 14, 954.	1.2	2
1477	Ecosystem effects of invasive crayfish increase with crayfish density. <i>Freshwater Biology</i> , 2022, 67, 1005-1019.	1.2	3
1478	The Importance of Stem Photosynthesis for Two Desert Shrubs Across Different Groundwater Depths. <i>Frontiers in Plant Science</i> , 2022, 13, 804786.	1.7	2
1479	Bottom aquaculture can improve the basic trophic pathways and enhance the secondary production: Implications from benthic food web analysis. <i>Marine Pollution Bulletin</i> , 2022, 177, 113562.	2.3	1
1480	Effect of afforestation on soil water dynamics and water uptake under different rainfall types on the Loess hillslope. <i>Catena</i> , 2022, 213, 106216.	2.2	7
1481	Distribution of Pb isotopes in different chemical fractions in bed sediments from lower reaches of the Xiangjiang River, Hunan province of China. <i>Science of the Total Environment</i> , 2022, 829, 154394.	3.9	12
1482	Trophic assessment and isotopic niches of the sympatric penaeids species <i>Penaeus brasiliensis</i> and <i>P. paulensis</i> in SW Atlantic estuarine systems. <i>Marine Biology Research</i> , 2021, 17, 658-668.	0.3	2
1483	Current methods and future directions in avian diet analysis. <i>Auk</i> , 2022, 139, .	0.7	32
1484	Water Use Characteristics of Two Dominant Species in the Mega-Dunes of the Badain Jaran Desert. <i>Water (Switzerland)</i> , 2022, 14, 53.	1.2	4
1485	Nitrogen and water addition alter nitrogen uptake preferences of two dominant plant species in a typical Inner Mongolian steppe. <i>Chinese Science Bulletin</i> , 2022, 67, 1459-1468.	0.4	1
1486	An isotopic proxy for nitrogen redistribution from <i>Alnus acuminata</i> to wheat intercrop. <i>Experimental Agriculture</i> , 2021, 57, 316-323.	0.4	1
1487	Plant hydrological niches become narrow but stable as the complexity of interspecific competition increases. <i>Agricultural and Forest Meteorology</i> , 2022, 320, 108953.	1.9	5
1503	Isotopic composition of the eastern gray whale epidermis indicates contribution of prey outside Arctic feeding grounds. <i>Scientific Reports</i> , 2022, 12, 7055.	1.6	2
1504	Blue Carbon Storage in a Northern Temperate Estuary Subject to Habitat Loss and Chronic Habitat Disturbance: Cowichan Estuary, British Columbia, Canada. <i>Frontiers in Marine Science</i> , 2022, 9, .	1.2	5
1505	Quantitative Stable Isotope Tracing of Water Uptake in <i>Cynanchum sibiricum</i> during Its Growth Period in Arid Areas of Northwest China. <i>Water (Switzerland)</i> , 2022, 14, 1422.	1.2	0

#	ARTICLE	IF	CITATIONS
1506	Xylem water in riparian willow trees (<i>Salix alba</i>) reveals shallow sources of root water uptake by in situ monitoring of stable water isotopes. Hydrology and Earth System Sciences, 2022, 26, 2073-2092.	1.9	13
1507	The application and potential non-conservatism of stable isotopes in organic matter source tracing. Science of the Total Environment, 2022, 838, 155946.	3.9	2
1508	Ecological Traits and Trophic Plasticity in The Greater Pipefish <i>Syngnathus acus</i> in the NW Iberian Peninsula. Biology, 2022, 11, 712.	1.3	3
1509	Live plankton supplementation improves growth and health status of marron (<i>Cherax cainii</i> Austin) Tj ETQq1 1 0.784314 rgBJ /Overl	1.7	3
1510	Trophic transfer of methylmercury and brominated flame retardants in adjacent riparian and aquatic food webs: ¹³ C indicates biotransport of contaminants through food webs. Environmental Pollution, 2022, 306, 119433.	3.7	11
1511	Vegetation and soil succession determine the water-use strategy of <i>Caragana korshinskii</i> in a chronosequence of revegetated areas in Ningxia, Northwest China. Hydrology Research, 0, , .	1.1	0
1512	Dynamic change in an ocean desert: Microbial diversity and trophic transfer along the 110 °E meridional in the Indian Ocean. Deep-Sea Research Part II: Topical Studies in Oceanography, 2022, 201, 105097.	0.6	6
1513	How do precipitation events modify the stable isotope ratios in leaf water at Lhasa on the southern Tibetan Plateau?. Isotopes in Environmental and Health Studies, 2022, 58, 229-246.	0.5	0
1514	Stable isotope composition of multiple tissues and individual amino acids reveals dietary variation among life stages in green turtles (<i>Chelonia mydas</i>) at Ningaloo Reef. Marine Biology, 2022, 169, 1.	0.7	3
1515	Perspectives and challenges on isotopic ecology of terrestrial birds in Brazil. Zoologia, 0, 39, .	0.5	1
1516	Evaluation of n-alkanes, long-chain alcohols, and carbon stable isotope enrichments of n-alkanes as diet composition markers in free-grazing animals. Animal Production Science, 2022, , .	0.6	0
1517	Water sources for typical desert vegetation in the Ebinur Lake basin. Journal of Chinese Geography, 2022, 32, 1103-1118.	1.5	4
1518	Contrasting plant water-use responses to groundwater depth from seedlings to mature trees in the Gurbantunggut Desert. Journal of Hydrology, 2022, 610, 127986.	2.3	6
1519	Effects of climate change and nutrient concentrations on carbon sources for zooplankton in a Tibetan Plateau lake over the past millennium. Journal of Paleolimnology, 2022, 68, 249-263.	0.8	6
1520	Foodweb Trophic Level and Diet Inference Using an Extended Bayesian Stable Isotope Mixing Model. Open Journal of Ecology, 2022, 12, 333-359.	0.4	0
1521	Developing Nitrogen Isotopic Source Profiles of Atmospheric Ammonia for Source Apportionment of Ammonia in Urban Beijing. Frontiers in Environmental Science, 0, 10, .	1.5	2
1522	Water Uptake Tradeoffs of Dominant Shrub Species in the Coastal Wetlands of the Yellow River Delta, China. Frontiers in Plant Science, 0, 13, .	1.7	0
1523	Stable isotope and fatty acid analysis reveal the ability of sea cucumbers to use fish farm waste in integrated multi-trophic aquaculture. Journal of Environmental Management, 2022, 318, 115511.	3.8	10

#	ARTICLE	IF	CITATIONS
1524	Root Water Uptake Patterns for Nitraria during the Growth Period Differing in Time Interval from a Precipitation Event in Arid Regions. <i>Sustainability</i> , 2022, 14, 8203.	1.6	2
1525	Characteristics of the water cycle of Jinan karst spring in northern China. <i>Water Practice and Technology</i> , 2022, 17, 1470-1489.	1.0	2
1526	Estuarine food web structure and relative importance of organic matter sources for fish in a highly connected Northeastern Brazil ecotone. <i>Estuarine, Coastal and Shelf Science</i> , 2022, 275, 107972.	0.9	0
1527	Residential and agricultural soils dominate soil organic matter loss in a typical agricultural watershed of subtropical China. <i>Agriculture, Ecosystems and Environment</i> , 2022, 338, 108100.	2.5	4
1528	Source identification and apportionment of the nitrogen in groundwater based on isotope methods in the Beilin region of Suihua basin, northeastern China. <i>Water Environment Research</i> , 2022, 94, .	1.3	3
1530	Fine-scale foraging segregation in a green turtle (<i>Chelonia mydas</i>) feeding ground in the BijagÃ³s archipelago, Guinea Bissau. <i>Frontiers in Marine Science</i> , 0, 9, .	1.2	3
1531	High-Precision Calculation of the Proportions of Water with $\delta^2\text{H}$ and $\delta^{18}\text{O}$, the Cumulative Effect of Evaporation in the Vertical Direction and Depleted $\delta^2\text{H}$ and $\delta^{18}\text{O}$ of the Shallow Soil Water Caused by Evaporation. <i>Water (Switzerland)</i> , 2022, 14, 2594.	1.2	0
1532	Relationships between the Water Uptake and Nutrient Status of Rubber Trees in a Monoculture Rubber Plantation. <i>Agronomy</i> , 2022, 12, 1999.	1.3	2
1533	Applying geochemical and colour properties to quantify sediment sources in a Brazilian semiarid ephemeral river system. <i>Journal of Hydrology</i> , 2022, , 128360.	2.3	0
1534	Widespread root-zone water bypass for various climates and species: Implications for the ecohydrological separation understanding. <i>Agricultural and Forest Meteorology</i> , 2022, 324, 109107.	1.9	4
1535	Effects of coastal aquaculture on sediment organic matter: Assessed with multiple spectral and isotopic indices. <i>Water Research</i> , 2022, 223, 118951.	5.3	9
1536	Snow-melt water: An important water source for <i>Picea crassifolia</i> in Qilian Mountains. <i>Journal of Hydrology</i> , 2022, 613, 128441.	2.3	9
1537	Adaptability of tree water use to elevation changes: A case study of a mixed forest in Northern China. <i>Journal of Hydrology</i> , 2022, 613, 128407.	2.3	4
1538	Solving geological mixing problems with Bayesian tracer models: A demonstration of the method applied to Carlin-type pyrite. <i>Journal of Geochemical Exploration</i> , 2022, 242, 107091.	1.5	0
1539	Vapour pressure deficit and solar radiation are the major drivers of transpiration in montane tropical secondary forests in eastern Madagascar. <i>Agricultural and Forest Meteorology</i> , 2022, 326, 109159.	1.9	9
1540	Stable isotopes $\delta^{18}\text{O}$ and $\delta^2\text{H}$ reveal differential water uptake from intercropped maize and soybean soil profiles. <i>Field Crops Research</i> , 2022, 288, 108695.	2.3	7
1541	Sediment source fingerprinting as an aid to large-scale landscape conservation and restoration: A review for the Mississippi River Basin. <i>Journal of Environmental Management</i> , 2022, 324, 116260.	3.8	8
1542	Tracing the predominant sources of carbon in PM2.5 using $\delta^{13}\text{C}$ values together with OC/EC and select inorganic ions over two COALESCE locations. <i>Chemosphere</i> , 2022, 308, 136420.	4.2	5

#	ARTICLE	IF	CITATIONS
1543	Effects of urbanization on the trophic niche of the brown anole, a widespread invasive lizard. <i>Food Webs</i> , 2022, 33, e00257.	0.5	3
1544	Lead isotopic fingerprinting as a tracer to identify the sources of heavy metals in sediments from the Four Rivers™ inlets to Dongting Lake, China. <i>Catena</i> , 2022, 219, 106594.	2.2	6
1545	Release of Endogenous Nutrients Drives the Transformation of Nitrogen and Phosphorous in the Shallow Plateau of Lake Jian in Southwestern China. <i>Water (Switzerland)</i> , 2022, 14, 2624.	1.2	10
1546	Use of stable isotopes for assessing urbanization impacts on freshwater fishes. <i>Frontiers in Environmental Science</i> , 0, 10, .	1.5	1
1547	Water utilization of typical plant communities in desert steppe, China. <i>Journal of Arid Land</i> , 2022, 14, 1038-1054.	0.9	5
1548	Seasonal Water Uptake Patterns of Different Plant Functional Types in the Monsoon Evergreen Broad-Leaved Forest of Southern China. <i>Forests</i> , 2022, 13, 1527.	0.9	0
1549	Regulatory Control and the Effects of Condensation Water on Water Migration and Reverse Migration of <i>Halostachys caspica</i> (M.Bieb.) C.A.Mey. in Different Saline Habitats. <i>Forests</i> , 2022, 13, 1442.	0.9	1
1550	Linking sexual size dimorphism to trophic niche partitioning in a generalist predator. <i>Canadian Journal of Zoology</i> , 0, , .	0.4	1
1551	Polycyclic aromatic hydrocarbons in terrestrial and aquatic environments following wildfire: a review. <i>Environmental Reviews</i> , 2023, 31, 141-167.	2.1	4
1552	The use of stable isotopes to determine optimal application of irrigation-water to a maize crop. <i>Plant and Soil</i> , 2023, 482, 679-696.	1.8	5
1553	Water use strategies of <i>Robinia pseudoacacia</i> and <i>Quercus acutissima</i> vary among seasons and planting methods. <i>Plant and Soil</i> , 2023, 483, 199-207.	1.8	2
1554	ESTIMATION OF CORAL REEF FOOD WEBS IN SAKIEDA BAY, ISHIGAKI ISLAND. <i>Journal of Japan Society of Civil Engineers Ser B3 (Ocean Engineering)</i> , 2022, 78, I_679-I_684.	0.0	0
1555	Contamination Evaluation and Source Analysis of Heavy Metals in Karst Soil Using UNMIX Model and Pb-Cd Isotopes. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 12478.	1.2	4
1556	Novel sediment source fingerprinting quantifying erosion-induced total nitrogen and total phosphorus outputs from an intensive agricultural catchment, North China. <i>International Soil and Water Conservation Research</i> , 2023, 11, 494-506.	3.0	1
1557	Integrating dual C and N isotopic approach to elemental and mathematical solutions for improving the PM source apportionment in complex urban and industrial cities: Case of Tarragona - Spain. <i>Atmospheric Environment</i> , 2022, , 119449.	1.9	0
1558	Making the Invisible Visible? Using Stable Isotope Analysis to Detect Indirect Toxicant Effects. <i>Environmental Toxicology and Chemistry</i> , 2023, 42, 1937-1945.	2.2	2
1559	Water Cycling and partitioning through the Soil-Plant-Atmosphere Continuum in a subtropical, urban Woodland Inferred by Water Stable Isotopes. <i>Hydrological Processes</i> , 0, , .	1.1	1
1560	Fossilized diatoms as indirect indicators of the origin of carbon stored in intertidal flats. <i>Frontiers in Marine Science</i> , 0, 9, .	1.2	2

#	ARTICLE	IF	CITATIONS
1561	Sediment source apportionment using geochemical composite signatures in a large and polluted river system with a semiarid-coastal interface, Brazil. <i>Catena</i> , 2023, 220, 106710.	2.2	2
1562	Linking nitrogen- and straw-sensitive indicator species and their co-occurrences to priming effect in agricultural soil exposed to long-term nitrogen fertilization. <i>Soil Biology and Biochemistry</i> , 2023, 176, 108881.	4.2	8
1563	Using MixSIAR to quantify mixed contributions of primary producers from amino acid $\delta^{15}N$ of marine consumers. <i>Marine Environmental Research</i> , 2023, 183, 105792.	1.1	4
1565	Investigation of factors controlling the runoff generation mechanism using isotope tracing in large-scale nested basins. <i>Journal of Hydrology</i> , 2022, 615, 128728.	2.3	3
1567	Application of Stable Isotope Techniques in Tracing the Sources of Atmospheric NOX and Nitrate. <i>Processes</i> , 2022, 10, 2549.	1.3	2
1568	FRAME—Monte Carlo model for evaluation of the stable isotope mixing and fractionation. <i>PLoS ONE</i> , 2022, 17, e0277204.	1.1	5
1569	Comparative Apparent Hydraulic Conductance, Leaf Gas Exchange, and Water Resource Partitioning of <i>Populus euphratica</i> Trees and Saplings. <i>Forests</i> , 2022, 13, 1982.	0.9	0
1570	Reassessing Neolithic Diets in Western Scotland. <i>Humans</i> , 2022, 2, 226-250.	0.4	1
1571	The Effect of Bedrock Differences on Plant Water Use Strategies in Typical Karst Areas of Southwest China. <i>Land</i> , 2023, 12, 12.	1.2	4
1572	Water use strategies of <i>Ferula bungeana</i> on mega-dunes in the Badain Jaran Desert. <i>Frontiers in Plant Science</i> , 0, 13, .	1.7	3
1573	Benthic Invertebrates Abundance and Trophic Links in the Coastal Zone during <i>Cladophora</i> Blooms. <i>Diversity</i> , 2022, 14, 1053.	0.7	2
1574	Innovative approach to reveal source contribution of dissolved organic matter in a complex river watershed using end-member mixing analysis based on spectroscopic proxies and multi-isotopes. <i>Water Research</i> , 2023, 230, 119470.	5.3	12
1575	Source-oriented ecological risk assessment of heavy metals in sediments of West Taihu Lake, China. <i>Environmental Science and Pollution Research</i> , 2023, 30, 13909-13919.	2.7	5
1576	Diet composition and selection of Père David's deer in Hubei Shishou Milu National Nature Reserve, China. <i>Ecology and Evolution</i> , 2023, 13, .	0.8	2
1577	Trophic Structure of Temperate Australian Oyster Reefs Within the Estuarine Seascape: a Stable Isotope Analysis. <i>Estuaries and Coasts</i> , 2023, 46, 844-859.	1.0	2
1578	Water-Use Strategies and Habitat Adaptation of Four Tree Species in Karstic Climax Forest in Maolan. <i>Water (Switzerland)</i> , 2023, 15, 203.	1.2	2
1579	A lifelong journey of lead in soil profiles at an abandoned e-waste recycling site: Past, present, and future. <i>Environmental Pollution</i> , 2023, 320, 121097.	3.7	3
1580	Biocrust-induced partitioning of soil water between grass and shrub in a desert steppe of Northwest China. <i>Journal of Arid Land</i> , 2023, 15, 63-76.	0.9	1

#	ARTICLE	IF	CITATIONS
1582	Temperature and precipitation control the seasonal patterns of discharge and water isotopic signals of the Nyang River on the southeastern Tibetan Plateau. <i>Journal of Hydrology</i> , 2023, 617, 129064.	2.3	7
1583	Redistribution effect of irrigation on shallow groundwater recharge source contributions in an arid agricultural region. <i>Science of the Total Environment</i> , 2023, 865, 161106.	3.9	6
1584	A Contribution on the Diet of the Warty Crab, <i>Eriphia verrucosa</i> (Forsk., 1775) by Informative Bayesian Stable Isotope Mixing Models. <i>Russian Journal of Marine Biology</i> , 2022, 48, 495-503.	0.2	0
1585	LINKING RADIOCARBON AND TROPHIC WEBS IN KARSTIC GROUNDWATER ECOSYSTEMS IN THE YUCATAN PENINSULA, MEXICO. <i>Radiocarbon</i> , 2022, 64, 1629-1639.	0.8	0
1586	Stable Isotopes Reveal Algal Assimilation in the Carnivorous Sea Slug <i>Pleurobranchaea maculata</i> (Quoy & Gaimard, 1832) on Patagonian Coasts. <i>Malacologia</i> , 2022, 65, .	0.2	0
1587	Water competition among the coexisting <i>Platyclusus orientalis</i> , <i>Prunus davidiana</i> and <i>Medicago sativa</i> in a semi-arid agroforestry system. <i>Agricultural Water Management</i> , 2023, 279, 108206.	2.4	3
1588	Sources, Composition, and Export of Particulate Organic Matter Across British Estuaries. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2023, 128, .	1.3	0
1589	Assessing n-alkane and neutral lipid biomarkers as tracers for land-use specific sediment sources. <i>Geoderma</i> , 2023, 433, 116445.	2.3	2
1590	Determining nitrogen fate by hydrological pathways and impact on carbonate weathering in an agricultural karst watershed. <i>International Soil and Water Conservation Research</i> , 2023, 11, 327-338.	3.0	2
1591	Diet of the stone scorpionfish (<i>Scorpaena mystes</i>) from the coastal region of Santa Rosalia, Gulf of California, Mexico using stomach contents and stable isotope analyses. <i>Regional Studies in Marine Science</i> , 2023, 62, 102942.	0.4	1
1592	Sediment source fingerprinting and the temporal variability of source contributions. <i>Journal of Environmental Management</i> , 2023, 338, 117835.	3.8	5
1594	EMMTE: An Excel VBA tool for source apportionment of nitrate based on the stable isotope mixing model. <i>Science of the Total Environment</i> , 2023, 868, 161728.	3.9	2
1595	The Chemistry of Human Bone: Diet, Nutrition, Status and Mobility. , 2016, , 428-473.		0
1596	Variation of soil-plant-atmosphere continuum stable isotope and water source in Qinghai spruce forest of the eastern Qilian Mountains. <i>Journal of Mountain Science</i> , 2023, 20, 355-366.	0.8	0
1597	Delineating the food web structure in an Indian estuary during tropical winter employing stable isotope signatures and mixing model. <i>Environmental Science and Pollution Research</i> , 2023, 30, 49412-49434.	2.7	0
1598	Downstream changes in riverbank sediment sources and the effect of catchment size. <i>Journal of Hydrology: Regional Studies</i> , 2023, 46, 101340.	1.0	1
1599	Nitrogen Preference of Dominant Species during Hailuogou Glacier Retreat Succession on the Eastern Tibetan Plateau. <i>Plants</i> , 2023, 12, 838.	1.6	1
1600	Spatio-temporal suspended sediment fingerprinting under different land management practices. <i>International Journal of Sediment Research</i> , 2023, 38, 481-493.	1.8	3

#	ARTICLE	IF	CITATIONS
1601	Mixing of tree species with the same water use strategy might lead to deep soil water deficit. <i>Forest Ecology and Management</i> , 2023, 534, 120876.	1.4	3
1602	Using stable isotopes to measure the dietary responses of Costa Rican forest birds to agricultural countryside. <i>Frontiers in Ecology and Evolution</i> , 0, 11, .	1.1	1
1603	Groundwater recharge in typical geomorphic landscapes and different land use types on the loess plateau, China. <i>Hydrological Processes</i> , 2023, 37, .	1.1	2
1604	Fossil and non-fossil sources of the carbonaceous component of PM2.5 in forest and urban areas. <i>Scientific Reports</i> , 2023, 13, .	1.6	2
1605	Determining the trophic transfer of metal(loid)s and arsenic speciation in freshwater aquatic organisms by quantifying diet compositions. <i>Chemosphere</i> , 2023, 329, 138600.	4.2	1
1606	How does anthropogenic activity influence the spatial distribution of dissolved organic matter in rivers of a typical basin located in the Loess Plateau, China. <i>Journal of Environmental Management</i> , 2023, 340, 117984.	3.8	3
1616	Epilogue: Stable Isotope Analysis in Archaeology – Current Perspectives and Future Directions. <i>Interdisciplinary Contributions To Archaeology</i> , 2023, , 295-303.	0.1	0