

CITATION REPORT

List of articles citing

The natural history of lower urinary tract symptoms over five years

DOI: 10.1016/s0302-2838(03)00084-8
European Urology, 2003, 43, 374-80.

Source: <https://exaly.com/paper-pdf/35002037/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
54	Protecting Bladder Function and Reducing Disease Progression. <i>European Urology Supplements</i> , 2003 , 2, 13-18	0.9	4
53	[Estimation of the cost in the medical treatment of benign prostatic hyperplasia in Navarre, Spain]. <i>Actas Urológicas Españolas</i> , 2004 , 28, 255-61	0.7	0
52	Natural history and clinical predictors of clinical progression in benign prostatic hyperplasia. <i>Current Opinion in Urology</i> , 2005 , 15, 35-8	2.8	26
51	Mictieklachten bij oudere mannen: luts. <i>Bijblijven (Amsterdam, Netherlands)</i> , 2005 , 21, 188-195	0.2	
50	Low incidence of acute urinary retention in the general male population: the triumph project. <i>European Urology</i> , 2005 , 47, 494-8	10.2	45
49	Wat zijn therapeutische mogelijkheden bij een bemoeilijkte mictie bij oudere mannen?. <i>Stimulus</i> , 2005 , 24, 217-221		
48	Limitations of using outcomes in the placebo arm of a clinical trial of benign prostatic hyperplasia to quantify those in the community. <i>Mayo Clinic Proceedings</i> , 2005 , 80, 759-64	6.4	15
47	Limitations of Using Outcomes in the Placebo Arm of a Clinical Trial of Benign Prostatic Hyperplasia to Quantify Those in the Community. <i>Mayo Clinic Proceedings</i> , 2005 , 80, 759-764	6.4	11
46	The association between lower urinary tract symptoms and renal function in men: a cross-sectional and 5-year longitudinal analysis. <i>Journal of Urology</i> , 2006 , 175, 1398-402	2.5	12
45	Clinical approach to the prostate: an update. <i>Radiologic Clinics of North America</i> , 2006 , 44, 649-63, vii	2.3	4
44	Natural history of benign prostate hyperplasia. <i>Chinese Medical Journal</i> , 2006 , 119, 2085-2089	2.9	3
43	[Overactive bladder: prospects and limitations of botulinum toxin]. <i>Gynakologisch-geburtshilfliche Rundschau</i> , 2006 , 46, 88-95		
42	Alpha blockers for removal of urethral catheter after acute urinary retention in men. 2007 ,		
41	Hiperplasia benigna de próstata. Abordaje por el médico de Atención Primaria. <i>Semergen</i> , 2007 , 33, 529-539	1.9	9
40	The short-term and long-term effects of radical prostatectomy on lower urinary tract symptoms. <i>Journal of Urology</i> , 2007 , 178, 2397-400; discussion 2400-1	2.5	22
39	Mortality in men admitted to hospital with acute urinary retention. <i>BMJ, The</i> , 2007 , 335, 1164-5	5.9	
38	The long-term outcome of medical therapy for BPH. <i>European Urology</i> , 2007 , 51, 1522-33	10.2	80

37	The natural history of lower urinary tract symptoms in females: analysis of a health screening project. <i>European Urology</i> , 2007 , 52, 1744-50	10.2	38
36	[Benign prostate hyperplasia: success and limitations of pharmacological therapy]. <i>Der Internist</i> , 2007 , 48, 1157-64	0	2
35	Prospects and limitations of treatment with botulinum neurotoxin type A for patients with refractory idiopathic detrusor overactivity. <i>BJU International</i> , 2008 , 102 Suppl 1, 7-10	5.6	9
34	Lower urinary tract symptoms revisited: a broader clinical perspective. <i>European Urology</i> , 2008 , 54, 563-9	10.2	141
33	Drug-induced urinary retention: incidence, management and prevention. <i>Drug Safety</i> , 2008 , 31, 373-88	5.1	137
32	Prevalence of lower urinary tract symptoms in male aborigines and non-aborigines in eastern Taiwan. <i>Journal of the Formosan Medical Association</i> , 2008 , 107, 728-35	3.2	11
31	The relationship between sleep apnea and overactive bladder. <i>Current Urology Reports</i> , 2009 , 10, 448-50	2.9	13
30	Implications of recent epidemiology studies for the clinical management of lower urinary tract symptoms. <i>BJU International</i> , 2009 , 103 Suppl 3, 48-57	5.6	23
29	Alpha blockers prior to removal of a catheter for acute urinary retention in adult men. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD006744		23
28	Efficacy of Solifenacin on Symptom Bother and Health-Related Quality of Life in Patients With Acute, Early Chronic, and Late Chronic Overactive Bladder: Secondary Analysis of Data From the VOLT Study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010 , 16, 320-6	1.9	0
27	Update on Uro pharmacology: Bladder Dysfunction, Nitric Oxide, and Reactive Oxygen Species. <i>Current Bladder Dysfunction Reports</i> , 2010 , 5, 150-156	0.4	0
26	Benign Prostatic Hyperplasia and Male Lower Urinary Tract Symptoms: Epidemiology and Risk Factors. <i>Current Bladder Dysfunction Reports</i> , 2010 , 5, 212-218	0.4	183
25	Progression of lower urinary tract symptoms in older men: a community based study. <i>Journal of Urology</i> , 2010 , 183, 1915-20	2.5	45
24	Progression of null or mild lower urinary tract symptoms indicative of benign prostatic hyperplasia after 2 years of follow-up in non-treated men aged 40 years or older. <i>Urology</i> , 2011 , 77, 693-8	1.6	4
23	Epidemiology and healthcare utilization of neurogenic bladder patients in a US claims database. <i>Neurourology and Urodynamics</i> , 2011 , 30, 395-401	2.3	150
22	Incidence of lower urinary tract symptoms in a population-based study of men and women. <i>Urology</i> , 2013 , 82, 560-4	1.6	37
21	The role of alpha blockers prior to removal of urethral catheter for acute urinary retention in men. <i>The Cochrane Library</i> , 2014 , CD006744	5.2	11
20	Lifestyle and health factors associated with progressing and remitting trajectories of untreated lower urinary tract symptoms among elderly men. <i>Prostate Cancer and Prostatic Diseases</i> , 2014 , 17, 265-72	6.2	18

19	Outcomes of medical and surgical treatment for lower urinary tract symptoms (benign prostatic obstruction)--a population-based cohort study. <i>International Journal of Clinical Practice</i> , 2014 , 68, 349-55 ²⁻⁹		
18	Epidemiology of lower urinary tract symptoms: emphasis on the status in Korea. <i>Korean Journal of Urology</i> , 2014 , 55, 300-8		13
17	Alcohol is longitudinally associated with lower urinary tract symptoms partially via high-density lipoprotein. <i>Alcoholism: Clinical and Experimental Research</i> , 2014 , 38, 2878-83	3.7	4
16	Natural course of lower urinary tract symptoms in men not requiring treatment--a 5-year longitudinal population-based study. <i>Urology</i> , 2014 , 83, 411-5	1.6	7
15	Prevalence and Progression of Lower Urinary Tract Symptoms in an Aging Population. <i>Urology</i> , 2016 , 95, 158-63	1.6	22
14	Incidence and Remission of Nocturia: A Systematic Review and Meta-analysis. <i>European Urology</i> , 2016 , 70, 372-81	10.2	17
13	Endothelial dysfunction, abnormal vascular structure and lower urinary tract symptoms in men and women. <i>International Journal of Cardiology</i> , 2018 , 261, 196-203	3.2	5
12	Development of Research Agenda in Prostate Artery Embolization: Summary of Society of Interventional Radiology Consensus Panel. <i>Journal of Vascular and Interventional Radiology</i> , 2020 , 31, 108-113	2.4	1
11	Benignes Prostatasyndrom: L�st sich die Progression verhindern?. <i>Uro-News</i> , 2021 , 25, 36-43	0	
10	Development and validation of a nomogram for predicting early stress urinary incontinence following endoscopic enucleation of the prostate. <i>World Journal of Urology</i> , 2021 , 39, 3447-3453	4	3
9	Epidemiology and etiology of benign prostatic hyperplasia and bladder outlet obstruction. <i>Indian Journal of Urology</i> , 2014 , 30, 170-6	0.8	109
8	2010 Update: Guidelines for the management of benign prostatic hyperplasia. <i>Canadian Urological Association Journal</i> , 2010 , 4, 310-6	1.2	78
7	NHG-Standaard Bemoeilijkte mictie bij oudere mannen. 2009 , 753-777		
6	NHG-Standaard Bemoeilijkte mictie bij oudere mannen. 2011 , 1387-1411		
5	COMPARISON OF UWIN SCORE WITH INTERNATIONAL PROSTATIC SYMPTOM SCORE IN PATIENTS WITH LOWER URINARY TRACT SYMPTOMS. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2016 , 5, 5942-5946	0.1	1
4	Urogenital Health: Optimizing Healthy Aging. 2019 , 93-103		
3	Short-, Intermediate-, and Long-term Quality of Life Outcomes Following Radical Prostatectomy for Clinically Localized Prostate Cancer. <i>Reviews in Urology</i> , 2013 , 15, 161-77	1	19
2	Study protocol and methods for Easing Pelvic Pain Interventions Clinical Research Program (EPPIC): a randomized clinical trial of brief, low-intensity, transdiagnostic cognitive behavioral therapy vs education/support for urologic chronic pelvic pain syndrome (UCPPS). 2022 , 23,		

1 A national survey of lower urinary tract symptoms in Jordan. **2022**,

o