

CITATION REPORT

List of articles citing

The effect of blood drawing techniques and equipment on the hemolysis of ED laboratory blood samples

DOI: 10.1067/men.2003.66

Journal of Emergency Nursing, 2003, 29, 116-21.

Source: <https://exaly.com/paper-pdf/35005778/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
110	Patient Safety and Medical Malpractice. 2004 , 140, 933		
109	Rosiglitazone for Treatment of HIV Lipodystrophy. 2004 , 141, 739		
108	To Butterfly or To Needle: The Specimen Testing Question. 2004 , 141, W-140		1
107	Successful treatment of sarcoidosis. 2004 , 140, W70		6
106	Low-Carbohydrate Diets. 2004 , 141, 738		
105	Residents' work hours. 2004 , 141, 740; author reply 742		
104	Risk factors for Helicobacter pylori resistance. 2004 , 140, 931; author reply 931		1
103	Tadalafil in primary pulmonary arterial hypertension. 2004 , 141, 743-4		40
102	Detection of hemoglobin-based oxygen carriers in human serum for doping analysis: screening by electrophoresis. 2004 , 50, 410-5		27
101	Blood samples drawn from IV catheters have less hemolysis when 5-mL (vs 10-mL) collection tubes are used. <i>Journal of Emergency Nursing</i> , 2004 , 30, 529-33	1.3	31
100	The impact of hemolysis on Ortho-Clinical Diagnostic® ECI and Roche® Elecsys immunoassay systems. 2004 , 348, 181-7		41
99	Practice Guidelines for Chronic Kidney Disease. 2004 , 140, 934		
98	Practice guidelines for chronic kidney disease. 2004 , 140, 934; author reply 934-5		4
97	To butterfly or to needle: the pilot phase. 2004 , 140, 935-6		13
96	Factors affecting hemolysis rates in blood samples drawn from newly placed IV sites in the emergency department. <i>Journal of Emergency Nursing</i> , 2005 , 31, 338-45	1.3	68
95	Preanalytical variability in laboratory testing: influence of the blood drawing technique. 2005 , 43, 319-25		37
94	Randomized, single blinded control trial comparing haemolysis rate between two cannula aspiration techniques. 2006 , 18, 484-8		16

93	Electrophoretic, size-exclusion high-performance liquid chromatography and liquid chromatography-electrospray ionization ion trap mass spectrometric detection of hemoglobin-based oxygen carriers. 2007 , 583, 223-30		15
92	Collecting factors related to the haemolysis of blood specimens. 2008 , 17, 2343-51		27
91	Fainting and hemolysis during blood sampling in youngsters: prevalence study. 2008 , 45, 760-4		4
90	Nursing blood specimen collection techniques and hemolysis rates in an emergency department: analysis of venipuncture versus intravenous catheter collection techniques. <i>Journal of Emergency Nursing</i> , 2008 , 34, 26-32	1.3	77
89	Haemolysis: an overview of the leading cause of unsuitable specimens in clinical laboratories. 2008 , 46, 764-72		261
88	Complications associated with the use of vascular access ports in dogs receiving external beam radiation therapy. 2008 , 233, 96-103		7
87	A practical guide to venepuncture and blood sampling. 2008 , 22, 29-36		9
86	Haemolysis index--an estimate of preanalytical quality in primary health care. 2009 , 47, 940-4		42
85	A retrospective analysis of the incidence of hemolysis in type and screen specimens from trauma patients. 2009 , 18, 182-3		12
84	Extensional flow-based assessment of red blood cell deformability using hyperbolic converging microchannel. 2009 , 11, 1021-7		105
83	Shear-induced global thrombosis test of native blood: pivotal role of ADP allows monitoring of P2Y12 antagonist therapy. 2009 , 124, 447-51		17
82	Reducing blood sample hemolysis at a tertiary hospital emergency department. 2009 , 122, 1054.e1-6		27
81	Hemolysis falsely decreases intraoperative parathyroid hormone levels. 2009 , 197, 222-6		5
80	Hemólisis en las muestras para diagnóstico. 2009 , 2, 185-195		1
79	Obtaining blood samples from peripheral intravenous catheters: best practice?. 2009 , 18, 474-8		24
78	Prospective evaluation of the rate and impact of hemolysis on intraoperative parathyroid hormone (IOPH) assay results. 2010 , 17, 2963-9		9
77	Analysis of hemoglobin-based oxygen carriers by CE-UV/Vis and CE-ESI-TOF/MS. 2010 , 31, 1241-7		27
76	Impact of blood collection devices on clinical chemistry assays. <i>Clinical Biochemistry</i> , 2010 , 43, 4-25	3.5	141

75	Blood withdrawn through a cannula valve connector does not result in clinically significant haemolysis. 2010 , 22, 310-5		0
74	The importance of preanalytics for the coagulation laboratory. 2010 , 30, 63-70		1
73	Comparison of hematologic and biochemical results on blood obtained by jugular venipuncture as compared with intravenous catheter in adult horses. <i>Journal of Veterinary Internal Medicine</i> , 2010 , 24, 1462-6	3.1	13
72	Hemolyzed specimens: a major challenge for emergency departments and clinical laboratories. 2011 , 48, 143-53		112
71	Mitigation and detection of spurious potassium and sodium results. 2011 , 412, 1-6		12
70	Assessment of the effects of different concentrations of ethylenediaminetetraacetic acid (EDTA) on erythrocytic indices of Nigerian White Fulani cattle and West African Dwarf goat. 2011 , 43, 1015-8		
69	Factors reducing hemolysis rates in blood samples from the emergency department. 2011 , 49, 157-8		14
68	Quality standards for sample collection in coagulation testing. 2012 , 38, 565-75		133
67	Sources of preanalytical errors and the role of training in error prevention. 2012 , 39, 524-530		6
66	Effectiveness of practices to reduce blood sample hemolysis in EDs: a laboratory medicine best practices systematic review and meta-analysis. <i>Clinical Biochemistry</i> , 2012 , 45, 1012-32	3.5	66
65	Preanalytic variables of thrombin generation: towards a standard procedure and validation of the method. 2012 , 10, 2544-54		96
64	Diagnostic approach to small animal bleeding disorders. 2012 , 27, 73-80		21
63	[A comparison of the rates of hemolysis and repeated blood sampling using syringe needles versus vacuum tube needles in the emergency department]. 2012 , 42, 443-51		2
62	Testing the effects of educational toilet posters: a novel way of reducing haemolysis of blood samples within ED. 2012 , 15, 31-6		9
61	Hemolysis of coagulation specimens: a comparative study of intravenous draw methods. <i>Journal of Emergency Nursing</i> , 2012 , 38, 15-21	1.3	20
60	Let the data speak: decreasing hemolysis rates through education, practice, and disclosure. <i>Journal of Emergency Nursing</i> , 2012 , 38, 239-44	1.3	5
59	Use of butterfly needles to draw blood is independently associated with marked reduction in hemolysis compared to intravenous catheter. 2013 , 20, 1151-5		25
58	Low vacuum and discard tubes reduce hemolysis in samples drawn from intravenous catheters. <i>Clinical Biochemistry</i> , 2013 , 46, 1142-1144	3.5	21

57	Prevention of hemolysis in blood samples collected from intravenous catheters. <i>Clinical Biochemistry</i> , 2013 , 46, 561-4	3.5	27
56	Minor improvement of venous blood specimen collection practices in primary health care after a large-scale educational intervention. 2013 , 51, 303-10		15
55	Proposta di una checklist per il prelievo di sangue venoso. 2013 , 9, 225-231		
54	Microscopic evaluation of vesicles shed by erythrocytes at elevated temperatures. 2013 , 76, 1163-70		6
53	Critical review and meta-analysis of spurious hemolysis in blood samples collected from intravenous catheters. 2013 , 23, 193-200		35
52	Hematology point of care testing and laboratory errors: an example of multidisciplinary management at a children's hospital in northeast Italy. 2014 , 7, 45-50		3
51	Pediatric blood sample collection from a pre-existing peripheral intravenous (PIV) catheter. 2014 , 29, 451-6		9
50	Using Lean-Six Sigma to reduce hemolysis in the emergency care center in a collaborative quality improvement project with the hospital laboratory. 2015 , 41, 99-107		10
49	4.5 Interferences from Blood Sampling Device Materials on Clinical Assays: I Blood Collection Devices and Their Constituents and Additives.		2
48	In-vitro hemolysis and its financial impact using different blood collection systems. 2015 ,		3
47	The Impact of Hemolysis on the Accuracy of Ethanol Determinations. 2015 , 39, 672-3		4
46	Clinical Laboratory Quality Practices When Hemolysis Occurs. 2015 , 139, 901-6		18
45	Reference intervals for selected serum biochemistry analytes in cheetahs <i>Acinonyx jubatus</i> . 2016 , 87, 1316		7
44	Does Pneumatic Tube System Transport Contribute to Hemolysis in ED Blood Samples?. 2016 , 17, 557-60		11
43	Factors affecting blood sample haemolysis: a cross-sectional study. 2016 , 23, 143-6		9
42	Generalizability and Effectiveness of Butterfly Phlebotomy in Reducing Hemolysis. 2016 , 23, 204-7		5
41	Utility of peripheral intravenous cannulae inserted in one tertiary referral emergency department: A medical record audit. 2016 , 19, 20-5		7
40	Key factors influencing the incidence of hemolysis: A critical appraisal of current evidence. 2017 , 54, 59-72		12

39	Causes, consequences and management of sample hemolysis in the clinical laboratory. <i>Clinical Biochemistry</i> , 2017 , 50, 1317-1322	3.5	27
38	Impact of Use of Smaller Volume, Smaller Vacuum Blood Collection Tubes on Hemolysis in Emergency Department Blood Samples. <i>American Journal of Clinical Pathology</i> , 2017 , 148, 330-335	1.9	8
37	Effect of blood collection by the push-pull technique from an indwelling catheter versus direct venipuncture on venous blood gas values before and after administration of alfaxalone or propofol in dogs. 2017 , 251, 1166-1174		7
36	Evaluation of a new venous catheter blood draw device and its impact on specimen hemolysis rates. 2018 , 10, 38-43		4
35	Determination of dolutegravir [®] unbound fraction in human plasma using validated equilibrium dialysis and LC-MS/MS methods. 2018 , 479, 56-65		8
34	Making sense of a haemolysis monitoring and reporting system: a nationwide longitudinal multimethod study of 68 Australian laboratory participant organisations. 2018 , 56, 565-573		3
33	Comparison of two blood sampling techniques for the determination of coagulation parameters in the horse: Jugular venipuncture and indwelling intravenous catheter. 2018 , 50, 333-338		5
32	Preanalytic Factors Associated With Hemolysis in Emergency Department Blood Samples. 2018 , 142, 229-235		20
31	Prediction Model of Serum Lithium Concentrations. 2018 , 51, 82-88		2
30	Drawing blood from peripheral intravenous cannula compared with venepuncture: A systematic review and meta-analysis. 2019 , 75, 2313-2339		11
29	Portable Device for Measuring Blood Test Hemolyzed Samples Based on Computer Vision and Neural Network. 2019 , 13,		0
28	ACVIM consensus statement on the diagnosis of immune-mediated hemolytic anemia in dogs and cats. <i>Journal of Veterinary Internal Medicine</i> , 2019 , 33, 313-334	3.1	46
27	Agreement between blood draw techniques for assessing platelet activation by flow cytometry. <i>Platelets</i> , 2019 , 30, 530-534	3.6	4
26	Managing hemolyzed samples in clinical laboratories. 2020 , 57, 1-21		26
25	Blood sampling through peripheral intravenous cannulas: A look at current practice in Australia. 2020 , 27, 219-225		4
24	Accuracy of Hemolyzed Potassium Levels in the Emergency Department. 2020 , 21, 272-275		1
23	A simple method to monitor hemolysis in real time. 2020 , 10, 5101		2
22	Bacitracin attenuates haemolysis-induced insulin degradation during insulin sensitivity testing: Repurposing an old drug for use in metabolic research. 2020 , 22, 1469-1473		3

21	The impact of blood sampling technique, including the use of peripheral intravenous cannula, on haemolysis rates: A cohort study. 2021 , 30, 1916-1926		0
20	Hemolyzed Blood Samples in the Emergency Department - Finding Our "Why". <i>Journal of Emergency Nursing</i> , 2021 , 47, 524-526	1.3	
19	Peripheral intravenous cannulas for blood drawing: Nurses' views through content analysis. 2021 , 28, 408-414		0
18	Evaluation of BD Vacutainer Eclipse and BD Vacutainer Ultra-Touch butterfly blood collecting sets in laboratory testing. 2021 ,		
17	Assessing the influence of true hemolysis occurring in patient samples on emergency clinical biochemistry tests results using the VITROS 5600 Integrated system. 2021 , 15, 91		
16	Clinical laboratory specimen rejection--association with the site of patient care and patients' characteristics: findings from a single health care organization. 2007 , 131, 588-92		28
15	Multicenter Study of Needle-Free Blood Collection System for Reducing Specimen Error and Intravenous Catheter Replacement. 2021 ,		
14	Bedside Laboratory and Microbiologic Procedures. 2010 , 1283-1306		
13	Harmonization of Hemolysis Index in Clinical Chemistry Laboratory and Its Application as a Result Verification Tool. 2017 , 49, 350-358		
12	Effect of Haemolysis Interferences on Emergency Biochemistry Parameters in a Tertiary Care Hospital in New Delhi. 2020 , 9, 772-775		
11	Current Methods of Haemolysis Detection and Reporting as a Source of Risk to Patient Safety: a Narrative Review. 2016 , 37, 143-151		11
10	The use of high-dose immunoglobulin M-enriched human immunoglobulin in dogs with immune-mediated hemolytic anemia. <i>Journal of Veterinary Internal Medicine</i> , 2021 ,	3.1	2
9	Peripheral versus central venous blood sampling does not influence the assessment of platelet activation in cirrhosis.. <i>Platelets</i> , 2022 , 1-8	3.6	0
8	Increased specimen minimum volume reduces turnaround time and hemolysis.. <i>Clinical Biochemistry</i> , 2022 ,	3.5	
7	OUP accepted manuscript. <i>American Journal of Clinical Pathology</i> ,	1.9	
6	Reliability of blood tests taken from the peripheral intravenous catheter. 2022 , 101, e29268		0
5	A Single-Center Prospective Study of the Effects of Different Methods of Phlebotomy in the Emergency Department on Blood Sample Hemolysis Rates. 2022 ,		0
4	Source of Liquid Biopsy Biomarker: Exosome vs Whole Plasma, Fasting vs Non-fasting.		0

- 3 Observational Study to Determine Factors Associated with Blood Sample Haemolysis in the Emergency Department. **2008**, 37, 745-748 1
- 2 Hemolysis Control in the Emergency Department by Interventional Blood Sampling. **2023**, 13, 651 0
- 1 Erroneous potassium results: preanalytical causes, detection, and corrective actions. 1-24 0