

CITATION REPORT

List of articles citing

Basic theory of dielectrophoresis and electrorotation

DOI: 10.1109/memb.2003.1304999
IEEE Engineering in Medicine and Biology Magazine,
2003, 22, 33-42.

Source: <https://exaly.com/paper-pdf/35010333/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
329	Deterministic Absolute Negative Mobility for Micro- and Submicrometer Particles Induced in a Microfluidic Device.		
328	Cell Physiometry Tools Based on Dielectrophoresis. 2004 , 9, 324-330		18
327	Investigation of human malignant cells by electrorotation.		0
326	A programmable AC electrokinetic analysis system.		
325	Numerical comparison between Maxwell stress method and equivalent multipole approach for calculation of the dielectrophoretic force in single-cell traps. 2005 , 26, 2057-65		54
324	Dielectrophoresis induced clustering regimes of viable yeast cells. 2005 , 26, 3738-44		36
323	Electric field-induced chaining of Au/aniline polymeric particle pairs and TEM characterization. 2005 , 6, 2485-8		6
322	Fiber Classification and the Influence of Average Air Humidity. 2005 , 39, 1056-1063		20
321	Dielectrophoresis of an inhomogeneous colloidal particle under an inhomogeneous field: a first-principles approach. 2006 , 110, 25665-70		8
320	Dielectrophoretic assembly of nanowires. 2006 , 110, 14098-106		146
319	Electroporation. 2006 ,		4
318	Fertilization state of <i>Ascaris suum</i> determined by electrorotation. 2006 , 80, 25-31		3
317	Micro-rheometer: High throughput system for measuring of viscoelastic properties of single biological cells. 2006 , 118, 20-27		6
316	Electrode surface ratio optimization for thermal performance in 3-D dielectrophoretic single-cell traps. 2006 , 27, 1984-95		7
315	Rapid broad spectrum bacterial detection using electromagnetic cellular polarization and optical scattering. 2006 ,		
314	Bacteria detection in a microfluidic channel utilizing electromagnetic cellular polarization and optical scattering.		0
313	Adaptive temperature estimation in 3D single-cell dielectrophoretic traps using the boundary element method. 2007 , 33, 599-603		

312	Electrical control of loaded biomimetic femtoliter vesicles in microfluidic system. 2007 , 90, 173901		15
311	Sensitivity modulation of carbon-nanotube chemical sensors via quantum dot heterostructures. 2007 ,		
310	Rotational electrophoresis of striped metallic microrods. 2007 , 75, 011503		65
309	Quasistatic force and torque on ellipsoidal particles under generalized dielectrophoresis. 2007 , 102, 094702		22
308	. 2007 , 24, 50-58		
307	Immersed electrokinetic finite element method. 2007 , 71, 379-405		51
306	Electrodeless direct current dielectrophoresis using reconfigurable field-shaping oil barriers. 2007 , 28, 4572-81		44
305	An integrated dielectrophoretic quartz crystal microbalance (DEP-QCM) device for rapid biosensing applications. 2007 , 23, 225-32		27
304	Enhancing dielectrophoresis effect through novel electrode geometry. <i>Biomedical Microdevices</i> , 2007 , 9, 823-31	3.7	27
303	Robust dielectrophoretic single-cell trap design using BEM. 2008 , 32, 388-394		2
302	A Nonlinear Elasticity Model of Macromolecular Conformational Change Induced by Electrostatic Forces. 2008 , 340, 135-164		14
301	A unified theory of dipolophoresis for nanoparticles. 2008 , 20, 107105		39
300	Electrofused giant protoplasts of <i>Saccharomyces cerevisiae</i> as a novel system for electrophysiological studies on membrane proteins. 2008 , 1778, 1493-500		12
299	Miniaturized Vision System for Microfluidic Devices. 2008 , 22, 1207-1222		6
298	Numerical design of electrical-mechanical traps. <i>Lab on A Chip</i> , 2008 , 8, 755-63	7.2	13
297	Programmable manipulation of motile cells in optoelectronic tweezers using a grayscale image. 2008 , 93, 143901		38
296	Polarizability of shelled particles of arbitrary shape in lossy media with an application to hematic cells. 2008 , 78, 051905		10
295	Laser induced dynamics of interacting small particles. 2009 , 106, 084311		3

294	Parallel and orthogonal E-field alignment of single-walled carbon nanotubes by ac dielectrophoresis. 2009 , 20, 035201		23
293	Traveling wave dielectrophoresis micropump based on the dispersion of a capacitive electrode layer. 2009 , 105, 124511		15
292	AN INVARIANT GENERAL SOLUTION FOR THE MAGNETIC FIELDS WITHIN AND SURROUNDING A SMALL SPHERICAL PARTICLE IN AN IMPOSED ARBITRARY MAGNETIC FIELD AND THE RESULTING MAGNETIC FORCE AND COUPLE. 2009 , 197, 92-111		2
291	Dielectric and dielectrophoretic properties of DNA. 2009 , 3, 28-45		54
290	Dual frequency dielectrophoresis with interdigitated sidewall electrodes for microfluidic flow-through separation of beads and cells. 2009 , 30, 782-91		109
289	Controlling two-dimensional movement of microparticles over an electrode array surface. <i>Biomedical Microdevices</i> , 2009 , 11, 193-200	3-7	4
288	Research on critical technology of micro/nano bioparticles manipulation platform based on light-induced dielectrophoresis. 2009 , 52, 2831-2839		3
287	Prediction of trapping zones in an insulator-based dielectrophoretic device. <i>Lab on A Chip</i> , 2009 , 9, 2896-901		49
286	Electrohydrodynamic model of vesicle deformation in alternating electric fields. 2009 , 96, 4789-803		95
285	Dielectrophoretic-field flow fractionation analysis of dielectric, density, and deformability characteristics of cells and particles. 2009 , 81, 8878-85		33
284	Novel design of multiphase optoelectronic microfluidic device for dielectric characterization of single biological or colloidal particles. 2009 ,		
283	Improvements in the extraction of cell electric properties from their electrorotation spectrum. 2010 , 79, 25-30		5
282	A novel broadband impedance method for detection of cell-derived microparticles. 2010 , 26, 444-51		24
281	MicroPrep: chip-based dielectrophoretic purification of mitochondria. 2010 , 31, 2655-63		21
280	Fabrication and integration of metal oxide nanowire sensors using dielectrophoretic assembly and improved post-assembly processing. 2010 , 148, 404-412		33
279	Dielectrophoretic spectra of translational velocity and critical frequency for a spheroid in traveling electric field. <i>Biomicrofluidics</i> , 2010 , 4, 14102	3-2	8
278	Simulation of particle levitation due to dielectrophoresis. 2010 ,		1
277	Efficient multipoles modeling for linear magnetized beads manipulations. 2010 ,		2

276	Dynamic manipulation and patterning of microparticles and cells by using TiOPc-based optoelectronic dielectrophoresis. 2010 , 35, 1959-61		70
275	3-dimensional electrode patterning within a microfluidic channel using metal ion implantation. <i>Lab on A Chip</i> , 2010 , 10, 783-8	7.2	70
274	Electro-orientation spectra of hematic cells. 2010 ,		
273	Dielectrophoretic tweezers as a platform for molecular force spectroscopy in a highly parallel format. <i>Lab on A Chip</i> , 2011 , 11, 4248-59	7.2	16
272	Optoelectrofluidic platforms for chemistry and biology. <i>Lab on A Chip</i> , 2011 , 11, 33-47	7.2	65
271	Dielectrophoretic field-flow microchamber for separation of biological cells based on their electrical properties. 2011 , 10, 36-43		11
270	Moldless PEGDA-Based Optoelectrofluidic Platform for Microparticle Selection. 2011 , 2011, 1-8		4
269	High efficient driving circuit for traveling wave dielectrophoretic pump. 2011 , 44, 1980-1985		3
268	Review of the theory of generalised dielectrophoresis. 2011 , 5, 86-106		26
267	Numerical modelling and measurement of cell trajectories in 3-D under the influence of dielectrophoretic and hydrodynamic forces. 2011 , 32, 2366-76		6
266	Real-time cell electrophysiology using a multi-channel dielectrophoretic-dot microelectrode array. 2011 , 32, 2541-9		17
265	Dielectrophoresis at the nanoscale. 2011 , 32, 2307-13		61
264	Electrodeless dielectrophoresis for bioanalysis: theory, devices and applications. 2011 , 32, 2253-73		96
263	Rapid, automated measurement of dielectrophoretic forces using DEP-activated microwells. 2011 , 32, 2393-9		15
262	Insulator-based dielectrophoresis of microorganisms: theoretical and experimental results. 2011 , 32, 2502-11		39
261	Motion, deformation and aggregation of two cells in a microchannel by dielectrophoresis. 2011 , 32, 3147-56		4
260	Numerical modeling of motion trajectory and deformation behavior of a cell in a nonuniform electric field. <i>Biomicrofluidics</i> , 2011 , 5, 21101	3.2	1
259	Electromechanical effects on multilayered cells in nonuniform rotating fields. 2011 , 84, 011926		5

258	Research on the electric field of electrorotation effect using passive electrostatic human body detection system. 2011 ,		
257	Adhesion selectivity by electrostatic complementarity. II. Two-dimensional analysis. 2011 , 110, 054903		6
256	Design and simulation of a micro-channel for separating the particles with nearly constant dielectrophoretic force in channel space. 2011 , 37, 865-874		3
255	Tuning direct current streaming dielectrophoresis of proteins. <i>Biomicrofluidics</i> , 2012 , 6, 34108	3.2	36
254	Numerical analysis of nanoparticle behavior in a microfluidic channel under dielectrophoresis. 2012 , 14, 1		9
253	Experimental investigation of bulk response of cells on optoelectronic dielectrophoresis chip. 2012 ,		1
252	Simulation on electrical field distribution of dielectrophoresis for carbon nanotube. 2012 ,		
251	Dielectrophoretic field-flow fractionation of electroporated cells. 2012 , 33, 2867-74		18
250	Clinical use of Dielectrophoresis separation for live Adipose derived stem cells. 2012 , 10, 99		10
249	Selected Examples of EIS Analysis Applications: Cell Suspensions, Protein Adsorption, and Implantable Biomedical Devices. 2012 , 247-280		1
248	Flow Control of Small Objects on Chip: Manipulating Live Cells, Quantum Dots, and Nanowires. 2012 , 32, 26-53		35
247	Dielectrophoretically structured piezoelectric composites with high aspect ratio piezoelectric particles inclusions. 2012 , 111, 124107		40
246	Impedance Analysis of Complex Systems. 2012 , 113-161		2
245	The Interaction of Radio-Frequency Fields With Dielectric Materials at Macroscopic to Mesoscopic Scales. 2012 , 117, 1-60		42
244	Self Repair in CircuitsAutomating Open Fault Repair in Integrated Circuits Using Field-Induced Aggregation of Carbon Nanotubes. 2012 , 59, 1773-1779		16
243	Sperm cells manipulation employing dielectrophoresis. 2013 , 36, 1353-62		23
242	Introduction to Liquid Dielectrophoresis. 2013 , 303-324		0
241	PPyDEP: a new approach to microparticle manipulation employing polymer-based electrodes. <i>Lab on A Chip</i> , 2013 , 13, 4642-52	7.2	7

240	An electrorotation technique for measuring the dielectric properties of cells with simultaneous use of negative quadrupolar dielectrophoresis and electrorotation. 2013 , 138, 1529-37	88
239	Development of a Cell-Chip Array for Single Cell Capturing Using Dielectrophoresis. 2013 ,	
238	Circulating tumor cell enrichment based on physical properties. 2013 , 18, 455-68	103
237	Electrophoretic liquid crystal displays: how far are we?. 2013 , 1, 52-64	11
236	Torque measurement at the single-molecule level. 2013 , 42, 583-604	63
235	An electric stimulation system for electrokinetic particle manipulation in microfluidic devices. 2013 , 84, 035103	2
234	Six-helix bundle and triangle DNA origami insulator-based dielectrophoresis. 2013 , 85, 11427-34	24
233	Rotation of non-spherical micro-particles by amplitude modulation of superimposed orthogonal ultrasonic modes. 2013 , 133, 1260-8	29
232	Analysis of Electrical Property of the Animal Cell Using Dielectrophoresis Levitation. 2013 , 534, 93-98	
231	Prototype for automatable, dielectrophoretically-accessed intracellular membrane-potential measurements by metal electrodes. 2013 , 11, 9-16	4
230	SENSING AND ACTUATING BIO-MATERIALS ON STANDARD CMOS SUBSTRATES. 2013 , 22, 1250081	1
229	Phenomenological Characterization of the Fabrication of Aligned Carbon Nanotube Nanocomposites via Dielectrophoresis Under AC Electric Field. 2013 ,	1
228	Comprehensive analysis of human cells motion under an irrotational AC electric field in an electro-microfluidic chip. <i>PLoS ONE</i> , 2014 , 9, e95231	3-7 12
227	Real-time monitoring of immobilized single yeast cells through multifrequency electrical impedance spectroscopy. 2014 , 406, 7015-25	28
226	Electrostatic actuation of nanomechanical optical fibers with integrated electrodes. 2014 ,	1
225	New applications and emerging technologies in nanolithography. 2014 , 538-550	
224	Design of dual-core optical fibers with NEMS functionality. 2014 , 22, 1065-76	29
223	Chapter 7:Applications of Dielectrophoresis in Microfluidics. 2014 , 192-223	5

222	Simulation and analysis of particle trajectory caused by the optical-induced dielectrophoresis force. 2014 , 16, 533-540		11
221	Lab-on-chip device for single cell trapping and analysis. <i>Biomedical Microdevices</i> , 2014 , 16, 35-41	3.7	22
220	Numerical Analysis and Experiment for Microparticle Collector Using Dielectrophoretic Force. 2014 , 50, 241-244		1
219	Comparative study of carbon nanotubes- and fullerenes-doped liquid crystal for different electrophoretic parameters. 2014 , 49, 1695-1700		3
218	Evaluation of the potential for using dielectrophoresis to separate minerals. 2014 , 55, 75-79		5
217	Electrokinetic Study and Surface Conductance of Carbon Nanotubes in Liquid Crystal Medium. 2014 , 12, 284-289		8
216	AC electric field induced dipole-based on-chip 3D cell rotation. <i>Lab on A Chip</i> , 2014 , 14, 2717-27	7.2	63
215	From bipolar to quadrupolar electrode structures: an application of bond-detach lithography for dielectrophoretic particle assembly. 2014 , 30, 5686-93		7
214	Electro-kinetically assisted liposomal drug delivery system for characterization of ex-vivo cell-drug interactions. 2014 , 1688, 27		
213	Effect of array and shape of insulating posts on proteins focusing by direct current dielectrophoresis. 2014 , 28, 2629-2636		5
212	Dielectrophoretic separation of bioparticles in microdevices: a review. 2014 , 35, 691-713		152
211	Silica Nanowires: Growth, Integration, and Sensing Applications. 2014 , 181, 1759-1780		34
210	Control of the dielectric microrods rotation in liquid by alternating current electric field. 2014 , 27, 622-627		1
209	Insulator-based dielectrophoresis of mitochondria. <i>Biomicrofluidics</i> , 2014 , 8, 021801	3.2	29
208	A microfluidic device for continuous manipulation of biological cells using dielectrophoresis. 2014 , 36, 726-31		36
207	Contactless dielectrophoretic manipulation of biological cells using pulsed magnetic fields. 2014 , 8, 118-22		7
206	Dielectrophoresis-based purification of antibiotic-treated bacterial subpopulations. <i>Lab on A Chip</i> , 2014 , 14, 1850-7	7.2	50
205	Dielectrophoretic immobilisation of antibodies on microelectrode arrays. <i>Lab on A Chip</i> , 2014 , 14, 998-1004		24

204	Bibliography. 2014 , 255-283	
203	Semiconductor Nanowires. 2015 , 1-33	2
202	Intrinsic conductivity of carbon nanotubes and graphene sheets having a realistic geometry. 2015 , 143, 204902	16
201	Acoustophoresis of disk-shaped microparticles: A numerical and experimental study of acoustic radiation forces and torques. 2015 , 138, 2759-69	21
200	On-chip 3D rotation of oocyte based on a vibration-induced local whirling flow. 2015 , 1,	43
199	An image processing in Dielectrophoresis for K562 cells. 2015 ,	
198	Characterization of the distribution of rotational torque on electrorotation chips with 3D electrodes. 2015 , 36, 1785-94	6
197	Numerical calculation of dielectrophoretic and electrostatic forces acting on micro-scale particles. 2015 , 646, 012047	0
196	Dielectrophoretic immobilization of proteins: Quantification by atomic force microscopy. 2015 , 36, 2094-101	14
195	Label-free detection of multidrug resistance in K562 cells through isolated 3D-electrode dielectrophoresis. 2015 , 36, 1149-57	14
194	Phenomenological characterization of fabrication of aligned pristine-SWNT and COOH-SWNT nanocomposites via dielectrophoresis under AC electric field. 2015 , 36, 1266-1279	16
193	Single Cell Electrical Characterization Techniques. 2015 , 16, 12686-712	46
192	Manipulation of Self-Assembled Microparticle Chains by Electroosmotic Flow Assisted Electrorotation in an Optoelectronic Device. <i>Micromachines</i> , 2015 , 6, 1387-1405	3-3 1
191	Dielectrophoresis Used for Nanoparticle Manipulation in Microfluidic Devices. 2015 , 271-301	
190	CMOS dielectrophoretic Lab-on-Chip platform for manipulation and monitoring of cells. 2015 , 2015, 7530-3	2
189	Design of electrodes and circuits for cell trapping on CMOS. 2015 ,	
188	Optimization of coil geometries for bone fracture healing via dielectrophoretic force stimulation - a simulation study. 2015 , 2015, 6928-34	
187	Modeling Tumor Treating Fields (TTFields) application in single cells during metaphase and telophase. 2015 , 2015, 6892-5	19

186	Torque spectroscopy for the study of rotary motion in biological systems. 2015 , 115, 1449-74	48
185	Fabrication of three-dimensional SU-8 microchannels by proton beam writing for microfluidics applications: Fluid flow characterisation. 2015 , 348, 223-228	7
184	Electromagnetically Induced Transport for Soil/Groundwater Remediation. 2015 , 141, 04014115	2
183	nDEP-driven cell patterning and bottom-up construction of cell aggregates using a new bioelectronic chip. 2015 , 17, 107-14	21
182	Vesicle biomechanics in a time-varying magnetic field. 2015 , 8, 2	8
181	Electrohydrodynamic Deformation and Rotation of a Particle-Coated Drop. 2015 , 31, 6298-305	36
180	A dielectrophoretic-gravity driven particle focusing technique for digital microfluidic systems. 2015 , 106, 204101	20
179	Electrokinetic Forces in Inhomogeneous Fields. 2015 , 7-14	
178	Microfluidic impedance flow cytometry enabling high-throughput single-cell electrical property characterization. 2015 , 16, 9804-30	102
177	Dielectrophoretic behavior of a single cell when manipulated by optoelectronic tweezers: A study based on COMSOL ALE simulations. 2015 , 75, 72-76	4
176	Dielectrophoresis of spermatozoa in viscoelastic medium. 2015 , 36, 1514-21	9
175	Photorefractive Optoelectronic Tweezers and Their Applications. 2015 ,	6
174	Two-dimensional numerical modeling for separation of deformable cells using dielectrophoresis. 2015 , 36, 378-85	2
173	An Overview of Sub-Cellular Mechanisms Involved in the Action of TFields. 2016 , 13,	40
172	Microparticles manipulation and enhancement of their separation in pinched flow fractionation by insulator-based dielectrophoresis. 2016 , 37, 775-85	12
171	. <i>IEEE/ASME Transactions on Mechatronics</i> , 2016 , 21, 2391-2404	5-5 47
170	Active bioparticle manipulation in microfluidic systems. 2016 , 6, 113066-113094	17
169	Manipulation of Water Jet Trajectory by a Nonuniform Electric Field in Water Jet Material Processing. 2016 , 4,	6

168	A 2D model of different electrode shapes for traveling wave dielectrophoresis. 2016,			1
167	Relative Error of Measurement of the Polarizability Coefficient of Cells. 2016, 59, 1002-1006			
166	Thermo-electro-hydrodynamic convection under microgravity: a review. 2016, 48, 061413			18
165	Dielectrophoresis applications and electric rotations in medicine: Metrology objectives. 2016,			0
164	Dielectrophoretic Microfluidic Chip Enables Single-Cell Measurements for Multidrug Resistance in Heterogeneous Acute Myeloid Leukemia Patient Samples. 2016, 88, 5680-8			24
163	The use of microfluidics and dielectrophoresis for separation, concentration, and identification of bacteria. 2016,			2
162	Dynamic evolution of interacting carbon nanotubes suspended in a fluid using a dielectrophoretic framework. 2016, 83, 7-21			9
161	Propulsion of Active Colloids by Self-Induced Field Gradients. 2016, 32, 9540-7			51
160	Experimental study on breakdown behavior and vacuole isolation of protoplasts under electrical pulses. 2016, 23, 2492-2498			0
159	Dielectrophoresis-enabled surface enhanced Raman scattering of glycine modified on Au-nanoparticle-decorated polystyrene beads in micro-optofluidic devices. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects,</i> 2016, 507, 118-123	5.1		7
158	Large-Scale Single Particle and Cell Trapping based on Rotating Electric Field Induced-Charge Electroosmosis. 2016, 88, 11791-11798			28
157	Numerical simulation of micro-particle rotation by the acoustic viscous torque. <i>Lab on A Chip,</i> 2016, 16, 4581-4594	7.2		17
156	Biophysical Effects of Tumor Treating Fields. 2016, 29-39			1
155	Single-Cell Electrical Phenotyping Enabling the Classification of Mouse Tumor Samples. 2016, 6, 19487			22
154	Combined AC electroosmosis and dielectrophoresis for controlled rotation of microparticles. <i>Biomicrofluidics,</i> 2016, 10, 024101	3.2		13
153	Planar biochip system for combinatorial electrokinetics. 2016, 10, 131-139			1
152	Biaxial Dielectrophoresis Force Spectroscopy: A Stoichiometric Approach for Examining Intermolecular Weak Binding Interactions. 2016, 10, 4011-9			17
151	In patients with metastatic breast cancer the identification of circulating tumor cells in epithelial-to-mesenchymal transition is associated with a poor prognosis. 2016, 18, 30			100

150	Filler orientation of boron nitride composite via external electric field for thermal conductivity enhancement. 2016 , 42, 8657-8663		36
149	Hydrodynamically controlled cell rotation in an electroporation microchip to circumferentially deliver molecules into single cells. 2016 , 20, 1		11
148	Particles in Microfluidic Systems: Handling, Characterization, and Applications. 2016 , 221-255		
147	Use of dicationic ionic liquids as a novel liquid platform for dielectrophoretic cell manipulation. 2016 , 6, 22594-22603		4
146	Dielectrophoretic lab-on-CMOS platform for trapping and manipulation of cells. <i>Biomedical Microdevices</i> , 2016 , 18, 6	3-7	10
145	SU-8 microchannels for live cell dielectrophoresis improvements. 2017 , 23, 3901-3908		4
144	Nanopattern formation using localized plasma for growth of single-standing carbon nanotubes. 2017 , 19, 1		2
143	Dielectrophoretic spectroscopy using a microscopic electrode array. 2017 ,		1
142	Fluid pumping and cells separation by DC-biased traveling wave electroosmosis and dielectrophoresis. 2017 , 21, 1		11
141	Effect of dielectrophoretic force in the self-assembly process of electrosprayed nanoparticles. 2017 , 87, 257-262		5
140	Dipole and multipole models of dielectrophoresis for a non-negligible particle size: Simulations and experiments. 2017 , 38, 1419-1426		4
139	Quantitative measurements of dielectrophoresis in a nanoscale electrode array with an atomic force microscopy. 2017 , 110, 203701		2
138	Monitoring of Microalgae Lipid Accumulation Using RF Open Ended Biosensor. 2017 , 1, 1-3		5
137	Electrospray Jet Emission: An Alternative Interpretation Invoking Dielectrophoretic Forces. 2017 , 51-90		2
136	Negative dielectrophoresis spectroscopy for rare analyte quantification in biological samples. 2017 , 22, 37006		8
135	Effects of biomolecules on the electrokinetics of colloidal nanoparticles in liquid suspension. 2017 ,		
134	DNA dielectrophoresis: Theory and applications a review. 2017 , 38, 1483-1506		46
133	Miniaturized octupole cytometry for cell type independent trapping and analysis. 2017 , 21, 1		7

132	Green ^B function-based control-oriented modeling of electric field for dielectrophoresis. 2017 , 122, 054903	3
131	Heavily doped silicon electrode for dielectrophoresis in high conductivity media. 2017 , 111, 143506	9
130	Single-Walled Carbon Nanotubes Probed with Insulator-Based Dielectrophoresis. 2017 , 89, 13235-13244	18
129	Dielectrophoretic microbead sorting using modular electrode design and capillary-driven microfluidics. <i>Biomedical Microdevices</i> , 2017 , 19, 95	3-7 5
128	Interlaced CNT Electrodes for Bacterial Fouling Reduction of Microfiltration Membranes. 2017 , 51, 9176-9183	28
127	Method for Measuring the Polarizability of Cells in an Inhomogeneous Alternating Electric Field. 2017 , 60, 82-86	3
126	Electrical Manipulation and Sorting of Cells. 2017 , 57-92	3
125	Design of a micro manipulation device for cell microinjection. 2017 , 23, 2823-2832	2
124	Metas-Chip precisely identifies presence of micrometastasis in live biopsy samples by label free approach. 2017 , 8, 2175	12
123	Fabrication of higher order nanostructure for molecular sensing. 2017 ,	
122	A high throughput electrorotation flow cytometer for single-cell analysis in continuous flows. 2017 ,	
121	Microscopic Particle Manipulation via Optoelectronic Devices. 2017 ,	
120	Preliminary investigation of particle mobility enhancement in electrophoretic deposition with modulated electric fields. 2017 ,	
119	Dynamics of Current, Charge and Mass. 2017 , 5, 78-115	4
118	Creating tissue on chip constructs in microtitre plates for drug discovery.. 2018 , 8, 9603-9610	5
117	Dielectrophoresis-based microfluidic platforms for cancer diagnostics. <i>Biomicrofluidics</i> , 2018 , 12, 011503,2	32
116	A Review on Tumor-Treating Fields (TTFields): Clinical Implications Inferred From Computational Modeling. 2018 , 11, 195-207	40
115	Colloidal particle electrorotation in a nonuniform electric field. 2018 , 97, 013111	7

114	Engineering of Self-Propelling Microbots and Microdevices Powered by Magnetic and Electric Fields. 2018 , 28, 1705953		74
113	Microsystems for Single-Cell Analysis. 2018 , 2, 1700193		16
112	Physical Principles of Development of the State Standard of Biological Cell Polarizability. 2018 , 60, 1901-1904	4	
111	A continuous flow microfluidic device based on contactless dielectrophoresis for bioparticles enrichment. 2018 , 39, 445-455		13
110	A Model of Electrokinetic Platform for Separation of Different Sizes of Biological Particles. 2018 , 118-128		
109	Highly efficient removal of ammonia nitrogen from wastewater by dielectrophoresis-enhanced adsorption. 2018 , 6, e5001		6
108	Manipulation of a floating liquid marble using dielectrophoresis. <i>Lab on A Chip</i> , 2018 , 18, 3770-3779	7.2	19
107	Study on the Breakdown of Cell Membrane and Vacuolar Membrane by Electric Pulses. 2018 ,		0
106	Exposure of MDA-MB-231 Cells to Dielectrophoretic Fields for Electroporation and Cancer Diagnostics. 2018 ,		
105	Biological Particle Control and Separation using Active Forces in Microfluidic Environments. 2018 ,		
104	Label-Free Biosensing Method for the Detection of a Pancreatic Cancer Biomarker Based on Dielectrophoresis Spectroscopy. 2018 , 6, 33		7
103	Related and Emerging Topics. 2018 , 265-275		
102	Comparison of Dynamic Models for Non-Contact Micromanipulation Based on Dielectrophoretic Actuation. 2018 ,		1
101	Quantitative Model for Ion Transport and Cytoplasm Conductivity of Chinese Hamster Ovary Cells. 2018 , 8, 17818		13
100	Rapid fabrication of multifunctional microcapillary for four-dimensional single cell manipulation. 2018 ,		1
99	Elucidating the mechanism governing cell rotation under DEP using the volumetric polarization and integration method. <i>Biomedical Microdevices</i> , 2018 , 20, 81	3-7	2
98	CMOS Biosensor IC with 360-Sensing Elements Using 63-GHz LC-Oscillator and DEP for Label-Free Single-Cell Detection. 2018 ,		
97	Force. 2018 , 385-421		

96	An Electrostatic Method for Manufacturing Liquid Marbles and Particle-Stabilized Aggregates. 2018 , 6, 280		17
95	Noninvasive detection of changes in cellsRcytosol conductivity by combining dielectrophoresis with optical tweezers. 2018 , 1030, 166-171		4
94	AC electrical field for the isolation of cancer cells. 2018 ,		
93	Liquid Metal-Based Multifunctional Micropipette for 4D Single Cell Manipulation. 2018 , 5, 1700711		11
92	Elucidating the Mechanisms of Two Unique Phenomena Governed by Particle-Particle Interaction under DEP: Tumbling Motion of Pearl Chains and Alignment of Ellipsoidal Particles. <i>Micromachines</i> , 2018 , 9,	3-3	2
91	Numerical Study of Particle-Fluid Flow Under AC Electrokinetics in Electrode-Multilayered Microfluidic Device. 2019 , 66, 453-463		14
90	2D Dielectrophoresis using an active matrix array made by thin-film-transistor technology. 2019 , 14, 1280-1288		4
89	Local Joule heating and electric force on biological membrane during electro-microinjection. 2019 , 140, 798-806		1
88	Brownian Motion and Large Electric Polarizabilities Facilitate Dielectrophoretic Capture of Sub-200 nm Gold Nanoparticles in Water. 2019 , 20, 3354-3365		5
87	Control-oriented model of dielectrophoresis and electrorotation for arbitrarily shaped objects. 2019 , 99, 053307		6
86	Coupled molecular-dynamics and finite-element-method simulations for the kinetics of particles subjected to field-mediated forces. 2019 , 99, 063307		1
85	Combining dielectrophoresis and concentration polarization-based preconcentration to enhance bead-based immunoassay sensitivity. 2019 , 11, 9436-9443		16
84	Numerical Study of Enhancement of Positive Dielectrophoresis Particle Trapping in Electrode-Multilayered Microfluidic Device. 2019 , 66, 2936-2944		4
83	An Open-Chip for Three-Dimensional Rotation and Translation of Particle Based on Dielectrophoresis. 2019 , 1, 76-85		
82	An electro-kinetic platform based on printed circuit Board technology for identification and characterization of biological cells. 2019 , 209, 20-27		3
81	Theoretical study of water jet guided laser technology based on non-uniform electric field deflection water jet. 2019 , 442, 31-39		4
80	Biosensor for the Characterization of Gene Expression in Cells. 2019 , 7, 60		3
79	Micro-electrodes based on CMOS Technology for Charactrization of Biological Cells. 2019 ,		

78	Combined electrokinetic manipulations of pathogenic bacterial samples in low-cost fabricated dielectrophoretic devices. 2019 , 9, 115303		2
77	A microfluidic chip for single-cell 3D rotation enabling self-adaptive spatial localization. 2019 , 126, 234702		6
76	3D Electro-Rotation of Single Cells. 2019 , 14, i-119		3
75	New insights into anhydrobiosis using cellular dielectrophoresis-based characterization. <i>Biomicrofluidics</i> , 2019 , 13, 064113	3-2	3
74	A Review of Automated Microinjection of Zebrafish Embryos. <i>Micromachines</i> , 2018 , 10,	3-3	21
73	MyDEP: A New Computational Tool for Dielectric Modeling of Particles and Cells. 2019 , 116, 12-18		28
72	A cell electro-rotation micro-device using polarized cells as electrodes. 2019 , 40, 784-791		13
71	A novel method to design an electro-kinetic platform based on complementary metal-oxide semiconductor technology using SKILL scripting of cadence. 2019 , 39, 256-262		1
70	Engineering of Micro/Nano Biosystems. 2020 ,		2
69	Electricity for Fluidics and Bio-Devices. 2020 , 235-308		
68	Analysis of the equivalent dipole moment of red blood cell by using the boundary element method. 2020 , 112, 68-76		2
67	Analysis of Cargo Loading Modes and Capacity of an Electrically-Powered Active Carrier. 2019 ,		7
66	Electric field induced alignment of graphene oxide nanoplatelets in polyethersulfone matrix. 2020 , 31, 155701		9
65	Cholesterol Effect on the Specific Capacitance of Submicrometric DOPC Bilayer Patches Measured by in-Liquid Scanning Dielectric Microscopy. 2020 , 36, 12963-12972		7
64	Hydrogen sensing kinetics of laterally aligned MoO ₃ nanoribbon arrays with accelerated response and recovery performances at room temperature. 2020 , 45, 23841-23850		8
63	Irregular-shaped Particle Motion and Charge Transfer Mechanism in Transformer Oil under Varying Field. 2020 ,		
62	Highly Localized Enrichment of Parasites Using Dielectrophoresis. <i>Micromachines</i> , 2020 , 11,	3-3	5
61	Insulator Based Dielectrophoresis: Micro, Nano, and Molecular Scale Biological Applications. 2020 , 20,		8

60	Nanofabrication Techniques in Large-Area Molecular Electronic Devices. 2020 , 10, 6064		12
59	Automated Embryo Manipulation and Rotation via Robotic nDEP-Tweezers. 2021 , 68, 2152-2163		1
58	Infrared spectroscopy of live cells from a flowing solution using electrically-biased plasmonic metasurfaces. <i>Lab on A Chip</i> , 2020 , 20, 2136-2153	7.2	10
57	DNA-induced changes in traveling wave dielectrophoresis velocity of microparticles. 2020 , 10, 015236		2
56	Electrorotation of Arbitrarily Shaped Micro-Objects: Modeling and Experiments. <i>IEEE/ASME Transactions on Mechatronics</i> , 2020 , 25, 828-836	5.5	1
55	Surfactant concentration modulates the motion and placement of microparticles in an inhomogeneous electric field.. 2020 , 10, 8895-8904		3
54	Numerical simulation of circulating tumor cell separation in a dielectrophoresis based Y-Y shaped microfluidic device. 2021 , 255, 117343		5
53	Dielectrophoresis: Developments and applications from 2010 to 2020. 2021 , 42, 539-564		11
52	A survey of electrokinetically-driven microfluidics for cancer cells manipulation. 2021 , 42, 605-625		5
51	Travelling-Wave Dipolophoresis: Levitation and Electrorotation of Janus Nanoparticles. <i>Micromachines</i> , 2021 , 12,	3.3	2
50	Electrical properties characterization of single yeast cells by dielectrophoretic motion and electro-rotation. <i>Biomedical Microdevices</i> , 2021 , 23, 11	3.7	1
49	Dynamically controlled dielectrophoresis using resonant tuning. 2021 , 42, 1079-1092		2
48	Rapid isolation method of <i>Saccharomyces cerevisiae</i> based on optically induced dielectrophoresis technique for fungal infection diagnosis. 2021 , 60, 2150-2157		4
47	Simulation of the Shape-directed AC Driven Defective Micromotors*. 2021 ,		
46	Automatic medium exchange for micro-volume cell samples based on dielectrophoresis. 2021 , 42, 1507-1515		0
45	A microfluidic device enabling drug resistance analysis of leukemia cells via coupled dielectrophoretic detection and impedimetric counting. 2021 , 11, 13193		1
44	Characterization of stem cell-like property in cancer cells based on single-cell impedance measurement in a microfluidic platform. 2021 , 229, 122259		1
43	Rapid bacteria-detection platform based on magnetophoretic concentration, dielectrophoretic separation, and impedimetric detection. 2021 , 1173, 338696		1

42	Detection of foodborne pathogens using novel vertical capacitive sensors. 2021 ,		1
41	Dynamic behaviors and self-cleaning property of droplet on superhydrophobic coating in uniform DC electric field. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021 , 626, 127056	5.1	3
40	Biodetection Using Micro-Physiometry Tools Based on Electrokinetic Phenomena. 2005 , 129-142		1
39	Electromagnetic Enhancement of Microbially Induced Calcite Precipitation. 2017 , 323-334		1
38	Dielectrophoresis erythrocytes images for predicting stroke recurrence based on analysis of hemorheological parameters. 2019 ,		1
37	Electromagnetic Stimulation of Two-Phase Transport in Water for Geoenvironmental Applications. 2013 , 36, 20120117		4
36	A microfluidic chip integrated with 3D sidewall electrodes and wavy microchannel for cell focusing and separation.		0
35	Introduction. 2010 , 1-23		
34	Nano-Bio Structures Developed via Electrophoresis. 2013 , 145-170		
33	Encyclopedia of Applied Electrochemistry. 2014 , 485-507		0
32	Material Properties. 2015 , 129-172		
31	The Possibility of Hemorheological Parameters as Precursors of Recurrent Strokes. 2018 , 101-109		0
30	AC-electrokinetic behavior of biological cells beyond the dipole approximation. 2018 ,		
29	Field enhancement in microfluidic semiconductor nanowire array. <i>Biomicrofluidics</i> , 2020 , 14, 064102	3.2	0
28	Dielectrophoretic Force Equilibrium of Complex Particles. <i>Physical Review Applied</i> , 2020 , 14,	4.3	0
27	Optimal Electrode Design for maximizing Dielectrophoretic Force and Particle Trapping Rate in the Air Channel. 2020 ,		
26	Automated manipulation of microparticles with composite array electrode structure via dielectrophoresis. 2021 ,		
25	Electrophoretic Effects for Environmental Safety Technologies: Evacuation of Micro-Particle Conglomerations from the Surfaces. <i>E3S Web of Conferences</i> , 2021 , 319, 01076		0.5

24	Isolation method of from red blood cells based on the optically induced dielectrophoresis technique for the rapid detection of fungal infections.. <i>Biomedical Optics Express</i> , 2022 , 13, 559-570	3.5	1
23	Alternating Current Electric Field Driven Topologically Defective Micro/nanomotors. <i>Applied Materials Today</i> , 2022 , 26, 101314	6.6	2
22	Artificial Neural Network-Based Predictions of Surface Electrocoalescence of Water Droplets in Hydrocarbon Media. <i>SSRN Electronic Journal</i> ,	1	
21	Influence of surfactant on electrowetting-induced surface electrocoalescence of water droplets in hydrocarbon media. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022 , 642, 128325	5.1	
20	Application of the Taguchi method to explore a robust condition of tumor-treating field treatment.. <i>PLoS ONE</i> , 2022 , 17, e0262133	3.7	
19	Artificial Intelligence Algorithms Enable Automated Characterization of the Positive and Negative Dielectrophoretic Ranges of Applied Frequency.. <i>Micromachines</i> , 2022 , 13,	3.3	0
18	Design and Modeling of Very Narrow Band-pass Radio Frequency Filter for Optical Pressure Sensor. 2021 ,		
17	A Novel Micropipette Robot for Cell Manipulation Based on Dielectrophoresis and Electroosmotic Vortex. 2021 ,		
16	Closed-Loop Control of Particles Based on Dielectrophoretic Actuation. <i>IEEE/ASME Transactions on Mechatronics</i> , 2022 , 1-10	5.5	1
15	Electrically-driven handling of gametes and embryos: taking a step towards the future of ARTs.. <i>Lab on A Chip</i> , 2022 ,	7.2	1
14	Coupling of mechanical deformation and electromagnetic fields in biological cells. <i>Reviews of Modern Physics</i> , 2022 , 94,	40.5	9
13	Accurate and Automatic Extraction of Cell Self-Rotation Speed in an ODEP Field Using an Area Change Algorithm. <i>Micromachines</i> , 2022 , 13, 818	3.3	
12	Recent advances in optically induced di-electrophoresis and its biomedical applications. <i>Biomedical Microdevices</i> , 2022 , 24,	3.7	
11	Measurement of dielectric properties of cells at single-cell resolution using electrorotation. <i>Biomedical Microdevices</i> , 2022 , 24,	3.7	1
10	Synergetic Effect of Tumor Treating Fields and Zinc Oxide Nanoparticles on Cell Apoptosis and Genotoxicity of Three Different Human Cancer Cell Lines. <i>Molecules</i> , 2022 , 27, 4384	4.8	0
9	Toward Establishing Molecular Interfaces Using Terahertz Radiation. 2022 ,		
8	Artificial neural network-based predictions of surface electrocoalescence of water droplets in hydrocarbon media. 2022 , 187, 584-597		0
7	Cell Focusing and Rotation by a Planar Optoelectronic Tweezers. 2022 ,		0

- 6 Computer-Vision-Based Dielectrophoresis Mobility Tracking for Characterization of Single-Cell Biophysical Properties. ○
- 5 Microfluidic Systems for Blood and Blood Cell Characterization. **2023**, 13, 13 ○
- 4 Electromagnetic Forces and Torques: From Dielectrophoresis to Optical Tweezers. ○
- 3 Electric and Magnetic Field-Driven Dynamic Structuring for Smart Functional Devices. **2023**, 14, 661 ○
- 2 Insulated Interlaced Surface Electrodes for Bacterial Inactivation and Detachment. **2023**, 127, 3164-3174 ○
- 1 Modelling the electrophoretically-enhanced in-flame deposition of carbon nanoparticles. **2023**, 172, 106193 ○