

Trophoblast deportation and the maternal inflammatory

Journal of Reproductive Immunology

59, 153-160

DOI: [10.1016/s0165-0378\(03\)00044-5](https://doi.org/10.1016/s0165-0378(03)00044-5)

Citation Report

#	ARTICLE	IF	CITATIONS
1	An Image Analysis Technique for the Investigation of Variations in Placental Morphology in Pregnancies Complicated by Preeclampsia With and Without Intrauterine Growth Restriction. Journal of the Society for Gynecologic Investigation, 2004, 11, 545-552.	1.9	45
2	IMPROVING THE DIAGNOSIS AND MANAGEMENT OF FETAL GROWTH RESTRICTION: THE RATIONALE FOR A PLACENTA CLINIC. Fetal and Maternal Medicine Review, 2004, 15, 205-230.	0.3	3
3	Anaesthesia, Pain, Intensive Care and Emergency Medicine " A.P.I.C.E. , , .		0
4	Antioxidant therapy to prevent preeclampsia. Seminars in Nephrology, 2004, 24, 557-564.	0.6	41
5	The placental-umbilical unit in sickle cell disease pregnancy: A model for studying in vivo functional adjustments to hypoxia in humans. Human Pathology, 2004, 35, 1353-1359.	1.1	25
6	Epigenetics of hypertension in pregnancy. Nature Genetics, 2005, 37, 460-461.	9.4	18
7	A novel Mtd splice isoform is responsible for trophoblast cell death in pre-eclampsia. Cell Death and Differentiation, 2005, 12, 441-452.	5.0	54
8	Serum and placental interleukin-18 are elevated in preeclampsia. Journal of Reproductive Immunology, 2005, 65, 77-87.	0.8	37
9	Placental malaria and pre-eclampsia through the looking glass backwards?. Journal of Reproductive Immunology, 2005, 65, 1-15.	0.8	56
10	Immunology of Preeclampsia. , 2005, 89, 49-61.		152
11	Oxidative Stress and Autoimmune Response in the Infertile Woman. , 2005, 88, 150-162.		33
12	Pre-eclampsia. Lancet, The, 2005, 365, 785-799.	6.3	1,711
13	Molecular Evidence of Placental Hypoxia in Preeclampsia. Journal of Clinical Endocrinology and Metabolism, 2005, 90, 4299-4308.	1.8	343
14	State-of-the-art lectures. Thrombosis Research, 2005, 115, 1-107.	0.8	25
15	Oxidative Stress and Antioxidant Status in Fetal Circulation in Preeclampsia. Pediatric Research, 2006, 60, 560-564.	1.1	77
16	Immunoregulation in normal pregnancy and pre-eclampsia: an overview. Reproductive BioMedicine Online, 2006, 13, 680-686.	1.1	168
17	Preeclampsia: current understanding of the molecular basis of vascular dysfunction. Expert Reviews in Molecular Medicine, 2006, 8, 1-20.	1.6	120
18	Specific Isolation of Placenta-Derived Exosomes from the Circulation of Pregnant Women and Their Immunoregulatory Consequences. American Journal of Reproductive Immunology, 2006, 56, 345-355.	1.2	281

#	ARTICLE	IF	CITATIONS
19	Preeclampsia: the Death of Goliath. American Journal of Reproductive Immunology, 2006, 55, 84-98.	1.2	39
20	Disturbances in placental immunology: ready for therapeutic interventions?. Seminars in Immunopathology, 2006, 27, 477-493.	4.0	34
21	The effects of apoptotic, deported human placental trophoblast on macrophages: Possible consequences for pregnancy. Journal of Reproductive Immunology, 2006, 72, 33-45.	0.8	70
22	Excess syncytiotrophoblast microparticle shedding is a feature of early-onset pre-eclampsia, but not normotensive intrauterine growth restriction. Placenta, 2006, 27, 56-61.	0.7	355
23	Clinical Correlation between Adenosine Deaminase Activity and Pre-eclampsia Severity. Journal of International Medical Research, 2006, 34, 247-255.	0.4	17
24	Serum Adiponectin Concentration Prior to Clinical Onset of Preeclampsia. Hypertension in Pregnancy, 2006, 25, 129-142.	0.5	14
25	Phagocytosis of Necrotic but Not Apoptotic Trophoblasts Induces Endothelial Cell Activation. Hypertension, 2006, 47, 116-121.	1.3	90
26	Differential Gene Expression in Endometrium, Endometrial Lymphocytes, and Trophoblasts during Successful and Abortive Embryo Implantation. Journal of Immunology, 2006, 176, 148-156.	0.4	109
27	Increased expression of sFlt-1 in in vivo and in vitro models of human placental hypoxia is mediated by HIF-1. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2006, 291, R1085-R1093.	0.9	305
28	Minimal Alteration in the Ratio of Circulatory Fetal DNA to Fetal Corticotropin-Releasing Hormone mRNA Level in Preeclampsia. Fetal Diagnosis and Therapy, 2006, 21, 246-249.	0.6	12
29	Systemic Inflammatory Priming in Normal Pregnancy and Preeclampsia: The Role of Circulating Syncytiotrophoblast Microparticles. Journal of Immunology, 2007, 178, 5949-5956.	0.4	389
30	Maternal Acceptance of the Fetus: True Human Tolerance. Journal of Immunology, 2007, 178, 3345-3351.	0.4	222
31	Interactions of Biologically Active Factors and Vascular Mediators During Hypertension in Pregnancy. Current Hypertension Reviews, 2007, 3, 231-241.	0.5	0
32	Smoking and risk of preeclampsia: a systematic review. Frontiers in Bioscience - Landmark, 2007, 12, 2471.	3.0	171
33	The role of the immune system in preeclampsia. Molecular Aspects of Medicine, 2007, 28, 192-209.	2.7	274
34	Serum markers for predicting pre-eclampsia. Molecular Aspects of Medicine, 2007, 28, 227-244.	2.7	76
35	Glyceryl Trinitrate Inhibits Hypoxia/Reoxygenation-Induced Apoptosis in the Syncytiotrophoblast of the Human Placenta. American Journal of Pathology, 2007, 170, 909-920.	1.9	18
36	Hypoxic Switch in Mitochondrial Myeloid Cell Leukemia Factor-1/Mtd Apoptotic Rheostat Contributes to Human Trophoblast Cell Death in Preeclampsia. American Journal of Pathology, 2007, 171, 496-506.	1.9	43

#	ARTICLE	IF	CITATIONS
37	Hypoxia and Placental Remodelling. <i>Advances in Experimental Medicine and Biology</i> , 2007, 618, 113-126.	0.8	31
38	Elucidation of the molecular mechanisms of preeclampsia using proteomic technologies. <i>Proteomics - Clinical Applications</i> , 2007, 1, 1147-1155.	0.8	9
39	Plasma levels of α -defensins 1-3 are an indicator of neutrophil activation in pregnant and post-partum women. <i>Journal of Obstetrics and Gynaecology Research</i> , 2007, 33, 645-650.	0.6	9
40	Placental Oxidative Stress in a Rat Model of Preeclampsia. <i>Placenta</i> , 2007, 28, 52-58.	0.7	37
41	Differential Activity of Histidine Decarboxylase in Normal and Pre-eclamptic Placentae. <i>Placenta</i> , 2007, 28, 585-587.	0.7	6
42	Acute Atherosclerosis in Decidual Tissue: Not Associated with Systemic Oxidative Stress in Preeclampsia. <i>Placenta</i> , 2007, 28, 958-964.	0.7	44
43	Dual In Vitro Perfusion of an Isolated Cotyledon as a Model to Study the Implication of Changes in the Third Trimester Placenta on Preeclampsia. <i>Placenta</i> , 2007, 28, S23-S32.	0.7	22
44	Gabor Than Award Lecture 2006: Pre-Eclampsia and Villous Trophoblast Turnover: Perspectives and Possibilities. <i>Placenta</i> , 2007, 28, S4-S13.	0.7	43
45	NK cells and pre-eclampsia. <i>Journal of Reproductive Immunology</i> , 2007, 76, 40-44.	0.8	58
46	Inadequate tolerance induction may induce pre-eclampsia. <i>Journal of Reproductive Immunology</i> , 2007, 76, 30-39.	0.8	107
47	Identification of patients at risk for early onset and/or severe preeclampsia with the use of uterine artery Doppler velocimetry and placental growth factor. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 196, 326.e1-326.e13.	0.7	215
48	Neutrophil NETs: a novel contributor to preeclampsia-associated placental hypoxia?. <i>Seminars in Immunopathology</i> , 2007, 29, 163-167.	2.8	79
49	Elevated Plasma Levels of Interleukin 1 β , Tumour Necrosis Factor α and Monocyte Chemoattractant Protein 1 Are Associated with Pregnancy Toxaemia in Ewes. <i>Veterinary Research Communications</i> , 2007, 31, 565-573.	0.6	12
50	Immunoproteomics: From biomarker discovery to diagnostic applications. <i>Proteomics - Clinical Applications</i> , 2008, 2, 167-180.	0.8	51
51	Effect of Placental Hypoxia on the Plasma Membrane Ca-ATPase (PMCA) Activity and the Level of Lipid Peroxidation of Syncytiotrophoblast and Red Blood Cell Ghosts. <i>Placenta</i> , 2008, 29, 44-50.	0.7	12
52	Effects of Oxygen on Cell Turnover and Expression of Regulators of Apoptosis in Human Placental Trophoblasts. <i>Placenta</i> , 2008, 29, 175-186.	0.7	88
53	Seven Placental Transcripts Characterize HELLP-syndrome. <i>Placenta</i> , 2008, 29, 444-453.	0.7	51
54	Vitamins C and E Inhibit Apoptosis of Cultured Human Term Placenta Trophoblast. <i>Placenta</i> , 2008, 29, 680-690.	0.7	35

#	ARTICLE	IF	CITATIONS
55	Live and Let Die – Regulation of Villous Trophoblast Apoptosis in Normal and Abnormal Pregnancies. Placenta, 2008, 29, 772-783.	0.7	87
56	Preeclampsia-Related Inflammatory Cytokines Regulate Interleukin-6 Expression in Human Decidual Cells. American Journal of Pathology, 2008, 172, 1571-1579.	1.9	133
57	The maternal plasma soluble vascular endothelial growth factor receptor-1 concentration is elevated in SGA and the magnitude of the increase relates to Doppler abnormalities in the maternal and fetal circulation. Journal of Maternal-Fetal and Neonatal Medicine, 2008, 21, 25-40.	0.7	100
58	Tissue factor and its natural inhibitor in pre-eclampsia and SGA. Journal of Maternal-Fetal and Neonatal Medicine, 2008, 21, 855-869.	0.7	54
59	Placental Overexpression of Transforming Growth Factor- β 3 in the HELLP Syndrome. Gynecologic and Obstetric Investigation, 2008, 65, 1-5.	0.7	7
60	Low maternal concentrations of soluble vascular endothelial growth factor receptor-2 in preeclampsia and small for gestational age. Journal of Maternal-Fetal and Neonatal Medicine, 2008, 21, 41-52.	0.7	61
61	Over-expression of the thrombin receptor (PAR-1) in the placenta in preeclampsia: A mechanism for the intersection of coagulation and inflammation. Journal of Maternal-Fetal and Neonatal Medicine, 2008, 21, 345-355.	0.7	42
62	Autophagy-Related Proteins, LC3 and Beclin-1, in Placentas From Pregnancies Complicated by Preeclampsia. Reproductive Sciences, 2008, 15, 912-920.	1.1	146
63	Pregnancy and the Kidney. , 2009, , 483-513.		1
64	Anti-phospholipid Antibodies Increase Non-apoptotic Trophoblast Shedding: A Contribution to the Pathogenesis of Pre-eclampsia in Affected Women?. Placenta, 2009, 30, 767-773.	0.7	46
65	Immunofluorescence confocal laser scanning microscopy and immunoelectron microscopic identification of keratins in human maternal-fetal interaction zone. Journal of Cellular and Molecular Medicine, 2009, 13, 735-748.	1.6	19
66	Maternal plasma concentrations of the soluble tumor necrosis factor receptor 2 are increased prior to the diagnosis of preeclampsia. American Journal of Obstetrics and Gynecology, 2009, 200, 630.e1-630.e8.	0.7	28
67	Is preeclampsia an autoimmune disease?. Clinical Immunology, 2009, 133, 1-12.	1.4	54
68	The ERAP2 gene is associated with preeclampsia in Australian and Norwegian populations. Human Genetics, 2009, 126, 655-666.	1.8	93
69	A role for interleukin-6 in spreading endothelial cell activation after phagocytosis of necrotic trophoblastic material: implications for the pathogenesis of preeclampsia. Journal of Pathology, 2009, 217, 122-130.	2.1	53
70	Increased plasma soluble fms-like tyrosine kinase 1 and endoglin levels in pregnancies complicated with preeclampsia. Journal of Maternal-Fetal and Neonatal Medicine, 2009, 22, 565-570.	0.7	15
71	Preeclampsia: The Role of Angiogenic Factors in Its Pathogenesis. Physiology, 2009, 24, 147-158.	1.6	384
72	A prospective cohort study of the value of maternal plasma concentrations of angiogenic and anti-angiogenic factors in early pregnancy and midtrimester in the identification of patients destined to develop preeclampsia. Journal of Maternal-Fetal and Neonatal Medicine, 2009, 22, 1021-1038.	0.7	254

#	ARTICLE	IF	CITATIONS
73	The Great Obstetrical Syndromes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 633-635.	0.7	136
74	Levels of antibodies against protein C and protein S in pregnancy and in preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 993-999.	0.7	21
75	Should Bilateral Uterine Artery Notching Be Used in the Risk Assessment for Preeclampsia, Small-for-Gestational-Age, and Gestational Hypertension?. <i>Journal of Ultrasound in Medicine</i> , 2010, 29, 1103-1115.	0.8	51
76	Functional analysis of the mannose-binding lectin complement pathway in normal pregnancy and preeclampsia. <i>Journal of Reproductive Immunology</i> , 2010, 87, 90-96.	0.8	18
77	Spreading endothelial cell dysfunction in response to necrotic trophoblasts. Soluble factors released from endothelial cells that have phagocytosed necrotic shed trophoblasts reduce the proliferation of additional endothelial cells. <i>Placenta</i> , 2010, 31, 976-981.	0.7	19
78	Learning From the Placenta. <i>Hypertension</i> , 2010, 56, 1026-1034.	1.3	181
79	Circulating and Vascular Bioactive Factors During Hypertension in Pregnancy. <i>Current Bioactive Compounds</i> , 2010, 6, 60-75.	0.2	32
80	Preeclampsia and pregnancies with small-for-gestational age neonates have different profiles of complement split products. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 646-657.	0.7	48
81	Homocysteine and folate plasma concentrations in mother and baby at delivery after pre-eclamptic or normotensive pregnancy: Influence of parity. <i>Pregnancy Hypertension</i> , 2011, 1, 150-155.	0.6	3
82	Cluster Analysis of Placental Inflammatory Proteins can Distinguish Preeclampsia from Preterm Labor and Premature Membrane Rupture in Singleton Deliveries Less Than 28 Weeks of Gestation. <i>American Journal of Reproductive Immunology</i> , 2011, 66, 488-494.	1.2	26
83	Trophoblast deportation part II: A review of the maternal consequences of trophoblast deportation. <i>Placenta</i> , 2011, 32, 724-731.	0.7	36
84	Trophoblast deportation part I: Review of the evidence demonstrating trophoblast shedding and deportation during human pregnancy. <i>Placenta</i> , 2011, 32, 716-723.	0.7	66
85	High fetal plasma adenosine concentration: a role for the fetus in preeclampsia?. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 205, 485.e24-485.e27.	0.7	45
86	Pre-eclampsia: Risk factors and causal models. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2011, 25, 329-342.	1.4	110
87	Comparative gene expression profiling of placentas from patients with severe pre-eclampsia and unexplained fetal growth restriction. <i>Reproductive Biology and Endocrinology</i> , 2011, 9, 107.	1.4	137
88	Light and electron microscopic study of placental tissue in women suffering from severe preeclampsia. <i>Egyptian Journal of Histology</i> , 2011, 34, 650-661.	0.0	2
89	Autoantibody-Mediated IL-6-Dependent Endothelin-1 Elevation Underlies Pathogenesis in a Mouse Model of Preeclampsia. <i>Journal of Immunology</i> , 2011, 186, 6024-6034.	0.4	84
90	Angiogenic Factors in Superimposed Preeclampsia. <i>Hypertension</i> , 2012, 59, 740-746.	1.3	138

#	ARTICLE	IF	CITATIONS
91	Changes in the Expression of Apoptosis-Related Proteins in the Life Cycle of Human Villous Trophoblast. <i>Reproductive Sciences</i> , 2012, 19, 597-606.	1.1	10
92	Platelets, inflammation, and prediction of the hypertension disorders of pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 99-103.	0.7	4
93	Oxidative Stress, Preeclampsia and Cardiovascular Disease. <i>Current Hypertension Reviews</i> , 2012, 8, 130-135.	0.5	5
94	Treatment of Lipoxin A4 and its analogue on low-dose endotoxin induced preeclampsia in rat and possible mechanisms. <i>Reproductive Toxicology</i> , 2012, 34, 677-685.	1.3	67
95	Late-onset preeclampsia is associated with an imbalance of angiogenic and anti-angiogenic factors in patients with and without placental lesions consistent with maternal underperfusion. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 498-507.	0.7	136
97	Perspective: Evolution of Human Skin Color: How Low Levels of Vitamin D Drove Natural Selection. , 2012, , 25-37.		3
98	Uteroplacental ischemia in early and late onset preeclampsia: a role for the fetus?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 373-382.	0.9	20
99	Recent biomarkers for the identification of patients at risk for preeclampsia: the role of uteroplacental ischemia. <i>Expert Opinion on Medical Diagnostics</i> , 2012, 6, 121-130.	1.6	19
100	The increased maternal serum levels of IL-6 are associated with the severity and onset of preeclampsia. <i>Cytokine</i> , 2012, 60, 856-860.	1.4	53
101	The placenta in preeclampsia. <i>Pregnancy Hypertension</i> , 2012, 2, 72-83.	0.6	333
102	The need to redefine preeclampsia. <i>Expert Opinion on Medical Diagnostics</i> , 2012, 6, 347-357.	1.6	6
103	The elevation in circulating anti-angiogenic factors is independent of markers of neutrophil activation in preeclampsia. <i>Angiogenesis</i> , 2012, 15, 333-340.	3.7	42
104	Dynamic proteome in enigmatic preeclampsia: An account of molecular mechanisms and biomarker discovery. <i>Proteomics - Clinical Applications</i> , 2012, 6, 79-90.	0.8	11
105	Methylome of Fetal and Maternal Monocytes and Macrophages at the Feto-Maternal Interface. <i>American Journal of Reproductive Immunology</i> , 2012, 68, 8-27.	1.2	82
106	Transcriptomic analysis of placenta affected by antiphospholipid antibodies: following the TRAIL of trophoblast death. <i>Journal of Reproductive Immunology</i> , 2012, 94, 151-154.	0.8	17
107	Role of <i>Ureaplasma urealyticum</i> in altering the endothelial metal concentration during preeclampsia. <i>Placenta</i> , 2012, 33, 304-311.	0.7	4
108	Phagocytosis of apoptotic trophoblastic debris protects endothelial cells against activation. <i>Placenta</i> , 2012, 33, 548-553.	0.7	38
109	AGEs, contributors to placental bed vascular changes leading to preeclampsia. <i>Free Radical Research</i> , 2013, 47, 70-80.	1.5	28

#	ARTICLE	IF	CITATIONS
110	Syncytin-1 modulates placental trophoblast cell proliferation by promoting G1/S transition. Cellular Signalling, 2013, 25, 1027-1035.	1.7	46
111	Antiphospholipid antibodies internalised by human syncytiotrophoblast cause aberrant cell death and the release of necrotic trophoblast debris. Journal of Autoimmunity, 2013, 47, 45-57.	3.0	64
112	Adaptive Immune Responses During Pregnancy. American Journal of Reproductive Immunology, 2013, 69, 291-303.	1.2	80
113	Umbilical artery serum chitotriosidase concentration in pregnancies complicated by preeclampsia and relationship between chitotriosidase levels and fetal blood flow velocity. Hypertension in Pregnancy, 2013, 32, 401-409.	0.5	6
114	Maternal Active and Passive Smoking and Hypertensive Disorders of Pregnancy. Epidemiology, 2013, 24, 379-386.	1.2	42
115	Adenosine deaminase activity in normal pregnancy and pregnancy associated disorders. Archives of Physiology and Biochemistry, 2013, 119, 88-91.	1.0	15
116	Cytokines as Key Players in the Pathophysiology of Preeclampsia. Medical Principles and Practice, 2013, 22, 8-19.	1.1	154
117	Natural Killer Cells and Their Activation Status in Normal Pregnancy. International Journal of Reproductive Medicine, 2013, 2013, 1-8.	0.4	10
118	Relationship between Maternal Immunological Response during Pregnancy and Onset of Preeclampsia. Journal of Immunology Research, 2014, 2014, 1-15.	0.9	66
119	Early Disturbed Placental Ischemia and Hypoxia Creates Immune Alteration and Vascular Disorder Causing Preeclampsia. Archives of Medical Research, 2014, 45, 519-524.	1.5	59
120	Customized growth curves for identification of large-for-gestational age neonates in pre-eclamptic women. Ultrasound in Obstetrics and Gynecology, 2014, 43, 165-169.	0.9	18
121	ANGIOGENIC IMBALANCES IN THE PATHOGENESIS OF PREGNANCY COMPLICATIONS. Fetal and Maternal Medicine Review, 2014, 25, 42-58.	0.3	0
122	Reduced syncytin-1 expression in choriocarcinoma BeWo cells activates the calpain-1-mediated apoptosis, implication for preeclampsia. Cellular and Molecular Life Sciences, 2014, 71, 3151-3164.	2.4	41
123	Hypoxic treatment of human dual placental perfusion induces a preeclampsia-like inflammatory response. Laboratory Investigation, 2014, 94, 873-880.	1.7	28
124	Complement Activation and Kidney Injury Molecule-1-Associated Proximal Tubule Injury in Severe Preeclampsia. Hypertension, 2014, 64, 833-838.	1.3	28
125	Circulating levels of maternal plasma cell-free pregnancy-associated placenta-specific microRNAs are associated with placental weight. Placenta, 2014, 35, 848-851.	0.7	16
126	Epigenetic and non-epigenetic regulation of syncytin-1 expression in human placenta and cancer tissues. Cellular Signalling, 2014, 26, 648-656.	1.7	42
127	Clinical syndromes associated with acquired antithrombin deficiency via microvascular leakage and the related risk of thrombosis. Thrombosis Research, 2014, 133, 972-984.	0.8	26

#	ARTICLE	IF	CITATIONS
128	Full-Length Human Placental sFlt-1-e15a Isoform Induces Distinct Maternal Phenotypes of Preeclampsia in Mice. <i>PLoS ONE</i> , 2015, 10, e0119547.	1.1	50
129	A clear and present danger: inflammasomes DAMPing down disorders of pregnancy. <i>Human Reproduction Update</i> , 2015, 21, 388-405.	5.2	43
130	Role of IL-6 $\hat{\sim}$ 174(G/C) promoter polymorphism in the etiology of early-onset preeclampsia. <i>Inflammation Research</i> , 2015, 64, 433-439.	1.6	13
131	Pre-eclampsia: its pathogenesis and pathophysiology. <i>Cardiovascular Journal of Africa</i> , 2016, 27, 71-78.	0.2	262
132	Are We Getting Closer to Explaining Preeclampsia?. <i>Current Obstetrics and Gynecology Reports</i> , 2016, 5, 264-272.	0.3	0
133	The Regulation of Fatty Acid Oxidation in Human Preeclampsia. <i>Reproductive Sciences</i> , 2016, 23, 1422-1433.	1.1	11
134	Placental exosomes and pre-eclampsia: Maternal circulating levels in normal pregnancies and, early and late onset pre-eclamptic pregnancies. <i>Placenta</i> , 2016, 46, 18-25.	0.7	126
135	Treating normal early gestation placentae with preeclamptic sera produces extracellular micro and nano vesicles that activate endothelial cells. <i>Journal of Reproductive Immunology</i> , 2017, 120, 34-41.	0.8	21
136	Increased expression of NLRP3 inflammasome in placentas from pregnant women with severe preeclampsia. <i>Journal of Reproductive Immunology</i> , 2017, 123, 40-47.	0.8	100
137	Placenta-derived exosomes: potential biomarkers of preeclampsia. <i>International Journal of Nanomedicine</i> , 2017, Volume 12, 8009-8023.	3.3	94
138	Early Detection of Preeclampsia Using Circulating Small non-coding RNA. <i>Scientific Reports</i> , 2018, 8, 3401.	1.6	46
139	Placental exosomes profile in maternal and fetal circulation in intrauterine growth restriction - Liquid biopsies to monitoring fetal growth. <i>Placenta</i> , 2018, 64, 34-43.	0.7	95
140	Tissue factor activity in women with preeclampsia or SGA: a potential explanation for the excessive thrombin generation in these syndromes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 1568-1577.	0.7	12
141	Estimation of the burden of human placental micro- and nano-vesicles extruded into the maternal blood from 8 to 12 weeks of gestation. <i>Placenta</i> , 2018, 72-73, 41-47.	0.7	21
142	Pregnancy and the Kidney. , 2018, , 319-345.		2
143	Immunological Tolerance, Pregnancy, and Preeclampsia: The Roles of Semen Microbes and the Fatherâ€. <i>Frontiers in Medicine</i> , 2017, 4, 239.	1.2	46
144	Identification of key transcription factors in preeclampsia. <i>Hypertension in Pregnancy</i> , 2019, 38, 223-229.	0.5	2
145	Cross-Talk between Oxidative Stress and Inflammation in Preeclampsia. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-26.	1.9	130

#	ARTICLE	IF	CITATIONS
146	LPS Induces Preeclampsia-Like Phenotype in Rats and HTR8/SVneo Cells Dysfunction Through TLR4/p38 MAPK Pathway. <i>Frontiers in Physiology</i> , 2019, 10, 1030.	1.3	40
147	Giants in Obstetrics and Gynecology Series: a profile of Christopher Redman, MB, BChir, MRCP, FRCP. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, 420-427.e1.	0.7	2
148	ACOG. <i>Obstetrics and Gynecology</i> , 2019, 133, 1-1.	1.2	575
149	Gene expression patterns associated with human placental trophoblast differentiation. <i>Clinica Chimica Acta</i> , 2019, 495, 637-645.	0.5	7
150	Inflammationâ€™The role of ATP in preâ€™eclampsia. <i>Microcirculation</i> , 2020, 27, e12585.	1.0	18
151	Decreased uterine vascularization and uterine arterial expansive remodeling with reduced matrix metalloproteinase-2 and -9 in hypertensive pregnancy. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020, 318, H165-H180.	1.5	30
152	Family history of chronic illness, preterm gestational age and smoking exposure before pregnancy increases the probability of preeclampsia in Omo district in southern Ethiopia: a case-control study. <i>Clinical Hypertension</i> , 2020, 26, 16.	0.7	2
153	Prevention of preeclampsia. <i>Seminars in Fetal and Neonatal Medicine</i> , 2020, 25, 101123.	1.1	42
154	Lifetime Psychosocial Stress Exposure Associated with Hypertensive Disorders of Pregnancy. <i>American Journal of Perinatology</i> , 2021, 38, 1412-1419.	0.6	13
155	Abnormal uterine inflammation in obstetric syndromes: molecular insights into the role of chemokine decoy receptor D6 and inflammasome NLRP3. <i>Molecular Human Reproduction</i> , 2020, 26, 111-121.	1.3	18
156	Novel Interventions for the Prevention of Preeclampsia. <i>Current Hypertension Reports</i> , 2020, 22, 17.	1.5	37
157	Cyclosporin A ameliorates eclampsia seizure through reducing systemic inflammation in an eclampsia-like rat model. <i>Hypertension Research</i> , 2020, 43, 263-270.	1.5	7
158	A randomized pilot clinical trial of pravastatin versus placebo in pregnant patients at high risk of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 666.e1-666.e15.	0.7	47
159	Roles of noncoding RNAs in preeclampsia. <i>Reproductive Biology and Endocrinology</i> , 2021, 19, 100.	1.4	26
160	The Importance of Complete Blood Count Parameters in Preeclampsia Patients. <i>Jinekoloji-Obstetrik Ve Neonatoloji Tıp Dergisi</i> , 2021, 18, 1004-1009.	0.2	0
161	Physiological and pathological functions of sphingolipids in pregnancy. <i>Cellular Signalling</i> , 2021, 85, 110041.	1.7	17
162	Increased uterine NLRP3 inflammasome and leucocyte infiltration in a rat model of preeclampsia. <i>American Journal of Reproductive Immunology</i> , 2021, 86, e13493.	1.2	4
163	Non-Coding RNAs in Preeclampsiaâ€™Molecular Mechanisms and Diagnostic Potential. <i>International Journal of Molecular Sciences</i> , 2021, 22, 10652.	1.8	24

#	ARTICLE	IF	CITATIONS
164	Neutrophil extracellular traps: a role in inflammation and dysregulated hemostasis as well as in patients with COVID-19 and severe obstetric pathology. <i>Obstetrics, Gynecology and Reproduction</i> , 2021, 15, 335-350.	0.2	5
166	Gestational Hypertension and Preeclampsia. <i>Obstetrics and Gynecology</i> , 2020, 135, e237-e260.	1.2	1,063
168	In Vivo Experiments Reveal the Good, the Bad and the Ugly Faces of sFlt-1 in Pregnancy. <i>PLoS ONE</i> , 2014, 9, e110867.	1.1	40
169	Circulating soluble endoglin modifies the inflammatory response in mice. <i>PLoS ONE</i> , 2017, 12, e0188204.	1.1	15
170	Effects of extracellular vesicles on placentation and pregnancy disorders. <i>Reproduction</i> , 2019, 158, R189-R196.	1.1	31
171	Emerging concepts in preeclampsia investigation. <i>Frontiers in Bioscience - Landmark</i> , 2007, 12, 2403.	3.0	25
172	Preeclampsia and intrauterine growth restriction. <i>Reproductive Medicine and Assisted Reproductive Techniques Series</i> , 2008, , 745-760.	0.1	2
173	Prevention and management of eclampsia. , 2004, , 1093-1106.		10
174	Ultrastructural and Immunofluorescence Studies of Placental Tissue in Hypertensive Diseases of Pregnancy. <i>Research Journal of Biological Sciences</i> , 2010, 5, 155-163.	0.1	0
176	The Role of Novel Biomarker in Early Prediction of Preeclampsia in Pregnant Rats. <i>Journal of Blood Disorders & Transfusion</i> , 2013, 04, .	0.1	0
177	Association of Chromosome 9p21.3 with Disease Location, Including the Number of Diseased Vessels, but not with Greater Burden of Coronary Disease. <i>Journal of Clinical & Experimental Cardiology</i> , 0, s1, .	0.0	0
179	Inflammasomes in placental explants of women with preeclampsia cultured with monosodium urate may be modulated by vitamin D. <i>Hypertension in Pregnancy</i> , 2022, , 1-10.	0.5	0
182	Performance of a Multianalyte "Rule-Out"™ Assay in Pregnant Individuals With Suspected Preeclampsia. <i>Hypertension</i> , 2022, 79, 1515-1524.	1.3	0
183	Serum 25(OH)D Levels in Pregnant Women with Gestational Hypertension and Its Relationship to Its Severity. <i>Advances in Clinical Medicine</i> , 2022, 12, 7745-7750.	0.0	0
184	The effects of hypoxia on female reproductive system diseases. <i>Genome Instability & Disease</i> , 0, , .	0.5	0
185	Serum peptidomic screening identified circulating peptide biomarkers predictive for preeclampsia. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .	1.1	4
187	Aspirin and Pravastatin for Preeclampsia Prevention in High-Risk Pregnancy. <i>Obstetrics and Gynecology Clinics of North America</i> , 2023, 50, 79-88.	0.7	2
188	Study of serum lipid profile in pregnancy and its correlation with preeclampsia. <i>Obstetrics & Gynecology International Journal</i> , 2019, 10, 169-174.	0.0	0

#	ARTICLE	IF	CITATIONS
189	The biodistribution of placental and fetal extracellular vesicles during pregnancy following placentation. <i>Clinical Science</i> , 2023, 137, 385-399.	1.8	3