

Th1/Th2 balance in preeclampsia

Journal of Reproductive Immunology

59, 161-173

DOI: [10.1016/s0165-0378\(03\)00045-7](https://doi.org/10.1016/s0165-0378(03)00045-7)

Citation Report

#	ARTICLE	IF	CITATIONS
1	High altitude and pre-eclampsia. , 2001, , 195-208.		0
2	The ratio of interleukin (IL)-18 to IL-12 secreted by peripheral blood mononuclear cells is increased in normal pregnant subjects and decreased in pre-eclamptic patients. Journal of Reproductive Immunology, 2004, 61, 133-143.	0.8	41
3	Corticosteroids, Pregnancy, and HELLP Syndrome: A Review. Obstetrical and Gynecological Survey, 2005, 60, 57-70.	0.2	66
4	Immunogenetic Determinants of Preeclampsia and Related Pregnancy Disorders. Obstetrics and Gynecology, 2005, 106, 162-172.	1.2	93
5	Persistency of high proinflammatory cytokine levels from colostrum to mature milk in preeclampsia. Clinical Biochemistry, 2005, 38, 712-716.	0.8	34
6	Vitamin D for the Prevention of Preeclampsia? A Hypothesis. Nutrition Reviews, 2005, 63, 225-232.	2.6	68
7	Pre-eclampsia is not Associated with Changes in the Levels of Regulatory T Cells in Peripheral Blood. American Journal of Reproductive Immunology, 2005, 54, 384-389.	1.2	69
8	Glucocorticoids inhibit placental cytokines from cultured normal and preeclamptic placental explants. Placenta, 2005, 26, 654-660.	0.7	26
9	Placental malaria and pre-eclampsia through the looking glass backwards?. Journal of Reproductive Immunology, 2005, 65, 1-15.	0.8	56
10	Vitamin D for the Prevention of Preeclampsia? A Hypothesis. Nutrition Reviews, 2005, 63, 225-232.	2.6	39
11	Immunology of Preeclampsia. , 2005, 89, 49-61.		152
12	Oxidative Stress and Autoimmune Response in the Infertile Woman. , 2005, 88, 150-162.		33
13	Pre-eclampsia. Lancet, The, 2005, 365, 785-799.	6.3	1,711
14	The role of dydrogesterone in recurrent (habitual) abortion. Journal of Steroid Biochemistry and Molecular Biology, 2005, 97, 426-430.	1.2	17
15	State-of-the-art lectures. Thrombosis Research, 2005, 115, 1-107.	0.8	25
16	Maternal autoantibodies from preeclamptic patients activate angiotensin receptors on human mesangial cells and induce interleukin-6 and plasminogen activator inhibitor-1 secretion. American Journal of Hypertension, 2005, 18, 330-336.	1.0	86
17	Anti-inflammatory interventions in pregnancy: Now and the future. Seminars in Fetal and Neonatal Medicine, 2006, 11, 327-332.	1.1	37
18	Antihypertensive drugs clonidine, diazoxide, hydralazine and furosemide regulate the production of cytokines by placentas and peripheral blood mononuclear cells in normal pregnancy. Journal of Hypertension, 2006, 24, 915-922.	0.3	45

#	ARTICLE	IF	CITATIONS
19	PRE-ECLAMPSIA: CONTRIBUTION OF MATERNAL CONSTITUTIONAL FACTORS AND THE CONSEQUENCES FOR CARDIOVASCULAR HEALTH. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2006, 33, 826-830.	0.9	32
20	Immunological exposures in Norwegian agriculture and pre-eclampsia. <i>Paediatric and Perinatal Epidemiology</i> , 2006, 20, 462-470.	0.8	12
21	Is vitamin E a safe prophylaxis for preeclampsia?. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 194, 1228-1233.	0.7	30
22	Cytokine mapping of sera from women with preeclampsia and normal pregnancies. <i>Journal of Reproductive Immunology</i> , 2006, 70, 83-91.	0.8	220
23	The incidence of pre-eclampsia among couples consisting of Japanese women and Caucasian men. <i>Journal of Reproductive Immunology</i> , 2006, 70, 93-98.	0.8	48
24	Clinical Correlation between Adenosine Deaminase Activity and Pre-eclampsia Severity. <i>Journal of International Medical Research</i> , 2006, 34, 247-255.	0.4	17
25	Gene expression profiling of human placentas from preeclamptic and normotensive pregnancies. <i>Molecular Human Reproduction</i> , 2006, 12, 169-179.	1.3	59
26	Inflammatory Changes in Preeclampsia: Current Understanding of the Maternal Innate and Adaptive Immune Response. <i>Obstetrical and Gynecological Survey</i> , 2007, 62, 191-201.	0.2	73
27	The role of the immune system in preeclampsia. <i>Molecular Aspects of Medicine</i> , 2007, 28, 192-209.	2.7	274
28	Inflammatory response in preeclampsia. <i>Molecular Aspects of Medicine</i> , 2007, 28, 210-219.	2.7	76
29	Hypoxic Switch in Mitochondrial Myeloid Cell Leukemia Factor-1/Mtd Apoptotic Rheostat Contributes to Human Trophoblast Cell Death in Preeclampsia. <i>American Journal of Pathology</i> , 2007, 171, 496-506.	1.9	43
30	Anti-Hypertensive Drugs Alter Cytokine Production from Preeclamptic Placentas and Peripheral Blood Mononuclear Cells. <i>Hypertension in Pregnancy</i> , 2007, 26, 343-356.	0.5	16
31	Maternal serum soluble CD30 is increased in normal pregnancy, but decreased in preeclampsia and small for gestational age pregnancies. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 867-878.	0.7	34
32	Control of human trophoblast function. <i>Reproductive Biology and Endocrinology</i> , 2007, 5, 6.	1.4	218
33	Changes in the Ratio of Tc1/Tc2 and Th1/Th2 Cells but Not in Subtypes of NK-Cells in Preeclampsia. <i>International Journal of Molecular Sciences</i> , 2007, 8, 492-504.	1.8	3
34	T Helper 1/T Helper 2 Cell Immunity in Preeclamptic Twin Pregnancy. <i>Journal of Nippon Medical School</i> , 2007, 74, 434-436.	0.3	1
35	High-altitude hypoxia and preeclampsia. <i>Frontiers in Bioscience - Landmark</i> , 2007, 12, 2967.	3.0	70
36	Does vitamin D supplementation in infancy reduce the risk of pre-eclampsia?. <i>European Journal of Clinical Nutrition</i> , 2007, 61, 1136-1139.	1.3	54

#	ARTICLE	IF	CITATIONS
37	TNF α from monocyte of patients with pre-eclampsia induced apoptosis in human trophoblast cell line. <i>Journal of Obstetrics and Gynaecology Research</i> , 2007, 33, 408-416.	0.6	27
38	Maternal circulating interferon γ and interleukin β as biomarkers of Th1/Th2 immune status throughout pregnancy. <i>Journal of Obstetrics and Gynaecology Research</i> , 2008, 34, 7-11.	0.6	28
39	The effects and mechanisms of primiparity on the risk of pre-eclampsia: a systematic review. <i>Paediatric and Perinatal Epidemiology</i> , 2007, 21, 36-45.	0.8	102
40	Tumor Necrosis Factor-alpha in Gestation and Puerperium of Women with Gestational Hypertension and Pre-eclampsia. <i>American Journal of Reproductive Immunology</i> , 2007, 57, 177-185.	1.2	82
41	Women with a recent history of early-onset pre-eclampsia have a worse periodontal condition. <i>Journal of Clinical Periodontology</i> , 2007, 34, 202-207.	2.3	46
42	Elevated serum levels of interleukin-15 and interleukin-16 in preeclampsia. <i>Journal of Reproductive Immunology</i> , 2007, 73, 166-171.	0.8	27
43	NK cells and pre-eclampsia. <i>Journal of Reproductive Immunology</i> , 2007, 76, 40-44.	0.8	58
44	Preeclampsia, insulin signalling and immunological dysfunction: a fetal, maternal or placental disorder?. <i>Journal of Reproductive Immunology</i> , 2007, 76, 78-84.	0.8	32
45	Inadequate tolerance induction may induce pre-eclampsia. <i>Journal of Reproductive Immunology</i> , 2007, 76, 30-39.	0.8	107
46	Serum markers of macrophage activation in pre-eclampsia: no predictive value of soluble CD163 and neopterin. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007, 86, 1041-1046.	1.3	15
47	Extremely skewed X-chromosome inactivation is increased in pre-eclampsia. <i>Human Genetics</i> , 2007, 121, 101-105.	1.8	3
48	ORIGINAL ARTICLE: Association of Tumor Necrosis Factor α and Interleukin β Gene Polymorphisms in Iranian Patients with Pre-eclampsia. <i>American Journal of Reproductive Immunology</i> , 2008, 60, 179-185.	1.2	31
49	ORIGINAL ARTICLE: Th1 and Th2 in Human IVF Pregnancy with Allogenic Fetus. <i>American Journal of Reproductive Immunology</i> , 2008, 59, 352-358.	1.2	20
50	Progesterone for recurrent miscarriage: truth and deceptions. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2008, 22, 375-389.	1.4	25
51	Mid-pregnancy circulating cytokine levels, histologic chorioamnionitis and spontaneous preterm birth. <i>Journal of Reproductive Immunology</i> , 2008, 79, 100-110.	0.8	83
52	The Role of Macrophages in Utero-placental Interactions During Normal and Pathological Pregnancy. <i>Immunological Investigations</i> , 2008, 37, 535-564.	1.0	114
53	Differential regulation of the interferon induced gene ISG12A by serum from healthy and preeclamptic pregnancies. <i>Cytokine</i> , 2008, 42, 105-112.	1.4	3
54	Tissue factor and its natural inhibitor in pre-eclampsia and SGA. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 855-869.	0.7	54

#	ARTICLE	IF	CITATIONS
55	Over-expression of the thrombin receptor (PAR-1) in the placenta in preeclampsia: A mechanism for the intersection of coagulation and inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 345-355.	0.7	42
56	Seminal Fluid Drives Expansion of the CD4+CD25+ T Regulatory Cell Pool and Induces Tolerance to Paternal Alloantigens in Mice1. <i>Biology of Reproduction</i> , 2009, 80, 1036-1045.	1.2	307
57	Exogenous Soluble VEGF Receptor-1 (sFlt-1) Regulates Th1/Th2 Cytokine Production from Normal Placental Explants via Intracellular Calcium. <i>Hypertension in Pregnancy</i> , 2009, 28, 448-456.	0.5	8
58	Preeclampsia is associated with decreased serum $\hat{1}\pm 2$ -HS glycoprotein (fetuin-A) concentration. <i>Hypertension Research</i> , 2009, 32, 665-669.	1.5	36
59	Immunosuppression Improves Blood Pressure and Endothelial Function in a Rat Model of Pregnancy-Induced Hypertension. <i>American Journal of Hypertension</i> , 2009, 22, 1107-1114.	1.0	35
60	Cytokine gene polymorphisms in preeclampsia and eclampsia. <i>Hypertension Research</i> , 2009, 32, 565-569.	1.5	57
61	The link between insulin resistance and preeclampsia: new perspectives. <i>Journal of Reproductive Immunology</i> , 2009, 82, 100-105.	0.8	45
62	Circulating anti-heat-shock-protein antibodies in normal pregnancy and preeclampsia. <i>Cell Stress and Chaperones</i> , 2009, 14, 491-498.	1.2	26
63	Placental production and maternal serum and urine levels of inhibin A and activin A are modified by antihypertensive therapy in hypertensive disorders of pregnancy. <i>Clinical Endocrinology</i> , 2009, 70, 924-931.	1.2	11
64	ORIGINAL ARTICLE: Imbalance of Tâ€cell Transcription Factors Contributes to the Th1 Type Immunity Predominant in Preâ€eclampsia. <i>American Journal of Reproductive Immunology</i> , 2010, 63, 38-45.	1.2	52
65	Failure of galectin-9 expression by uterine endometrial epithelial cells as a cause for preeclampsia. <i>Bioscience Hypotheses</i> , 2009, 2, 306-309.	0.2	0
66	Preeclampsia. , 2009, , 341-357.		0
67	Specific subsets of immune cells in human decidua differ between normal pregnancy and preeclampsia - a prospective observational study. <i>Reproductive Biology and Endocrinology</i> , 2009, 7, 132.	1.4	95
68	Preeclampsia is Associated with Lower Percentages of Regulatory T Cells in Maternal Blood. <i>Hypertension in Pregnancy</i> , 2009, 28, 300-311.	0.5	132
69	Regulatory T-cells and immune tolerance in pregnancy: a new target for infertility treatment?. <i>Human Reproduction Update</i> , 2009, 15, 517-535.	5.2	416
70	Elevated Serum Levels of Interleukin-15, Interleukin-16, and Human Chorionic Gonadotropin in Women With Preeclampsia. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2009, 31, 142-148.	0.3	46
71	Chlorella pyrenoidosa Supplementation Reduces the Risk of Anemia, Proteinuria and Edema in Pregnant Women. <i>Plant Foods for Human Nutrition</i> , 2010, 65, 25-30.	1.4	42
72	Decreased proportion of peripheral blood vascular endothelial growth factorâ€expressing T and natural killer cells in preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2010, 203, 567.e1-567.e8.	0.7	37

#	ARTICLE	IF	CITATIONS
73	REVIEW ARTICLE: Th1/Th2/Th17 and Regulatory Tâ€Cell Paradigm in Pregnancy. American Journal of Reproductive Immunology, 2010, 63, 601-610.	1.2	895
74	Clinical and immunologic aspects of egg donation pregnancies: a systematic review. Human Reproduction Update, 2010, 16, 704-712.	5.2	120
75	Autoantibody-Mediated Angiotensin Receptor Activation Contributes to Preeclampsia Through Tumor Necrosis Factor-Î± Signaling. Hypertension, 2010, 55, 1246-1253.	1.3	87
76	Plasma osteopontin concentrations in preeclampsia â€“ is there an association with endothelial injury?. Clinical Chemistry and Laboratory Medicine, 2010, 48, 181-187.	1.4	14
77	Urinary Inositol Phosphoglycan P-Type as A Marker for Prediction of Preeclampsia and Novel Implications for the Pathophysiology of This Disorder. Hypertension in Pregnancy, 2010, 29, 375-384.	0.5	19
78	Diabetes in Women. , 2010, , .		2
79	Interleukin-10 reduces inflammation, endothelial dysfunction, and blood pressure in hypertensive pregnant rats. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2010, 298, R713-R719.	0.9	98
80	Association of Monocyte Chemoattractant Protein-1 and CC Chemokine Receptor 2 Gene Variants with Preeclampsia. Journal of Interferon and Cytokine Research, 2010, 30, 673-676.	0.5	6
81	Plasma interleukin-18 (IL-18) levels are correlated with antioxidant vitamin coenzyme Q10 in preeclampsia. Acta Obstetrica Et Gynecologica Scandinavica, 2010, 89, 360-366.	1.3	23
82	Genome profiles in maternal blood during early onset preeclampsia and towards term. Journal of Perinatal Medicine, 2010, 38, 601-8.	0.6	12
83	Is There Evidence of Separate Inflammatory or Metabolic Forms of Preeclampsia?. Hypertension in Pregnancy, 2011, 30, 1-10.	0.5	12
84	Clinical implication of recent advances in our understanding of IL-17 and reproductive immunology. Expert Review of Clinical Immunology, 2011, 7, 649-657.	1.3	62
85	Increased Expression of Matrix Metalloproteinase-1 in Systemic Vessels of Preeclamptic Women. American Journal of Pathology, 2011, 178, 451-460.	1.9	41
86	Glyceryl Trinitrate Inhibits Hypoxia-Induced Release of Soluble fms-Like Tyrosine Kinase-1 and Endoglin from Placental Tissues. American Journal of Pathology, 2011, 178, 2888-2896.	1.9	20
87	Changes in cytokine production and composition of peripheral blood leukocytes during pregnancy are not associated with a difference in the proliferative immune response to the fetus. Human Immunology, 2011, 72, 805-811.	1.2	23
88	Immunologic Characteristics of Preeclampsia, a Comprehensive Review. American Journal of Reproductive Immunology, 2011, 65, 377-394.	1.2	90
89	Increased prevalence of peripheral blood granulysin-producing cytotoxic T lymphocytes in preeclampsia. Journal of Reproductive Immunology, 2011, 91, 56-63.	0.8	22
90	Uterine and circulating natural killer cells and their roles in women with recurrent pregnancy loss, implantation failure and preeclampsia. Journal of Reproductive Immunology, 2011, 90, 105-110.	0.8	123

#	ARTICLE	IF	CITATIONS
91	Proteomic analysis of human serum for Finding pathogenic factors and potential biomarkers in preeclampsia. <i>Placenta</i> , 2011, 32, 168-174.	0.7	59
92	The origins and end-organ consequence of pre-eclampsia. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2011, 25, 435-447.	1.4	78
93	Peripheral blood galectin-1-expressing T and natural killer cells in normal pregnancy and preeclampsia. <i>Clinical Immunology</i> , 2011, 139, 48-56.	1.4	42
94	Fetal ERAP2 variation is associated with preeclampsia in African Americans in a case-control study. <i>BMC Medical Genetics</i> , 2011, 12, 64.	2.1	57
95	Vitamin D - roles in women's reproductive health?. <i>Reproductive Biology and Endocrinology</i> , 2011, 9, 146.	1.4	96
96	Differential proteomic analysis of highly purified placental cytotrophoblasts in pre-eclampsia demonstrates a state of increased oxidative stress and reduced cytotrophoblast antioxidant defense. <i>Proteomics</i> , 2011, 11, 4077-4084.	1.3	27
97	Preventing Vitamin D Deficiency in Pregnancy – Importance for the Mother and Child. <i>Annals of Nutrition and Metabolism</i> , 2011, 59, 28-31.	1.0	31
98	Spontaneous Pregnancy Loss Mediated by Abnormal Maternal Inflammation in Rats Is Linked to Deficient Uteroplacental Perfusion. <i>Journal of Immunology</i> , 2011, 186, 1799-1808.	0.4	126
99	Interleukin 10 Deficiency Exacerbates Toll-Like Receptor 3-Induced Preeclampsia-Like Symptoms in Mice. <i>Hypertension</i> , 2011, 58, 489-496.	1.3	87
100	Platelets, inflammation, and prediction of the hypertension disorders of pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 99-103.	0.7	4
101	Interleukin 10 and Tumor Necrosis Factor-Alpha in Pregnancy: Aspects of Interest in Clinical Obstetrics. <i>ISRN Obstetrics & Gynecology</i> , 2012, 2012, 1-5.	1.2	59
102	Early pregnancy soluble E-selectin concentrations and risk of preeclampsia. <i>Journal of Hypertension</i> , 2012, 30, 954-959.	0.3	22
103	Interleukin-12 inhibits cell invasion in choriocarcinoma. <i>International Journal of Molecular Medicine</i> , 2012, 30, 57-62.	1.8	5
104	Silibinin modulates the NF- κ B pathway and pro-inflammatory cytokine production by mononuclear cells from preeclamptic women. <i>Journal of Reproductive Immunology</i> , 2012, 95, 67-72.	0.8	78
106	A(H1N1)v2009: A controlled observational prospective cohort study on vaccine safety in pregnancy. <i>Vaccine</i> , 2012, 30, 4445-4452.	1.7	76
107	Influence of mineral and vitamin supplements on pregnancy outcome. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 164, 127-132.	0.5	159
108	Role of cytokines in altitude-associated preeclampsia. <i>Pregnancy Hypertension</i> , 2012, 2, 65-70.	0.6	7
109	The decidual stromal cells-secreted CCL2 induces and maintains decidual leukocytes into Th2 bias in human early pregnancy. <i>Clinical Immunology</i> , 2012, 145, 161-173.	1.4	42

#	ARTICLE	IF	CITATIONS
110	Spezielle Arzneimitteltherapie in der Schwangerschaft. , 2012, , 33-574.		0
112	Changes of <sc>NK</sc> Cells in Preeclampsia. American Journal of Reproductive Immunology, 2012, 67, 278-286.	1.2	75
113	The Expressions of <sc>CD</sc>200 and <sc>CD</sc>200<sc>R</sc> Molecules on Myeloid and Lymphoid Dendritic Cells in Preâ€Eclampsia and Normal Pregnancy. American Journal of Reproductive Immunology, 2012, 67, 474-481.	1.2	17
114	The Frequency of Peripheral Blood <sc>CD</sc>4+ <sc>CD</sc>25high <sc>F</sc>ox<sc>P</sc>3+ and <sc>CD</sc>4+ <sc>CD</sc>25âˆw~ <sc>F</sc>ox<sc>P</sc>3+ Regulatory <sc>T</sc> Cells in Normal Pregnancy and Preâ€Eclampsia. American Journal of Reproductive Immunology, 2012, 68, 175-180.	1.2	74
115	The predominance of Th17 lymphocytes and decreased number and function of Treg cells in preeclampsia. Journal of Reproductive Immunology, 2012, 93, 75-81.	0.8	199
116	Pro-inflammatory effector Th cells transmigrate through anti-inflammatory environments into the murine fetus. Placenta, 2012, 33, 39-46.	0.7	21
117	Perfusion with magnesium sulfate increases sFlt-1 secretion only in the fetal side of placenta of women with preeclampsia. Journal of Maternal-Fetal and Neonatal Medicine, 2013, 26, 116-122.	0.7	5
118	The expression of B7-H1 and B7-H4 co-stimulatory molecules on myeloid and plasmacytoid dendritic cells in pre-eclampsia and normal pregnancy. Journal of Reproductive Immunology, 2013, 99, 33-38.	0.8	22
119	Associations of maternal 25-hydroxyvitamin D in pregnancy with offspring cardiovascular risk factors in childhood and adolescence: findings from the Avon Longitudinal Study of Parents and Children. Heart, 2013, 99, 1849-1856.	1.2	36
120	Innate Immunity, Decidual Cells, and Preeclampsia. Reproductive Sciences, 2013, 20, 339-353.	1.1	52
121	Vitamin D Deficiency and the Risk of Preeclampsia and Eclampsia in Bangladesh. Hormone and Metabolic Research, 2013, 45, 682-687.	0.7	60
122	Thymic Stromal Lymphopoietin Suppresses the Apoptosis of Decidual Gammaâ€delta <sc>T</sc> Cells via Regulation of the Signal Transduction and Activation of Transcription 3/Caspaseâ€³ Signaling Pathway. American Journal of Reproductive Immunology, 2013, 70, 464-471.	1.2	12
123	Cytokines as Key Players in the Pathophysiology of Preeclampsia. Medical Principles and Practice, 2013, 22, 8-19.	1.1	154
124	Hypertension, inflammation and T lymphocytes are increased in a rat model of HELLP syndrome. Hypertension in Pregnancy, 2014, 33, 41-54.	0.5	31
125	Excess LIGHT Contributes to Placental Impairment, Increased Secretion of Vasoactive Factors, Hypertension, and Proteinuria in Preeclampsia. Hypertension, 2014, 63, 595-606.	1.3	37
126	TH17 cells in human recurrent pregnancy loss and pre-eclampsia. Cellular and Molecular Immunology, 2014, 11, 564-570.	4.8	112
127	HLA Class Ib Molecules and Immune Cells in Pregnancy and Preeclampsia. Frontiers in Immunology, 2014, 5, 652.	2.2	56
128	Possible Association of IL-4 VNTR Polymorphism with Susceptibility to Preeclampsia. BioMed Research International, 2014, 2014, 1-5.	0.9	28

#	ARTICLE	IF	CITATIONS
129	Innate Immune System and Preeclampsia. <i>Frontiers in Immunology</i> , 2014, 5, 244.	2.2	115
130	Cumulative exposure to paternal seminal fluid prior to conception and subsequent risk of preeclampsia. <i>Journal of Reproductive Immunology</i> , 2014, 101-102, 104-110.	0.8	77
131	Role of cytokines in development of pre-eclampsia associated with periodontal disease – Cohort Study. <i>Journal of Clinical Periodontology</i> , 2014, 41, 357-365.	2.3	11
132	Immunology of the Female Genital Tract. , 2014, , .		6
133	MicroRNA-210 Contributes to Preeclampsia by Downregulating Potassium Channel Modulatory Factor 1. <i>Hypertension</i> , 2014, 64, 839-845.	1.3	94
134	Swainsonine exposure induces impairment of host immune response in pregnant BALB/c mice. <i>BMC Immunology</i> , 2015, 16, 53.	0.9	3
135	<i>TGFB</i> Functional Gene Polymorphisms (C509T and T869C) in the Maternal Susceptibility to Pre-eclampsia in South Indian Women. <i>Scandinavian Journal of Immunology</i> , 2015, 82, 390-397.	1.3	7
136	Preeclampsia: long-term consequences for vascular health. <i>Vascular Health and Risk Management</i> , 2015, 11, 403.	1.0	116
137	Vaccines and immunoglobulins. , 2015, , 177-192.		0
138	Prevalence of Regulatory T Cell Subtypes in Preeclampsia. <i>American Journal of Reproductive Immunology</i> , 2015, 74, 110-115.	1.2	54
139	Preeclampsia: What Does the Father Have to Do with It?. <i>Current Hypertension Reports</i> , 2015, 17, 60.	1.5	11
140	Cotreatment With Interleukin 4 and Interleukin 10 Modulates Immune Cells and Prevents Hypertension in Pregnant Mice. <i>American Journal of Hypertension</i> , 2015, 28, 135-142.	1.0	56
141	Chikungunya Fever During Pregnancy and in Children: An Overview on Clinical and Research Perspectives. , 2016, , .		3
142	Pre-eclampsia: its pathogenesis and pathophysiology. <i>Cardiovascular Journal of Africa</i> , 2016, 27, 71-78.	0.2	262
143	Polymorphisms of the IL27 gene in a Chinese Han population complicated with pre-eclampsia. <i>Scientific Reports</i> , 2016, 6, 23029.	1.6	15
144	Cyclosporin A significantly improves preeclampsia signs and suppresses inflammation in a rat model. <i>Cytokine</i> , 2016, 81, 77-81.	1.4	11
145	Association of peripheral blood dendritic cells with recurrent pregnancy loss: a case-controlled study. <i>American Journal of Reproductive Immunology</i> , 2016, 76, 326-332.	1.2	17
146	A new era in reproductive medicine: consequences of third-party oocyte donation for maternal and fetal health. <i>Seminars in Immunopathology</i> , 2016, 38, 687-697.	2.8	23

#	ARTICLE	IF	CITATIONS
147	Finding NEMO in preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 214, 538.e1-538.e7.	0.7	13
148	Immune activation during the implantation phase causes preeclampsia-like symptoms via the CD40-CD40 ligand pathway in pregnant mice. <i>Hypertension Research</i> , 2016, 39, 407-414.	1.5	10
149	Hypertensive disorders of pregnancy, respiratory outcomes and atopy in childhood. <i>European Respiratory Journal</i> , 2016, 47, 156-165.	3.1	28
150	An essay of reflection: Why does preeclampsia exist in humans, and why are there such huge geographical differences in epidemiology?. <i>Journal of Reproductive Immunology</i> , 2016, 114, 44-47.	0.8	35
151	Potential impact of maternal vitamin D status on obstetric well-being. <i>Journal of Endocrinological Investigation</i> , 2016, 39, 37-44.	1.8	16
152	Changes in T-cell phenotype and cytokines profile in maternal blood, cord blood and colostrum of diabetic mothers. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 998-1004.	0.7	23
153	Impact of Labor on Peripheral Blood Maternal T-Cell Subsets and on Regulatory T and B Cells. <i>Reproductive Sciences</i> , 2017, 24, 276-284.	1.1	5
154	Decreased expression of MMP-9 in CD8 ⁺ cells in placenta with severe preeclampsia. <i>Biotechnic and Histochemistry</i> , 2017, 92, 288-296.	0.7	14
155	Association between cytokine profile and transcription factors produced by T cell subsets in early and late-onset preeclampsia. <i>Immunology</i> , 2017, 152, 163-173.	2.0	69
156	Endoplasmic Reticulum Aminopeptidase 2, a common immunological link to adverse pregnancy outcomes and cancer clearance?. <i>Placenta</i> , 2017, 56, 40-43.	0.7	11
157	Increased circulating Th22 cells correlated with Th17 cells in patients with severe preeclampsia. <i>Hypertension in Pregnancy</i> , 2017, 36, 100-107.	0.5	33
158	Uncovering the Pharmacological Mechanism of Astragalus Salvia Compound on Pregnancy-Induced Hypertension Syndrome by a Network Pharmacology Approach. <i>Scientific Reports</i> , 2017, 7, 16849.	1.6	50
159	IL-25 promotes Th2 bias by upregulating IL-4 and IL-10 expression of decidual T cells in early pregnancy. <i>Experimental and Therapeutic Medicine</i> , 2017, 15, 1855-1862.	0.8	19
160	Regulatory T and T helper 17 cells: Their roles in preeclampsia. <i>Journal of Cellular Physiology</i> , 2018, 233, 6561-6573.	2.0	63
161	Interleukin-10 rs1800871 (819C/T) and ATA haplotype are associated with preeclampsia in a Tunisian population. <i>Pregnancy Hypertension</i> , 2018, 11, 105-110.	0.6	13
162	Elevated vasopressin in pregnant mice induces T-helper subset alterations consistent with human preeclampsia. <i>Clinical Science</i> , 2018, 132, 419-436.	1.8	39
163	The Role of Interleukin-10 in the Pathophysiology of Preeclampsia. <i>Current Hypertension Reports</i> , 2018, 20, 36.	1.5	39
164	Immunological Maladaptation. <i>Comprehensive Gynecology and Obstetrics</i> , 2018, , 65-84.	0.0	0

#	ARTICLE	IF	CITATIONS
165	Tissue factor activity in women with preeclampsia or SGA: a potential explanation for the excessive thrombin generation in these syndromes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 1568-1577.	0.7	12
166	Early pregnancy immune biomarkers in peripheral blood may predict preeclampsia. <i>Journal of Reproductive Immunology</i> , 2018, 125, 25-31.	0.8	82
167	Endothelial Dysfunction as a Consequence of Endothelial Glycocalyx Damage: A Role in the Pathogenesis of Preeclampsia. , 0, , .		4
168	Genetic Variants in Preeclampsia: Lessons From Studies in Latin-American Populations. <i>Frontiers in Physiology</i> , 2018, 9, 1771.	1.3	31
169	Phosphatidylinositol 3-Kinase/Akt signal pathway resists the apoptosis and inflammation in human extravillous trophoblasts induced by <i>Porphyromonas gingivalis</i> . <i>Molecular Immunology</i> , 2018, 104, 100-107.	1.0	10
170	The Human Embryo and Its Environment: In Utero Challenges and Physiological Outcomes. , 2018, , 403-420.		0
171	Immunological Tolerance, Pregnancy, and Preeclampsia: The Roles of Semen Microbes and the Fatherâ€™. <i>Frontiers in Medicine</i> , 2017, 4, 239.	1.2	46
172	Changes in DNA Methylation from Age 18 to Pregnancy in Type 1, 2, and 17 T Helper and Regulatory T-Cells Pathway Genes. <i>International Journal of Molecular Sciences</i> , 2018, 19, 477.	1.8	10
173	Disruption in the Regulation of Immune Responses in the Placental Subtype of Preeclampsia. <i>Frontiers in Immunology</i> , 2018, 9, 1659.	2.2	70
174	Integrated Systems Biology Approach Identifies Novel Maternal and Placental Pathways of Preeclampsia. <i>Frontiers in Immunology</i> , 2018, 9, 1661.	2.2	146
175	The forgotten father in obstetric medicine. <i>Obstetric Medicine</i> , 2019, 12, 57-65.	0.5	16
176	Role of Macrophages in Pregnancy and Related Complications. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2019, 67, 295-309.	1.0	109
177	Lower activation of CD4+ memory T cells in preeclampsia compared to healthy pregnancies persists postpartum. <i>Journal of Reproductive Immunology</i> , 2019, 136, 102613.	0.8	16
178	Dental implant surfaces treated with phosphoric acid can modulate cytokine production by blood MN cells. <i>Brazilian Oral Research</i> , 2019, 33, e040.	0.6	4
179	Effect of Low-Dose Aspirin on Soluble FMS-Like Tyrosine Kinase 1/Placental Growth Factor (sFlt-1/PlGF) Tj ETQq0 0 0 rgBT /Overlock 10 T 2019, 8, 1429.	1.0	14
180	Differential Dynamics of the Maternal Immune System in Healthy Pregnancy and Preeclampsia. <i>Frontiers in Immunology</i> , 2019, 10, 1305.	2.2	65
181	PREECLAMPSIA: Parte 2Â°: fisiopatologia e trattamento. <i>Giornale De Tecniche Nefrologiche & Dialitiche</i> , 2019, 31, 79-88.	0.1	0
182	Ovarian and endometrial immunity during the ovarian cycle. <i>Journal of Reproductive Immunology</i> , 2019, 133, 7-14.	0.8	28

#	ARTICLE	IF	CITATIONS
183	Preeclampsia. <i>Circulation Research</i> , 2019, 124, 1094-1112.	2.0	1,019
184	Cyclosporine A improves pregnancy outcomes in women with recurrent pregnancy loss and elevated Th1/Th2 ratio. <i>Journal of Cellular Physiology</i> , 2019, 234, 19039-19047.	2.0	36
185	T lymphocytes in the third trimester decidua in preeclampsia. <i>Hypertension in Pregnancy</i> , 2019, 38, 52-57.	0.5	9
186	Pre-eclampsia: pathogenesis, novel diagnostics and therapies. <i>Nature Reviews Nephrology</i> , 2019, 15, 275-289.	4.1	609
187	A meta-analysis of tumor necrosis factor- α and FAS/FASL polymorphisms with risk of pre-eclampsia. <i>Hypertension in Pregnancy</i> , 2019, 38, 20-31.	0.5	9
188	Investigation of follicular helper T cells, as a novel player, in preeclampsia. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 3845-3852.	1.2	18
189	Exosomal Th1/Th2 cytokines in preeclampsia and HIV-positive preeclamptic women on highly active anti-retroviral therapy. <i>Cytokine</i> , 2020, 125, 154795.	1.4	16
190	Elevated immunoexpression of interferon-gamma in placenta tissue samples from pregnancies complicated with preeclampsia compared to the placenta previa. <i>Pregnancy Hypertension</i> , 2020, 22, 175-180.	0.6	12
191	IL-27 variants might be genetic risk factors for preeclampsia: based on genetic polymorphisms, haplotypes and in silico approach. <i>Molecular Biology Reports</i> , 2020, 47, 7929-7940.	1.0	8
192	Got your mother in a whirl: The role of maternal T cells and myeloid cells in pregnancy. <i>Hla</i> , 2020, 96, 561-579.	0.4	5
193	T Helper (Th) Cell Profiles in Pregnancy and Recurrent Pregnancy Losses: Th1/Th2/Th9/Th17/Th22/Tfh Cells. <i>Frontiers in Immunology</i> , 2020, 11, 2025.	2.2	215
194	Preeclampsia: Linking Placental Ischemia with Maternal Endothelial and Vascular Dysfunction. , 2020, 11, 1315-1349.		26
195	Vitamin D Effects on the Immune System from Periconception through Pregnancy. <i>Nutrients</i> , 2020, 12, 1432.	1.7	35
196	Pregnancy immune tolerance at the maternal-fetal interface. <i>International Reviews of Immunology</i> , 2020, 39, 247-263.	1.5	23
197	Haplotype Analysis of Candidate Genes Involved in Inflammation and Oxidative Stress and the Susceptibility to Preeclampsia. <i>Journal of Immunology Research</i> , 2020, 2020, 1-11.	0.9	11
198	The Differential Expression of ERAP1/ERAP2 and Immune Cell Activation in Pre-eclampsia. <i>Frontiers in Immunology</i> , 2020, 11, 396.	2.2	18
199	Abnormal uterine inflammation in obstetric syndromes: molecular insights into the role of chemokine decoy receptor D6 and inflammasome NLRP3. <i>Molecular Human Reproduction</i> , 2020, 26, 111-121.	1.3	18
200	Expression and role of ERAP1 in placental tissues of preeclampsia. <i>Hypertension in Pregnancy</i> , 2020, 39, 165-171.	0.5	4

#	ARTICLE	IF	CITATIONS
201	Interleukin-17 signaling mediates cytolytic natural killer cell activation in response to placental ischemia. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2020, 318, R1036-R1046.	0.9	20
202	Biologicals in atopic disease in pregnancy: An EAACI position paper. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 71-89.	2.7	41
203	Animal models of preeclampsia: investigating pathophysiology and therapeutic targets. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, S973-S987.	0.7	32
204	Serum Levels of Soluble Fas and Fas Ligand in Iranian Women with Pre-eclampsia. <i>Reports of Biochemistry and Molecular Biology</i> , 2021, 9, 394-398.	0.5	1
205	Preeclampsia: A Review of Early Predictors. <i>Maternal-Fetal Medicine</i> , 2021, 3, 197-202.	0.4	3
206	Pathophysiology of Preeclampsia: The Role of Exosomes. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2572.	1.8	42
207	The function of adipsin and C9 protein in the complement system in HIV-associated preeclampsia. <i>Archives of Gynecology and Obstetrics</i> , 2021, 304, 1467-1473.	0.8	4
208	A Review of Research Progress of Pregnancy with Twins with Preeclampsia. <i>Risk Management and Healthcare Policy</i> , 2021, Volume 14, 1999-2010.	1.2	13
209	Syncytiotrophoblast Extracellular Vesicles From Late-Onset Preeclampsia Placentae Suppress Pro-Inflammatory Immune Response in THP-1 Macrophages. <i>Frontiers in Immunology</i> , 2021, 12, 676056.	2.2	15
210	Interferon $\hat{3}$ neutralization reduces blood pressure, uterine artery resistance index, and placental oxidative stress in placental ischemic rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2021, 321, R112-R124.	0.9	7
211	Association between interleukin-32 gene polymorphism and susceptibility to preeclampsia. <i>Hypertension in Pregnancy</i> , 2021, 40, 218-225.	0.5	6
212	Immunology in Reproductive Medicine. , 2014, , 163-249.		1
214	Comparison of Normal and Pre-Eclamptic Placental Gene Expression: A Systematic Review with Meta-Analysis. <i>PLoS ONE</i> , 2016, 11, e0161504.	1.1	65
215	Interferon gamma, interleukin 8 and interleukin 10 in serum of patients with the cervical infection and symptoms of the imminent preterm delivery. <i>Srpski Arhiv Za Celokupno Lekarstvo</i> , 2013, 141, 623-628.	0.1	4
216	NF- \hat{B} regulation in maternal immunity during normal and IUGR pregnancies. <i>Scientific Reports</i> , 2021, 11, 20971.	1.6	11
217	Decreased Expression of Cytotoxic Proteins in Decidual CD8+ T Cells in Preeclampsia. <i>Biology</i> , 2021, 10, 1037.	1.3	5
218	CONCENTRACIONES DE INTERLEUCINA-2 EN PACIENTES CON PREECLAMPSIA A T \hat{A} %RMINO Y PRET \hat{A} %RMINO. <i>Revista Chilena De Obstetricia Y Ginecologia</i> , 2010, 75, .	0.1	0
220	Embryonic-like stem cells derived from postpartum placenta delivered after spontaneous labor emerging as universal prophylactic cancer vaccine. <i>Stem Cell Discovery</i> , 2013, 03, 240-250.	0.5	0

#	ARTICLE	IF	CITATIONS
221	Wandering womb, water and worms: the history, myths and messy immunologic etiology of preeclampsia/eclampsia. <i>Proceedings in Obstetrics and Gynecology</i> , 2013, 3, 1-13.	0.1	0
222	Surrogate motherhood: A historic review. The specific features of the course of pregnancy and labor. <i>Russian Bulletin of Obstetrician-Gynecologist</i> , 2015, 15, 49.	0.0	4
223	Cytokines and C-reactive protein in moderate and severe preeclampsia. <i>Perinatal Journal</i> , 2015, 23, 186-193.	0.0	0
224	Dendritic cells derived from preeclampsia patients influence Th1/Th17 cell differentiation in vitro. <i>International Journal of Clinical and Experimental Medicine</i> , 2014, 7, 5303-9.	1.3	11
227	Contribution of -1031T/C and -376G/A tumor necrosis factor alpha polymorphisms and haplotypes to preeclampsia risk in Tunisia (North Africa). <i>Journal of Reproductive Immunology</i> , 2022, 149, 103461.	0.8	4
228	Epigenetic changes occur in placentas of spontaneous and recurrent miscarriages. <i>Journal of Reproductive Immunology</i> , 2022, 149, 103466.	0.8	5
229	Regulatory T Cell Apoptosis during Preeclampsia May Be Prevented by Gal-2. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1880.	1.8	9
230	Early pathways, biomarkers, and four distinct molecular subclasses of preeclampsia: The intersection of clinical, pathological, and high-dimensional biology studies. <i>Placenta</i> , 2022, 125, 10-19.	0.7	19
231	IL-27 Mediates Th1 Cells Infiltration in Fetal Membranes in Preterm Labor. <i>Reproductive Sciences</i> , 2022, 29, 1764-1775.	1.1	3
232	Emerging and legacy PFAS and cytokine homeostasis in women of childbearing age. <i>Scientific Reports</i> , 2022, 12, 6517.	1.6	10
249	Aberrant inflammation in rat pregnancy leads to cardiometabolic alterations in the offspring and intrauterine growth restriction in the F2 generation. <i>Journal of Developmental Origins of Health and Disease</i> , 2022, 13, 706-718.	0.7	3
250	A bias away from Th2 in amniotic fluid is involved in preeclampsia. <i>Journal of Reproductive Immunology</i> , 2022, 152, 103656.	0.8	0
251	Double Negative T Regulatory Cells: An Emerging Paradigm Shift in Reproductive Immune Tolerance?. <i>Frontiers in Immunology</i> , 0, 13, .	2.2	5
252	Cytokine-polymorphisms associated with Preeclampsia: A review. <i>Medicine (United States)</i> , 2022, 101, e30870.	0.4	6
253	The Role of Melatonin in Pregnancy and the Health Benefits for the Newborn. <i>Biomedicines</i> , 2022, 10, 3252.	1.4	5
254	Upregulation of exofacial peroxiredoxin-thioredoxin system of lymphocytes and monocytes in preeclampsia. <i>Pregnancy Hypertension</i> , 2023, 31, 54-59.	0.6	2
255	Cross-Generational Impact of Innate Immune Memory Following Pregnancy Complications. <i>Cells</i> , 2022, 11, 3935.	1.8	4
256	New immune horizons in therapeutics and diagnostic approaches to Preeclampsia. <i>American Journal of Reproductive Immunology</i> , 2023, 89, .	1.2	5

#	ARTICLE	IF	CITATIONS
257	Role of Cytotrophoblast Cells and Placenta-Derived Exosomes in Regulatory B Cell Differentiation and Function during Pregnancy. , 0, , .		0
258	Changes in expression levels of immune cells and inflammatory cytokines in pre-eclampsia patients before and after delivery. Journal of Reproductive Immunology, 2023, 156, 103812.	0.8	0
259	The central role of natural killer cells in preeclampsia. Frontiers in Immunology, 0, 14, .	2.2	10
267	Einfluss von (regulatorischen) T-Helfer-Zellen auf die Immuntoleranz an der feto-maternalen Interphase. , 2023, , 83-92.		0