

CITATION REPORT

List of articles citing

Clinical complications with implants and implant prostheses

DOI: 10.1016/s0022-3913(03)00212-9

Journal of Prosthetic Dentistry, 2003, 90, 121-32.

Source: <https://exaly.com/paper-pdf/35037948/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
770	Annual review of selected dental literature: Report of the Committee on Scientific Investigation of the American Academy of Restorative Dentistry. <i>Journal of Prosthetic Dentistry</i> , 2004 , 92, 39-71	4	7
769	Finite element analysis of three designs of an implant-supported molar crown. <i>Journal of Prosthetic Dentistry</i> , 2004 , 92, 434-40	4	61
768	Micro-computed tomography: high resolution imaging of bone and implants in three dimensions. 2004 , 10, 174-187		11
767	Consensus conference panel report: crown-height space guidelines for implant dentistry-part 1. 2005 , 14, 312-8		48
766	Implant reversible complications: classification and treatments. 2005 , 14, 211-20		37
765	Influence of cortical bone quality on stress distribution in bone around dental implant. 2005 , 24, 219-24		52
764	Parameters of Care for the Specialty of Prosthodontics. <i>Journal of Prosthodontics</i> , 2005 , 14, 2-103	3.9	2
763	Treatment planning for multiunit restorations--the use of diagnostic planning to predict implant and esthetic results in patients with congenitally missing teeth. 2005 , 63, 45-58		13
762	Immediate fixed restoration of the edentulous maxilla after implant placement. 2005 , 63, 97-110		30
761	Influence of implant/abutment joint designs on abutment screw loosening in a dental implant system. 2005 , 75, 457-63		69
760	Microstructural analysis of implant-bone interface of hydroxyapatite-coated and uncoated Schanz screws. 2005 , 16, 627-34		6
759	Single-Unit Implants Versus Conventional Treatments for Compromised Teeth: A Brief Review of the Evidence. 2005 , 69, 414-418		9
758	Screw- vs cement-implant-retained restorations: an experimental study in the Beagle. Part 1. Screw and abutment loosening. 2005 , 31, 242-6		31
757	A 16-year study of the microgap between 272 human titanium implants and their abutments. 2005 , 31, 269-75		74
756	Application of oral implants to the general dental practice. 2005 , 136, 1092-100; quiz 1165-6		23
755	Sinus floor elevation using osteotomes: a systematic review and meta-analysis. 2005 , 76, 1237-51		169
754	Screw vs cement-implant-retained restorations: an experimental study in the beagle. Part 2. Immunohistochemical evaluation of the peri-implant tissues. 2006 , 32, 1-7		14

753	Short dental implants in posterior partial edentulism: a multicenter retrospective 6-year case series study. 2006 , 77, 1340-7		141
752	Endodontics and implants, a catalog of therapeutic contrasts. 2006 , 6, 101-9		29
751	Retrospective cross sectional comparison of initial nonsurgical endodontic treatment and single-tooth implants. 2006 , 32, 822-7		80
750	Effect of casting procedures on screw loosening in UCLA-type abutments. <i>Journal of Prosthodontics</i> , 2006 , 15, 77-81	3.9	40
749	Preloads generated with repeated tightening in three types of screws used in dental implant assemblies. <i>Journal of Prosthodontics</i> , 2006 , 15, 164-71	3.9	74
748	Bonding acrylic teeth to acrylic resin denture bases: a review. 2006 , 23, 131-9		50
747	The neurophysiology of osseointegrated oral implants. A clinically underestimated aspect. 2006 , 33, 161-9		27
746	Oral rehabilitation of a young adult with hypoplastic amelogenesis imperfecta: a clinical report. <i>Journal of Prosthetic Dentistry</i> , 2006 , 95, 10-3	4	19
745	Computerized tomography-based imaging and surgical guidance in oral implantology. 2006 , 32, 14-8		15
744	Endodontic or dental implant therapy: the factors affecting treatment planning. 2006 , 137, 973-7; quiz 1027-8		66
743	Failures in implant dentistry. 2007 , 202, 123-9		44
742	Factors that affect individual tooth prognosis and choices in contemporary treatment planning. 2007 , 202, 63-72		19
741	Factors affecting outcomes for single-tooth implants and endodontic restorations. 2007 , 33, 399-402		86
740	Implant or the natural tooth--a contemporary treatment planning dilemma?. 2007 , 52, S138-50		26
739	Implant Application. 2007 , 215-253		2
738	The challenge of implant therapy in the posterior maxilla: providing a rationale for the use of short implants. 2007 , 33, 257-66		56
737	Influence of attachment wear on retention of mandibular overdenture. 2007 , 34, 41-51		65
736	Dental endosseous implants in the medically compromised patient. 2007 , 34, 590-9		58

735	Eleven-year report on a predoctoral implant dentistry program. <i>Journal of Prosthodontics</i> , 2008 , 17, 64-83.9	19
734	Influence of implant diameter on surrounding bone. 2007 , 18, 563-8	24
733	The bases for using a particular occlusal design in tooth and implant-borne reconstructions and complete dentures. 2007 , 18 Suppl 3, 151-67	39
732	Periimplant tissue response following immediate provisional restoration of scalloped implants in the esthetic zone: a one-year pilot prospective multicenter study. <i>Journal of Prosthetic Dentistry</i> , 2007 , 97, S109-18	4 65
731	Treatment considerations for maxillary implant overdentures: a systematic review. <i>Journal of Prosthetic Dentistry</i> , 2007 , 97, 340-8	4 142
730	Accuracy of two impression techniques with angulated implants. <i>Journal of Prosthetic Dentistry</i> , 2007 , 97, 349-56	4 104
729	Time-saving method for the fabrication of a definitive cast for an implant-supported prosthesis. <i>Journal of Prosthetic Dentistry</i> , 2007 , 98, 70-1	4 3
728	Outcomes of root canal treatment and restoration, implant-supported single crowns, fixed partial dentures, and extraction without replacement: a systematic review. <i>Journal of Prosthetic Dentistry</i> , 2007 , 98, 285-311	4 189
727	The use of customized implant frameworks with gingiva-colored composite resin to restore deficient gingival architecture. <i>Journal of Prosthetic Dentistry</i> , 2007 , 97, 112-7	4 14
726	Retrospective Evaluation of 48 Consecutive Immediate Load Hybrid Cases Performed at the OSU OMFS Resident Clinic. 2007 , 65, 39.e5	
725	Study of new sheep bone and Zn/Ca ratio around TiAlV screw: PIXEBBS analysis. 2008 , 266, 813-819	4
724	Klinische Nachuntersuchung von implantatgestützten Vollprothesen im zahnlosen und restbezahnten Kiefer – Ein Vergleich zwischen Teleskopprothesen und den etablierten Stegprothesen. 2008 , 105, 141-149	
723	Diagnosis and management planning for root-filled teeth with persisting or new apical pathosis. 2008 , 19, 1-21	5
722	Laser-welded titanium frameworks supported by implants in the partially edentulous mandible: a 10-year comparative follow-up study. 2008 , 10, 128-39	22
721	Fabrication of a duplicate screw-retained complete arch fixed dental prosthesis. <i>Journal of Prosthetic Dentistry</i> , 2008 , 100, 159-61	4
720	A custom-made device to unlock extracoronar locking-type attachments. <i>Journal of Prosthetic Dentistry</i> , 2008 , 100, 406-7	4
719	Komplementäre zahnärztliche Implantologie – Titan oder Zirkondioxid?. 2008 , 49, 53-57	
718	Clinical recommendations for avoiding and managing surgical complications associated with implant dentistry: a review. 2008 , 79, 1317-29	131

717	A review of factors influencing treatment planning decisions of single-tooth implants versus preserving natural teeth with nonsurgical endodontic therapy. 2008 , 34, 519-29		105
716	Required minimum primary stability and torque values for immediate loading of mini dental implants: an experimental study in nonviable bovine femoral bone. 2008 , 105, e20-7		44
715	Maxillary sinus floor augmentation: comparing osteotome with lateral window immediate and delayed implant placements. An interim report. 2008 , 106, 820-7		34
714	Cross-pinning: the philosophy of retrievability applied practically to fixed, implant-supported prostheses. 2008 , 53, 74-82		20
713	Posterior implant single-tooth replacement and status of adjacent teeth during a 10-year period: a retrospective report. 2008 , 79, 2378-82		40
712	Factors affecting the decision to replace failed implants: a retrospective study. 2008 , 79, 2262-6		31
711	Strategic extraction: a paradigm shift that is changing our profession. 2008 , 79, 971-7		23
710	Testing the performance of dental implants. 2008 , 360-427		1
709	Five-year prospective clinical evaluation of highly crystalline HA MP-1-coated dental implants. 2008 , 34, 39-46		18
708	Nonlinear stress analysis of titanium implants by finite element method. 2008 , 27, 633-9		18
707	Implant surgery complications: etiology and treatment. 2008 , 17, 159-68		91
706	Removable partial denture in a cleft lip and palate patient: a case report. 2008 , 23, 924-7		6
705	Pre-Eruptive Coronal Resorption and Congenitally Missing Teeth in a Patient with Amelogenesis Imperfecta: A Case Report. 2009 , 03, 140-144		0
704	Retrospective analysis of dental implants among United States Air Force basic military trainees. 2009 , 174, 437-40		2
703	Abrasion of abutment screw coated with TiN. <i>Journal of Advanced Prosthodontics</i> , 2009 , 1, 102-6	2.2	8
702	Theoretical optimum of implant positional index design. 2009 , 88, 731-5		10
701	Floor of mouth hematoma after posterior mandibular implants placement: a case report. 2009 , 67, 1552-4		13
700	A simple cementation method to prevent material extrusion into the periimplant tissues. <i>Journal of Prosthetic Dentistry</i> , 2009 , 102, 130-1	4	8

699	Integrin mediated attachment of periodontal ligament to titanium surfaces. 2009 , 25, 877-83		29
698	Dental occlusion: modern concepts and their application in implant prosthodontics. 2009 , 97, 8-17		58
697	Osteomyelitis of the jaw: resistance to clindamycin in patients with prior antibiotics exposure. 2009 , 28, 317-23		24
696	Neuropathic pain resulting from implant placement: case report and diagnostic conclusions. 2009 , 36, 543-6		18
695	Fracture strength of zirconia implants after artificial aging. 2009 , 11, 158-66		89
694	Accidental displacement of dental implants into the maxillary sinus: a report of nine cases. 2009 , 11 Suppl 1, e38-45		33
693	Full mouth restoration on dental implants utilizing titanium laser-welded frameworks. 2009 , 21, 215-26		7
692	Influence of repeated screw tightening on bacterial leakage along the implant-abutment interface. 2009 , 20, 1394-7		36
691	Strength of denture base resins repaired with auto- and visible light-polymerized materials. <i>Journal of Prosthodontics</i> , 2009 , 18, 496-502	3.9	21
690	Comparison of nonsurgical root canal treatment and single-tooth implants. 2009 , 35, 1325-30		14
689	Influence of lateral-oblique cyclic loading on abutment screw loosening of internal and external hexagon implants. 2009 , 28, 373-81		78
688	Wurzelspitzenresektion oder Implantatinsertion. 2010 , 3, 121-129		
687	Oral rehabilitation of a young adult with amelogenesis imperfecta: a clinical report. <i>Journal of Indian Prosthodontic Society, The</i> , 2010 , 10, 240-5	1.2	4
686	Rehabilitation of a mandibulotomy/onlay/graft-reconstructed mandible using a milled bar and a tooth- and implant-supported removable dental prosthesis: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 2010 , 104, 1-5	4	10
685	Optimal design of thread height and width on an immediately loaded cylinder implant: a finite element analysis. 2010 , 40, 681-6		43
684	Patient recall in advanced education in prosthodontics programs in the United States. <i>Journal of Prosthodontics</i> , 2010 , 19, 315-20	3.9	7
683	Influence of cusp inclination on stress distribution in implant-supported prostheses. A three-dimensional finite element analysis. <i>Journal of Prosthodontics</i> , 2010 , 19, 381-6	3.9	23
682	Effects of abutment screw coating on implant preload. <i>Journal of Prosthodontics</i> , 2010 , 19, 458-64	3.9	50

681	A simplified technique for creating a customized gingival emergence profile for implant-supported crowns. <i>Journal of Prosthodontics</i> , 2010 , 19, 497-501	3.9	16
680	The use of a dental surgical microscope to aid retrieval of a fractured implant abutment screw: a clinical report. <i>Journal of Prosthodontics</i> , 2010 , 19, 630-3	3.9	7
679	The effect of thread pattern upon implant osseointegration. 2010 , 21, 129-36		189
678	Willingness to pay for implant therapy: a study of patient preference. 2010 , 21, 789-93		22
677	The implant-supported milled bar overdenture: a literature review. 2010 , 15, e375-8		21
676	The effects of local factors on the survival of dental implants: A 19 year retrospective study. <i>The Journal of Korean Academy of Prosthodontics</i> , 2010 , 48, 28	0.2	11
675	Limited evidence that cantilevers are associated with slightly lower survival rates of implant-supported fixed partial dentures. 2010 , 141, 1371-2		2
674	Some dogmas related to prosthodontics, temporomandibular disorders and occlusion. 2010 , 68, 313-22		51
673	Treatment modalities for single missing teeth in a Turkish subpopulation: an implant, fixed partial denture, or no restoration. 2010 , 5, 183-188		5
672	Evaluation of single-tooth implants in the second molar region: a 5-year life-table analysis of a retrospective study. 2010 , 81, 1242-9		27
671	Endodontic and implant algorithms. 2010 , 54, 401-13		4
670	Does milling one-piece titanium dental implants induce osteocyte and osteoclast changes?. 2011 , 95, 51-9		7
669	Rehabilitation strategies for partially edentulous-prosthodontic principles and current trends. 2011 , 67, 296-8		5
668	Clinical Complications of Dental Implants. 2011 ,		2
667	Analysis of thermal changes in bone by various insertion torques with different implant designs. <i>The Journal of Korean Academy of Prosthodontics</i> , 2011 , 49, 168	0.2	
666	A study on accuracy and application of the implant torque controller used in dental clinic. <i>The Journal of Korean Academy of Prosthodontics</i> , 2011 , 49, 197	0.2	5
665	An Important Dilemma in Treatment Planning: Implant or Endodontic Therapy?. 2011 ,		
664	A retrospective study on related factors affecting the survival rate of dental implants. <i>Journal of Advanced Prosthodontics</i> , 2011 , 3, 204-15	2.2	26

663	Evaluation of screw loosening on new abutment screws and after successive tightening. 2011 , 22, 51-5		21
662	Photoelastic stress analysis of different designs of cement-retained fixed partial dentures on Morse taper oral implants. 2011 , 22, 674-8		8
661	Persistent dysesthesia following dental implant placement: a treatment report of 2 cases. 2011 , 20, 20-6		3
660	Wear simulation effects on overdenture stud attachments. 2011 , 30, 845-53		44
659	Complications associated with the ball, bar and Locator attachments for implant-supported overdentures. 2011 , 16, e953-9		74
658	Shear bond strength of denture teeth to heat- and light-polymerized denture base resin. <i>Journal of Prosthodontics</i> , 2011 , 20, 52-9	3.9	16
657	Treatment of maxillary jaws with dental implants: guidelines for treatment. <i>Journal of Prosthodontics</i> , 2011 , 20, 336-47	3.9	25
656	Reliability testing of indirect composites as single implant restorations. <i>Journal of Prosthodontics</i> , 2011 , 20, 528-34	3.9	6
655	Assessment of the risk of perforation of the mandibular canal by implant drill using density and thickness parameters. 2011 , 28, 213-20		21
654	Attachment systems for implant overdenture: influence of implant inclination on retentive and lateral forces. 2011 , 22, 1315-9		41
653	Dimensional tolerances and assembly accuracy of dental implants and machined versus cast-on abutments. 2011 , 13, 134-40		9
652	Immediate loading of two implants with a mandibular implant-retained overdenture: a new treatment protocol. 2011 , 13, 255-61		15
651	Efficacy of cancellous block allograft augmentation prior to implant placement in the posterior atrophic mandible. 2011 , 13, 279-85		39
650	Post-traumatic implant-supported restoration of the anterior maxillary teeth using cancellous bone block allografts. 2011 , 69, e513-8		15
649	Management of misangulated implants for a maxillary overdenture with spherical abutments: a clinical report. <i>Journal of Prosthetic Dentistry</i> , 2011 , 106, 209-13	4	3
648	A technique to retrieve fractured implant screws. <i>Journal of Prosthetic Dentistry</i> , 2011 , 105, 137-8	4	23
647	Effect of repeated screw joint closing and opening cycles on implant prosthetic screw reverse torque and implant and screw thread morphology. <i>Journal of Prosthetic Dentistry</i> , 2011 , 106, 159-69	4	38
646	Dynamic and static strength of an implant-supported overdenture model reinforced with metal and nonmetal strengtheners. <i>Journal of Prosthetic Dentistry</i> , 2011 , 106, 297-304	4	20

645	The effect of E-glass fibers and acrylic resin thickness on fracture load in a simulated implant-supported overdenture prosthesis. <i>Journal of Prosthetic Dentistry</i> , 2011 , 106, 373-7	4	18
644	Correlation between vertical misfits and stresses transmitted to implants from metal frameworks. 2011 , 44, 1735-9		28
643	Fatigue Fracture of Implant System Using TiN and WC Coated Abutment Screw. 2011 , 10, 680-685		4
642	Immediate loading of maxillary and mandibular implant-supported fixed complete dentures: a 1- to 10-year retrospective study. 2012 , 38 Spec No, 469-76		32
641	Importance of CT scans in diagnosing symptoms from misplaced implants. 2012 , 21, 108-11		3
640	Preload evaluation of different screws in external hexagon joint. 2012 , 21, 46-50		29
639	Prevalence of complications after the oral rehabilitation with implant-supported hybrid prostheses. 2012 , 17, e116-21		24
638	Medical and dental emergencies and complications in dental practice and its management. 2012 , 2, 13		2
637	Influencia del Diámetro y Longitud de Implantes en la Pérdida Tardía de Implantes Dentales. 2012 , 6, 77-80		1
636	Micro-leakage at the implant-abutment interface with different tightening torques in vitro. 2012 , 20, 581-7		24
635	Tecnologia CAD-CAM come strumento per l'ottimizzazione e la semplificazione della riabilitazione complessa. 2012 , 11, 280-287		
634	Effect of surgical guide design and surgeon's experience on the accuracy of implant placement. 2012 , 38, 311-23		19
633	Oral rehabilitation of severe dentoalveolar trauma: a clinical report. 2012 , 38, 757-61		1
632	A universal torque wrench system. <i>Journal of Prosthetic Dentistry</i> , 2012 , 108, 401-3	4	2
631	Clinical and radiographic evaluation of patients receiving both tooth- and implant-supported prosthodontic treatment after 5 years of function. <i>Journal of Prosthetic Dentistry</i> , 2012 , 108, 403	4	
630	Full mouth rehabilitation of hypomaturation type amelogenesis imperfecta: A clinical report. 2012 , 2, 213-6		4
629	Natural tooth versus implant: a key to treatment planning. 2012 , 38, 95-100		5
628	Prosthodontic complications associated with implant retained crowns and bridgework: a review of the literature. 2012 , 212, 267-72		10

627	Precision of fit of titanium and cast implant frameworks using a new matching formula. <i>International Journal of Dentistry</i> , 2012 , 2012, 374315	1.9	14
626	Assessment of various factors for feasibility of fixed cantilever bridge: a review study. 2012 , 2012, 259891		3
625	Effect of various abutment systems on the removal torque and the abutment settling in the conical connection implant systems. <i>The Journal of Korean Academy of Prosthodontics</i> , 2012 , 50, 92	0.2	3
624	Mandibular flexure and its significance on implant fixed prostheses: a review. <i>Journal of Prosthodontics</i> , 2012 , 21, 219-24	3.9	17
623	Detecting bone loss along dental implants by subtraction of panoramic radiographs. 2012 , 23, 861-5		5
622	Extra short dental implants supporting an overdenture in the edentulous maxilla: a proof of concept. 2012 , 23, 567-76		32
621	Retention force of plastic clips on implant bars: a randomized controlled trial. 2012 , 23, 1377-84		36
620	Outcome of implant-supported overdenture treatment--a survey of 58 patients. 2012 , 29, e577-84		28
619	Hierarchical decisions on teeth vs. implants in the periodontitis-susceptible patient: the modern dilemma. <i>Periodontology 2000</i> , 2012 , 59, 89-110	12.9	37
618	Managing peri-implant bone loss: current understanding. 2012 , 14 Suppl 1, e109-18		32
617	Neurovascular anatomical variations in the anterior palate observed on CBCT images. 2013 , 24, 1044-8		54
616	Attachment of clips in a bar-retained maxillary implant overdenture: a clinical report. <i>Journal of Prosthetic Dentistry</i> , 2012 , 107, 353-7	4	13
615	Position of the mental foramen on panoramic radiographs and its relation to the horizontal course of the mandibular canal: a computed tomographic analysis. 2013 , 24, 890-5		17
614	Cumulative survival rate and complication rates of single-tooth implant; focused on the coronal fracture of fixture in the internal connection implant. 2013 , 40, 595-602		25
613	Three-dimensional finite element analysis of the stress distribution on morse taper implants surface. 2013 , 57, 206-12		22
612	Stress distribution of two commercial dental implant systems: A three-dimensional finite element analysis. 2013 , 8, 261-271		31
611	Comparisons of maximum deformation and failure forces at the implant-abutment interface of titanium implants between titanium-alloy and zirconia abutments with two levels of marginal bone loss. 2013 , 12, 45		7
610	Analytical and experimental position stability of the abutment in different dental implant systems with a conical implant-abutment connection. 2013 , 17, 1017-23		12

609	Precision of fit between implant impression coping and implant replica pairs for three implant systems. <i>Journal of Prosthetic Dentistry</i> , 2013 , 109, 37-43	4	10
608	Stud attachments for the mandibular implant-retained overdentures: Prosthetic complications. A literature review. 2013 , 25, 53-60		5
607	Dental implants in the medically compromised patient. 2013 , 41, 195-206		145
606	Availability of Journal Back Issues. <i>Journal of Prosthetic Dentistry</i> , 2013 , 109, 43	4	
605	Metal reinforcement for implant-supported mandibular overdentures. <i>Journal of Prosthetic Dentistry</i> , 2013 , 109, 338-40	4	6
604	Zirconia posterior fixed partial dentures: 5-year clinical results of a prospective clinical trial. <i>Journal of Prosthetic Dentistry</i> , 2013 , 109, 340	4	1
603	Implant Application. 2013 , 225-268		2
602	A technique to salvage a single implant-supported fixed dental prosthesis having a nonretrievable implant screw fragment. 2013 , 39, 81-3		9
601	Maxillary implant overdentures: current controversies. 2013 , 58, 420-3		18
600	Essentials of standard chinese phonetics for prosthetic dentistry. <i>Journal of Prosthodontics</i> , 2013 , 22, 484-9	3.9	5
599	An early loaded implant-supported mandibular complete arch fixed prosthesis in a young completely edentulous patient: a case report. 2013 , 39, 487-95		0
598	Digitaler Workflow in der Implantologie - Vorbericht zum Keramik-Symposium 2013. 2013 , 122, 444-450		
597	Mini-Implantate: eine sichere Therapie-Alternative beim zahnlosen Patienten. 2013 , 122, 494-503		
596	Finite Element Analysis of Vertically Loaded Cylindrical Ti Implants. 2013 , 633, 255-262		1
595	Effect of microthread design of dental implants on stress and strain patterns: a three-dimensional finite element analysis. 2013 , 58, 457-67		15
594	Numerical simulation of dental bone remodeling induced by implant-supported fixed partial denture with or without cantilever extension. 2013 , 29, 1134-47		17
593	A 10-year retrospective clinical evaluation of immediately loaded tapered maxillary implants. 2013 , 26, 244-9		18
592	Stress distribution in the abutment and retention screw of a single implant supporting a prosthesis with platform switching. 2013 , 28, e112-21		13

591	A novel cryo-mechanical approach for the removal of blocked nonretrievable implant components. 2013 , 28, e45-7		3
590	Long-term outcome of one-piece implants. Part II: Prosthetic outcomes. A systematic literature review with meta-analysis. 2013 , 28, 1470-82		15
589	Split-mouth comparison of the accuracy of computer-generated and conventional surgical guides. 2013 , 28, 563-72		62
588	Long and short term management of implant-supported mandibular overdentures. <i>Dental Update</i> , 2013 , 40, 830-2, 834-5	0.3	
587	Medicolegal implications of dental implant therapy. 2013 , 2, 34-8		2
586	Five-year follow-up of modified implant-supported overdenture in an iliac crest autograft failure: clinical report. 2013 , 24, e523-6		
585	Occlusion for implant-supported fixed dental prostheses in partially edentulous patients: a literature review and current concepts. 2013 , 43, 51-7		32
584	Effects of implant system, impression technique, and impression material on accuracy of the working cast. 2013 , 28, 989-95		8
583	Prognosis and evaluation of tooth damage caused by implant fixtures. 2013 , 39, 144-7		8
582	A study on the compatibility of implant drivers. <i>The Journal of Korean Academy of Prosthodontics</i> , 2014 , 52, 34	0.2	1
581	Bacterial microleakage at the implant-abutment interface in Morse taper implants. 2014 , 13, 89-92		1
580	The influence of thread geometry on implant osseointegration under immediate loading: a literature review. <i>Journal of Advanced Prosthodontics</i> , 2014 , 6, 547-54	2.2	51
579	Immediate loading implants with mandibular overdenture: a 48-month prospective follow-up study. 2014 , 28,		4
578	The effect of cigarette smoking habits on the outcome of dental implant treatment. 2014 , 2, e546		24
577	Screw-retained crown restorations of single implants: A step-by-step clinical guide. 2014 , 8, 563-570		6
576	Retentiveness of various luting agents used with implant-supported prosthesis: an in vitro study. 2014 , 40, 649-54		9
575	Pre- and post-operative management of dental implant placement. Part 2: management of early-presenting complications. 2014 , 217, 171-6		12
574	Repair of a multiple implant-supported fixed superstructure with a metal-ceramic resin-bonded fixed partial denture: a clinical report. 2014 , 40 Spec No, 371-4		

573	Prothetische Versorgung auf kurzen Implantaten. 2014 , 8, 123-142		1
572	Restoration of the Single Implant. 2014 , 133-156		
571	Retaining Abutment Screws. 2014 , 23-32		
570	Evidence-based criteria for differential treatment planning of implant restorations for the mandibular edentulous patient. <i>Journal of Prosthodontics</i> , 2014 , 23, 104-11	3.9	18
569	Fracture resistance of abutment screws made of titanium, polyetheretherketone, and carbon fiber-reinforced polyetheretherketone. 2014 , 28,		18
568	Complication and failure rates with implant-supported fixed dental prostheses and single crowns: a 10-year retrospective study. 2014 , 16, 356-64		121
567	Fracture force of cantilevered zirconia frameworks: an in vitro study. <i>Journal of Prosthetic Dentistry</i> , 2014 , 112, 849-56	4	7
566	Implant over implant: an alternative method for solving malpositioned osseointegrated implants at the sinus floor. <i>Journal of Prosthetic Dentistry</i> , 2014 , 112, 731-5	4	1
565	Immediately loaded implants with or without abutments supporting fixed partial dentures: 1-year results from a prospective, randomized, clinical trial. 2014 , 16, 487-500		11
564	Comparison of long-term survival of implants and endodontically treated teeth. 2014 , 93, 19-26		82
563	Implant survival and prosthetic complications of mandibular metal-acrylic resin implant complete fixed dental prostheses. <i>Journal of Prosthetic Dentistry</i> , 2014 , 111, 466-75	4	37
562	Effect of surface treatment on stress distribution in immediately loaded dental implants--a 3D finite element analysis. 2014 , 30, e89-97		32
561	Prosthodontic management of implant therapy. 2014 , 58, 207-25		16
560	A technique for retrieving fractured implant screws. <i>Journal of Prosthetic Dentistry</i> , 2014 , 111, 81-3	4	14
559	A technique for relining bar-retained overdentures. <i>Journal of Prosthetic Dentistry</i> , 2014 , 112, 1591-4	4	2
558	Degree of patient pain, complications, and satisfaction after root canal treatment or a single implant: a preliminary prospective investigation. 2014 , 40, 1940-5		12
557	Does abutment collar length affect abutment screw loosening after cyclic loading?. 2014 , 141208072802005		
556	Implant-assisted complete prostheses. <i>Periodontology 2000</i> , 2014 , 66, 119-31	12.9	17

555	RETENTIVENESS OF VARIOUS LUTING AGENTS USED WITH IMPLANT SUPPORTED- PROSTHESIS: AN INVITRO STUDY. 2014 , 141208072802005		
554	An economic evaluation of maxillary implant overdentures based on six vs. four implants. 2014 , 14, 105	7	
553	Designing a safety checklist for dental implant placement: a Delphi study. 2014 , 145, 131-40		21
552	An in vitro comparison of the shear bond strengths of two different gingiva-colored materials bonded to commercially pure titanium and acrylic artificial teeth. <i>Journal of Prosthodontics</i> , 2014 , 23, 313-9	3.9	3
551	A simplified pocket reduction procedure around a stud attachment without suturing. <i>Journal of Prosthetic Dentistry</i> , 2014 , 112, 434-8	4	1
550	The 2-implant maxillary overdenture: a clinical report. <i>Journal of Prosthetic Dentistry</i> , 2014 , 112, 104-7	4	5
549	Diagnosis and Treatment Planning for Single Implants. 2014 , 13-33		
548	Electrochemical Behavior of Type 316L Stainless Steel during Cyclic Deformation under Cell Culturing. 2014 , 55, 1890-1894		8
547	Comparison of the effects of different implant apical designs on the magnitude and distribution of stress and strain in bone: a finite element analysis study. 2014 , 24, 109-19		2
546	The influence of clip material and cross sections of the bar framework associated with vertical misfit on stress distribution in implant-retained overdentures. 2014 , 27, 26-32		24
545	Loss of preload in screwed implant joints as a function of time and tightening/untightening sequences. 2014 , 29, 89-96		20
544	Settling of abutments into implants and changes in removal torque in five different implant-abutment connections. Part 1: Cyclic loading. 2014 , 29, 1079-84		17
543	Effect of abutment screw surface treatment on reliability of implant-supported crowns. 2014 , 29, 585-92		3
542	Implications of implant framework misfit: a systematic review of biomechanical sequelae. 2014 , 29, 608-21		50
541	The effects of two torque values on the screw preload of implant-supported prostheses with passive fit or misfit. 2014 , 29, 1058-63		8
540	Immediate occlusal loading of full-arch rehabilitations: screw-retained versus cement-retained prosthesis. An 8-year clinical evaluation. 2014 , 29, 1406-11		30
539	Management of implant complications by the experts (part 2). 2015 , 666-700		
538	Comparison of design and torque measurements of various manual wrenches. 2015 , 30, 526-33		5

537	Biomechanical in vitro evaluation of two full-arch rehabilitations supported by four or five implants. 2015, 30, 419-26		3
536	Axial displacement of external and internal implant-abutment connection evaluated by linear mixed model analysis. 2015, 30, 1387-99		14
535	Coating dental implant abutment screws with diamondlike carbon doped with diamond nanoparticles: the effect on maintaining torque after mechanical cycling. 2015, 30, 1310-6		5
534	The Effect of Contamination of Implant Screws on Reverse Torque. 2015, 30, 1054-60		12
533	Influence of reinforcement on strains within maxillary implant overdentures. 2015, 30, 1327-32		9
532	The loose implant restoration syndrome. 2015, 259-297		
531	Implant naturalization: restoring osseointegrated dental implants with damaged platforms and connections. 2015, 145-152		
530	Prosthodontic management of malpositioned implants and implant occlusion complications. 2015, 559-5571		
529	Electrochemical Behavior of Type 316L Stainless Steel during Cyclic Deformation under Cell Culturing. 2015, 79, 303-307		
528	Study of risk factors of the abutment screw fracture of titanium dental implant. 2015, 35, 20-30		
527	Stress Distribution in Bone and Implants in Mandibular 6-Implant-Supported Cantilevered Fixed Prosthesis: A 3D Finite Element Study. 2015, 24, 680-5		4
526	Tolerance Analysis for Cast vs Machined Dental Implants. 2015, 33, 263-268		1
525	Using a porcelain furnace to debond cement-retained implant crown from the abutment after screw fracture: a clinical report. <i>Journal of Prosthodontics</i> , 2015, 24, 239-42	3.9	3
524	The shortened dental arch concept: awareness and opinion of dentists in Victoria, Australia. 2015, 60, 294-300		10
523	Stress Distribution in Single Dental Implant System: Three-Dimensional Finite Element Analysis Based on an In Vitro Experimental Model. 2015, 26, 2196-200		12
522	A Partial Palatal Coverage Overdenture Retained by Zygomatic Implants. <i>Journal of Prosthodontics</i> , 2015, 24, 647-53	3.9	
521	Influence of matrix attachment installation load on movement and resultant forces in implant overdentures. <i>Journal of Prosthodontics</i> , 2015, 24, 156-63	3.9	10
520	Accuracy of interchangeable implant impression systems: an in vitro pilot study. 2015, 24, 317-22		1

519	Clinical evaluation of retained preload and cement washout in screw- and cement-retained implant prosthesis. <i>The Journal of Korean Academy of Prosthodontics</i> , 2015 , 53, 301	0.2	1
518	Immediate Loading in Implant Dentistry. 2015 ,		
517	Investigation of the influence of design details on short implant biomechanics using colorimetric photoelastic analysis: a pilot study. 2015 , 31, 313-318		0
516	Comparison of changes in retentive force of three stud attachments for implant overdentures. <i>Journal of Advanced Prosthodontics</i> , 2015 , 7, 303-11	2.2	9
515	Microleakage of bacteria in different implant-abutment assemblies: an in vitro study. 2015 , 13, e174-80		22
514	An Indirect Method to Measure Abutment Screw Preload: A Pilot Study Based on Micro-CT Scanning. 2015 , 26, 596-601		2
513	An Overview of the Mechanical Integrity of Dental Implants. 2015 , 2015, 547384		29
512	Dental Implants. 2015 ,		
511	On the mechanical integrity of retrieved dental implants. 2015 , 49, 290-9		37
510	3D Finite Element Stress Analysis of an Implant Supported Overdenture Under Bruxism and Lingualized Loading Conditions. 2015 ,		
509	Success and complications of implant-retained prostheses provided by the Post-Doctoral Prosthodontics Program, University of Puerto Rico: a cross-sectional study. <i>Journal of Prosthetic Dentistry</i> , 2015 , 114, 637-43	4	4
508	Microtensile bond strength of different acrylic teeth to high-impact denture base resins. <i>Journal of Prosthodontics</i> , 2015 , 24, 43-51	3.9	4
507	New 3D technologies applied to assess the long-term clinical effects of misfit of the full jaw fixed prosthesis on dental implants. 2015 , 26, 1129-34		27
506	A comparative study on complete and implant retained denture treatments: a biomechanics perspective. 2015 , 48, 512-9		42
505	Current status of implant prosthetics in Japan: a survey among certified dental lab technicians. 2015 , 1, 4		4
504	Two-Year Success Rate of Implant-Retained Mandibular Overdentures by Novice General Dentistry Residents. 2015 , 41, 268-75		9
503	Access to abutment screw in cement retained restorations: a clinical tip. 2015 , 9, ZD17-8		2
502	Evaluation of single implants placed in the posterior mandibular area under immediate loading: a prospective study. 2015 , 44, 1411-5		2

501	Management of pain and sublingual hematoma caused by suture irritation after implant surgery: a clinical report. <i>Journal of Prosthetic Dentistry</i> , 2015 , 113, 360-5	4	4
500	Treatment of the edentulous patient. 2015 , 27, 265-72		11
499	Incorporating digital scans of diagnostic casts into computed tomography for virtual implant treatment planning. <i>Journal of Prosthetic Dentistry</i> , 2015 , 114, 178-81	4	11
498	In vitro mechanical analysis of complete-arch mandibular implant-supported fixed prostheses abutment screws after cyclic loading. <i>Journal of Prosthetic Dentistry</i> , 2015 , 113, 432-9	4	4
497	Temperature rise during removal of fractured components out of the implant body: an in vitro study comparing two ultrasonic devices and five implant types. 2015 , 1, 7		5
496	Impact of lateral occlusion schemes: A systematic review. <i>Journal of Prosthetic Dentistry</i> , 2015 , 114, 193-204		20
495	Placement of a distal implant to convert a mandibular removable Kennedy class I to an implant-supported partial removable Class III dental prosthesis: A systematic review. <i>Journal of Prosthetic Dentistry</i> , 2015 , 113, 528-33.e3	4	30
494	Long-term outcome of transosteotomy bone augmentation of the inferior border of the severely resorbed mandible. 2015 , 24, 236-9		1
493	Replacement of missing posterior tooth with off-center placed single implant: Long-term follow-up outcomes. <i>Journal of Prosthetic Dentistry</i> , 2015 , 114, 27-33	4	4
492	Implants for the ageing population. 2015 , 60 Suppl 1, 28-43		17
491	Effects of posterior ridge resorption and attachment wear on periimplant strain in mandibular two-implant-supported overdentures. <i>Journal of Prosthetic Dentistry</i> , 2015 , 114, 839-47	4	3
490	Does Abutment Collar Length Affect Abutment Screw Loosening After Cyclic Loading?. 2015 , 41 Spec No, 346-51		18
489	Assessment of stress distribution around implant fixture with three different crown materials. 2015 , 12, 249-258		7
488	A 5-year randomized trial to compare 1 or 2 implants for implant overdentures. 2015 , 94, 36-43		72
487	Stress distribution around osseointegrated implants with different internal-cone connections: photoelastic and finite element analysis. 2015 , 41, 155-62		8
486	Dental Implant Macro-Design Features Can Impact the Dynamics of Osseointegration. 2015 , 17, 639-45		18
485	Medium- and Long-Term Complications in Full-Arch Rehabilitations Supported by Upright and Tilted Implants. 2015 , 17, 758-64		26
484	Laser treatment of dental ceramic/cement layers: transmitted energy, temperature effects and surface characterisation. 2015 , 30, 591-7		12

483	Three-dimensional finite element analysis of stress distribution in retention screws of different crown-implant ratios. 2015 , 18, 689-96	20
482	Managing prosthetic complication in implant-retained overdenture. 2015 , 71, S444-7	2
481	Tooth retention through endodontic microsurgery or tooth replacement using single implants: a systematic review of treatment outcomes. 2015 , 41, 1-10	31
480	Biomechanical influence of crown-to-implant ratio on stress distribution over internal hexagon short implant: 3-D finite element analysis with statistical test. 2015 , 48, 138-45	45
479	Complications associated with implant-retained removable prostheses. 2015 , 59, 215-26	20
478	Prosthetic failure in implant dentistry. 2015 , 59, 195-214	30
477	Stress Treatment Theorem for Implant Dentistry. 2015 , 159-192	2
476	Prosthetic Options in Implant Dentistry. 2015 , 193-205	3
475	Force Factors Related to Patient Conditions (A Determinant for Implant Number and Size). 2015 , 206-236	1
474	Treatment Plans Related to Key Implant Positions and Implant Number. 2015 , 253-292	
473	Scientific Rationale for Dental Implant Design. 2015 , 340-371	5
472	Preimplant Prosthodontics. 2015 , 372-402	35
471	Posterior Single-Tooth Replacement: Treatment Options and Indications. 2015 , 477-498	
470	The Completely Edentulous Mandible. 2015 , 600-614	
469	Maxillary Arch Fixed Implant Prostheses: Design and Fabrication. 2015 , 829-873	
468	Maxillary Posterior Edentulism: Treatment Options for Fixed Prostheses. 2015 , 553-572	1
467	The Edentulous Mandible. 2015 , 573-599	1
466	Mechanical resistance of screwless Morse taper and screw-retained implant-abutment connections. 2015 , 26, 137-42	17

465	Rationale for Dental Implants *. 2015 , 1-25		6
464	Implant Body Size. 2015 , 293-314		2
463	Maxillary Arch Implant Considerations. 2015 , 615-649		1
462	Mandibular and Maxillary Implant Overdenture Design and Fabrication. 2015 , 753-828		1
461	Clinical cases of implant-supported fixed dental prosthesis using modified lingual screw system (T-screw system). <i>The Journal of Korean Academy of Prosthodontics</i> , 2016 , 54, 423	0.2	1
460	Classification system on the selection of number of implants and superstructure design on the basis available vertical restorative space and interforaminal distance for implant supported mandibular overdenture. <i>Journal of Indian Prosthodontic Society, The</i> , 2016 , 16, 131-5	1.2	5
459	Clinical evaluation of the removable partial dentures with implant fixed prostheses. <i>The Journal of Korean Academy of Prosthodontics</i> , 2016 , 54, 239	0.2	4
458	Influence of Palatal Coverage and Implant Distribution on Denture Strain in Maxillary Implant Overdentures. 2016 , 31, e43-8		1
457	The Relevance of the Use of Radiographic Planning in Order to Avoid Complications in Mandibular Implantology: A Retrospective Study. 2016 , 2016, 8175284		3
456	Influence of Palatal Coverage and Implant Distribution on Implant Strain in Maxillary Implant Overdentures. 2016 , 31, e136-42		3
455	Retention and Stability of Implant-Retained Mandibular Overdentures Using Different Types of Resilient Attachments: An In Vitro Study. 2016 , 31, 1040-8		12
454	A 5-Year Retrospective Assay of Implant Treatments and Complications in Private Practice: The Restorative Complications of Single and Short-Span Implant-Supported Fixed Prostheses. 2016 , 29, 435-44		18
453	Influence of Connection Types and Implant Number on the Biomechanical Behavior of Mandibular Full-Arch Rehabilitation. 2016 , 31, 750-60		6
452	Vertical Misfit of Single-Implant Abutments Made from Different Materials Under Cyclic Loading. 2016 , 31, 1017-22		3
451	Magnet-Retained Two-Mini-Implant Overdenture: Clinical and Mechanical Consideration. 2016 , 4,		1
450	Effect of cantilever length and alloy framework on the stress distribution in peri-implant area of cantilevered implant-supported fixed partial dentures. 2016 , 24, 114-20		5
449	Prosthodontic Maintenance of Fixed Implant Restorations vs. Implant Overdentures: A Systematic Review. 2016 , 9,		2
448	In Vivo Exploration of Robust Implantable Devices Constructed From Biocompatible 3CBiC. 2016 , 207-248		

447	Risk Factors Associated With Implant Marginal Bone Loss: A Retrospective 6-Year Follow-Up Study. 2016 , 25, 122-7		28
446	Effect of Ultraviolet Irradiation of the Implant Surface on Progression of Periimplantitis--A Pilot Study in Dogs. 2016 , 25, 47-53		10
445	Prosthodontics complications. 2016 , 73-102		
444	Long-Term Outcomes of Early Loading of Straumann Implant-Supported Fixed Segmented Bridgeworks in Edentulous Maxillae: A 10-Year Prospective Study. 2016 , 18, 1227-1237		14
443	Effect of double conical abutment screw on implant preload. 2016 , 27, 553-7		7
442	H-classic: a new method to identify classic articles in Implant Dentistry, Periodontics, and Oral Surgery. 2016 , 27, 1317-1330		18
441	Implant-Abutment Contact Surfaces and Microgap Measurements of Different Implant Connections Under 3-Dimensional X-Ray Microtomography. 2016 , 25, 656-62		24
440	The Role of Occlusion in Implant Therapy: A Comprehensive Updated Review. 2016 , 25, 829-838		52
439	Changes in oral health-related quality of life during implant treatment in partially edentulous patients: A prospective study. 2016 , 60, 258-264		13
438	Evidence-Based Implant Dentistry. 2016 ,		0
437	Airway Management of a Patient with an Acute Floor of the Mouth Hematoma after Dental Implant Surgery in the Lower Jaw. 2016 , 51, 721-724		5
436	Teeth or Implants?. 2016 , 33-57		
435	Survival of dental implants in patients with Down syndrome: A case series. <i>Journal of Prosthetic Dentistry</i> , 2016 , 116, 880-884	4	11
434	A Systematic Review of Recall Regimen and Maintenance Regimen of Patients with Dental Restorations. Part 2: Implant-Borne Restorations. <i>Journal of Prosthodontics</i> , 2016 , 25 Suppl 1, S16-31	3-9	33
433	Effect of Single Off-Axis Implant Placement on Abutment Screw Stability Under Lateral Loading. 2016 , 31, 520-6		6
432	Effects of Repeated Screw Tightening on Implant Abutment Interfaces in Terms of Bacterial and Yeast Leakage in Vitro: One-Time Abutment Versus the Multiscrewing Technique. 2016 , 36, 275-80		18
431	Evaluation of the alteration of occlusal distribution in unilateral free-end and intermediate missing cases. 2016 ,		
430	Cytotoxicity of 3CBiC Investigated Through Strict Adherence to ISO 10993. 2016 , 27-61		3

429	Evaluation of Microgap With Three-Dimensional X-Ray Microtomography: Internal Hexagon Versus Cone Morse. 2016 , 27, 682-5		11
428	Influence of eccentric cyclic loading on implant components: Comparison between external joint system and internal joint system. 2016 , 35, 929-937		12
427	Comparison of Two Techniques for Lateral Ridge Augmentation in Mandible With Ramus Block Graft. 2016 , 27, 662-7		9
426	Twist removal of healed vs. nonhealed implants-a mechanical and histological study in mini pigs. 2016 , 2, 23		1
425	Vermeidung von Implantat-Fehlpositionierungen. 2016 , 9, 88-100		
424	Influence of abutment design on retention of metal copings cemented to implants. 2016 , 2, 38-42		
423	Three-Dimensional Finite Element Analysis Surface Stress Distribution on Regular and Short Morse Taper Implants Generated by Splinted and Nonsplinted Prosthesis in the Rehabilitation of Various Bony Ridges. 2016 , 27, e276-80		6
422	On the Significance and Predicted Functional Effects of the Crown-to-Implant Ratio: A Finite Element Study of Long-Term Implant Stability Using High-Resolution, Nonlinear Numerical Analysis. 2016 ,		1
421	Implant fracture under dynamic fatigue loading: influence of embedded angle and depth of implant. 2016 , 104, 357-62		6
420	Influence of sulfide concentration on the corrosion behavior of titanium in a simulated oral environment. 2016 , 62, 268-73		13
419	Reliability of retrievable cemented implant-supported prostheses. <i>Journal of Prosthetic Dentistry</i> , 2016 , 115, 587-91	4	8
418	Acrylic resin guide for locating the abutment screw access channel of cement-retained implant prostheses. <i>Journal of Prosthetic Dentistry</i> , 2016 , 115, 560-3	4	3
417	Evaluation of cement-retained versus screw-retained implant-supported restorations for marginal bone loss: A systematic review and meta-analysis. <i>Journal of Prosthetic Dentistry</i> , 2016 , 115, 419-27	4	92
416	Removal techniques for failed implants. 2016 , 220, 109-14		8
415	Osseointegration of titanium implants with SLAffinity treatment: a histological and biomechanical study in miniature pigs. 2016 , 20, 1515-24		9
414	Effect of vertical misfit and clip material on stress distribution of overdentures under masticatory loading. 2016 , 54, 1515-21		2
413	Objective validity of an implant-retained overdenture with a ball attachment system after marginal mandibulectomy. 2016 , 54, e21-5		5
412	Avaliaç�o retrospectiva de tratamentos com sobredentaduras implanto-suportadas: complicaç�es prot�icas. 2016 , 57, 14-20		

411	Clinical practice guidelines for recall and maintenance: Why now?. 2016 , 147, 3-4	1	
410	Soft tissue sealing around dental implants based on histological interpretation. 2016 , 60, 3-11	82	
409	A conservative approach to retrieve a fractured abutment screw - Case report. 2016 , 60, 138-42	8	
408	Fatigue resistance of denture teeth. 2016 , 53, 373-383	12	
407	Platform-Switching for Cemented Versus Screwed Fixed Dental Prostheses: Reliability and Failure Modes: An In Vitro Study. 2016 , 18, 830-9	8	
406	Evaluation of morphology of the nasopalatine canal using cone-beam computed tomography in a subgroup of Turkish adult population. 2016 , 38, 65-70	9	
405	Retrospective Analysis of Implant Overdenture Treatment in the Advanced Prosthodontic Clinic at the University of Illinois at Chicago. 2016 , 42, 46-53	6	
404	Accuracy of digital impressions of multiple dental implants: an in vitro study. 2017 , 28, 648-653	103	
403	Analysis of the 100 most-cited articles in periodontology. 2017 , 8, e12222	21	
402	Preserving the Natural Tooth Versus Extraction and Implant Placement: An Evidence-Based Approach. 2017 , 73-95	3	
401	Small-Diameter Implants: A 7-Year Retrospective Study. 2017 , 43, 125-129	5	
400	Evaluation of the Alteration of Occlusal Distribution in Unilateral Free-End and Intermediate Missing Cases. 2017 , 43, 3-7	4	
399	The role of IL-1 gene polymorphisms (IL1A, IL1B, and IL1RN) as a risk factor in unsuccessful implants retaining overdentures. 2017 , 61, 439-449	5	
398	Short-term follow-up of masticatory adaptation after rehabilitation with an immediately loaded implant-supported prosthesis: a pilot assessment. 2017 , 3, 8	8	
397	Prevalence of proximal contact loss between implant-supported fixed prostheses and adjacent natural teeth and its associated factors: a 7-year prospective study. 2017 , 28, 1501-1508	19	
396	Risk factors for single crowns supported by short (6-mm) implants in the posterior region: A prospective clinical and radiographic study. 2017 , 19, 671-680	21	
395	A load-to-fracture and strain analysis of monolithic zirconia cantilevered frameworks. <i>Journal of Prosthetic Dentistry</i> , 2017 , 118, 752-758	4	8
394	Managing complications resulting from limited prosthetic space with a monolithic, multichromatic CAD-CAM implant-retained overdenture: A dental technique. <i>Journal of Prosthetic Dentistry</i> , 2017 , 118, 712-716	4	7

393	Reinforcement in removable prosthodontics: a literature review. 2017 , 44, 133-143		9
392	Ridge Expansion. 2017 , 285-310		
391	Ridge Expansion Combined with Trans-Alveolar Sinus Elevation. 2017 , 311-333		
390	Prosthetic maintenance of different mandibular implant overdentures: A systematic review. <i>Journal of Prosthetic Dentistry</i> , 2017 , 118, 144-152.e5	4	20
389	Clinician-generated torque on abutment screws using different hand screwdrivers. <i>Journal of Prosthetic Dentistry</i> , 2017 , 118, 488-492	4	6
388	Optimization of Oxidation Temperature for Commercially Pure Titanium to Achieve Improved Corrosion Resistance. 2017 , 26, 969-977		12
387	Evidence-Based Decision Making in Dentistry. 2017 ,		5
386	Implant-Supported Rehabilitation of Completely and Partially Edentulous Patients. 2017 , 205-324		
385	Rehabilitation With an Implant-Supported Metal-Acrylic Fixed Prosthesis After Ameloblastoma Resection in Mandible: Clinical Case Letter. 2017 , 43, 365-369		1
384	Oral Prosthodontic Rehabilitation of Head and Neck Cancer Patients. 2017 , 35-104		0
383	Implants versus Endodontic Microsurgery. 2017 , 205-211		
382	Full mouth rehabilitation with retrievable metal-ceramic implant-supported fixed prostheses for a young patient with atrophic jaws: a clinical report. 2017 , 5, 1531-1535		2
381	Towards the Optimal Crown-to-Implant Ratio in Dental Implants. 2017 ,		
380	Finite element analysis and clinical complications in mandibular implant-overdentures opposing maxillary dentures. 2017 , 75, 97-104		7
379	Clinical Practice Guidelines: Role of Bone Augmentation for Implant Placement in the Edentulous Maxilla. 2016 , 31 Suppl, s31-41		1
378	Influence of bicortical techniques in internal connection placed in premaxillary area by 3D finite element analysis. 2017 , 20, 193-200		3
377	Clinical application of a shape memory implant abutment system. <i>Journal of Prosthetic Dentistry</i> , 2017 , 117, 8-12	4	11
376	Dental implants: what have we learnt from long-term follow-up?. <i>Dental Update</i> , 2017 , 44, 1023-1033	0.3	

375	Complications in implant dentistry. 2017 , 11, 135-140	49
374	Distribution of medical status and medications in elderly patients treated with dental implant surgery covered by national healthcare insurance in Korea. 2017 , 17, 113-119	4
373	Three-Dimensional Accuracy of Digital Implant Impressions: Effects of Different Scanners and Implant Level. 2017 , 32, 70-80	25
372	Mechanical and Spectroscopic Analysis of Retrieved/Failed Dental Implants. 2017 , 7, 201	5
371	A Three-Dimensional Finite Element Analysis of the Stress Distribution Generated by Splinted and Nonsplinted Protheses in the Rehabilitation of Various Bony Ridges with Regular or Short Morse Taper Implants. 2017 , 32, 372-376	9
370	Phosphorylated Pullulan Coating Enhances Titanium Implant Osseointegration in a Pig Model. 2017 , 32, 282-290	7
369	Release of Irretrievable Abutment Healing Caps Using Cooling: Proof of Concept and Clinical Recommendations. 2017 , 32, 1051-1053	
368	Top-Cited Articles in Implant Dentistry. 2017 , 32, 555-564	25
367	Finite Element Analysis of Bone Stress in the Posterior Mandible Using Regular and Short Implants, in the Same Context, with Splinted and Nonsplinted Protheses. 2017 , 32, e199-e206	11
366	Opinions Regarding Reuse or Replacement of Implant Prosthesis Retaining Screws: A Systematic Review. 2017 , 32, 985-991	2
365	Aberrations Causing Neurovascular Damage in the Anterior Maxilla during Dental Implant Placement. 2017 , 2017, 5969643	10
364	Peri-Implant Bone Loss of External Hexagon and Morse Taper in Patients Wearing Immediately Loaded Overdentures. 2017 , 28, 694-698	2
363	Three-dimensional finite element analysis of the effects of implant diameter and photofunctionalization on peri-implant stress. 2017 , 59, 273-278	9
362	The Emergency Dental Appointment: Restorative Emergencies Part 2 - Dental Implant Related Problems. 2017 , 6, 62-70	2
361	Clinical Evaluation of Complications in Implant-Supported Dentures: A 4-Year Retrospective Study. 2017 , 23, 6137-6143	5
360	Osseointegrated Finger Protheses Using a Tripod Titanium Mini-Plate. 2017 , 44, 150-156	2
359	Eight-year follow-up of two different removable protheses using six implants in maxillary edentulous patients. <i>The Journal of Korean Academy of Prosthodontics</i> , 2017 , 55, 300	0.2 2
358	Modification of clinically short Locator abutments using laser welding. <i>Journal of Prosthetic Dentistry</i> , 2018 , 120, 13-16	4 3

357	Prosthetic Complications with Immediately Loaded, Full-Arch, Fixed Implant-Supported Protheses. 2018 , 321-332		
356	Ridge Defects (Generalised). 2018 , 313-318		
355	Twenty-year analysis of implant treatment in an Australian public dental clinic. 2018 , 63, 177-186		3
354	Management of Challenging Esthetic Anterior Cases with Limited Restorative Space: A Clinical Report. <i>Journal of Prosthodontics</i> , 2018 , 27, 593-597	3.9	1
353	Evaluation of primary stability in modified implants: Analysis by resonance frequency and insertion torque. 2018 , 20, 274-279		8
352	Biological and Technical Complications of Splinted or Nonsplinted Dental Implants: A Decision Tree for Selection. 2018 , 27, 89-94		17
351	Cast accuracy obtained from different impression techniques at different implant angulations (in vitro study). 2018 , 4, 9		8
350	The options for a tooth that requires root canal treatment. <i>Dental Update</i> , 2018 , 45, 182-195	0.3	1
349	Design of patient specific dental implant using FE analysis and computational intelligence techniques. 2018 , 65, 272-279		31
348	Management of a Damaged Implant for Retention of an Overdenture Prosthesis and Fixed Single Crown: Clinical Reports. <i>Journal of Prosthodontics</i> , 2018 , 27, 376-382	3.9	
347	Retentive Properties of O-Ring and Locator Attachments for Implant-Retained Maxillary Overdentures: An In Vitro Study. <i>Journal of Prosthodontics</i> , 2018 , 27, 568-576	3.9	3
346	The Dentoalveolar Prosthesis: A Novel Approach in the Reconstruction of Hard and Soft Tissue Deficiencies. <i>Journal of Prosthodontics</i> , 2018 , 27, 544-549	3.9	
345	Strain transfer behavior of different planning options for mandibular single-molar replacement. <i>Journal of Prosthetic Dentistry</i> , 2018 , 119, 250-256	4	5
344	Customized Locator abutment fabrication on inclined implants: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 2018 , 119, 522-525	4	7
343	Corrosion behavior of titanium in response to sulfides produced by <i>Porphyromonas gingivalis</i> . 2018 , 34, 183-191		10
342	Heat generation during removal of an abutment screw fragment from dental implants. <i>Journal of Prosthetic Dentistry</i> , 2018 , 119, 620-625	4	3
341	Influence of involuntary cigarette smoke inhalation on osseointegration: a systematic review and meta-analysis of preclinical studies. 2018 , 47, 764-772		8
340	The incidence of the abutment screw loosening and its affecting factors in posterior implant restorations. <i>The Journal of Korean Academy of Prosthodontics</i> , 2018 , 56, 212	0.2	1

339	3D printing of a novel dental implant abutment. 2018 , 12, 299-303		13
338	Influence of Cross-Section Design and Vertical Misfit on Stress Distribution in Overdenture Retaining System: 3-Dimensional Finite Element Analysis. 2018 , 27, 445-451		1
337	Treatment Complications and Failures with Dental Implants. 2018 , 301-358		
336	Effect of different angulations and collar lengths of conical hybrid implant abutment on screw loosening after dynamic cyclic loading. 2018 , 4, 39		13
335	. 2018 ,		3
334	Evaluation of Periodontal Status of Adjacent Teeth to Posterior Single Tooth Implant during a One-Year Period after Restoration: A CrossSectional Study. 2018 , 18, 1-7		
333	Partial Explantation of Failed Dental Implants Placed in Mandibular Canal: A Case Report. 2018 , 44, 456-461		2
332	Analysis of longevity and success rate of fixed, removable, and implant prostheses treated in Korea. <i>The Journal of Korean Academy of Prosthodontics</i> , 2018 , 56, 95	0.2	2
331	Influence of Transmucosal Height on Loss of Prosthetic Abutment Torque After Mechanical Cycling. 2018 , 44, 423-426		1
330	Accuracy of fit of implant-supported bars fabricated on definitive casts made by different dental stones. 2018 , 10, e252-e263		3
329	The "Scalloped Guide": A Proof-of-Concept Technique for a Digitally Streamlined, Pink-Free Full-Arch Implant Protocol. 2018 , 38, 791-798		6
328	A retro-prospective long-term follow-up of Brånemark single implants in the anterior maxilla in young adults. Part 1: Clinical and radiographic parameters. 2018 , 20, 937-944		9
327	Influence of novel implant selective laser melting framework design on mechanical durability of acrylic veneer. 2018 , 20, 969-975		2
326	Influence of grade and surface topography of commercially pure titanium on fatigue properties. 2018 , 37, 308-316		4
325	Computer-guided implant removal: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 2018 , 120, 796-800	4	7
324	Splinted and unsplinted overdenture attachment systems: A systematic review and meta-analysis. 2018 , 45, 647-656		20
323	Load-bearing capacity of simulated Locator-retained overdenture system. <i>Journal of Prosthetic Dentistry</i> , 2018 , 120, 558-564	4	4
322	The current considerations in the fabrication of implant prostheses and the state of prosthetic complications: A survey among the dental technicians. 2018 , 30, 299-305		2

321	Deposition of Coating to Protect Waste Water Reservoir in Acidic Solution by Arc Thermal Spray Process. 2018 , 2018, 1-13		5
320	Increasing the Vertical Dimension of Occlusion: A Multicenter Retrospective Clinical Comparative Study on 100 Patients with Fixed Tooth-Supported, Mixed, and Implant-Supported Full-Arch Rehabilitations. 2018 , 38, 323-335		13
319	Assessment of Location of the Mandibular Canal: Correlation Between Panoramic and Cone Beam Computed Tomography Measurements. 2018 , 31, 129-134		4
318	Effect of Repeated Screw Joint Closing and Opening Cycles and Cyclic Loading on Abutment Screw Removal Torque and Screw Thread Morphology: Scanning Electron Microscopy Evaluation. 2018 , 33, 31-40		5
317	Influence of Rigid Bar and Nonrigid Double Crown Attachments on Maxillary Implant Overdentures: An In Vitro Study with Differential Bone Quality. 2018 , 33, 764-769		2
316	Oral rehabilitation of a patient suffering mal-union of a fractured mandible. <i>Dental Update</i> , 2018 , 45, 647-654	0.3	
315	Comparative In Vitro Study of Implant-Supported Restorations: Implant-Abutment Complex With and Without Prosthetic Finishing Line. 2018 , 3, 747-753		1
314	Prosthetic Options: Fixed and Removable Overdentures. 2018 , 95-104		
313	Postoperative Complications. 2018 , 364-401		1
312	Removable Implant Complications. 2018 , 580-630		1
311	Fixed Prosthodontics Complications. 2018 , 631-710		0
310	Restoring a post-traumatic partial edentulous mandible with the Toronto prosthesis: a clinical report. 2018 , 12, 135-139		1
309	Treatment Planning Complications. 2018 , 54-147		1
308	Accuracy of new implant impression technique using dual arch tray and bite impression coping. <i>Journal of Advanced Prosthodontics</i> , 2018 , 10, 265-270	2.2	2
307	The effect of single tooth implant restorations on the survival, morbidity, pulpal, and periapical health of adjacent teeth: A chart review. 2018 , 20, 479-482		4
306	Endodontics or implants?. <i>Dental Update</i> , 2018 , 45, 506-521	0.3	
305	Fatigue lifetime prediction of a reduced-diameter dental implant system: Numerical and experimental study. 2018 , 34, 1299-1309		23
304	A Novel Extended Range Attachment System to Retain Implant Overdentures: A Clinical Report. <i>Journal of Prosthodontics</i> , 2019 , 28, 3-9	3.9	1

303	Retention force and deformation of an innovative attachment model for mini-implant-retained overdentures. <i>Journal of Prosthetic Dentistry</i> , 2019 , 121, 129-134	4	5
302	In Vitro Effect of Mastication on the Retention and Wear of Locator Attachments in a Flat Mandibular Ridge Model. <i>Journal of Prosthodontics</i> , 2019 , 28, e744-e751	3.9	3
301	The compressive strength of implant-abutment complex with different connection designs. 2019 , 14, 318-324		3
300	Repairment of abutment and abutment screw fracture in implant prosthesis: A case report. <i>The Journal of Korean Academy of Prosthodontics</i> , 2019 , 57, 37	0.2	
299	Measurement of Fracture Strength of Zirconia Dental Implant Abutments with Internal and External Connections Using Acoustic Emission. <i>Materials</i> , 2019 , 12,	3.5	1
298	Covalent Attachment of P15 Peptide to Ti Alloy Surface Modified with Polymer to Enhance Osseointegration of Implants. 2019 , 11, 38531-38536		8
297	Removal of failed dental implants revisited: Questions and answers. 2019 , 5, 712-724		14
296	Biologic and Technical Complications of Implant-Supported Immediately Loaded Fixed Full-Arch Prostheses: An Evaluation of Up to 6 Years. 2019 , 34, 1482-1492		3
295	The Effect of the Projectile Shape on the Stress Biomechanical Behavior of Dental Implant: Three-dimensional Analysis. 2019 , 63, 249-256		1
294	Effect of Hydrothermal Treatment with Distilled Water on Titanium Alloy for Epithelial Cellular Attachment. <i>Materials</i> , 2019 , 12,	3.5	4
293	A Retrospective Comparison of Outcome in Patients Who Received Both Nonsurgical Root Canal Treatment and Single-tooth Implants. 2019 , 45, 99-103		3
292	Assessment of Dental Implants with Modified Calcium-Phosphate Surface in a Multicenter, Prospective, Non-Interventional Study: Results up to 50 Months of Follow-Up. 2019 , 10,		1
291	Implant fracture failure rate and potential associated risk indicators: An up to 12-year retrospective study of implants in 5,124 patients. 2019 , 30, 206-217		14
290	Management of Implant/Prosthodontic Complications. 2019 , 63, 217-231		7
289	Shape-Memory Retained Complete Arch Guided Implant Treatment Using Nitinol (Smileloc) Abutments. 2019 , 31, 427-435		4
288	Immediate versus delayed loading of mandibular implant-retained overdentures: A 60-month follow-up of a randomized clinical trial. 2019 , 46, 863-871		17
287	Mechanism of and factors associated with the loosening of the implant abutment screw: A review. 2019 , 31, 338-345		36
286	Potential neurovascular damage as a result of dental implant placement in the anterior maxilla. 2019 , 226, 657-661		6

285	An evaluation of superhydrophilic surfaces of dental implants - a systematic review and meta-analysis. 2019 , 19, 79		11
284	Mechanical fatigue behaviour of different lengths screw-retained restorations connected to two designs prosthetic connection level. 2019 , 46, 747-755		2
283	Zirconium Oxide Three-Unit Fixed Partial Denture Frameworks Supported by Dental Implants in Acceptable and Reduced Interocclusal Space Possibilities: Pilot In Vitro Fracture Strength and Fractographic Analyses. 2019 , 34, 337-342		
282	Multidisciplinary Implant Rehabilitation of a Patient with Cleidocranial Dysostosis: A Journey from Age 13 to 21. <i>Journal of Prosthodontics</i> , 2019 , 28, 361-364	3.9	4
281	A technique to retrieve a fractured implant abutment screw by using a screwdriver fashioned from a needle. <i>Journal of Prosthetic Dentistry</i> , 2019 , 121, 709-710	4	4
280	Does the transversal screw design increase the risk of mechanical complications in dental implants? A finite elements analysis. 2019 , 35, e3205		3
279	Retrospective cohort analysis of maxillary overdentures retained by unsplinted implants. <i>Journal of Prosthetic Dentistry</i> , 2019 , 122, 301-308.e1	4	2
278	Mechanical analysis of a dental implant system under 3 contact conditions and with 2 mechanical factors. <i>Journal of Prosthetic Dentistry</i> , 2019 , 122, 376-382	4	10
277	Current state-of-the-art and future perspectives of the three main modern implant-dentistry concerns: Aesthetic requirements, mechanical properties, and peri-implantitis prevention. 2019 , 107, 1466-1475		10
276	In Vitro Effects of Cyclic Dislodgement on Retentive Properties of Various Titanium-Based Dental Implant Overdentures Attachment System. <i>Materials</i> , 2019 , 12,	3.5	0
275	Retrospective study on survival, success rate and complication of implant-supported fixed prosthesis according to the materials in the posterior area. <i>The Journal of Korean Academy of Prosthodontics</i> , 2019 , 57, 342	0.2	
274	Tooth-to-Implant-Supported Fixed Partial Denture: A Comprehensive Overview of Systematic Reviews. 2019 , 28, 490-499		5
273	CAD-CAM acrylic resin prosthesis superstructure: A technique for fabricating an implant-supported fixed complete denture. <i>Journal of Prosthetic Dentistry</i> , 2019 , 121, 378-380	4	
272	A comparison of implant complications and failures between the maxilla and the mandible. <i>Journal of Prosthetic Dentistry</i> , 2019 , 121, 611-617	4	3
271	Advanced Grafting Techniques for Implant Placement in Compromised Sites. 2019 , 139-174		
270	Oral Rehabilitation for Compromised and Elderly Patients. 2019 ,		1
269	Influence of the difference between implant body and screw materials on abutment screw loosening. 2019 , 38, 150-156		5
268	Implant-Supported Overdentures: Benefits and Risks. 2019 , 183-191		0

267	The number of implants required to support a maxillary overdenture: a systematic review and meta-analysis. 2019 , 63, 15-24		20
266	Impact of Intentional Overload on Joint Stability of Internal Implant-Abutment Connection System with Different Diameter. <i>Journal of Prosthodontics</i> , 2019 , 28, e649-e656	3.9	7
265	Overdenture Prostheses with Metal Copings: A Retrospective Analysis of Survival and Prosthodontic Complications. <i>Journal of Prosthodontics</i> , 2019 , 28, 876-882	3.9	2
264	Multidisciplinary Approach for Full-Mouth Rehabilitation of an Adult Patient with Collapsed Occlusal Plane and Several Missing Teeth: A Clinical Report. <i>Journal of Prosthodontics</i> , 2019 , 28, 227-233 ^{3.9}		1
263	Prosthodontic Complications of Metal-Ceramic and All-Ceramic, Complete-Arch Fixed Implant Prostheses with Minimum 5 Years Mean Follow-Up Period. A Systematic Review and Meta-Analysis. <i>Journal of Prosthodontics</i> , 2019 , 28, e722-e735	3.9	14
262	Effect of Simulated Mastication on the Retention of Locator Attachments for Implant-Supported Overdentures: An In Vitro Pilot Study. <i>Journal of Prosthodontics</i> , 2020 , 29, 74-79	3.9	5
261	Factors associated with abutment screw loosening in single implant supported crowns: A cross-sectional study. 2020 , 76, 37-40		5
260	Implant-supported fixed dental prosthesis with a microlocking implant prosthetic system: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 2020 , 123, 15-19	4	5
259	Analyzing the occlusion variation of single posterior implant-supported fixed prostheses by using the T-scan system: A prospective 3-year follow-up study. <i>Journal of Prosthetic Dentistry</i> , 2020 , 123, 79-84 ⁴		9
258	Dental Implant Treatment in Medically Compromised Patients. 2020 ,		
257	Effect of fluid contamination on the reverse torque values of abutment screws at implant-abutment connections. <i>Journal of Prosthetic Dentistry</i> , 2020 , 123, 618-621	4	5
256	Guidelines and Maintenance Procedures for Fixed, Full-Arch, Implant-Retained Prostheses. 2020 , 465-491		
255	A technique to guide replacement of multiunit abutments supporting an existing implant-supported fixed complete denture. <i>Journal of Prosthetic Dentistry</i> , 2020 , 124, 270-273	4	1
254	In vitro digital image correlation analysis of the strain transferred by screw-retained fixed partial dentures supported by short and conventional implants. 2020 , 103, 103556		2
253	Evaluation of the wear and retention performance of a shape-memory alloy abutment system after 6 months of clinical use. <i>Journal of Prosthetic Dentistry</i> , 2020 , 124, 189-194	4	
252	Localization of Integrin Beta-4 Subunit at Soft Tissue-Titanium or Zirconia Interface. 2020 , 9,		2
251	Comparison of splinted and non-splinted superstructures of three implants placed in a mandibular distal extension model with missing teeth using modal analysis. 2020 , 112, 104050		0
250	Effect of different impactor designs on biomechanical behavior in the interface bone-implant: A comparative biomechanics study. 2020 , 197, 105723		3

249	Parameters of Care for the Specialty of Prosthodontics. <i>Journal of Prosthodontics</i> , 2020 , 29, 3-147	3.9	1
248	Current status and perspective of CAD/CAM-produced resin composite crowns: a review of clinical effectiveness. 2020 , 56, 184-189		5
247	Biomechanical effects of original equipment manufacturer and aftermarket abutment screws in zirconia abutment on dental implant assembly. 2020 , 10, 18406		2
246	Marginal Accuracy of Milled Versus Cast Cobalt Chromium Alloys in Long Span Implant-Supported Frameworks: A Systematic Review and Meta-analysis. 2020 , 11, 120-127		
245	A 5-Year Retrospective Assay of Implant Treatments in Private Practice: The Restorative Complications of Long-Span Implant-Supported Fixed and Removable Dental Prostheses. 2020 , 33, 493-502		2
244	corrosion studies of stainless-steel dental substrates during biofilm growth in artificial saliva solutions: providing insights into the role of resident oral bacterium.. 2020 , 10, 31280-31294		3
243	Effect of Calcium Chloride Hydrothermal Treatment of Titanium on Protein, Cellular, and Bacterial Adhesion Properties. 2020 , 9,		5
242	Prosthetic Rehabilitation with Amyloidosis of the Tongue. <i>Journal of Prosthodontics</i> , 2020 , 29, 725-729	3.9	
241	Biomechanical analysis of the press-fit effect in a conical Morse taper implant system by using an in vitro experimental test and finite element analysis. <i>Journal of Prosthetic Dentistry</i> , 2020 ,	4	2
240	The prevalence and associated factors of proximal contact loss between implant restoration and adjacent tooth after function: A retrospective study. 2020 , 22, 351-358		3
239	Comparison of stress distribution in partially and completely edentulous mandibles around splinted and non-splinted implant prostheses: A finite element study. 2020 , 31, 19-33		
238	A Rationale for Postsurgical Laser Use to Effectively Treat Dental Implants Affected by Peri-implantitis: Two Case Reports. 2020 , 40, 561-568		1
237	Successful Management of Ludwig's Angina due to Dental Implant Displacement: A Rare Case Report. 2020 , 2020, 6934286		1
236	The Influence of a Positioning Hex on Abutment Rotation in Tapered Internal Implants: A 3D Finite Element Model Study. 2020 , 35, 281-288		0
235	Design of dental implants at materials level: An overview. 2020 , 108, 1634-1661		13
234	. 2020 ,		
233	Assessment of stress/strain in dental implants and abutments of alternative materials compared to conventional titanium alloy-3D non-linear finite element analysis. 2020 , 23, 372-383		7
232	Laboratory Evaluation of Novel Implant Metal-Acrylic Prosthesis Design: Influence of Monolithic Acrylic Veneer. 2020 , 35, 100-106		1

231	Clinical and laboratory passive fit assessment of implant-supported zirconia restorations fabricated using conventional and digital workflow. 2020 , 22, 237-245		7
230	Bone Regeneration in Critical-Sized Bone Defects Treated with Additively Manufactured Porous Metallic Biomaterials: The Effects of Inelastic Mechanical Properties. <i>Materials</i> , 2020 , 13,	3.5	8
229	Redox injectable gel protects osteoblastic function against oxidative stress and suppresses alveolar bone loss in a rat peri-implantitis model. 2020 , 110, 82-94		6
228	In Vitro Impact Testing to Simulate Implant-Supported Prosthesis Retrieval in Clinical Practice: Influence of Cement and Abutment Geometry. <i>Materials</i> , 2020 , 13,	3.5	4
227	Retrospective comparison of posterior fixed dental prostheses supported by two different titanium abutments on tissue level implants. <i>Journal of Prosthetic Dentistry</i> , 2021 , 125, 877-882	4	0
226	A survey of US dental schools on predoctoral implant curricula with emphasis on diagnosing and treating implant complications. <i>Journal of Prosthetic Dentistry</i> , 2021 , 125, 126-136	4	2
225	Prosthodontic Principles in Dental Implantology: Adjustments in a Coronavirus Disease-19 Pandemic-Battered Economy. 2021 , 65, 135-165		2
224	Computational Biomechanical Analysis of Engaging and Nonengaging Abutments for Implant Screw-Retained Fixed Dental Prostheses. <i>Journal of Prosthodontics</i> , 2021 , 30, 604-609	3.9	1
223	Diagnosis and management of persistent posttraumatic trigeminal neuropathic pain secondary to implant therapy: A review. 2021 , 152, 483-490		1
222	The effects of bone remodeling on biomechanical behavior in a patient with an implant-supported overdenture. 2021 , 129, 104173		2
221	Effect of bone quality and bone loss level around internal and external connection implants: A finite element analysis study. <i>Journal of Prosthetic Dentistry</i> , 2021 , 125, 137.e1-137.e10	4	3
220	Comparative Analysis of the Stability of Prosthetic Screws under Cyclic Loading in Implant Prosthodontics: An In Vitro Study. 2021 , 11, 622		3
219	A 3-year prospective cohort study on mandibular anterior cantilever restorations associated with screw-retained implant-supported prosthesis: An study. <i>Journal of Indian Prosthodontic Society</i> , 2021 , 21, 150-160	1.2	1
218	Additively manufactured implant abutment screw-access guide to remove a cement-retained implant crown: A technique. <i>Journal of Prosthetic Dentistry</i> , 2021 ,	4	0
217	A case of improved masticatory disturbance using a mandibular implant overdenture. <i>Annals of Japan Prosthodontic Society</i> , 2021 , 13, 154-157	0	
216	assessment of a novel additive manufactured titanium implant abutment. 2021 , 13, e99-e103		1
215	Computer-assisted Implant Surgery. 2021 , 903-933		
214	Accuracy of Implant Position Reproduction According to Exposed Length of the Scan Body during Optical Scanning: An In Vitro Study. 2021 , 11, 1689		0

213	Implant-to-root dimensions projected by panoramic radiographs in the maxillary canine-premolar region: implications for dental implant treatment. 2021 , 21, 46		
212	Evaluation of implant abutment screw tightening protocols on reverse tightening values: An in vitro study. <i>Journal of Prosthetic Dentistry</i> , 2021 , 125, 486-490	4	2
211	Knowledge, awareness, and perception of dental students, interns, and freshly graduated dentists regarding dental implant complications in Saudi Arabia: a web-based anonymous survey. 2021 , 21, 161		1
210	New Rehabilitation Concept for Maxillary Edentulism: A Clinical Retrospective Study of Implant Crown Retained Removable Partial Dentures. 2021 , 10,		4
209	Long term clinical result of implant induced injury on the adjacent tooth. 2021 , 11, 7913		2
208	Effect of crown height on the screw joint stability of zirconia screw-retained crowns. <i>Journal of Prosthetic Dentistry</i> , 2021 ,	4	0
207	Clinical Performance of Implant Crown Retained Removable Partial Dentures for Mandibular Edentulism-A Retrospective Study. 2021 , 10,		3
206	Accuracy of Proximal and Occlusal Contacts of Single Implant Crowns Fabricated Using Different Digital Scan Methods: An In Vitro Study. <i>Materials</i> , 2021 , 14,	3.5	1
205	Clinical Evaluation of Crestal Bone Levels, Peri-Implant Indices, and Mucosal Margin Position of Immediately Impressed Posterior Dental Implants: A Cross-Sectional Study. <i>Journal of Prosthodontics</i> , 2021 , 30, 763-768	3.9	0
204	Conversion of Digital Dentures for Immediate Loading of Complete Arch Implant Prostheses. <i>Journal of Prosthodontics</i> , 2021 , 30, 143-149	3.9	1
203	Biomechanical evaluation of different implant-abutment connections, retention systems, and restorative materials in the implant-supported single crowns using 3D finite element. 2021 ,		0
202	Panoramic prediction equations to estimate implant- to-mandibular canal dimensions in the mandibular posterior region: implications for dental implant treatment. 2021 , 17, 19		
201	Comparison of the Effect of Four Different Abutment Screw Torques on Screw Loosening in Single Implant-Supported Prosthesis after the Application of Mechanical Loading. <i>International Journal of Dentistry</i> , 2021 , 2021, 3595064	1.9	2
200	Experimental study on the factors affecting torque of beam-type implant torque wrenches. 2021 , 21, 344		0
199	İMPLANT DESTEKLİ HİBRİT PROTEZLERİN YAPIMINDA KULLANILAN MATERYALLER VE BİR YENİ TEMLER-1-1		0
198	Mechanical analysis of prosthetic bars and dental implants in 3 and 4 implant-supported overdenture protocols using finite element analysis. 2021 , 11, 438-441		1
197	Remote Management of Prosthodontic Emergencies in the Geriatric Population During the Pandemic Outbreak of COVID-19. 2021 , 8, 648675		0
196	Development of a New Universal Test Bench for Endosseous Dental Implants. 1		0

195	A multicentric study to evaluate the treatment outcome and complications after oral rehabilitation with implant-supported hybrid prostheses. 2021 ,	0
194	Rehabilitation of marginal mandibulectomy patients using immediately loaded basal implant-supported prostheses. 2021 , 34, 24-24	0
193	Biomechanical behavior of functionally graded S53P4 bioglass-zirconia dental implants: Experimental and finite element analyses. 2021 , 120, 104565	3
192	Long-Term Prosthetic Aftercare of Two- vs. Four-Ball Attachment Implant-Supported Mandibular Overdentures. 2021 , 11, 8974	0
191	Oral reconstruction with hybrid implant-supported fixed prostheses in cases of mandibular defect using two methods along with 3 years of follow-up: A case report. 2021 , 9, e04854	
190	Annual review of selected scientific literature: A report of the Committee on Scientific Investigation of the American Academy of Restorative Dentistry. <i>Journal of Prosthetic Dentistry</i> , 2021 , 126, 276-359	4
189	Endodontic Treatment versus Implant Placement for Compromised Teeth: Decision-Making Trends in Saudi Arabia. <i>Open Dentistry Journal</i> , 2021 , 15, 451-456	0.8
188	Effect of activation rate on output torque values from a dental implant toggle-style torque wrench. <i>Journal of Prosthetic Dentistry</i> , 2021 ,	4
187	Assessment of the changes in retention and surface topography of attachments for maxillary 4-implant-retained overdentures. <i>Journal of Prosthetic Dentistry</i> , 2021 , 126, 413.e1-413.e9	4
186	A digital approach to robust and esthetic implant overdenture construction. 2021 , 33, 118-126	3
185	Cleft lip and palate cause large variations in size and location of the posterior superior alveolar canal. 2021 , 25, 4451-4458	
184	Peri-implant Disease. 2020 , 113-138	1
183	Nonsurgical Retreatment. 2011 , 890-952	9
182	Relationship between sponsorship and failure rate of dental implants: a systematic approach. 2010 , 5, e10274	51
181	Stress distribution of implants with external and internal connection design: a 3-D finite element analysis. <i>Journal of Dental Rehabilitation and Applied Science</i> , 2017 , 33, 189-198	0.2 0
180	Effect of fluoride sodium mouthwash solutions on cpTI: evaluation of physicochemical properties. 2012 , 23, 496-501	6
179	[Quantitative analysis of occlusal changes in posterior partial fixed implant supported prostheses]. 2019 , 51, 1119-1123	2
178	The Sustained Effects on Tear Volume of Pilocarpine Hydrochloride in Gelatin by Hydrogel Administered by An Implant-mediated Drug Delivery System. 2017 , 14, 581-586	6

177	Cone-beam tomographic analysis of canalis sinuosus accessory intraosseous canals in the maxilla. 2017 , 15, Doc20		4
176	Survival rate and clinical evaluation of the implants in implant assisted removable partial dentures: surveyed crown and overdenture. <i>Journal of Advanced Prosthodontics</i> , 2020 , 12, 239-249	2.2	8
175	Effects of overdenture attachment systems with different working principles on stress transmission: A three-dimensional finite element study. <i>Journal of Advanced Prosthodontics</i> , 2020 , 12, 351-360	2.2	1
174	Implant fractures: Rare but not exceptional. 2016 , 20, 6-11		8
173	Some issues related to evidence-based implantology. <i>Journal of Indian Prosthodontic Society, The</i> , 2016 , 16, 116-23	1.2	2
172	Noninvasive method for retrieval of broken dental implant abutment screw. 2014 , 5, 264-7		9
171	Aesthetic and functional management of a patient with Cornelia de Lange syndrome. 2012 , 3, S86-91		5
170	Biomaterial aspects: A key factor in the longevity of implant overdenture attachment systems. 2015 , 5, 255-62		7
169	Nicotine, the Predictor of Success or Failure of Dental Implants: A Retrospective Study. 2018 , 9, 597-600		3
168	Abutment screw loosening in implants: A literature review. 2020 , 9, 5490-5494		2
167	A systematic review and meta-analysis of the attachments used in implant-supported overdentures. <i>Journal of Indian Prosthodontic Society, The</i> , 2020 , 20, 255-268	1.2	3
166	Implant Bio-mechanics for Successful Implant Therapy: A Systematic Review. 2020 , 10, 700-714		1
165	Biomechanical Behavior of an Implant System Using Polyether Ether Ketone Bar: Finite Element Analysis. 2018 , 8, 446-450		5
164	Peri-implant Stress Analysis of Immediate Loading and Progressive Loading Implants in Different Bone Densities (D2 and D3): A Finite Element Study. 2014 , 5, 1-7		2
163	Implant Design and Stress Distribution. 2016 , 7, 34-39		6
162	Effect of Coated Surfaces influencing Screw Loosening in Implants: A Systematic Review and Meta-analysis. 2017 , 8, 496-502		3
161	Removal of a fractured locator abutment screw fragment. 2013 , 14, 968-72		1
160	Effect of Surface Treatments and Adhesive Materials on the Shear Bond Strength of Artificial Denture Teeth to Denture Base Resins. 2018 , 19, 631-636		2

159	Evaluating the Effect of Different Impression Techniques and Splinting Methods on the Dimensional Accuracy of Multiple Implant Impressions: An in vitro Study. 2018 , 19, 1005-1012		2
158	Effects of Excessive Implant Angulation on Retention of Two Types of Overdenture Attachments during Cyclic Loading. 2018 , 19, 1221-1227		2
157	Socket-shield Technique and Immediate Implant Placement for Ridge Preservation: Case Report Series with 1-year Follow-up. 2019 , 20, 1108-1117		3
156	Clinical study on screw loosening in dental implant prostheses: a 6-year retrospective study. 2020 , 46, 133-142		5
155	The impact of the alveolar bone sites on early implant failure: a systematic review with meta-analysis. 2020 , 46, 162-173		4
154	Overcoming and Preventing Dental Implant Complications: Abutment Fracture Case Report. 2013 , 6, 27-33		2
153	7 Complicaties en hun behandelng. 2007 , 84-96		
152	Detorque force and surface change of coated abutment screw after repeated closing and opening. <i>The Journal of Korean Academy of Prosthodontics</i> , 2008 , 46, 500	0.2	3
151	Implant-Related Complications and Failures. 2012 , 731-744		
150	Prosthetically Driven Implants: How much a Reality?. 2013 , 4, 44-46		
149	Endoscopic retrieval of dental implant from maxillary sinus. 2013 , 14, 759-61		2
148	Effect of cyclic loading on axial displacement of abutment into implant with internal tapered connection: a pilot study. <i>The Journal of Korean Academy of Prosthodontics</i> , 2013 , 51, 315	0.2	1
147	Retrospective Evaluation of Implant Retained Overdentures Using Two Implants and Locator Attachments in the Edentulous Mandibles. <i>Journal of Dental Rehabilitation and Applied Science</i> , 2013 , 29, 153-162	0.2	
146	Endodontic Microsurgery or Dental Implants?. 227-245		
145	Full Mouth Rehabilitation: Combination of Implant and Tooth-Supported Fixed and Removable Prostheses. 217-222		
144	Treatment of a Patient with Implant-Supported Fixed Complete Denture Prostheses. 179-183		
143	Management of Worn Dentition II: Localized Severe Wear. 145-151		
142	Prognostic Indicators for Strategic Extractions in a Full Mouth Rehabilitation. 173-178		

141 Management of Endodontically Treated Teeth. 165-172

140 Challenges and Complications in Endosseous Dental Implant: An Analysis with Case Illustrations. **2014, 5, 63-71**

139 Immediate Implant Placement and Provisionalization: Optimizing Esthetics and Function. **2014, 5, 72-78**

138 Comparison of Accuracy of Direct Implant Impression Technique using Different Splinting Materials. **2014, 4, 82-89**

137 Mandibular Implant-supported Overdenture as an Occlusion-guide for Maxillary Fixed Implant Prosthesis: A Clinical Report. **2014, 5, 109-113**

136 Reversal of Subgingival pH by Ascorbic Acid: A Weapon against Periopathogens. **2014, 5, 99-104**

135 Tilted Implant Concept for Full Mouth Immediate Loading Restoration. **2014, 5, 12-23**

134 Demystifying the Retrievability of Cement-retained Implant-supported Restorations. **2014, 5, 29-33**

1

133 Comparative Evaluation of Dimensional Accuracy of Impression Techniques for Parallel Implants and Implants Placed with Angulation: An in vitro Study. **2014, 5, 92-98**

132 Titanium Hypersensitivity: A Clinical Study. **2014, 5, 8-11**

131 Management of Malpositioned Maxillary Anterior Implant by using Patient Specific Abutment: A Clinical Case Series. **2014, 5, 79-82**

130 Computer-aided Design/Computer-aided Manufacturing Protocol for Immediate Loading with Zirconia Implants. **2014, 5, 114-119**

129 Transition in the assessment of overdentures using natural root or implant. *Annals of Japan Prosthodontic Society*, **2014, 6, 223-232**

0

2

128 Vascularized Interpositional Periosteal Connective Tissue Flap Technique to correct Soft Tissue Defect around Maxillary Anterior Implant. **2014, 5, 24-28**

127 A Comparative Study to Assess the Quality of Bone following Ridge Augmentation with Autografts and Allografts: A Prospective Study. **2014, 5, 88-91**

126 Comparison of Marginal Fit of Cast Implant Superstructure Pre- and Post-spark Erosion: An in vitro Pilot Study. **2014, 5, 105-108**

125 Rehabilitation of a Patient with Screw-retained Milled Titanium Hybrid Prosthesis in the Mandibular Arch and Immediate Implant Placement in the Region of Maxillary Canine followed by Connective Tissue Graft and Immediate Provisionalization. **2014, 5, 83-87**

124 Natural Crown as Immediate Implant Provisional Prosthesis. **2014, 5, 34-37**

- 123 Implant-supported Overdenture for Edentulous Patient with Severe Residual Ridge Resorption of the Mandible A case report. *Annals of Japan Prosthodontic Society*, **2015**, 7, 290-293 0
- 122 Various Treatment Modalities for Retrieval of Broken Abutment Screw in Implant Prosthodontics. **2015**, 1, 60-65
- 121 AMELOGENESIS IMPERFECTA: A CLINICAL REPORT. **2015**, 4, 140-146
- 120 Evidence-Based Criteria for Differential Treatment Planning of Implant Restorations for the Mandibular Edentulous Patient. 65-76
- 119 A retrospective study to compare improvement of implant maintenance by Medical Treatment Model. **2016**, 7, 428-433
- 118 A conversion to implant overdenture in failed fixed implant prosthesis of edentulous maxilla: A case report. *The Journal of Korean Academy of Prosthodontics*, **2016**, 54, 393 0.2 1
- 117 Patient understanding and recall of risks and complications of dental implant treatment following informed consent. **2016**, 7, 16-21
- 116 A Study on the Retentive Force of Stud Attachments for Implant Overdenture. **2016**, 16, 93-100
- 115 A Retrospective Study of the AL Technology Implant System used for Single-Tooth Replacement. 039-046 2
- 114 Challenging Maxillary Anterior Implant-Supported Restorations: Creating Predictable Outcomes with Zirconia. **2017**, 383-403
- 113 Clinical Assessment of the Gingiva and Alveolus. **2017**, 103-116 0
- 112 Utilization of CAD/CAM system on fabrication of reinforcement for implant overdenture. *Annals of Japan Prosthodontic Society*, **2017**, 9, 311-316 0
- 111 A comparative evaluation of fatigue resistance of two different implant overdenture stud attachments with two different denture base materials: An study. *Journal of Indian Prosthodontic Society, The*, **2018**, 18, 10-18 1.2
- 110 Management of Broken Dental Implant Abutment in a Patient with Bruxism: A Rare Case Report and Review of Literature. **2017**, 8, 485-489 1
- 109 Effect of Cyclic Dislodging on the Retention of Two Attachment Systems for Implant-supported Overdentures: An In Vitro Study. **2018**, 19, 1387-1393
- 108 A Proposal of New Classification for Dental Implant Complications. **2018**, 19, 1025-1033 1
- 107 Effect of Angle and Type of Customized Abutment (Castable & Cast-to) on Torque Loss and Fracture Resistance After Cyclic Loading. *Open Dentistry Journal*, **2018**, 12, 987-994 0.8 0
- 106 Comparison of fixed and removable implant dental prostheses for maxillary edentulous jaw. *Annals of Japan Prosthodontic Society*, **2019**, 11, 102-110 0

105	Masticatory overload due to areca nut chewing on dental implants. 2019 , 8, 123		
104	[Recommendations for usage of modern international dental implantological terminology]. 2019 , 98, 104-107		
103	Flapless implant placement with digital 3D imaging and planning system in fully edentulous patient: A case report and 5-year follow-up. <i>The Journal of Korean Academy of Prosthodontics</i> , 2019 , 57, 312	0.2	2
102	Effect of Abutment Connection Type and Cyclic Loading on Removal Torque Value. 2019 , 4, 36-40		2
101	DENTAL İMPLANT UYGULAMALARINDA KARILAN İNTRAOPERATE VE ERKEN DİEM KOMPLİKASYONLARIN PREVALANSI VE TEDAVİ YÖNTEMLERİ RETROSPEKTİF KLİNİK ALIŞMA. 1-1		0
100	Reconstruction of a Mandibular Defect with Toronto Bridge Following Tumor Resection and Bone Graft: A Case Report. 2019 , 16, 153-157		1
99	Finite element analysis of the effect of novel Lock Screw system preventing abutment screw loosening. <i>Journal of Dental Rehabilitation and Applied Science</i> , 2019 , 35, 132-142	0.2	
98	Maxillary implant-supported overdenture with magnetic attachment using healing abutment: A case report. 2019 , 43, 335-339		
97	All-On-Four Konseptine Göre Farklı Materyaller ile Üretilmiş Sabit Dental Protezlerin Stres Analizleri.		1
96	Encode Protocol Versus Conventional Protocol for Single-Implant Restoration: A Prospective 2-Year Follow-Up Randomized Controlled Trial. 2021 , 47, 36-43		0
95	İmplant Destekli Locator Tutuculu Hareketli Protezlerde Meydana Gelen Komplikasyonların Değerlendirilmesi: 24 Aylık Retrospektif Çalışma.		
94	A Novel Technique Using Polytetrafluoroethylene Tape to Solve Screw Loosening Complication in Implant-Supported Single Crowns. 2020 , 18,		0
93	Complications of implants confronting the extruded posterior teeth. <i>Journal of Dental Rehabilitation and Applied Science</i> , 2020 , 36, 232-241	0.2	
92	Retention force and stress distribution analysis of the cementless double crown-type implant-supported prosthesis. <i>Journal of Prosthetic Dentistry</i> , 2020 ,	4	
91	Other Conditions Affecting Dental Implant Treatment. 2020 , 211-253		
90	A conversion to implant assisted removable partial denture in failed fixed implant prosthesis of mandible: A case report. <i>The Journal of Korean Academy of Prosthodontics</i> , 2020 , 58, 161	0.2	
89	Comparison of Conventional and Pontic Fixed Partial Dentures Over Implants Using the Finite Element Method: Three-Dimensional Analysis of Cortical and Medullary Bone Stress. 2020 , 46, 175-181		0
88	Use of a CAD-CAM Surgical Template to Improve Accuracy for Simultaneous Implant Removal, New Implant Placement, and Bone Graft. <i>Journal of Prosthodontics</i> , 2021 ,	3.9	

87	Effect of Serrating Abutment-Implant Mating Surface on Torque Stability of Implant-Abutment Connection, Before and After Cyclic Loading. 2020 , 46, 555-561		
86	Retention and Clinical Performance of Zirconia Crowns: A Comprehensive Review. <i>International Journal of Dentistry</i> , 2020 , 2020, 8846534	1.9	2
85	Prosthetic Complications Associated with Immediately Loaded Fixed Implant-Supported Prostheses - A Review. 2020 , 9, 3394-3398		
84	Pre-eruptive coronal resorption and congenitally missing teeth in a patient with amelogenesis imperfecta: a case report. 2009 , 3, 140-4		2
83	Evaluation of the accuracy and related factors of the mechanical torque-limiting device for dental implants. 2013 , 10, 112-8		1
82	Comparison of the Effect of Three Abutment-implant Connections on Stress Distribution at the Internal Surface of Dental Implants: A Finite Element Analysis. 2013 , 7, 132-9		6
81	Patient-centered endodontic outcomes: a narrative review. 2013 , 8, 197-204		13
80	Effect of different impression materials and techniques on the dimensional accuracy of implant definitive casts. 2015 , 12, 136-43		6
79	Endoscopic retrieval of a dental Implant into the maxillary sinus: a case report. 2016 , 9, 69-75		2
78	Assessing the Effect of Dental Implants Thread Design on Distribution of Stress in Impact Loadings Using Three Dimensional Finite Element Method. 2016 , 3, 233-240		3
77	The Accuracy of Four Impression-making Techniques in Angulated Implants Based on Vertical Gap. 2017 , 18, 289-297		0
76	Restoring a Partial Maxillectomy Patient by an Implant-Supported Obturator on Two Implants: A Case Report. 2018 , 15, 187-192		
75	The question about the numerical value and quantitative data transfer of implant prosthodontics- from experience guidance to digital guidance. 2021 , 39, 386-397		
74	Treatment outcomes of implant-assisted removable partial denture with distal extension based on the Kennedy classification and attachment type: a systematic review. 2021 , 7, 111		4
73	In vitro assessment of polyetheretherketone for an attachment component for an implant-retained overdenture. <i>Journal of Prosthetic Dentistry</i> , 2021 ,	4	0
72	Comparison of the torque transferred to the implant-bone interface when tightening abutment screws and when torque testing implants: An in vitro study. <i>Journal of Prosthetic Dentistry</i> , 2021 ,	4	
71	Three-dimensional-Printed Malo Bridge: Digital Fixed Prosthesis for the Partially Edentulous Maxilla.. 2021 , 12, 451-453		0
70	Mandibular implant-supported overdenture: A systematic review and meta-analysis for optimum selection of attachment system. <i>Journal of Indian Prosthodontic Society, The</i> , 2021 , 21, 319-327	1.2	2

69	Hybrid implants in the dental rehabilitation of posterior maxilla: A prospective clinical evaluation. <i>Journal of Dental Implants</i> , 2021 , 11, 89	0.2	
68	Resistance to dynamic and static loading of the implant mounts on its respective implant. <i>Journal of Dental Implants</i> , 2021 , 11, 78	0.2	
67	Effect of viewing angles on measurement errors when using an implant cantilever beam torque-limiting device.. <i>Journal of Prosthetic Dentistry</i> , 2022 ,	4	
66	A Smart Dental Prosthesis to Restore Dental Proprioceptivity. 2020 ,		
65	Rotational tolerances of a titanium abutment in the as-received condition and after screw tightening in a conical implant connection.. <i>Journal of Advanced Prosthodontics</i> , 2021 , 13, 343-350	2.2	1
64	Evaluation of Biomechanical Effects of Prosthetic Components with Different Materials on the Abutment Screw. <i>Cumhuriyet Dental Journal</i> , 337-345	0.2	
63	An additively manufactured, magnetically retained, and stackable implant surgical guide: A dental technique.. <i>Journal of Prosthetic Dentistry</i> , 2022 ,	4	0
62	Dental Implants for the General Dental Practitioner. Part 2: Complications, Management and Maintenance. <i>Dental Update</i> , 2022 , 49, 14-24	0.3	0
61	Prosthetic failures in dental implant therapy.. <i>Periodontology 2000</i> , 2022 , 88, 130-144	12.9	5
60	Rehabilitation of a patient by converting poorly maintained fixed implant prosthesis into implant overdenture: a case report. <i>The Journal of Korean Academy of Prosthodontics</i> , 2022 , 60, 127	0.2	
59	Implant-Retained Maxillary and Mandibular Overdentures - A Solution for Completely Edentulous Patients.		
58	Assessment of Preload Loss after Cyclic Loading in the OT Bridge System in an "All-on-Four" Rehabilitation Model in the Absence of One and Two Prosthesis Screws.. <i>Materials</i> , 2022 , 15,	3.5	2
57	Biomechanical Stress Analysis of Platform Switch Implants of Varying Diameters on Different Densities of Bone.. <i>International Journal of Dentistry</i> , 2022 , 2022, 5972259	1.9	
56	Digital workflow for 3D printed implant surgical guides.. <i>Journal of Prosthetic Dentistry</i> , 2022 , 127, 205	4	
55	Are Root-Supported Overdentures Still an Alternative to Implant-Supported Overdentures? A Scoping Review.. <i>Journal of Prosthodontics</i> , 2022 ,	3.9	1
54	A Three Dimensional Finite Element Analysis of Polyetheretherketone PEEK in Dental Implant Prosthesis: A Novel Implant System. <i>Open Dentistry Journal</i> , 2022 , 16,	0.8	
53	The dental abutment screw and new methods to remove fractured abutment screw from jawbone: A review. <i>Materials Today: Proceedings</i> , 2022 ,	1.4	0
52	Effect of open proximal contact on adjacent tooth and implant. <i>Journal of Dental Rehabilitation and Applied Science</i> , 2022 , 38, 9-17	0.2	

51	Incisive canal: Variations on cone beam computed tomography and its impact on dental implant planning. <i>IP Annals of Prosthodontics and Restorative Dentistry</i> , 2022 , 8, 18-25		
50	Accuracy of Surgical Robot System Compared to Surgical Guide for Dental Implant Placement: A Pilot Study. 2022 , 26, 27-38		1
49	The Effect of Single-Tooth Implant Restorations on Prognosis of Adjacent Teeth and on Fractal Dimension of Peri-Implant Trabecular Bone: A Retrospective Study. <i>Selcuk Dental Journal</i> ,		
48	Revisiting maxillary implant overdentures in 2022: a topic review. 2022 , 100048		
47	Evaluation of mandibular implant-supported fixed prosthesis retained by 3 dental implants, 1 straight and 2 angled: A retrospective clinical study.. <i>Journal of Prosthetic Dentistry</i> , 2022 ,	4	0
46	Vertical removal force and torsional resistance of a screwless Morse taper implant connection.		
45	Geometry of Implant Abutment Surface Improving Cement Effectiveness: An Study.. <i>Journal of Pharmacy and Bioallied Sciences</i> , 2021 , 13, S1093-S1097		1.1
44	Assessment of the Survival of a Single Implant-Supported Cantilever Prosthesis in the Anterior Mandible.. <i>Journal of Pharmacy and Bioallied Sciences</i> , 2021 , 13, S1668-S1671		1.1
43	An edentulous case with severe mandibular residual ridge resorption treated using an implant overdenture. <i>Annals of Japan Prosthodontic Society</i> , 2022 , 14, 185-188		0
42	Biomechanical Evaluation of Stress Distribution in Equicrestal and Sub-crestally Placed, Platform-Switched Morse Taper Dental Implants in D3 Bone: Finite Element Analysis. <i>Cureus</i> , 2022 ,		1.2
41	Effects of abutment screw preload and preload simulation techniques on dental implant lifetime. 2022 , 1, 100010		1
40	Finite Element Analysis of the Stress Distribution Associated With Different Implant Designs for Different Bone Densities. <i>Journal of Prosthodontics</i> ,	3.9	1
39	A Modal Analysis of Implant-Supported Overdentures Installed on Differently Positioned Sets of Dental Implants.		0
38	Current complications and issues of implant superstructure. 2022 , 64, 257-262		0
37	An in vitro evaluation of 2 methods for retrieving fractured abutment screw fragments from the intaglio of 4 different implant systems. 2022 ,		0
36	A 3-year prospective cohort on the incidence of prosthodontic complications associated with three implant treatment options for the edentulous mandible.		0
35	Dental implant proximity to adjacent teeth: A retrospective study.		0
34	Effects of titanium and PEEK abutments on implant-supported dental prosthesis and stress distribution of surrounding bones: three-dimensional finite element analysis. 2022 , 44, 67-75		0

- 33 Full-mouth rehabilitation using digital method to transfer provisional restoration to final fixed implant restoration. **2022**, 60, 362 ○
- 32 Design and Analysis of tool for fractured abutment screw removal from the dental implant body. **2022**, 1259, 012027 ○
- 31 The Etiology and Management of Dental Implant Failure: A Review. **2022**, ○
- 30 A modal analysis of implant-supported overdentures installed on differently positioned sets of dental implants. **2022**, 105492 ○
- 29 Three-dimensional digital applications for implant space planning in orthodontics: A narrative review. **2022**, ○
- 28 Occlusion as a predisposing factor for peri-implant disease: A review article. ○
- 27 Kieferkamm distraktion und/oder Beckenkammaugmentation. **2023**, 175-187 ○
- 26 İMPLANT DESTEKLİ PROTEZLERİN BAĞIRISINDA OKLÜZYONUN YERİ ○
- 25 Considerations and techniques for removal of osseointegrated implants. **2022**, 128, 843-844 ○
- 24 Prosthetic complications and survival rates of metal-acrylic implant fixed complete dental prostheses: A retrospective study up to 10 years. **2022**, ○
- 23 Prevention of soft and hard tissue injuries from implant attachments by using an attachment retained soft-hard tissue guard. **2022**, 8, 225-227 ○
- 22 Preload evaluation of 2 implant-supported fixed partial denture abutment designs. **2022**, 128, 1067.e1-1067.e6 ○
- 21 Evaluation of the Maxillary Sinus of Patients with Maxillary Posterior Implants: A CBCT Cross-Sectional Study. **2022**, 12, 3169 ○
- 20 Three-dimensional assessment of the mandibular lingual foramina with implications for surgical and implant therapy: A multicentre cross-sectional study. **2023**, 13, 186-190 ○
- 19 Survival Rate of Single Implant When Replacing the Mandibular Second Molars: Importance of Implant Length. **2022**, 26, 222-233 ○
- 18 Design and Numerical-Method-Aided Optimization of a Novel Attachment System for Implant-Retained Dental Prostheses Using NiTi Shape Memory Alloys. **2023**, 13, 491 1
- 17 Alternative Method to Salvage an Internally Damaged Implant using Cast Post. **2022**, 26, 270-278 ○
- 16 Retentive force of a conical crown with CAD/CAM-fabricated PEEK and zirconia secondary crowns on titanium implant abutments. **2023**, ○

- 15 Implant-Supported Overdentures: Current Status and Preclinical Testing of a Novel Attachment System. **2023**, 12, 1012 ○
- 14 To Extract or Not to Extract? Factors That Affect Individual Tooth Prognosis. **2005**, 33, 319-328 1
- 13 Issues and Considerations in Dental Implant Occlusion: What Do We Know and What Do We Need to Find Out?. **2005**, 33, 329-336 ○
- 12 Strategic Extraction: Comparison of Traditional and Implant Therapies. **2008**, 36, 181-186 ○
- 11 Complication or Substandard Care? Risks of Inadequate Implant Training. **2009**, 37, 647-651 ○
- 10 Teeth Versus Implants: Mucogingival Considerations and Management of Soft Tissue Complications. **2014**, 42, 841-858 ○
- 9 Investigation of subcrestally placed dental implants with and without apical cortical bone anchorage under conventional or immediate loading. **2023**, 41, 101402 ○
- 8 Evaluation of Tension and Deformation in a Mandibular Toronto Bridge Anchored on Three Fixtures Using Different Framework Materials, Abutment Systems, and Loading Conditions: A FEM Analysis. ○
- 7 Electromyographic Evaluation of Muscle Activity in Patients Rehabilitated with Full Arch Fixed Implant-Supported Protheses. **2023**, 59, 299 ○
- 6 Mechanical failures of dental implants and supported protheses: A systematic review. **2023**, 13, 306-314 ○
- 5 Implant Dentistry and Endodontics: Can There Be a Mutually Beneficial Relationship?. **2018**, 46, 260-267 ○
- 4 Integration of conventional and digital surgical guide fabrication techniques for the partially edentulous patient: Reducing the number of surgical procedures for a complete arch implant-supported prosthesis. ○
- 3 Treatment Planning Decisions: Implant Placement Versus Preserving Natural Teeth. **2014**, 42, 859-868 ○
- 2 Endodontic Therapy or Single Tooth Implant? a Systematic Review. **2008**, 36, 429-437 ○
- 1 A Retrospective Study on Implant Patients' Compliance with the Preventive Management Program. **2023**, 19, 19-25 ○