## Benthos abundance pattern and species composition in Bay (the Peter the Great Bay, the Sea of Japan)

Marine Pollution Bulletin 46, 1111-1119 DOI: 10.1016/s0025-326x(03)00242-x

**Citation Report** 

## # ARTICLE

IF CITATIONS

Implementation of the European water framework directive from the Basque country (northern) Tj ETQq0 0 0 rgBT  $\frac{10}{5.0}$  Gyerlock  $\frac{10}{330}$  Tf 50 74

| 2  | Lessons learned from inshore and deep-sea lobsters concerning alkylphenols. Invertebrate<br>Reproduction and Development, 2005, 48, 109-117.   | 0.8 | 5  |
|----|--|-----|----|
| 3  | Composition and distribution of meiobenthos in amursky bay (peter the great bay, the east sea). Ocean<br>Science Journal, 2005, 40, 10-16.   | 1.3 | 7  |
| 4  | Short-term responses to sewage discharge and storms of subtidal sand-bottom macrozoobenthic<br>assemblages off Mar del Plata City, Argentina (SW Atlantic). Journal of Sea Research, 2005, 53, 231-242.                  | 1.6 | 44 |
| 5  | Habitat use by triplefin species (Tripterygiidae) on rocky reefs in New Zealand. Journal of Fish Biology,<br>2006, 69, 1031-1046.  | 1.6 | 37 |
| 6  | Mitochondrial sequence data expose the putative cosmopolitan polychaete Scoloplos armiger<br>(Annelida, Orbiniidae) as a species complex. BMC Evolutionary Biology, 2006, 6, 47.   | 3.2 | 51 |
| 7  | Effect of the Razdol'naya River on structure of the free-living nematode community of the Amursky<br>Bay, Sea of Japan. Russian Journal of Marine Biology, 2007, 33, 213-221.  | 0.6 | 4  |
| 8  | Application of the microalga Plagioselmis prolonga for the assessment of water quality in the<br>Amursky and Nakhodka Bays (Sea of Japan). Russian Journal of Marine Biology, 2008, 34, 38-44.                           | 0.6 | Ο  |
| 9  | Petroleum contamination impact on macrobenthic communities under the influence of an oil refinery:<br>Integrating chemical and biological multivariate data. Estuarine, Coastal and Shelf Science, 2008, 78,<br>457-467. | 2.1 | 54 |
| 10 | Wastewater treatment plants (WWTPs) as a source of sediment contamination by toxic organic pollutants and fecal sterols in a semi-enclosed bay in Korea. Chemosphere, 2008, 73, 880-889.                                 | 8.2 | 85 |
| 11 | Biological consequences of organic pollution of nearshore marine ecosystems in the Russian waters of the Sea of Japan. Russian Journal of Marine Biology, 2009, 35, 521-534.   | 0.6 | 2  |
| 12 | Patterns of polychaete communities in relation to environmental perturbations in a subtropical wetland of Hong Kong. Journal of the Marine Biological Association of the United Kingdom, 2010, 90, 923-932.              | 0.8 | 26 |
| 13 | Biodiversity of epibenthic community in the inshore waters of southeast coast of India. Biologia<br>(Poland), 2010, 65, 704-713.   | 1.5 | 11 |
| 14 | Ecosystem health of Montevideo coastal zone: A multi approach using some different benthic indicators to improve a ten-year-ago assessment. Journal of Sea Research, 2011, 65, 38-50.                                    | 1.6 | 48 |
| 15 | Phaeodactylum tricornutum Bohlin bioassay of water quality of amur bay (the Sea of Japan).<br>Contemporary Problems of Ecology, 2011, 4, 74-79.  | 0.7 | 3  |
| 16 | Effects of an experimental in situ diesel oil spill on the benthic community of unvegetated tidal flats in a subtropical estuary (ParanaguÃ <sub>i</sub> Bay, Brazil). Marine Pollution Bulletin, 2012, 64, 2681-2691.   | 5.0 | 39 |
| 17 | Influence of landscape change on nearshore fisheries in southern Chile. Global Change Biology, 2012, 18, 2147-2160.  | 9.5 | 18 |
| 18 | Macrobenthos and multi-molecular markers as indicators of environmental contamination in a South<br>American port (Mar del Plata, Southwest Atlantic). Marine Pollution Bulletin, 2013, 73, 102-114.                     | 5.0 | 45 |

ARTICLE IF CITATIONS # Macrobenthos in anthropogenically influenced zones of a coralline marine protected area in the Gulf 19 1.6 20 of Kachchh, India. Journal of Sea Research, 2013, 76, 39-49. A meta-analysis approach to the effects of fish farming on soft bottom polychaeta assemblages in 5.0 38 temperate régions. Marine Pollution Bulletin, 2013, 69, 165-171. Effects of organic enrichment on macrofauna community structure: an experimental approach. 21 0.6 8 Brazilian Journal of Oceanography, 2013, 61, 223-229. Avaliação da influência da oxigenação e da qualidade do sedimento sobre a sobrevivência de Scolelepis 0.1 chilensis (Spionidae: Polychaeta) da BaÃa de Guanabara, Rio de Janeiro. Biotemas, 2013, 26, . Attributes of the Subtidal Macrobenthos of Azuabie Creek in the upper Bonny Estuary, Niger Delta, 23 0.1 3 Nigeria. Research Journal of Environmental and Earth Sciences, 2014, 6, 143-155. Macrobenthos response to sewage pollution in a tropical inshore area. Environmental Monitoring and Assessment, 2014, 186, 3553-3566. Macrobenthic community structure and species composition in the Yellow Sea and East China Sea in 25 0.7 24 jellyfish bloom. Chinese Journal of Oceanology and Limnology, 2014, 32, 576-594. Genomic differentiation among two strains of the PS1 clade isolated from geographically separated 2.7 marine habitats. FEMS Microbiology Ecology, 2014, 89, 181-197. Oil spill effects on macrofaunal communities and bioturbation of pristine marine sediments (Caleta) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 27 5.3 26 without history of pollution. Environmental Science and Pollution Research, 2015, 22, 15294-15306. Application of different enzyme assays and biomarkers for pollution monitoring of the marine 2.7 environment. Environmental Monitoring and Assessment, 2016, 188, 70. Ecological Impacts of Tsunamis on Coastal Ecosystems. Structure and Function of Mountain 29 7 0.5 Ecosystems in Japan, 2016, , . Summertime in situ monitoring of oxygen depletion in Amursky Bay (Japan/East Sea). Continental Shelf 1.8 Research, 2016, 118, 77-87. Benthic habitat quality assessment based on biological indices in Xiaoqing River estuary and its  $\mathbf{31}$ 1.2 15 adjacent sea of Laizhou Bay, China. Journal of Ocean University of China, 2017, 16, 537-546. Macrofaunal community structure in BahÃa ConcepciÃ<sup>3</sup>n (Chile) before and after the 8.8 Mw Maule mega-earthquake and tsunami. Marine Environmental Research, 2017, 130, 233-247. 2.5 A reassessment of Capitella species (Polychaeta: Capitellidae) from Korean coastal waters, with 33 1.0 10 morphological and molecular evidence. Marine Biodiversity, 2018, 48, 1969-1978. Spatial and temporal variability in distribution, diversity, and structure of the polychaete assemblages 1.0 from Dakhla Bay (Atlantic coast of South Morocco). Marine Biodiversity, 2019, 49, 1271-1281. Assessment of Effluent Stressed Ecosystem of Cuddalore Coastal Waters – a Bio-Indicator Approach. 35 0.5 7 Thalassas, 2019, 35, 437-449. Longâ€term changes of marine subtidal benthic communities in North East Asia (Yellow and Japan seas) in a global change context: A review. Aquatic Conservation: Marine and Freshwater Ecosystems, 2020, 30, 1451-1475.

CITATION REPORT

| $\sim$   | T A T I | ON | DEDO   | DT      |
|----------|---------|----|--------|---------|
|          |         |    | REDU   |         |
| <u> </u> | /       |    | ILLI U | - C - L |

| #  | Article  | IF  | CITATIONS  |
|----|--|-----|------------|
| 37 | Impact of the transboundary Razdolnaya and Tumannaya Rivers on deoxygenation of the Peter the<br>Great Bay (Sea of Japan). Estuarine, Coastal and Shelf Science, 2020, 239, 106731.  | 2.1 | 13         |
| 38 | Different Habitat Types Affect Bird Richness and Evenness. Scientific Reports, 2020, 10, 1221.   | 3.3 | 41         |
| 39 | Benthic Community Assessment of Commercial Oyster (Crassostrea virginica) Gear in Delaware Inland<br>Bays. Sustainability, 2021, 13, 6480.   | 3.2 | 0          |
| 40 | Acidification and Deoxygenation of the Northwestern Japan/East Sea. Journal of Marine Science and Engineering, 2021, 9, 953.   | 2.6 | 5          |
| 41 | Assessment of the water and sediments quality around the coastal submarine sewage outfall in<br>Guarujá, São Paulo, Brazil. Research, Society and Development, 2021, 10, e257101220389.  | 0.1 | 0          |
| 42 | Responses of the macrobenthic community to the Dalian Bay oil spill based on co-occurrence patterns and interaction networks. Marine Pollution Bulletin, 2021, 171, 112662.  | 5.0 | 4          |
| 43 | Benthic Animals. , 2016, , 347-372.  |     | 3          |
| 44 | Impacts of Fuel Spills Caused by the Great East Japan Earthquake and Tsunami on the Subtidal<br>Soft-Bottom Communities of a Semi-enclosed Bay Located on the Sanriku Coast. Structure and<br>Function of Mountain Ecosystems in Japan, 2016, , 223-250. | 0.5 | 3          |
| 47 | MODERN CONTAMINATION OF BOTTOM SEDIMENTS AND ECOLOGICAL STATE OF MACROZOOBENTHOS IN<br>THE COASTAL ZONE AT VLADIVOSTOK (PETER THE GREAT BAY, JAPAN SEA). Izvestiya Tinro, 0, 196, 155-181.   | 0.7 | 7          |
| 48 | Longterm dynamics of prior pollutants concentration and total level of chemical contamination in<br>the coastal areas at Vladivostok (Peter the Great Bay, Japan Sea). Izvestiya Tinro, 2020, 200, 377-400.  | 0.7 | 4          |
| 49 | Stressors affecting the macrobenthic community in Rapallo Harbour (Ligurian Sea, Italy). Scientia<br>Marina, 2007, 71, 705-714.  | 0.6 | 23         |
| 50 | Hypoxia in Peter the Great Bay. Izvestiya Tinro, 2021, 201, 600-639.   | 0.7 | 0          |
| 51 | Spatial and temporal distributions of macrobenthic feeding guilds and their influencing factors in<br>Hangzhou Bay and its adjacent areas. Regional Studies in Marine Science, 2021, 48, 102029.   | 0.7 | 2          |
| 52 | An Estimation of Water Structure and Dynamics in the East/Japan Sea Shelf Zone Using Acoustic<br>Tomography. Ocean and Polar Research, 2009, 31, 1-9.  | 0.3 | 1          |
| 53 | Status of Naming the East Sea in International Scientific Journals. Ocean and Polar Research, 2009, 31, 133-156.   | 0.3 | 3          |
| 54 | 10.1007/s11179-008-1005-4. , 2010, 34, 38.   |     | 0          |
| 55 | Anthropogenic pollution of estuaries in south Primorye: a review. Izvestiya Tinro, 2016, 187, 3-18.  | 0.7 | 1          |
| 56 | MACROZOOBENTHIC COMMUNITIES IN THE EASTERN PART OF THE EASTERN BOSPHORUS STRAIT (PETER THE)  |     | 1 0.784314 |

CITATION REPORT

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 57 | Effects of ship-breaking activities on the abundance and diversity of macrobenthos in Sitakundu<br>Coast, Bangladesh. Biodiversitas, 2020, 21, .  | 0.6 | 4         |
| 58 | lodine isotopes in surface water in the Northeast Asia. Journal of Radioanalytical and Nuclear<br>Chemistry, 2023, 332, 1093-1099.  | 1.5 | 1         |
| 60 | Testing the applicability of marine biotic indices for ecological quality in the northern East China Sea.<br>Journal of Sea Research, 2023, , 102441.   | 1.6 | 1         |
| 61 | Ecological habitat quality assessment of a highly urbanized estuary using macroinvertebrate community diversity and structure. Regional Studies in Marine Science, 2023, 66, 103149.            | 0.7 | 0         |
| 62 | Ðjommunities of macrozoobenthos on soft sediments in the coastal areas of Peter the Great Bay near<br>Vladivostok (Japan Sea) and their ecological status. Izvestiya Tinro, 2023, 203, 618-638. | 0.7 | 1         |
| 63 | Oil Spill Impacts on Marine Food Webs: Lessons From Contamination in Tropical Coasts. , 2024, , 706-734.  |     | 1         |
| 64 | Introduction to the Benthic Health Index Used in Fisheries Environment Assessment. Journal of the<br>Korean Society of Marine Environment and Safety, 2023, 29, 779-793.                        | 0.3 | 0         |
| 65 | Benthic macroinvertebrates as indicators of water quality: A case study of estuarine ecosystems along the coast of Chana, Helivon, 2024, 10, e28018   | 3.2 | 0         |