

CITATION REPORT

List of articles citing

The epidemiology of major depressive episodes: results from the International Consortium of Psychiatric Epidemiology (ICPE) Surveys

DOI: 10.1002/mpr.138

International Journal of Methods in Psychiatric Research, 2003, 12, 3-21.

Source: <https://exaly.com/paper-pdf/35063746/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
754	Depressive episodes--evidence for a causal role of primary anxiety disorders?. 2003 , 18, 384-93		126
753	Duloxetine: a dual reuptake inhibitor. 2004 , 38, 2078-85		24
752	Neuronal cytoskeletal alterations in an experimental model of depression. 2004 , 129, 529-38		38
751	Lifetime risk of depression: restricted to a minority or waiting for most?. 2005 , 187, 495-6		66
750	Prevalence, service use, and demographic correlates of 12-month DSM-IV psychiatric disorders in Mexico: results from the Mexican National Comorbidity Survey. 2005 , 35, 1773-83		131
749	Expression of depressive symptoms in a nonclinical Brazilian adolescent sample. 2005 , 50, 129-36		19
748	Twelve-month prevalence, severity, and treatment of common mental disorders in communities in Japan: preliminary finding from the World Mental Health Japan Survey 2002-2003. 2005 , 59, 441-52		266
747	Is low mood an adaptation? Evidence for subtypes with symptoms that match precipitants. <i>Journal of Affective Disorders</i> , 2005 , 86, 27-35	6.6	141
746	Depression in the United States and Japan: gender, marital status, and SES patterns. 2005 , 61, 2280-92		148
745	Prevalence and correlates of depression in late life: a population based study from a rural Greek town. 2005 , 20, 350-7		62
744	The CIDI as an instrument for diagnosing depression in older Turkish and Moroccan labour migrants: an exploratory study into equivalence. 2005 , 20, 436-45		22
743	Validation of the Beck Depression Inventory for a Portuguese-speaking Chinese community in Brazil. 2005 , 38, 399-408		35
742	Nicotine dependence, depression, and gender: characterizing phenotypes based on withdrawal discomfort, response to smoking, and ability to abstain. 2005 , 7, 91-102		93
741	Associations of depressive symptoms with gender, body mass index and dyspnea in primary care COPD patients. 2005 , 22, 604-7		57
740	Size and burden of mental disorders in Europe--a critical review and appraisal of 27 studies. 2005 , 15, 357-76		935
739	Remission from depression : a review of venlafaxine clinical and economic evidence. 2005 , 23, 567-81		11
738	Development of CRF1 receptor antagonists as antidepressants and anxiolytics: progress to date. 2006 , 20, 887-96		38

737	Early physical health consequences of disaster exposure and acute disaster-related PTSD. 2006 , 19, 95-110	32
736	Assessment of Canadian provincial expenditures in depressed patients treated with venlafaxine XR versus SSRIs: the APEX Study. 2006 , 22, 83-94	7
735	The Epidemiology of Depression among Women. 22-38	45
734	Frequency and correlates of depression symptoms among long-term adult burn survivors.. 2006 , 51, 306-313	15
733	The epidemiology of nonspecific psychological distress in New York City, 2002 and 2003. 2006 , 83, 394-405	27
732	Prevalence of major depressive disorder in the general population of South Korea. 2006 , 40, 30-6	102
731	Clinical characteristics of major depressive disorder run in families--a community study of 933 mothers and their children. 2006 , 40, 283-92	17
730	Epidemiology of major depression in four cities in Mexico. 2006 , 23, 158-67	28
729	Depression: major problem for public health. 2006 , 15, 4-10	60
728	Modeling Human Anxiety and Depression in Mutant Mice. 2006 , 237-263	8
727	How effective is citalopram in actual practice?. 2006 , 2, 528-9	
726	Multiple Co-occurring Behaviours among Gamblers in Treatment: Implications and Assessment. 2007 , 7, 73-99	24
725	The Sex Difference in Depression Across 29 Countries. 2007 , 85, 1483-1507	99
724	Population level of unmet need for mental healthcare in Europe. 2007 , 190, 299-306	178
723	Comorbidity and "self-medication". 2007 , 26 Suppl 1, 13-23	9
722	Prevalence, comorbidity, and service utilization for mood disorders in the United States at the beginning of the twenty-first century. 2007 , 3, 137-58	328
721	Enhanced selective serotonin re-uptake inhibitors as antidepressants: 2004 - 2006. 2007 , 17, 889-907	9
720	Evaluation of 2 measures of psychological distress as screeners for depression in the general population. 2007 , 52, 111-20	154

719	Fibromyalgia. 2007,		
718	Selegiline transdermal system in the treatment of depressive disorders. 2007, 2, 601-611		1
717	Antidepressant medications and other treatments of depressive disorders: a CINP Task Force report based on a review of evidence. 2007, 10 Suppl 1, S1-207		37
716	A model of hippocampal neurogenesis in memory and mood disorders. 2007, 11, 70-6		150
715	Comparison of treatment seeking compulsive buyers in Germany and the United States. 2007, 45, 1629-38		18
714	Reducing the societal burden of depression: a review of economic costs, quality of care and effects of treatment. 2007, 25, 7-24		141
713	Major Depression. 2007,		
712	Minor Depression. 2007,		
711	Cultural psychiatry in historical perspective. 3-19		32
710	Psychiatric epidemiology and its contributions to cultural psychiatry. 157-168		2
709	Depression: relationships to sleep paralysis and other sleep disturbances in a community sample. 2007, 16, 297-312		58
708	Twelve-month prevalence, correlates, and treatment preference of adults with DSM-IV major depressive episode in Hong Kong. <i>Journal of Affective Disorders, 2007, 98, 129-36</i>	6.6	56
707	A survey on anxious and depressive complaints of Brazilian women. <i>Journal of Affective Disorders, 2007, 102, 259-64</i>	6.6	2
706	The role of comorbid major depressive disorder in the clinical presentation of adult ADHD. 2007, 41, 991-6		73
705	Depressive symptoms, socio-economic background, sense of control, and cultural factors in university students from 23 countries. 2007, 14, 97-107		154
704	Prevalence of mental disorders based on general population surveys. 2007, 42, 537-46		124
703	The usefulness of the EQ-5D in differentiating among persons with major depressive episode and anxiety. 2007, 16, 749-54		32
702	Depressive and anxiety disorders in different ethnic groups: a population based study among native Dutch, and Turkish, Moroccan and Surinamese migrants in Amsterdam. 2008, 43, 905-12		134

701	Anxiety symptoms in rural Mexican adolescents: a social-ecological analysis. 2008 , 43, 1014-23		9
700	The role of the "International Classification of Functioning, Disability and Health, ICF" in the description and classification of mental disorders. 2008 , 258 Suppl 5, 81-5		23
699	The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2008 , 17, 121-40	4.3	694
698	The nosologic relationship between generalized anxiety disorder and major depression. 2008 , 25, 300-16		80
697	Depression and anxiety outcomes at a free clinic in a rural state. 2008 , 20, 359-66		3
696	Prevalence, onset and comorbidity of postpartum anxiety and depressive disorders. 2008 , 118, 459-68		194
695	Mediators of the association between depression and role functioning. 2008 , 118, 451-8		92
694	Cross-national difference in the prevalence of depression caused by the diagnostic threshold. <i>Journal of Affective Disorders</i> , 2008 , 106, 159-67	6.6	106
693	Major depression in Kunming: prevalence, correlates and co-morbidity in a south-western city of China. <i>Journal of Affective Disorders</i> , 2008 , 111, 221-6	6.6	42
692	The association of major depressive episodes with income inequality and the human development index. 2008 , 67, 529-39		72
691	Depression prevalence: is it really increasing?. 2008 , 42, 606-16		20
690	Developing Novel Anxiolytics: Improving Preclinical Detection and Clinical Assessment. 2008 , 117-132		5
689	Treating each and every depressed patient. 2008 , 22, 19-23		2
688	Work ability in sick-listed patients with major depressive disorder. 2008 , 58, 475-9		15
687	Culture, emotion regulation, and adjustment. 2008 , 94, 925-37		469
686	The prevalence and correlates of workplace depression in the national comorbidity survey replication. 2008 , 50, 381-90		70
685	Anxiety Disorders and Depression Comorbidity. 2008 ,		3
684	Membrane omega-3 Fatty Acid deficiency as a preventable risk factor for comorbid coronary heart disease in major depressive disorder. 2009 , 2009, 362795		12

683	Agomelatine: The evidence for its place in the treatment of depression. 2010 , 4, 171-9		21
682	EPA but not DHA appears to be responsible for the efficacy of omega-3 long chain polyunsaturated fatty acid supplementation in depression: evidence from a meta-analysis of randomized controlled trials. 2009 , 28, 525-42		268
681	The epidemiology of depression in metropolitan China. 2009 , 39, 735-47		121
680	Making rhetoric a reality: effective capacity building in mental health care provision. 2009 , 18, 990-4		2
679	High prevalence of depression amongst mothers of children with asthma. 2009 , 46, 388-91		24
678	Self-reported chronic mental health problems and mental health service use in Spain. 2009 , 5, 197-208		3
677	Cognitive impairment in unipolar depression is persistent and non-specific: further evidence for the final common pathway disorder hypothesis. 2009 , 39, 603-14		147
676	Prevalence and socio-demographic correlates of major depressive episode in rural and urban areas of Beijing, China. <i>Journal of Affective Disorders</i> , 2009 , 115, 323-30	6.6	42
675	Early maladaptive schemas, temperament and character traits in clinically depressed and previously depressed subjects. 2009 , 16, 394-407		67
674	Genetic and environmental influences on the co-morbidity between depression, panic disorder, agoraphobia, and social phobia: a twin study. 2009 , 26, 1004-11		74
673	New women-specific diagnostic modules: the Composite International Diagnostic Interview for Women (CIDI-VENUS). 2009 , 12, 281-9		46
672	Population-specific functional variant of the TPH2 gene 2755C>A polymorphism contributes risk association to major depression and anxiety in Chinese peripartum women. 2009 , 12, 401-8		22
671	Parent Depression and Child Anxiety: An Overview of the Literature with Clinical Implications. 2009 , 38, 151-160		14
670	Characteristics of chronic obstructive pulmonary disease in Spain from a gender perspective. 2009 , 9, 2		39
669	The role of genetic variation in the causation of mental illness: an evolution-informed framework. 2009 , 14, 1072-82		172
668	Diagnosis and treatment considerations for women with COPD. 2009 , 63, 486-93		45
667	Evaluation of docosahexaenoic acid deficiency as a preventable risk factor for recurrent affective disorders: current status, future directions, and dietary recommendations. 2009 , 81, 223-31		52
666	Frequency and predictors of obstructive sleep apnea among individuals with major depressive disorder and insomnia. 2009 , 67, 135-41		67

665	The psychosocial screen for cancer (PSSCAN): further validation and normative data. <i>Health and Quality of Life Outcomes</i> , 2009 , 7, 16	3	33
664	Atypical antipsychotics in primary generalized anxiety disorder or comorbid with mood disorders. 2009 , 9, 1147-58		31
663	Somatic and cognitive domains of depression in an underserved region of Ecuador: some cultural considerations. 2009 , 8, 178-80		8
662	Mental illness in China. 2009 , 374, 1064; author reply 1065		2
661	Venlafaxine and Desvenlafaxine, Selective Norepinephrine and Serotonin Reuptake Inhibitors to Treat Major Depressive Disorder. 2010 , 507-524		1
660	Women-specific mental disorders in DSM-V: are we failing again?. 2010 , 13, 51-5		6
659	Dysfunctional Attitudes and Early Maladaptive Schemas as Predictors of Depression: A 9-Year Follow-Up Study. 2010 , 34, 368-379		50
658	The impact of subjective and objective social status on psychological distress among men and women in Japan. 2010 , 70, 1832-9		74
657	Prevalence, correlates and recognition of depression among inpatients of general hospitals in Wuhan, China. 2010 , 32, 268-75		36
656	Epidemiology of major depressive episode in a southern European country: results from the ESEMeD-Spain project. <i>Journal of Affective Disorders</i> , 2010 , 120, 76-85	6.6	83
655	Differential prognostic impact of pretransplant comorbidity on transplant outcomes by disease status and time from transplant: a single Japanese transplant centre study. 2010 , 45, 513-20		23
654	Neuromodulation approaches for the treatment of major depression: challenges and recommendations from a working group meeting. 2010 , 68, 433-51		52
653	Historical perspectives of the role of Spain and Portugal in today's status of psychiatry and mental health in Latin America. 2010 , 22, 311-6		1
652	T3111C clock single nucleotide polymorphism and mood disorders: a meta-analysis. 2010 , 27, 706-21		22
651	Sociocultural domains of depression among indigenous populations in Latin America. 2010 , 22, 370-7		10
650	Impact of depression and antidepressant treatment on heart rate variability: a review and meta-analysis. 2010 , 67, 1067-74		781
649	Predictors of depressive symptomatology among rural stimulant users. 2010 , 42, 435-45		8
648	The relation between depression, anhedonia and olfactory hedonic estimates--a pilot study in major depression. 2010 , 471, 139-43		66

647	Stability of dysfunctional attitudes and early maladaptive schemas: a 9-year follow-up study of clinically depressed subjects. 2010 , 41, 389-96	63
646	Single versus recurrent depression history: differentiating risk factors among current US smokers. 2010 , 109, 90-5	17
645	Multiple Sclerosis and Depression: A Neuroimmunological Perspective. 2010 , 269-307	1
644	The impact of exercise on Quality of Life within exercise and depression trials: A systematic review. 2011 , 4, 43-48	28
643	Cross-national epidemiology of DSM-IV major depressive episode. 2011 , 9, 90	1107
642	Sertraline vs. Electrical Current Therapy for Treating Depression Clinical Trial--SELECT TDCS: design, rationale and objectives. 2011 , 32, 90-8	51
641	Stressor-induced NMDAR dysfunction as a unifying hypothesis for the aetiology, pathogenesis and comorbidity of clinical depression. 2011 , 77, 508-28	41
640	Repeated exposure to chlorpyrifos alters the performance of adolescent male rats in animal models of depression and anxiety. 2011 , 32, 355-61	37
639	Verbal learning and memory in depression: a 9-year follow-up study. 2011 , 188, 350-4	17
638	Epidemiology of Depressive Disorders. 2011 , 289-309	2
637	International comparison of clinicians' ability to identify depression in primary care: meta-analysis and meta-regression of predictors. 2011 , 61, e72-80	39
636	An evaluation of neuroplasticity and behavior after deep brain stimulation of the nucleus accumbens in an animal model of depression. 2011 , 69, 1281-90	58
635	The "Senobi" breathing exercise ameliorates depression in obese women through up-regulation of sympathetic nerve activity and hormone secretion. 2011 , 32, 175-80	1
634	Non-medical prescription use increases the risk for the onset and recurrence of psychopathology: results from the National Epidemiological Survey on Alcohol and Related Conditions. 2011 , 106, 2146-55	56
633	Modulating amygdala responses to emotion: evidence from pharmacological fMRI. 2011 , 49, 706-17	45
632	Acculturation, gender, depression, and cigarette smoking among U.S. Hispanic youth: the mediating role of perceived discrimination. 2011 , 40, 1519-33	90
631	In search of HPA axis dysregulation in child and adolescent depression. 2011 , 14, 135-60	130
630	Depression and economic hardship across Greece in 2008 and 2009: two cross-sectional surveys nationwide. 2011 , 46, 943-52	102

629	Depression is associated with prolonged and complicated recovery following colorectal surgery. 2011 , 15, 1712-7		33
628	Evidence for GABAergic inhibitory deficits in major depressive disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2011 , 35, 818-25	9	106
627	Inflammatory and neurodegenerative pathways in depression: a new avenue for antidepressant development?. 2011 , 18, 245-55		107
626	Electroconvulsive therapy for depression. 2011 ,		3
625	Psychiatric epidemiology and international mental health as a career in cultural psychiatry. 2011 , 48, 53-65		4
624	Depression among Asian Americans: Review and Recommendations. 2011 , 2011, 320902		79
623	Redefining diagnostic symptoms of depression using Rasch analysis: testing an item bank suitable for DSM-V and computer adaptive testing. 2011 , 45, 846-52		8
622	Requesting and providing information in blogs and internet discussion forums. 2011 , 67, 863-886		34
621	Workplace Discrimination and Americans With Psychiatric Disabilities: A Comparative Study. 2011 , 55, 7-19		10
620	Antidepressant-like Effect of l-perillaldehyde in Stress-induced Depression-like Model Mice through Regulation of the Olfactory Nervous System. 2011 , 2011, 512697		42
619	Validity and clinical utility of the current operational characterization of major depression. 2012 , 24, 530-7		8
618	Comorbidity of anxiety and depressive disorders: a comparative population study in Western and non-Western inhabitants in the Netherlands. 2012 , 58, 186-94		11
617	Basing psychiatric classification on scientific foundation: problems and prospects. 2012 , 24, 591-605		41
616	Development and validation of the current concept of major depression. 2012 , 45, 135-46		21
615	Childhood sexual abuse and the risk for recurrent major depression in Chinese women. 2012 , 42, 409-17		25
614	Low prevalence of major depressive disorder in Taiwanese adults: possible explanations and implications. 2012 , 42, 1227-37		80
613	War, journalism, and psychopathology: Does gender play a role?. 2012 , 18, 29-36		7
612	Emerging targets for the pharmacological treatment of depression: focus on melatonergic system. 2012 , 19, 428-37		18

611	Antidepressant-like Effects of an Aqueous Extract of Lavender (<i>Lavandula angustifolia</i> Mill.) in Rats. 2012 , 18, 473-479		18
610	Enhancing maternal depression recognition in health care settings: a review of strategies to improve detection, reduce barriers, and reach mothers in need. 2012 , 30, 1-18		19
609	Comparative effectiveness of medication versus cognitive-behavioral therapy in a randomized controlled trial of low-income young minority women with depression. 2012 , 80, 995-1006		23
608	Cultural and developmental factors affecting the presentation of somatic symptoms in depression: The case of Turkish patients. 2012 , 18, 195-199		3
607	Examining lifetime episodes of sadness, help seeking, and perceived treatment helpfulness among US Latino/as. 2012 , 48, 611-26		13
606	Public awareness about the connection between depression and physical health: specifically heart disease. 2012 , 83, 259-69		10
605	Deep brain stimulation for treatment-resistant depression: efficacy, safety and mechanisms of action. <i>Neuroscience and Biobehavioral Reviews</i> , 2012 , 36, 1920-33	9	99
604	Differential aberrant sprouting in temporal lobe epilepsy with psychiatric co-morbidities. 2012 , 195, 144-50		22
603	Mood and anxiety disorders in women with PCOS. 2012 , 77, 338-41		74
602	Testing the specificity between social anxiety disorder and drinking motives. 2012 , 37, 1003-8		23
601	Early onset problem behaviors and alcohol, tobacco, and other substance use disorders in young adulthood. 2012 , 121, 152-8		40
600	Differential item functioning due to gender between depression and anxiety items among Chilean adolescents. 2012 , 58, 386-92		11
599	Depressive symptoms and psychosocial stress at work among older employees in three continents. 2012 , 8, 27		53
598	Diagnosis of depression and use of antidepressant pharmacotherapy among adults in the United States: does a disparity persist by ethnicity/race?. 2012 , 32, 139-44		27
597	Socio-economic status and emotional distress of female Turkish immigrants and native German women living in Berlin. 2012 , 27 Suppl 2, S10-6		16
596	Moderators of the relationship between depression and cardiovascular disorders: a systematic review. 2012 , 34, 478-92		43
595	Transcranial direct current stimulation for the treatment of major depressive disorder: a summary of preclinical, clinical and translational findings. 2012 , 39, 9-16		92
594	The costs of depression. 2012 , 35, 1-14		465

593	Psychiatric epidemiology. 2012 , 106, 167-89		4
592	Depression in cultural context: "Chinese somatization," revisited. 2012 , 35, 15-36		53
591	Cardiologic side effects of psychotropic drugs. 2011 , 8, 243-53		14
590	Capacity Building for Mental Health. 2012 , 1, 52-56		
589	Patient centredness and the outcome of primary care consultations with patients with depression in areas of high and low socioeconomic deprivation. 2012 , 62, e576-81		32
588	The therapeutic alliance in healthcare assistant practice. 2012 , 6, 78-83		1
587	Prevalence and correlates of major depressive disorder in breast cancer survivors in Shanghai, China. 2012 , 21, 1331-7		29
586	Cognitive function in unipolar major depression: a comparison of currently depressed, previously depressed, and never depressed individuals. 2012 , 34, 782-90		34
585	Comparison of treated and untreated major depressive disorder in a nationwide sample of Korean adults. 2012 , 48, 363-71		8
584	The prevalence and impact of major depressive disorder among Chinese, Malays and Indians in an Asian multi-racial population. <i>Journal of Affective Disorders</i> , 2012 , 138, 128-36	6.6	29
583	Depression as a disease of modernity: explanations for increasing prevalence. <i>Journal of Affective Disorders</i> , 2012 , 140, 205-14	6.6	357
582	Why is the sex gap in feelings of depression wider in high gender equity countries? The effect of children on the psychological well-being of men and women. 2012 , 41, 501-13		62
581	Risk of psychiatric treatment for mood disorders and psychotic disorders among migrants and Dutch nationals in Utrecht, The Netherlands. 2012 , 47, 271-8		35
580	Multidimensional health locus of control and depressive symptoms in the multi-ethnic population of the Netherlands. 2013 , 48, 1931-9		13
579	Depressive symptoms in patients with obstructive sleep apnea/hypopnea syndrome. 2013 , 17, 615-20		12
578	Impact of physical activity on depression after cardiac surgery. 2013 , 29, 1649-56		20
577	The evolutionary paradox and the missing heritability of schizophrenia. 2013 , 162B, 122-36		60
576	Behavioural activation for depression: efficacy, effectiveness and dissemination. <i>Journal of Affective Disorders</i> , 2013 , 145, 292-9	6.6	52

575	Exercise affects symptom severity but not biological measures in depression and somatization - results on IL-6, neopterin, tryptophan, kynurenine and 5-HIAA. 2013 , 210, 925-33		30
574	ADAd 7: Relationship between depression and Anxiety Disorders among adolescents in a rural community population in India. 2013 , 80 Suppl 2, S165-70		8
573	Latino/a depression and smoking: an analysis through the lenses of culture, gender, and ethnicity. 2013 , 51, 332-46		38
572	Pesticides, depression and suicide: a systematic review of the epidemiological evidence. 2013 , 216, 445-60		84
571	Recurrence risk in major depression. 2013 , 30, 1-4		15
570	Simple rules for detecting depression. 2013 , 2, 149-157		24
569	Comparison of caregiver strain in Parkinson's disease between Yamagata, Japan, and Maryland, The United States. 2013 , 19, 628-33		8
568	Identifying depression and schizophrenia using vignettes: a methodological note. 2013 , 210, 357-62		27
567	Discrimination between schizophrenia and major depressive disorder by magnetic resonance imaging of the female brain. 2013 , 47, 1383-8		23
566	Levomilnacipran (F2695), a norepinephrine-preferring SNRI: profile in vitro and in models of depression and anxiety. 2013 , 70, 338-47		142
565	Major depressive episode among Brazilian adults: a cross-sectional population-based study. <i>Journal of Affective Disorders</i> , 2013 , 150, 401-7	6.6	19
564	HPA axis reactivity in early childhood: associations with symptoms and moderation by sex. 2013 , 38, 2327-36		27
563	A systematic review of studies of depression prevalence in university students. 2013 , 47, 391-400		763
562	An insight on career satisfaction level, mental distress and gender differences in working conditions among Japanese obstetricians and gynecologists. 2013 , 39, 468		
561	The epidemiology of depression across cultures. 2013 , 34, 119-38		1310
560	Recurrent depression, cardiovascular disease, and diabetes among middle-aged and older adult women. <i>Journal of Affective Disorders</i> , 2013 , 150, 895-902	6.6	25
559	Research review: the role of cytokines in depression in adolescents: a systematic review. 2013 , 54, 816-35		65
558	Eicosapentaenoic acid versus docosahexaenoic acid in mild-to-moderate depression: a randomized, double-blind, placebo-controlled trial. 2013 , 23, 636-44		60

557	Using effort-reward imbalance theory to understand high rates of depression and anxiety among clergy. 2013 , 34, 439-53	33
556	Rorschach variables and dysfunctional attitudes as measures of depressive vulnerability: a 9-year follow-up study of individuals with different histories of major depressive episodes. 2013 , 95, 26-37	8
555	Elderly depression in India: An emerging public health challenge. 2013 , 6, 107-11	33
554	Prevalence of unrecognised depression among outpatient department attendees of a rural hospital in delhi, India. 2013 , 7, 1921-5	8
553	Dose-related effects for the precipitation of psychopathology by opioid or tranquilizer/sedative nonmedical prescription use: results from the National Epidemiologic Survey on Alcohol and Related Conditions. 2013 , 7, 39-44	28
552	Efficacy and safety of desvenlafaxine 25 and 50?mg/day in a randomized, placebo-controlled study of depressed outpatients. 2013 , 19, 5-14	37
551	MicroRNA as therapeutic targets for treatment of depression. 2013 , 9, 1011-21	35
550	[Behavioral activation and depression: a contextual treatment approach]. 2013 , 38, 175-94	5
549	The effect of severity of depressive disorder on economic burden in a university hospital in Singapore. 2013 , 13, 549-59	58
548	Depressive symptoms in new first-time fathers: associations with age, sociodemographic characteristics, and antenatal psychological well-being. 2013 , 40, 32-8	55
547	The co-occurrence of major depressive disorder among individuals with posttraumatic stress disorder: a meta-analysis. 2013 , 26, 299-309	335
546	Age of major depression onset, depressive symptoms, and risk for subsequent dementia: results of the German study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). 2013 , 43, 1597-610	65
545	Major depressive disorder in Africa and the Middle East: a systematic literature review. 2013 , 13, 613-30	7
544	Towards an integrated understanding of Latino/a acculturation, depression, and smoking: A gendered analysis.. 2013 , 1, 3-20	19
543	Major Depressive Disorder. 2013 , 1131-1160	1
542	The burden of mental illness and addiction in ontario. 2013 , 58, 529-37	30
541	Mechanisms of antidepressant resistance. 2013 , 4, 146	71
540	Dosing frequency and adherence in chronic psychiatric disease: systematic review and meta-analysis. 2013 , 9, 119-31	37

539	Comparing cognitive and somatic symptoms of depression in myocardial infarction patients and depressed patients in primary and mental health care. 2013 , 8, e53859	11
538	Motor coordination in inbred mouse strains and the crucial role of the cerebellum. 81-87	1
537	Strains, SNPs, and selected lines. 155-162	
536	The Burden of Mental Illness and Addiction in Ontario. 2013 , 58, 529-537	13
535	Low self-efficacy is a risk factor for depression among male Japanese workers: a cohort study. 2013 , 51, 452-8	8
534	Modeling the dynamics of disease states in depression. 2014 , 9, e110358	8
533	Omega-3 fatty acids and depression: scientific evidence and biological mechanisms. 2014 , 2014, 313570	152
532	Prevalence of depression morbidity among Brazilian adults: a systematic review and meta-analysis. 2014 , 36, 262-70	62
531	Prevalence and risk factors for depression in Korean adult patients with asthma: is there a difference between elderly and non-elderly patients?. 2014 , 29, 1626-31	15
530	Trends, gaps, and disparities in mental health. 27-38	4
529	Gender and stress in predicting depressive symptoms following stroke. 2014 , 38, 240-6	28
528	Fresh approaches to antidepressant drug discovery. 2014 , 9, 407-21	5
527	Sleep-disordered breathing and psychiatric disorders. 2014 , 16, 519	19
526	Acupuncture for Depression. 2014 , 26, 230-240	3
525	Poor sleep quality in systemic lupus erythematosus: does it depend on depressive symptoms?. 2014 , 23, 1350-7	25
524	Oxidative stress and major depression. 2014 , 8, CC04-7	54
523	Autism spectrum disorder among first-visit depressed adult patients: diagnostic clues from backgrounds and past history. 2014 , 36, 737-42	31
522	Imaging and neurobiological changes in late-life depression. 2014 , 75, 25-30	2

521	Differences in psychiatric symptoms among Asian patients with depression: a multi-country cross-sectional study. 2014 , 68, 245-54	14
520	Evaluation of periodontitis in hospital outpatients with major depressive disorder. 2014 , 49, 77-84	13
519	Predictors of incident depression in systemic lupus erythematosus. 2014 , 41, 1823-33	46
518	Impact of two or less missing treatment sessions on tDCS clinical efficacy: results from a factorial, randomized, controlled trial in major depression. 2014 , 17, 737-42; discussion 742	14
517	The relationship between acculturation strategies and depressive and anxiety disorders in Turkish migrants in the Netherlands. 2014 , 14, 252	35
516	Study protocol for a randomised controlled trial of a cognitive-behavioural prevention programme for the children of parents with depression: the PRODO trial. 2014 , 14, 263	12
515	Deep Brain Stimulation for Treatment-Refractory Depression Part I. 2014 , 36, 1-5	
514	Biological markers in noninvasive brain stimulation trials in major depressive disorder: a systematic review. 2014 , 30, 47-61	44
513	Beyond workers' compensation: men's mental health in and out of work. 2014 , 8, 45-53	37
512	Deep Brain Stimulation for Treatment-Refractory Depression Part II. 2014 , 36, 1-5	
511	A Model for Prediction of Human Depression Using Apriori Algorithm. 2014 ,	5
510	Neuroscience-driven discovery and development of sleep therapeutics. 2014 , 141, 300-34	36
509	Olfaction as a marker for depression in humans. <i>Journal of Affective Disorders</i> , 2014 , 160, 80-6	6.6 122
508	The patient health questionnaire-15 and its abbreviated version as screening tools for depression in Korean college and graduate students. 2014 , 55, 743-8	9
507	FMR1, circadian genes and depression: suggestive associations or false discovery?. 2013 , 11, 3	11
506	Association of subjective and objective socioeconomic status with subjective mental health and mental disorders among Japanese men and women. 2014 , 21, 421-9	21
505	Bouncing back: remission from depression in a 12-year panel study of a representative Canadian community sample. 2014 , 49, 903-10	21
504	Association of depression with disease severity in patients with chronic obstructive pulmonary disease. 2014 , 192, 243-9	23

503	The effects of exercise on oxidative stress (TBARS) and BDNF in severely depressed inpatients. 2014 , 264, 605-13	36
502	MIF: mood improving/inhibiting factor?. 2014 , 11, 11	35
501	A case series on the use of lavender oil capsules in patients suffering from major depressive disorder and symptoms of psychomotor agitation, insomnia and anxiety. 2014 , 22, 63-9	18
500	Levomilnacipran (Fetzima): A New Serotonin-Norepinephrine Reuptake Inhibitor for the Treatment of Major Depressive Disorder. 2014 , 27, 389-95	8
499	Depression is linked to uncontrolled hypertension: a case-control study from Karachi, Pakistan. 2014 , 23, 292-6	21
498	Identification of caregivers at greatest risk of major depression in two prevention studies. 2014 , 24, 578-93	10
497	Neuromodulation of emotion using functional electrical stimulation applied to facial muscles. 2014 , 17, 85-92; discussion 92	6
496	Hair thyroid hormones concentration in patients with depression changes with disease episodes in female Chinese. 2014 , 220, 251-3	13
495	Filling the gap: relationship between the serotonin-transporter-linked polymorphic region and amygdala activation. 2014 , 25, 2058-66	39
494	Preoperative and perioperative predictors of reactive and persistent depression after cardiac surgery: a three-month follow-up study. 2014 , 55, 261-71	13
493	Association of socioeconomic status in childhood with major depression and generalized anxiety disorder: results from the World Mental Health Japan survey 2002-2006. 2014 , 14, 359	18
492	Treatment of Anxiety Disorders With Comorbid Depression: A Survey of Expert CBT Clinicians. 2014 , 21, 485-493	10
491	Characteristic distributions of regional cerebral blood flow changes in major depressive disorder patients: a pseudo-continuous arterial spin labeling (pCASL) study. <i>Journal of Affective Disorders</i> , 2014 , 165, 59-63	6.6 29
490	Major depression in China-to-US immigrants and US-born Chinese Americans: testing a hypothesis from culture-gene co-evolutionary theory of mental disorders. <i>Journal of Affective Disorders</i> , 2014 , 167, 30-6	6.6 10
489	The Burden Endured by Caregivers of Patients With Morquio A Syndrome: Results From an International Patient-Reported Outcomes Survey. 2014 , 2, 232640981454087	6
488	History of global mental health. 1-10	
487	Lifetime Prevalence of Mental Disorders among Asian Americans: Nativity, Gender, and Sociodemographic Correlates. 2014 , 5, 353-363	43
486	Perceived self-society moral discrepancies predict depression but not anxiety. 2015 , 18, 337-342	2

485	Pathways from maternal depressive symptoms to adolescent depressive symptoms: the unique contribution of irritability symptoms. 2015 , 56, 1092-100		32
484	Personality in remitted major depressive disorder with single and recurrent episodes assessed with the Temperament and Character Inventory. 2015 , 69, 3-11		14
483	White matter abnormalities in major depressive disorder with melancholic and atypical features: A diffusion tensor imaging study. 2015 , 69, 360-8		41
482	Polymorphisms of IKBKE gene are associated with major depressive disorder and panic disorder. 2015 , 5, e00314		2
481	Childhood Mood Disorders: Major Depressive Disorder, Bipolar Disorder, and Disruptive Mood Dysregulation Disorder. 2015 , 981-1006		
480	One-year test-retest reliability of a Japanese web-based version of the WHO Composite International Diagnostic Interview (CIDI) for major depression in a working population. <i>International Journal of Methods in Psychiatric Research</i> , 2015 , 24, 204-12	4.3	9
479	The longitudinal joint effect of obesity and major depression on work performance impairment. 2015 , 105, e80-6		11
478	The Glory of God is a Human Being Fully Alive: Predictors of Positive Versus Negative Mental Health Among Clergy. 2015 , 54, 702-721		21
477	Increased risk of anxiety among patients with urolithiasis: A nationwide population-based cohort study. 2015 , 22, 937-42		9
476	The workplace discrimination experiences of older workers with disabilities: Results from the national EEOC ADA research project. 2015 , 43, 137-148		8
475	Treinamento de força diminui os sintomas depressivos e melhora a qualidade de vida relacionada a saúde em idosos. 2015 , 29, 189-196		5
474	A meta-analysis of changes in brain activity in clinical depression. 2014 , 8, 1045		68
473	Somatic and cognitive-affective depressive symptoms among patients with heart disease: differences by sex and age. 2015 , 23, 208-15		7
472	Association between Fish Consumption and Prefrontal Function during a Cognitive Task in Male Japanese Workers: A Multi-Channel Near-Infrared Spectroscopy Study. 2014 , 10, e0123972		8
471	Epidemiology and Heritability of Major Depressive Disorder, Stratified by Age of Onset, Sex, and Illness Course in Generation Scotland: Scottish Family Health Study (GS:SFHS). 2015 , 10, e0142197		75
470	The Role of Family Environment in Depressive Symptoms among University Students: A Large Sample Survey in China. 2015 , 10, e0143612		28
469	Overview of Glutamatergic Dysregulation in Central Pathologies. 2015 , 5, 3112-41		68
468	The association between lower educational attainment and depression owing to shared genetic effects? Results in ~25,000 subjects. 2015 , 20, 735-43		39

467	Deep brain stimulation for psychiatric disorders: where we are now. 2015 , 38, E2		50
466	Clinical depression is a strong predictor of poor lumbar fusion outcomes among workers' compensation subjects. 2015 , 40, 748-56		63
465	Repeated Cortisol Awakening Response as Predictor of Antidepressant Treatment Outcome with Duloxetine. 2015 , 71, 97-102		6
464	Rapid-onset antidepressant action of ketamine: potential revolution in understanding and future pharmacologic treatment of depression. 2015 , 40, 125-30		18
463	Kososan, but not milnacipran, elicits antidepressant-like effects in a novel psychological stress-induced mouse model of depression. 2015 , 2, 1-7		7
462	Depression as a risk factor for acute coronary syndrome: a review. 2015 , 291, 1213-20		7
461	Prescription and indication trends of antidepressant drugs in the Netherlands between 1996 and 2012: a dynamic population-based study. 2015 , 71, 369-75		72
460	Previous violent events and mental health outcomes in Guatemala. 2015 , 105, 764-71		28
459	Does conurbation affect the risk of poor mental health? A population based record linkage study. 2015 , 34, 126-34		7
458	Depressive-like behaviours and decreased dendritic branching in the medial prefrontal cortex of mice with tumors: A novel validated model of cancer-induced depression. 2015 , 294, 25-35		18
457	The behavioural/dysexecutive variant of Alzheimer's disease: clinical, neuroimaging and pathological features. 2015 , 138, 2732-49		275
456	A randomized controlled trial of 6-week <i>Chlorella vulgaris</i> supplementation in patients with major depressive disorder. 2015 , 23, 598-602		20
455	Prevalence of major depressive disorder and socio-demographic correlates: Results of a representative household epidemiological survey in Beijing, China. <i>Journal of Affective Disorders</i> , 2015 , 179, 74-81	6.6	33
454	A qualitative, and quantitative determination and pharmacokinetic study of four polyacetylenes from <i>Radix Bupleuri</i> by UPLC-PDA-MS. 2015 , 111, 257-65		16
453	The epidemiology of major depressive disorder and subthreshold depression in Izmir, Turkey: Prevalence, socioeconomic differences, impairment and help-seeking. <i>Journal of Affective Disorders</i> , 2015 , 181, 78-86	6.6	33
452	The influences of CYP2D6 genotypes and drug interactions on the pharmacokinetics of venlafaxine: exploring predictive biomarkers for treatment outcomes. 2015 , 232, 1899-909		16
451	Schizophrenia and Depression: A systematic Review of the Effectiveness and the Working Mechanisms Behind Acupuncture. 2015 , 11, 281-91		24
450	Mood Disorders in Systemic Lupus Erythematosus: Results From an International Inception Cohort Study. 2015 , 67, 1837-47		77

449	Depression as an independent risk factor for mortality in critically ill patients. 2015 , 77, 106-13		11
448	Work productivity loss with depression, diagnosed and undiagnosed, among workers in an Internet-based survey conducted in Japan. 2015 , 57, 105-10		18
447	Anxious and non-anxious major depressive disorder in the World Health Organization World Mental Health Surveys. 2015 , 24, 210-26		208
446	Accounting for Differences in Depression Stigma Between Canadian Asians and Europeans. 2015 , 46, 597-611		12
445	Depression and Its Comorbid Conditions More Serious in Women than in Men in the United States. 2015 , 24, 978-85		23
444	Network Meta-Analysis and Cost-Effectiveness Analysis of New Generation Antidepressants. 2015 , 29, 695-712		110
443	Managing inadequate antidepressant response in depressive illness. 2015 , 115, 183-201		13
442	Pharmacotherapeutic strategies for patients treated for depression in UK primary care: a database analysis. 2015 , 31, 795-807		3
441	Association of empty nest with depressive symptom in a Chinese elderly population: A cross-sectional study. <i>Journal of Affective Disorders</i> , 2015 , 187, 218-23	6.6	41
440	Effect of Ginkgo biloba extract on lipopolysaccharide-induced anhedonic depressive-like behavior in male rats. 2015 , 29, 260-6		19
439	Exercise and severe major depression: effect on symptom severity and quality of life at discharge in an inpatient cohort. 2015 , 61, 25-32		73
438	Prevalence of symptoms of depression and anxiety in adults with cystic fibrosis based on the PHQ-9 and GAD-7 screening questionnaires. 2015 , 56, 345-53		33
437	Epistemological Dimensions of Evolutionary Psychology. 2015 ,		
436	Treatment for depression in 63 countries worldwide: describing and explaining cross-national differences. 2015 , 31, 1-9		6
435	Metacognitions and Thought Control Strategies in Unipolar Major Depression: A Comparison of Currently Depressed, Previously Depressed, and Never-Depressed Individuals. 2015 , 39, 31-40		35
434	A molecular pathway analysis of the glutamatergic-monoaminergic interplay serves to investigate the number of depressive records during citalopram treatment. 2015 , 122, 465-75		3
433	Role of Dietary Fatty Acids in Mood Disorders. 2016 , 423-456		
432	Epigenetic Mechanisms in Depression. 2016 , 181-207		

431	Medication use patterns, health care resource utilization, and economic burden for patients with major depressive disorder in Beijing, People's Republic of China. 2016 , 12, 941-9	8
430	Mental health in medical residents: relationship with personal, work-related, and sociodemographic variables. 2016 , 38, 318-324	6
429	Comparison of 16S and COX1 genes mitochondrial regions and their usefulness for genetic analysis of ticks (Acari: Ixodidae). 2016 , 36, 295-302	4
428	Prevalence of unrecognized depression and associated factors among patients attending medical outpatient department in Adare Hospital, Hawassa, Ethiopia. 2016 , 12, 2723-2729	11
427	Analysis of treatment patterns and persistence on branded and generic medications in major depressive disorder using retrospective claims data. 2016 , 12, 2755-2764	6
426	The workplace discrimination experiences of middle-age and younger adult workers with disabilities: Results from the National EEOC ADA Research Project. 2016 , 45, 365-376	1
425	An Epidemiological Study on Psychosocial Factors Associated with Depression among Japanese General Adult Population. 2016 , 75, 81-87	
424	Transcranial Direct-Current Stimulation (tDCS). 2016 , 85-115	7
423	Social Rhythm and Mental Health: A Cross-Cultural Comparison. 2016 , 11, e0150312	41
422	Detailed course of depressive symptoms and risk for developing depression in late adolescents with subthreshold depression: a cohort study. 2017 , 13, 25-33	20
421	Incidence of Major Depressive Disorder: Variation by Age and Sex in Low-Income Individuals: A Population-Based 10-Year Follow-Up Study. 2016 , 95, e3110	7
420	Prevalence, correlates of major depression: A mental health survey among undergraduates at a mainland Chinese university. 2016 , 8, 206-14	9
419	Anxiety and physical health problems increase the odds of women having more severe symptoms of depression. 2016 , 19, 491-9	13
418	Symptoms and risk factors of depression during and after the football career of elite female players. 2016 , 2, e000124	38
417	Vulnerability for new episodes in recurrent major depressive disorder: protocol for the longitudinal DELTA-neuroimaging cohort study. 2016 , 6, e009510	23
416	The Sense of Self. 2016 ,	1
415	Evaluation of the potential antidepressant effects of soybean isoflavones. 2016 , 23, 1348-1360	14
414	Review of a New Multimodal Antidepressant Vortioxetine. 2016 , 16, 44-48	1

413	Childhood cognition and lifetime risk of major depressive disorder in extremely low birth weight and normal birth weight adults. 2016 , 7, 574-580		7
412	Major depression in hospitalized Argentine general medical patients: Prevalence and risk factors. <i>Journal of Affective Disorders</i> , 2016 , 197, 36-42	6.6	12
411	Cognitive effects of transcranial direct current stimulation in depression: Results from the SELECT-TDCS trial and insights for further clinical trials. <i>Journal of Affective Disorders</i> , 2016 , 202, 46-52	6.6	35
410	Increased plasma levels of competing amino acids, rather than lowered plasma tryptophan levels, are associated with a non-response to treatment in major depression. 2016 , 26, 1286-96		12
409	The Edmonton Symptom Assessment System: Poor performance as screener for major depression in patients with incurable cancer. 2016 , 30, 587-98		8
408	Physical activity and depression: a large cross-sectional, population-based study across 36 low- and middle-income countries. 2016 , 134, 546-556		64
407	Patient health questionnaire-9 versus Edinburgh postnatal depression scale in screening for major depressive episodes: a cross-sectional population-based study. 2016 , 9, 453		12
406	Metabolic-Inflammation Aspects of Depression and Cardiovascular Disease. 2016 , 211-233		
405	ASSOCIATION BETWEEN SOCIAL MEDIA USE AND DEPRESSION AMONG U.S. YOUNG ADULTS. 2016 , 33, 323-31		402
404	Underdiagnosis of depression in an economically deprived population in Macao, China. 2016 , 8, 70-9		7
403	The mental health and wellbeing of first generation migrants: a systematic-narrative review of reviews. 2016 , 12, 47		93
402	The Classification of Anxiety and Fear-Related Disorders in the ICD-11. 2016 , 33, 1141-1154		35
401	Are lower levels of cardiorespiratory fitness associated with incident depression? A systematic review of prospective cohort studies. 2016 , 93, 159-165		62
400	Does Mother-Child Interaction Mediate the Relation Between Maternal Depressive Symptoms and Children's Mental Health Problems?. 2016 , 25, 1257-1268		11
399	Brexipiprazole as an adjunctive treatment in young adults with major depressive disorder who are in a school or work environment. <i>Journal of Affective Disorders</i> , 2016 , 204, 40-7	6.6	12
398	Depression and HIV risk among men who have sex with men in Tanzania. 2016 , 28 Suppl 1, 140-7		42
397	Association Between Parental Social Interaction and Behavior Problems in Offspring: a Population-Based Study in Japan. 2016 , 23, 447-57		3
396	Interactions between inflammatory mediators and corticosteroids regulate transcription of genes within the Kynurenine Pathway in the mouse hippocampus. 2016 , 13, 98		38

395	Adolescent chronic stress causes hypothalamo-pituitary-adrenocortical hypo-responsiveness and depression-like behavior in adult female rats. 2016 , 65, 109-17		39
394	Studying depression using imaging and machine learning methods. 2016 , 10, 115-23		80
393	Comparisons of prevalence and related factors of depression in middle-aged adults between urban and rural populations in Japan. <i>Journal of Affective Disorders</i> , 2016 , 190, 772-776	6.6	11
392	Major depressive disorder and suicidal behavior among urban dwelling Ethiopian adult outpatients at a general hospital. <i>Journal of Affective Disorders</i> , 2016 , 197, 58-65	6.6	16
391	Clinical neuroprediction: Amygdala reactivity predicts depressive symptoms 2 years later. 2016 , 11, 892-8		23
390	A PERIOD3 variant causes a circadian phenotype and is associated with a seasonal mood trait. 2016 , 113, E1536-44		89
389	Oncodynamic Effect of Cancer on Depression. 2016 , 105-127		
388	Molecular biomarkers of depression. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 64, 101-33	9	62
387	Genetic epidemiology of migraine and depression. 2016 , 36, 679-91		31
386	Exercise as a treatment for depression: A meta-analysis adjusting for publication bias. 2016 , 77, 42-51		646
385	Brain-gut-microbiota axis: challenges for translation in psychiatry. 2016 , 26, 366-72		120
384	Return to work outcomes for workers with mental health conditions: A retrospective cohort study. 2016 , 47, 257-65		27
383	Cortical inhibitory and excitatory correlates of depression severity in children and adolescents. <i>Journal of Affective Disorders</i> , 2016 , 190, 566-575	6.6	16
382	Major depression treatment in Germany-descriptive analysis of health insurance fund routine data and assessment of guideline-adherence. <i>Journal of Affective Disorders</i> , 2016 , 189, 246-53	6.6	16
381	Personality and social support as predictors of first and recurrent episodes of depression. <i>Journal of Affective Disorders</i> , 2016 , 190, 156-161	6.6	33
380	Spirituality and Religiosity and Its Role in Health and Diseases. 2017 , 56, 1282-1301		48
379	Economic evidence for the clinical management of major depressive disorder: a systematic review and quality appraisal of economic evaluations alongside randomised controlled trials. 2017 , 26, 501-516		5
378	What is the mechanism of Ketamine's rapid-onset antidepressant effect? A concise overview of the surprisingly large number of possibilities. 2017 , 42, 147-154		45

377	Patient Health Questionnaire-9 versus Edinburgh Postnatal Depression Scale in screening for major depressive episodes: a cross-sectional population-based study. 2017 , 10, 57		9
376	Validity and Utility of the Patient Health Questionnaire (PHQ)-2 and PHQ-9 for Screening and Diagnosis of Depression in Rural Chiapas, Mexico: A Cross-Sectional Study. 2017 , 73, 1076-1090		83
375	Epidemiology of pharmaceutically treated depression and treatment resistant depression in Taiwan. 2017 , 252, 277-283		31
374	Metabolic syndrome and its components are related to psychological disorders: A population based study. 2017 , 11 Suppl 2, S561-S566		8
373	Trajectories of maternal depression: a 27-year population-based prospective study. 2017 , 26, 79-88		12
372	Population scale data reveals the antidepressant effects of ketamine and other therapeutics approved for non-psychiatric indications. 2017 , 7, 1450		14
371	Developmental cascade effects of interpersonal psychotherapy for depressed mothers: Longitudinal associations with toddler attachment, temperament, and maternal parenting efficacy. 2017 , 29, 601-615		14
370	Gender differences in depression in representative national samples: Meta-analyses of diagnoses and symptoms. 2017 , 143, 783-822		704
369	Pre-treatment factor structures of the Montgomery and Åberg Depression Rating scale as predictors of response to escitalopram in Indian patients with non-psychotic major depressive disorder. 2017 , 28, 154-159		1
368	Determinants and geographical variation in the distribution of depression in the Southern cone of Latin America: A population-based survey in four cities in Argentina, Chile and Uruguay. <i>Journal of Affective Disorders</i> , 2017 , 220, 15-23	6.6	16
367	Major depressive disorder: insight into candidate cerebrospinal fluid protein biomarkers from proteomics studies. 2017 , 14, 499-514		19
366	Quitting Mental Health Services among Racial and Ethnic Groups of Americans with Depression. 2018 , 45, 269-279		7
365	Identifying Medications that Patients Stopped Taking in Online Health Forums. 2017 ,		3
364	Adherence and Persistence Across Antidepressant Therapeutic Classes: A Retrospective Claims Analysis Among Insured US Patients with Major Depressive Disorder (MDD). 2017 , 31, 421-432		42
363	Association between CHADS score, depressive symptoms, and quality of life in a general population. 2017 , 17, 80		2
362	Childhood maltreatment and characteristics of adult depression: meta-analysis. 2017 , 210, 96-104		268
361	Patterns and correlates of major depression in Chinese adults: a cross-sectional study of 0.5 million men and women. 2017 , 47, 958-970		45
360	Resequencing three candidate genes discovers seven potentially deleterious variants susceptibility to major depressive disorder and suicide attempts in Chinese. 2017 , 603, 34-41		21

359	Pharmacogenomics in the treatment of mood disorders: Strategies and Opportunities for personalized psychiatry. 2017 , 8, 211-227	57
358	Preventing depression: Qualitatively examining the benefits of depression-focused iCBT for participants who do not meet clinical thresholds. 2017 , 9, 82-87	9
357	Large normal-range TBP and ATXN7 CAG repeat lengths are associated with increased lifetime risk of depression. 2017 , 7, e1143	15
356	Cultural values and the prevalence of mental disorders in 25 countries: A secondary data analysis. 2017 , 189, 96-104	24
355	Huntingtin gene repeat size variations affect risk of lifetime depression. 2017 , 7, 1277	28
354	Psychological intervention combined with direct electrical brain stimulation (PIN-CODES) for treating major depression: A pre-test, post-test, follow-up pilot study. 2017 , 25, 15-23	15
353	Diagnostic classification of unipolar depression based on resting-state functional connectivity MRI: effects of generalization to a diverse sample. 2017 , 124, 589-605	13
352	Co-morbid OSA and Depression: What We Know and What We Need to Know. 2017 , 1, 7-11	1
351	Recognition of depression by primary care clinicians in rural Ethiopia. 2017 , 18, 56	25
350	Lifetime prevalence of mental disorders among first and second generation individuals with Turkish migration backgrounds in Germany. 2017 , 17, 177	10
349	Depression, suicidality, and alcohol use disorder among people living with HIV/AIDS in Nigeria. 2017 , 17, 542	38
348	The Prevalence of Common Mental Disorders Among South Africans Seeking HIV Testing. 2017 , 21, 1511-1517	23
347	Sociodemographic Correlates of Unipolar and Bipolar Depression in North-East India: A Cross-sectional Study. 2017 , 39, 46-51	2
346	Are we missing the diagnosis of depression in patients with rheumatoid arthritis at a tertiary care facility?. 2017 , 33, 300-305	7
345	The Efficacy of Acupuncture for Treating Depression-Related Insomnia Compared with a Control Group: A Systematic Review and Meta-Analysis. 2017 , 2017, 9614810	44
344	Depression and family support in breast cancer patients. 2017 , 13, 2389-2396	18
343	Acculturation and other risk factors of depressive disorders in individuals with Turkish migration backgrounds. 2017 , 17, 264	12
342	Clinic outcomes of the Pathway to Care Model: A cross-sectional survey of adolescent depression in Malawi. 2017 , 29, 97-102	5

341	Calm Technology for Biofeedback: Why and How?. 2017 ,		
340	Tryptophan-kynurenine and lipid related metabolites as blood biomarkers for first-episode drug-naïve patients with major depressive disorder: An exploratory pilot case-control study. <i>Journal of Affective Disorders</i> , 2018 , 231, 74-82	6.6	33
339	12-month prevalence and concomitants of DSM-IV depression and anxiety disorders in two violence-prone cities in Brazil. <i>Journal of Affective Disorders</i> , 2018 , 232, 204-211	6.6	8
338	Does oral administration of ketamine accelerate response to treatment in major depressive disorder? Results of a double-blind controlled trial. <i>Journal of Affective Disorders</i> , 2018 , 235, 236-241	6.6	31
337	Psychopharmacological evaluation of antidepressant-like activity of ethanol seed extract of grains of paradise (<i>Aframomum melegueta</i> K. Schum.) in mice. 2018 , 42, e12528		5
336	Parenting styles and emerging adult depressive symptoms in Cebu, the Philippines. 2018 , 55, 242-260		7
335	Parental Divorce and Family History of Alcohol Disorder: Associations with Young Adults' Alcohol Problems, Marijuana Use, and Interpersonal Relations. 2018 , 42, 1084-1095		10
334	Late-Life Depression. 2018 , 219-235		1
333	Life on an Emotional Roller Coaster: NFL Players and Their Family Members' Perspectives on Player Mental Health. 2018 , 12, 404-431		4
332	Real-life closeness of social media contacts and depressive symptoms among university students. 2018 , 66, 747-753		15
331	Is maternal depression related to mother and adolescent reports of family functioning?. 2018 , 63, 129-141		9
330	The economic cost of treatment-resistant depression in patients referred to a specialist service. 2018 , 27, 567-573		11
329	Major Depressive Disorder. 41-56		2
328	Circuit-based frameworks of depressive behaviors: The role of reward circuitry and beyond. 2018 , 174, 42-52		44
327	An Update on the Epidemiology of Major Depressive Disorder Across Cultures. 2018 , 309-315		3
326	Kynurenine pathway in depression: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 90, 16-25	9	109
325	Zanthoxylum alatum abrogates lipopolysaccharide-induced depression-like behaviours in mice by modulating neuroinflammation and monoamine neurotransmitters in the hippocampus. 2018 , 56, 245-252		14
324	Evaluation of the antidepressant- and anxiolytic-like effects of a hydrophilic extract from the green seaweed <i>Ulva</i> sp. in rats. 2018 , 21, 248-256		14

323	Gender differences in subtypes of depression by first incidence and age of onset: a follow-up of the Lundby population. 2018 , 268, 179-189		22
322	Prevalence of suicidal behaviors in patients with major depressive disorder in China: A comprehensive meta-analysis. <i>Journal of Affective Disorders</i> , 2018 , 225, 32-39	6.6	48
321	Rehabilitation of Older Patients with Mental Disorders. 2018 , 407-419		
320	Saffron in the treatment of depression, anxiety and other mental disorders: Current evidence and potential mechanisms of action. <i>Journal of Affective Disorders</i> , 2018 , 227, 330-337	6.6	73
319	Mental health in the Americas: an overview of the treatment gap. 2018 , 42, e165		55
318	Prevalência de depressão e fatores associados em mulheres atendidas pela Estratégia de Saúde da Família. 2018 , 67, 101-109		9
317	Liraglutide Activates mTORC1 Signaling and AMPA Receptors in Rat Hippocampal Neurons Under Toxic Conditions. <i>Frontiers in Neuroscience</i> , 2018 , 12, 756	5.1	10
316	Patients with depression who self-refer for transcranial magnetic stimulation treatment: exploratory qualitative study. 2018 , 42, 243-247		1
315	Trends of Co-Morbid Depression in Hospitalized Patients with Failed Back Surgery Syndrome: An Analysis of the Nationwide Inpatient Sample. 2018 , 7, 217-226		6
314	Identification of depression subtypes and relevant brain regions using a data-driven approach. 2018 , 8, 14082		54
313	Depression history and memory bias for specific daily emotions. 2018 , 13, e0203574		26
312	Exercise for the Prevention and Treatment of Depression. 2018 , 1-18		3
311	The impact of measurement differences on cross-country depression prevalence estimates: A latent transition analysis. 2018 , 13, e0198429		9
310	Association between the ratio of serum arachidonic acid to eicosapentaenoic acid and the presence of depressive symptoms in a general Japanese population: the Hisayama Study. <i>Journal of Affective Disorders</i> , 2018 , 237, 73-79	6.6	9
309	Population scale retrospective analysis reveals distinctive antidepressant and anxiolytic effects of diclofenac, ketoprofen and naproxen in patients with pain. 2018 , 13, e0195521		18
308	Association of the Polygenic Scores for Personality Traits and Response to Selective Serotonin Reuptake Inhibitors in Patients with Major Depressive Disorder. 2018 , 9, 65		26
307	Social Media Use and Depression and Anxiety Symptoms: A Cluster Analysis. 2018 , 42, 116-128		65
306	Late-Life Depressive Disorders, Bipolar Disorders, and Psychotic Disorders. 2018 , 89-108		

305	The Meaning-Enhancing Properties of Psychedelics and Their Mediator Role in Psychedelic Therapy, Spirituality, and Creativity. <i>Frontiers in Neuroscience</i> , 2018 , 12, 129	5.1	51
304	Depression, Olfaction, and Quality of Life: A Mutual Relationship. 2018 , 8,		34
303	Latent comorbid depression and anxiety symptoms across sex and race/ethnic subgroupings in a national epidemiologic study. 2018 , 104, 114-123		8
302	Sex differences in the association between internalizing symptoms and hair cortisol level among 10-12 year-old adolescents in China. 2018 , 13, e0192901		6
301	The magnitude and correlates of geriatric depression using Geriatric Depression Scale (GDS-15) - a Bahrain perspective for the WHO 2017 campaign 'Depression - let's talk'. 2019 , 139, 79-87		7
300	A survey and analysis of traditional Uyghur medicine abnormal body fluid type major depressive disorder with personality traits. 2019 , 02, 13-18		2
299	Correlated Resting-State Functional MRI Activity of Frontostriatal, Thalamic, Temporal, and Cerebellar Brain Regions Differentiates Stroke Survivors with High Compared to Low Depressive Symptom Scores. 2019 , 2019, 2357107		4
298	Mental health problems and socioeconomic disadvantage: a controlled household study in rural Ethiopia. 2019 , 18, 121		9
297	Do dehydroepiandrosterone, progesterone, and testosterone influence women's depression and anxiety levels? Evidence from hair-based hormonal measures of 2105 rural Indian women. 2019 , 109, 104382		9
296	Prevalence and socioeconomic impact of depressive disorders in India: multisite population-based cross-sectional study. 2019 , 9, e027250		24
295	Human-Centered Development of an Activity Diary App for People with Depression. 2019 ,		1
294	Izmir Mental Health Cohort for Gene-Environment Interaction in Psychosis (TikSch): Assessment of the Extended and Transdiagnostic Psychosis Phenotype and Analysis of Attrition in a 6-Year Follow-Up of a Community-Based Sample. 2019 , 10, 554		1
293	Depressive symptoms, suicidal ideation, and mental health care-seeking in central Mozambique. 2019 , 54, 1519-1533		6
292	Frequency of breakfast consumption is inversely associated with the risk of depressive symptoms among Chinese university students: A cross-sectional study. 2019 , 14, e0222014		10
291	EEG Resting-State Large-Scale Brain Network Dynamics Are Related to Depressive Symptoms. 2019 , 10, 548		24
290	Prevalence of depression in people living with HIV and AIDS at the Kalafong Provincial Tertiary Hospital Antiretroviral Clinic. 2019 , 25, 1175		5
289	Neurobiology and Therapeutic Potential of Cyclooxygenase-2 (COX-2) Inhibitors for Inflammation in Neuropsychiatric Disorders. 2019 , 10, 605		27
288	Till depression do us part? Examining the prospective associations between depression and marital adjustment in older adults. 2019 , 69, 41-49		1

287	The Neuroscience of Nonpharmacological Traditional Chinese Therapy (NTCT) for Major Depressive Disorder: A Systematic Review and Meta-Analysis. 2019 , 2019, 2183403		6
286	An immune gate of depression - Early neuroimmune development in the formation of the underlying depressive disorder. 2019 , 71, 1299-1307		21
285	Marital quality and depression: a review. 2019 , 55, 737-763		19
284	Glucose status and depressive symptoms: a cohort study of elderly people in northwest Finland. 2019 , 37, 242-248		2
283	Role of inflammation in depression relapse. 2019 , 16, 90		56
282	Positive and negative social support and depressive symptoms according to economic status among adults in Korea: cross-sectional results from the Health Examinees-Gem Study. 2019 , 9, e023036		7
281	An East Meets West Approach to the Understanding of Emotion Dysregulation in Depression: From Perspective to Scientific Evidence. 2019 , 10, 574		7
280	Exploring comorbidity between anxiety and depression among migrant Filipino domestic workers: A network approach. <i>Journal of Affective Disorders</i> , 2019 , 250, 85-93	6.6	35
279	Clinical depression in untreated obstructive sleep apnea: examining predictors and a meta-analysis of prevalence rates. 2019 , 62, 22-28		21
278	Prevalence of major depressive disorder and its socio-demographic correlates in the general adult population in Hebei province, China. <i>Journal of Affective Disorders</i> , 2019 , 252, 92-98	6.6	13
277	Decreased Response to Positive Facial Affect in a Depressed Cohort in the Dorsal Striatum During a Working Memory Task-A Preliminary fMRI Study. 2019 , 10, 60		8
276	A pilot study comparing The Borg CR Scale [®] (centiMax [®]) and the Beck Depression Inventory for scaling depressive symptoms. 2019 , 71, 164-176		1
275	Prevalence and factors associated with depression among hospital admitted patients in South Ethiopia: cross sectional study. 2019 , 12, 73		9
274	The Link between Thyroid Autoimmunity, Depression and Bipolar Disorder. 2019 , 14, 52-58		6
273	Subtypes of treatment-resistant depression determined by a latent class analysis in a Chinese clinical population. <i>Journal of Affective Disorders</i> , 2019 , 249, 82-89	6.6	5
272	The Effect of Therapeutic Horticulture on Depression and Kynurenine Pathways. 2019 , 47, 804-812		2
271	An Overview of the Intrinsic Role of Citrullination in Autoimmune Disorders. 2019 , 2019, 7592851		33
270	The Impact of Emotional Music on Active ROI in Patients with Depression Based on Deep Learning: A Task-State fMRI Study. 2019 , 2019, 1-14		1

269	The Role of Exercise in Preventing and Treating Depression. 2019 , 18, 299-304	53
268	. 2019 ,	1
267	Long-term effects of bouldering psychotherapy on depression: benefits can be maintained across a 12-month follow-up. 2019 , 5, e02929	2
266	Geriatric Medicine. 2019 , 333-334	
265	Prevalence of suicide attempt in individuals with major depressive disorder: a meta-analysis of observational surveys. 2019 , 49, 1691-1704	45
264	Anti-depressive-like effect of 2-phenylethanol inhalation in mice. 2019 , 111, 1499-1506	24
263	The Dynamic Interplay Between Satisfaction With Intimate Relationship Functioning and Daily Mood in Low-Income Outpatients. 2019 , 58, 891-907	5
262	Resting heart rate variability, emotion regulation, psychological wellbeing and autism symptomatology in adults with and without autism. 2019 , 137, 54-62	18
261	Work Status, Financial Stress, Family Problems, and Gender Differences in the Prevalence of Depression in Chile. 2019 , 63, 359-370	11
260	Prevalence of depression among patients with presumptive pulmonary tuberculosis in Rio de Janeiro, Brazil. 2019 , 41, 316-323	6
259	Does Rumination Function as a Longitudinal Mediator Between Mindfulness and Depression?. 2019 , 10, 1091-1104	18
258	Rates and predictors of anti-depressant prescribing in Northern Ireland 2011-2015: a data linkage study using the Administrative Data Research Centre (NI). 2020 , 37, 32-38	1
257	Increased risk of prostatitis in male patients with depression. 2020 , 21, 111-118	0
256	Longitudinal multi-level biomarker analysis of BDNF in major depression and bipolar disorder. 2020 , 270, 169-181	19
255	The relationship between independent and dependent life events and depression symptoms in Sri Lanka: a twin and singleton study. 2020 , 55, 237-249	2
254	Managing Depression with Herbal Formula: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. 2020 , 26, 8-24	9
253	Pharmacogenomics of treatment response in major depressive disorder. 2020 , 403-412	
252	Psychosocial Aspects of Aging. 2020 , 55-84	

251	Developing algorithms to predict adult onset internalizing disorders: An ensemble learning approach. 2020 , 121, 189-196	10
250	Increased prevalence of depression in South Korea from 2002 to 2013. 2020 , 10, 16979	26
249	Prevalence of depressive symptoms and related risk factors in Japanese patients with pulmonary nontuberculous mycobacteriosis. 2021 , 26, 1172-1179	1
248	Depressive disorders in Brazil: results from the Global Burden of Disease Study 2017. 2020 , 18, 6	12
247	Combination effect of exercise training and eugenol supplementation on the hippocampus apoptosis induced by chlorpyrifos. 2020 , 47, 5985-5996	2
246	Mental disorders, comorbidities, and suicidality at 30 years of age in a Brazilian birth cohort. 2020 , 102, 152194	6
245	Postmarketing safety surveillance data reveals antidepressant effects of botulinum toxin across various indications and injection sites. 2020 , 10, 12851	9
244	Overestimation of Postpartum Depression Prevalence Based on a 5-item Version of the EPDS: Systematic Review and Individual Participant Data Meta-analysis. 2020 , 65, 835-844	3
243	Vagally Mediated Heart Rate Variability Is Associated With Executive Function Changes in Patients With Treatment-Resistant Depression Following Magnetic Seizure Therapy. 2020 ,	
242	Potential of as a Dietary Supplement to Promote Human Health. 2020 , 12,	25
241	Investigation of the relationship between disease severity and automatic thought and dysfunctional schemes in patients with depression and non-clinical group: a structural equation modeling study. 2020 , 1	
240	The Impact of Education on Depression Assessment: Differential Item Functioning Analysis. 2020 , 1073191120971357	
239	Depression, trauma and mentalizing: No influence of depressive symptoms on spontaneous theory of mind in a subclinical sample. 2020 , 66, 442-451	
238	The prevalence of depression among patients with tuberculosis: a systematic review and meta-analysis. 2020 , 19, 30	7
237	Data-driven analysis using multiple self-report questionnaires to identify college students at high risk of depressive disorder. 2020 , 10, 7867	9
236	Mental health professionals view about the impact of male gender for the treatment of men with depression - a qualitative study. 2020 , 20, 276	7
235	Long-Term Neuroanatomical Consequences of Childhood Maltreatment: Reduced Amygdala Inhibition by Medial Prefrontal Cortex. 2020 , 14, 28	5
234	Altered directed functional connectivity of the right amygdala in depression: high-density EEG study. 2020 , 10, 4398	13

233	Psychological Flexibility in Depression Relapse Prevention: Processes of Change and Positive Mental Health in Group-Based ACT for Residual Symptoms. 2020 , 11, 528		8
232	Predicting individual clinical trajectories of depression with generative embedding. 2020 , 26, 102213		18
231	Impacts of migraine on the prevalence and clinical presentation of depression: A population-based study. <i>Journal of Affective Disorders</i> , 2020 , 272, 215-222	6.6	2
230	Beck depression inventory, second edition, Czech version: demographic correlates, factor structure and comparison with foreign data. 2020 , 24, 371-379		2
229	The effect of co-morbid anxiety on remission from depression for people participating in a randomised controlled trial of the Friendship Bench intervention in Zimbabwe. 2020 , 23, 100333		2
228	Behavioral tests assessing neuropsychiatric phenotypes in adolescent mice reveal strain- and sex-specific effects. 2020 , 10, 11263		20
227	Examination of peripheral basal and reactive cortisol levels in major depressive disorder and the burnout syndrome: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2020 , 114, 232-270	9	23
226	The emotional well-being of journalists exposed to traumatic events: A mapping review. 2020 , 175063521989599		
225	Depressive-like phenotype evoked by lifelong nutritional omega-3 deficiency in female rats: Crosstalk among kynurenine, Toll-like receptors and amyloid beta oligomers. 2020 , 87, 444-454		8
224	S-ketamine induces acute changes in the proteome of the mouse amygdala. 2020 , 216, 103679		2
223	Incidence of Depression and First-Line Antidepressant Therapy in People with Obesity and Depression in Primary Care. 2020 , 28, 977-984		3
222	Trends in prevalence and treatment of depressive symptoms in adult patients with epilepsy in the United States. 2020 , 105, 106973		6
221	[Antidepressant Medication Use and Development of Hyperglycemia and Diabetes Mellitus: A Japanese Adverse Drug Event Report Database Study]. 2020 , 140, 591-598		
220	Neuroinflammation and depression: A review. 2021 , 53, 151-171		131
219	The importance of sociodemographic characteristics of psychotherapy patients in institutional conditions on the Balkan territory. 2021 , 67, 15-21		
218	Examining the association between family status and depression in the UK Biobank. <i>Journal of Affective Disorders</i> , 2021 , 279, 585-598	6.6	2
217	Retinal structural changes in mood disorders: The optical coherence tomography to better understand physiopathology?. 2021 , 108, 110080		1
216	Circulating steroids and mood disorders in patients with polycystic ovary syndrome. 2021 , 165, 108748		2

215	How the COVID-19 pandemic has changed our lives: A study of psychological correlates across 59 countries. 2021 , 77, 556-570	64
214	Optogenetic and chemogenetic insights into the neurocircuitry of depression-like behaviour: A systematic review. 2021 , 53, 9-38	27
213	Assessment of Depression and Anxiety in Lupus. 2021 , 287-301	
212	Diversity and Cultural Perspectives. 2021 ,	
211	ISDT Case Study of Well App for Postpartum Depression Women. 2021 , 119-137	0
210	A Systematic Review of Executive Function and Information Processing Speed in Major Depression Disorder. 2021 , 11,	6
209	Risk factors for severity of depression in participants with chronic medical conditions in rural primary health care settings in India. 2021 , 3, 100071-100071	1
208	Neuroplasticity: A Key Player in the Antidepressant Action of Chinese Herbal Medicine. 2021 , 49, 1115-1133	1
207	Who is more prone to depression at higher latitudes? Islanders or mainlanders?. 2021 , 2, 100012	1
206	The Epidemiology of Depressive Disorders and Service Use in China: Findings from the China Mental Health Survey.	
205	Screening and treatment of depression - recommendations for Polish health professionals. 2021 , 20, 1-13	
204	Suicide in DSM-5: Current Evidence for the Proposed Suicide Behavior Disorder and Other Possible Improvements. 2020 , 11, 499980	13
203	Major Depressive Disorder: Advances in Neuroscience Research and Translational Applications. 2021 , 37, 863-880	27
202	Dietary and metabolic risk of neuropsychiatric disorders: insights from animal models. 2021 , 126, 1771-1787	2
201	Getting Under the Skin. 2021 , 13-38	1
200	Age-Related Cognitive Decline and the Olfactory Identification Deficit Are Associated to Increased Level of Depression. <i>Frontiers in Neuroscience</i> , 2021 , 15, 599593	5.1 5
199	What You Say or How You Say It? Depression Detection Through Joint Modeling of Linguistic and Acoustic Aspects of Speech. 1	1
198	Autism and mood disorders. 2021 , 33, 280-299	3

197	Reduction of depressive symptoms during inpatient treatment is not associated with changes in heart rate variability. 2021 , 16, e0248686	0
196	Animal models for the study of depressive disorder. 2021 , 27, 633-642	3
195	Assessment of Phytochemicals and Herbal Formula for the Treatment of Depression through Metabolomics. 2021 , 27, 840-854	1
194	Use of Complementary Alternative Medicine and the Associated Factors among Patients with Depression. 2021 , 2021, 6626394	5
193	Comprehensive characterization of motor and coordination functions in three adolescent wild-type mouse strains. 2021 , 11, 6497	4
192	Association of clinical characteristics, disease activity and health-related quality of life in SLE patients with major depressive disorder. 2021 , 60, 5369-5378	3
191	Gender features of depressive disorders. 2021 , 23-28	
190	Modeling heritability of temperamental differences, stress reactivity, and risk for anxiety and depression: Relevance to research domain criteria (RDoC). 2021 ,	2
189	Recent development in biological activities and safety concerns of perillaldehyde from perilla plants: A review. 2021 , 1-13	5
188	Frequency and risk factors associated with depression in elderly visiting Primary Health Care (PHC) settings: Findings from the Cretan Aging Cohort. 2021 , 4, 100109	1
187	Overweight and obese individuals with depressive symptoms from the MoodFOOD prevention trial: Role of sociodemographic, somatic health, and weight related factors. 2021 , 4, 100126	
186	Mental health disorders research in the countries of the Organisation of Islamic Cooperation (OIC), 2008-17, and the disease burden: Bibliometric study. 2021 , 16, e0250414	
185	Living with an ever-present breathlessness: Women's experiences of living with chronic obstructive pulmonary disease stage III or IV. 2021 ,	0
184	Understanding psychological treatment barriers, preferences and histories of individuals with clinically significant depressive symptoms in Australia: a preliminary study. 1-11	0
183	Age and gender differences in objective sleep properties using large-scale body acceleration data in a Japanese population. 2021 , 11, 9970	6
182	Dynamic Functional Connectivity in Adolescence-Onset Major Depression: Relationships With Severity and Symptom Dimensions. 2021 ,	1
181	Appreciation and job control predict depressive symptoms: results from the Study on Mental Health at Work. 2021 , 1	0
180	Comparison of the Clinical and Treatment Characteristics of Patients Undergoing Electroconvulsive Therapy for Catatonia Indication in the Context of Gender. 2021 , 15500594211025889	1

179	Prevalence of Major Depressive Disorder Among Adults in China: A Systematic Review and Meta-Analysis. 2021 , 12, 659470		1
178	Synergistic effect of chronic pain and nonsuicidal self-harm on pain sensitivity. 2021 , 1		0
177	Psychosocial Impacts of the COVID-19 Quarantine: A Study of Gender Differences in 59 Countries. 2021 , 57,		9
176	Physical activity, physical self-perception and depression symptoms in patients with major depressive disorder: a mediation analysis. 2021 , 271, 1205-1215		0
175	Keeping Parent, Child, and Relationship in Mind: Clinical Effectiveness of a Trauma-informed, Multigenerational, Attachment-Based, Mother-Baby Partial Hospital Program in an Urban Safety Net Hospital. 2021 , 25, 1776-1786		3
174	Spinal Cord Stimulation as Treatment for Cancer and Chemotherapy-Induced Pain.. 2021 , 2, 699993		0
173	Classifying patients with depressive and anxiety disorders according to symptom network structures: A Gaussian graphical mixture model-based clustering. 2021 , 16, e0256902		0
172	Dlg1 Knockout Inhibits Microglial Activation and Alleviates Lipopolysaccharide-Induced Depression-Like Behavior in Mice. 2021 , 37, 1671-1682		1
171	Prevalence of depressive disorders and treatment in China: a cross-sectional epidemiological study. 2021 , 8, 981-990		24
170	Global prevalence of depression and elevated depressive symptoms among adolescents: A systematic review and meta-analysis. 2021 ,		9
169	Incidence trends of major depressive disorder in 204 countries and territories between 1993 and 2017. <i>Journal of Affective Disorders</i> , 2022 , 296, 241-243	6.6	
168	Emotion Differentiation in Current and Remitted Major Depressive Disorder. 2021 , 12, 685851		0
167	Independent Associations of Serum 25-hydroxyvitamin D and D with Depressive Symptoms in Females. <i>Journal of Affective Disorders</i> , 2022 , 296, 342-349	6.6	2
166	Weekend catch-up sleep and depression: results from a nationally representative sample in Korea. 2021 , 87, 62-68		0
165	The Effect of WeII App on Social-Support, Self-efficacy, and EPDS for PPD. 2021 , 162-171		
164	Inflammatory versus Anti-inflammatory Profiles in Major Depressive Disorders-The Role of IL-17, IL-21, IL-23, IL-35 and Foxp3. 2021 , 11,		8
163	Descriptive Epidemiology of Depression in Latin America and Hispanics in the United States. 2008 , 53-71		1
162	Gender, Sexual Orientation, and Vulnerability to Depression. 2010 , 133-151		15

161	SNS Based Predictive Model for Depression. 2015 , 349-354		8
160	Depressive Störungen: Major Depression und Dysthymie. 2011 , 879-914		10
159	Depression. 2011 , 99-108		1
158	Urban-Rural Differences in Major Mental Health Conditions. 2016 , 1-106		2
157	Urban-Rural Differences in Major Mental Health Conditions. 2017 , 27-132		8
156	Unipolar depression. 2012 , 287-311		1
155	Depression in the Peruvian population and its associated factors: analysis of a national health survey. <i>Journal of Affective Disorders</i> , 2020 , 273, 291-297	6.6	9
154	Depressive symptoms and responses to cigarette pack warning labels among Mexican smokers. 2016 , 35, 442-53		4
153	Proteomic analysis reveals a biosignature of decreased synaptic protein in cerebrospinal fluid of major depressive disorder. 2020 , 10, 144		6
152	The role of religion in suicide prevention. 2009 , 8-12		8
151	Gender differences in major depressive disorder: findings from the Singapore Mental Health Study. 2017 , 58, 649-655		39
150	Epidemiology of major depressive disorder in mainland china: a systematic review. 2013 , 8, e65356		113
149	Prevalence and characteristics of probable major depression and bipolar disorder within UK biobank: cross-sectional study of 172,751 participants. 2013 , 8, e75362		184
148	Depression symptom trajectories and associated risk factors among adolescents in Chile. 2013 , 8, e78323		11
147	The prevalence and risk factors for depression symptoms in a rural Chinese sample population. 2014 , 9, e99692		66
146	Psychological Distress in the Hospital Setting: A Comparison between Native Dutch and Immigrant Patients. 2015 , 10, e0130961		6
145	The Epidemiology of Major Depressive Episode in the Iraqi General Population. 2015 , 10, e0131937		17
144	Psychotropic Drug Use in São Paulo, Brazil--An Epidemiological Survey. 2015 , 10, e0135059		15

143	Depression, Sex and Gender Roles in Older Adult Populations: The International Mobility in Aging Study (IMIAS). 2016 , 11, e0146867	19
142	Prevalence of Depression and Depression Care for Populations Registered in Primary Care in Two Remote Cities in the Brazilian Amazon. 2016 , 11, e0150046	9
141	Behavioral stress alters corticolimbic microglia in a sex- and brain region-specific manner. 2017 , 12, e0187631	50
140	Depression and anxiety among parents of phenylketonuria children. 2015 , 20, 350-6	16
139	Contextual Effects of Ethnicity, Gender, and Place on Depression; Case Study of War Related Stress for Kurdish Women. 2015 , 3, 81-89	2
138	Grant Report on SCH: Personalized Depression Treatment Supported by Mobile Sensor Analytics. 2020 , 5,	2
137	The Assessment of Anxiety and Depression and its Associated Factors in SLE. 2019 , 15, 90-98	14
136	Knowledge translation in men's health research: development and delivery of content for use online. 2015 , 17, e31	12
135	Understanding the Complex of Suicide in Depression: from Research to Clinics. 2020 , 17, 207-221	84
134	Hippocampal Mechanisms Linking Chronic Pain and Depression. 2006 , 2, 15-32	2
133	Non-Alcoholic Fatty Liver Disease and Its Association with Depression in Korean General Population. 2019 , 34, e199	21
132	Depressive symptoms in late life in urban and semi-urban areas of South-West Greece: An undetected disorder?. 2015 , 57, 295-300	12
131	Depression and Hopelessness in Institutionalized Elderly: A Societal Concern. 2016 , 05, 21-27	6
130	Prescribing Practice of Antidepressant Drugs at Outpatient Department of a Tertiary Care Teaching Hospital in Bangladesh. 2017 , 06, 14-23	3
129	Psychological effects of parenting children with autism prospective study in Kuwait. 2013 , 03, 5-10	16
128	The Standardization of the Korean Version of the Patient Health Questionnaire-2. 2013 , 52, 115	15
127	Depression Among Elderly Users of Open and Closed Care Facilities in a Rural Region of Greece: an Important Public Health Issue. 2020 , 32, 35-40	4
126	Dehydroepiandrosterone Sulfate Level Varies Nonlinearly with Symptom Severity in Major Depressive Disorder. 2017 , 15, 163-169	9

125	Relationship between depression and olfactory sensory function: a review. 2021 , 46,	3
124	The relationships between obstructive sleep apnea and psychiatric disorders: a narrative review. 2021 , 22, 46-53	
123	Depression and anxiety screening in emergency department patients with recurrent abdominal pain: An evidence synthesis for a clinical practice guideline. <i>Academic Emergency Medicine</i> , 2021 ,	3-4 0
122	Large-scale whole-exome sequencing association study identifies FOXH1 gene and sphingolipid metabolism pathway influencing major depressive disorder. 2021 , 27, 1425-1428	2
121	Universal depression prevention: An umbrella review of meta-analyses. 2021 , 144, 483-493	3
120	Baseline Depression-Like Behaviors in Wild-Type Adolescent Mice Are Strain and Age but Not Sex Dependent. 2021 , 15, 759574	2
119	Episodios depresivos: ¿hay datos para un rol causal de los trastornos de ansiedad primarios?. 2004 , 11, 84-93	
118	Psychiatrische Epidemiologie. 2008 , 55-70	
117	Psychiatrische Epidemiologie. 2011 , 109-126	
116	Recent Epidemiological Studies of Psychiatric Disorders in Japan. 559-577	
115	Glutamatergic System and Mood Disorders. 2011 , 218-235	
114	Neuroendokrinologie. 2012 , 425-433	
113	Assessing and Intervening with Children with Internalizing Disorders. 387-417	1
112	Global Mental Health Issues: Culture and Psychopathology. 2012 , 41-57	1
111	Heart Rate Variability and Depression. 2012 , 469-478	
110	EPIDEMIOLOGIC STUDY OF MENTAL HEALTH IN A METROPOLITAN AREA OF JAPAN. 2013 , 59, 347-352	
109	Psychiatry. 2014 , 269-288	
108	Chronic Pain and Depression: A Complex Epidemiological Picture. 2014 , 81-97	1

107 Depression as an Adaptation: The InfectionDefense Hypothesis and Cytokine Mechanisms. **2015**, 175-196

106 Co-morbid OSA and Depression- What we know and what we need to know. **2016**, 11, 140-144

105 Clinical Perspectives. **2016**, 61-87

104 Prevalence and Factors Related to Depressive Symptoms among University Students : From the Honam District, Korea. **2016**, 55, 215

103 6 Stemningsstoornissen. **2016**, 147-193

102 A study on the prevalence of depression and its risk factors among adult population of Siliguri subdivision of Darjeeling district, West Bengal. **2017**, 6, 351-355 1

101 Motivationaler und gesundheitsschädigender Prozess bei Deutschen Hospizhelfern. **2017**, 61, 137-151

100 Family Inclusive Therapeutic Interventions. **2019**, 169-185

99 Alpha-Synchronized Stimulation of the Dorsolateral Prefrontal Cortex (DLPFC) in Major Depression: A Proof-of-Principle EEG-TMS Study. **2019**, 1080-1083

98 The Role of Support Groups in the Management of Depression amongst People Living with HIV at Regional Hospital of Bamenda. **2019**, 08, 71-84 1

97 Altered directed functional connectivity of the right amygdala in depression: high-density EEG study.

96 EEG resting-state large-scale brain network dynamics are related to depressive symptoms.

95 Adherencia farmacológica en relación con funcionalidad familiar en el tratamiento ambulatorio de pacientes con esquizofrenia, depresión y trastorno bipolar.. **2019**, 8, 40-50 0

94 The Ātikuddus sherbiti in the treatment of abnormal cold and dry-type depression patients with comorbid anxiety: A randomized and controlled clinical trial. **2019**, 02, 127-133 2

93 Predicting individual clinical trajectories of depression with generative embedding.

92 A study on sleep apnea in patients with abnormal sewda type of depression. **2020**, 03, 123-130

91 Social Networking Service and Depression: Evidence from China. **2020**, 13, 232-241

90 Encyclopedia of Behavioral Medicine. **2020**, 440-442

89	Predicting Depression From Routine Survey Data using Machine Learning. 2020,	
88	Anxiety and Depression: A Key to Understanding the Complete Expression of Personality Disorders. 2021, 209, 188-195	0
87	Depression in Athletes: Incidence, Prevalence, and Comparisons with the Nonathletic Population. 2020, 25-37	1
86	[Clinical and sociodemographic characteristics of patients with the first depressive episode and recurrent depression]. 2020, 120, 33-39	0
85	An Artificial Neural Network for Depression Screening and Questionnaire Refinement in Undergraduate Students. 2021, 1-13	
84	Risk for depression tripled during the COVID-19 pandemic in emerging adults followed for the last 8 years. 2021, 1-8	2
83	Examining the association between family status and depression in the UK Biobank.	1
82	Prävalenz psychischer Störungen in der Allgemeinbevölkerung. 2007, 29-44	
81	Depressive Störungen: Major Depression und Dysthymie. 731-762	2
80	Decoding the Genetics and Underlying Mechanisms of Mood Disorders Sevilla D. Detera-Wadleigh and Takeo Yoshikawa. 2009, 1-50	
79	The global burden of anxiety and mood disorders: putting the European Study of the Epidemiology of Mental Disorders (ESEMED) findings into perspective. 2007, 68 Suppl 2, 10-9	48
78	Combination/augmentation strategies for improving the treatment of depression. 2005, 1, 301-9	26
77	Nutrition and depression at the forefront of progress. 2012, 5, 414-9	30
76	Raphe nuclei echogenicity changes in major depression. 2014, 28, 9	7
75	extract has antidepressant-like effects by increasing brain-derived neurotrophic factor (BDNF) and its receptor in prefrontal cortex of rats. 2021, 11, 302-313	1
74	Depression Predicts Global Functional Outcomes in Individuals at Clinical High Risk for Psychosis. 2021, 3, 163-171	1
73	Alteration of cerebral perfusion and cortical thickness in depression episodes: a comparative MRI study. 2022, 5, 38-44	
72	Neurobiological and pharmacological arguments for customization of cognitive behavioral psychotherapy in the treatment of major depressive disorder.. 2021, 62, 807-817	

71	Mediating effects of well-being on character strength and suicidal tendencies in university students. 2022,		
70	Alternate medicinal approach for the treatment of depression/mood disorder. 2022, 69-89		
69	Diseases prevalent before major depressive disorder diagnosis: an exploratory nested case-control study using health insurance-based claims data.. 2022, 12, e048233		0
68	An observational study of acupuncture and complementary treatments for major depression: Case series from a preliminary study of proposed collaborative care model. 2022,		
67	Sex Differences in Depression-Like Behaviors in Adult Mice Depend on Endophenotype and Strain.. 2022, 16, 838122		0
66	Mental health difficulties among professional footballers.		1
65	Bullying, Psychological, and Physical Trauma During Early Life Increase Risk of Major Depressive Disorder in Adulthood: A Nationwide Community Sample of Korean Adults.. 2022, 13, 792734		0
64	Association Between Psychosocial Disorders and Gastroesophageal Reflux Disease: A Systematic Review and Meta-analysis.. 2022, 28, 212-221		2
63	The association between the social environment of childhood and adolescence and depression in young adulthood - A prospective cohort study.. <i>Journal of Affective Disorders,</i> 2022,	6.6	0
62	Women's well-being during a pandemic and its containment.. 2022, 156, 102839		6
61	The role of local business employees and community members in the HIV risk environment of female sex workers in an urban setting: associations between negative interactions and inconsistent condom use.. 2021, 21, 2265		
60	Data_Sheet_1.pdf. 2020,		
59	Data_Sheet_1.docx. 2018,		
58	Table_1.DOCX. 2020,		
57	Table_2.DOCX. 2020,		
56	Table_3.DOCX. 2020,		
55	Table_4.DOCX. 2020,		
54	Table_5.DOCX. 2020,		

53	Data_Sheet_1.docx. 2019,		
52	DataSheet_1.docx. 2019,		
51	A Reciprocal Link Between Gut Microbiota, Inflammation and Depression: A Place for Probiotics?. <i>Frontiers in Neuroscience</i> , 2022 , 16, 852506	5.1	o
50	Inverse Association Between Persistence With Antidepressant Medication and Onset of Chronic Pain in Patients With Depression: A Retrospective Cohort Study.. <i>Journal of Clinical Psychopharmacology</i> , 2022 , 42, 270-279	1.7	o
49	Thin Slices of Depression: Improving Depression Detection Performance Through Data Segmentation. 2022,		1
48	Guidelines for Reasonable and Appropriate Care in the Emergency Department 2 (GRACE-2): Low-risk, recurrent abdominal pain in the emergency department.. <i>Academic Emergency Medicine</i> , 2022,	3.4	o
47	Antidepressant effects of acupuncture in a murine model: regulation of neurotrophic factors.. <i>Acupuncture in Medicine</i> , 2022 , 9645284221085279	1.9	
46	Resting-state functional connectivity correlates of anxiety co-morbidity in major depressive disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2022 , 138, 104701	9	o
45	Prevalence of depressive disorders and associated demographic characteristics in Shandong: An epidemiological investigation. <i>Journal of Affective Disorders</i> , 2022 , 311, 198-204	6.6	o
44	Income Disparity and Mental Wellbeing among Adults in Semi-Urban and Rural Areas in Malaysia: The Mediating Role of Social Capital. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 6604	4.6	1
43	Dysfunctional Heteroreceptor Complexes as Novel Targets for the Treatment of Major Depressive and Anxiety Disorders. <i>Cells</i> , 2022 , 11, 1826	7.9	o
42	Time and gender measurement invariance in the modified Calderon depression scale. <i>Health and Quality of Life Outcomes</i> , 2022 , 20,	3	
41	Amygdalaβons connectivity is hyperactive and associated with symptom severity in depression. <i>Communications Biology</i> , 2022 , 5,	6.7	o
40	Impact of psychiatric disorders. 2022,		
39	Financial Loss and Depressive Symptoms in University Students During the First Wave of the COVID-19 Pandemic: Comparison Between 23 Countries. <i>International Journal of Public Health</i> , 67,	4	o
38	Investigating Olfactory Bulb Volume Reduction as a Potential Biomarker for Some Neuropsychiatric Disorders: A Narrative Review. <i>Journal of Clinical and Basic Research</i> , 2021 , 5, 9-20	0.3	
37	Forced Social Isolation and Lockdown during the COVID-19 Pandemic: Depression, Anxiety, and Trauma-distress in a Greek sample.		
36	Genome-wide association study of treatment resistant depression highlights shared biology with metabolic traits.		o

- 35 Antidepressant-like effects of Rehmannioside A on rats induced by chronic unpredictable mild stress through inhibition of endoplasmic reticulum stress and apoptosis of hippocampus. **2022**, 125, 102157 ○
- 34 Mechanism of action of antidepressants. **2023**, 255-273 ○
- 33 The association of anxiety and other clinical features with CACNA1C rs1006737 in patients with depression. **2022**, 13, 320-326 ○
- 32 Characterisation of Mental Health Conditions in Social Media Using Deep Learning Techniques. **2022**, 157-176 ○
- 31 Prevalencia de depresión, ansiedad y burnout en médicos residentes de nuevo ingreso en Hospitales Angeles del área metropolitana. **2022**, 20, 302-306 ○
- 30 The impact of technology on mental health. **2022**, 221-249 ○
- 29 A COMPARATIVE ANALYSIS OF DEPRESSIVE DISORDERS IN CHILDREN AND ADULTS: META-ANALYSIS OF ETIOLOGY, ASSESSMENT TOOLS AND INTERVENTIONS. **2022**, 17-23 ○
- 28 Physical Health Impairment and Exercise as Medicine in Severe Mental Disorders: A Narrative Review. **2022**, 8, 1
- 27 Storytelling and training to advance individual recovery skills (STAIRS). A feasibility study of a blended program to support personal recovery among patients with a major depressive disorder in remission. 13, ○
- 26 Association of Depression and Anxiety With Hypertensive Crisis: A Cross-Sectional Study From a Hospital Setting in Karachi, Pakistan. **2022**, ○
- 25 Is depression the missing link between inflammatory mediators and cancer?. **2022**, 108293 ○
- 24 Relationship between chronotype and depressive symptoms among newly hired hospital nurses in the Republic of Korea. 34, ○
- 23 COVID-19 related information seeking: The impact of media on parental concerns. 10, ○
- 22 The Validity and Reliability of the PHQ-9 and PHQ-2 on Screening for Major Depression in Spanish Speaking Immigrants in Chile: A Cross-Sectional Study. **2022**, 19, 13975 ○
- 21 Relationship between the expression level of miRNA-4485 and the severity of depressive symptoms in major depressive disorder patients. **2022**, ○
- 20 Online Religious Involvement, Spiritual Support, Depression, and Anxiety during the COVID-19 Pandemic. **2022**, 13, 1052 ○
- 19 Psychosocial factors associated with anxious depression. **2023**, 322, 39-45 ○
- 18 A Study of Differential Resting-State Brain Functional Activity in Males and Females with Recurrent Depressive Disorder. **2022**, 12, 1508 ○

- 17 Modelling the Relationship Between Resilience to Depression and Recent Stressful Life Events in University Students. 003329412211397 ○
- 16 Weighing psychosocial factors in relatives for the risk of depressive and anxious psychopathology: A sibling-pair comparison study. ○
- 15 Investigation of the DNA Damage and Oxidative Effect Induced by Venlafaxine in Mouse Brain and Liver Cells. **2022**, 10, 737 ○
- 14 The role and mechanism of NLRP3 inflammasome-mediated astrocyte activation in dehydrocorydaline against CUMS-induced depression. 13, ○
- 13 Uso de ansiolíticos e antidepressivos entre estudantes de medicina de uma universidade. **2022**, 53, e38105 ○
- 12 Modifiable Risk Factors for Dementia Among Migrants, Refugees and Asylum Seekers in Australia: A Systematic Review. ○
- 11 A U-Shaped Association between Internet Use and Depression in China. **2022**, 46, 627-636 ○
- 10 Mobile Mental Health Units in Heraklion Crete 2013-2022: Progress, Difficulties and Future Challenges. **2023**, 5, 26-37 ○
- 9 Randomized Controlled Trials on Relaxation Training in Complementary Treatment of Mental Disorders. **2017**, 4, 9-26 ○
- 8 The genetic basis of major depressive disorder. 1
- 7 Health Outcomes in Military Families. **2023**, 57-155 ○
- 6 Weighing psychosocial factors in relatives for the risk of psychopathology: a study of patients with depressive and anxiety disorders and their siblings. ○
- 5 An investigation of the psychological stress of medical staff in Shanghai shelter hospital during COVID-19. 14, ○
- 4 Lower 24-h urinary potassium excretion is associated with higher prevalent depression and anxiety status in general population. **2023**, 13, ○
- 3 Review of Ecstasy and its derivatives as selective MAO-A inhibitors. ○
- 2 Depression Screening in a population-based study: Brazilian National Health Survey 2019. **2023**, 28, 1163-1174 ○
- 1 Forced social isolation and lockdown during the COVID-19 pandemic: depression, anxiety, trauma-distress and coping mechanisms of a Greek sample. ○