

CITATION REPORT

List of articles citing

The economic burden of depression and the cost-effectiveness of treatment

DOI: 10.1002/mpr.139

International Journal of Methods in Psychiatric Research, 2003, 12, 22-33.

Source: <https://exaly.com/paper-pdf/35063747/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
300	Cost-effectiveness of escitalopram versus citalopram in the treatment of severe depression. 2004 , 38, 954-60		26
299	Exploratory evidence on the market for effective depression care in Pittsburgh. 2004 , 55, 392-5		20
298	How much does quality mental health care profit employers?. 2005 , 47, 1099-109		39
297	Prevalence and treatment of mental disorders. 2005 , 353, 1184; author reply 1184		2
296	Duloxetine and venlafaxine-XR in the treatment of major depressive disorder: a meta-analysis of randomized clinical trials. 2005 , 39, 1798-807		33
295	Comparison of the effects of mirtazapine and fluoxetine in severely depressed patients. 2005 , 19, 137-46		50
294	Prevalence and treatment of mental disorders, 1990 to 2003. 2005 , 352, 2515-23		1249
293	Worksite Disease Management Programs for Depression. 2006 , 14, 13-26		8
292	Seven criteria for improving effectiveness trials in psychiatry. 2006 , 36, 711-20		27
291	Does co-morbid depressive illness magnify the impact of chronic physical illness? A population-based perspective. 2006 , 36, 587-96		167
290	Modeling the impact of enhanced depression treatment on workplace functioning and costs: a cost-benefit approach. 2006 , 44, 352-8		65
289	A meta-analysis of labor supply effects of interventions for major depressive disorder. 2006 , 57, 212-8		26
288	Prevalence and effects of mood disorders on work performance in a nationally representative sample of U.S. workers. 2006 , 163, 1561-8		545
287	Telephone screening, outreach, and care management for depressed workers and impact on clinical and work productivity outcomes: a randomized controlled trial. 2007 , 298, 1401-11		274
286	The impact of comorbidity of mental and physical conditions on role disability in the US adult household population. 2007 , 64, 1180-8		324
285	Prevalence, comorbidity, and service utilization for mood disorders in the United States at the beginning of the twenty-first century. 2007 , 3, 137-58		328
284	Efficacy and safety of desvenlafaxine succinate in the treatment of major depressive disorder. 2007 , 2, 361-371		1

283	Family therapy for depression. 2007 , CD006728	43
282	A Qualitative Review of Recent Economic Evaluations of Escitalopram. 2007 , 23, 35-40	1
281	Reducing the societal burden of depression: a review of economic costs, quality of care and effects of treatment. 2007 , 25, 7-24	141
280	Psychiatric epidemiology: challenges and opportunities. 2007 , 19, 509-21	18
279	Diabetes, minor depression and health care utilization and expenditures: a retrospective database study. 2007 , 5, 4	41
278	Escitalopram in the treatment of major depressive disorder: clinical efficacy, tolerability and cost-effectiveness vs. venlafaxine extended-release formulation. 2007 , 61, 702-10	25
277	The Influence of Integration on the Expenditures and Costs of Mental Health and Substance Use Care: Results from the randomized PRISM-E Study. 2008 , 32, 108-127	5
276	Case-mix adjustment of consumer reports about managed behavioral health care and health plans. 2008 , 43, 2014-32	20
275	Sickness absence among female employees with migraine and co-existing conditions. 2008 , 28, 1136-44	10
274	The influence of multi-morbidity and self-reported socio-economic standing on the prevalence of depression in an elderly Hong Kong population. 2008 , 8, 119	51
273	Effectiveness of short-term and long-term psychotherapy on work ability and functional capacity--a randomized clinical trial on depressive and anxiety disorders. 2008 , 107, 95-106	77
272	The association of major depressive episodes with income inequality and the human development index. 2008 , 67, 529-39	72
271	Psychosocial and pharmacological interventions for depressed adults in primary care: a critical review. 2008 , 28, 131-161	73
270	Escitalopram and duloxetine in major depressive disorder: a pharmacoeconomic comparison using UK cost data. 2008 , 26, 969-81	25
269	Depression in the workplace is associated with high indirect costs related to absenteeism and impaired performance. 2008 , 24, 23-26	
268	The association of worker productivity and mental health: a review of the literature. 2008 , 1, 78-94	23
267	Barriers to seeking help and treatment suggestions for prenatal depressive symptoms: focus groups with rural low-income women. 2008 , 29, 3-19	67
266	Co-occurring mental illness and health care utilization and expenditures in adults with obesity and chronic physical illness. 2008 , 11, 153-60	29

265	Integrated management of depression: improving system quality and creating effective interfaces. 2008 , 50, 482-91	12
264	The prevalence and correlates of workplace depression in the national comorbidity survey replication. 2008 , 50, 381-90	70
263	Clinician- and organization-level factors in the adoption of evidence-based care for depression in primary care. 2008 , 33, 289-99	23
262	A holistic approach to severe depression: my story. 2008 , 22, 81-6	2
261	Making the business case for enhanced depression care: the National Institute of Mental Health-harvard Work Outcomes Research and Cost-effectiveness Study. 2008 , 50, 468-75	33
260	A clinical perspective on workplace depression: current and future directions. 2008 , 50, 501-13	5
259	[Prevalence of mental disorders at a referral center for the Family Health Program in Santa Cruz do Sul, Rio Grande do Sul State, Brazil]. 2008 , 24, 2043-53	15
258	A clinical trials agenda for testing interventions in earlier stages of psychotic disorders. 2009 , 190, S33-6	12
257	Labor Force Participation, Unemployment, and Mental Physical Comorbidity. 249-255	1
256	Steps for implementing collaborative care programs for depression. 2009 , 12, 69-79	25
255	Standardized web-based cognitive behavioural therapy of mild to moderate depression: a randomized controlled trial with a long-term follow-up. 2009 , 38, 206-21	124
254	Economic evaluation of a minimal psychological intervention in chronically ill elderly patients with minor or mild to moderate depression: a randomized trial (the DELTA-study). 2009 , 25, 497-504	21
253	Understanding social support and the couple's relationship among women with depressive symptoms in pregnancy. 2009 , 30, 764-76	15
252	Anticonvulsants in the treatment of major depressive disorder: an overview. 2009 , 17, 231-41	49
251	Paradoxical anxiogenic response of juvenile mice to fluoxetine. 2009 , 34, 2197-207	58
250	Employee absenteeism measures reflecting current work practices may be instrumental in a re-evaluation of the relationship between psychological distress/mental health and absenteeism. <i>International Journal of Methods in Psychiatric Research</i> , 2009 , 18, 37-47	4-3 20
249	The Relation of Parental Guilt Induction to Child Internalizing Problems When a Caregiver Has a History of Depression. 2009 , 18, 367-377	27
248	Mental health and the workplace: issues for developing countries. 2009 , 3, 4	32

247	Family functioning and depression in low-income Latino couples. 2009 , 35, 432-45	52
246	Preparing the ethical future of deep brain stimulation. 2009 , 72, 577-86; discussion 586	114
245	Remission, response without remission, and nonresponse in major depressive disorder: impact on functioning. 2009 , 24, 133-8	72
244	Prevalence and correlates of chronic depression in the canadian community health survey: mental health and well-being. 2009 , 54, 389-98	69
243	Patient motivation for participating in clinical trials for depression: validation of the motivation for clinical trials inventory-depression. 2010 , 25, 7-16	8
242	Prevalence and associated factors of depressive symptoms among Chinese doctors: a cross-sectional survey. 2010 , 83, 905-11	69
241	Interacting with the public as a risk factor for employee psychological distress. 2010 , 10, 435	16
240	Developing a Culturally Appropriate Depression Prevention Program: Opportunities and Challenges. 2010 , 17, 188-197	8
239	Depression in primary care: interpersonal counseling vs selective serotonin reuptake inhibitors. The DEPICS Study. A multicenter randomized controlled trial. Rationale and design. 2010 , 10, 97	17
238	Models of depression. 2010 , 82, 1-21	92
237	Treating depression and achieving remission. 2010 , 3, 163-8	1
236	Depressive symptoms are associated with medication use and lower health-related quality of life in overweight women with binge eating disorder. 2010 , 20, 435-40	20
235	Remission of major depressive disorder without adverse events: a comparison of escitalopram versus serotonin norepinephrine reuptake inhibitors. 2011 , 27, 1089-96	6
234	Phenomenological differences between acute and chronic forms of major depression in inpatients. 2011 , 65, 330-7	19
233	Days-out-of-role associated with insomnia and comorbid conditions in the America Insomnia Survey. 2011 , 70, 1063-73	24
232	Internet-based treatment of depression: a randomized controlled trial comparing guided with unguided self-help. 2011 , 40, 251-66	244
231	Neural mechanisms of the cognitive model of depression. 2011 , 12, 467-77	904
230	Does physical activity impact on presenteeism and other indicators of workplace well-being?. 2011 , 41, 249-62	77

229	Recognition of mental disorders and beliefs about treatment and outcome: findings from an Australian national survey of mental health literacy and stigma. 2011 , 45, 947-56	142
228	Prevalence and clinical course of depression: a review. 2011 , 31, 1117-25	327
227	Interpersonal emotion regulation as a mechanism of social support in depression. 2011 , 31, 1276-90	185
226	Introduction: Evidence-Based Practice for Major Depressive Disorder. 2011 , 1-19	
225	Major Depresif Bozuklukta Tedavi Hedefleri ve Tedavinin İzlenmesi. 2011 , 21, S1-S9	2
224	Applied Positive Psychology. 2011 ,	31
223	Long-term body weight outcomes of antidepressant-environment interactions. 2011 , 16, 265-72	24
222	The Prospect of Plasticity: Malleability Views of Group Differences and their Implications for Intellectual Achievement, Mental/Behavioral Health, and Public Policy. 2011 , 5, 137-159	6
221	Functional biomarkers of depression: diagnosis, treatment, and pathophysiology. 2011 , 36, 2375-94	305
220	Do Latino and non-Latino White Medicaid-enrolled adults differ in utilization of evidence-based treatment for major depressive disorder?. 2011 , 13, 1048-54	5
219	Depression care management: impact of implementation on health system costs. 2011 , 30, 156-60	10
218	Impact of common mental disorders on sickness absence in an occupational cohort study. 2011 , 68, 408-13	64
217	Religious practices, beliefs, and mental health: variations across ethnicity. 2012 , 17, 171-85	26
216	Help seeking for mental health on college campuses: review of evidence and next steps for research and practice. 2012 , 20, 222-32	162
215	Socio-demographic and work setting correlates of poor mental health in a population sample of working Victorians: application in evidence-based intervention priority setting. 2012 , 14, 109-122	11
214	Repeated job strain and the risk of depression: longitudinal analyses from the Whitehall II study. 2012 , 102, 2360-6	109
213	Emerging drugs for major depressive disorder. 2012 , 17, 105-26	60
212	Meta-analysis of serotonin transporter gene promoter polymorphism (5-HTTLPR) association with antidepressant efficacy. 2012 , 22, 239-58	238

211	The costs of depression. 2012 , 35, 1-14	465
210	Depressive symptoms among Chinese nurses: prevalence and the associated factors. 2012 , 68, 1166-75	62
209	Gynecologic care for breast cancer survivors: assisting in the transition to wellness. 2012 , 206, 390-7	10
208	Cost-effectiveness comparisons between antidepressant treatments in depression: evidence from database analyses and prospective studies. 2012 , 139, 113-25	14
207	Americans Value Happiness, But Block Required Policies. 2013 , 14, 353-361	0
206	Depression- and anxiety-related sick leave and the risk of permanent disability and mortality in the working population in Germany: a cohort study. 2013 , 13, 145	58
205	Late life depression: a global problem with few resources. 2013 , 36, 475-81	37
204	Depression in the workplace: An economic cost analysis of depression-related productivity loss attributable to job strain and bullying. 2013 , 27, 321-338	117
203	Economics of psychosocial factors in patients with cardiovascular disease. 2013 , 55, 563-73	16
202	Influence of depression symptoms on history-independent reward and punishment processing. 2013 , 207, 53-60	20
201	Crisis-induced depression, physical activity and dietary intake among young adults: evidence from the 9/11 terrorist attacks. 2013 , 11, 206-20	5
200	The epidemiology of depression across cultures. 2013 , 34, 119-38	1310
199	Impact of a mobile phone and web program on symptom and functional outcomes for people with mild-to-moderate depression, anxiety and stress: a randomised controlled trial. 2013 , 13, 312	162
198	Internet-based treatment of major depression for patients on a waiting list for inpatient psychotherapy: protocol for a multi-centre randomised controlled trial. 2013 , 13, 318	13
197	An official American Thoracic Society systematic review: Influence of psychosocial characteristics on workplace disability among workers with respiratory impairment. 2013 , 188, 1147-60	4
196	Metabonomic study on the antidepressant-like effects of banxia houpu decoction and its action mechanism. 2013 , 2013, 213739	18
195	Family functioning in depressed and non-clinical control families. 2013 , 59, 561-9	19
194	Mental health treatment associated with community-based depression screening: considerations for planning multidisciplinary collaborative care. 2013 , 47, 797-804	3

193	Factor structure of the CES-D scale among older adults in Chennai, India. 2013 , 17, 517-25	19
192	How Psychological Telehealth Can Alleviate Society's Mental Health Burden: A Literature Review. 2013 , 31, 22-41	34
191	Objectively measured sedentary behavior and physical activity in office employees: relationships with presenteeism. 2013 , 55, 945-53	45
190	Direct costs associated with depressive symptoms in late life: a 4.5-year prospective study. 2013 , 25, 292-302	24
189	Prevalência de transtornos mentais comuns em jovens brasileiros recém-incorporados ao Serviço Militar Obrigatório e fatores associados. 2013 , 18, 1809-1816	1
188	The Long-Run Effect of Maternity Leave Benefits on Mental Health: Evidence from European Countries. 2014 ,	
187	Stepped collaborative depression care: primary care results before and after implementation of a stepped collaborative depression programme. 2014 , 31, 180-92	6
186	Clinical and functional outcomes of patients who experience partial response to citalopram: secondary analysis of STAR*D. 2014 , 20, 178-87	14
185	Efficacy of levomilnacipran extended-release in improving functional impairment associated with major depressive disorder: pooled analyses of five double-blind, placebo-controlled trials. 2014 , 29, 197-205	20
184	Effectiveness of Internet-based cognitive behaviour therapy for depression in routine psychiatric care. 2014 , 155, 49-58	140
183	Urinary peptidomics identifies potential biomarkers for major depressive disorder. 2014 , 217, 25-33	28
182	Core dimensions of personality broadly account for the link from perceived social support to symptoms of depression and anxiety. 2014 , 82, 329-39	13
181	Prevalence and associated factors of depressive symptoms among Chinese male correctional officers. 2014 , 87, 387-95	23
180	Development of scales to assess mental health literacy relating to recognition of and interventions for depression, anxiety disorders and schizophrenia/psychosis. 2014 , 48, 61-9	63
179	Nonhuman primate models of depression: effects of early experience and stress. 2014 , 55, 259-73	19
178	Gender differences in the association between adiposity and probable major depression: a cross-sectional study of 140,564 UK Biobank participants. 2014 , 14, 153	21
177	Feeling connected again: interventions that increase social identification reduce depression symptoms in community and clinical settings. 2014 , 159, 139-46	144
176	Screening for depression in the primary care population. 2014 , 41, 399-420	10

175	A multifaceted intervention to improve mental health literacy in employees of a multi-campus university: a cluster randomised trial. 2014 , 13, 25-39	10
174	Psychiatric Epidemiology. 2015 , 407-434	1
173	Coûts et bénéfices d'un programme de financement des psychothérapies auprès des Français souffrant de troubles dépressifs ou anxieux. 2015 , 40, 119-140	4
172	Genetic Variations in the Serotonergic System Mediate a Combined, Weakened Response to SSRI Treatment: A Proposed Model. 2015 , 2,	7
171	Development and validation of the Penn Arthralgia Aging Scale among breast cancer survivors. 2015 , 121, 2808-13	3
170	"Nudges" to Prevent Behavioral Risk Factors Associated With Major Depressive Disorder. 2015 , 105, 2318-21	2
169	Screening SSRI-users for diabetes in a general practice. 2015 , 20, 177-184	
168	Association between Work-Family Conflict and Depressive Symptoms among Chinese Female Nurses: The Mediating and Moderating Role of Psychological Capital. 2015 , 12, 6682-99	40
167	Mental Health [An Issue Neglected by European Public Health Systems?]. 2015 ,	
166	The effect of vortioxetine on health-related quality of life in patients with major depressive disorder. 2015 , 37, 2309-2323.e6	13
165	Depleted Resources and Chronic Stress: Finding a Clinical Stronghold During the Storm 2015 , 14, 274-290	1
164	Non-alcoholic fatty liver disease comorbid with major depressive disorder: The pathological features and poor therapeutic efficacy. 2015 , 30, 1009-14	40
163	Screening for depression in the primary care population. 2015 , 38, 23-43	6
162	A review of treatment options for co-occurring methamphetamine use disorders and depression. 2015 , 26, 14-23; quiz E1	25
161	The governmentalization of living: calculating global health. 2015 , 44, 60-90	47
160	Molecular network of neuronal autophagy in the pathophysiology and treatment of depression. 2015 , 31, 427-34	52
159	Adverse childhood experiences, depression and mental health barriers to work among low-income women. 2015 , 30, 504-15	4
158	Weakened Cholinergic Blockade of Inflammation Associates with Diabetes-Related Depression. 2016 , 22, 156-161	22

157	Non-pharmacological treatment of depression: a systematic review and evidence map. 2016 , 21, 214-221	49
156	Designing context-aware cognitive behavioral therapy for unipolar and bipolar disorders. 2016 ,	3
155	The Work of Workplace Mental Health: An Institutional Ethnography. 2016 , 6, 207-222	10
154	Missing clinical and behavioral health data in a large electronic health record (EHR) system. 2016 , 23, 1143-1149	71
153	Predictors of depression severity in a treatment-seeking sample. 2016 , 16, 221-229	11
152	Changes of TSPO-mediated mitophagy signaling pathway in learned helplessness mice. 2016 , 245, 141-147	10
151	Analysis of depression trajectory patterns using collaborative learning. 2016 , 282, 191-203	11
150	Determinants of help-seeking behavior in depression: a cross-sectional study. 2016 , 16, 78	32
149	Recognition of depression, anxiety, and alcohol abuse in a Chinese rural sample: a cross-sectional study. 2016 , 16, 93	16
148	Psychotherapy effectiveness for major depression: a randomized trial in a Finnish community. 2016 , 16, 131	7
147	Long-term effectiveness and cost-effectiveness of cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: follow-up of the CoBaT randomised controlled trial. 2016 , 3, 137-44	69
146	An exploratory study of the benefits of youth mental health literacy studies for social work students. 2016 , 14, 42-60	3
145	Reducing the burden of suffering from eating disorders: Unmet treatment needs, cost of illness, and the quest for cost-effectiveness. 2017 , 88, 49-64	72
144	Treatment-related reductions in catastrophizing predict return to work in individuals with post-traumatic stress disorder. 2017 , 22, e12087	7
143	Subjective Social Status and Anxiety and Depressive Symptoms and Disorders among Low Income Latinos in Primary Care: The Role of Emotion Dysregulation. 2017 , 41, 686-698	7
142	Depression After Spinal Surgery: A Comparative Analysis of the California Outcomes Database. 2017 , 92, 88-97	14
141	Childhood adversity and adult depression: The protective role of psychological resilience. 2017 , 64, 89-100	138
140	Social and emotional support as a protective factor against current depression among individuals with adverse childhood experiences. 2017 , 5, 127-133	42

139	Supporting smartphone-based behavioral activation. 2017 ,	3
138	[French Society for Biological Psychiatry and Neuropsychopharmacology and Fondation FondaMental task force: Formal Consensus for the management of treatment-resistant depression]. 2017 , 43, S1-S24	7
137	Circuit and synaptic mechanisms of repeated stress: Perspectives from differing contexts, duration, and development. 2017 , 7, 137-151	25
136	Antidepressant use and costs among low-education and low-income people with serious psychological distress: evidence from healthcare reform. 2017 , 8, 159-167	
135	The Relation Between Catastrophizing and Occupational Disability in Individuals with Major Depression: Concurrent and Prospective Associations. 2017 , 27, 405-412	8
134	Designing for hourly activity sampling in behavioral activation. 2017 ,	3
133	Novel rapid-acting antidepressants: molecular and cellular signaling mechanisms. 2017 , 1,	5
132	The impact of internet-based cognitive behavior therapy on work ability in patients with depression - a randomized controlled study. 2017 , 10, 151-159	9
131	Identifying attributes of care that may improve cost-effectiveness in the youth mental health service system. 2017 , 207, S27-S37	12
130	Indicators of patients with major depressive disorder in need of highly specialized care: A systematic review. 2017 , 12, e0171659	11
129	Understanding collaborative care implementation in the Department of Veterans Affairs: core functions and implementation challenges. 2017 , 17, 691	11
128	Demographic and need factors of early, delayed and no mental health care use in major depression: a prospective study. 2017 , 17, 367	17
127	Detecting depression stigma on social media: A linguistic analysis. 2018 , 232, 358-362	38
126	Depression literacy and help-seeking in Australian police. 2018 , 52, 1063-1074	6
125	Psychiatry & the psychedelic drugs. Past, present & future. 2018 , 142, 200-218	109
124	Depressive symptoms and psychological distress among rural African Americans: The role of material hardship and self-rated health. 2018 , 236, 207-210	8
123	From feedback loop transitions to biomarkers in the psycho-immune-neuroendocrine network: Detecting the critical transition from health to major depression. 2018 , 90, 1-15	23
122	Attendance Patterns and Links to Non-Response on Child Report of Internalizing among Mexican-Americans Randomized to a Universal Preventive Intervention. 2018 , 19, 27-37	3

121	Economic evaluations of internet- and mobile-based interventions for the treatment and prevention of depression: A systematic review. 2018 , 225, 733-755	80
120	On Context-Aware Evidence-Based Data Driven Development of Diagnostic Scales for Depression. 2018 , 929-942	0
119	Impact of Collaborative Care on Absenteeism for Depressed Employees Seen in Primary Care Practices: A Retrospective Cohort Study. 2018 , 60, 83-89	3
118	Automatic detection of major depressive disorder using electrodermal activity. 2018 , 8, 17030	14
117	Emotional Stress and Influences on Endothelium. 2018 , 265-282	
116	The market dynamics of selective serotonin re-uptake inhibitors: a private sector study in South Africa. 2017 , 17, 1197-1202	1
115	Developmental dyslexia: emotional impact and consequences. 2018 , 23, 107-135	50
114	Detection of major depressive disorder from linear and nonlinear heart rate variability features during mental task protocol. 2019 , 112, 103381	19
113	The connecting adolescents to reduce relapse (CARR) trial: study protocol for a randomized controlled trial comparing the efficacy of Groups 4 Health and cognitive behaviour therapy in young people. 2019 , 19, 788	8
112	Impact of rural address and distance from clinic on depression outcomes within a primary care medical home practice. 2019 , 20, 123	7
111	Hospitalization Costs and Financial Burden on Families with Children with Depression: A Cross-Section Study in Shandong Province, China. 2019 , 16,	2
110	RANZCP Abstracts. 2019 , 53, 3-156	2
109	P2X7 Receptor Signaling in Stress and Depression. 2019 , 20,	43
108	Personalizing Mental Health. 2019 ,	12
107	Depression and risk of disability pension: A systematic review and meta-analysis. 2019 , 91217419837412	9
106	Dual Role of Autophagy in Diseases of the Central Nervous System. 2019 , 13, 196	40
105	A guided and unguided internet- and mobile-based intervention for chronic pain: health economic evaluation alongside a randomised controlled trial. 2019 , 9, e023390	11
104	Cluster randomised controlled trial of a guided self-help mental health intervention in primary care. 2019 , 9, e023481	1

103	The relationship between self-reported sensory impairments and psychosocial health in older adults: a 4-year follow-up study using the English Longitudinal Study of Ageing. 2019 , 169, 140-148	14
102	Effects of physical exercise and stress on hippocampal CA1 and dentate gyrus synaptic transmission and long-term potentiation in adolescent and adult Wistar rats. 2019 , 408, 22-30	11
101	Rural Residents' Depressive Symptoms and Help-Seeking Preferences: Opportunities for Church-Based Intervention Development. 2019 , 58, 1661-1671	5
100	Predicting Dementia Risk to Depressive Disorder Patients: A classification Approach. 2019 ,	0
99	Pharmacological interventions for treatment-resistant depression in adults. 2019 , 12, CD010557	14
98	Barriers to complete recovery of major depression: Cross-sectional, multi-centre study on clinical practice. RECORD study. 2019 , 12, 141-150	
97	Indicated Prevention Interventions in the Workplace for Depressive Symptoms: A Systematic Review and Meta-analysis. 2019 , 56, e23-e33	14
96	Barriers to complete recovery of major depression: cross-sectional, multi-centre study on clinical practice. RECORD study. 2019 , 12, 141-150	
95	Evidence for underuse and overuse of antidepressants in older adults: Results of a large population-based study. 2019 , 34, 539-547	18
94	Morphological changes in subregions of hippocampus and amygdala in major depressive disorder patients. 2020 , 14, 653-667	25
93	Psychosocial work stressors, high family responsibilities, and psychological distress among women: A 5-year prospective study. 2020 , 63, 170-179	8
92	Determinants of depression in women with chronic disease: Evidence from a sample of poor loan takers from Pakistan. 2020 , 48, 2238-2251	1
91	Neurostimulation therapies in major depressive disorder: A decision-analytic model. 2021 , 15, 1531-1541	1
90	Complications of Non-Alcoholic Fatty Liver Disease in Extrahepatic Organs. 2020 , 10,	3
89	Amygdala Circuitry During Neurofeedback Training and Symptoms' Change in Adolescents With Varying Depression. 2020 , 14, 110	4
88	The P2X7 Receptor: Central Hub of Brain Diseases. 2020 , 13, 124	32
87	Depressive symptoms, material hardship, barriers to care, and receptivity to church-based treatment among food bank service recipients in rural Michigan. 2020 , 18, 515-535	1
86	An Epigenetic Perspective on Lifestyle Medicine for Depression: Implications for Primary Care Practice.. 2022 , 16, 76-88	1

85	Normative data and psychometric properties of the Patient Health Questionnaire-9 in a nationally representative Korean population. 2020 , 20, 194	12
84	Nitric Oxide Synthase activity in major depressive episodes before and after antidepressant treatment: Results of a large case-control treatment study. 2020 , 1-10	7
83	A Scoping Review of Non-Occupational Exposures to Environmental Pollutants and Adult Depression, Anxiety, and Suicide. 2020 , 7, 256-271	5
82	Construct validity and test-retest reliability of the World Mental Health Japan version of the World Health Organization Health and Work Performance Questionnaire Short Version: a preliminary study. 2020 , 58, 375-387	6
81	Major depressive disorder. 2020 , 339-373	1
80	Evaluating Prevalence and Patterns of Prescribing Medications for Depression for Patients With Obesity Using Large Primary Care Data (Canadian Primary Care Sentinel Surveillance Network). 2020 , 7, 24	2
79	Biological rhythms and chronotherapeutics in depression. 2021 , 106, 110158	8
78	Executive functions and functional impairment in Latin seniors suffering from depression. 2021 , 28, 543-558	1
77	Characteristics Associated With Depression, Anxiety, and Social Isolation in Adults With Spina Bifida. 2021 , 149, 255-262	3
76	Gut Microbiota Mediates the Preventive Effects of Dietary Capsaicin Against Depression-Like Behavior Induced by Lipopolysaccharide in Mice. 2021 , 11, 627608	6
75	Integrating Cultural Relevance into a Behavioral mHealth Intervention for Native American Youth. 2021 , 5,	5
74	Socioeconomic inequality in psychological distress among older adults in India: a decomposition analysis. 2021 , 21, 179	14
73	Peer-delivered Cognitive Behavioral Therapy-based Intervention Reduced Depression and Stress in Community Dwelling Adults With Diabetes and Chronic Pain: A Cluster Randomized Trial. 2021 , 55, 970-980	2
72	Changes in concentrations of NMDA receptor subunit GluN2B, Arc and syntaxin-1 in dorsal hippocampus Schaffer collateral synapses in a rat learned helplessness model of depression. 2021 , 529, 3194-3205	0
71	Smartphone Delivery of Cognitive Behavioral Therapy for Postintensive Care Syndrome-Family: Protocol for a Pilot Study (Preprint).	
70	Feasibility and Efficacy of Delivering Cognitive Behavioral Therapy Through an Online Psychotherapy Tool for Depression: Protocol for a Randomized Controlled Trial. 2021 , 10, e27489	1
69	Cost-Effectiveness of a Web-Based Program for Residual Depressive Symptoms: Mindful Mood Balance. 2021 , appips202000419	1
68	Economic evaluation in psychiatric pharmacogenomics: a systematic review. 2021 , 21, 533-541	5

67	Smartphone Delivery of Cognitive Behavioral Therapy for Postintensive Care Syndrome-Family: Protocol for a Pilot Study. 2021 , 10, e30813	1
66	Polysomnography in seasonal affective disorder: A systematic review and meta-analysis. 2021 , 292, 405-415	1
65	Difference in patterns of prescribing antidepressants known for their weight-modulating and cardiovascular side effects for patients with obesity compared to patients with normal weight. 2021 , 295, 1310-1318	0
64	Epidemiologie. 2006 , 15-37	17
63	Complexity Science in the Future of Behavioral Medicine. 2013 , 889-909	2
62	Integrated Behavioral Health in Public Health Care Contexts: Community Health and Mental Health Safety Net Systems. 2013 , 131-165	2
61	The factors of patient-reported readiness for hospital discharge in patients with depression: A cross-sectional study. 2021 , 28, 409-421	2
60	Changing profiles of service sectors used for mental health care in the United States. 2006 , 163, 1187-98	148
59	Cost-effectiveness of collaborative care for the treatment of depressive disorders in primary care: a systematic review. 2015 , 10, e0123078	35
58	Psychometric Properties of the Dutch Depression Stigma Scale (DSS) and Associations with Personal and Perceived Stigma in a Depressed and Community Sample. 2016 , 11, e0160740	16
57	Adult Mental Disorders. 2016 , 67-86	2
56	Integrated Public Health and Health Service Delivery for Noncommunicable Diseases and Comorbid Infectious Diseases and Mental Health. 2017 , 287-303	2
55	Molecular and Cellular Mechanisms of Rapid-Acting Antidepressants Ketamine and Scopolamine. 2017 , 15, 11-20	86
54	Data-Driven Learning in High-Resolution Activity Sampling From Patients With Bipolar Depression: Mixed-Methods Study. 2018 , 5, e10122	3
53	Web-Based Mindfulness Interventions for Mental Health Treatment: Systematic Review and Meta-Analysis. 2018 , 5, e10278	46
52	Effectiveness of a novel integrative online treatment for depression (Deprexis): randomized controlled trial. 2009 , 11, e15	250
51	Web-based intervention in mindfulness meditation for reducing residual depressive symptoms and relapse prophylaxis: a qualitative study. 2014 , 16, e87	43
50	Efficacy of a Web-based, crowdsourced peer-to-peer cognitive reappraisal platform for depression: randomized controlled trial. 2015 , 17, e72	101

49	Mobile Phone Sensor Correlates of Depressive Symptom Severity in Daily-Life Behavior: An Exploratory Study. 2015 , 17, e175	387
48	The Effect of Workplace Violence on Depressive Symptoms and the Mediating Role of Psychological Capital in Chinese Township General Practitioners and Nurses: A Cross-Sectional Study. 2019 , 16, 896-903	3
47	Entertain Me Well: An Entertaining, Tailorable, Online Platform Delivering CBT for Depression. 2021 ,	0
46	Technology-Assisted, Group-Based CBT for Rural Adults Depression: Open Pilot Trial Results. 104973152110448	
45	Pharmacogenetics of Psychoactive Drugs. 144-175	
44	Distance Psychotherapy--New Reality. 2015 , 104, 431-2	1
43	Levomilnacipran Extended-Release Treatment in Patients With Major Depressive Disorder: Improvements in Functional Impairment Categories. 2015 , 17,	2
42	Symptoms of Depression and Status in the European Labour Market. 2017 , 317-332	
41	Caring for Patients With Chronic Physical and Mental Health Conditions: Lessons From TEAMcare and COMPASS. 2017 , 15, 279-283	0
40	Mindfulness-based online interventions for mental health treatment: A systematic review and meta-analysis (Preprint).	
39	Depressive Emotion Recognition Based on Behavioral Data. 2019 , 257-268	1
38	Evaluation of Serum Glial Cell Line-derived Neurotrophic Factor in Bangladeshi Major Depressive Disorder Patients. 2019 , 11, e6081	4
37	Cultural Considerations in Treating Depression. 2020 , 309-321	1
36	The global burden of anxiety and mood disorders: putting the European Study of the Epidemiology of Mental Disorders (ESEMED) findings into perspective. 2007 , 68 Suppl 2, 10-9	48
35	Nutrition and depression at the forefront of progress. 2012 , 5, 414-9	30
34	Investment in Social Marketing Campaign to Reduce Stigma and Discrimination Associated with Mental Illness Yields Positive Economic Benefits to California. 2017 , 6, 5	2
33	Association of stressful life events and psychological problems profile: Results from a large-scale cross-sectional study among Iranian industrial employees using Bayesian quantile structural equation model. 2018 , 17, 620-633	2
32	Vitamin E, Alpha-Tocopherol, and Its Effects on Depression and Anxiety: A Systematic Review and Meta-Analysis.. 2022 , 14,	6

- 31 The Effect of Sericin on the Cognitive Impairment, Depression, and Anxiety Caused by Learned Helplessness in Male Mice.. **2022**, 1 ○
- 30 Metabolomics of Major Depressive Disorder: A Systematic Review of Clinical Studies.. **2022**, 14, e23009 ○
- 29 Data_Sheet_1.PDF. **2020**,
- 28 Presentation_1.pdf. **2020**,
- 27 Image_1.tiff. **2020**,
- 26 Image_2.tiff. **2020**,
- 25 Image_4.tiff. **2020**,
- 24 Table_1.pdf. **2020**,
- 23 Table_2.pdf. **2020**,
- 22 Table_3.pdf. **2020**,
- 21 Table_4.pdf. **2020**,
- 20 Repetitive Transcranial Magnetic Stimulation-Associated Changes in Neocortical Metabolites in Major Depression: A Systematic Review. **2022**, 103049
- 19 Psychometric properties of screening questionnaires to detect depression in primary healthcare setting in rural Ethiopia. **2022**, 23,
- 18 Early indicators of vulnerability to depression: The role of rumination and heart rate variability. **2022**, ○
- 17 Does Empty Nest Elderly Experience More Depressive Symptoms than Non-Empty Nest Elderly? Evidence from Longitudinal Aging Study in India. 1-12
- 16 DepreST-CAT. **2022**, 6, 1-32 1
- 15 Estimating the causal effect of liability to disease on healthcare costs using Mendelian Randomization. **2022**, 46, 101154 ○
- 14 Tai Chi/Qigong in Adults with Depression and Anxiety: A Pilot Retrospective Study. **2022**, 1, 131-139

- 13 Different Categorizations of Women's Sexual Orientation Reveal Unique Health Outcomes in a Nationally Representative U.S. Sample. **2022**,
- 12 Impact assessment of stereotype threat on mobile depression screening using Bayesian estimation. **2022**, 2, 100088
- 11 Sustainable return to work after depression - A comparative study among occupational physicians and affected employees. 10, ○
- 10 Validation of a data collection set for the psychiatric, addiction, sleep and chronobiological assessments of patients with depression: A Delphi study for the SoPsy-depression French national cohort. **2022**, ○
- 9 The welfare cost of late-life depression. **2022**, 204, 15-36 ○
- 8 Psychobiotics, a Special Type of Probiotics, and Their Potential Molecular Mechanisms to Ameliorate Symptoms of Stress and Anxiety. **2022**, 28-56 ○
- 7 Comparing the efficacy of mindfulness-based therapy and cognitive-behavioral therapy for depression in head-to-head randomized controlled trials: A systematic review and meta-analysis of equivalence. **2023**, 100, 102234 1
- 6 Work Ability and Psychosocial Factors in Healthcare Settings During COVID-19 Pandemic [Specific Focus on Ageing Workers]. **2022**, 36, 164-178 ○
- 5 Antidepressant-Like Activity of Solvent Fractions of the Root Bark of *Carissa spinarum* Linn. (Apocynaceae) in Rodents Involves Multiple Signaling Pathways. Volume 14, 379-394 1
- 4 Community-guided measurement-based care for autistic youth and adults receiving psychotherapy: A conceptual overview and pilot implementation study of MBC-AUT. 136236132211435 ○
- 3 Efficacy of short-term psychodynamic psychotherapy (STPP) in depressive disorders: A systematic review and meta-analysis. **2023**, 325, 169-176 ○
- 2 Loneliness, social isolation, depression and anxiety among the elderly in Shanghai: Findings from a longitudinal study. **2023**, 110, 104980 ○
- 1 The Efficacy and Tolerability of Continuation and Maintenance Electroconvulsive Therapy for Depression. Publish Ahead of Print, ○