

CITATION REPORT

List of articles citing

Patients presenting with somatic complaints:
epidemiology, psychiatric comorbidity and management

DOI: 10.1002/mpr.140

International Journal of Methods in Psychiatric
Research, 2003, 12, 34-43.

Source: <https://exaly.com/paper-pdf/35063748/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
429	Somatic symptoms in primary care: etiology and outcome. 2003 , 44, 471-8		162
428	Unexplained symptoms after terrorism and war: an expert consensus statement. 2003 , 45, 1040-8		51
427	Medically unexplained physical symptoms: toward an alternative paradigm for diagnosis and treatment. 2003 , 8, 20-6		14
426	The outcome of physical symptoms with treatment of depression. 2004 , 19, 813-8		115
425	Determinants of complaint symptoms in a Swedish health care practice--results of a questionnaire survey. <i>Journal of Psychosomatic Research</i> , 2004 , 57, 307-16	4.1	15
424	Using the World Health Organization Health and Work Performance Questionnaire (HPQ) to evaluate the indirect workplace costs of illness. 2004 , 46, S23-37		282
423	Stress perception and social indicators for low back, shoulder and joint pains in Japan: national surveys in 1995 and 2001. 2004 , 203, 195-204		5
422	Depressive disorders in primary care: recurrent, chronic, and co-morbid. 2005 , 35, 673-82		73
421	General medical and pharmacy claims expenditures in users of behavioral health services. 2005 , 20, 160-7		46
420	Rethinking the place of the psyche in health: toward the integration of health care systems. 2005 , 39, 816-825		2
419	Chronic pain syndromes in the emergency department: identifying guidelines for management. 2005 , 17, 57-64		17
418	Translation and validation of the Depression Outcomes Module (DOM) in Greece. <i>International Journal of Methods in Psychiatric Research</i> , 2005 , 14, 221-9	4.3	1
417	Physicians perceived usefulness of high-cost diagnostic imaging studies: results of a referral study in a German medical quality network. 2005 , 6, 22		1
416	Rational Integration of Pharmacologic, Behavioral, and Rehabilitation Strategies in the Treatment of Chronic Pain. 2005 , 84, S64-S76		21
415	Somatic symptoms in late-life anxiety: treatment issues. 2005 , 18, 89-96		41
414	Rethinking the place of the psyche in health: toward the integration of health care systems. 2005 , 39, 816-25		22
413	Psychiatric and psychological dysfunction in irritable bowel syndrome and the role of psychological treatments. 2005 , 34, 281-303		60

412 O10 - Évaluation de la douleur physique. **2005**, 6, 20-29

411 Remission from depression : a review of venlafaxine clinical and economic evidence. **2005**, 23, 567-81 11

410 The influence of complaint symptoms on health care utilisation, medicine use, and sickness absence. A comparison between retrospective and prospective utilisation. *Journal of Psychosomatic Research*, **2005**, 59, 139-46 4.1 13

409 Physical symptoms as a predictor of health care use and mortality among older adults. **2005**, 118, 301-6 74

408 Somatic symptoms in outpatients with major depressive disorder treated with fluoxetine. **2006**, 47, 348-52 19

407 Symptoms, syndromes, and the value of psychiatric diagnostics in patients who have functional somatic disorders. **2006**, 90, 603-26 74

406 Epidemiologic trends and costs of fragmentation. **2006**, 90, 549-72 36

405 Dimensionality of somatic complaints: factor structure and psychometric properties of the Self-Rating Anxiety Scale. **2006**, 20, 543-61 104

404 Methodological issues concerning lifetime medically unexplained and medically explained symptoms of the Composite International Diagnostic Interview: a prospective 11-year follow-up study. *Journal of Psychosomatic Research*, **2006**, 61, 169-79 4.1 42

403 Somatoform disorders in DSM-IV: mental or physical disorders?. *Journal of Psychosomatic Research*, **2006**, 60, 341-4 4.1 33

402 Explaining medically unexplained symptoms: toward a multidimensional, theory-based approach to somatization. *Journal of Psychosomatic Research*, **2006**, 60, 349-52 4.1 48

401 Physical symptom disorder: a simpler diagnostic category for somatization-spectrum conditions. *Journal of Psychosomatic Research*, **2006**, 60, 335-9 4.1 110

400 Explanatory and pragmatic perspectives regarding idiopathic physical symptoms and related syndromes. **2006**, 11, 225-32 13

399 Depression and prehospital delay in the context of myocardial infarction. **2006**, 68, 51-7 54

398 Predictors of fatigue in rescue workers and residents in the aftermath of an aviation disaster: a longitudinal study. **2006**, 68, 605-12 21

397 Anxiety sensitivity and depression: mechanisms for understanding somatic complaints in veterans with posttraumatic stress disorder. **2006**, 19, 471-9 38

396 Need and greed in dermatology: disease and outcome measures in dermatological healthcare planning. **2006**, 213, 279-83 5

395 Somatization, somatosensory amplification, attribution styles and illness behaviour: a review. **2006**, 18, 25-33 118

394	Behavioral predictors of substance-use initiation in adolescents with and without attention-deficit/hyperactivity disorder. 2006 , 117, 2030-9		102
393	Terrorism, trauma, and mass casualty triage: how might we solve the latest mind-body problem?. 2007 , 5, 155-63		18
392	Prevalence, comorbidity, and service utilization for mood disorders in the United States at the beginning of the twenty-first century. 2007 , 3, 137-58		328
391	Trauma and medically unexplained symptoms towards an integration of cognitive and neuro-biological accounts. 2007 , 27, 798-820		126
390	Pain in depression: STAR*D study findings. <i>Journal of Psychosomatic Research</i> , 2007 , 63, 113-22	4.1	64
389	Protocollo diagnóstico del paciente ansioso. 2007 , 9, 5429-5431		
388	Elevation of Candida IgG antibodies in patients with medically unexplained symptoms. 2007 , 13, 1129-33		3
387	A stress process model of family caregiver service utilization: factors associated with respite and counseling service use. 2007 , 49, 29-49		12
386	Somatoform disorders and recent diagnostic controversies. 2007 , 30, 593-619		42
385	Provider and patient perspectives regarding health care for war-related health concerns. 2007 , 68, 52-60		7
384	Patients with persistent medically unexplained symptoms in general practice: characteristics and quality of care. 2007 , 8, 33		84
383	Painful physical symptoms in depression: a clinical challenge. 2007 , 8 Suppl 2, S75-82		37
382	Are physical symptoms among survivors of a disaster presented to the general practitioner? A comparison between self-reports and GP data. 2007 , 7, 150		6
381	Stress-related musculoskeletal pain. 2007 , 21, 549-65		41
380	Stepped Care for Affective Disorders and Musculoskeletal Pain (SCAMP) study: design and practical implications of an intervention for comorbid pain and depression. 2007 , 29, 506-17		73
379	Ethical issues in the management of somatoform disorders. 2007 , 6, 63-66		2
378	Efficacy of treatment for somatoform disorders: a review of randomized controlled trials. 2007 , 69, 881-8		295
377	Körperbeschwerden bei niedergelassenen Psychologischen Psychotherapeuten. 2007 , 52, 41-50		2

376	Körperliche Beschwerden als Herausforderung in der psychiatrischen Diagnostik. 2007 , 3, 23-30	
375	Self-management practices among primary care patients with musculoskeletal pain and depression. 2008 , 31, 301-7	31
374	Influence of psychological stress on physical pain. 2008 , 24, 159-164	2
373	Physical symptoms that predict psychiatric disorders in rural primary care adults. 2008 , 14, 399-406	12
372	Comorbid painful physical symptoms and anxiety: prevalence, work loss and help-seeking. 2008 , 109, 264-72	20
371	Venlafaxine versus mirtazapine in the treatment of undifferentiated somatoform disorder: a 12-week prospective, open-label, randomized, parallel-group trial. 2008 , 28, 251-61	19
370	Applying the institute of medicine quality chasm framework to improving health care for mental and substance use conditions. 2008 , 31, 43-56	10
369	Medically unexplained presentations and quality of life: a study of a predominantly South Asian primary care population in England. <i>Journal of Psychosomatic Research</i> , 2008 , 65, 311-7	4.1 33
368	Impact of pain on the outcomes of depression treatment: results from the RESPECT trial. 2008 , 134, 209-15	112
367	Fluoxetine versus sertraline in the treatment of patients with undifferentiated somatoform disorder: a randomized, open-label, 12-week, parallel-group trial. 2008 , 32, 437-44	11
366	Paroxetine for patients with undifferentiated somatoform disorder: A prospective, open-label, 8-week pilot study. 2008 , 69, 221-31	
365	Obesity and symptom burden in family medicine patients. 2008 , 1, 165-72	
364	Negotiating the diagnostic uncertainty of contested illnesses: physician practices and paradigms. 2008 , 12, 453-78	37
363	Mild traumatic brain injury in U.S. Soldiers returning from Iraq. 2008 , 358, 453-63	2098
362	Somatic symptoms, hypochondriasis and psychological distress: a study of somatisation in Australian general practice. 2008 , 189, 560-4	59
361	Advances in treating chronic nonmalignant pain and substance use disorders. 2008 , 53, 485-6	2
360	Health Care Policy, Quality Improvement, and Patient Safety in Pain Medicine Practice. 2008 , 51-109	1
359	Pharmacological management of panic disorder. 2008 , 4, 93-106	13

358	Optimized antidepressant therapy and pain self-management in primary care patients with depression and musculoskeletal pain: a randomized controlled trial. 2009 , 301, 2099-110	311
357	The effectiveness of a training for patients with unexplained physical symptoms: protocol of a cognitive behavioral group training and randomized controlled trial. 2009 , 9, 251	9
356	Psychosocial stress and anxiety in musculoskeletal pain patients with and without depression. 2009 , 31, 116-22	43
355	Pharmacotherapy of chronic pain: a synthesis of recommendations from systematic reviews. 2009 , 31, 206-19	198
354	Migraine: a missing link between somatic symptoms and major depressive disorder. 2009 , 117, 108-15	30
353	Validation of the Depression and Somatic Symptoms Scale by comparison with the Short Form 36 scale among psychiatric outpatients with major depressive disorder. 2009 , 26, 583-91	25
352	Barriers and facilitators to chronic pain self-management: a qualitative study of primary care patients with comorbid musculoskeletal pain and depression. 2009 , 10, 1280-90	161
351	Medically unexplained physical symptoms in elderly people: a pilot study of psychiatric geriatric characteristics. 2009 , 17, 1085-8	19
350	What is the "mask" of depressed inpatients from the viewpoint of surgeons and internal medicine physicians?. 2009 , 13, 223-8	2
349	Psychometric Properties of the Patient Health Questionnaire-15 (PHQ-15) for Measuring the Somatic Symptoms of Psychiatric Outpatients. 2009 , 50, 580-585	13
348	Medically unexplained symptoms and somatoform disorders: diagnostic challenges to psychiatrists. 2009 , 72, 251-6	12
347	Assessing somatization with various diagnostic criteria. 2009 , 50, 38-41	15
346	Risk factors for unexplained symptoms after a disaster: a five-year longitudinal study in general practice. 2009 , 50, 69-77	9
345	Douleur en santé mentale, sujet d'avenir. 2009 , 10, S83-S86	1
344	Comparisons of the efficacy and safety of duloxetine for the treatment of fibromyalgia in patients with versus without major depressive disorder. 2009 , 25, 461-8	23
343	An interdisciplinary pain rehabilitation programme: description and evaluation of outcomes. 2010 , 62, 316-26	20
342	Now you feel it, now you don't: how robust is the phenomenon of illusory tactile experience?. 2010 , 39, 839-50	24
341	Adapting mental health services to the needs of migrants and ethnic minorities. 231-244	1

340	Pain associated with specific anxiety and depressive disorders in a nationally representative population sample. 2010 , 45, 89-104		74
339	Somatic distress among Kosovar civilian war survivors: relationship to trauma exposure and the mediating role of experiential avoidance. 2010 , 45, 1167-77		20
338	Blood pressure reactivity predicts somatic reactivity to stress in daily life. 2010 , 33, 282-92		5
337	Characterizing self-rated health during a period of changing health status. 2010 , 71, 1636-43		35
336	The Patient Health Questionnaire Somatic, Anxiety, and Depressive Symptom Scales: a systematic review. 2010 , 32, 345-59		2043
335	Tailoring a cognitive behavioural model for unexplained physical symptoms to patient's perspective: a bottom-up approach. 2010 , 17, 528-35		7
334	Introduction and Validation of DoloTest(™): a new health-related quality of life tool used in pain patients. 2010 , 10, 396-403		10
333	Predictors of pain outcomes in patients with chronic musculoskeletal pain co-morbid with depression: results from a randomized controlled trial. 2010 , 11, 482-91		46
332	Medically Unexplained Symptoms and the Siren Psychogenic Inference 2010 , 17, 289-299		5
331	Migration and physical illnesses. 299-312		
330	Elucidating the Relationship between Worry and Physical Health. 2010 , 1, jep.008210		3
329	Somatic symptoms in patients with cancer experiencing pain or depression: prevalence, disability, and health care use. 2010 , 170, 1686-94		78
328	Neurology out-patients with symptoms unexplained by disease: illness beliefs and financial benefits predict 1-year outcome. 2010 , 40, 689-98		71
327	Physician-based estimates of medically unexplained symptoms: a comparison of four case definitions. 2010 , 27, 487-93		41
326	Depression and the hyperactive right-hemisphere. 2010 , 68, 77-87		126
325	Negative association of concomitant physical symptoms with the course of major depressive disorder: a systematic review. <i>Journal of Psychosomatic Research</i> , 2010 , 68, 511-9	4.1	31
324	Whether medically unexplained or not, three or more concurrent somatic symptoms predict psychopathology and service use in community populations. <i>Journal of Psychosomatic Research</i> , 2010 , 69, 1-8	4.1	80
323	Quality of life and symptom dimensions of patients with obsessive-compulsive disorder. 2010 , 179, 198-203		94

322 Problematica della gestione del paziente funzionale. **2011**, 13, 1-7

321 Prevalence, correlates, and disease patterns of antidepressant use in Taiwan. **2011**, 52, 662-9 13

320 Physical symptoms 14 months after a natural disaster in individuals with or without injury are associated with different types of exposure. *Journal of Psychosomatic Research*, **2011**, 71, 180-7 4.1 22

319 Medically unexplained symptom reports are associated with a decreased response to the rubber hand illusion. *Journal of Psychosomatic Research*, **2011**, 71, 240-4 4.1 18

318 Differentiation in the momentary rating of somatic symptoms covaries with trait emotional awareness in patients at risk for sudden cardiac death. **2011**, 73, 185-92 17

317 Medically unexplained symptoms--a perspective from general practitioners in the developing world. **2011**, 42, 1-11 5

316 Pain has a strong negative impact on the fluoxetine response in hospitalized patients with major depressive disorder. **2011**, 27, 805-10 9

315 Problématique de la prise en charge du patient fonctionnel. **2011**, 6, 1-7 1

314 Learning from our learners: implications for pain management education in medical schools. **2011**, 12, 1139-41 4

313 A strong association between non-musculoskeletal symptoms and musculoskeletal pain symptoms: results from a population study. **2011**, 12, 285 29

312 Genetic and environmental contributions to the overlap between psychological, fatigue and somatic symptoms: a twin study in Sri Lanka. **2011**, 14, 53-63 17

311 Do measures used in studies of anxiety disorders reflect activities and participation as defined in the WHO International Classification of Functioning, Disability and Health?. **2011**, 25, 659-71 5

310 Brief psychodynamic interpersonal psychotherapy for patients with multisomatoform disorder: randomised controlled trial. **2012**, 200, 60-7 104

309 The structure of depression, anxiety and somatic symptoms in primary care. **2012**, 42, 15-28 79

308 Early versus conventional switching of antidepressant: a post-hoc analysis of clinical trial data for major depressive disorder with moderate to severe pain symptoms. **2012**, 13, 2711-5 1

307 DoloTest in General Practice Study: Sensitivity and Specificity Screening for Depression. **2012**, 2012, 472505

306 Somatoform pain: a developmental theory and translational research review. **2012**, 74, 717-27 45

305 Beyond the unexplainable pain: relational world of patients with somatization syndromes. **2012**, 200, 413-22 13

304	Psychiatric morbidities, sleep disturbances, suicidality, and quality-of-life in a community population with medically unexplained pain in Korea. 2012 , 198, 509-15	21
303	The Unique Relationship of Emotion Regulation and Alexithymia in Predicting Somatization Versus PTSD Symptoms. 2012 , 21, 609-625	4
302	The DSM 5 website proposals for somatic symptom disorder: three central problems. 2012 , 53, 524-31	5
301	Mediators between bereavement and somatic symptoms. 2012 , 13, 59	1
300	Symptom load and functional status: results from the Ullensaker population study. 2012 , 12, 1085	29
299	How does subjective experience of pain relate to psychopathology among psychiatric patients?. 2012 , 34, 534-40	13
298	Contrasting case definitions for chronic fatigue syndrome, Myalgic Encephalomyelitis/chronic fatigue syndrome and myalgic encephalomyelitis. 2012 , 35, 280-304	43
297	Effective group training for patients with unexplained physical symptoms: a randomized controlled trial with a non-randomized one-year follow-up. 2012 , 7, e42629	25
296	Körperbeschwerden nach politischer Inhaftierung und deren Zusammenhang mit Ängstlichkeit und Depressivität. 2012 , 22, 37-46	2
295	Prevalence of physical symptoms and their association with race/ethnicity and acculturation in the United States. 2012 , 34, 323-31	30
294	Sustained medically unexplained physical symptoms in euthymic patients with recurrent depression: predictive value for recurrence and associations with omega 3- and 6 fatty acids and 5-HTTLPR?. 2012 , 136, 604-11	2
293	Examining the role of positive and negative affect in recovery from spine surgery. 2012 , 153, 518-525	49
292	The medically unexplained revisited. 2013 , 16, 587-600	18
291	Standardization of a screening instrument (PHQ-15) for somatization syndromes in the general population. 2013 , 13, 91	134
290	Initial responses of different health care professionals to various patients with headache: which are perceived as difficult?. 2013 , 20, 468-75	0
289	Affective temperaments and ego defense mechanisms associated with somatic symptom severity in a large sample. 2013 , 150, 481-9	20
288	Psychological and behavioral variables associated with the somatic symptom severity of general hospital outpatients in China. 2013 , 35, 297-303	25
287	Association between anxiety, health-related quality of life and functional impairment in primary care patients with chronic pain. 2013 , 35, 359-65	107

286	Possible involvement of oxido-nitrosative stress induced neuro-inflammatory cascade and monoaminergic pathway: underpinning the correlation between nociceptive and depressive behaviour in a rodent model. 2013 , 151, 1041-52		39
285	Personality traits, defense mechanisms and hostility features associated with somatic symptom severity in both health and disease. <i>Journal of Psychosomatic Research</i> , 2013 , 75, 362-9	4-1	33
284	Association between sense of coherence and health-related quality of life among primary care patients with chronic musculoskeletal pain. 2013 , 11, 216		21
283	Patients with unexplained physical symptoms have poorer quality of life and higher costs than other patient groups: a cross-sectional study on burden. 2013 , 13, 520		45
282	Psychopharmacotherapy of somatic symptoms disorders. 2013 , 25, 107-15		34
281	Somatic symptoms in cancer patients trajectory over 12 months and impact on functional status and disability. 2013 , 21, 765-73		36
280	Health care use by patients with somatoform disorders: a register-based follow-up study. 2013 , 54, 132-41		22
279	A pilot randomized controlled trial of a depression and disease management program delivered by phone. 2013 , 151, 769-774		15
278	Efficacy and practical issues of repetitive transcranial magnetic stimulation on chronic medically unexplained symptoms of pain. 2013 , 51, 81-7		8
277	Patients with "organically unexplained symptoms" presenting to a borreliosis clinic: clinical and psychobehavioral characteristics and quality of life. 2013 , 54, 359-66		2
276	Stepped Care to Optimize Pain care Effectiveness (SCOPE) trial study design and sample characteristics. 2013 , 34, 270-81		47
275	Neural correlates of deficits in pain-related affective meaning construction in patients with chronic pain disorder. 2013 , 75, 124-36		26
274	Self-reported health and cortisol awakening response in parents of people with asperger syndrome: the role of trait anger and anxiety, coping and burden. 2013 , 28, 1246-64		33
273	Symptom reporting in a general population in Norway: results from the Ullensaker study. 2013 , 31, 36-42		19
272	How did we arrive at burden of disease estimates for mental and illicit drug use disorders in the Global Burden of Disease Study 2010?. 2013 , 26, 376-83		20
271	Longitudinal course of physical and psychological symptoms after a natural disaster. 2013 , 4,		11
270	Primary Care Psychology: An Opportunity for Closing the Gap in Mental Health Services for Older Adults. 2013 , 36, 195-215		3
269	Les symptômes médicalement inexpliqués: précisions terminologiques, données épidémiologiques chez l'adulte et l'enfant, aperçu des contre-attitudes. 2013 , Numéro 523, 61		2

268	Clinical Psychology Interventions in Primary Care. 2014 , 607-625		
267	Managerial support for basic psychological needs, somatic symptom burden and work-related correlates: A self-determination theory perspective. 2014 , 28, 404-419		42
266	Influence of the number and severity of somatic symptoms on the severity of depression and suicidality in community-dwelling elders. 2014 , 6, 274-83		16
265	The Effect of Agomelatine on the Nociceptive System. 2014 , 24, 220-225		2
264	Psychological distress and professional help-seeking: a prospective national study. 2014 , 28, 273-80		3
263	Symptom attribution and risk perception in individuals with idiopathic environmental intolerance to electromagnetic fields and in the general population. 2014 , 134, 160-8		19
262	Validating a measure of myalgic encephalomyelitis/chronic fatigue syndrome symptomatology. 2014 , 2, 132-152		53
261	What is depression? Psychiatrists' and GPs' experiences of diagnosis and the diagnostic process. 2014 , 9, 24866		11
260	An intricate relationship between pain and depression: clinical correlates, coactivation factors and therapeutic targets. 2014 , 18, 159-76		45
259	Validity of the Greek version of the PHQ 15-item Somatic Symptom Severity Scale in patients with chronic medical conditions and correlations with emergency department use and illness perceptions. 2014 , 55, 1950-9		14
258	Dysfunctional illness perception and illness behaviour associated with high somatic symptom severity and low quality of life in general hospital outpatients in China. <i>Journal of Psychosomatic Research</i> , 2014 , 77, 187-95	4.1	17
257	Approach to the patient with multiple somatic symptoms. 2014 , 98, 1079-95		31
256	Somatization in refugees: a review. 2014 , 49, 1793-804		105
255	Patients with persistent medically unexplained physical symptoms: a descriptive study from Norwegian general practice. 2014 , 15, 107		59
254	Prevalence and course of somatic symptoms in patients with stress-related exhaustion: does sex or age matter. 2014 , 14, 118		42
253	Health related quality of life changes in somatising patients after individual versus group cognitive behavioural therapy: a randomized clinical trial. <i>Journal of Psychosomatic Research</i> , 2014 , 76, 89-93	4.1	8
252	Quality of life in patients with congenital vascular malformations. 2014 , 2, 46-51		17
251	Management of medically unexplained symptoms: outcomes of a specialist liaison clinic. 2014 , 38, 102-7		14

250	How common are symptoms? Evidence from a New Zealand national telephone survey. 2014 , 4, e005374	58
249	Psychosocial correlates, psychological distress, and quality of life in patients with medically unexplained symptoms: a primary care study in Karachi, Pakistan. 2015 , 48, 235-51	2
248	The meaning of learning to live with medically unexplained symptoms as narrated by patients in primary care: a phenomenological-hermeneutic study. 2015 , 10, 27191	14
247	Impact of Pain on Patient Satisfaction Integration Process: How Patients With Pain Combine Their Health Care Attribute Reactions. 2015 , 2, 2333392815615103	5
246	Poor Self-Rated Health Influences Hospital Service Use in Hospitalized Inpatients With Chronic Conditions in Taiwan. 2015 , 94, e1477	14
245	Mood and Anxiety Disorders in Chronic Fatigue Syndrome, Fibromyalgia, and Irritable Bowel Syndrome: Results From the LifeLines Cohort Study. 2015 , 77, 449-57	84
244	Influences of mood on information processing styles in high and low symptom reporters. 2015 , 4, 300-311	1
243	Somatoform disorders and medically unexplained symptoms in primary care. 2015 , 112, 279-87	106
242	Does exposure type impact differentially over time on the development of mental health disturbances after a technological disaster?. 2015 , 73, 20	1
241	The association between the severity of poststroke depression and clinical outcomes after first-onset stroke in Korean patients. 2015 , 37, 245-50	10
240	Depression as a predictor of adherence to adjuvant endocrine therapy (AET) in women with breast cancer: a systematic review and meta-analysis. 2015 , 152, 239-46	76
239	Managing medically unexplained symptoms. 2015 , 8, 760-767	1
238	Psychology of medically unexplained symptoms: A practical review. 2015 , 2, 1033876	8
237	Quality of doctor-patient relationship in patients with high somatic symptom severity in China. 2015 , 23, 23-31	19
236	How does ageing affect the impact of medically unexplained symptoms and medically explained symptoms on health-related quality of life?. 2015 , 30, 737-43	12
235	Validation of patient health questionnaire (PHQ) for major depression in Chinese outpatients with multiple somatic symptoms: a multicenter cross-sectional study. 2015 , 174, 636-43	43
234	Psychological Symptoms Among Obstetric Fistula Patients Compared to Gynecology Outpatients in Tanzania. 2015 , 22, 605-13	39
233	Care of Adult Refugees with Chronic Conditions. 2015 , 99, 1039-58	13

232	Symptom Perception, Awareness and Interpretation. 2015 , 866-872			3
231	Prevalence of chronic non-cancer pain in a UK prison environment. 2015 , 9, 96-108			6
230	Attachment-informed Care in a Primary Care Setting. 2015 , 11, 321-327			
229	Healing Words: Using Affect Labeling to Reduce the Effects of Unpleasant Cues on Symptom Reporting in IBS Patients. 2015 , 22, 512-20			16
228	Do the various categories of somatoform disorders differ from each other in symptom profile and psychological correlates. 2015 , 61, 148-56			12
227	The relationship of health-related quality of life and treatment outcome during inpatient treatment of depression. 2015 , 24, 641-9			15
226	Mental health and alcohol problems among Estonian cleanup workers 24 years after the Chernobyl accident. 2015 , 50, 1753-60			10
225	Management of mood disorders by osteopaths in New Zealand: A survey of current clinical practice. 2015 , 18, 161-170			3
224	Somatisation as a risk factor for incident depression and anxiety. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 614-9	4.1		11
223	Increased somatic sensations are associated with reduced limb ownership. <i>Journal of Psychosomatic Research</i> , 2015 , 78, 88-90	4.1		5
222	Handbook of Consultation-Liaison Psychiatry. 2015 ,			8
221	Who responds to placebos? Considering the "placebo personality" via a transactional model. 2015 , 20, 287-95			16
220	The Number of Pain Sites and Other Non-pain Symptoms are Important Clues for Diagnosis: A Cross-sectional Study of Outpatients with Multiple Somatic Complaints. 2016 , 17, 151-157			1
219	Mental health care use in medically unexplained and explained physical symptoms: findings from a general population study. 2016 , 12, 2063-72			8
218	Somatic symptom disorder, a new DSM-5 diagnosis of an old clinical challenge. 2016 , 2016,			4
217	Depression and pain: testing of serial multiple mediators. 2016 , 12, 1849-60			4
216	Screening for depression and anxiety in patients with storage or voiding dysfunction: A retrospective cohort study predicting outcome of sacral neuromodulation. 2016 , 35, 1011-1016			20
215	Development of the Chronic Pain Coding System (CPCS) for Characterizing Patient-Clinician Discussions About Chronic Pain and Opioids. 2016 , 17, 1892-1905			8

214	Understanding the body-mind in primary care. 2016 , 19, 581-594		6
213	Diagnosis and treatment of medically unexplained symptoms and chronic functional syndromes. 2016 , 34, 309-316		7
212	Synergistic effects of pain intensity and anxiety sensitivity in relation to anxiety and depressive symptoms and disorders among economically disadvantaged latinos in a community-based primary care setting. 2016 , 43, 23-31		19
211	Understanding persons with psychological distress in primary health care. 2016 , 30, 687-694		75
210	Co-occurrence and symptomatology of fatigue and depression. 2016 , 71, 1-10		64
209	Unconscious emotion: A cognitive neuroscientific perspective. 2016 , 69, 216-38		55
208	Big Five personality traits and medically unexplained symptoms in later life. 2016 , 38, 23-30		23
207	The overlap of somatic, anxious and depressive syndromes: A population-based analysis. <i>Journal of Psychosomatic Research</i> , 2016 , 90, 51-56	4.1	41
206	A qualitative analysis of explanatory models in medically unexplained physical symptoms presenting to a tertiary health care psychiatric facility in South India. 2016 , 62, 608-615		2
205	Reliability and validity of Somali version of the PHQ-9 in primary care practice. 2016 , 51, 508-520		6
204	Anxiety Disorders in Primary Care. 2016 , 43, 245-61		9
203	Prevalence and Recognition of Depressive Disorder in Three Medical Outpatient Departments of General Hospitals in Beijing, China. 2016 , 204, 537-41		2
202	What Should Primary Care Providers Know About the Changes in DSM-5?. 2016 , 18, 30		1
201	Detection of depression in low resource settings: validation of the Patient Health Questionnaire (PHQ-9) and cultural concepts of distress in Nepal. 2016 , 16, 58		103
200	Pain self-management training increases self-efficacy, self-management behaviours and pain and depression outcomes. 2016 , 20, 1070-8		42
199	The Association of Sensory Responsiveness with Somatic Symptoms and Illness Anxiety. 2016 , 23, 39-48		4
198	Psychiatric comorbidity in psychogenic nonepileptic seizures compared with epilepsy. 2016 , 56, 123-30		81
197	Managing Medically Unexplained Symptoms in Primary Care: A Narrative Review and Treatment Recommendations. 2016 , 10, 109-119		4

196	Telemedicine vs. in-person delivery of intensive short-term dynamic psychotherapy for patients with medically unexplained pain: A 12-month randomized, controlled trial. 2017 , 23, 133-141		17
195	Differential association between affect and somatic symptoms at the between- and within-individual level. 2017 , 22, 270-280		11
194	Symptoms and the body: Taking the inferential leap. 2017 , 74, 185-203		199
193	Longitudinal associations of multiple physical symptoms with recurrence of depressive and anxiety disorders. <i>Journal of Psychosomatic Research</i> , 2017 , 97, 96-101	4.1	10
192	Exploring the Mechanism Underlying the Association Between Pain Intensity and Mental Health Among Latinos. 2017 , 205, 300-307		9
191	Relationships Between Traumatic Life Events, Cognitive Emotion Regulation Strategies, and Somatic Complaints. 2017 , 24, 144-151		22
190	Embracing uncertainty to advance diagnosis in general practice. <i>British Journal of General Practice</i> , 2017 , 67, 244-245	1.6	14
189	Augmented care: An alternative model of care for people with chronic disease. 2017 , 20, 5-7		1
188	Frequency of somatic symptoms in the general population: Normative values for the Patient Health Questionnaire-15 (PHQ-15). <i>Journal of Psychosomatic Research</i> , 2017 , 96, 27-31	4.1	40
187	Internet-Delivered Self-management Support for Improving Coronary Heart Disease and Self-management-Related Outcomes: A Systematic Review. 2017 , 32, E9-E23		24
186	Early death after emergency department discharge in patients with psychiatric illness. 2017 , 35, 784-786		6
185	Identifying psychogenic seizures through comorbidities and medication history. 2017 , 58, 1852-1860		30
184	Feedback intervention to doctors improves patient satisfaction among outpatients in Inner Mongolia Autonomous Region, China. 2017 , 152, 136-144		5
183	Monitoring somatic symptoms in patients with mental disorders: Sensitivity to change and minimal clinically important difference of the Somatic Symptom Scale - 8 (SSS-8). 2017 , 48, 51-55		9
182	Intragenerational social mobility and functional somatic symptoms in a northern Swedish context: analyses of diagonal reference models. 2017 , 16, 1		102
181	Effectiveness of cognitive-behavioural therapy on glycaemic control and psychological outcomes in adults with diabetes mellitus: a systematic review and meta-analysis of randomized controlled trials. 2017 , 34, 328-339		59
180	Depression and healthcare service utilization in patients with cancer. 2017 , 26, 1133-1139		56
179	Open Trial of Integrated Primary Care Consultation for Medically Unexplained Symptoms. 2017 , 44, 590-601		1

178	Organic vs. functional neurological disorders: The role of childhood psychological trauma. 2017 , 63, 1-6	11
177	The meaning of encounters with health professionals in primary health care as reported by patients with medically unexplained symptoms. 2017 , 37, 70-77	2
176	Cognitive Behavior Therapy for Medically Unexplained Symptoms: A Systematic Review and Meta-analysis of Published Controlled Trials. 2017 , 39, 399-406	18
175	Implementing a Psychotherapy Service for Medically Unexplained Symptoms in a Primary Care Setting. 2017 , 6,	6
174	The Role of Integrated Care in Managing Chronic Pain. 2017 , 15, 284-291	1
173	Affective symptoms and quality of life in patients with voiding or storage dysfunction: Results before and after sacral neuromodulation: A prospective follow-up study. 2018 , 37, 1801-1808	7
172	Evidence-based pain medicine for primary care physicians. 2018 , 31, 37-47	7
171	Incorporating PROMIS Symptom Measures into Primary Care Practice-a Randomized Clinical Trial. 2018 , 33, 1245-1252	23
170	Acceptability of a telecare intervention for persistent musculoskeletal pain. 2018 , 24, 44-50	7
169	Somatic symptom severity among primary care patients who are obese: examining the unique contributions of anxiety sensitivity, discomfort intolerance, and health anxiety. 2018 , 41, 43-51	10
168	A global measure of sickness behaviour: Development of the Sickness Questionnaire. 2018 , 23, 1452-1463	30
167	Medically unexplained physical symptoms in patients attending a medical outpatient clinic in a tertiary hospital in North India. 2018 , 32, 99-104	6
166	The association of experience of violence and somatization, depression, and alexithymia: a sample of women with medically unexplained symptoms in Turkey. 2018 , 21, 93-103	5
165	Efficacy of sertraline and gabapentin in the treatment of urethral pain syndrome: retrospective results of a single institutional cohort. 2018 , 71, 78-83	4
164	[Frequency of physical symptoms in anxiety-depressive disorders: cross-sectional study in a population of 202 psychiatric consultants]. 2018 , 31, 149	1
163	Clinical decisions and stigmatizing attitudes towards mental health problems in primary care physicians from Latin American countries. 2018 , 13, e0206440	9
162	Frequent attenders in general medical practice in Italy: a preliminary report on clinical variables related to low functioning. 2019 , 15, 115-125	10
161	Leaders' Gender, Perceived Abusive Supervision and Health. 2018 , 9, 2427	3

160	Investigating the Link Between Pathological Narcissism and Somatization. 2018 , 206, 964-967		1
159	Demographic Pattern and Hospitalization Outcomes of Depression among 2.1 Million Americans with Four Major Cancers in the United States. 2018 , 6,		3
158	Tele-yoga for Chronic Pain: Current Status and Future Directions. 2018 , 7, 2164956118766011		12
157	Are neighbourhood inequalities in adult health explained by socio-economic and psychosocial determinants in adolescence and the subsequent life course in northern Sweden? A decomposition analysis. 2018 , 52, 127-134		2
156	How do illness-anxious individuals process health-threatening information? A systematic review of evidence for the cognitive-behavioral model. <i>Journal of Psychosomatic Research</i> , 2018 , 111, 100-115	4-1	9
155	Interaction between CYP2D6 inhibitor antidepressants and codeine: is this relevant?. 2018 , 14, 879-886		7
154	Primary healthcare utilisation among adults with mood and anxiety disorders: an analysis of the New Zealand Health Survey. 2018 , 10, 68-75		6
153	Negative Affect and Medically Unexplained Symptoms. 2018 , 61-87		
152	A European Research Agenda for Somatic Symptom Disorders, Bodily Distress Disorders, and Functional Disorders: Results of an Estimate-Talk-Estimate Delphi Expert Study. 2018 , 9, 151		19
151	Somatoform and Other Psychosomatic Disorders. 2018 ,		
150	Validity and sensitivity to change of the Somatic Symptom Disorder-B Criteria Scale (SSD-12) in a clinical population. 2018 , 55, 20-26		7
149	A qualitative study of patients' perceptions of the utility of patient-reported outcome measures of symptoms in primary care clinics. 2018 , 27, 3157-3166		17
148	Are changes in pain, cognitive appraisals and coping strategies associated with changes in physical functioning in older adults with joint pain and chronic diseases?. 2019 , 31, 377-383		7
147	Placebo and Nocebo Effects Across Symptoms: From Pain to Fatigue, Dyspnea, Nausea, and Itch. 2019 , 10, 470		18
146	Positive affect and functional somatic symptoms in young adults. <i>Journal of Psychosomatic Research</i> , 2019 , 127, 109847	4-1	1
145	Multimodal Treatment of Patients with Mental Symptom Load: A Pre-Post Comparison. 2019 , 8,		0
144	The mediating effect of health anxiety in the relationship between functional somatic symptoms and illness behavior in Chinese inpatients with depression. 2019 , 19, 260		0
143	[Clinical trial of a stepped and collaborative care model for mental illnesses and comorbidities in the Hamburg Network for Health Services Research]. 2019 , 62, 205-213		3

142	Pharmacological Therapy in Panic Disorder: Current Guidelines and Novel Drugs Discovery for Treatment-resistant Patient. 2019 , 17, 145-154			11
141	Effects of magnesium citrate, magnesium oxide and magnesium sulfate supplementation on arterial stiffness in healthy overweight individuals: a study protocol for a randomized controlled trial. 2019 , 20, 295			6
140	Reliability and Validity of SymTrak, a Multi-Domain Tool for Monitoring Symptoms of Older Adults with Multiple Chronic Conditions. 2019 , 34, 908-914			3
139	Development and Feasibility of SymTrak, a Multi-domain Tool for Monitoring Symptoms of Older Adults in Primary Care. 2019 , 34, 915-922			5
138	Neural Correlates of Cognitive-Attentional Syndrome: An fMRI Study on Repetitive Negative Thinking Induction and Resting State Functional Connectivity. 2019 , 10, 648			8
137	Psychological Therapy for Centralized Pain: An Integrative Assessment and Treatment Model. 2019 , 81, 114-124			24
136	Healthcare utilisation for eating disorders among patients with depression: a cross-sectional study in Taiwan. 2019 , 9, e032108			1
135	Study protocol for the COMET study: a cluster-randomised, prospective, parallel-group, superiority trial to compare the effectiveness of a collaborative and stepped care model versus treatment as usual in patients with mental disorders in primary care. 2019 , 9, e032408			7
134	Cannabinoids versus placebo or no intervention for pain: protocol for a systematic review with meta-analysis and trial sequential analysis. 2019 , 9, e031574			1
133	P.855 Effects of low-dose mindfulness-based practice on patients with somatoform autonomic dysfunction of cardiovascular system. 2019 , 29, S569-S570			
132	The Relationship Between Circulating Interleukin-6 Levels and Future Health Service Use in Dementia Caregivers. 2019 , 81, 668-674			1
131	P.856 The efficacy of culture sensitive group therapy among Turkish patients in Germany. 2019 , 29, S570-S571			
130	Does resiliency mediate the association of psychological adaptability with disability and pain in patients with an upper extremity injury or illness?. <i>Journal of Psychosomatic Research</i> , 2019 , 117, 1-9	4.1		5
129	Somatic symptoms and fatigue in a Norwegian population with high exposure to ticks. 2019 , 10, 156-161			7
128	Personal Constructs of Mind-Body Identity in People Who Experience Medically Unexplained Symptoms. 2019 , 32, 408-423			2
127	Role of perceived social support in depressive and somatic symptoms experienced by Bedouin Arab and Jewish Israeli undergraduates. 2019 , 56, 359-378			8
126	Mechanisms of Mindfulness in the General Population. 2019 , 10, 469-480			19
125	Perceived Racial Discrimination and Pain Intensity/Disability Among Economically Disadvantaged Latinos in a Federally Qualified Health Center: The Role of Anxiety Sensitivity. 2019 , 21, 21-29			15

124	Medically unexplained physical symptoms in patients visiting the emergency department: an international multicentre retrospective study. 2019 , 26, 249-254	7
123	Coping with psychosomatic symptoms: The buffering role of psychological flexibility and impact on quality of life. 2019 , 24, 175-187	23
122	The Impact of Integrating Physical Health into a Brief CBT Approach for Medically Ill Veterans. 2020 , 27, 285-294	0
121	Depression but not frailty contributed to a higher risk for all-cause hospitalizations in male older veterans. 2020 , 35, 37-44	4
120	Emotional responses to illness imagery in young adults: Effects of attention to somatic sensations and levels of illness anxiety. 2020 , 149, 107812	3
119	Categorical interoception and the role of threat. 2020 , 148, 25-34	6
118	Influence of resilience on the relations among acculturative stress, somatization, and anxiety in latinx immigrants. 2020 , 10, e01863	6
117	Sacral nerve stimulation for refractory OAB and idiopathic urinary retention: Can phenotyping improve the outcome for patients: ICI-RS 2019?. 2020 , 39 Suppl 3, S96-S103	
116	Relationships Between Somatic Symptoms and Panic-Agoraphobic Spectrum Among Frequent Attenders of the General Practice in Italy. 2020 , 208, 540-548	3
115	Identifying Predictors of Psychological Distress During COVID-19: A Machine Learning Approach. 2020 , 11, 586202	50
114	How are you doing? The person-specificity of daily links between neuroticism and physical health. <i>Journal of Psychosomatic Research</i> , 2020 , 137, 110194	4-1 5
113	Improving the Measurement of Functional Somatic Symptoms With Item Response Theory. 2021 , 28, 1960-1970	5
112	Prevalence and Correlates of Individuals Screening Positive for Depression and Anxiety on the PHQ-4 in the German General Population: Findings from the Nationally Representative German Socio-Economic Panel (GSOEP). 2020 , 17,	8
111	The Role of Psychotherapy in a General Hospital. 2020 , 73, 117-118	0
110	Copattern of depression and alcohol use in medical care patients: cross-sectional study in Germany. 2020 , 10, e032826	0
109	Exposure to Potentially Traumatic Events, Posttraumatic Stress Symptoms, Pain Catastrophizing, and Functional Somatic Symptoms Among Individuals With Varied Somatic Symptoms: A Moderated Mediation Model. 2020 , 886260520912587	1
108	Effects and Mechanisms of Electroacupuncture on Chronic Inflammatory Pain and Depression Comorbidity in Mice. 2020 , 2020, 4951591	7
107	Somatic pain associated with initiation of interferon-alpha (IFN- α) plus ribavirin (RBV) therapy in chronic HCV patients: A prospective study. 2020 , 2, 100035	1

106	The Role of Pain-Related Cognitions in the Relationship Between Pain Severity, Depression, and Pain Interference in a Sample of Primary Care Patients with Both Chronic Pain and Depression. 2020 , 21, 2200-2211	5
105	Ten-year changes in the psychosocial well-being, psychopathology, substance use, suicidality, bullying, and sense of coherence of 18-year-old males: a Finnish population-based time-trend study. 2021 , 30, 313-325	1
104	Latent alcohol use patterns and their link to depressive symptomatology in medical care patients. 2021 , 116, 1063-1073	2
103	Why the symptoms and objective signs of dry eye disease may not correlate. 2021 , 14, 3-10	4
102	SymTrak-8 as a Brief Measure for Assessing Symptoms in Older Adults. 2021 , 36, 1197-1205	
101	Physical Health Symptoms and Hurricane Katrina: Individual Trajectories of Development and Recovery More Than a Decade After the Storm. 2021 , 111, 127-135	2
100	What Do We Perceive? Interoceptive Sensibility. 2021 , 165-211	0
99	Surgical Patients' Hospital Experience Scores: Neighborhood Context Conceptual Framework. 2021 , 2, e037	0
98	Desafíos del tratamiento de los trastornos funcionales. 2021 , 25, 1-8	
97	Differences of healthcare utilization and cost between cancer inpatients with and without depression: Based on national health insurance database. 2021 , 30, 979-981	0
96	Improving the precision of depression diagnosis in general practice: a cluster-randomized trial. 2021 , 22, 88	0
95	Health sensitivity in the daily lives of younger and older adults: correlates and longer-term change in health. 2021 , 1-9	0
94	Days out of role and somatic, anxious-depressive, hypo-manic, and psychotic-like symptom dimensions in a community sample of young adults. 2021 , 11, 285	1
93	Patients who complain of autonomic dysregulation: A cross-sectional study of patients with somatic symptom disorder. 2021 , 207640211025549	0
92	Problematica della gestione dei disturbi funzionali. 2021 , 23, 1-8	
91	Somatic symptoms and associations with common psychological diagnoses: a retrospective cohort study from Norwegian urban general practice. 2021 , 38, 766-772	0
90	Utilisation of healthcare services and drug consumption in fibromyalgia: A cross-sectional analysis of the Clalit Health Service database. 2021 , 75, e14729	0
89	Incremental Economic Burden of Depression in Ophthalmic Patients. 2021 , 229, 184-193	0

88	Using the Patient Health Questionnaire to estimate prevalence and gender differences of somatic symptoms and psychological co-morbidity in a secondary inpatient population with abdominal pain. 2021 , 48674211044639	
87	The general practitioners perspective regarding registration of persistent somatic symptoms in primary care: a survey. 2021 , 22, 182	1
86	Identifying persistent somatic symptoms in electronic health records: exploring multiple theory-driven methods of identification. 2021 , 11, e049907	
85	Epidemiology and organisation of care in medically unexplained symptoms: A systematic review with a focus on cultural diversity and migrants. 2021 , e14855	
84	The Dark Side of Body Sensations. 2021 , 315-341	
83	Exploring associations between psychiatric disorder, psychological distress, and health care utilization in cancer patients. 2018 , 27, 871-878	11
82	Case Management and Behavioral Health Disability. 2010 , 187-217	1
81	Global Mental Health and Psychiatry Education. 2019 , 1-14	2
80	Mental health treatment dose and annual healthcare costs in patients with cancer and major depressive disorder. 2018 , 37, 1035-1040	12
79	Impact of workplace discrimination and harassment among National Health Service staff working in London trusts: results from the TIDES study. 2020 , 7, e10	4
78	Life Course Pathways of Adversities Linking Adolescent Socioeconomic Circumstances and Functional Somatic Symptoms in Mid-Adulthood: A Path Analysis Study. 2016 , 11, e0155963	8
77	Sintomas somáticos inexplicados clinicamente: um campo impreciso entre a psiquiatria e a clínica médica. 2006 , 55, 308-312	2
76	Feasibility of Applied Gaming During Interdisciplinary Rehabilitation for Patients With Complex Chronic Pain and Fatigue Complaints: A Mixed-Methods Study. 2016 , 4, e2	6
75	Screening Tool for Anxiety Disorders: Development and Validation of the Korean Anxiety Screening Assessment. 2018 , 15, 1053-1063	8
74	Somatic symptoms in depression. 2006 , 8, 227-39	135
73	Comorbidity Associated With Irritable Bowel Syndrome. 2005 , 35, 320-328	4
72	Telephone Consultation Partially Based on a Cognitive-Behavioral Approach Decreases Pain and Improves Quality of Life in Patients With Chronic Pain. 2015 , 5, e32140	5
71	Characteristics and economic burden of frequent attenders with medically unexplained symptoms in primary care in Israel. 2021 , 27, 294-302	2

- 70 Current and Lifetime Somatic Symptom Burden Among Transition-aged Autistic Young Adults. 3
- 69 A Critique of the Behavioral Health Disability System. **2010**, 1-8
- 68 Eficacia del tratamiento de los trastornos somatomorfos. **2010**, 137-156
- 67 Medically unexplainable somatic symptoms: a coat with many psychiatric colors. **2010**, 12,
- 66 Liaison psychiatry and psychosomatic medicine. **2012**, 225-235
- 65 How Does One Assess for Psychiatric Illness in Patients With Advanced Disease?. **2013**, 176-180
- 64 Somatoform Disorders. **2014**, 111-129
- 63 Treatment and Therapeutic Perspectives. **2014**, 261-307
- 62 Balancing Value and Cost. **2014**, 169-198
- 61 Medically Unexplained Symptoms and Health Anxieties: Somatic Symptom and Related Disorders. 151-163
- 60 Hypochondriasis and Somatization Disorder: New Perspectives. **2015**, 317-333 2
- 59 Neuroimaging Studies of Somatoform Pain Disorder: How Far Have We Come?. **2017**, 319-339
- 58 General Management of Somatization. **2018**, 123-130
- 57 A Critique of the Behavioral Health Disability System. **2018**, 1-10
- 56 Case Management and Behavioral Health Disability. **2018**, 319-350
- 55 Maintaining Mechanisms of Health Anxiety: Current State of Knowledge. **2018**, 1-21
- 54 Treating daytime blindness with eye movement desensitization and reprocessing: a case report.
- 53 Somatic Symptom Disorder. **2020**, 151-171

52	Pain Physiology and the Neurobiology of Nociception. 2020 , 29-40		
51	Mental Health: Assessment, Treatment, and Outcomes. 2020 , 107-114		
50	Treatment of Mental Illness. 2020 , 229-240		
49	References. 2020 , 271-300		
48	Somatic complaints in early adulthood predict the developmental course of compassion into middle age. <i>Journal of Psychosomatic Research</i> , 2020 , 131, 109942	4.1	0
47	Medically unexplained symptoms in primary care: how can doctors help, not hinder?. 2010 , 7, 191-2		2
46	Contrasting Case Definitions: The ME International Consensus Criteria vs. the Fukuda et al. CFS Criteria. 2013 , 15, 103-120		20
45	The effectiveness of cognitive behavior stress management on functional dyspepsia symptoms. 2015 , 3, 45-9		11
44	Somatic symptom disorder: a scoping review on the empirical evidence of a new diagnosis. 2021 , 1-17		1
43	Global Mental Health and Psychiatry Education. 2021 , 619-632		
42	Validity and utility of Hierarchical Taxonomy of Psychopathology (HiTOP): III. Emotional dysfunction superspectrum.. 2022 , 21, 26-54		10
41	Prevalence and determinants of probable depression and anxiety during the COVID-19 pandemic in seven countries: Longitudinal evidence from the European Covid Survey (ECOS).. 2021 , 299, 517-517		12
40	Social Media Use and Its Link to Physical Health Indicators.. 2022 ,		0
39	Persistent SOMAtic symptoms ACROSS diseases - from risk factors to modification: scientific framework and overarching protocol of the interdisciplinary SOMACROSS research unit (RU 5211).. 2022 , 12, e057596		2
38	Current and lifetime somatic symptom burden among transition-aged autistic young adults.. 2022 ,		3
37	Route of myomectomy and fertility: a prospective cohort study.. 2022 ,		0
36	Effectiveness of cognitive behavioral therapy-based interventions on psychological symptoms in adults with type 2 diabetes mellitus: An update review of randomized controlled trials.. 2022 , 108185		0
35	Management of common mental disorders should take place in primary health or specialized care? Clinical decisions of psychiatrists from Latin American countries.. 2022 , 17, e0265308		0

34	Personal identity, somatic symptoms, and symptom-related thoughts, feelings, and behaviors: Exploring associations and mechanisms in adolescents and emerging adults. 1-26		0
33	Image_1.TIFF. 2020,		
32	Image_2.TIFF. 2020,		
31	Image_3.TIFF. 2020,		
30	Table_1.pdf. 2019,		
29	Data_Sheet_1.doc. 2019,		
28	The association between somatic complaints and past-30 day opioid misuse among justice-involved children.. 2020, 22, 15-23		
27	Somatic Symptom and Related Disorders. 2022, 609-623		
26	Is chronic pain a disease?. <i>Journal of Pain</i> , 2022,		5.2
25	Lost in fragmentation: exploring patients' experiences with coordination of care when somatic symptoms persist, a qualitative study. <i>British Journal of General Practice</i> , BJGP.2021.0566		1.6
24	Functional ear symptoms referred to an otology clinic: Incidence, comorbidity, etiological factors, and a new experience-driven clinical model. <i>Journal of Laryngology and Otology</i> , 1-29		1.8
23	Validation of the work stress screener (WOSS-13) and resilience at work scale (ReWoS-24). <i>Journal of Psychosomatic Research</i> , 2022, 160, 110989		4.1 0
22	Risk factors in adolescence as predictors of trajectories of somatic symptoms over 27 years.		1
21	Mental and physical training with meditation and aerobic exercise improved mental health and well-being in teachers during the COVID-19 pandemic. 16,		
20	Analysis of the bidirectional relationships between posttraumatic stress and depression symptoms with physical health functioning in post-9/11 veteran men and women deployed to a war zone. 2022, 162, 111034		0
19	Managing Conflict. 2022, 89-99		0
18	Psychosomatic symptoms related to exacerbation of fatigue in patients with medically unexplained symptoms.		0
17	Loneliness in patients with somatic symptom disorder. 2022,		0

16	Elder abuse and life-course victimization in hospitalized older adults in Sweden: prevalence and associations with mental ill-health. 2022 , 22,	○
15	Association of Traumatic Brain Injury Severity and Self-Reported Neuropsychiatric Symptoms in Wounded Military Service Members. 2023 , 4, 14-24	○
14	Internet-delivered treatment for patients suffering from severe functional somatic disorders: Protocol for a randomized controlled trial. 2023 , 101069	○
13	Risk factors for insomnia and burnout: A longitudinal population-based cohort study.	○
12	Somatic symptoms mediate the association between subclinical anxiety and depressive symptoms and its neuroimaging mechanisms. 2022 , 22,	○
11	Association of preexisting psychiatric disorders with post-COVID-19 prevalence: a cross-sectional study. 2023 , 13,	○
10	Cannabinoids versus placebo for pain: A systematic review with meta-analysis and Trial Sequential Analysis. 2023 , 18, e0267420	1
9	Sex differences in residual somatic symptoms in patients with first-episode depression after acute-phase treatment. 2023 , 23,	○
8	Comparing the occurrence of chronic physical disorders in self-employed individuals with that of employees: A systematic review. 2023 , 1-20	○
7	Racism as a Source of Pain.	○
6	A pilot randomized controlled trial of virtual reality delivered relaxation for chronic low back pain.	○
5	Comparison of SSS-CN and PHQ-15 in the evaluation of patients with suspected psychological disorders in cardiovascular medicine. 14,	○
4	Eliminating Psychosomatic Pain and Negative Emotions with Dehypnosis. 2023 , 8, 1-11	○
3	The framework for systematic reviews on psychological risk factors for persistent somatic symptoms and related syndromes and disorders (PSY-PSS). 14,	○
2	Ethnic inequalities among NHS staff in England - workplace experiences during the COVID-19 pandemic.	○
1	Impact of comorbidity on symptomatology in various types of environmental intolerance in a general Swedish and Finnish adult population. 2023 , 115945	○