

CITATION REPORT

List of articles citing

Synthesis and characterization of ion-exchangeable titanate nanotubes

DOI: 10.1002/chem.200204394

Chemistry - A European Journal, 2003, 9, 2229-38.

Source: <https://exaly.com/paper-pdf/35088432/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
854	Life Cycle Impact of Titanium Dioxide Nanoparticle Synthesis through Physical, Chemical, and Biological Routes.		
853	Nanotubes of lepidocrocite titanates. 2003 , 380, 577-582		326
852	Synthesis and characterization of ion-exchangeable titanate nanotubes. <i>Chemistry - A European Journal</i> , 2003 , 9, 2229-38	4.8	835
851	Rare-Earth-compound nanowires, nanotubes, and fullerene-like nanoparticles: synthesis, characterization, and properties. <i>Chemistry - A European Journal</i> , 2003 , 9, 5627-35	4.8	321
850	Electronic structure of titanium oxide nanotubules. 2003 , 380, 366-371		42
849	A study on the growth and structure of titania nanotubes. 2004 , 19, 417-422		175
848	Synthesis, Characterization and Thermal Stability of Highly Crystallized Titania Nanotubes. 2004 , 836, L1.8.1		
847	Hydrothermal synthesis and characterization of vanadium oxide/titanate composite nanorods. 2004 , 87, 168-172		23
846	Preparation and characterization of sodium titanate nanowires from brookite nanocrystallites. 2004 , 39, 2163-2170		92
845	The effect of hydrothermal conditions on the mesoporous structure of TiO ₂ nanotubes. 2004 , 14, 3370		635
844	Mixed solvents: a key in solvothermal synthesis of KTaO ₃ . <i>Journal of Solid State Chemistry</i> , 2004 , 177, 2985-2990	3.3	42
843	Preparation and electrochemical capacitance of RuO ₂ /TiO ₂ nanotubes composites. 2004 , 49, 1957-1962		156
842	Photosensitization of ion-exchangeable titanate nanotubes by CdS nanoparticles. 2004 , 399, 512-515		166
841	Synthesis and Thermal Analyses of TiO ₂ -Derived Nanotubes Prepared by the Hydrothermal Method. 2004 , 19, 982-985		207
840	Large-scale synthesis of uniform nanotubes of a nickel complex by a solution chemical route. 2004 , 126, 4530-1		60
839	Inorganic nanotubes. 2004 , 362, 2099-125		171
838	Preparation and Electrochemical Characterization of Anatase Nanorods for Lithium-Inserting Electrode Material. 2004 , 108, 2868-2872		159

837	Lithium Storage in Nanostructured TiO ₂ Made by Hydrothermal Growth. 2004 , 16, 477-485		385
836	Rational Synthetic Strategy. From Layered Structure to MnO ₂ Nanotubes. 2004 , 33, 48-49		38
835	Microwave-assisted Preparation of Titanate Nanotubes. 2005 , 34, 1168-1169		27
834	TiO ₂ B nanowires as negative electrodes for rechargeable lithium batteries. 2005 , 146, 501-506		204
833	Morphologies-controlled synthesis of CaWO ₄ crystals by a novel supramolecular template method. 2005 , 279, 410-414		26
832	H-titanate nanotube: a novel lithium intercalation host with large capacity and high rate capability. 2005 , 7, 62-67		121
831	Controllable formation and electrochemical properties of one-dimensional nanostructured spinel Li ₄ Ti ₅ O ₁₂ . 2005 , 7, 894-899		179
830	A novel cation-binding TiO ₂ nanotube substrate for electro- and bioelectro-catalysis. 2005 , 7, 1050-1058		84
829	Electrochemical reduction of CO ₂ on RuO ₂ /TiO ₂ nanotubes composite modified Pt electrode. 2005 , 50, 3576-3580		167
828	An asymmetric supercapacitor using RuO ₂ /TiO ₂ nanotube composite and activated carbon electrodes. 2005 , 50, 5641-5646		245
827	Modification and assembly of titanate sodium nanotubes. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2005 , 257-258, 521-524	5.1	16
826	Decontamination of 2-chloroethyl ethylsulfide using titanate nanoscrolls. 2005 , 411, 81-85		83
825	Complex-assisted one-step synthesis of ion-exchangeable titanate nanotubes decorated with CdS nanoparticles. 2005 , 411, 445-449		64
824	Titanium oxide nanotubes as supports of nano-sized gold catalysts for low temperature water-gas shift reaction. 2005 , 281, 149-155		180
823	Effects of synthetic conditions and heat-treatment on the structure of partially ion-exchanged titanate nanotubes. 2005 , 91, 409-416		165
822	Energy materials. 2005 , 7, 1456-1463		37
821	Electrochromism of titanate-based nanotubes. 2005 , 44, 1974-7		137
820	Electrochromism of Titanate-Based Nanotubes. 2005 , 117, 2010-2013		8

819	Titanate Nanotubes and Nanorods Prepared from Rutile Powder. 2005 , 15, 1310-1318		282
818	Lithium-Ion Intercalation into TiO ₂ -B Nanowires. 2005 , 17, 862-865		747
817	Syntheses of TiO ₂ (B) nanowires and TiO ₂ anatase nanowires by hydrothermal and post-heat treatments. <i>Journal of Solid State Chemistry</i> , 2005 , 178, 2179-2185	3.3	221
816	Synthesis and photoluminescence properties of Bi ₂ S ₃ nanowires via surfactant micelle-template inducing reaction. <i>Solid State Communications</i> , 2005 , 134, 239-243	1.6	37
815	Structure, stability and electronic properties of TiO ₂ nanostructures. 2005 , 242, 1361-1370		112
814	Vibrational Spectroscopic Studies on the Formation of Ion-exchangeable Titania Nanotubes. 2005 ,		1
813	Synthesis of Pt-Entrapped Titanate Nanotubes. 2005 , 44, L690-L692		24
812	Electrochemical Performance of Anatase Nanotubes Converted from Protonated Titanate Hydrate Nanotubes. 2005 , 8, A26		95
811	Natural rutile-derived titanate nanofibers prepared by direct hydrothermal processing. 2005 , 20, 1063-1070		68
810	Synthesis of classes of ternary metal oxide nanostructures. 2005 , 5721-35		148
809	Hot filament chemical vapour deposition processing of titanate nanotube coatings. 2005 , 16, 1186-1191		14
808	Enhanced Electrochemical Capacitance of NiO Loaded on TiO ₂ Nanotubes. 2005 , 152, A671		54
807	Room-temperature hydrogen uptake by TiO ₂ nanotubes. <i>Inorganic Chemistry</i> , 2005 , 44, 4124-6	5.1	185
806	Controlled Synthesis of Different Morphologies of BaWO ₄ Crystals through Biomembrane/Organic-Addition Supramolecule Templates. 2005 , 5, 445-449		68
805	Oriented crystal growth model explains the formation of titania nanotubes. 2005 , 109, 17781-3		148
804	Nanotubes with the TiO ₂ -B structure. 2005 , 2454-6		276
803	Phase transition between nanostructures of titanate and titanium dioxides via simple wet-chemical reactions. 2005 , 127, 6730-6		394
802	Pseudocapacitive Lithium Storage in TiO ₂ (B). 2005 , 17, 1248-1255		428

801	Synthesis of TiO ₂ nanotubes film and its light scattering property. 2005 , 50, 1985-1990	8
800	Layered Hydrogen Titanate Nanowires with Novel Lithium Intercalation Properties. 2005 , 17, 5848-5855	122
799	Reversible storage of molecular hydrogen by sorption into multilayered TiO ₂ nanotubes. 2005 , 109, 19422-7	207
798	Formation of crystallized titania nanotubes and their transformation into nanowires. 2005 , 16, 1935-1940	116
797	Co-doped titanate nanotubes. 2005 , 87, 112501	57
796	High-yield synthesis of selenium nanowires in water at room temperature. 2006 , 1006-8	65
795	Electron field emission from TiO ₂ nanotube arrays synthesized by hydrothermal reaction. 2006 , 89, 043114	76
794	Direct Hydrothermal Processing of Long Titanate Nanofibers from Natural Rutile. 2006 , 317-318, 243-246	4
793	Stability of Aqueous Suspensions of Titanate Nanotubes. 2006 , 18, 1124-1129	149
792	Direct synthesis of nanowires with anatase and TiO ₂ -B structures at near ambient conditions. 2006 , 110, 25746-50	44
791	Hydrothermal synthesis and characterization of nanorods of various titanates and titanium dioxide. 2006 , 110, 4030-8	258
790	Hydrothermal synthesis of single-crystalline anatase TiO ₂ nanorods with nanotubes as the precursor. 2006 , 110, 4193-8	288
789	Preparation of Metal Oxide Nanotubes Using Gelators as Structure-Directing Agents. 2006 , 235, 52-56	18
788	Structural feature and catalytic performance of Cu species distributed over TiO ₂ nanotubes. 2006 , 110, 25817-24	103
787	Synthesis and growth mechanism of titanate and titania one-dimensional nanostructures self-assembled into hollow micrometer-scale spherical aggregates. 2006 , 110, 702-10	125
786	One-Dimensional Nanostructures from Layered Manganese Oxide. 2006 , 6, 601-606	29
785	Sequence of Events for the Formation of Titanate Nanotubes, Nanofibers, Nanowires, and Nanobelts. 2006 , 18, 547-553	232
784	Effect of annealing temperature on phase transition and optical property of titanate nanotubes prepared by ion exchange approach. 2006 , 424, 311-314	22

783	Synthetic Architecture of Inorganic Nanomaterials. 2006 , 25-56	
782	Amorphous Ru _{1-x} CryO ₂ loaded on TiO ₂ nanotubes for electrochemical capacitors. 2006 , 52, 1028-1032	29
781	Ultralong single-crystal TiO ₂ -B nanowires: Synthesis and electrochemical measurements. 2006 , 424, 316-320	43
780	Formation of self-organized titania nano-tubes by dealloying and anodic oxidation. 2006 , 8, 38-44	42
779	Sodium removal from titanate nanotubes in electrodeposition process. 2006 , 8, 471-474	16
778	Electrophoretic deposition of titanate nanotubes from commercial titania nanoparticles: Application to dye-sensitized solar cells. 2006 , 8, 961-966	105
777	The oxidation of borohydride ion at titanate nanotube supported gold electrodes. 2006 , 8, 1655-1660	55
776	Biocompatible nanofiber scaffolds on metal for controlled release and cell colonization. 2006 , 2, 248-52	20
775	Mesoporous nanotube aggregates obtained from hydrothermally treating TiO ₂ with NaOH. 2006 , 253, 1898-1902	63
774	Preparation and photocatalytic activity of mesoporous anatase TiO ₂ nanofibers by a hydrothermal method. 2006 , 182, 121-127	165
773	Effects of hydrothermal post-treatment on microstructures and morphology of titanate nanoribbons. <i>Journal of Solid State Chemistry</i> , 2006 , 179, 349-354	3-3 121
772	Effects of calcination temperature on the microstructures and photocatalytic activity of titanate nanotubes. 2006 , 249, 135-142	322
771	Low-reflective and super-hydrophilic properties of titanate or titania nanotube thin films via layer-by-layer assembly. 2006 , 515, 2091-2096	42
770	Solution-based routes to transition-metal oxide one-dimensional nanostructures. 2006 , 78, 45-64	35
769	Structural Features of Nanotubes Synthesized from NaOH Treatment on TiO ₂ with Different Post-Treatments. 2006 , 18, 367-373	444
768	Synthesis of anatase TiO ₂ nanoparticles with beta-cyclodextrin as a supramolecular shell. 2006 , 1, 664-8	20
767	Partially nanowire-structured TiO ₂ electrode for dye-sensitized solar cells. 2006 , 4, 476-488	30
766	Deposition of Pt, Pd, Ru and Au on the surfaces of titanate nanotubes. 2006 , 39, 151-160	121

765	Formation of titanium oxide nanotubes using chemical treatments and their characteristic properties. 2006 , 496, 141-145	154
764	Synthesis and characterisation of nanotubular titanates and titania. 2006 , 26, 1405-1409	87
763	Preparation, characterization and photocatalytic activity of novel TiO ₂ nanoparticle-coated titanate nanorods. 2006 , 253, 99-106	33
762	Synthesis of titanate nanotubes and its processing by different methods. 2006 , 52, 1781-1787	21
761	Chemical modification and the photoluminescence stabilization of titanate nanotubes. 2006 , 49, 155-161	2
760	Hydrothermal synthesis of titanate nanotubes followed by electrodeposition process. 2006 , 23, 1037-1045	11
759	A study on the structure and thermal stability of titanate nanotubes as a function of sodium content. 2006 , 8, 888-900	220
758	Facile synthesis and characterization of novel nanocomposites of titanate nanotubes and rutile nanocrystals. 2006 , 100, 507-512	47
757	SonicationHydrothermal combination technique for the synthesis of titanate nanotubes from commercially available precursors. 2006 , 41, 237-243	48
756	Formation of crystalline SrAl ₂ O ₄ nanotubes by a roll-up and post-annealing approach. 2006 , 45, 4922-6	37
755	Formation of Crystalline SrAl ₂ O ₄ Nanotubes by a Roll-Up and Post-Annealing Approach. 2006 , 118, 5044-5048	11
754	Protonated Titanates and TiO ₂ Nanostructured Materials: Synthesis, Properties, and Applications. 2006 , 18, 2807-2824	1225
753	An Easy Way to Construct an Ordered Array of Nickel Nanotubes: The Triblock-Copolymer-Assisted Hard-Template Method. 2006 , 18, 2161-2164	99
752	Synthesis of novel composite materials via the deposition of precious metals onto protonated titanate (TiO ₂) nanotubes. 2006 , 84, 293-299	24
751	Preparation and characterization of Fe-incorporated titanate nanotubes. 2006 , 17, 5423-5427	26
750	Preparation of Ultrafine BaTiO ₃ and SrTiO ₃ Powders from Na _{2-x} H _x Ti ₃ O ₇ Nanowires via Hydrothermal Processing. 2006 , 11-12, 603-606	2
749	Effect of post treatments on the structure and thermal stability of titanate nanotubes. 2006 , 17, 5922-5929	86
748	Titanate nano-whisker electrorheological fluid with high suspended stability and ER activity. 2006 , 17, 192-196	76

747	Relationship of Titania Nanotube Binding Energies and Raman Spectra. 2006 ,	3
746	Multistep structural transition of hydrogen trititanate nanotubes into TiO ₂ -B nanotubes: a comparison study between nanostructured and bulk materials. 2007 , 18, 495710	96
745	Structure and applications of titanate and related nanostructures. 2007 , 4, 44	84
744	Highly hydrophilic conversion on oriented TiO ₂ thin films synthesized by a facile spin-coating method. 2007 , 91, 043111	20
743	Fabrication of mesoporous bulk composed of titanate nanotubes by hydrothermal hot-pressing technique. 2007 , 22, 1286-1291	16
742	Converting Industrial TiO ₂ into Titanate Nanotubes by Simple Sonochemical-Hydrothermal Processing. 2007 , 280-283, 651-654	2
741	Synthesis and Evaluation of Antibacterial Titanate Nanotubes. 2007 , 280-283, 707-712	
740	Preparation of TiO ₂ Nanotubes and Their Photocatalytic Properties in Degradation Methylcyclohexane. 2007 , 48, 2464-2466	20
739	Kinetics of Alkali Metal Ion Exchange into Nanotubular and Nanofibrous Titanates. 2007 , 111, 14644-14651	78
738	Photocatalytic activity of the calcined H-titanate nanowires for photocatalytic oxidation of acetone in air. 2007 , 66, 2050-7	47
737	The evolution of morphology and crystal form of titanate nanotubes under calcination and its mechanism. 2007 , 431, 230-235	37
736	Chemical control of photoexcited states in titanate nanostructures. 2007 , 7, 433-8	61
735	Microwave-induced titanate nanotubes and the corresponding behaviour after thermal treatment. 2007 , 18, 175702	29
734	Growing TiO ₂ -Based Pillars by Chemisorbed Nanotitania Followed by Annealing. 2007 , 111, 14574-14578	7
733	Ferromagnetism of Co-doped TiO ₂ (B) nanotubes. 2007 , 91, 143102	40
732	Atomic-Scale Structure of Nanosized Titania and Titanate: Particles, Wires, and Tubes. 2007 , 19, 6180-6186	56
731	Hydrothermal Conversion of Self-Assembled Titanate Nanotubes into Nanowires in a Revolving Autoclave. 2007 , 19, 927-931	146
730	First direct-formation and properties of microspherical superstructure. Morphology of diamineplatinum(II) complexes with isonicotinate. 2007 , 492-4	13

729	Characterization of Nanostructured Titanates Obtained by Alkali Treatment of TiO ₂ -Anatases with Distinct Crystal Sizes. 2007 , 19, 665-676	144
728	Rate Characteristics of Anatase TiO ₂ Nanotubes and Nanorods for Lithium Battery Anode Materials at Room Temperature. 2007 , 154, A542	110
727	Plate, wire, mesh, microsphere, and microtube composed of sodium titanate nanotubes on a titanium metal template. 2007 , 23, 2815-23	44
726	TiO ₂ nanotube-supported Cu as the catalyst for selective NO reduction with NH ₃ . 2007 , 57, 600-5	13
725	Fe-Doped Trititanate Nanotubes: Formation, Optical and Magnetic Properties, and Catalytic Applications. 2007 , 111, 14339-14342	30
724	Chemical functionalisation of titania nanotubes and their utilisation for the fabrication of reinforced polystyrene composites. 2007 , 17, 2351	65
723	Spinel Li ₄ Ti ₅ O ₁₂ Nanowires for High-Rate Li-Ion Intercalation Electrode. 2007 , 10, A81	126
722	Selective hydrogenation of o-chloronitrobenzene over palladium supported nanotubular titanium dioxide derived catalysts. 2007 , 8, 1999-2006	31
721	Effect of annealing temperature on structural and bonded states of titanate nanotube films. 2007 , 101, 024314	35
720	Electrochemical Lithium Storage of Titanate and Titania Nanotubes and Nanorods. 2007 , 111, 6143-6148	191
719	Thin Films of Single-Crystalline SrTiO ₃ Nanorod Arrays and Their Surface Wettability Conversion. 2007 , 111, 12440-12445	31
718	Super-hydrophilic and transparent thin films of TiO ₂ nanotube arrays by a hydrothermal reaction. 2007 , 17, 2095	83
717	Ab Initio Molecular Dynamics Calculations of the Phase Transformation Mechanism for the Formation of TiO ₂ Titanate-Type Nanosheets from Anatase. 2007 , 19, 2947-2959	40
716	Interactions of microcrystals through free pyridyl groups: microcross and chain-arrayed supercrystals of a palladium(II) complex. 2007 , 46, 4960-3	39
715	Interactions of Microcrystals through Free Pyridyl Groups: Microcross and Chain-Arrayed Supercrystals of a Palladium(II) Complex. 2007 , 119, 5048-5051	
714	Enhanced Optical Absorption Induced by Dense Nanocavities inside Titania Nanorods. 2007 , 19, 2525-2529	55
713	Controlled synthesis of SrCrO ₄ crystals with different morphologies. 2007 , 42, 211-215	12
712	Structural transformation from NaHTi ₃ O ₇ nanotube to Na ₂ Ti ₆ O ₁₃ nanorod. <i>Solid State Communications</i> , 2007 , 144, 450-453	1.6 34

711	Investigation of monolayer dispersion of benzoic acid supported on the surface of H-titanate nanotubes. 2007 , 253, 5393-5399		15
710	Hydrothermal growth of ZnO on annealed electrodeposited titanate film: Influence of zinc nitrate and methenamine. 2007 , 253, 7197-7202		12
709	Adsorption of lithium ions on novel nanocrystal MnO ₂ . 2007 , 62, 4869-4874		100
708	Synthesis and catalytic performance of TiO ₂ nanotubes-supported copper oxide for low-temperature CO oxidation. 2007 , 102, 333-336		37
707	One dimensional nanostructured materials. 2007 , 52, 699-913		495
706	Nanocrystalline anatase TiO ₂ derived from a titanate-directed route for dye-sensitized solar cells. 2007 , 188, 19-24		61
705	Synthesis, characterization and photocatalytic activity of mesoporous titania nanorod/titanate nanotube composites. <i>Journal of Hazardous Materials</i> , 2007 , 147, 581-7	12.8	100
704	Effects of sodium content and calcination temperature on the morphology, structure and photocatalytic activity of nanotubular titanates. 2007 , 316, 562-9		130
703	Scalable Preparation of SrTiO ₃ Submicro-wires from Layered Titanate Nanowires. 2007 , 20, 177-180		3
702	Single-crystalline TiO ₂ nanorods: Highly active and easily recycled photocatalysts. <i>Applied Catalysis B: Environmental</i> , 2007 , 73, 166-171	21.8	132
701	Preparation and photocatalytic activity of alkali titanate nano materials A ₂ Ti _n O _{2n+1} (A=Li, Na and K). 2007 , 42, 334-344		87
700	Effects of thermal treatment of nanostructured trititanates on their crystallographic and textural properties. 2007 , 42, 1748-1760		49
699	The multi-staged formation process of titanium oxide nanotubes and its thermal stability. 2007 , 61, 730-735		15
698	The structural and magnetic properties of Co-doped titanate nanotubes synthesized under hydrothermal conditions. <i>Applied Physics A: Materials Science and Processing</i> , 2007 , 87, 781-786	2.6	66
697	Electron spin resonance from annealed titania nanotubes. <i>Applied Physics A: Materials Science and Processing</i> , 2007 , 88, 751-755	2.6	23
696	n/p-Type changeable semiconductor TiO ₂ prepared from NTA. 2007 , 9, 951-957		35
695	TEM study on the formation mechanism of sodium titanate nanotubes. 2007 , 9, 1173-1180		28
694	Synthesis and characterization of nanosheet-shaped titanium dioxide. <i>Journal of Materials Science</i> , 2007 , 42, 529-533	4.3	29

693	A highly active bi-crystalline photocatalyst consisting of TiO ₂ (B) nanotube and anatase particle for producing H ₂ gas from neat ethanol. 2007 , 113, 7-12		99
692	Synthesis of M x H y Ti ₃ O ₇ nanotubes by simple ion-exchanged process and their adsorption property. 2007 , 52, 2491-2495		10
691	Preparation of poly(ϵ -caprolactone) grafted titanate nanotubes. 2007 , 48, 7516-7522		27
690	Review of titania nanotubes synthesized via the hydrothermal treatment: Fabrication, modification, and application. 2007 , 58, 179-191		373
689	Large aspect ratio titanate nanowire prepared by monodispersed titania submicron sphere via simple wet-chemical reactions. <i>Journal of Solid State Chemistry</i> , 2007 , 180, 1028-1037	3-3	42
688	The structure of titanate nanobelts used as seeds for the nucleation of hydroxyapatite at the surface of titanium implants. 2008 , 4, 1934-43		18
687	Chromium-doped titanium dioxide thin-film photoanodes in visible-light-induced water cleavage. 2008 , 254, 4912-4918		57
686	Potassium Titanate: An Alternative Support for Gold Catalyzed Carbon Monoxide Oxidation?. 2008 , 123, 193-197		14
685	Synthesis and characterization of bamboo-like CdS/TiO ₂ nanotubes composites with enhanced visible-light photocatalytic activity. 2008 , 10, 729-736		70
684	Splitting behavior and structural transformation process of K ₂ Ti ₆ O ₁₃ whiskers under hydrothermal conditions. <i>Journal of Materials Science</i> , 2008 , 43, 155-163	4-3	8
683	Titanate nanotubes: preparation, characterization, and application in the detection of dopamine. <i>Journal of Materials Science</i> , 2008 , 43, 1510-1514	4-3	30
682	Alkali induced morphology and property improvements of TiO ₂ by hydrothermal treatment. 2008 , 23, 503-506		2
681	Electrochemical study of methylene blue/titanate nanotubes nanocomposite and its layer-by-layer assembly multilayer films. 2008 , 12, 1159-1166		24
680	Flux growth of straw-like rutile monocrystals. 2008 , 43, 121-126		3
679	Growth of aligned TiO ₂ bamboo-type nanotubes and highly ordered nanolace. 2008 , 47, 1916-9		182
678	Growth of Aligned TiO ₂ Bamboo-Type Nanotubes and Highly Ordered Nanolace. 2008 , 120, 1942-1945		41
677	Development of photocatalytic efficient Ti-based nanotubes and nanoribbons by conventional and microwave assisted synthesis strategies. 2008 , 114, 401-409		52
676	Effects of synthesis temperature on the microstructures and basic dyes adsorption of titanate nanotubes. <i>Journal of Hazardous Materials</i> , 2008 , 150, 494-503	12.8	128

675	Grafted multifunctional titanium dioxide nanotube membrane: Separation and photodegradation of aquatic pollutant. <i>Applied Catalysis B: Environmental</i> , 2008 , 84, 262-267	21.8	56
674	Development of an S-doped titania nanotube (TNT) site-selectively loaded with iron(III) oxide and its photocatalytic activities. <i>Applied Catalysis B: Environmental</i> , 2008 , 84, 584-590	21.8	38
673	Synthesis and electrochemical properties of Ni doped titanate nanotubes for lithium ion storage. 2008 , 254, 7718-7722		11
672	High rate performances of hydrogen titanate nanowires electrodes. 2008 , 10, 1164-1167		30
671	TiO ₂ @Sn core-shell nanotubes for fast and high density Li-ion storage material. 2008 , 10, 1669-1672		51
670	Electrorheological properties of titanate nanotube suspensions. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2008 , 329, 153-160	5.1	51
669	Preparation and photocatalytic activity of nanotubes obtained from titanium dioxide. 2008 , 131, 3-14		153
668	Preparation of SrTiO ₃ nanomaterial from layered titanate nanotubes or nanowires. <i>Solid State Communications</i> , 2008 , 147, 226-229	1.6	24
667	Development of a titania nanotube (TNT) loaded site-selectively with Pt nanoparticles and their photocatalytic activities. 2008 , 337, 105-109		29
666	Pt/titania-nanotube: A potential catalyst for CO ₂ adsorption and hydrogenation. <i>Applied Catalysis B: Environmental</i> , 2008 , 84, 112-118	21.8	112
665	Low-temperature hydrothermal formation of a net-like structured TiO ₂ film and its performance of photogenerated cathode protection. 2008 , 255, 2113-2117		74
664	Effects of sodium content on the microstructures and basic dye cation exchange of titanate nanotubes. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2008 , 317, 164-173	5.1	50
663	Surface-modification and characterization of H-titanate nanotube. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2008 , 317, 270-276	5.1	25
662	Preparation and electrochemical characterization of TiO ₂ nanowires as an electrode material for lithium-ion batteries. 2008 , 53, 7863-7868		126
661	Study of preparation of mesoporous TiO ₂ -B nanofibers from mesoporous anatase TiO ₂ and interaction between CH ₃ I and TiO ₂ -B. 2008 , 109, 362-369		12
660	Transformation of layered titanate nanosheets into nanostructured porous titanium dioxide in polycation solution. 2008 , 116, 147-156		29
659	Synthesis and characterization of silver nanoparticle loaded mesoporous TiO ₂ nanobelts. 2008 , 116, 658-664		36
658	Gold nanocatalysts supported on protonic titanate nanotubes and titania nanocrystals. 2008 , 280, 233-239		20

657	CONTROL OF NANOSTRUCTURE OF MATERIALS. 2008 , 177-265	
656	Effect of calcination temperature on the structure of a Pt/TiO ₂ (B) nanofiber and its photocatalytic activity in generating H ₂ . 2008 , 24, 9907-15	146
655	Preparation and photocatalytic study of fibrous K _{0.3} Ti ₄ O _{7.3} (OH) _{1.7} anatase TiO ₂ nanocomposite photocatalyst. 2008 , 111, 232-237	9
654	Hydrothermal synthesis, crystal structure and thermal stability of Ba-titanate nanotubes with layered crystal structure. 2008 , 43, 1562-1572	9
653	Lamellar carbon nanosheets function as templates for two-dimensional deposition of tubular titanate. 2008 , 4348-50	24
652	Topological Properties of Titanate Nanotubes. 2008 , 112, 8548-8552	40
651	Facile Synthesis of Titanate Nanoflowers by a Hydrothermal Route. 2008 , 8, 2444-2446	54
650	Layered Nanostructures of Delaminated Anatase: Nanosheets and Nanotubes. 2008 , 112, 3239-3246	51
649	Characterization and photocatalytic activities of C, N and S co-doped TiO ₂ with 1D nanostructure prepared by the nano-confinement effect. 2008 , 19, 365607	237
648	An aqueous, alkaline route to titanate nanotubes under atmospheric pressure conditions. 2008 , 19, 275604	56
647	Synthesis of Titanate Nanorods by High-Temperature Oxidation. 2008 , 112, 4545-4549	13
646	Visible light induced super-hydrophilicity on single crystalline TiO ₂ nanoparticles and WO ₃ layered thin films. 2008 , 18, 1858	28
645	A step towards length control of titanate nanotubes using hydrothermal reaction with sonication pretreatment. 2008 , 19, 035601	38
644	Brookite-type TiO ₂ nanotubes. 2008 , 3657-9	73
643	Sonoelectrochemical synthesis of CdSe nanotubes. 2008 , 1683-5	47
642	Local Structure of TiO ₂ -Derived Nanotubes Prepared by the Hydrothermal Process. 2008 , 112, 1658-1662	72
641	Photocatalytic oxidation of aqueous ammonia over microwave-induced titanate nanotubes. 2008 , 42, 4507-12	113
640	Coordination of Intercalated Cu ²⁺ Sites in Copper Doped Sodium Titanate Nanotubes and Nanoribbons. 2008 , 112, 15311-15319	22

639	Hydrothermal Preparation of Gd ³⁺ -Doped Titanate Nanotubes: Magnetic Properties and Photovoltaic Performance. 2009 , 2009, 1-8		19
638	Facile synthesis and the sensitized luminescence of europium ions-doped titanate nanowires. 2009 , 114, 561-568		17
637	Elongated Titanate Nanostructures and Their Applications. 2009 , 2009, 977-997		189
636	Submicrosticks versus Submicrohelices by Sonication [Assembly of PdCl ₂ Nanoparticles on Those Morphologies. 2009 , 2009, 4518-4521		4
635	Antibacterial properties of nanostructured silver titanate thin films formed on a titanium plate. 2010 , 92, 1171-80		18
634	Gas sensing characteristics and porosity control of nanostructured films composed of TiO ₂ nanotubes?. 2009 , 137, 513-520		218
633	Formation of single-crystalline TiO ₂ nanomaterials with controlled phase composition and morphology and the application in dye-sensitized solar cell. 2009 , 255, 8743-8749		26
632	Synthesis and electrorheological characteristics of titanate nanotube suspensions under oscillatory shear. 2009 , 15, 550-554		17
631	Preparation and catalytic activity of nanostructured Pd catalysts supported on hydrogenotitanate nanotubes. <i>Journal of Materials Science</i> , 2009 , 44, 6677-6682	4-3	8
630	Morphology-Dependent Dye-Removal Mechanism as Observed for Anatase-Titania Photocatalyst. 2009 , 131, 663-671		19
629	Morphologic Control of Pt Supported Titanate Nanotubes and Their Photocatalytic Property. 2009 , 130, 28-36		12
628	Parallel Reactor Activity Studies of the Preferential Oxidation of CO on Transition Metals Supported on TiO ₂ and TiO ₂ Nanotubes. 2009 , 130, 19-27		6
627	Effect of HCl concentrations on apatite-forming ability of NaOH-HCl- and heat-treated titanium metal. 2009 , 20, 2401-11		53
626	Self-assembled materials for catalysis. 2009 , 2, 1-29		56
625	Influence of bases on hydrothermal synthesis of titanate nanostructures. <i>Applied Physics A: Materials Science and Processing</i> , 2009 , 94, 963-973	2.6	46
624	Hierarchical Titanate Nanostructures through Hydrothermal Treatment of Commercial Titania Powders. 2009 , 635, 417-419		3
623	Metal-free indoline-dye-sensitized TiO ₂ nanotube solar cells. 2009 , 40, 108-114		30
622	Raman spectroscopic study of the framework structure of amorphous mesoporous titania. 2009 , 119, 267-275		23

621	Verified syntheses of mesoporous materials. 2009 , 125, 170-223		502
620	Synthesis, characterization, and photocatalytic activities of titanate nanotubes surface-decorated by zinc oxide nanoparticles. <i>Journal of Hazardous Materials</i> , 2009 , 161, 49-54	12.8	84
619	Structure and photoactivity of titania derived from nanotubes and nanofibers. <i>Journal of Hazardous Materials</i> , 2009 , 161, 1514-21	12.8	45
618	Modified titania nanotubes for decontamination of sulphur mustard. <i>Journal of Hazardous Materials</i> , 2009 , 167, 1192-7	12.8	49
617	Adsorption behavior of arsenic onto protonated titanate nanotubes prepared via hydrothermal method. 2009 , 122, 28-35		112
616	Low temperature carbon monoxide oxidation over gold nanoparticles supported on sodium titanate nanotubes. 2009 , 298, 115-124		33
615	High temperature Raman spectroscopy of titanate nanotubes. 2009 , 924-926, 183-191		64
614	Effects of oxygen content of porous titanium metal on its apatite-forming ability and compressive strength. 2009 , 29, 1974-1978		22
613	Characterization and thermal stability of cobalt-modified 1-D nanostructured trititanates. <i>Journal of Solid State Chemistry</i> , 2009 , 182, 172-181	3-3	35
612	Fabrication and morphology control of BaWO ₄ thin films by microwave assisted chemical bath deposition. <i>Journal of Solid State Chemistry</i> , 2009 , 182, 677-684	3-3	19
611	Structural characterization and effect of dehydration on the Ni-doped titanate nanotubes. 2009 , 146, 230-233		7
610	Photocatalytic reduction of CO ₂ with H ₂ O on Pt-loaded TiO ₂ catalyst. 2009 , 148, 335-340		199
609	Preparation, characterization and visible-light-driven photocatalytic activity of Fe-doped titania nanorods and first-principles study for electronic structures. <i>Applied Catalysis B: Environmental</i> , 2009 , 90, 595-602	21.8	646
608	Nanowire-structured titanate with anatase titania: Characterization and photocatalytic activity. <i>Applied Catalysis B: Environmental</i> , 2009 , 89, 583-589	21.8	46
607	Controlled Synthesis of Hydrogen Titanate/Polyaniline Composite Nanowires and Their Resistance-Temperature Characteristics. 2009 , 113, 7610-7615		40
606	Nanotubes of Polytitanic Acids H ₂ Ti _n O _{2n+1} (n = 2, 3, and 4): Structural and Electronic Properties. 2009 , 113, 20837-20840		17
605	Electrochemical Preparation of Copper-Based/Titanate Intercalation Electrode Material. 2009 , 113, 6832-6838		7
604	High-Temperature Formation of Titanate Nanotubes and the Transformation Mechanism of Nanotubes into Nanowires. 2009 , 9, 3632-3637		59

603	Decorating Titanate Nanotubes with CeO ₂ Nanoparticles. 2009 , 113, 20234-20239		50
602	TiO ₂ -based nanotubes modified with nickel: synthesis, properties, and improved photocatalytic activity. 2009 , 20, 455703		34
601	Synthesis of Titanate-Based Nanotubes for One-Dimensionally Confined Electrical Properties. 2009 , 113, 16996-17001		31
600	Synthesis and characterization of WO ₃ /titanate nanotubes nanocomposite with enhanced photocatalytic properties. 2009 , 470, 486-491		83
599	First-principles investigation of atomic structures and stability of proton-exchanged layered sodium titanate. 2009 , 79,		18
598	Electrostatic interactions for directed assembly of nanostructured materials: composites of titanium dioxide nanotubes with gold nanoparticles. 2009 , 19, 8928		14
597	In situ studies of structural stability and proton conductivity of titanate nanotubes. 2009 , 2, 517		19
596	Role of Ti-O bonds in phase transitions of TiO ₂ . 2009 , 25, 7623-30		34
595	Synthesis of anatase TiO(2) nanoshuttles by self-sacrificing of titanate nanowires. <i>Inorganic Chemistry</i> , 2009 , 48, 9732-6	5.1	51
594	Optimization of the Alkaline Hydrothermal Route to Titanate Nanotubes by a Doehlert Matrix Experience Design. 2009 , 113, 1672-1679		37
593	Kinetic manipulation of the morphology evolution of FePO ₄ microcrystals: from rugbies to porous microspheres. 2009 , 11, 2510		8
592	Green energy storage materials: Nanostructured TiO ₂ and Sn-based anodes for lithium-ion batteries. 2009 , 2, 818		760
591	Effect of Reaction Parameters on Composition and Morphology of Titanate Nanomaterials. 2009 , 113, 12682-12689		49
590	Chemical morphology freezing: chemical protection of the physical morphology of high photoactivity anatase TiO ₂ nanotubes. 2009 , 19, 4692		16
589	Titanate Nanofiber Reactivity: Fabrication of MTiO ₃ (M = Ca, Sr, and Ba) Perovskite Oxides. 2009 , 113, 4386-4394		106
588	Crystal structures of titanate nanotubes: a Raman scattering study. <i>Inorganic Chemistry</i> , 2009 , 48, 1423-321		171
587	Cross-sectional analysis of the surface ceramic layer developed on Ti metal by NaOH-heat treatment and soaking in SBF. 2009 , 117, 1126-1130		53
586	Apatite formation on surface titanate layer with different Na content on Ti metal. 2010 , 118, 19-24		36

585	UV-A and Simulated Sunlight Photo-activity of TiO ₂ Nanoparticles Formed from Titanate Nanotubes. 2010 , 63, 293		2
584	Formation mechanism of TiO ₂ -derived titanate nanotubes prepared by the hydrothermal process. <i>Inorganic Chemistry</i> , 2010 , 49, 5845-52	5.1	116
583	Porous photocatalysts for advanced water purifications. 2010 , 20, 4512		289
582	One-dimensional single-crystalline TiO ₂ based nanostructures: properties, synthesis, modifications and applications. 2010 , 20, 5993		182
581	Lithium selective adsorption on low-dimensional titania nanoribbons. 2010 , 65, 165-168		30
580	Silver-coated TiO ₂ nanostructured anode materials for lithium ion batteries. 2010 , 14, 571-578		38
579	Derivated titanate nanotubes and their hydrogen storage properties. 2010 , 5, 71-75		2
578	Apatite-forming ability of Ti-15Zr-4Nb-4Ta alloy induced by calcium solution treatment. 2010 , 21, 439-44		42
577	Unprecedented micro-sprout morphology of an ionic palladium(II) complex. 2010 , 35, 289-291		
576	Structural resistance of chemically modified 1-D nanostructured titanates in inorganic acid environment. 2010 , 61, 1009-1017		4
575	Titanate nanotubes as superior adsorbents for removal of lead(II) ions from water. 2010 , 123, 494-497		16
574	Mechanochemical-molten salt synthesis of Na ₂ Ti ₆ O ₁₃ nanobelts. 2010 , 45, 621-627		16
573	Synthesis, characterization and the electrocatalytic application of prussian blue/titanate nanotubes nanocomposite. 2010 , 12, 1764-1769		19
572	Bioactive Ti Metal and its Alloys Prepared by Chemical Treatments: State-of-the-Art and Future Trends. 2010 , 12, B579-B591		27
571	One-step solvothermal synthesis of a carbon@TiO ₂ dyade structure effectively promoting visible-light photocatalysis. 2010 , 22, 3317-21		411
570	Editorial: crystal-clear view of chemistry. <i>Chemistry - A European Journal</i> , 2010 , 16, 4-9	4.8	3
569	Ultrafast synthesis of layered titanate microspherulite particles by electrochemical spark discharge spallation. <i>Chemistry - A European Journal</i> , 2010 , 16, 7704-8	4.8	43
568	Herstellung von Metalloxid-Nanoröhren in neutraler wässriger Lösung mithilfe des photokatalytischen Effektes. 2010 , 122, 215-218		2

567	Formation of metal oxide nanotubes in neutral aqueous solution based on a photocatalytic effect. 2010 , 49, 210-2		5
566	A Raman spectroscopic and TEM study on the structural evolution of Na ₂ Ti ₃ O ₇ during the transition to Na ₂ Ti ₆ O ₁₃ . 2010 , 41, 1331-1337		75
565	Separation of photo-active nano-crystalline anatase from titanate nanotubes. 2010 , 346, 43-7		4
564	Large single-crystal anatase TiO ₂ Bipyramids. 2010 , 312, 213-219		18
563	Microwave-assisted hydrothermal synthesis of N-doped titanate nanotubes for visible-light-responsive photocatalysis. <i>Journal of Hazardous Materials</i> , 2010 , 183, 754-8	12.8	68
562	Adsorption-induced scission of titanate nanotubes. 2010 , 43, 130-133		2
561	Effects of calcination temperature on the morphology, structure and photocatalytic activity of titanate nanotube thin films. 2010 , 519, 541-548		29
560	Temperature dependent behavior of single walled MoO ₃ nanotubes: A Raman spectroscopy study. <i>Vibrational Spectroscopy</i> , 2010 , 54, 179-183	2.1	34
559	Au-decorated Na _x H _{2-x} Ti ₃ O ₇ nanobelts exhibiting remarkable photocatalytic properties under visible-light illumination. <i>Applied Catalysis B: Environmental</i> , 2010 , 97, 389-397	21.8	76
558	Magnetic Dye-Adsorbent Catalyst: Processing, Characterization, and Application. 2010 , 93, 3642-3650		11
557	Effect of Different Washing Treatments on the Formation of Titanate Nanotubes. 2010 , 663-665, 1247-1251		1
556	A facile wet chemical route to prepare ZnO/TiO ₂ nanotube composites and their photocatalytic activities. 2010 , 25, 1278-1287		17
555	Novel Bioactive Titanate Layers Formed on Ti Metal and Its Alloys by Chemical Treatments. 2010 , 3, 48-63		51
554	Aggregation of TiO ₂ Nanotubes as Recyclable Catalyst for Photocatalytic Degradation of Methylene Blue. 2010 , 27, 281-286		11
553	A new anode material made of Zn ₂ Ti ₃ O ₈ nanowires: synthesis and electrochemical properties. 2010 , 46, 740-2		39
552	Continuous hydrothermal synthesis of extensive 2D sodium titanate (Na ₂ Ti ₃ O ₇) nano-sheets. 2010 , 39, 711-4		66
551	Ultrasensitive Na ⁺ exchanging performance of free-standing Fe ₃ O ₄ @Na ₂ Ti ₃ O ₇ nanosheets indicated by fluorescein. 2010 , 20, 2322		25
550	General synthesis of carbon-coated nanostructure Li ₄ Ti ₅ O ₁₂ as a high rate electrode material for Li-ion intercalation. 2010 , 20, 595-602		239

549	Visible-light-driven superhydrophilicity by interfacial charge transfer between metal ions and metal oxide nanostructures. 2010 , 26, 796-801	20
548	Structural-dependent photoactivities of TiO(2) nanoribbon for visible-light-induced H(2) evolution: the roles of nanocavities and alternate structures. 2010 , 26, 447-55	39
547	Designing TiO ₂ Based Nanostructures by Control of Surface Morphology of Pure and Silver Loaded Titanate Nanotubes. 2010 , 114, 169-178	53
546	Fabrication and Magnetic Properties of Ni/Cu Shell/Core Nanocable Arrays. 2010 , 114, 6914-6916	23
545	A Study on the Crystalline Structure of Sodium Titanate Nanobelts Prepared by the Hydrothermal Method. 2010 , 114, 8294-8301	26
544	Microstructural control of mesoporous bulk composed of TiO(2)-derived titanate nanotubes. 2010 , 2, 1136-40	12
543	Implications of Precursor Chemistry on the Alkaline Hydrothermal Synthesis of Titania/Titanate Nanostructures. 2010 , 114, 101-110	47
542	Large-Scale Aqueous Synthesis and Growth Mechanism of Single-Crystalline Metal Nanoscrolls at Room Temperature: The Case of Nickel. 2010 , 22, 4721-4727	16
541	Investigating preparation parameters during titanium oxide nanoribbon synthesis. 2010 ,	
540	Hierarchical layered titanate microspherulite: formation by electrochemical spark discharge spallation and application in aqueous pollutant treatment. 2010 , 20, 10169	47
539	Crystallinity control on photocatalysis and photoluminescence of TiO ₂ -based nanoparticles. 2010 , 496, 234-240	42
538	The mechanochemical stability of hydrogen titanate nanostructures. 2010 , 499, 113-120	8
537	Understanding Hydrothermal Titanate Nanoribbon Formation. 2010 , 10, 3618-3625	63
536	TEM Investigation and FBB Model Explanation to the Phase Relationships between Titanates and Titanium Dioxides. 2010 , 114, 11430-11434	16
535	Phase transition and morphological evolution of titania/titanate nanomaterials under alkalescent hydrothermal treatment. 2010 , 20, 7990	65
534	Metastable Nature of Titanate Nanotubes in an Alkaline Environment. 2010 , 10, 4421-4427	61
533	Tailoring of Low-Dimensional Titanate Nanostructures. 2010 , 114, 14748-14754	34
532	TiO ₂ -derived titanate nanotubes by hydrothermal process with acid treatments and their microstructural evaluation. 2010 , 2, 2611-6	33

531	Morphology, crystal structure and adsorption performance of hydrothermally synthesized titania and titanate nanostructures. 2010 , 2, 2751-7	54
530	Synthesis and Cathodoluminescence of Undoped and Cr ³⁺ -Doped Sodium Titanate Nanotubes and Nanoribbons. 2010 , 114, 8192-8198	14
529	The Effect of Ionic Charge on the Adsorption of Organic Dyes onto Titanate Nanotubes. 2010 , 63, 270	55
528	Self-assembly of superparamagnetic magnetite particles into peapod-like structures and their application in optical modulation. 2010 , 20, 7965	52
527	Engineering the growth of TiO ₂ nanotube arrays on flexible carbon fibre sheets. 2010 , 46, 5906-8	40
526	Water-titanate intercalated nanotubes: fabrication, polarization, and giant dielectric property. 2010 , 12, 12638-46	12
525	Application of Magic-Angle Spinning NMR to Examine the Nature of Protons in Titanate Nanotubes. 2010 , 22, 2458-2465	79
524	Fabrication of a Vertically Aligned Ferroelectric Perovskite Nanowire Array on Conducting Substrate. 2010 , 22, 4806-4813	34
523	Formation of biotinylated trititanate nanofibers (BioTNFs): potent optical probes for protein. 2011 , 21, 2584	2
522	A Novel Electrochemiluminescence Sensor Based on Titanate Nanotubes with Excellent Adsorption Capability Towards Ru(bpy) ₃ ²⁺ . 2011 , 44, 1217-1225	
521	N-Doped TiO ₂ Prepared from Microwave-Assisted Titanate Nanotubes (N _x H ₂ Ti ₃ O ₇): The Effect of Microwave Irradiation during TNT Synthesis on the Visible Light Photoactivity of N-Doped TiO ₂ . 2011 , 115, 4000-4007	61
520	Novel H ₂ Ti ₁₂ O ₂₅ -Confined CeO ₂ Catalyst with Remarkable Resistance to Alkali Poisoning Based on the Shell Protection Effect. 2011 , 115, 17479-17484	59
519	One-step exfoliation of kaolinites and their transformation into nanoscrolls. 2011 , 27, 2028-35	132
518	A Study on the H ₂ Ti ₃ O ₇ Sheet-Like Products During the Formation Process of Titanate Nanotubes. 2011 , 158, K183	9
517	Revisiting the hydrothermal synthesis of titanate nanotubes: new insights on the key factors affecting the morphology. 2011 , 3, 2233-40	29
516	Hydrothermally synthesized titanate nanostructures: impact of heat treatment on particle characteristics and photocatalytic properties. 2011 , 3, 3988-96	58
515	Hierarchical protonated titanate nanostructures for lithium-ion batteries. 2011 , 3, 4074-7	32
514	Layered hydrazinium titanate: advanced reductive adsorbent and chemical toolkit for design of titanium dioxide nanomaterials. 2011 , 133, 9516-25	30

513	Preparation and Characterizations of Na ₂ Ti ₃ O ₇ , H ₂ Ti ₃ O ₇ and TiO ₂ Nanobelts. 2011 , 306-307, 1233-1237	7
512	Chemistry in a confined space: characterization of nitrogen-doped titanium oxide nanotubes produced by calcining ammonium trititanate nanotubes. 2011 , 21, 4605	29
511	Titanate nanosheets and nanotubes: alkalinity manipulated synthesis and catalyst support application. 2011 , 21, 277-282	32
510	Iron and chromium doped titanium dioxide nanotubes for the degradation of environmental and industrial pollutants. 2011 , 8, 351-362	30
509	SYNTHETIC CHEMISTRY OF TITANIUM DIOXIDE. 2011 , 281-328	1
508	Nanoparticles enwrapped with nanotubes: A unique architecture of CdS/titanate nanotubes for efficient photocatalytic hydrogen production from water. 2011 , 21, 5134	102
507	Enhanced catalytic activity for selective catalytic reduction of NO over titanium nanotube-confined CeO ₂ catalyst. 2011 , 12, 1042-1045	55
506	Effect Of Calcination Temperatures On Structures Of TiO ₂ Powders Prepared By Hydrothermal Method Using Thai Leucoxene Mineral. 2011 , 9, 539-544	19
505	Room temperature synthesis of protonated layered titanate sheets using peroxo titanium carbonate complex solution. 2011 , 47, 7731-3	46
504	Photosensitive nanostructured TiO ₂ grown at room temperature by novel Bottom-up□ approached CBD method. 2011 , 509, 6196-6199	34
503	Lead titanate nanotubes synthesized via ion-exchange method: Characteristics and formation mechanism. 2011 , 509, 6061-6066	5
502	Chapter 2:Inorganic Nanotubes. <i>RSC Nanoscience and Nanotechnology</i> , 2011 , 243-342	
501	Optimized antimicrobial and antiproliferative activities of titanate nanofibers containing silver. 2011 , 6, 1579-86	8
500	Bioactive Layer Formation on Metals and Polymers. 2011 , 231-244	6
499	Alkali metal intercalated titanate nanotubes: A vibrational spectroscopy study. <i>Vibrational Spectroscopy</i> , 2011 , 55, 183-187	2.1 77
498	Effects of sintering temperature on physicochemical properties and photocatalytic activity of titanate nanotubes modified with sulfuric acid. 2011 , 214, 451-457	13
497	Studies on Fe-modified nanostructured trititanates. 2011 , 126, 118-127	21
496	Preparation and characterization of titanate nanotubes/carbon composites. 2011 , 130, 827-830	5

495	CuBi ₂ O ₄ single crystal nanorods prepared by hydrothermal method: Growth mechanism and optical properties. 2011 , 46, 1443-1450		45
494	Effect of key parameters on the morphology transformation of three-dimensional TiO ₂ solid microspheres. 2011 , 65, 363-366		1
493	Template-free hydrothermal synthesis of macroporous TiO ₂ microspheres on a large scale. 2011 , 65, 2384-2387		4
492	Ion-exchange synthesis of Co-functionalized titanate nanotubes and their application in electrochemical capacitors. 2011 , 65, 2632-2634		5
491	NO _x storage and reduction over potassium titanate nanobelt-based catalyst with high storage capacity. 2011 , 280, 161-167		22
490	Highly selective one-dimensional TiO ₂ -based nanostructures for air treatment applications. <i>Applied Catalysis B: Environmental</i> , 2011 , 110, 251-259	21.8	14
489	Titanium nanotubes: A unique photocatalyst and adsorbent for elemental mercury removal. 2011 , 175, 202-208		50
488	Composites of Titanate Nanotube and Carbon Nanotube as Photocatalyst with High Mineralization Ratio for Gas-Phase Degradation of Volatile Aromatic Pollutant. 2011 , 115, 7880-7886		104
487	First-principle calculations for electronic structure and bonding properties in layered Na ₂ Ti ₃ O ₇ . 2011 , 9,		8
486	Effect of heat treatments on apatite-forming ability of NaOH- and HCl-treated titanium metal. 2011 , 22, 273-8		19
485	Nanostructured positively charged bioactive TiO ₂ layer formed on Ti metal by NaOH, acid and heat treatments. 2011 , 22, 1803-12		61
484	Porous TiO ₂ nanostructures synthesized from peroxotitanic acid-derived anatase. 2011 , 18, 435-441		4
483	Iron-doped titanium dioxide nanotubes: a study of electrical, optical, and magnetic properties. 2011 , 13, 6517-6525		17
482	Assembly, characterization, and photocatalytic activities of TiO ₂ nanotubes/CdS quantum dots nanocomposites. 2011 , 13, 6661-6672		30
481	Synthesis and luminescent properties of TiO ₂ :Eu ³⁺ nanotubes. 2011 , 212, 372-377		24
480	Nanostructured TiO ₂ and Its Application in Lithium-Ion Storage. 2011 , 21, 3231-3241		146
479	Preparation of bioactive Ti-15Zr-4Nb-4Ta alloy from HCl and heat treatments after an NaOH treatment. 2011 , 97, 135-44		32
478	Generation of highly reactive OH groups at the surface of TiO ₂ nanotubes. 2011 , 166, 18-24		19

477	Hydrothermal conversion of Nb-anatase nanoparticles into layered titanates. <i>Ceramics International</i> , 2011 , 37, 111-117	5.1	5
476	Photodegradation of rhodamine B and methyl orange over one-dimensional TiO ₂ catalysts under simulated solar irradiation. 2011 , 257, 3798-3803		88
475	A systematic study on evolution mechanism of titanate nanostructures in the hydrothermal process. 2011 , 508, 258-264		20
474	Highly efficient CuO incorporated TiO ₂ nanotube photocatalyst for hydrogen production from water. <i>International Journal of Hydrogen Energy</i> , 2011 , 36, 6560-6568	6.7	178
473	Self-decontaminating layer-by-layer functionalized textiles based on WO ₃ -modified titanate nanotubes. Application to the solar photocatalytic removal of chemical warfare agents. 2011 , 391, 455-467		36
472	Photocatalytic properties of rutile nanoparticles obtained via low temperature route from titanate nanotubes. 2011 , 218, 231-238		15
471	Formation of titanate nanostructures under different NaOH concentration and their application in wastewater treatment. <i>Journal of Solid State Chemistry</i> , 2011 , 184, 712-719	3.3	61
470	Sequestration of cadmium ions using titanate nanotube. <i>Journal of Hazardous Materials</i> , 2011 , 187, 401-428		28
469	Adsorption behavior of Cu(II) onto titanate nanofibers prepared by alkali treatment. <i>Journal of Hazardous Materials</i> , 2011 , 189, 265-272	12.8	70
468	Adsorption of Pb(II) and Cd(II) from aqueous solutions using titanate nanotubes prepared via hydrothermal method. <i>Journal of Hazardous Materials</i> , 2011 , 189, 741-8	12.8	170
467	Enhanced removal of trace Cr(VI) ions from aqueous solution by titanium oxide-Ag composite adsorbents. <i>Journal of Hazardous Materials</i> , 2011 , 190, 723-8	12.8	42
466	Heterogeneous photocatalysis of methylene blue over titanate nanotubes: effect of adsorption. 2011 , 356, 211-6		70
465	Photocatalytic reactivity of Ce-intercalated layered titanate prepared with a hybrid method based on ion-exchange and thermal treatment. 2011 , 50, 107-118		12
464	Apatite-Forming Ability Governing Bone-Bonding of Ti-15Zr-4Nb-4Ta Alloy Subjected to Calcium Solution Treatment. 2011 , 493-494, 920-925		
463	Hydrogen sensing in titanate nanotubes associated with modulation in protonic conduction. 2011 , 22, 235501		6
462	Synthesis of Layered Titanate Micro/nano-materials for Efficient Pollutant Treatment in Aqueous Media. 2011 , 1309, 119		
461	Photocatalytic Properties of Nanotubular-Shaped TiO ₂ Powders with Anatase Phase Obtained from Titanate Nanotube Powder through Various Thermal Treatments. 2011 , 2011, 1-7		26
460	Bioactive Metals Prepared by Surface Modification: Preparation and Properties. 2011 , 377-421		

459	TiO ₂ Nanotubes of Inorganic Functional Materials Research Progress. 2012 , 568, 320-323		
458	Lithium Ion Storage Characteristics of Mechanically Fractured Titanate Nanotubes. 2012 , 2012, 1-8		
457	Selective CO Methanation over Ru Catalysts Supported on Nanostructured TiO ₂ with Different Crystalline Phases and Morphology. 2012 , 25, 475-480		10
456	Apatite-forming ability of titanium in terms of pH of the exposed solution. 2012 , 9, 2145-55		68
455	Effects of Calcination Temperatures on Photocatalytic Activity of Ordered Titanate Nanoribbon/SnO ₂ Films Fabricated during an EPD Process. 2012 , 2012, 1-7		24
454	Bioactive Ti Metal with Ca-Enriched Surface Layer Able to Release Zn Ion. 2012 , 529-530, 547-552		5
453	Controlled synthesis of heterogeneous metal-titania nanostructures and their applications. 2012 , 134, 17505-12		60
452	Control of nanostructure of materials. 2012 , 177-265		
451	Single crystal titanate/zirconate nanoleaf: Synthesis, growth mechanism and enhanced photocatalytic hydrogen evolution properties. 2012 , 14, 1874		12
450	Hydrothermal synthesis and characterisation of potassium/sodium titanate nanofibres at different temperatures. 2012 , 7, 654		11
449	Understanding Formation Mechanism of Titanate Nanowires through Hydrothermal Treatment of Various Ti-Containing Precursors in Basic Solutions. 2012 , 28, 488-494		23
448	Thermal analysis of hydrogen titanate nanotubes prepared by potassium dititanate with water vapour treatment. 2012 , 110, 671-675		5
447	Hierarchical structured TiO ₂ nano-tubes for formaldehyde sensing. <i>Ceramics International</i> , 2012 , 38, 6341-6347	5.1	49
446	Hydrothermal synthesis, characterization and formation mechanism of self-assembled mesoporous SrTiO ₃ spheres assisted with Na ₂ SiO ₃ ·9H ₂ O. 2012 , 14, 3702		12
445	Nanotube-based hierarchical titanate microspheres: an improved anode structure for Li-ion batteries. 2012 , 48, 389-91		46
444	Highly efficient visible-light-driven photocatalytic hydrogen production from water using Cd _{0.5} Zn _{0.5} S/TNTs (titanate nanotubes) nanocomposites without noble metals. 2012 , 22, 7507		88
443	Structure, reactivity, photoactivity and stability of Ti-O based materials: a theoretical comparison. 2012 , 14, 2333-8		40
442	Solvothermal synthesis of monodisperse nanocrystals. 2012 , 41, 4719-25		25

441	UV-induced formation of activated Bi ₂ O ₃ nanoflake: an enhanced visible light driven photocatalyst by platinum loading. 2012 , 2, 103-106		22
440	Guided growth and alignment of millimetre-long titanate nanofibers in solution. 2012 , 22, 16890		10
439	Research of High Dielectric Constant of Polymer Matrix Composites and its Application for Energy Saving. 2012 , 578, 63-66		1
438	TiO ₂ Nanorod-Derived Synthesis of Upstanding Hexagonal Cassite Nanosheet Arrays: An Intermediate Route to Novel Nanoporous TiO ₂ Nanosheet Arrays. 2012 , 12, 289-296		20
437	Synthesis of nanostructured silver/silver halides on titanate surfaces and their visible-light photocatalytic performance. 2012 , 4, 438-46		70
436	Photoluminescence and hydrogen gas-sensing properties of titanium dioxide nanostructures synthesized by hydrothermal treatments. 2012 , 4, 1656-65		35
435	A new ion exchange behavior of protonated titanate nanotubes after deprotonation and the study on their morphology and optical properties. 2012 , 259, 610-615		12
434	Processing fly ash stabilized hydrogen titanate nano-sheets for industrial dye-removal application. <i>Journal of Hazardous Materials</i> , 2012 , 229-230, 177-82	12.8	17
433	In-situ synthesis, local structure, photoelectrochemical property of Fe-intercalated titanate nanotube. <i>International Journal of Hydrogen Energy</i> , 2012 , 37, 11081-11089	6.7	10
432	WO ₃ -modified TiO ₂ nanotubes for photocatalytic elimination of methylethylketone under UVA and solar light irradiation. 2012 , 245, 43-57		26
431	An obvious rolling process in the synthesis of Y ₂ O ₃ :Eu ³⁺ micro-urchins built from nanoscrolls. 2012 , 14, 7195		5
430	Titanate nanofunnel brushes: toward functional interfacial applications. 2012 , 48, 6130-2		18
429	Polyethyleneimine functionalized protonated titanate nanotubes as superior carbon dioxide adsorbents. 2012 , 386, 392-7		43
428	Bioactive Titanium Oxide-Based Nanostructures Prepared by One-Step Hydrothermal Anodization. 2012 , 116, 8054-8062		17
427	Synthesis and characterization of nitrogen-doped titanium dioxide nanomaterials derived from nanotube sodium titanate precursor. 2012 , 27, 2408-2416		17
426	Synthesis of hierarchical TiO ₂ nanotube arrays assembled by anatase single crystal nanoparticles. 2012 , 14, 7656		12
425	Synthesis of layered protonated titanate hierarchical microspheres with extremely large surface area for selective adsorption of organic dyes. 2012 , 14, 7715		39
424	Highly anisotropic titanates from electrospun TiO ₂ BiO ₂ composite nanofibers and rice grain-shaped nanostructures. 2012 , 2, 992-998		24

423	Electrochemical lithium storage capacity of nickel mono-oxide loaded anatase titanium dioxide nanotubes. 2012 , 18, 861-866		10
422	Bottom-up assembly to Ag nanoparticles embedded Nb-doped TiO ₂ nanobulks with improved n-type thermoelectric properties. 2012 , 22, 14180		20
421	A novel and highly efficient photocatalyst based on P25-graphdiyne nanocomposite. 2012 , 8, 265-71		248
420	A review on the synthesis of TiO ₂ nanoparticles by solution route. 2012 , 10, 279-294		59
419	Tuning the optical property and photocatalytic performance of titanate nanotube toward selective oxidation of alcohols under ambient conditions. 2012 , 4, 1512-20		89
418	Local Coordination and Valence States of Cobalt in Sodium Titanate Nanoribbons. 2012 , 116, 11357-11363		10
417	One-Dimensional Metal Oxide Nanotubes, Nanowires, Nanoribbons, and Nanorods: Synthesis, Characterizations, Properties and Applications. 2012 , 37, 1-74		147
416	Formation of a bioactive calcium titanate layer on gum metal by chemical treatment. 2012 , 23, 873-83		29
415	Self-assembled synthesis of porous TiO ₂ film on the electrophoretic-deposited titanate nanoribbon film. 2012 , 27, 203-206		
414	NO _x storage/reduction over alkali-metal-nitrate impregnated titanate nanobelt catalysts and investigation of alkali metal cation migration using XPS. 2012 , 184, 78-82		27
413	Review of titania nanotubes: Fabrication and cellular response. <i>Ceramics International</i> , 2012 , 38, 4421-4435		178
412	Sorption of hydrogen onto titanate nanotubes decorated with a nanostructured Cd ₃ [Fe(CN) ₆] ₂ Prussian Blue analogue. <i>International Journal of Hydrogen Energy</i> , 2012 , 37, 318-326	6.7	16
411	Effect of pH value on the microstructure and deNO(x) catalytic performance of titanate nanotubes loaded CeO ₂ . 2012 , 377, 131-6		30
410	Morphology, Chemical Composition and Phase Transformation of Hydrothermal Derived Sodium Titanate. 2012 , 95, 3297-3304		29
409	Enhanced visible light response of CuO nanoparticle-modified sodium titanate nanotube heterojunction thin films. 2012 , 74, 65-67		6
408	Silver decorated titanate/titania nanostructures for efficient solar driven photocatalysis. <i>Journal of Solid State Chemistry</i> , 2012 , 189, 117-122	3.3	50
407	Synthesis of uniform layered protonated titanate hierarchical spheres and their transformation to anatase TiO ₂ for lithium-ion batteries. <i>Chemistry - A European Journal</i> , 2012 , 18, 2094-9	4.8	66
406	Highly Efficient, Irreversible and Selective Ion Exchange Property of Layered Titanate Nanostructures. 2012 , 22, 835-841		192

405	Facile tailoring of titanate nanostructures at low alkaline concentration by a solvothermal route. <i>Journal of Materials Science</i> , 2012 , 47, 3855-3866	4-3	10
404	Synthesis of titanate nanostructures using amorphous precursor material and their adsorption/photocatalytic properties. <i>Journal of Materials Science</i> , 2012 , 47, 4305-4312	4-3	37
403	Hydrothermal synthesis and gas sensing properties of different titanate nanostructures. 2012 , 23, 576-581		9
402	Silica-Based NTPC-Fly Ash for Dye-Removal Application and Effect of Its Modification. 2013 , 10, 186-201		7
401	Effect of ammonia or nitric acid treatment on surface structure, in vitro apatite formation, and visible-light photocatalytic activity of bioactive titanium metal. 2013 , 111, 503-8		3
400	Enhancing the performance of dye-sensitized solar cells based on TiO ₂ nanotube/nanoparticle composite photoanodes. 2013 , 105, 142-148		12
399	Mutual promotion mechanism for adsorption of coexisting Cr(III) and Cr(VI) onto titanate nanotubes. <i>Chemical Engineering Journal</i> , 2013 , 232, 228-236	14-7	30
398	Pseudo and true visible light photocatalytic activity of nanotube titanate/graphene composites. 2013 , 15, 1		2
397	Dimensionality-dependent photocatalytic activity of TiO ₂ -based nanostructures: nanosheets with a superior catalytic property. <i>Journal of Materials Science</i> , 2013 , 48, 5171-5179	4-3	32
396	Effect of Ca contamination on apatite formation in a Ti metal subjected to NaOH and heat treatments. 2013 , 24, 635-44		23
395	Metal loading determines the stabilization pathway for Co ²⁺ in titanate nanowires: ion exchange vs. cluster formation. 2013 , 15, 15917-25		19
394	Facile self-assembly synthesis of titanate/Fe ₃ O ₄ nanocomposites for the efficient removal of Pb ²⁺ from aqueous systems. 2013 , 1, 805-813		82
393	Fabrication and characterization of TiO ₂ nanotube by hydrothermal method in the design of DSSC. 2013 , 49, 93-97		8
392	Effect of nitrogen doping on the microstructure and visible light photocatalysis of titanate nanotubes by a facile cohydrothermal synthesis via urea treatment. 2013 , 280, 171-178		50
391	Preparation and characterization of Lepidocrocite titanate nanofibers. 2013 , 29, 193-195		2
390	Influence of NaCl concentration on structural, morphological, and optical properties of titanate nanostructures. <i>Chemical Engineering Journal</i> , 2013 , 233, 360-368	14-7	4
389	Self-assembly and formation mechanism of single-crystal SrTiO ₃ nanosheets via solvothermal route with ethylene glycol as reaction medium. 2013 , 15, 7206		31
388	Rh-induced support transformation phenomena in titanate nanowire and nanotube catalysts. 2013 , 29, 3061-72		48

387	Removal of radioactive iodine from water using Ag ₂ O grafted titanate nanolamina as efficient adsorbent. <i>Journal of Hazardous Materials</i> , 2013 , 246-247, 199-205	12.8	76
386	Synthesis of Homogeneous Manganese-Doped Titanium Oxide Nanotubes from Titanate Precursors. 2013 , 117, 697-702		34
385	Structure and stability of pristine and Bi and/or Sb decorated titanate nanotubes. 2013 , 1044, 104-108		9
384	Hydrothermal temperature as a morphological control factor: Preparation, characterization and photocatalytic activity of titanate nanotubes and nanoribbons. 2013 , 1049, 446-457		27
383	Effect of Na content and thermal treatment of titanate nanotubes on the photocatalytic degradation of formic acid. <i>Applied Catalysis B: Environmental</i> , 2013 , 138-139, 401-415	21.8	84
382	Facile route for synthesis of TiO ₂ nanorod arrays by high-temperature calcinations. 2013 , 108, 208-211		5
381	Porous TiO ₂ nanowires derived from nanotubes: Synthesis, characterization and their enhanced photocatalytic properties. 2013 , 181, 146-153		16
380	The effects of surface acidity on CO ₂ adsorption over amine functionalized protonated titanate nanotubes. 2013 , 3, 18803		26
379	Effect of preparation conditions on the structural and acid catalytic properties of protonated titanate nanotubes. 2013 , 1, 12768		31
378	A bioactive Ti metal with a Ca-enriched surface layer releases Mg ions. 2013 , 3, 11274		30
377	In situ Sn ²⁺ -incorporation synthesis of titanate nanotubes for photocatalytic dye degradation under visible light illumination. 2013 , 546, 95-101		20
376	Synthesis and electrochemical behaviors of nano-network NaHTi ₃ O ₇ thin films on Ti/Si prepared by a hydrothermal-galvanic couple method. 2013 , 231, 521-525		2
375	Binder-addition effect in TiO ₂ nanoparticles on dye-sensitized solar cells evidenced by spectroscopic techniques. 2013 , 111, 784-790		1
374	Titanate nanotubes as support of solid base catalyst. 2013 , 567, 85-92		15
373	The visible light absorption property of Cu-doped hydrogen titanate nanotube thin films: An experimental and theoretical study. 2013 , 429, 127-132		5
372	Effect of water vapor on the by-products and decomposition rate of ppb-level toluene by photocatalytic oxidation. <i>Applied Catalysis B: Environmental</i> , 2013 , 132-133, 212-218	21.8	66
371	Photocatalysis of heat treated sodium- and hydrogen-titanate nanoribbons for water splitting, H ₂ /O ₂ generation and oxalic acid oxidation. 2013 , 93, 341-349		28
370	Protonated Titanate Nanotubes with Lewis and Brønsted Acidity: Relationship between Nanotube Structure and Catalytic Activity. 2013 , 25, 385-393		128

369	Adsorption and desorption of Cd(II) onto titanate nanotubes and efficient regeneration of tubular structures. <i>Journal of Hazardous Materials</i> , 2013 , 250-251, 379-86	12.8	83
368	Self-assembled, robust titanate nanoribbon membranes for highly efficient nanosolid capture and molecule discrimination. 2013 , 5, 3486-95		17
367	Preparation and Utilization of Polystyrene Nanocomposites Based on TiO ₂ Nanowires. 2013 , 52, 228-235		17
366	Influence of pH, ionic strength and humic acid on competitive adsorption of Pb(II), Cd(II) and Cr(III) onto titanate nanotubes. <i>Chemical Engineering Journal</i> , 2013 , 215-216, 366-374	14.7	208
365	Applying Taguchi robust design to the optimization of synthesis of barium carbonate nanorods via direct precipitation. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2013 , 423, 35-41	5.1	26
364	Vapor-phase hydrothermal growth of novel segmentally configured nanotubular crystal structure. 2013 , 9, 3043-50		8
363	Adsorption of Pb ²⁺ , Cd ²⁺ , Cu ²⁺ and Cr ³⁺ onto titanate nanotubes: competition and effect of inorganic ions. 2013 , 456-457, 171-80		209
362	Three-dimensional CdS-titanate composite nanomaterials for enhanced visible-light-driven hydrogen evolution. 2013 , 9, 996-1002		118
361	Effects of inorganic anions on cadmium sorption behaviours on titanate nanotube surfaces. 2013 , 34, 3017-21		2
360	Kinetic and thermodynamic studies of hydrogen adsorption on titanate nanotubes decorated with a Prussian blue analogue. <i>International Journal of Hydrogen Energy</i> , 2013 , 38, 6406-6416	6.7	7
359	Layered titanate nanostructures and their derivatives as negative electrode materials for lithium-ion batteries. 2013 , 1, 4403		76
358	Solar light-activated photocatalytic degradation of gas phase diethylsulfide on WO ₃ -modified TiO ₂ nanotubes. <i>Applied Catalysis B: Environmental</i> , 2013 , 138-139, 128-140	21.8	46
357	Improved visible-light-driven photocatalytic activity of rutile/titania-nanotube composites prepared by microwave-assisted hydrothermal process. <i>Applied Catalysis B: Environmental</i> , 2013 , 140-141, 283-288	21.8	39
356	Iron-doped TiO ₂ nanotubes with high photocatalytic activity under visible light synthesized by an ultrasonic-assisted sol-hydrothermal method. <i>Ceramics International</i> , 2013 , 39, 4009-4016	5.1	25
355	Capture of carbon dioxide from flue gases by amine-functionalized TiO ₂ nanotubes. 2013 , 268, 124-128		37
354	One-pot pyrolytic synthesis of CN-codoped mesoporous anatase TiO ₂ and its highly efficient photo-degradation properties. 2013 , 37, 451-457		6
353	Organic free low temperature direct synthesis of hierarchical protonated layered titanates/anatase TiO ₂ hollow spheres and their task-specific applications. 2013 , 1, 9122		42
352	Impact of reaction temperature, stirring and cosolvent on the solvothermal synthesis of anatase TiO ₂ and TiO ₂ /titanate hybrid nanostructures: Elucidating the growth mechanism. 2013 , 137, 928-936		36

351	Preparation and characterization of $\text{Li}_4\text{Ti}_5\text{O}_{12}$ synthesized using hydrogen titanate nanowire for hybrid super capacitor. 2013 , 2, 285-290	6
350	Control of Phase Coexistence in Calcium Tantalate Composite Photocatalysts for Highly Efficient Hydrogen Production. 2013 , 25, 4739-4745	33
349	Solvothermal Synthesis of TiO_2 Photocatalysts in Ketone Solvents with Low Boiling Points. 2013 , 2013, 1-11	15
348	The Key Role of pH Value in the Synthesis of Titanate Nanotubes-Loaded Manganese Oxides as a Superior Catalyst for the Selective Catalytic Reduction of NO with NH_3 . 2013 , 2013, 1-7	18
347	TiO_2 -Based Nanotubes Modified with Nitrogen: Synthesis, Characterizations, and Photocatalytic Activity. 2013 , 864-867, 583-587	
346	One-dimensional TiO_2 based nanotubes as ion exchanger: synthesis, characterization and application in radiochemical separation of carrier-free ^{137}mBa from ^{137}Cs . <i>Radiochimica Acta</i> , 2013 , 101, 33-36	1.9 7
345	Influence of the TiO_2 precursors on the thermal and structural stability of titanate-based nanotubes. 2013 , 28, 294-303	18
344	Fabrication, Modification, and Emerging Applications of TiO_2 Nanotube Arrays by Electrochemical Synthesis: A Review. 2013 , 2013, 1-19	31
343	Bioactive Ti Metal with Ca-Enriched Surface Layer Able to Release Sr Ions. 2013 , 587, 269-274	2
342	FACILE SYNTHESIS AND UNUSUAL ELECTROCHEMICAL CAPACITANCE OF Ni-DOPED TITANATE NANOTUBES. 2013 , 01, 1340016	
341	Snapshots of the Formation of $\text{NaTi}_3\text{O}_6(\text{OH}) \cdot 2\text{H}_2\text{O}$ Nanowires: A Time-Resolved XRD/HRTEM Study. 2013 , 639, 2521-2526	4
340	Origin of the visible light absorption of Co^{2+} and NH_4^+ co-doped hydrogen titanate nanotube thin films. 2013 , 250, 1592-1598	6
339	In situ fabrication of silver nanoparticle-filled hydrogen titanate nanotube layer on metallic titanium surface for bacteriostatic and biocompatible implantation. 2013 , 8, 2903-16	21
338	Co-doped titanate nanotubes: Synthesis, characterization, and properties. 2014 , 53, 06JG12	2
337	Nanostructured lithium titanate and lithium titanate/carbon nanocomposite as anode materials for advanced lithium-ion batteries. 2014 , 3,	13
336	Synthesis and Electrochemical Performances of Nanoscale TiO_2 as Anode Material for Lithium Ion Batteries. 2014 , 1015, 438-441	
335	Gas sensitivity and sensing mechanism studies on Au-doped TiO_2 nanotube arrays for detecting SF_6 decomposed components. 2014 , 14, 19517-32	43
334	High performance Pd catalyst using silica modified titanate nanotubes (STNT) as support and its catalysis toward hydrogenation of cinnamaldehyde at ambient temperature. 2014 , 4, 63062-63069	11

333	Nanostructured titanate with different metal ions on the surface of metallic titanium: a facile approach for regulation of rBMSCs fate on titanium implants. 2014 , 10, 3169-80		42
332	Adsorption of Pb(II) Using Magnetic Titanate Nanotubes Prepared via Two-Step Hydrothermal Method. 2014 , 42, 947-955		6
331	Study of thermal stability of (3-aminopropyl)trimethoxy silane-grafted titanate nanotubes for application as nanofillers in polymers. 2014 , 25, 435601		11
330	Silver nano particle incorporated Ti metal prepared by chemical treatment for antibacterial and corrosion resistance study. 2014 , 29, B26-B34		9
329	Modified amorphous layered titanates as precursor materials to produce heterostructured nanopowders and ceramic nanocomposites. 2014 , 586, S494-S497		7
328	Highly efficient covalent immobilization of catalase on titanate nanotubes. 2014 , 83, 8-15		32
327	Role of V ₂ O ₅ /WO ₃ /H ₂ Ti ₃ O ₇ -nanotube-model catalysts in the enhancement of the catalytic activity for the SCR-NH ₃ process. <i>Chemical Engineering Journal</i> , 2014 , 242, 313-320	14.7	37
326	Controlled release of strontium ions from a bioactive Ti metal with a Ca-enriched surface layer. 2014 , 10, 2282-9		56
325	Engineering highly active TiO ₂ photocatalysts via the surface-phase junction strategy employing a titanate nanotube precursor. 2014 , 310, 16-23		67
324	Preparation of TiO ₂ (B) Nanosheets by a Hydrothermal Process and Their Application as an Anode for Lithium-Ion Batteries. 2014 , 43, 1048-1054		14
323	Microwave assisted hydrothermal synthesis and characterization of ZnO/TiO ₂ nanocomposites. 2014 , 145, 297-303		10
322	TiO ₂ nanorods for gas phase photocatalytic applications. 2014 , 235, 193-200		12
321	Confined synthesis of ultrafine Ru/B amorphous alloy and its catalytic behavior toward selective hydrogenation of benzene. 2014 , 2, 7570		23
320	High-temperature hydrogenation of pure and silver-decorated titanate nanotubes to increase their solar absorbance for photocatalytic applications. 2014 , 591, 147-155		30
319	One-pot solvothermal synthesis of dual-phase titanate/titania Nanoparticles and their adsorption and photocatalytic Performances. <i>Journal of Solid State Chemistry</i> , 2014 , 214, 67-73	3.3	5
318	Adsorption of Cu(II) and Cd(II) on titanate nanomaterials synthesized via hydrothermal method under different NaOH concentrations: Role of sodium content. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014 , 452, 138-147	5.1	72
317	Catalytic properties of titania nanotube prepared by simple refluxing method. 2014 , 116, 160-163		7
316	A review on TiO ₂ -based nanotubes synthesized via hydrothermal method: Formation mechanism, structure modification, and photocatalytic applications. 2014 , 225, 34-51		349

315	Sorption on eggshell waste--a review on ultrastructure, biomineralization and other applications. 2014 , 209, 49-67	107
314	Polymer-nanocomposite brush-like architectures as an all-solid electrolyte matrix. 2014 , 8, 11409-24	26
313	Influence of gold additives on the stability and phase transformation of titanate nanostructures. 2014 , 16, 26786-97	30
312	Synthesis and Characterization of Tin Titanate Nanotubes: Precursors for Nanoparticulate Sn-Doped TiO ₂ Anodes with Synergistically Improved Electrochemical Performance. 2014 , 1, 1563-1569	34
311	Dispersions of geometric TiO ₂ nanomaterials and their toxicity to RPMI 2650 nasal epithelial cells. 2014 , 16, 1	6
310	Effect of Hg ²⁺ -doping and of the annealing temperature on the nanostructural properties of TiO ₂ thin films obtained by sol-gel method. 2014 , 17, 1176-1183	4
309	TiO ₂ -supported copper nanoparticles prepared via ion exchange for photocatalytic hydrogen production. 2014 , 2, 6432-6438	79
308	N-doped titanate nanostructures on gradient surface layer of one dimensional nanofibers synthesized on Ti electrode by chemical and thermal treatments. 2014 , 2, 1809-1817	5
307	Effects of electron charge density and particle size of alkali metal titanate nanotube-supported Pt photocatalysts on production of H ₂ from neat alcohol. 2014 , 16, 23743-53	8
306	Photocatalytic activity of transition-metal-ion-doped coordination polymer (CP): photoresponse region extension and quantum yields enhancement via doping of transition metal ions into the framework of CPs. 2014 , 43, 8805-13	34
305	Silver incorporated antibacterial, cell compatible and bioactive titania layer on Ti metal for biomedical applications. 2014 , 4, 61444-61455	22
304	Synthesis of peroxo-titanium decorated H-titanate-nanotube-based hierarchical microspheres with enhanced visible-light photocatalytic activity in degradation of Rhodamine B. 2014 , 43, 14537-41	13
303	Pt nanoparticles entrapped in titanate nanotubes (TNT) for phenol hydrogenation: the confinement effect of TNT. 2014 , 50, 2794-6	62
302	Anatase and brookite TiO ₂ with various morphologies and their proposed building block. 2014 , 16, 441-447	29
301	One-dimensional titanium dioxide nanomaterials: nanotubes. 2014 , 114, 9385-454	885
300	Thermal Annealing and Graphene Modification of Exfoliated Hydrogen Titanate Nanosheets for Enhanced Lithium-ion Intercalation Properties. 2014 , 30, 839-846	15
299	Poly Tri-s-triazines as Visible Light Sensitizers in Titania-Based Composite Photocatalysts: Promotion of Melon Development from Urea over Acid Titanates. 2014 , 2, 149-157	16
298	Silver-loaded anatase nanotubes dispersed plasmonic composite photoanode for dye-sensitized solar cells. 2014 , 15, 2847-2854	16

297	Mn ²⁺ Substitutional Doping of TiO ₂ Nanoribbons: A Three-Step Approach. 2014 , 118, 21250-21257		19
296	Generation of reactive oxygen species in titanates nanotubes induced by hydrogen peroxide and their application in catalytic degradation of methylene blue dye. 2014 , 394, 316-323		23
295	Sandwich SrTiO ₃ /TiO ₂ /H-Titanate nanofiber composite photocatalysts for efficient photocatalytic hydrogen evolution. 2014 , 315, 314-322		26
294	Preparation of Titanate Whiskers Starting from Metatitanic Acid and Their Adsorption Performances for Cu(II), Pb(II), and Cr(III) Ions. 2014 , 225, 1		9
293	Controllable wettability and adhesion on bioinspired multifunctional TiO ₂ nanostructure surfaces for liquid manipulation. 2014 , 2, 18531-18538		76
292	In situ synthesis of CdS decorated titanate nanosheets with highly efficient visible-light-induced photoactivity. 2014 , 305, 459-465		8
291	Reduced recombination and enhanced UV-assisted photocatalysis by highly anisotropic titanates from electrospun TiO ₂ /BiO ₂ nanostructures. 2014 , 4, 27979		17
290	Iron oxide supported sulfated TiO ₂ nanotube catalysts for NO reduction with propane. <i>Ceramics International</i> , 2014 , 40, 4039-4053	5.1	15
289	Morphology, structure and adsorption of titanate nanotubes prepared using a solvothermal method. 2014 , 51, 49-55		17
288	The effects of the chemical composition of titanate nanotubes and solvent type on 3-aminopropyltriethoxysilane grafting efficiency. 2014 , 301, 315-322		37
287	High photocatalytic and adsorptive performance of anatase-covered titanate nanotubes prepared by wet chemical reaction. 2014 , 186, 168-175		16
286	Titania nanotubes and fullerenes C ₆₀ assemblies and their photocatalytic activity under visible light. <i>Ceramics International</i> , 2014 , 40, 1297-1302	5.1	13
285	Adsorption mechanisms of thallium(I) and thallium(III) by titanate nanotubes: ion-exchange and co-precipitation. 2014 , 423, 67-75		71
284	Nano-petri-dish array assisted glancing angle sputtering for Ag-NP assembled bi-nanoring arrays as effective SERS substrates. 2014 , 6, 7991-5		19
283	Photocatalytic degradation of Rhodamine B by microwave-assisted hydrothermal synthesized N-doped titanate nanotubes. 2014 , 26, 1505-12		11
282	Synthesis and application of TiO ₂ nanotubes in environmental pollutant removal. 2014 , 105, 397-403		3
281	A study on partially protonated titanate nanotubes: Enhanced thermal stability and improved photocatalytic activity. <i>Ceramics International</i> , 2014 , 40, 4717-4723	5.1	12
280	Study of the growth of CeO ₂ nanoparticles onto titanate nanotubes. <i>Journal of Physics and Chemistry of Solids</i> , 2015 , 87, 213-220	3.9	25

279	Effective use of flexible low-dimensional colloidal particles and colloidal crystals for the control of hierarchically porous materials. 2015 , 123, 853-861	3
278	Structure, Properties and Application of Dendritic Macromolecules in Various Fields: Molecular Simulation Techniques in Hyperbranched Polymer and Dendrimers. 2015 , 259-278	
277	TiO ₂ /Cu ₂ O Core/Ultrathin Shell Nanorods as Efficient and Stable Photocatalysts for Water Reduction. 2015 , 127, 15475-15480	17
276	TiO ₂ /Cu ₂ O Core/Ultrathin Shell Nanorods as Efficient and Stable Photocatalysts for Water Reduction. 2015 , 54, 15260-5	91
275	TiO ₂ -Based Nanomaterials: Design, Synthesis, and Applications. 2015 , 2015, 1-3	6
274	Preparation and Application of Titanate Nanotubes on Dye Degradation from Aqueous Media by UV Irradiation. 2015 , 2015, 1-9	7
273	Fe ³⁺ -Exchanged Titanate Nanotubes: A New Kind of Highly Active Heterogeneous Catalyst for Friedel-Crafts Type Benzylolation. 2015 , 2015, 1-9	2
272	Deposition of uniform Pt nanoparticles with controllable size on TiO ₂ -based nanowires by atomic layer deposition and their photocatalytic properties. 2015 , 26, 254002	30
271	Hydrothermal synthesis of highly crystalline nanotubes/nanoplates of pure and silver-doped anatase-titania using acid-catalyst-modified sol-gel precursors. 2015 , 73, 38-47	3
270	Effect of alkali and alkaline earth metal ions on benzyl alcohol oxidation activity of titanate nanotube-supported Au catalysts. 2015 , 5, 47740-47748	11
269	Phase-selective hydrothermal synthesis of hydrous lithium titanates nanoparticles as a precursor to Li ₄ Ti ₅ O ₁₂ anode material for lithium ion rechargeable batteries. <i>Ceramics International</i> , 2015 , 41, 10988-10994	5
268	Effect of washing pH on the properties of titanate nanotubes and its activity for photocatalytic oxidation of NO and NO ₂ . 2015 , 355, 672-680	22
267	Solvothermal synthesis of stable nanoporous polymeric bases-crystalline TiO ₂ nanocomposites: visible light active and efficient photocatalysts for water treatment. 2015 , 26, 085705	6
266	Composites of recycled nylon 11 and titanium based nanofillers. 2015 , 42, 108-114	8
265	Photocatalytic H ₂ production by ethanol photodehydrogenation: Effect of anatase/brookite nanocomposites composition. 2015 , 431, 197-205	35
264	Photocatalytic direct conversion of ethanol to 1,1- diethoxyethane over noble-metal-loaded TiO ₂ nanotubes and nanorods. 2015 , 8, 1226-31	28
263	Molecular nitrogen in N-doped TiO ₂ nanoribbons. 2015 , 5, 23350-23356	29
262	Selective and irreversible adsorption of mercury(II) from aqueous solution by a flower-like titanate nanomaterial. 2015 , 3, 17676-17684	64

261	Novel SCR catalyst with superior alkaline resistance performance: enhanced self-protection originated from modifying protonated titanate nanotubes. 2015 , 3, 680-690	50
260	Photocatalytic Water Splitting Towards Hydrogen Production on Gold Nanoparticles (NPs) Entrapped in TiO ₂ Nanotubes. 2015 , 145, 1771-1777	30
259	Pb(II) adsorption on magnetic γ -Fe ₂ O ₃ /titanate nanotubes composite. 2015 , 3, 2022-2030	21
258	Cryogel-supported titanate nanotubes for waste treatment: Impact on methane production and bio-fertilizer quality. 2015 , 207, 58-66	8
257	Effect of calcination on structural, morphological and photoelectrochemical performance of SnO ₂ /TiO ₂ nanostructure films. 2015 , 589, 493-502	5
256	Preparation of a titanium metal electrode with a nitrogen-doped one-dimensional titanium oxide surface layer for the support of catalysts. 2015 , 5, 47876-47883	2
255	Nanoscale Clarification of the Electronic Structure and Optical Properties of TiO ₂ Nanowire with an Impurity Phase upon Sodium Intercalation. 2015 , 119, 17848-17856	14
254	Fe-doped nanostructured titanates synthesized in a single step route. 2015 , 99, 150-159	8
253	Short-cut synthesis of tri-titanate nanotubes using nano-anatase: Mechanism and application as an excellent adsorbent. 2015 , 213, 40-47	26
252	Dye removal using electrochemistry and semiconductor oxide nanotubes. 2015 , 13, 157-172	37
251	Functionalized titanate nanotube/polyetherimide nanocomposite membrane for improved salt rejection under low pressure nanofiltration. 2015 , 5, 39464-39473	38
250	Ultrafine sodium titanate nanowires with extraordinary Sr ion-exchange properties. 2015 , 15, 2980-4	34
249	Amine-Functionalized Titanate Nanosheet-Assembled Yolk@Shell Microspheres for Efficient Cocatalyst-Free Visible-Light Photocatalytic CO ₂ Reduction. 2015 , 7, 8166-75	114
248	Titanate nanotube modified with different nickel precursors for enhanced Eosin Y-sensitized photocatalytic hydrogen evolution. <i>International Journal of Hydrogen Energy</i> , 2015 , 40, 6038-6049	6.7 41
247	Effect of microwave heating on the structure, morphology and photocatalytic activity of hydrogen titanate nanotubes. 2015 , 3, 744-751	13
246	Recent Advances in Synthesis, Modification and Applications of TiO ₂ Nanotube Arrays by Electrochemical Anodization. 2015 , 1-33	
245	Spherical assemblies of titania nanotubes generated through aerosol processing. <i>Ceramics International</i> , 2015 , 41, 14754-14759	5.1 3
244	Individual Titanate Nanoribbons Studied by 3D-Resolved Polarization Dependent X-ray Absorption Spectra Measured with Scanning Transmission X-ray Microscopy. 2015 , 119, 24192-24200	8

243	Formation of Highly Conductive Boron-Doped Diamond on TiO ₂ Nanotubes Composite for Supercapacitor or Energy Storage Devices. 2015 , 162, A2085-A2092		21
242	Synthesis and characterization of ZnTiO ₃ with high photocatalytic activity. 2015 , 25, 2272-2278		34
241	Dual-Enhanced Photocatalytic Activity of Fe-Deposited Titanate Nanotubes Used for Simultaneous Removal of As(III) and As(V). 2015 , 7, 19726-35		52
240	Enhanced Electrorheological Performance of Nb-Doped TiO ₂ Microspheres Based Suspensions and Their Behavior Characteristics in Low-Frequency Dielectric Spectroscopy. 2015 , 7, 26624-32		12
239	Ternary Sn-Ti-O based nanostructures as anodes for lithium ion batteries. 2015 , 11, 1364-83		45
238	A multi-step mechanism and integrity of titanate nanoribbons. 2015 , 44, 1150-60		14
237	Evaluation of the photocatalytic degradation of pre-treated palm oil mill effluent (POME) over Pt-loaded titania. 2015 , 3, 261-270		40
236	Arsenate adsorption onto Fe-TNTs prepared by a novel water-ethanol hydrothermal method: mechanism and synergistic effect. 2015 , 440, 253-62		32
235	Dispersion of titanate nanotubes for nanomedicine: comparison of PEI and PEG nanohybrids. 2015 , 44, 739-46		31
234	Pd nano-particles (NPs) confined in titanate nanotubes (TNTs) for hydrogenation of cinnamaldehyde. 2015 , 59, 184-188		49
233	Synthesis and Characterization of Europium-exchanged Titanate Nanoporous Phosphors. 2016 , 63, 233-238		2
232	A novel ammonia complex-assisted ion-exchange strategy to fabricate heterostructured PdO/TiO ₂ nanorods with enhanced photocatalytic activities. 2016 , 18, 1		4
231	Ion-Exchange Synthesis of Li ₄ Ti ₅ O ₁₂ Nanotubes and Nanoparticles for High-Rate Li-Ion Batteries. 2016 , 57, 42-45		6
230	Aligned metal oxide nanotube arrays: key-aspects of anodic TiO nanotube formation and properties. 2016 , 1, 445-466		97
229	Crystal structure and photocatalytic properties of titanate nanotubes prepared by chemical processing and subsequent annealing. <i>Journal of Materials Science</i> , 2016 , 51, 7322-7335	4-3	18
228	Synthesis of Oxide Nanotubes/Nanorods by Hydrothermal Method. <i>SpringerBriefs in Materials</i> , 2016 , 21-75	0.5	1
227	Preparation and bioactivity of apatite coating on Ti6Al4V alloy by microwave assisted aqueous chemical method. <i>Ceramics International</i> , 2016 , 42, 18466-18473	5-1	9
226	Hydrothermal synthesis of titanate nanotubes from TiO ₂ nanorods prepared via a molten salt flux method as an effective adsorbent for strontium ion recovery. 2016 , 6, 98449-98456		21

225	Development of reusable palladium catalysts supported on hydrogen titanate nanotubes for the Heck reaction. 2016 , 342, 138-150		21
224	Effect of confinement of TiO ₂ nanotubes over the Ru nanoparticles on Fischer-Tropsch synthesis. 2016 , 526, 45-52		26
223	High-Capacity and Photoregenerable Composite Material for Efficient Adsorption and Degradation of Phenanthrene in Water. 2016 , 50, 11174-11183		62
222	Sorption properties of an amorphous hydroxo titanate towards Pb(2+), Ni(2+), and Cu(2+) ions in aqueous solution. 2016 , 51, 1121-30		5
221	Photo-induced reactions in the CO ₂ -methane system on titanate nanotubes modified with Au and Rh nanoparticles. <i>Applied Catalysis B: Environmental</i> , 2016 , 199, 473-484	21.8	87
220	Strontium ion (Sr ²⁺) separation from seawater by hydrothermally structured titanate nanotubes: Removal vs. recovery. <i>Chemical Engineering Journal</i> , 2016 , 304, 503-510	14.7	59
219	Optoelectronic Properties of Layered Titanate Nanostructure and Polyaniline Impregnated Devices. 2016 , 1, 5885-5891		5
218	Trititanate Nanotubes as highly efficient adsorbent for fluoride removal from water: Adsorption performance and uptake mechanism. 2016 , 4, 4754-4768		8
217	Expansion of titanate nanotubes by the use of a surfactant and its improved performance as an anode in Li-ion batteries. 2016 , 220, 453-464		12
216	Simultaneous removal of Cr(VI) and 4-chlorophenol through photocatalysis by a novel anatase/titanate nanosheet composite: Synergetic promotion effect and autosynchronous doping. <i>Journal of Hazardous Materials</i> , 2016 , 317, 385-393	12.8	73
215	Atomic scale characterization and surface chemistry of metal modified titanate nanotubes and nanowires. 2016 , 71, 473-546		76
214	The effect of ionic Co presence on the structural, optical and photocatalytic properties of modified cobalt-titanate nanotubes. 2016 , 18, 18081-93		24
213	Recent Advances in TiO ₂ -Based Nanostructured Surfaces with Controllable Wettability and Adhesion. 2016 , 12, 2203-24		228
212	Design Strategies for a Denitrification Catalyst with Improved Resistance against Alkali Poisoning: The Significance of Nanoconfining Spaces and Acid-Base Balance. 2016 , 8, 787-797		12
211	PdNP@Titanate Nanotubes as Effective Catalyst for Continuous-Flow Partial Hydrogenation Reactions. 2016 , 8, 1001-1011		15
210	Hydrogenative cyclization of levulinic acid into γ -valerolactone by photocatalytic intermolecular hydrogen transfer. 2016 , 18, 2296-2301		15
209	A new type of cobalt-deposited titanate nanotubes for enhanced photocatalytic degradation of phenanthrene. <i>Applied Catalysis B: Environmental</i> , 2016 , 187, 134-143	21.8	102
208	The effect of pH on the interlayer distances of elongated titanate nanotubes and their use as a Li-ion battery anode. 2016 , 27, 015401		7

207	Adsorption of U(VI) by multilayer titanate nanotubes: Effects of inorganic cations, carbonate and natural organic matter. <i>Chemical Engineering Journal</i> , 2016 , 286, 427-435	14.7	129
206	Methyl formate synthesis from methanol on titania supported copper catalyst under UV irradiation at ambient condition: Performance and mechanism. 2016 , 333, 162-170		25
205	Fabrication and characterization of composite TiO ₂ nanotubes/boron-doped diamond electrodes towards enhanced supercapacitors. 2016 , 601, 35-40		28
204	Magnetic CoFe ₂ O ₄ nanoparticles supported on titanate nanotubes (CoFe ₂ O ₄ /TNTs) as a novel heterogeneous catalyst for peroxymonosulfate activation and degradation of organic pollutants. <i>Journal of Hazardous Materials</i> , 2016 , 308, 58-66	12.8	268
203	Evaluation of Bond Strength and Microleakage of a Novel Metal-titanate Antibacterial Agent. 2016 , 41, E48-56		3
202	Synthesis, modification, and photo/photoelectrocatalytic degradation applications of TiO ₂ nanotube arrays: a review. 2016 , 5,		95
201	A novel synthesis of ultrathin TiO ₂ -based nanosheets with excellent photocatalytic performance. 2016 , 164, 516-519		15
200	Preparation of titania doped argentine photocatalyst and its photoactivity towards palm oil mill effluent degradation. 2016 , 112, 1128-1135		41
199	Titanate nanotube-promoted chemical fixation of carbon dioxide to cyclic carbonate: a combined experimental and computational study. <i>Catalysis Science and Technology</i> , 2016 , 6, 780-790	5.5	19
198	Photocatalytic conversion and kinetic study of CO ₂ and CH ₄ over nitrogen-doped titania nanotube arrays. 2016 , 111, 143-154		26
197	Photocatalytic conversion of CO ₂ and CH ₄ over immobilized titania nanoparticles coated on mesh: Optimization and kinetic study. 2016 , 162, 1171-1185		45
196	Simultaneous co-doping of RuO ₂ and IrO ₂ into anodic TiO ₂ nanotubes: A binary catalyst for electrochemical water splitting. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 6657-6664	6.7	40
195	Evidencing the structural conversion of hydrothermally synthesized titanate nanorods by in situ electron microscopy. 2017 , 5, 3786-3791		5
194	Pyrolysis of conjugated nanoporous polycarbazoles to mesoporous N-doped carbon nanotubes as efficient electrocatalysts for the oxygen reduction reaction. 2017 , 5, 4507-4512		34
193	Natural organic matter resistant powder activated charcoal supported titanate nanotubes for adsorption of Pb(II). <i>Chemical Engineering Journal</i> , 2017 , 315, 191-200	14.7	48
192	Reusable Platinum-Deposited Anatase/Hexa-Titanate Nanotubes: Roles of Reduced and Oxidized Platinum on Enhanced Solar-Light-Driven Photocatalytic Activity. 2017 , 5, 547-555		29
191	Titanosilicates in cation adsorption and cation exchange – A review. <i>Chemical Engineering Journal</i> , 2017 , 317, 570-585	14.7	46
190	Pd nanoparticles entrapped in TiO ₂ nanotubes for complete butane catalytic combustion at 130 °C. 2017 , 15, 421-426		7

189	Characterization of titanate nanotubes for energy applications. 2017 , 12, 66-77		14
188	High performance carbon/silica co-decorated TiO ₂ nanotubes for visible-light driven water splitting. 2017 , 93, 162-169		8
187	Enhanced adsorption capacity of ultralong hydrogen titanate nanobelts for antibiotics. 2017 , 5, 4352-4358		55
186	Investigation of amorphous to crystalline phase transition of sodium titanate by X-ray absorption spectroscopy and scanning transmission X-ray microscopy. 2017 , 95, 1163-1169		2
185	Discrete Single Crystalline Titanium Oxide Nanoparticle Formation from a Two-Dimensional Nanowelded Network. 2017 , 17, 2660-2666		13
184	Au-decorated sodium titanate nanotubes as high-performance selective photocatalysts for pollutant degradation. 2017 , 50, 144002		15
183	Nature-Inspired NaTiO Nanosheets-Formed Three-Dimensional Microflowers Architecture as a High-Performance Anode Material for Rechargeable Sodium-Ion Batteries. 2017 , 9, 11669-11677		79
182	Structure and stability of boron doped titanate nanotubes and nanowires. 2017 , 138, 120-124		11
181	Study of synthesis parameters and photocatalytic activity of TiO ₂ nanostructures. 2017 , 12, 45-61		23
180	Hydrogen titanate nanosheets with both adsorptive and photocatalytic properties used for organic dyes removal. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2017 , 516, 211-218	5.1	28
179	Structural and vibrational studies of tunnel-like titanate nanoribbons with good ion exchange capacity. <i>Vibrational Spectroscopy</i> , 2017 , 88, 77-82	2.1	2
178	Homogeneously dispersed CeO ₂ nanoparticles on exfoliated hexaniobate nanosheets. <i>Journal of Physics and Chemistry of Solids</i> , 2017 , 111, 335-342	3.9	8
177	Titanium-Based Mixed Metal Oxide Nanocomposites for Visible Light-Induced Photocatalysis. 2017 , 295-331		2
176	Flexible nonvolatile resistive memory devices based on SrTiO ₃ nanosheets and polyvinylpyrrolidone composites. 2017 , 5, 9799-9805		24
175	A general strategy for the synthesis of layered double hydroxide nanoscrolls on arbitrary substrates: its formation and multifunction. 2017 , 5, 19079-19090		16
174	Synthesis of stable TiO nanotubes: effect of hydrothermal treatment, acid washing and annealing temperature. 2017 , 3, e00456		41
173	A novel ultralight three-dimensional house-of-cards titania monolith for extraordinary heavy-metal adsorption. 2017 , 5, 15724-15729		9
172	Titanate nanotubes as acid catalysts for acetalization of glycerol with acetone: Influence of the synthesis time and the role of structure on the catalytic performance. <i>Chemical Engineering Journal</i> , 2017 , 313, 1454-1467	14.7	39

171	Photocatalytic Properties of 1D TiO ₂ Nanostructures Prepared from Polyacrylamide Gel/TiO ₂ Nanopowders by Hydrothermal Synthesis. 2017 , 2017, 694-703		10
170	Carbon wrapped and doped TiO ₂ mesoporous nanostructure with efficient visible-light photocatalysis for NO removal. 2017 , 391, 318-325		55
169	Impact of Surface Potential on Apatite Formation in Ti Alloys Subjected to Acid and Heat Treatments. 2017 , 10,		4
168	Two-in-One Biointerfaces-Antimicrobial and Bioactive Nanoporous Gallium Titanate Layers for Titanium Implants. 2017 , 7,		32
167	In Vitro Bioactivity Test of Real Dental Implants According to ISO 23317. 2017 , 32, 1221-1230		3
166	Photoluminescence Enhancement of Titanate Nanotubes by Insertion of Rare Earth Ions in Their Interlayer Spaces. 2017 , 2017, 1-9		12
165	Application of TiO ₂ Nanotubes Gas Sensors in Online Monitoring of SF ₆ Insulated Equipment. 2017 ,		2
164	Immobilization of uranium(VI) by niobate/titanate nanoflakes heterojunction through combined adsorption and solar-light-driven photocatalytic reduction. <i>Applied Catalysis B: Environmental</i> , 2018 , 231, 11-22	21.8	89
163	Hydrothermal synthesis of multiwalled TiO ₂ nanotubes and its photocatalytic activities for Orange II removal. 2018 , 53, 1412-1422		16
162	Construction of strontium tantalate homo-semiconductor composite photocatalysts with a tunable type II junction structure for overall water splitting. <i>Catalysis Science and Technology</i> , 2018 , 8, 3025-3033 ^{5.5}		6
161	Hydrogen evolution in the photocatalytic reaction between methane and water in the presence of CO ₂ on titanate and titania supported Rh and Au catalysts. 2018 , 61, 875-888		14
160	Carbon-doped titania as a precursor for titanate nanotubes. 2018 , 33, 1288-1300		1
159	Facile synthesis of TiO ₂ -based nanosheets by the regulation of cationic surfactants for effective adsorption-photocatalytic removal of high-chroma crystal violet. 2018 , 29, 756-764		6
158	Sea-Buckthorn-Like MnO ₂ Decorated Titanate Nanotubes with Oxidation Property and Photocatalytic Activity for Enhanced Degradation of 17 β -Estradiol under Solar Light. 2018 , 1, 2123-2133		25
157	Recovery TiO ₂ and sodium titanate nanowires as Cd(II) adsorbent from waste V ₂ O ₅ -WO ₃ /TiO ₂ selective catalytic reduction catalysts by Na ₂ CO ₃ -NaCl-KCl molten salt roasting method. 2018 , 88, 226-233		10
156	The effects of sodium content and hydrogenation of TiO ₂ nanotubes on photocatalytic activity. 2018 , 358, 226-235		3
155	Sorption pH dependance of strontium/calcium by sodium nonatitanate. 2018 , 202, 33-39		1
154	Recent developments in nanostructured inorganic materials for sorption of cesium and strontium: Synthesis and shaping, sorption capacity, mechanisms, and selectivity-A review. <i>Journal of Hazardous Materials</i> , 2018 , 344, 511-530	12.8	125

153	Synthesis and characterization of titanate nanotube/single-walled carbon nanotube (TNT/SWCNT) porous nanocomposite and its photocatalytic activity on 4-chlorophenol degradation under UV and solar irradiation. 2018 , 434, 336-350		42
152	Comparison of the effect of carbon, halloysite and titania nanotubes on the mechanical and thermal properties of LDPE based nanocomposite films. 2018 , 26, 428-435		16
151	Photocatalysis of bisphenol A by an easy-settling titania/titanate composite: Effects of water chemistry factors, degradation pathway and theoretical calculation. 2018 , 232, 580-590		69
150	Hydrothermal synthesis of graphene grafted titania/titanate nanosheets for photocatalytic degradation of 4-chlorophenol: Solar-light-driven photocatalytic activity and computational chemistry analysis. <i>Chemical Engineering Journal</i> , 2018 , 331, 685-694	14.7	56
149	Insight into the role of UV-irradiation in photothermal catalytic Fischer-Tropsch synthesis over TiO ₂ nanotube-supported cobalt nanoparticles. <i>Catalysis Science and Technology</i> , 2018 , 8, 601-610	5.5	17
148	Synthesis of Fe ₂ O ₃ @titanate Nanostructures with Improved Optical Absorption. 2018 , 24, 1752-1753		
147	In situ topotactic synthesis of a porous network Zn ₂ Ti ₃ O ₈ platelike nanoarchitecture and its long-term cycle performance for a LIB anode. 2018 , 20, 7329-7336		9
146	Sorption capacity of Cs ⁺ on titania nanotubes synthesized by solution processing. 2018 , 126, 801-807		7
145	Synthesis and Investigation of the Catalytic Activity of Nanostructured Potassium Titanates Doped by Ni, Mg, Al, Fe, and Cr. 2018 , 44, 329-332		1
144	Vertically Aligned Titanate Nanotubes Hydrothermally Synthesized from Anodized TiO ₂ Nanotube Arrays: An Efficient Adsorbent for the Repeatable Recovery of Sr Ions. 2018 , 6, 16139-16150		12
143	Generation and characterisation of gallium titanate surfaces through hydrothermal ion-exchange processes. 2018 , 155, 264-277		15
142	Adsorption-photocatalytic degradation of dye pollutant in water by graphite oxide grafted titanate nanotubes. 2018 , 266, 122-131		34
141	Facile method to synthesis of anatase TiO ₂ nanorods. 2018 , 1032, 012038		3
140	Titanium glycolate-derived TiO ₂ nanomaterials: Synthesis and applications. 2018 , 29, 2289-2311		32
139	Control of Nanostructure of Materials. 2018 , 169-253		
138	In-Situ Synthesis of Hydrogen Titanate Nanotube/Graphene Composites with a Chemically Bonded Interface and Enhanced Visible Photocatalytic Activity. 2018 , 8,		4
137	Efficient Photocatalytic Reduction Approach for Synthesizing Chemically Bonded N-Doped TiO ₂ /Reduced Graphene Oxide Hybrid as a Freestanding Electrode for High-Performance Lithium Storage. 2018 , 1, 4186-4195		9
136	A new type of activated carbon fibre supported titanate nanotubes for high-capacity adsorption and degradation of methylene blue. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018 , 555, 605-614	5.1	32

135	Self-doping of Ti3+ into Na2Ti3O7 increases both ion and electron conductivity as a high-performance anode material for sodium-ion batteries. 2018 , 767, 820-828		25
134	Selective adsorption and degradation of organic pollutants over Au decorated Co doped titanate nanotubes under simulated solar light irradiation. 2018 , 88, 201-214		14
133	Surface attachment of protonated polyimidazolium monolayer on titanate nanotubes as a novel proton conductor. <i>Journal of Materials Science</i> , 2018 , 53, 15784-15794	4.3	3
132	Discovering Partially Charged Single-Atom Pt for Enhanced Anti-Markovnikov Alkene Hydrosilylation. 2018 , 140, 7407-7410		147
131	Plate column adsorption of Pb(II) from industrial wastewater on sponge-type composite adsorbent: Optimization and application. 2018 , 66, 333-342		6
130	Crystalline titanate nanotube modified with stearyl trimethyl ammonium bromide as a support for amine-based CO2 sorbent. 2019 , 275, 122-130		2
129	Effect of Silver-Containing Titania Layers for Bioactivity, Antibacterial Activity, and Osteogenic Differentiation of Human Mesenchymal Stem Cells on Ti Metal. 2019 , 2, 3808-3819		4
128	Titanate Nanowires as One-Dimensional Hot Spot Generators for Broadband Au-TiO Photocatalysis. 2019 , 9,		9
127	Co-adsorption of ciprofloxacin and Cu(II) onto titanate nanotubes: Speciation variation and metal-organic complexation. 2019 , 292, 111375		13
126	COx-free hydrogen production from ammonia on novel cobalt catalysts supported on 1D titanate nanotubes. <i>International Journal of Hydrogen Energy</i> , 2019 , 44, 30062-30074	6.7	18
125	Ca-Ag coexisting nano-structured titania layer on Ti metal surface with enhanced bioactivity, antibacterial and cell compatibility. 2019 , 99, 440-449		8
124	Graphene modified anatase/titanate nanosheets with enhanced photocatalytic activity for efficient degradation of sulfamethazine under simulated solar light. 2019 , 233, 198-206		34
123	Easy Room Temperature Synthesis of High Surface Area Anatase Nanowires with Different Morphologies. 2019 , 8, 817-821		1
122	Room temperature adsorption of propene and propane on copper ions distributed in titanate nanotubes. 2019 , 483, 642-651		7
121	Beyond Nanoparticles: The Role of Sub-nanosized Metal Species in Heterogeneous Catalysis. 2019 , 149, 1441		12
120	Tubular Titanates: Alkali-Metal Ion-Exchange Features and Carbon Dioxide Adsorption at Room Temperature. 2019 , 58, 5168-5174		6
119	Advantaging Synergy Photocatalysis with Graphene-Related Carbon as a Counterpart Player of Titania. 2019 , 19, 1393-1406		7
118	Sorption of Eu(III) on MXene-derived titanate structures: The effect of nano-confined space. <i>Chemical Engineering Journal</i> , 2019 , 370, 1200-1209	14.7	54

117	A facile preparation of dicyclohexano-18-crown-6 ether impregnated titanate nanotubes for strontium removal from acidic solution. 2019 , 90, 49-55		7
116	Anodic Titanium Oxide Layers Modified with Gold, Silver, and Copper Nanoparticles. 2019 , 2019, 1-10		14
115	Copper on the inner surface of mesoporous TiO ₂ hollow spheres: a highly selective photocatalyst for partial oxidation of methanol to methyl formate. <i>Catalysis Science and Technology</i> , 2019 , 9, 6240-6252	5.5	10
114	The Roles of the Structure and Basic Sites of Sodium Titanates on Transesterification Reactions to Obtain Biodiesel. <i>Catalysts</i> , 2019 , 9, 989		4
113	Enhanced CO ₂ photocatalytic reduction performance on alkali and alkaline earth metal ion-exchanged hydrogen titanate nanotubes. 2019 , 463, 456-462		17
112	One-dimension TiO ₂ nanostructures with enhanced activity for CO ₂ photocatalytic reduction. 2019 , 464, 534-543		51
111	Influences of isolated fractions of natural organic matter on adsorption of Cu(II) by titanate nanotubes. 2019 , 650, 1412-1418		18
110	Synthesis and characterization of CdS/TiO ₂ nanocomposite: Methylene blue adsorption and enhanced photocatalytic activities. 2019 , 159, 476-481		16
109	Adsorption of Cu(II) in aqueous solution using microwave-assisted titanate nanotubes. 2019 , 9, 505-514		6
108	The influence of annealing temperature on properties of TiO based materials as adsorbents of radionuclides. 2019 , 673, 34-39		8
107	Lithium titanate nanotubes as active fillers for lithium-ion polyacrylonitrile solid polymer electrolytes. 2019 , 25, 2607-2614		7
106	Functionalization of Titanates/Bilk Nanocomposites via Cation Exchange for Optical Applications. 2019 , 6, 1800992		2
105	Synergistic adsorption of Cu(II) and photocatalytic degradation of phenanthrene by a jabolicaba-like TiO ₂ /titanate nanotube composite: An experimental and theoretical study. <i>Chemical Engineering Journal</i> , 2019 , 358, 1155-1165	14.7	61
104	Hydrothermal/solvothermal synthesis and treatment of TiO for photocatalytic degradation of air pollutants: Preparation, characterization, properties, and performance. 2019 , 219, 804-825		51
103	Solid acids accelerate the photocatalytic hydrogen peroxide synthesis over a hybrid catalyst of titania nanotube with carbon dot. <i>Applied Catalysis B: Environmental</i> , 2019 , 244, 594-603	21.8	36
102	H ₂ Ti ₃ O ₇ titanate nanotubes for highly effective adsorption of basic fuchsin dye for water purification. 2019 , 276, 183-191		23
101	Simultaneous and synergistic effect of heavy metal adsorption on the enhanced photocatalytic performance of a visible-light-driven RS-TONR/TNT composite. 2020 , 180, 108651		20
100	Amine Functionalized Metal-Organic Framework Coordinated with Transition Metal Ions: d-d Transition Enhanced Optical Absorption and Role of Transition Metal Sites on Solar Light Driven H ₂ Production. 2020 , 16, e1902990		27

99	2D/1D graphitic carbon nitride/titanate nanotubes heterostructure for efficient photocatalysis of sulfamethazine under solar light: Catalytic hot spots at the rutile/titanate interfaces. <i>Applied Catalysis B: Environmental</i> , 2020 , 263, 118357	21.8	113
98	New orthorhombic sodium iron(+2) titanate. <i>Ceramics International</i> , 2020 , 46, 4416-4422	5.1	4
97	Structural evolution from layered NaTiO to NaTiO nanowires enabling a highly reversible anode for Mg-ion batteries. 2020 , 12, 230-238		23
96	Effect of Post-Heat Treatment on Physical Properties of Nanostructured TiO ₂ Powders Prepared by a Sol-Gel Method. 2020 , 49, 1980-1992		2
95	Hydrogen producing water treatment through mesoporous TiO ₂ nanofibers with oriented nanocrystals. <i>Chinese Journal of Catalysis</i> , 2020 , 41, 50-61	11.3	31
94	Electrochemistry of sodium titanate nanotubes as a negative electrode for sodium-ion batteries. 2020 , 331, 135422		12
93	Inclusion of alkali carboxylate salts at the two-dimensional space of layered alkali titanate via carboxylic acids intercalation. <i>Journal of Solid State Chemistry</i> , 2020 , 291, 121648	3.3	6
92	Preparation of amidoxime functionalized titanate nanosheets for efficient extraction of uranium from aqueous solution. <i>Journal of Solid State Chemistry</i> , 2020 , 290, 121562	3.3	3
91	TiO ₂ Nanoparticles and Epoxy-TiO ₂ Nanocomposites: A Review of Synthesis, Modification Strategies, and Photocatalytic Potentialities. 2020 , 30, 4829-4846		15
90	Optimization of Nonlinear Optical Response of One-Dimensional Nanostructured Sodium Titanate Through Morphological Control. 2020 , 15, 2050086		
89	A concentrate-and-destroy technique for degradation of perfluorooctanoic acid in water using a new adsorptive photocatalyst. 2020 , 185, 116219		25
88	Adsorption of Pb(II) in Water by Niobate/Titanate Nanoflakes. 2020 , 35, 726-732		1
87	Synthesis of the inorganic-organic hybrid of two-dimensional polydopamine-functionalized titanate nanosheets and its efficient extraction of U(VI) from aqueous solution. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020 , 607, 125422	5.1	5
86	Synthesis of cesium, sodium and nitrogen derived titanates using the Pechini sol-gel method. 2020 , 537, 110816		1
85	The process of magnesium ion modification of titanium surface and the sustained-release of magnesium ions from its surface. 2020 , 39, 509-516		2
84	Rh-induced Support Transformation and Rh Incorporation in Titanate Structures and Their Influence on Catalytic Activity. <i>Catalysts</i> , 2020 , 10, 212	4	3
83	Free-Standing Sodium Titanate Ultralong Nanotube Membrane with Oil-Water Separation, Self-Cleaning, and Photocatalysis Properties. 2020 , 15, 22		6
82	Removal of thallium(I) from aqueous solutions using titanate nanomaterials: The performance and the influence of morphology. 2020 , 717, 137090		10

81	Calcium phosphate formation on TiO ₂ nanomaterials of different dimensionality. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020 , 593, 124615	5.1	4
80	Study of 1D Titanate-Based Materials New Modification of the Synthesis Procedure and Surface Properties-Recent Applications. 2020 , 5, 1164-1185		11
79	Efficient adsorption of europium (III) and uranium (VI) by titanate nanorings: Insights into radioactive metal species. 2020 , 2, 100031		11
78	Dual CdS Nanoparticle-Deposited Vertically Aligned Titanate Nanotube Heterostructure Photoanode. 2020 , 59, 9488-9499		6
77	Adsorptive removal of ciprofloxacin with different dissociated species onto titanate nanotubes. 2021 , 278, 123924		23
76	Grafting of Ag nanoparticles on SrCrO ₄ nanostructures: green synthesis, characterization, and photocatalytic study for organic dye degradation. 2021 , 32, 384-396		1
75	The synergistic effects of acid treatment and silver (Ag) loading for substantial improvement of photoelectrochemical and photocatalytic activity of Na ₂ Ti ₃ O ₇ /TiO ₂ nanocomposite. 2021 , 540, 148359		15
74	An efficient method to prepare aluminosilicate nanoscrolls under mild conditions. 2021 , 57, 789-792		3
73	Low-temperature and stable CO oxidation of in-situ grown monolithic Mn ₃ O ₄ /TiO ₂ catalysts. 2021 , 855, 157444		4
72	Spinel H ₄ Ti ₅ O ₁₂ nanotubes for Li recovery from aqueous solutions: Thermodynamics and kinetics study. 2021 , 9, 104679		1
71	Titanates Nanotubes and Nanoribbons Applied in Dye-Sensitized Solar Cells. 2021 , 339-373		0
70	Sr sorption property of seaweed-like sodium titanate mats: effects of crystallographic properties.. 2021 , 11, 18676-18684		1
69	Development of Novel Versatile Theranostic Platforms Based on Titanate Nanotubes: Towards Safe Nanocarriers for Biomedical Applications. 2021 , 151-178		
68	Metallic Nanoparticles in Heterogeneous Catalysis. 2021 , 151, 2153		12
67	Titanium dioxide nanotubes: synthesis, structure, properties and applications. 2021 , 90,		3
66	A review of hierarchical nanostructures of TiO ₂ : Advances and applications. 2021 , 3, 100063		43
65	Effects of the Incorporation of Distinct Cations in Titanate Nanotubes on the Catalytic Activity in NO Conversion. 2021 , 14,		2
64	Mussel bioinspired morphosynthesis of substrate anchored core-shell silver self-assemblies with multifunctionality for bioapplications. 2021 , 123, 112025		0

63	Current perspectives of anodized TiO ₂ nanotubes towards photodegradation of formaldehyde: A short review. 2021 , 22, 101418		6
62	Difference in performance and mechanism for methylene blue when TiO ₂ nanoparticles are converted to nanotubes. 2021 , 297, 126498		4
61	Characterization of TiO ₂ Fabricated by the Cost Effective CBD Method. 2021 , 10, 1-4		
60	Study of Ce, Sb, and Y exchanged titania nanotubes and superior catalytic performance for the selective catalytic reduction of NO _x . <i>Applied Catalysis B: Environmental</i> , 2021 , 287, 119939	21.8	11
59	Evaluation of Titanate Nanotubes (TiNTs) as a Modifier for the Determination of Lead (II) by Differential Pulse Adsorptive Stripping Voltammetry (DPAdSV). 1-13		0
58	Mechanical properties of single-walled penta-graphene-based nanotubes: A DFT and Classical molecular dynamics study. 2021 , 547, 111187		2
57	The effect of morphology on the optical and electrical properties of sodium titanate nanostructures. 2021 , 555, 149610		3
56	Electrochemical properties of Co-doped titanate nanotubes for energy storage. 2021 , 2013, 012010		
55	Photocatalytic CO ₂ Reduction. 2022 , 605-646		
54	Adsorption and solid-phase photocatalytic degradation of perfluorooctane sulfonate in water using gallium-doped carbon-modified titanate nanotubes. <i>Chemical Engineering Journal</i> , 2021 , 421, 129676	14.7	14
53	Treatment of shale gas produced water by magnetic CuFeO/TNTs hybrid heterogeneous catalyzed ozone: Efficiency and mechanisms. <i>Journal of Hazardous Materials</i> , 2022 , 423, 127124	12.8	3
52	Synthesis and characterization of Chitosan-sodium titanate nanocomposite beads for separation of radionuclides from aqueous radioactive waste. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2021 , 327, 691-698	1.5	2
51	Electrochemical Supercapacitors of Bismuth Ferrites. <i>SpringerBriefs in Materials</i> , 2020 , 69-84	0.5	1
50	Recent Advances in Synthesis, Modification, and Applications of TiO ₂ Nanotube Arrays by Electrochemical Anodization. 2016 , 1379-1416		2
49	Transformation of TiO ₂ nanoparticles to nanotubes by simple solvothermal route and its performance as dye-sensitized solar cell (DSSC) photoanode. <i>International Journal of Hydrogen Energy</i> , 2020 , 45, 15441-15452	6.7	25
48	Facile integration of FeS and titanate nanotubes for efficient removal of total Cr from aqueous solution: Synergy in simultaneous reduction of Cr(VI) and adsorption of Cr(III). <i>Journal of Hazardous Materials</i> , 2020 , 398, 122834	12.8	13
47	Inorganic Nanotubes and Fullerene-Like Materials of Metal Dichalcogenide and Related Layered Compounds. <i>Advanced Materials and Technologies</i> , 2006 , 135-155		0
46	A study on the growth and structure of titania nanotubes. 2004 , 19, 417		3

45	Synthesis and Characterization of SrTiO ₃ Nanoparticles Prepared from Layered Titanate Nanotube. <i>Wuji Cailiao Xuebao/Journal of Inorganic Materials</i> , 2008 , 23, 262-266	1	2
44	Assembling Synthesis of Barium Chromate Nano-superstructures Using Eggshell Membrane as Template. <i>Bulletin of the Korean Chemical Society</i> , 2004 , 25, 1775-1778	1.2	14
43	Nanoscale Morphology of Bis(1-anthraquinoxyl)glycols. <i>Bulletin of the Korean Chemical Society</i> , 2007 , 28, 2065-2068	1.2	1
42	Facile Size-control and Fabrication of Spherical Morphology Based on Amphiphilic Ionic Platinum(II) Complexes. <i>Bulletin of the Korean Chemical Society</i> , 2008 , 29, 1266-1268	1.2	3
41	Formation and Related-Behavior of Micro-bowl Morphology Consisting of Ionic Palladium(II) Complexes. <i>Bulletin of the Korean Chemical Society</i> , 2010 , 31, 2223-2227	1.2	2
40	Nanoscale Intelligent Materials and Structures. 2005 ,		
39	Inorganic Nanotubes and Fullerene- Like Materials of Metal Dichalcogenide and Related Layered Compounds. 2006 ,		0
38	Swellable Submicrospheres of Ionic Palladium(II) Complexes Containing Decylmethylbis(m-pyridyl)silane. <i>Bulletin of the Korean Chemical Society</i> , 2009 , 30, 2338-2340	1.2	
37	Morphology Control of TiO ₂ -Based Nanomaterials for Sustainable Energy Applications. <i>Green Energy and Technology</i> , 2010 , 39-45	0.6	
36	Preparation of Visible-light Responsive Photocatalyst from Paper Sludge Ash (PS ash). <i>Kami Pa Gikyoshi/Japan Tappi Journal</i> , 2011 , 65, 692-700	0.1	
35	Preparation of nano sized TiO ₂ from Paper Sludge Ash. <i>Kami Pa Gikyoshi/Japan Tappi Journal</i> , 2011 , 65, 162-171	0.1	2
34	Heat Treatment Effect on the Structure of TiO ₂ -Derived Nanotubes Prepared by Hydrothermal Method. <i>Ceramic Transactions</i> , 185-192	0.1	
33	Preparation of Pt-Doped TiO ₂ by Hydrothermal Method and Its Photocatalytic Performance under Visible Light Irradiation. <i>Chinese Journal of Catalysis</i> , 2013 , 33, 550-556	11.3	1
32	Synthesis and structural characterization of a nanotube potassium titanate anode material for lithium-ion batteries. 2016 , 281-284		
31	 Ni, Mg, Al, Fe, Cr,  . <i>Fizika i Khimiya Stekla</i> , 2018 , 394-400	0	
30	CHAPTER 4:Inorganic Nanotubes. <i>RSC Nanoscience and Nanotechnology</i> , 2021 , 240-356		
29	Physical and optical properties of Ag ₃ PO ₄ decorated TiO ₂ based nanostructures. <i>Journal of Solid State Chemistry</i> , 2022 , 305, 122655	3.3	2
28	IR study on adsorption of carbon dioxide on alkaline earth metal ion-exchanged titanate nanotubes at room temperature. <i>Vibrational Spectroscopy</i> , 2020 , 109, 103088	2.1	2

27	Atomic-level insights into the steric hindrance effect of single-atom Pd catalyst to boost the synthesis of dimethyl carbonate. <i>Applied Catalysis B: Environmental</i> , 2021 , 120922	21.8	2
26	Ordered Nanostructure Catalysts Efficient for NO _x Storage/Reduction (NSR) Processes. <i>Catalysts</i> , 2021 , 11, 1348	4	
25	The magnetic cooling of YTiO ₃ compound for magnetic refrigeration. <i>Solid State Communications</i> , 2021 , 114617	1.6	1
24	Post-synthetic particle size reduction of a layered cesium titanate (Cs ₂ Ti ₅ O ₁₁) for the improvement of photocatalytic H ₂ production. <i>Journal of Physics and Chemistry of Solids</i> , 2022 , 163, 110541	3.0	1
23	An efficient catalyst of CuPt/TiO ₂ for photocatalytic direct dehydrogenation of methanol to methyl formate at ambient temperature. <i>Catalysis Science and Technology</i> , 2022 , 12, 773-785	5.5	3
22	Formation of single-crystalline BaTiO ₃ nanorods from glycolate by tuning the supersaturation conditions. <i>Ceramics International</i> , 2022 ,	5.1	0
21	Facile Synthesis of Graphene Oxide/Titanate Nanotube Composites and Their Application for Cobalt(II) Removal. <i>Advances in Condensed Matter Physics</i> , 2022 , 2022, 1-11	1	
20	Application of Titanate Nanotubes for Photocatalytic Decontamination in Water: Challenges and Prospects. <i>ACS ES&T Engineering</i> ,		1
19	Catalytic hydrolysis of NaBH ₄ over titanate nanotube supported Co for hydrogen production. <i>International Journal of Hydrogen Energy</i> , 2022 , 47, 5260-5268	6.7	2
18	Removal of Malachite Green from Spiked Pond Water Using Titanate Nanotubes. <i>Lecture Notes in Civil Engineering</i> , 2022 , 663-675	0.3	
17	Comparative Study of Proton Exchange in Tri- and Hexatitanates: Correlations between Stability and Electronic Properties.. <i>Inorganic Chemistry</i> , 2022 , 61, 3918-3930	5.1	0
16	Photocatalytic activity of hierarchical CTAB-assisted TiO ₂ nanoparticles for polluted water treatment using solar light illumination. <i>Applied Physics A: Materials Science and Processing</i> , 2022 , 128, 1	2.6	0
15	Influence of the chemical functionalization of titanium oxide nanotubes on the non-isothermal crystallization of polypropylene nanocomposites. <i>Journal of Materials Science</i> , 2022 , 57, 5855-5872	4.3	
14	Sulfated TiO ₂ supported molybdenum-based catalysts for transesterification of Jatropha seed oil: Effect of molybdenum species and acidity properties. <i>Renewable Energy</i> , 2022 , 191, 357-369	8.1	0
13	Targeted synthesis of carbon-supported titanate nanofibers as host structure for nuclear waste immobilization. <i>Radiochimica Acta</i> , 2022 ,	1.9	0
12	Promising aqueous dispersions of carbon black for semisolid flow battery application. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022 , 129376	5.1	1
11	Preparing Sr-containing nano-structures on micro-structured titanium alloy surface fabricated by additively manufacturing to enhance the anti-inflammation and osteogenesis. 2022 , 218, 112762		
10	Surface Modification of TiO ₂ Nanotubes Prepared by Porous Titanium Anodization via Hydrothermal Reaction: A Method for Synthesis High-Efficiency Adsorbents of Recovering Sr Ions. 2022 , 38, 11354-11361		0

- 9 Malachite Green Dye Decoloration over Au/TiO₂-Nanotubes Photocatalyst under Simulate Visible-Light Irradiation. **2022**, 15, 6209 ○
- 8 One-Step Hydrothermal Synthesis of Anatase TiO₂ Nanotubes for Efficient Photocatalytic CO₂ Reduction. **2022**, 7, 38686-38699 1
- 7 Mg-doped Li₂ZnTi₃O₈/C as high-performance anode materials for lithium-ion batteries. **2023**, 207, 111614 ○
- 6 Structural, optical, and electrical properties of proton intercalation H⁺/Na⁺ phases in nanostructured titanates induced by pH during hydrothermal sy. **2022**, 104908 ○
- 5 Hydrocarboxylation of methanol to methyl acetate using rhodium and ruthenium nanoparticles supported on titanate nanotubes as catalysts: infrared spectroscopy study. ○
- 4 Developing alkaline titanate surfaces for medical applications. 1-48 ○
- 3 Deformation of nanowires and nanotubes. **2023**, 141, 52001 ○
- 2 Iron-Doped Titania for Magneto-Opto-Electronic Device Applications. **2023**, 52, 2895-2903 ○
- 1 Electrospun Nanotubular Titania and Polymeric Interfaces for High Energy Density Li-Ion Electrodes. **2023**, 37, 6197-6207 ○