

CITATION REPORT

List of articles citing

Analysis Method

DOI: 10.1016/s0142-9418(03)00003-5
Polymer Testing, 2003, 22, 699-704.

Source: <https://exaly.com/paper-pdf/35132474/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
740	PVDF-Based Composition-Gradient Multilayered Nanocomposites for Flexible High-Performance Piezoelectric Nanogenerators.		
739	Utilization of a piezoelectric polymer to sense harmonics of electromagnetic torque. 2003 , 1, 69-73		10
738	Polyvinylidene fluoride piezoelectric polymer for integrated infrared optics applications. 2004 , 27, 429-434		25
737	Conformational changes and phase transformation mechanisms in PVDF solution-cast films. 2004 , 42, 3487-3495		274
736	Vibrational spectrum of PVDF and its interpretation. <i>Polymer Testing</i> , 2004 , 23, 791-796	4.5	289
735	Effect of Al ₂ O ₃ nanoparticles on the electrochemical characteristics of P(VDF-HFP)-based polymer electrolyte. 2004 , 49, 4633-4639		109
734	Influence of the processing conditions and corona poling on the morphology of β -PVDF.		2
733	Guide to the Literature of Piezoelectricity and Pyroelectricity. 24. 2005 , 322, 115-210		1
732	Measurement of torque ripple in mass-produced switched-reluctance motor drives. 2005 ,		3
731	Atomistic modelling of processes involved in poling of PVDF. 2005 , 33, 230-236		42
730	Processing and characterization of a novel nonporous poly(vinylidene fluoride) films in the β phase. 2006 , 352, 2226-2229		150
729	Control of diameter, morphology, and structure of PVDF nanofiber fabricated by electro spray deposition. 2006 , 44, 779-786		78
728	Structure and piezoelectric properties of poly(vinylidene fluoride) studied by density functional theory. 2006 , 47, 7988-7996		61
727	The effects of quenching on the phase structure of vinylidene fluoride segments in PVDF-HFP copolymer and PVDF-HFP/PMMA blends. 2006 , 41, 417-421		49
726	Electrical and Microstructural Changes of β -PVDF under Different Processing Conditions by Scanning Force Microscopy. 2006 , 949, 1		2
725	β to β' transformation on PVDF Films Obtained by Uniaxial Stretch. 2006 , 514-516, 872-876		76
724	Influence of the Crystallisation Kinetics on the Microstructural Properties of β -PVDF. 2006 , 949, 1		

723	What Can We Learn from Vibrational Analysis Calculations of Defective Polymer Chains?. 2006 , 338, 185-191	3
722	PHASE TRANSITIONS OF POLY(VINYLDENE FLUORIDE) UNDER ELECTRIC FIELDS. 2006 , 80, 245-251	43
721	Ferroelectric poly(vinylidene fluoride) thin films on Si substrate with the β phase promoted by hydrated magnesium nitrate. 2007 , 102, 104108	103
720	Effect of flow history on poly(vinylidene fluoride) crystalline phase transformation. 2007 , 104, 89-94	18
719	Influence of extrusion, stretching and poling on the structural and piezoelectric properties of poly(vinylidene fluoride-hexafluoropropylene) copolymer films. 2007 , 104, 858-862	28
718	Localized Pressure-Induced Ferroelectric Pattern Arrays of Semicrystalline Poly(vinylidene fluoride) by Microimprinting. 2007 , 19, 581-586	91
717	Polymorphism Control of Poly(vinylidene fluoride) through Electrospinning. 2007 , 28, 2159-2162	211
716	Effect of tensile strain rate and elongation on crystalline structure and piezoelectric properties of PVDF thin films. <i>Polymer Testing</i> , 2007 , 26, 42-50	4-5 343
715	Study of thermally poled and corona charged poly(vinylidene fluoride) films. 2007 , 47, 1344-1350	43
714	Simultaneous stretching and static electric field poling of poly(vinylidene fluoride-hexafluoropropylene) copolymer films. 2007 , 47, 1630-1633	33
713	Stretching induced phase transformations in melt extruded poly(vinylidene fluoride) cast films: Effect of cast roll temperature and speed. 2007 , 47, 1992-2004	30
712	New technique of processing highly oriented poly(vinylidene fluoride) films exclusively in the β phase. 2007 , 45, 2793-2801	84
711	Formation of β Phase Crystalline Structure of PVDF Nanofiber by Electro spray Deposition: Additive Effect of Ionic Fluorinated Surfactant. 2007 , 39, 670-674	47
710	P(VDF-HFP)-based micro-porous composite polymer electrolyte prepared by in situ hydrolysis of titanium tetrabutoxide. 2007 , 38, 109-114	11
709	Effect of surface modification of nanosilica on crystallization, thermal and mechanical properties of poly(vinylidene fluoride). 2007 , 42, 8408-8417	50
708	Structure, phase transition and electric properties of poly(vinylidene fluoride-trifluoroethylene) copolymer studied with density functional theory. 2007 , 48, 3226-3236	25
707	Physical characteristics of polyimide films for flexible sensors. 2008 , 92, 693-701	42
706	Fine structure of PVDF nanofiber fabricated by electro spray deposition. 2008 , 46, 558-563	14

705	Thermomechanical and optical characteristics of stretched polyvinylidene fluoride. 2008 , 46, 949-958	6
704	Thermal and low-field NMR study on poly(vinylidene fluoride) and their physical mixtures with poly(methyl methacrylate). 2008 , 48, 1901-1909	7
703	Phase transformation induced in poly(vinylidene fluoride) by stretching. 2008 , 110, 3242-3246	60
702	Studies on poly(vinylidene fluoride)/clay nanocomposites: Effect of different clay modifiers. 2008 , 49, 3486-3499	195
701	Measurement of radiative thermal properties of thin polymer films by FTIR. <i>Polymer Testing</i> , 2008 , 27, 122-128	4-5 15
700	Phase transformation and thermomechanical characteristics of stretched polyvinylidene fluoride. 2008 , 480, 477-482	14
699	Effect of electrospinning on the ferroelectric phase content of polyvinylidene difluoride fibers. 2008 , 24, 670-2	205
698	Molecular Orientation and Degree of Crystallinity of Piezoelectric Poly(Vinylidene Fluoride) Films Exclusively in the β Phase. 2008 , 370, 29-35	8
697	Microscopic origin of the high-strain mechanical response of poled and non-poled poly(vinylidene fluoride) in the β phase. 2008 , 354, 3871-3876	16
696	Enhanced ferroelectric phase content of polyvinylidene difluoride fibers with the addition of magnetic nanoparticles. 2008 , 24, 8435-8	119
695	A Flexible Piezoelectric Sensor for Microfluidic Applications Using Polyvinylidene Fluoride. 2008 , 8, 495-500	35
694	Caracterizaçã de filmes de PVDF-obtidos por diferentes tãnicas. 2009 , 19, 183-189	10
693	Printable Ferroelectric PVDF/PMMA Blend Films with Ultralow Roughness for Low Voltage Non-Volatile Polymer Memory. 2009 , 19, 2812-2818	210
692	PVDF/PMMA composite nanofiber fabricated by electrospray deposition: Crystallization of PVDF induced by solvent extraction of PMMA component. 2009 , 112, 1868-1872	13
691	Effect of multi-walled carbon nanotubes on crystallization, thermal, and mechanical properties of poly(vinylidene fluoride). 2009 , 31, NA-NA	8
690	Study of crystal structure of (polyvinylidene fluoride/clay) nanocomposite films: Effect of process conditions and clay type. 2009 , 49, 200-207	31
689	Effect of PVDF characteristics on extruded film morphology and porous membranes feasibility by stretching. 2009 , 47, 1219-1229	25
688	Ferroelectric poly(vinylidene fluoride) PVDF films derived from the solutions with retainable water and controlled water loss. 2009 , 47, 2410-2418	17

687	The effect of fibre concentration on the β to α phase transformation, degree of crystallinity and electrical properties of vapour grown carbon nanofibre/poly(vinylidene fluoride) composites. 2009 , 47, 2590-2599	112
686	Preparation of PVDF/PMMA Blend Nanofibers by Electro spray Deposition: Effects of Blending Ratio and Humidity. 2009 , 41, 402-406	24
685	β to α Phase Transformation and Microstructural Changes of PVDF Films Induced by Uniaxial Stretch. 2009 , 48, 514-525	383
684	Electrospun nylon 6 fibrous membrane coated with rice-like TiO ₂ nanoparticles by an ultrasonic-assistance method. 2010 , 355, 91-97	11
683	Mechanochemical degradation of poly(vinyl fluoride) by sodium hydroxide measured by microindentation. 2010 , 45, 2311-2316	5
682	β and α PVDF: Crystallization kinetics, microstructural variations and thermal behaviour. 2010 , 122, 87-92	82
681	Comparative investigation of the structure and properties of ferroelectric poly(vinylidene fluoride) and poly(vinylidene fluoride-trifluoroethylene) thin films crystallized on substrates. 2010 , 116, NA-NA	23
680	Studies on β to α phase transformations in mechanically deformed PVDF films. 2010 , 117, n/a-n/a	11
679	Discontinuous crack growth in poly (vinyl fluoride) by mechanochemical ageing in sodium hydroxide. 2010 , 95, 440-444	6
678	The effects of molecular weight and polymorphism on the fracture and thermo-mechanical properties of a carbon-fibre composite modified by electrospun poly (vinylidene fluoride) membranes. 2010 , 51, 2585-2596	48
677	Suppression of AC conductivity by crystalline transformation in poly(vinylidene fluoride)/carbon nanofiber composites. 2010 , 51, 3230-3237	20
676	Stability of the electroactive response of β poly(vinylidene fluoride) for applications in the petrochemical industry. <i>Polymer Testing</i> , 2010 , 29, 613-615	4-5 13
675	Structural, optical and dielectric behavior of PVDF films filled with different concentrations of iodine. 2010 , 405, 94-98	42
674	Achieving very high fraction of β crystal PVDF and PVDF/CNF composites and their effect on AC conductivity and microstructure through a stretching process. 2010 , 46, 2112-2119	101
673	Influence of the β phase content and degree of crystallinity on the piezo- and ferroelectric properties of poly(vinylidene fluoride). 2010 , 19, 065010	286
672	Effect of the preparation conditions on the formation of asymmetric poly(vinylidene fluoride) hollow fibre membranes with a dense skin. 2010 , 46, 1713-1725	58
671	Toughening of Nylon-6 by Semicrystalline Poly(vinylidene fluoride): Role of Phase Transformation and Fibrillation of Dispersed Particles. 2010 , 43, 3911-3915	42
670	Crystallization behavior of semicrystalline polymer/clay nanocomposites. 2010 , 280-314	1

669	Influence of uniaxial stretching rate and electric poling on crystalline phase transitions in poly(vinylidene fluoride) films. 2010 ,	4
668	Design and fabrication of piezoelectric microactuators based on poly(vinylidene fluoride) films for microfluidic applications. 2010 , 2010, 903-6	1
667	Fabrication of micropatterned ferroelectric gamma poly(vinylidene fluoride) film for non-volatile polymer memory. 2011 , 21, 3619	36
666	Micro and nanofilms of poly(vinylidene fluoride) with controlled thickness, morphology and electroactive crystalline phase for sensor and actuator applications. 2011 , 20, 087002	96
665	Band poly(vinylidene fluoride) evoke different cellular behaviours. 2011 , 22, 1651-67	32
664	Polymer and Organic Nonvolatile Memory Devices 2011 , 23, 341-358	461
663	Influence of aspect ratio on effective electromechanical coupling of nanocomposites with lead zirconate titanate nanowire inclusion. 2011 , 22, 1879-1886	14
662	Real Multitouch Panel Without Ghost Points Based on Resistive Patterning. 2011 , 7, 601-606	6
661	Electrically excited oscillation and crystalline structure of a nanoclay/poly(vinylidene fluoride) composite film. 2011 , 22, 2103-2112	7
660	Characteristics of electrospun PVDF/SiO ₂ composite nanofiber membranes as polymer electrolyte. 2011 , 127, 137-142	145
659	Morphology and polymorph study of a polyvinylidene fluoride (PVDF) membrane for protein binding: Effect of the dissolving temperature. 2011 , 278, 318-324	37
658	High field properties and energy storage in nanocomposite dielectrics of poly(vinylidene fluoride-hexafluoropropylene). 2011 , 110, 044107	171
657	Nucleation of the Electroactive Phase and Enhancement of the Optical Transparency in Low Filler Content Poly(vinylidene)/Clay Nanocomposites. 2011 , 115, 18076-18082	216
656	Degradation of the dielectric and piezoelectric response of poly(vinylidene fluoride) after temperature annealing. 2011 , 18, 1451-1457	57
655	Extrusion of poly(vinylidene fluoride) filaments: effect of the processing conditions and conductive inner core on the electroactive phase content and mechanical properties. 2011 , 18, 1653-1658	35
654	Effect of annealing on phase transition in poly(vinylidene fluoride) films prepared using polar solvent. 2011 , 34, 727-733	144
653	Modification on crystallization of poly(vinylidene fluoride) (PVDF) by solvent extraction of poly(methyl methacrylate) (PMMA) in PVDF/PMMA blends. 2011 , 5, 388-400	24
652	Graphene nanocomposites based on poly(vinylidene fluoride): Structure and properties. 2011 , 32, 1483-1491	63

651	Effect of multiwalled carbon nanotubes on crystallization behavior of poly(vinylidene fluoride) in different solvents. 2011 , 119, 1905-1913		24
650	Effect of mechanical stretching on electrical conductivity and positive temperature coefficient characteristics of poly(vinylidene fluoride)/carbon nanofiber composites prepared by non-solvent precipitation. 2011 , 49, 1758-1768		95
649	Tailoring of interfacial properties by ionic liquids in a fluorinated matrix based nanocomposites. 2011 , 47, 1361-1369		30
648	Preparation and characterization of porous poly(vinylidene fluoride-trifluoroethylene) copolymer membranes via electrospinning and further hot pressing. <i>Polymer Testing</i> , 2011 , 30, 436-441	4-5	36
647	Electrical Permittivity of Polyvinylidene Fluoride Nanocomposites Filled with Organoclay and Graphite Nanoplatelets: Compared and Contrasted. 2011 , 495, 5-8		2
646	. 2011 ,		
645	The Study of the Surface Morphology of PVDF/MgO Nanocomposites Thin Films. 2012 , 626, 311-316		5
644	Crystallization and mechanical properties of functionalized single-walled carbon nanotubes/polyvinylidene fluoride composites. 2012 , 31, 1417-1425		14
643	Role of Nanoparticle Surface Charge on the Nucleation of the Electroactive Poly(vinylidene fluoride) Nanocomposites for Sensor and Actuator Applications. 2012 , 116, 15790-15794		176
642	Dielectric constant of PVDF/MgO nanocomposites thin films. 2012 ,		6
641	Shape memory performance of thermoplastic polyvinylidene fluoride/acrylic copolymer blends physically cross-linked by tiny crystals. 2012 , 4, 4825-31		52
640	Hybridizing energy conversion and storage in a mechanical-to-electrochemical process for self-charging power cell. 2012 , 12, 5048-54		210
639	Polymers for Thin Film Capacitors. 2012 , 811-830		0
638	Plasmon-Mediated Embedding of Nanoparticles in a Polymer Matrix: Nanocomposites Patterning, Writing, and Defect Healing. 2012 , 116, 17204-17209		25
637	Impact of ionic liquid-modified multiwalled carbon nanotubes on the crystallization behavior of poly(vinylidene fluoride). 2012 , 116, 8312-20		142
636	Preparation, performance and adsorption activity of TiO ₂ nanoparticles entrapped PVDF hybrid membranes. 2012 , 263, 660-665		55
635	Nanoparticle induced piezoelectric, super toughened, radiation resistant, multi-functional nanohybrids. 2012 , 4, 167-75		31
634	Preparation and characterization of polyvinylidene fluoride nanofibrous membranes by forcespinning 2012 , 52, 2260-2265		67

633	New piezoelectric damping composites of poly(vinylidene fluoride) blended with clay and multi-walled carbon nanotubes. 2012 , 61, 934-938		16
632	Matrix-polymer-functionalized multiwalled carbon nanotubes as a highly efficient toughening agent for matrix polymers. 2012 , 50, 1151-1155		8
631	X-ray diffraction and differential scanning calorimetry studies of a BaTiO ₃ /polyvinylidene fluoride composites. 2012 , 52, 1945-1950		12
630	Surface characteristics and blood compatibility of PVDF/PMMA membranes. 2012 , 47, 5030-5040		19
629	Piezoelectric PU/PVDF electrospun scaffolds for wound healing applications. 2012 , 96, 29-36		141
628	The effects of nanofillers, stretching and recrystallization on microstructure, phase transformation and dielectric properties in PVDF nanocomposites. 2012 , 48, 1062-1072		102
627	Preparation and characterization of PVDF/TiO ₂ hybrid membranes with different dosage of nano-TiO ₂ . 2012 , 389, 522-531		187
626	Morphological, viscoelastic and thermal properties of poly(vinylidene Fluoride)/POSS nanocomposites. 2012 , 32, 146-151		20
625	Self-polarized ferroelectric PVDF homopolymer ultra-thin films derived from Langmuir-Blodgett deposition. 2012 , 53, 1404-1408		88
624	Crystallization and reinforcement of poly (vinylidene fluoride) nanocomposites: Role of high molecular weight resin and carbon nanotubes. <i>Polymer Testing</i> , 2012 , 31, 117-126	4-5	33
623	Ternary Diagrams of Poly(vinylidene fluoride) and Poly[(vinylidene fluoride)-co-hexafluoropropene] in Propylene Carbonate and Dimethyl Sulfoxide. 2012 , 213, 587-593		4
622	Investigation on crystallization behavior and hydrophilicity of poly(vinylidene fluoride)/poly(methyl methacrylate)/poly(vinyl pyrrolidone) ternary blends by solution casting. 2013 , 127, 3997-4005		16
621	Dielectric and Pyroelectric Properties of Ferroelectric SBN/PVDF Composites Prepared by Hot-Uniaxial Press. 2013 , 10, E11-E17		5
620	Poly(vinylidene fluoride)-acrylic rubber partially miscible blends: Crystallization within conjugated phases induce dual lamellar crystalline structure. 2013 , 54, 4686-4701		33
619	Extrusion of poly(vinylidene fluoride) recycled filaments: Effect of the processing cycles on the degree of crystallinity and electroactive phase content. <i>Polymer Testing</i> , 2013 , 32, 1041-1044	4-5	5
618	Effect of poling state and morphology of piezoelectric poly(vinylidene fluoride) membranes for skeletal muscle tissue engineering. 2013 , 3, 17938		103
617	Nanoparticle and Process Induced Super Toughened Piezoelectric Hybrid Materials: The Effect of Stretching on Filled System. 2013 , 46, 5595-5603		52
616	Structural changes in PVDF fibers due to electrospinning and its effect on biological function. 2013 , 8, 045007		105

615	Physicochemical characteristics of poly(vinylidene fluoride-hexafluoropropylene)/alumina for mesocarbon microbeads versus LiNi _{1/3} Mn _{1/3} Co _{1/3} O ₂ Li-ion polymer cells. 2013 , 74, 1492-1498	8
614	Effect of poling time and grid voltage on phase transition and piezoelectricity of poly(vinylidene fluoride) thin films using corona poling. 2013 , 46, 285305	62
613	Melt spinning of PVDF fibers with enhanced β phase structure. 2013 , 130, 2603-2609	34
612	Synthesis and Characterization of Polyvinylidene Fluoride (PVDF) Cerium Doped. 2013 , 253-265	
611	Morphology of fibrous composites of PLA and PVDF. 2013 , 89, 186-193	15
610	Removal of ultraviolet filter from water by electro-ultrafiltration. 2013 , 311, 211-220	4
609	Effect of drawing on the molecular orientation and polymorphism of melt-spun polyvinylidene fluoride fibers: Toward the development of piezoelectric force sensors. 2013 , 129, 2699-2706	24
608	Multilayer spin-coating deposition of poly(vinylidene fluoride) films for controlling thickness and piezoelectric response. 2013 , 192, 76-80	43
607	Preparation of PVDF/Al ₂ O ₃ hybrid membrane via the sol-gel process and characterization of the hybrid membrane. 2013 , 51, 3685-3690	18
606	Spectroscopic evidence for a high fraction of ferroelectric phase induced in electrospun polyvinylidene fluoride fibers. 2013 , 3, 24952	62
605	Piezoelectric Force Response of Novel 2D Textile Based PVDF Sensors. 2013 , 13, 4743-4748	27
604	Electrospun poly(vinylidene fluoride)/poly(methyl methacrylate) grafted TiO ₂ composite nanofibrous membrane as polymer electrolyte for lithium-ion batteries. 2013 , 223, 206-213	98
603	Piezoelectric membranes for separation processes: Fabrication and piezoelectric properties. 2013 , 434, 184-192	52
602	Effects of electric fields on the removal of ultraviolet filters by ultrafiltration membranes. 2013 , 393, 429-37	15
601	Nickel-multiwalled carbon nanotubes/polyvinylidene fluoride composites with high dielectric permittivity. 2013 , 130, 3746-3752	12
600	In-situ synchrotron SAXS and WAXS investigations on deformation and β transformation of uniaxial stretched poly(vinylidene fluoride). 2013 , 15, 1597	54
599	High performance piezoelectric devices based on aligned arrays of nanofibers of poly(vinylidene fluoride-co-trifluoroethylene). 2013 , 4, 1633	821
598	Functional Hollow Fiber Adsorbent Materials with a Self-Regulating Composite Outer Layer for Gas Purification with Energy Efficient Electrothermal Regeneration. 2013 , 52, 1335-1351	7

597	Effect of annealing conditions on crystallization behavior and mechanical properties of NIPS poly(vinylidene fluoride) hollow fiber membranes. 2013 , 129, 1417-1425	22
596	Enhanced Piezoelectric Properties of Electrospun Poly(vinylidene fluoride)/Multiwalled Carbon Nanotube Composites Due to High β Phase Formation in Poly(vinylidene fluoride). 2013 , 117, 11791-11799	156
595	The crystallization and crystal transition of PVDF in PAN nano-tube. 2013 , 54, 4710-4718	20
594	Continuous production of piezoelectric PVDF fibre for e-textile applications. 2013 , 22, 075017	72
593	Role of poly(lactic acid) in the phase transition of poly(vinylidene fluoride) under uniaxial stretching. 2013 , 129, 1686-1696	20
592	Nucleation of the electroactive β phase, dielectric and magnetic response of poly(vinylidene fluoride) composites with Fe ₂ O ₃ nanoparticles. 2013 , 361, 93-99	45
591	Ferroelectric and magnetic studies on unpoled Poly (vinylidene Fluoride)/Fe ₃ O ₄ magnetoelectric nanocomposite structures. 2013 , 137, 781-787	59
590	Towards the development of flexible non-volatile memories. 2013 , 25, 5425-49	394
589	Insight into the nucleating and reinforcing efficiencies of carbon nanofillers in poly(vinylidene fluoride): a comparison between carbon nanotubes and carbon black. 2013 , 48, 8509-8519	10
588	Effect of hydroxylated multiwall carbon nanotubes on dielectric property of poly (vinylidene fluoride)/poly (methyl methacrylate)/hydroxylated multiwall carbon nanotubes blend. 2013 , 20, 1	16
587	Increasing solvent polarity and addition of salts promote β phase poly(vinylidene fluoride) formation. 2013 , 128, 2902-2910	34
586	Synthesis of polyvinylidene fluoride (PVDF) membranes for protein binding: Effect of casting thickness. 2013 , 128, 3438-3445	16
585	Leakage and Fatigue Characteristics of Polyvinylidene Fluoride Film. 2013 , 284-287, 158-162	1
584	Effect of Preparation Methods on Crystallization Behavior and Tensile Strength of Poly(vinylidene fluoride) Membranes. 2013 , 3, 389-405	68
583	. 2014 ,	2
582	Preparation and Characterization of PVDF-Based Nanocomposites. 2014 , 131-144	1
581	Monitoring of Vapor-Induced Phase Separation during Spin Coating of PVDF by Optical Scattering. 2014 , 19, 585-593	4
580	Improved piezoelectricity of PVDF-HFP/carbon black composite films. 2014 , 47, 135302	54

579	Effect of rolling on structure and ferroelectric properties of poly(vinylidene fluoride) with presence of multiwalled carbon nanotubes. 2014 , 18, S4-564-S4-569	1
578	The Microstructural, Mechanical and Electro-Mechanical Properties of Graphene Aerogel-PVDF Nanoporous Composites. 2014 , 29, 1-6	9
577	The changes of spectroscopic, thermal and electrical properties of PVDF/PEO containing lithium nanoparticles. 2014 , 617, 877-883	31
576	Transition of the polarization switching from extrinsic to intrinsic in the ultrathin polyvinylidene fluoride homopolymer films. 2014 , 104, 182907	37
575	Enhanced ferroelectric and pyroelectric properties of poly(vinylidene fluoride) with addition of graphene oxides. 2014 , 115, 204101	22
574	Piezoelectric coaxial filaments produced by coextrusion of poly(vinylidene fluoride) and electrically conductive inner and outer layers. 2014 , 131, n/a-n/a	17
573	Benzyl triphenyl phosphonium chloride as an additive for polyvinylidene fluoride: Melt rheology, crystallization, and electrical properties. 2014 , 54, 2420-2429	3
572	Effect of water absorption on the mechanical properties of poly(vinylidene fluoride-trifluoroethylene) copolymer films. 2014 , 54, 2654-2659	4
571	In situ phase change characterization of PVDF thin films using Raman spectroscopy. 2014 ,	6
570	The effect of processing conditions on the crystal structure and electroactive properties of poly(vinylidene fluoride)/ multi-walled carbon nanotubes nanocomposites. 2014 ,	
569	Improved energy harvesting capability of poly(vinylidene fluoride) films modified by reduced graphene oxide. 2014 , 25, 1813-1824	27
568	Stretching Induced Crystalline-Phase Transition in Energy-Conversion Poly(Vinylidene Fluoride) (PVDF) Films. 2014 , 1070-1072, 589-593	2
567	Nanofibrillar Poly(vinylidene fluoride): Preparation and Functional Properties. 2014 , 63, 23-32	13
566	Electroactive phases of poly(vinylidene fluoride): Determination, processing and applications. 2014 , 39, 683-706	1743
565	Sponge-Like Piezoelectric Polymer Films for Scalable and Integratable Nanogenerators and Self-Powered Electronic Systems. 2014 , 4, 1301624	270
564	Effect of filler content on morphology and physical/chemical characteristics of poly(vinylidene fluoride)/NaY zeolite-filled membranes. 2014 , 49, 3361-3370	26
563	An optimization of superhydrophobic polyvinylidene fluoride/zinc oxide materials using Taguchi method. 2014 , 288, 229-237	34
562	Design and Fabrication of Electrospun PVDF Piezo-Energy Harvesters. 2014 , 183-264	

561	Multi-walled CNT-induced phase behaviour of poly(vinylidene fluoride) and its electro-mechanical properties. 2014 , 49, 103-113	33
560	Achieving β phase poly(vinylidene fluoride) from melt cooling: Effect of surface functionalized carbon nanotubes. 2014 , 55, 611-619	116
559	Effect of temperature on the crystalline phase and dielectric and ferroelectric properties of poly(vinylidene fluoride) film. 2014 , 25, 858-864	11
558	Flexible EMI shielding materials derived by melt blending PVDF and ionic liquid modified MWNTs. 2014 , 1, 035003	61
557	Preparation of PVDF/graphene ferroelectric composite films by in situ reduction with hydrobromic acids and their properties. 2014 , 4, 45220-45229	87
556	Composition dependent phase transformation of poly(vinylidene fluoride) in its miscible blends upon stretching. 2014 , 4, 39491	4
555	Preferential interaction of small-diameter metallic SWNTs with ferroelectric polymer. 2014 , 4, 19658-19662	3
554	Antifouling behaviours of PVDF/nano-TiO ₂ composite membranes revealed by surface energetics and quartz crystal microbalance monitoring. 2014 , 4, 43590-43598	38
553	Novel B-D spacer-free fibre piezoelectric textiles for energy harvesting applications. 2014 , 7, 1670-1679	196
552	Enhancement of β phase crystallization and dielectric behavior of kaolinite/halloysite modified poly(vinylidene fluoride) thin films. 2014 , 99, 149-159	108
551	Process induced electroactive β polymorph in PVDF: effect on dielectric and ferroelectric properties. 2014 , 16, 14792-9	135
550	Enhanced dielectric and ferroelectric properties induced by TiO ₂ @MWCNTs nanoparticles in flexible poly(vinylidene fluoride) composites. 2014 , 65, 125-134	78
549	Preparation, performances of PVDF/ZnO hybrid membranes and their applications in the removal of copper ions. 2014 , 316, 333-340	106
548	Structural elucidation of morphology and performance of the PVDF/PEG membrane. 2014 , 21, 1	21
547	Incorporation of halloysite nanotubes into PVDF matrix: Nucleation of electroactive phase accompany with significant reinforcement and dimensional stability improvement. 2014 , 66, 16-24	54
546	Evaluation of reduced graphene oxide/ZnO effect on properties of PVDF nanocomposite films. 2014 , 320, 339-347	99
545	Multiple stage crystallization of gamma phase poly(vinylidene fluoride) induced by ion-dipole interaction as revealed by time-resolved FTIR and two-dimensional correlation analysis. 2014 , 55, 4765-4775	27
544	Enhanced electrical properties of multiwalled carbon nanotube/poly(vinylidene fluoride) films through a rolling process. 2014 , 25, 2126-2137	15

543	A comparison of two different methods for formation of the beta phase in nanocomposites based on vinylidene fluoride-hexafluoropropylene copolymer. 2014 , 32, 301-306	2
542	Crystalline properties, dielectric response and thermal stability of in-situ reduced graphene oxide/poly(vinylidene fluoride) nanocomposites. 2014 , 21, 1446-1454	11
541	Influence of room-temperature-stretching technology on the crystalline morphology and microstructure of PVDF hard elastic film. 2014 , 131, n/a-n/a	6
540	Stretch-induced bidirectional polymorphic transformation of crystals in poly(butylene adipate). 2014 , 55, 3054-3061	22
539	β Phase poly(vinylidene fluoride) films encouraged more homogeneous cell distribution and more significant deposition of fibronectin towards the cell-material interface compared to α phase poly(vinylidene fluoride) films. 2014 , 34, 345-53	19
538	Contribution of residual solvent to the nucleation and reinforcement of poly (vinylidene fluoride). <i>Polymer Testing</i> , 2014 , 34, 78-84	4-5 6
537	Effect of β to α transformation on the dc and ac conductivity mechanism in polyaniline: Polyvinylidene fluoride composites films. 2014 , 26, 336-342	5
536	Alternating current conductivity and dielectric relaxation of PANI:PVDF composites. 2014 , 66, 10201	
535	Highly sensitive microfluidic flow sensor based on aligned piezoelectric poly(vinylidene fluoride-trifluoroethylene) nanofibers. 2015 , 107, 242901	16
534	Self-amplified piezoelectric nanogenerator with enhanced output performance: The synergistic effect of micropatterned polymer film and interweaved silver nanowires. 2015 , 106, 163901	19
533	Self-oriented β crystalline phase in the polyvinylidene fluoride ferroelectric and piezo-sensitive ultrathin Langmuir-Schaefer film. 2015 , 17, 8159-65	53
532	Contrasting Effects of Graphene Oxide and Poly(ethylenimine) on the Polymorphism in Poly(vinylidene fluoride). 2015 , 15, 3345-3355	25
531	Enhancement effects of two kinds of carbon black on piezoelectricity of PVDF-HFP composite films. 2015 , 08, 1540006	1
530	Enhancing β phase and crystallization speed of poly(vinylidene fluoride) thin film by doping with graphene oxide. 2015 , 26, 9067-9073	5
529	PVDF energy-harvesting devices: Film preparation, electric poling, energy-harvesting efficiency. 2015 ,	1
528	ATR-FTIR Analysis on Polymorphism of PVDF/MgO Nanocomposite Thin Films. 2015 , 1134, 39-43	2
527	Critical Composition of the β Form of Poly(vinylidene fluoride) in Miscible Crystalline/Crystalline Blends. 2015 , 119, 14303-8	14
526	Influence of uniaxial cold stretching followed by uniaxial hot stretching conditions on crystal transformation and microstructure in extrusion cast and annealed polyvinylidene fluoride porous membranes. 2015 , 31, 269-285	12

525	Synthesis and characterization of poly (vinylidene fluoride)calcium phosphate composite for potential tissue engineering applications. 2015 , 41, 7066-7072	20
524	High-performance coils and yarns of polymeric piezoelectric nanofibers. 2015 , 7, 5358-66	98
523	Improving dielectric properties of poly(vinylidene fluoride) composites: effects of surface functionalization of exfoliated graphene. 2015 , 29, 678-690	17
522	Polymer and Organic Nonvolatile Memory Devices. 2015 , 381-410	1
521	Effect of electrospinning parameters and polymer concentrations on mechanical-to-electrical energy conversion of randomly-oriented electrospun poly(vinylidene fluoride) nanofiber mats. 2015 , 5, 14345-14350	139
520	Variation of the physicochemical and morphological characteristics of solvent casted poly(vinylidene fluoride) along its binary phase diagram with dimethylformamide. 2015 , 412, 16-23	41
519	Different thermal analysis technique application in determination of fold surface-free energy. 2015 , 119, 527-536	9
518	Enhanced electroactive and mechanical properties of poly(vinylidene fluoride) by controlling crystallization and interfacial interactions with low loading polydopamine coated BaTiO ₃ . 2015 , 453, 169-176	35
517	Processstructureproperty relationships in nanocomposites based on piezoelectric-polymer matrix and magnetic nanoparticles. 2015 , 255-278	1
516	Nanostructural characterization of poly (vinylidene fluoride)-clay nanocomposites prepared by a one-step reactive extrusion process. 2015 , 35, 181-190	3
515	Effect of copper nanoparticles incorporation on the polar beta-phase development in polyvinylidene fluoride. 2015 , 162, 794-800	4
514	Effects of superhydrophobic SiO ₂ nanoparticles on the performance of PVDF flat sheet membranes for vacuum membrane distillation. 2015 , 373, 47-57	123
513	Raman, morphology and electrical behavior of nanocomposites based on PEO/PVDF with multi-walled carbon nanotubes. 2015 , 5, 105-110	74
512	Ionic Liquid-Doped Gel Polymer Electrolyte for Flexible Lithium-Ion Polymer Batteries. 2015 , 8, 2735-2748	42
511	Electroactive Phase Induced Bi ₄ Ti ₃ O ₁₂ Boly(Vinylidene Difluoride) Composites with Improved Dielectric Properties. 2015 , 44, 3710-3723	4
510	Electrospinning polyvinylidene fluoride fibrous membranes containing anti-bacterial drugs used as wound dressing. 2015 , 130, 278-86	65
509	Forming mechanism study of unique pillar-like and defect-free PVDF ultrafiltration membranes with high flux. 2015 , 487, 1-11	29
508	Electrospinning-induced preferred dipole orientation in PVDF fibers. 2015 , 50, 4342-4347	58

507	Tailoring microstructure and physical properties of poly(vinylidene fluoride)hexafluoropropylene porous films. 2015 , 50, 5047-5058		12
506	Joint experimental and computational investigation of the structural and spectroscopic properties of poly(vinylidene fluoride) polymorphs. 2015 , 119, 4888-97		20
505	Free-standing nanocrystalline-Cadmium sulfide/Polyvinylidene fluoride composite thin film: synthesis and characterization. 2015 , 22, 1		8
504	Polymer-Enriched 3D Graphene Foams for Biomedical Applications. 2015 , 7, 8275-83		61
503	Effects of halloysite nanotubes addition and annealing on crystal polymorphism of PVDF molded via microinjection-compression molding. 2015 , 118, 163-170		3
502	Probing local environment of Mn-doped nanocrystalline-ZnO/PVDF composite thin films by XPS and EXAFS studies. 2015 , 78, 1-12		9
501	Influence of solvent evaporation rate on crystallization of poly(vinylidene fluoride) thin films. 2015 , 38, 1093-1098		14
500	Organic-Inorganic Nanocomposites via Placing Monodisperse Ferroelectric Nanocrystals in Direct and Permanent Contact with Ferroelectric Polymers. 2015 , 137, 11760-7		92
499	Electrospinning/electrospray of polyvinylidene fluoride (PVDF): piezoelectric nanofibers. 2015 , 1-19		24
498	Crystallinity, morphology and high dielectric permittivity of NiO nanosheets filling Poly(vinylidene fluoride). 2015 , 41, 14733-14739		27
497	Thermal behavior of PVDF/PMMA blends by differential scanning calorimetry and vibrational spectroscopies (Raman and Fourier-Transform Infrared). <i>Polymer Testing</i> , 2015 , 48, 120-124	4-5	11
496	Influence of nanoparticle size and concentration on the electroactive phase content of PVDF in PVDF/CoFe2O4-based hybrid films. 2015 , 212, 252-258		16
495	Influence of BaTiO3 submicrometric particles on the structure, morphology, and crystallization behavior of poly(vinylidene fluoride). 2015 , 132, n/a-n/a		18
494	Preparation and properties of biphasic graphene oxide/PVDF composite films. 2015 , 132, n/a-n/a		32
493	Fabrication, Polarization of Electrospun Polyvinylidene Fluoride Electret Fibers and Effect on Capturing Nanoscale Solid Aerosols. 2016 , 9,		39
492	Enhancing biphasic content and tensile properties in poly(vinylidene fluoride) by adding halloysite nanotubes and injecting water during extrusion. 2016 , 108, 761-768		16
491	Inkjet printing of high molecular weight PVDF-TrFE for flexible electronics. 2016 , 1, 015001		51
490	Melt rheology and mechanical crystal transformation in an immiscible blend with poly(vinylidene fluoride) matrix. 2016 , 133,		1

489	Investigating the thermal, mechanical, and electrochemical properties of PVdF/PVP nanofibrous membranes for supercapacitor applications. 2016 , 133,	20
488	Polymeric piezoelectric fiber with metal core produced by electrowetting-aided dry spinning method. 2016 , 133,	5
487	Sound absorption of electrospun polyvinylidene fluoride/graphene membranes. 2016 , 82, 35-45	46
486	Fabrication of poly(vinylidene fluoride) film and application to printing technology. 2016 , 3, 14-00405-14-00405	
485	Probing the synergism of halloysite nanotubes and electrospinning on crystallinity, polymorphism and piezoelectric performance of poly(vinylidene fluoride). 2016 , 6, 114052-114060	28
484	Creation of Electron-doping Liquid Water with Reduced Hydrogen Bonds. 2016 , 6, 22166	16
483	Enhancement of electroactive phases of PVDF by mixing SiC nanowires for pressure sensing. 2016 ,	0
482	Thermally induced phase separation and electrospinning methods for emerging membrane applications: A review. 2016 , 62, 461-490	191
481	A super hydrophilic modification of poly(vinylidene fluoride) (PVDF) nanofibers: By in situ hydrothermal approach. 2016 , 385, 417-425	23
480	Processing and nanoclay induced piezoelectricity in poly(vinylidene fluoride-co-hexafluoro propylene) nanohybrid for device application. 2016 , 97, 362-369	31
479	Piezoelectric PVDF Polymeric Films and Fibers: Polymorphisms, Measurements, and Applications. 2016 , 313-336	10
478	Recent Progress on Ferroelectric Polymer-Based Nanocomposites for High Energy Density Capacitors: Synthesis, Dielectric Properties, and Future Aspects. 2016 , 116, 4260-317	909
477	New Physical Insights into Shear History Dependent Polymorphism in Poly(vinylidene fluoride). 2016 , 16, 2937-2944	23
476	INFLUENCE OF THE SUBSTRATE ON THE CRYSTALLINE PHASE AND MORPHOLOGY OF POLY (VINYLIDENE FLUORIDE) (PVDF) THIN FILM. 2016 , 23, 1650005	4
475	Magnetoelectric investigations on poly(vinylidene fluoride)/NiFe ₂ O ₄ flexible films fabricated through a solution casting method. 2016 , 6, 86880-86888	30
474	Study of the effects of holmium and 2-aminoterephthalate additions on the optical properties of polyvinylidene fluoride. 2016 , 174, 167-173	3
473	In situ monitored stretching induced to isotropic transformation of flexible poly(vinylidene fluoride)-CoFe ₂ O ₄ hybrid films: The role of nanoparticles inclusion. 2016 , 84, 602-611	15
472	Piezoelectric property of PVDF/graphene composite films using 1H, 1H, 2H, 2H-Perfluorooctyltriethoxysilane as a modifying agent. 2016 , 688, 885-892	44

471	Nanodiamond particles/PVDF nanocomposite flexible films: thermal, mechanical and physical properties. 2016 , 3, 085028	17
470	β-Cyclodextrin modified graphitic carbon nitride for the removal of pollutants from aqueous solution: experimental and theoretical calculation study. 2016 , 4, 14170-14179	165
469	Mesoporous Piezoelectric Polymer Composite Films with Tunable Mechanical Modulus for Harvesting Energy from Liquid Pressure Fluctuation. 2016 , 26, 6760-6765	55
468	Fabrication of organic/inorganic hybrid membranes composed of poly(vinylidene fluoride) and silver cyanamide and their high photocatalytic activity under visible light irradiation. 2016 , 6, 61920-61926	13
467	On the Measurement of the Electrical Power Produced by Melt Spun Piezoelectric Textile Fibres. 2016 , 45, 5112-5126	10
466	Fabrication of Continuous Microfibers Containing Magnetic Nanoparticles by a Facile Magneto-Mechanical Drawing. 2016 , 11, 426	8
465	Preparation of organosilicate/PVDF composites with enhanced piezoelectricity and pyroelectricity by stretching. 2016 , 137, 138-147	62
464	Enhanced dielectric and energy storage performance of surface treated gallium ferrite/polyvinylidene fluoride nanocomposites. 2016 , 6, 105137-105145	21
463	A Thermochromic Superhydrophobic Surface. 2016 , 6, 27984	19
462	Investigation of the physico-mechanical properties of electrospun PVDF/cellulose (nano)fibers. 2016 , 133,	43
461	Enhancement of ion dynamics in organic ionic plastic crystal/PVDF composite electrolytes prepared by co-electrospinning. 2016 , 4, 9873-9880	40
460	Fabrication and characterization of β-poly(vinylidene fluoride)/silane-treated titanium dioxide dielectric nano-composites. 2016 ,	
459	Influence of nickel ion-doped mullite composite on electrical properties, phase behavior, and microstructure of poly(vinylidene fluoride) matrix. 2016 , 23, 1	4
458	Enhanced dielectric and ferroelectric properties in PVDF composite flexible films through doping with diisopropylammonium bromide. 2016 , 6, 7364-7369	38
457	Size-dependent piezoelectric and mechanical properties of electrospun P(VDF-TrFE) nanofibers for enhanced energy harvesting. 2016 , 4, 2293-2304	92
456	Thermo-electromechanical Behavior of Piezoelectric Nanofibers. 2016 , 8, 2540-51	50
455	Outstanding dielectric constant and piezoelectric coefficient in electrospun nanofiber mats of PVDF containing silver decorated multiwall carbon nanotubes: assessing through piezoresponse force microscopy. 2016 , 6, 6251-6258	87
454	High-field antiferroelectric-like behavior in uniaxially stretched poly(vinylidene fluoride-trifluoroethylene-chlorotrifluoroethylene)-grafted-poly(methyl methacrylate) films with high energy density. 2016 , 6, 1589-1599	33

453	Dramatically improved piezoelectric properties of poly(vinylidene fluoride) composites by incorporating aligned TiO ₂ @MWCNTs. 2016 , 123, 259-267	48
452	Microporous PVDF membranes via thermally induced phase separation (TIPS) and stretching methods. 2016 , 509, 94-104	99
451	Polymorphism, piezoelectricity and sound absorption of electrospun PVDF membranes with and without carbon nanotubes. 2016 , 127, 127-133	105
450	Corrosion protection of electrospun PVDF/ZnO superhydrophobic coating. 2016 , 289, 136-143	68
449	Crystalline polymorph transition in poly(vinylidene fluoride) (PVDF)/acrylic rubber(ACM)/clay partially miscible hybrid. 2016 , 73, 65-73	8
448	Investigation of the durability and stability of piezoelectric textile fibres. 2017 , 28, 663-670	9
447	Study on the enhancement of ferroelectric β phase in P(VDF-HFP) films under heating and poling conditions. 2017 , 88, 136-147	32
446	Multiscale-structuring of polyvinylidene fluoride for energy harvesting: the impact of molecular-, micro- and macro-structure. 2017 , 5, 3091-3128	265
445	A comparative study of strontium and titanium doped mullite in PVDF matrix and their phase behavior, microstructure and electrical properties. 2017 , 187, 119-132	12
444	An Ionic Liquid as Interface Linker for Tuning Piezoresistive Sensitivity and Toughness in Poly(vinylidene fluoride)/Carbon Nanotube Composites. 2017 , 9, 5437-5446	40
443	Towards β phase formation probability in spin coated PVDF thin films. 2017 , 24, 1	21
442	Pure β phase formation in polyvinylidene fluoride (PVDF)-carbon nanotube composites. 2017 , 50, 163002	83
441	Critical Insights into the Effect of Shear, Shear History, and the Concentration of a Diluent on the Polymorphism in Poly(vinylidene fluoride). 2017 , 17, 1957-1965	11
440	Enhanced electroactive β phase in three phase PVDF/CaCO ₃ /nanoclay composites: Effect of micro-CaCO ₃ and uniaxial stretching. 2017 , 134,	23
439	Electrostatically Active Polymer Hybrid Aerogels for Airborne Nanoparticle Filtration. 2017 , 9, 6401-6410	31
438	Design of flexible PVDF/NaNbO ₃ /RGO nanogenerator and understanding the role of nanofillers in the output voltage signal. 2017 , 149, 127-133	48
437	Enhanced Switchable Dielectric Performance of β Phase-Dominated PVDF Composite Films Modified with Single-Protonated 1,4-Diazabicyclo[2.2.2]octane Fluoborate. 2017 , 121, 13586-13592	10
436	Preparation and characterization of a PFSAPVDF blend nanofiber membrane and its preliminary application investigation. 2017 , 41, 7544-7552	12

435	Comparison of the thermal stability of the β and γ phases in poly(vinylidene fluoride) based on in situ thermal Fourier transform infrared spectroscopy. 2017 , 1-9	14
434	Integrated 3D printing and corona poling process of PVDF piezoelectric films for pressure sensor application. 2017 , 26, 085027	74
433	Analysis of vinylidene fluoride-trifluoroethylene copolymer film for nonpolarized energy harvester. 2017 , 56, 070301	1
432	Preparation and properties of PVDF composite films modified with organic ferroelectric croconic acid. 2017 , 506, 165-173	3
431	A critical analysis of the β and γ phases in poly(vinylidene fluoride) using FTIR. 2017 , 7, 15382-15389	518
430	Effect of melt and solution electrospinning on the formation and structure of poly(vinylidene fluoride) fibres. 2017 , 7, 17593-17598	17
429	Crystal Structure Regulation of Ferroelectric Poly(vinylidene fluoride) via Controlled Melt Recrystallization. 2017 , 56, 4580-4587	31
428	Film Fabrication Using Poly(Vinylidene Fluoride) Solution Droplet. 2017 , 26, 2072-2078	5
427	Facile preparation of highly oriented poly(vinylidene fluoride) uniform films and their ferro- and piezoelectric properties. 2017 , 7, 17038-17043	15
426	Effects of in-situ poling and process parameters on fused filament fabrication printed PVDF sheet mechanical and electrical properties. 2017 , 13, 81-92	40
425	PVDF/TiO ₂ nanocomposites prepared by solution blow spinning: Surface properties and their relation with <i>S. Mutans</i> adhesion. <i>Polymer Testing</i> , 2017 , 58, 21-30	4-5 24
424	Crystal polymorphism in polydiacetylene-embedded electrospun polyvinylidene fluoride nanofibers. 2017 , 13, 8178-8187	10
423	Fabrication of electroactive poly(vinylidene fluoride) through non-isothermal crystallization and supercritical CO ₂ processing. 2017 , 7, 48712-48722	16
422	Induced Piezoelectricity in Poly(vinylidene fluoride) Hybrid as Efficient Energy Harvester. 2017 , 2, 8278-8287	26
421	Self-assembled, highly crystalline porous ferroelectric poly(vinylidene fluoride-co-trifluoroethylene) interlayer for Si/organic hybrid solar cells. 2017 , 41, 243-250	14
420	The piezoelectric response of electrospun PVDF nanofibers with graphene oxide, graphene, and halloysite nanofillers: a comparative study. 2017 , 28, 15942-15952	61
419	Poly(vinylidene fluoride)-Based Magnetolectric Polymer Nanocomposite Films. 2017 , 87-113	4
418	Piezoelectric sensor based on electrospun PVDF-MWCNT-Cloisite 30B hybrid nanocomposites. 2017 , 50, 121-129	48

4 ¹⁷	Crystallographic features of poly(vinylidene fluoride) film upon an attractive substrate of KBr. 2017 , 19, 27828-27838	6
4 ¹⁶	Smart, lightweight, flexible NiO/poly(vinylidene fluoride) nanocomposites film with significantly enhanced dielectric, piezoelectric and EMI shielding properties. 2017 , 24, 1	19
4 ¹⁵	Flexible tri-layer piezoelectric nanogenerator based on PVDF-HFP/Ni-doped ZnO nanocomposites. 2017 , 7, 50156-50165	62
4 ¹⁴	Influence of cellulose/[Bmim]Cl solution on the properties of fabricated NIPS PVDF membranes. 2017 , 52, 9946-9957	14
4 ¹³	Enhanced piezoresponse of highly aligned electrospun poly(vinylidene fluoride) nanofibers. 2017 , 28, 395402	28
4 ¹²	Study of (β)-phase development in spin-coated PVDF thick films. 2017 , 40, 569-575	18
4 ¹¹	Crystallization behavior, tensile behavior and hydrophilicity of poly(vinylidene fluoride)/polyethylene glycol blends. 2017 , 59, 685-694	
4 ¹⁰	Zinc Oxide PVDF Nano-Composites Tuning Interfaces toward Enhanced Mechanical Properties and UV Protection. 2017 , 19, 1600611	9
4 ⁰⁹	Excellent dielectric properties of poly(vinylidene fluoride) composites based on partially reduced graphene oxide. 2017 , 109, 91-100	79
4 ⁰⁸	Hybrid local piezoelectric and conductive functions for high performance airborne sound absorption. 2017 , 111, 241601	25
4 ⁰⁷	Dielectric, ferroelectric, and photoluminescent properties of Dy ³⁺ doped flexible multifunctional PVDF films. 2017 , 520, 212-223	4
4 ⁰⁶	Development of mono-component and tri-component fibres 100% polymer based piezoelectric PVDF to harvest energy. 2017 , 254, 072026	5
4 ⁰⁵	How Chain Intermixing Dictates the Polymorphism of PVDF in Poly(vinylidene fluoride)/Polymethylmethacrylate Binary System during Recrystallization: A Comparative Study on Core/Shell Particles and Latex Blend. 2017 , 9,	9
4 ⁰⁴	Improving Nanofiber Membrane Characteristics and Membrane Distillation Performance of Heat-Pressed Membranes via Annealing Post-Treatment. 2017 , 7, 78	19
4 ⁰³	Physico-Mechanical, Dielectric, and Piezoelectric Properties of PVDF Electrospun Mats Containing Silver Nanoparticles. 2017 , 3, 30	43
4 ⁰²	Processing of ferroelectric polymer composites. 2017 , 249-280	2
4 ⁰¹	Characterization and Antibiofouling Performance Investigation of Hydrophobic Silver Nanocomposite Membranes: A Comparative Study. 2017 , 7,	15
4 ⁰⁰	Study of the effect of synthesis parameters in the electrical conductivity of the composite poly(vinylidene fluoride) / polyaniline. 2017 , 22,	1

399	An iron (II) phthalocyanine/poly(vinylidene fluoride) composite membrane with antifouling property and catalytic self-cleaning function for high-efficiency oil/water separation. 2018 , 552, 295-304	48
398	Effect of ionic liquid on crystallization kinetics and crystal form transition of poly(vinylidene fluoride) blends. 2018 , 132, 1153-1165	9
397	Processing of PVDF-based electroactive/ferroelectric films: importance of PMMA and cooling rate from the melt state on the crystallization of PVDF beta-crystals. 2018 , 14, 4591-4602	26
396	Structural deformation of PVDF nanoweb due to electrospinning behavior affected by solvent ratio. 2018 , 18, 339-345	13
395	Piezoelectric materials as stimulatory biomedical materials and scaffolds for bone repair. 2018 , 73, 1-20	130
394	CoFe ₂ O ₄ nanofiller effect on β -phase formation of PVDF matrix for polymer-based magnetoelectric composites. 2018 , 223, 73-77	23
393	3D interlock design 100% PVDF piezoelectric to improve energy harvesting. 2018 , 27, 075010	22
392	Enhanced output-performance of piezoelectric poly(vinylidene fluoride trifluoroethylene) fibers-based nanogenerator with interdigital electrodes and well-ordered cylindrical cavities. 2018 , 112, 072902	23
391	Enhancement of dielectric constant in polymer-ceramic nanocomposite for flexible electronics and energy storage applications. 2018 , 157, 48-56	60
390	High performance of fluoro polymer modified by hexa-titanium boride nanocomposites. 2018 , 29, 4749-4769	4
389	Transformative piezoelectric enhancement of P(VDF-TrFE) synergistically driven by nanoscale dimensional reduction and thermal treatment. 2018 , 10, 2894-2901	19
388	Preparation and crystalline studies of PVDF hybrid composites. 2018 ,	0
387	Synergism of Electrospinning and Nano-alumina Trihydrate on the Polymorphism, Crystallinity and Piezoelectric Performance of PVDF Nanofibers. 2018 , 70, 1313-1318	8
386	Polyvinylpyrrolidone modified barium zirconate titanate /polyvinylidene fluoride nanocomposites as self-powered sensor. 2018 , 44, 11196-11203	25
385	Effects of static electricity and fabrication parameters on PVDF film properties. 2018 , 41, 1	4
384	Friction-induced electroactive β -polymorph of poly(vinylidene fluoride). 2018 , 135, 46395	2
383	Percolative multi-susceptible PVDF/NZFO composite films with triply controlled high dielectric and magnetic properties. 2018 , 123, 104104	4
382	Fabrication and characterization of 3D printed BaTiO ₃ /PVDF nanocomposites. 2018 , 52, 197-206	70

381	Conservation of the piezoelectric response of PVDF films under irradiation. 2018 , 142, 54-59	16
380	Electrospun poly(vinylidene fluoride) membranes functioning as static charge storage device with controlled crystalline phase by inclusions of nanoscale graphite platelets. 2018 , 53, 3038-3048	6
379	Magnetolectric investigations on poly (vinylidene fluoride)/CoFe ₂ O ₄ flexible electrospun membranes. 2018 , 448, 94-99	16
378	Preparation and characterization of amphiphilic copolymer PVDF-g-PMABS and its application in improving hydrophilicity and protein fouling resistance of PVDF membrane. 2018 , 427, 787-797	41
377	An instant responsive polymer driven by anisotropy of crystal phases. 2018 , 5, 99-107	37
376	Fabrication and characterization of polydiacetylene supramolecules in electrospun polyvinylidene fluoride nanofibers with dual colorimetric and piezoelectric responses. 2018 , 134, 211-220	10
375	Synergistic improvement of piezoelectric properties of PVDF/ CaCO ₃ /montmorillonite hybrid nanocomposites. 2018 , 152, 93-100	25
374	Evaluation of the electromechanical behavior of polyvinylidene fluoride used as a component of risers in the offshore oil industry. 2018 , 73, 48	7
373	A Highly Flexible Tactile Sensor with Self-Poled Electrospun PVDF Nanofiber. 2018 ,	2
372	Through Permeability of Polyvinylidene Fluoride Piezoactive Porous Films. 2018 , 60, 734-741	4
371	Preparation of PVDF/PAR Composites with Piezoelectric Properties by Post-Treatment. 2018 , 10,	13
370	Investigation of the effects of electric fields on the nanostructure of Nafion and its proton conductivity. 2018 , 6, 20836-20843	15
369	Characterization of the piezoelectric response of vinylidene polyfluoride reinforced with esmeraldine and graphene. 2018 , 11, 4797-4808	
368	Development and Characterization of PVDF Thin Films for pressure sensors. 2018 , 5, 21082-21090	6
367	Mechanical Fatigue Resistance of Piezoelectric PVDF Polymers. 2018 , 9,	9
366	Fabrication of a polyvinylidene fluoride cactus-like nanofiber through one-step electrospinning.. 2018 , 8, 42353-42360	32
365	Self-Powered Wearable Pressure Sensors with Enhanced Piezoelectric Properties of Aligned P(VDF-TrFE)/MWCNT Composites for Monitoring Human Physiological and Muscle Motion Signs. 2018 , 8,	40
364	INFLUENCE OF PERMEATION ENHANCERS ON THE IN VITRO SKIN PERMEATION OF KETOROLAC TROMETHAMINE THROUGH EXCISED RAT SKIN: A MECHANISTIC STUDY. 2018 , 11, 242	1

363	Progress of heat resistant dielectric polymer nanocomposites with high dielectric constant. 2018 , 1, 67-79	10
362	Immobilization of cellulase proteins on zeolitic imidazolate framework (ZIF-8)/polyvinylidene fluoride hybrid membranes. 2018 , 42, 17429-17438	15
361	Functionalized Polyvinylidene Fluoride Electrospun Nanofibers and Applications. 2018 ,	4
360	Application of Stimuli-Sensitive Materials in Smart Textiles. 2018 , 1-29	3
359	Efficient electromagnetic interference shielding and radar absorbing properties of ultrathin and flexible polymer-carbon nanotube composite films. 2018 , 5, 115304	11
358	Fabrication of epoxy functionalized MWCNTs reinforced PVDF nanocomposites with high dielectric permittivity, low dielectric loss and high electrical conductivity. 2018 , 167, 497-506	22
357	Electrospun Piezoelectric Polymer Nanofiber Layers for Enabling in Situ Measurement in High-Performance Composite Laminates. 2018 , 3, 8891-8902	34
356	Piezoelectric Response in Electrospun Poly(vinylidene fluoride) Fibers Containing Fluoro-Doped Graphene Derivatives. 2018 , 3, 5317-5326	25
355	Strain-Induced Crystallization. 2018 , 471-508	10
354	Enhancement of the crystallinity and surface hydrophilicity of a PVDF hollow fiber membrane on simultaneous stretching and coating method. 2018 , 65, 112-119	15
353	Fabrication of novel Janus membrane by nonsolvent thermally induced phase separation (NTIPS) for enhanced performance in membrane distillation. 2018 , 563, 298-308	41
352	Investigation of the interactions of PVDF shell films with Ni core submicron wires and AAO matrix. 2018 , 545, 503-509	
351	Effect of rolling temperature on the microstructure and electric properties of polyvinylidene fluoride films. 2018 , 29, 15957-15965	9
350	Enhanced piezo-response in copper halide perovskites based PVDF composite films. 2018 , 63, 1254-1259	20
349	Can Relaxor Ferroelectric Behavior Be Realized for Poly(vinylidene fluoride-co-chlorotrifluoroethylene) [P(VDF/CTFE)] Random Copolymers by Inclusion of CTFE Units in PVDF Crystals?. 2018 , 51, 5460-5472	24
348	Properties and Applications of the β Phase Poly(vinylidene fluoride). 2018 , 10,	261
347	Tactile-Sensing Based on Flexible PVDF Nanofibers via Electrospinning: A Review. 2018 , 18,	101
346	Fluorinated Polymers as Smart Materials for Advanced Biomedical Applications. 2018 , 10,	133

345	Fluorinated Nanocellulose-Reinforced All-Organic Flexible Ferroelectric Nanocomposites for Energy Generation. 2018 , 122, 16540-16549	15
344	Largely Improved Stretch Ductility and Form Room-temperature Durability of Poly(vinylidene fluoride) by Incorporating Aliphatic Polyketone. 2018 , 36, 1277-1285	7
343	Modulation of the mechanical, physical and chemical properties of polyvinylidene fluoride scaffold via non-solvent induced phase separation process for nerve tissue engineering applications. 2018 , 104, 115-127	25
342	Breathable and Flexible Piezoelectric ZnO@PVDF Fibrous Nanogenerator for Wearable Applications. 2018 , 10,	56
341	Crystalline structure, dielectric, and mechanical properties of simultaneously biaxially stretched polyvinylidene fluoride film. 2018 , 29, 3056-3064	13
340	Processing-Driven Morphology Development and Crystallization Behavior of Immiscible Polylactide/Poly(Vinylidene Fluoride) Blends. 2018 , 303, 1800349	14
339	Micropatterning of Highly Stretchable Tough Polymer Actuators for Multistage Detection of Acetone Vapors. 2018 , 10, 29161-29168	7
338	High breakdown strength and outstanding piezoelectric performance in flexible PVDF based percolative nanocomposites through the synergistic effect of topological-structure and composition modulations. 2018 , 114, 13-20	19
337	Janus , -dimethylformamide as a solvent for a gradient porous wound dressing of poly(vinylidene fluoride) and as a reducer for nano-silver production: anti-permeation, antibacterial and antifouling activities against multi-drug-resistant bacteria both and .. 2018 , 8, 26626-26639	5
336	Nanostructured polymer-based piezoelectric and triboelectric materials and devices for energy harvesting applications. 2018 , 51, 303001	62
335	Pre-irradiation grafted single lithium-ion conducting polymer electrolyte based on poly(vinylidene fluoride). 2018 , 323, 16-24	23
334	Characteristic analysis of biaxially stretched PVDF thin films. 2018 , 135, 46677	23
333	Superior Energy Storage Performances of Polymer Nanocomposites via Modification of Filler/Polymer Interfaces. 2018 , 5, 1800096	117
332	Multi-stage crystallization mechanism of electroactive phase polyvinylidene fluoride induced by thermal and supercritical carbon dioxide processing. 2018 , 20, 4080-4089	12
331	Hydrophilically modified poly(vinylidene fluoride) nanofibers incorporating cellulose acetate fabricated by colloidal electrospinning for future tissue-regeneration applications. 2019 , 40, 1619-1630	2
330	Journey of Electroactive Polymorph of Poly(vinylidene fluoride) from Crystal Growth to Design to Applications. 2019 , 19, 5441-5456	25
329	Carbyne-enriched carbon anchored on nickel foam: A novel binder-free electrode for supercapacitor application. 2019 , 556, 411-419	6
328	Achieving high performance poly(vinylidene fluoride) dielectric composites polymerization of polypyrrole nanoparticles on hydroxylated BaTiO particles. 2019 , 10, 8224-8235	11

327	Influence of High Aspect Ratio Lead-Free Piezoelectric Fillers in Designing Flexible Fibrous Nanogenerators: Demonstration of Significant High Output Voltage. 2019 , 7, 1900538	20
326	Orientation Efforts as Regulatory Factor of Structure Formation in Permeable Porous Poly(vinylidene fluoride) Films. 2019 , 37, 1283-1289	4
325	Influence of Cation and Anion Type on the Formation of the Electroactive β Phase and Thermal and Dynamic Mechanical Properties of Poly(vinylidene fluoride)/Ionic Liquids Blends. 2019 , 123, 27917-27926	28
324	PVDF Nanofibers with Embedded Polyaniline/Graphitic Carbon Nitride Nanosheet Composites for Piezoelectric Energy Conversion. 2019 , 2, 7328-7339	29
323	Highly flexible all-nonwoven piezoelectric generators based on electrospun poly(vinylidene fluoride). 2019 , 300, 111672	13
322	Comparative Investigation by Infrared Spectroscopy of the Conformational Metamorphosis of Polyvinylidene Fluoride Under the Action of an Infrared Laser and of γ Irradiation. 2019 , 40, 356-363	2
321	Light-induced reversible phase transition in polyvinylidene fluoride-based nanocomposites. 2019 , 1, 1	8
320	Bioinspired Three-Dimensional Magnetoactive Scaffolds for Bone Tissue Engineering. 2019 , 11, 45265-45275	56
319	Self-powered flexible piezoelectric nanogenerator made of poly (vinylidene fluoride)/Zirconium oxide nanocomposite. 2019 , 6, 115330	10
318	Magnetolectric nanocomposite scaffold for high yield differentiation of mesenchymal stem cells to neural-like cells. 2019 , 234, 13617-13628	25
317	PVDF Nanofiber Sensor for Vibration Measurement in a String. 2019 , 19,	16
316	Does the nature of chemically grafted polymer onto PVDF decide the extent of electroactive β polymorph?. 2019 , 181, 121764	11
315	3D printing of polyvinylidene fluoride/photopolymer resin blends for piezoelectric pressure sensing application using the stereolithography technique. 2019 , 9, 1115-1123	13
314	Additive manufacturing of single- and double-layer piezoelectric PVDF-TrFE copolymer sensors. 2019 , 34, 666-671	14
313	Immobilized ionic liquid induced electroactive β phase in poly(vinylidene fluoride) thin films. 2019 , 181, 121784	8
312	Core-shell structured poly(vinylidene fluoride)-grafted-BaTiO ₃ nanocomposites prepared via reversible addition-fragmentation chain transfer (RAFT) polymerization of VDF for high energy storage capacitors. 2019 , 10, 891-904	20
311	Photocatalytic Microporous Membrane against the Increasing Problem of Water Emerging Pollutants. 2019 , 12,	17
310	Preparation of PVDF/TiO ₂ nanofibers with enhanced piezoelectric properties for geophone applications. 2019 , 28, 085006	7

309	Inclusion of water and KDP as a mechanism for controlling structural and dielectric parameters in PVDF films. 2019 , 42, 1	2
308	Influences of zirconium tungstate additives on characteristics of polyvinylidene fluoride (PVDF) components fabricated via material extrusion additive manufacturing process. 2019 , 103, 4713-4720	10
307	Enhancement of ferroelectric phase and dielectric properties of P(VDF-HFP) by NiCl ₂ ·6H ₂ O nucleating agent. 2019 , 195, 230-239	3
306	Development of strain sensor using conductive poly(vinylidene fluoride) (PVDF) nanocomposite membrane reinforced with ionic liquid (IL) & carbon nanofiber (CNF). 2019 , 173, 106990	25
305	Effects of surface modification on electrical properties of KNN nanorod-incorporated PVDF composites. 2019 , 54, 11462-11484	20
304	Third order nonlinear optical properties of enhanced PVDF based nanocomposite thin films. 2019 , 30, 12447-12455	7
303	The effect of Li ₄ Ti ₅ O ₁₂ nanoparticles on structural, linear and third order nonlinear optical properties of PVDF films. 2019 , 6, 085312	5
302	Significantly enhanced ferroelectric and pyroelectric properties in polyvinylidene fluoride induced by shear force with spin-coating. 2019 , 30, 12540-12544	3
301	Pressure Sensor Based on Polyvinylidene Fluoride Nanofibers Directly Written upon Silicon Substrate. 2019 , 8, N93-N99	
300	Phase improved Mn-Zn-Cu-ferrite-PVDF nanocomposite film: A metamaterial for enhanced microwave absorption. 2019 , 245, 17-29	18
299	Electrospun electroactive polyvinylidene fluoride-based fibrous polymer electrolyte for sodium ion batteries. 2019 , 6, 086318	16
298	Synthesis and characterization of a spun membrane with modified Al ₂ O ₃ . 2019 , 35, 380-400	3
297	In Situ Generated Fireproof Gel Polymer Electrolyte with Li _{6.4} Ga _{0.2} La ₃ Zr ₂ O ₁₂ As Initiator and Ion-Conductive Filler. 2019 , 9, 1900611	102
296	Infrared-driven poly(vinylidene difluoride)/tungsten oxide pyroelectric generator for non-contact energy harvesting. 2019 , 178, 26-32	9
295	A highly porous solvent free PVDF/expanded graphite foam for oil/water separation. 2019 , 372, 1174-1182	25
294	A unique piezoelectric nanogenerator composed of melt-spun PVDF/KNN nanorod-based nanocomposite fibre. 2019 , 116, 554-561	46
293	Improved performance of ferroelectric nanocomposite flexible film based triboelectric nanogenerator by controlling surface morphology, polarizability, and hydrophobicity. 2019 , 178, 765-771	44
292	A poly(vinylidene fluoride) film printing system using solution droplet casting. 2019 , 28, 044003	3

291	Multi-layered stack consisting of PVDF nanocomposites with flow-induced oriented MWCNT structure can suppress electromagnetic radiation. 2019 , 166, 749-757	22
290	Self-Powered Well-Aligned P(VDF-TrFE) Piezoelectric Nanofiber Nanogenerator for Modulating an Exact Electrical Stimulation and Enhancing the Proliferation of Preosteoblasts. 2019 , 9,	23
289	Enhanced piezoelectricity of a PVDF-based nanocomposite utilizing high-yield dispersions of exfoliated few-layer MoS ₂ . 2019 , 45, 11347-11352	20
288	Synthesis of boron and rare earth stabilized graphene doped polyvinylidene fluoride (PVDF) nanocomposite piezoelectric materials. 2019 , 40, 3623-3633	14
287	Polymer composite of poly (vinylidene fluoride)- <i>N</i> -methyl- 4-nitroaniline via hot-pressing technique; structural, optical and electrical properties. 2019 , 6, 076303	1
286	Preparing carbon black/graphene/PVDF-HFP hybrid composite films of high piezoelectricity for energy harvesting technology. 2019 , 121, 223-231	34
285	PVDF-based ferroelectric polymers and dielectric elastomers for sensor and actuator applications: a review. 2019 , 1, 012003	51
284	Antifouling behaviour of PVDF/TiO ₂ composite membrane: a quantitative and qualitative assessment. 2019 , 28, 301-312	15
283	Synergism of graphitic-carbon nitride and electrospinning on the physico-chemical characteristics and piezoelectric properties of flexible poly(vinylidene fluoride) based nanogenerator. 2019 , 26, 1	17
282	Fluorinated hexagonal 4H SrMnO ₃ : a locally disordered manganite. 2019 , 7, 3560-3568	7
281	Flowmeter based on a piezoelectric PVDF tube. 2019 , 138, 368-378	8
280	Development of three-dimensional piezoelectric polyvinylidene fluoride-graphene oxide scaffold by non-solvent induced phase separation method for nerve tissue engineering. 2019 , 167, 107636	50
279	Endowing piezoelectric and anti-fouling properties by directly poling β phase PVDF membranes with green diluents. 2019 , 9, 115219	6
278	Morphological interference of two different cobalt oxides derived from a hydrothermal protocol and a single two-dimensional metal organic framework precursor to stabilize the β phase of PVDF for flexible piezoelectric nanogenerators. 2019 , 11, 22989-22999	20
277	Improved battery performance contributed by the optimized phase ratio of β and γ of PVDF. 2019 , 9, 29760-29764	7
276	Enhanced piezoelectric output of the PVDF-TrFE/ZnO flexible piezoelectric nanogenerator by surface modification. 2019 , 463, 626-634	77
275	β -cyclodextrin modified g-C ₃ N ₄ nanosheet: a fluorescent drug carrier with ultrahigh drug loading capacity and pH-responsive release. 2019 , 94, 628-633	21
274	Enhanced piezoelectric properties of randomly oriented and aligned electrospun PVDF fibers by regulating the surface morphology. 2019 , 136, 47049	42

273	Melt electrowriting of electroactive poly(vinylidene difluoride) fibers. 2019 , 68, 735-745	32
272	On the miscibility of PVDF/PMMA polymer blends: Thermodynamics, experimental and numerical investigations. <i>Polymer Testing</i> , 2019 , 73, 222-231	4-5 27
271	Phase inversion enabled energy scavenger: A multifunctional triboelectric nanogenerator as benzene monitoring system. 2019 , 282, 590-598	27
270	Synthesis and characterization of spin-coated clay/PVDF thin films. 2019 , 42, 1	0
269	A new MOFs/polymer hybrid membrane: MIL-68(Al)/PVDF, fabrication and application in high-efficient removal of p-nitrophenol and methylene blue. 2019 , 215, 217-226	55
268	Nanophase morphology and crystallization in poly(vinylidene fluoride)/polydimethylsiloxane-block-poly(methyl methacrylate) blends. 2019 , 68, 418-427	3
267	Cleaner preparation of poly(vinylidene fluoride)/barium titanate composites: Thermal, mechanical, and dielectric properties and relaxation dynamics. 2019 , 136, 47254	2
266	Temperature Raman Studies of Freestanding and Flexible Thin Films of CdS-doped PVDF. 2019 , 40, 2662-2667	1
265	Evolution of magnetic properties in F-doped brownmillerite Ca ₂ Fe ₂ O ₅ . 2019 , 6, 026103	0
264	Preparation and characterization of composites based on poly(vinylidene fluoride-co-chlorotrifluoroethylene) and carbon nanofillers: a comparative study of exfoliated graphite nanoplates and multi-walled carbon nanotubes. 2019 , 54, 2256-2270	5
263	Deflection of coupled elasticity electrostatic bimorph PVDF material: theoretical, FEM and experimental verification. 2019 , 25, 3235-3242	21
262	Phase Crystallization of Poly(vinylidene fluoride) in Poly(vinylidene fluoride)/Poly(ethyl methacrylate) Blends. 2019 , 37, 94-100	8
261	Development of Novel Nano-ZnO Enhanced Polymeric Membranes for Water Purification. 2019 , 29, 979-988	4
260	Impact of vanadium-, sulfur-, and dysprosium-doped zinc oxide nanoparticles on various properties of PVDF/functionalized-PMMA blend nanocomposites: Structural, optical, and morphological studies. 2019 , 136, 47116	9
259	PBO/graphene added PVDF piezoelectric composite nanofiber production. 2019 , 158, 141-148	19
258	Super-hydrophilic electrospun PVDF/PVA-blended nanofiber membrane for microfiltration with ultrahigh water flux. 2020 , 137, 48416	20
257	Poly (vinylidene fluoride) (PVDF)/Potassium Sodium Niobate (KNN) nanorods based flexible nanocomposite film: Influence of KNN concentration in the performance of nanogenerator. 2020 , 78, 105547	25
256	Aminated metal-organic framework (NH ₂ -MIL-101(Cr)) incorporated polyvinylidene (PVDF) hybrid membranes: Synthesis and application in efficient removal of Congo red from aqueous solution. 2020 , 34, e5281	9

255	Protective action of semi-fluorinated perfluorocyclobutyl polymer coatings against corrosion of mild steel. 2020 , 55, 1796-1812	20
254	Modified molybdenum disulfide induced beta polymorph phase transition in Polyvinylidene fluoride. 2020 , 740, 137081	2
253	Enhancement of electroactive phases in free-standing, flexible thin films of PVDF with addition of p-block chlorides. 2020 , 186, 122074	5
252	Acoustic-electric conversion and piezoelectric properties of electrospun polyvinylidene fluoride/silver nanofibrous membranes. 2020 , 14, 103-114	11
251	The microstructure of negative electrocaloric Polyvinylidene fluoride-hexafluoropropylene copolymer on graphene loading for eco-friendly cooling technology. 2020 , 251, 119730	8
250	Trifluoroethylene bond enrichment in P(VDF-TrFE) copolymers with enhanced ferroelectric behaviors by plasma fluorination on bottom electrode. 2020 , 107, 152-160	1
249	Effect of stimuli-responsive polydiacetylene on the crystallization and mechanical properties of PVDF nanofibers. 2020 , 77, 5373-5388	2
248	Fabrication of Piezoelectric PVDF/PAR Composites Using a Sheath-Core Fiber Method. 2020 , 12,	0
247	P(VDF-TrFE) nanofibers: structure of the ferroelectric and paraelectric phases through IR and Raman spectroscopies.. 2020 , 10, 37779-37796	17
246	Polyvinylidene fluoride injection electrets: preparation, characterization, and application in triboelectric nanogenerators. 2020 , 9, 12643-12653	2
245	Pervaporation separation of isopropylbenzene from water using four different polymeric membranes: Membrane preparation, modification, characterization, and performance evaluation. 2020 , 114, 67-80	4
244	Polyvinylidene fluoride (PVDF) as a feedstock for material extrusion additive manufacturing. 2020 , 26, 156-163	10
243	A mixed solvent approach to make poly(vinylidene fluoride) nanofibers with high β phase using solution blow spinning. 2020 , 32, 1160-1168	6
242	Electrodeposition of bactericidal and bioactive nano-hydroxyapatite onto electrospun piezoelectric polyvinylidene fluoride scaffolds. 2020 , 35, 3265-3275	5
241	Vibration Sensing Systems Based on Poly(Vinylidene Fluoride) and Microwave-Assisted Synthesized ZnO Star-Like Particles with Controllable Structural and Physical Properties. 2020 , 10,	4
240	Interfacial Nanostructuring of Poly(vinylidene fluoride) Homopolymer with Predominant Ferroelectric Phases. 2020 , 36, 14083-14091	5
239	Fabrication of a PVDF membrane with tailored morphology and properties exploring and computing its ternary phase diagram for wastewater treatment and gas separation applications.. 2020 , 10, 40373-40383	6
238	Flexible PVDF based piezoelectric nanogenerators. 2020 , 78, 105251	123

237	Piezoelectric and pyroelectric properties of ceramic nanoparticles-based nanostructured PVDF/PVC blend nanocomposites. 2020 , 146, 645	4
236	Phase transformation of poly (vinylidene fluoride)/TiO ₂ nanocomposite film prepared by microwave-assisted solvent evaporation: An experimental and molecular dynamics study. 2020 , 199, 108375	8
235	Low contents of graphite improving general properties of poly(vinylidene fluoride). <i>Polymer Testing</i> , 2020 , 91, 106790	4-5 5
234	Beta Phase Crystallization and Ferro- and Piezoelectric Performances of Melt-Processed Poly(vinylidene difluoride) Blends with Poly(methyl methacrylate) Copolymers Containing Ionizable Moieties. 2020 , 2, 3766-3780	5
233	Polyvinylidene Fluoride Electrospun Fibers Loaded TiO ₂ for Photocatalytic Degradation and Oil/Water Separation. 2020 , 21, 1475-1487	7
232	Polyvinylidene fluoride nanofibers with embedded Li _{6.4} La ₃ Zr _{1.4} Ta _{0.6} O ₁₂ fillers modified polymer electrolytes for high-capacity and long-life all-solid-state lithium metal batteries. 2020 , 200, 108408	8
231	Blood Pressure Sensors: Materials, Fabrication Methods, Performance Evaluations and Future Perspectives. 2020 , 20,	13
230	A β -cyclodextrin Modified Graphitic Carbon Nitride with Au Co-Catalyst for Efficient Photocatalytic Hydrogen Peroxide Production. 2020 , 10,	7
229	PVDF-BaTiO Nanocomposite Inkjet Inks with Enhanced β Phase Crystallinity for Printed Electronics. 2020 , 12,	15
228	Melia Azedarach impregnated Co and Ni zero-valent metal nanoparticles for organic pollutants degradation: validation of experiments through statistical analysis. 2020 , 31, 16938-16950	4
227	A Review of Piezoelectric PVDF Film by Electrospinning and Its Applications. 2020 , 20,	42
226	Effect of multi-step processing on the structural, morphological and dielectric behaviour of PVDF films. 2020 , 26, 6069-6081	3
225	Tailored Poly(vinylidene fluoride--trifluoroethylene) Crystal Orientation for a Triboelectric Nanogenerator through Epitaxial Growth on a Chitin Nanofiber Film. 2020 , 20, 6651-6659	16
224	Development of self-poled PVDF/MWNT flexible nanocomposites with a boosted electroactive β phase. 2020 , 44, 14578-14591	8
223	A comparative study of electrospun polyvinylidene fluoride and poly(vinylidene fluoride-co-trifluoroethylene) fiber webs: Mechanical properties, crystallinity, and piezoelectric properties. 2020 , 15, 155892502093929	4
222	Lipase immobilization on UiO-66/poly(vinylidene fluoride) hybrid membranes and active catalysis in the vegetable oil hydrolysis. 2020 , 44, 14379-14388	8
221	Precipitation-Printed High- β Phase Poly(vinylidene fluoride) for Energy Harvesting. 2020 , 12, 58072-58081	13
220	Comparative evaluation of PVDF based piezoelectric nanogenerator (PNG) under various resistive loads for energy harvesting applications. 2020 ,	

219	Piezoelectric and mechanical properties of PVDF-PZT composite. 2020 , 558, 59-66		6
218	Development of In-Situ Poled Nanofiber Based Flexible Piezoelectric Nanogenerators for Self-Powered Motion Monitoring. 2020 , 10, 3493		6
217	Development of a new flexible nanogenerator from electrospun nanofabric based on PVDF/talc nanosheet composites. 2020 , 16, 5679-5688		18
216	Study on degrees of mesomorphic zone of polymer. III.Determination of the degree of crystallinity of Eucommia Ulmoides gum by VTFTIR and VTWAXD. <i>Polymer Testing</i> , 2020 , 89, 106605	4-5	6
215	Embedded Corrosion Sensing with ZnO-PVDF Sensor Textiles. 2020 , 20,		4
214	Fabrication and vibrational energy harvesting characterization of flexible piezoelectric nanogenerator (PEN) based on PVDF/PZT. <i>Polymer Testing</i> , 2020 , 90, 106695	4-5	24
213	Silica fillers for enhancement of dielectric properties of poly(vinylidene fluoride) and its copolymer. 2020 , 29, 1239-1245		1
212	Study of the changes in the polar phase and optical properties of poly (vinylidene fluoride) matrix by neodymium compound addition. 2020 , 25, 101274		1
211	Open-cell P(VDF-TrFE)/MWCNT nanocomposite foams with local piezoelectric and conductive effects for passive airborne sound absorption. 2020 , 127, 214102		5
210	Analysis of porous polymer membranes using FEM software for sensing applications. 2020 , 28, 2133-2136		3
209	Pre-thermal treatment in binary solvent systems promoting β crystalline phase of electrospun poly(vinylidene fluoride) nanofibers. 2020 , 69, 719-727		1
208	A novel single-ion conductor gel polymer electrolyte prepared by co-irradiation grafting and electrospinning process. 2020 , 347, 115246		10
207	Fabrication and Characterization of Piezoelectric Composite Nanofibers Based on Poly(vinylidene fluoride-co-hexafluoropropylene) and Barium Titanate Nanoparticle. 2020 , 21, 473-479		4
206	Representation Surfaces for Physical Properties of Materials. 2020 ,		1
205	Negative dielectric permittivity of PVDF nanocomposites induced by carbon nanofibers and polymer crystallization. 2020 , 137, 49582		3
204	Flexible piezoelectric PVDF/NDs nanocomposite films: improved electroactive properties at low concentration of nanofiller and numerical simulation using finite element method. 2020 , 27, 1		6
203	Structure-Properties Relationship of Electrospun PVDF Fibers. 2020 , 10,		24
202	Taming the Phase Transition Ability of Poly(vinylidene fluoride) from β to α Phase. 2020 , 53, 5971-5979		11

201	Enhanced Piezoelectricity of Electrospun Polyvinylidene Fluoride Fibers for Energy Harvesting. 2020 , 12, 13575-13583	72
200	Effect of solvent on the energy storage property of poly(vinylidene fluoride-hexafluoropropylene). 2020 , 7, 015323	1
199	Optimization of nanocomposite membrane for vacuum membrane distillation (VMD) using static and continuous flow cells: Effect of nanoparticles and film thickness. 2020 , 241, 116685	16
198	Direct writing of PVDF piezoelectric film based on near electric field added by [Emim]BF ₄ . 2020 , 7, 016437	8
197	Enhanced airborne sound absorption effect in poly(vinylidene fluoride)/(K _{0.5} Na _{0.5})NbO ₃ -nanofiber composite foams. 2020 , 137, 49022	6
196	Using Annealing Treatment on Fabrication Ionic Liquid-Based PVDF Films. 2020 , 10, 44	8
195	Sandwich-structured poly(vinylidene fluoride-hexafluoropropylene) composite film containing a boron nitride nanosheet interlayer.. 2020 , 10, 2295-2302	11
194	Hydrogen-bond induced nucleation and growth of poly(vinylidene fluoride). 2020 , 265, 127433	2
193	Effect of Green Solvents in the Production of PVDF-Specific Polymorphs. 2020 , 59, 5267-5275	13
192	Development of eco-friendly, self-cleaning, antibacterial membrane for the elimination of chromium (VI) from tannery wastewater. 2020 , 17, 1-16	5
191	Polymer Piezoelements Based on Porous Polyvinylidene Fluoride Films and Contact Electrode Polyaniline Layers. 2020 , 62, 566-573	2
190	Robust flower-like ZnO assembled PVDF/BT hybrid nanocomposite: Excellent energy harvester. <i>Polymer Testing</i> , 2020 , 88, 106564	4-5 9
189	Inducing phase crystallinity of PVDF homopolymer, blends and block copolymers by anti-solvent crystallization. 2020 , 234, 109522	16
188	Phase transition behavior of Poly(vinylidene fluoride) in a blend with Poly(butylene adipate) at high temperature. 2020 , 194, 122409	8
187	Dielectric and piezoelectric augmentation in self-poled magnetic Fe ₃ O ₄ /poly(vinylidene fluoride) composite nanogenerators. 2020 , 7, 044001	7
186	Effects of ionic liquid/water addition and electrospinning conditions on the crystal structures of poly(vinylidene fluoride) nanofibers. 2020 , 196, 122478	4
185	A heatproof electrospun PES/PVDF composite membrane as an advanced separator for lithium-ion batteries. 2020 , 137, 49328	8
184	Configurational approach to the enhancement of the dielectric properties and energy density of polyvinylidene fluoride-based polymer composites. 2020 , 53, 375502	1

183	Properties of PVDF films stretched in machine direction. 2021 , 29, 198-206	2
182	Poly(vinylidene fluoride) with zinc oxide and carbon nanotubes applied to pressure sheath layers in oil and gas pipelines. 2021 , 138, 50157	2
181	Stretching-induced phase transitions in barium titanate-poly(vinylidene fluoride) flexible composite piezoelectric films. 2021 , 193, 64-70	8
180	Uncovering the effects of PEG porogen molecular weight and concentration on ultrafiltration membrane properties and protein purification performance. 2021 , 618, 118729	14
179	Anti-fouling piezoelectric PVDF membrane: Effect of morphology on dielectric and piezoelectric properties. 2021 , 620, 118818	9
178	Preparation and characterization of superhydrophobic PVDF/HMSNs hybrid membrane for CO ₂ absorption. 2021 , 214, 123242	4
177	Enhanced structural and dielectric behaviour of PVDF-PLA binary polymeric blend system. 2021 , 26, 101958	4
176	Design and synthesis of PVDF-cloisite-30B nanocomposite fibers for energy harvesting applications. 2021 , 22, 100869	3
175	Graphene derivative based high dielectric constant polymer composite electrodes for supercapacitors. 2021 , 42, 1657-1660	0
174	PVDF/HMO ultrafiltration membrane for efficient oil/water separation. 2021 , 208, 463-473	6
173	Magnetoelectric devices based on magnetoelectric bulk composites. 2021 , 9, 5594-5614	6
172	Ultralight porous poly (vinylidene fluoride)-graphene nanocomposites with compressive sensing properties. 2021 , 14, 2620-2629	0
171	Electrospun PVDF-based composite nanofabrics: an emerging trend toward energy harvesting. 2021 , 215-236	
170	Smart fibrous materials. 2021 , 111-141	
169	Influences of poling temperature and elongation ratio on PVDF-HFP piezoelectric films. 2021 , 10, 1009-1017	1
168	Mn ₂ ZnF ₆ Ferrite PVDF Composite Material as Electromagnetic Pollution Reducer. 2021 , 277-288	
167	Morphology, Dielectric and EMI Shielding Characteristics of Graphene Nanoplatelets, Montmorillonite Nanoclay and Titanium Dioxide Nanoparticles Reinforced Polyvinylidene fluoride Nanocomposites. 2021 , 31, 2003-2016	26
166	Experimental and theoretical studies on the formation of pure β phase polymorphs during fabrication of polyvinylidene fluoride membranes by cyclic carbonate solvents. 2021 , 23, 2130-2147	7

165	Dielectric studies of PVDF-BaFe ₁₂ O ₁₉ film. 2021 , 47, 668-671	
164	Selective adsorption of malachite green (MG) and fuchsin acid (FA) by ZIF-67 hybridized polyvinylidene fluoride (PVDF) membranes. 2021 , 50, 8927-8937	3
163	Physical properties of PVDF-GO/black-TiO ₂ nanofibers and its photocatalytic degradation of methylene blue and malachite green dyes. 2021 , 28, 30613-30625	4
162	In-situ Raman monitoring of the poly(vinylidene fluoride) crystalline structure during a melt-spinning process. 2021 , 52, 1073-1079	2
161	A Conductive Hydrophobic Polyaniline Sandwiched Polyvinylidene Fluoride Membrane for Early Detection of Surfactant-Induced Wetting in Membrane Distillation Using Impedance. 2021 , 3, 679-690	1
160	Effects of annealing time on physical and mechanical properties of PVDF microporous membranes by a melt extrusion-stretching process. 2021 , 32, 2397-2408	5
159	Holistic investigation of the electrospinning parameters for high percentage of β phase in PVDF nanofibers. 2021 , 214, 123366	9
158	Crystallinity and β Phase Fraction of PVDF in Biaxially Stretched PVDF/PMMA Films. 2021 , 13,	5
157	A porous piezoelectric-dielectric flexible energy conversion film for electricity generation from multiple sources. 2021 , 767, 138357	1
156	Pyroelectric polyvinylidene fluoride film prepared by a novel combining method and its application in fully flexible infrared detector. 2021 , 113, 103624	1
155	Functionalized gel polymer electrolyte membrane for high performance Li metal batteries. 2021 , 361, 115572	2
154	Piezoelectric Properties of Three Types of PVDF and ZnO Nanofibrous Composites. 2021 , 3, 160-171	7
153	Flexible and wearable piezoelectric nanogenerators based on P(VDF-TrFE)/SnS nanocomposite micropillar array. 2021 , 129, 095501	7
152	Time and volume-ratio effect on reusable polybenzoxazole nanofiber oil sorption capacity investigated via machine learning. 2021 , 138, 50732	
151	Enhanced Electroactive Phases in Bi ₃ La _{0.7} Ti ₃ O ₁₂ -poly (vinylidene fluoride) composites with Improved Dielectric Properties. 2021 , 326, 114176	2
150	Piezoelectric properties of PVDF-conjugated polymer nanofibers. 2021 , 138, 50665	11
149	Influence of volatile solvents and mixing ratios of binary solvent systems on morphology and performance of electrospun poly(vinylidene fluoride) nanofibers. 2021 , 70, 1465-1477	1
148	Role of surfactants in cleaning of PVDF ultrafiltration membranes fouled by emulsified cutting oil. 2021 , 40, 101923	3

- 147 The role of Zn²⁺-doping on the surface chemistry of poly(vinylidene difluoride) thin films. **2021**, 23, 101005 0
- 146 Effects of a Thermally Electrochemically Activated PVDF Fiber on Suppression of Li Dendrite Growth for Anode-Free Batteries. **2021**, 4, 3240-3248 5
- 145 Flexible electroactive PVDF/ZnO nanocomposite with high output power and current density. **2021**, 61, 1829-1841 3
- 144 Coupling effect of pressure and flow fields on the crystallization of Poly(vinylidene fluoride)/Poly(methyl methacrylate) miscible blends. **2021**, 220, 123565 4
- 143 Flexible Ag@LiNbO₃/PVDF Composite Film for Piezocatalytic Dye/Pharmaceutical Degradation and Bacterial Disinfection. **2021**, 13, 22914-22925 15
- 142 The electric field effect on the nanostructure, transport, mechanical, and thermal properties of polymer electrolyte membrane. **2021**, 28, 1
- 141 Studies on the electrostatic effects of stretched PVDF films and nanofibers. **2021**, 16, 79 4
- 140 Structural and Mechanical Properties of Lignite Fly Ash and Flax-added Polypropylene Polymer Matrix Composite. 1-19 3
- 139 Effects of neutron irradiation on ferroelectric properties of P(VDF-TrFE) thin films. **2021**, 79, 197-204
- 138 A Comparative Study of BaTiO₃/PDMS Composite Film and a PVDF Nanofiber Mat for Application to Flexible Pressure Sensors. **2021**, 59, 412-421 2
- 137 Properties and Applications of Flexible Poly(Vinylidene Fluoride)-Based Piezoelectric Materials. **2021**, 11, 644 8
- 136 Impact of poly(ϵ -caprolactone) on the thermal, dynamic-mechanical and crystallization behavior of polyvinylidene fluoride/poly(ϵ -caprolactone) blends in the presence of KIT-6 mesoporous particles. **2021**, 32, 4424 3
- 135 Electrospun Fe₃O₄-PVDF Nanofiber Composite Mats for Cryogenic Magnetic Sensor Applications. **2021**, 1, 227-238 5
- 134 Infrared Absorption Spectroscopy. **2021**, 129-167
- 133 Enhanced Piezoelectric Performance of Various Electrospun PVDF Nanofibers and Related Self-Powered Device Applications. **2021**, 13, 32242-32250 13
- 132 Piezoelectric Materials for Energy Harvesting and Sensing Applications: Roadmap for Future Smart Materials. **2021**, 8, e2100864 57
- 131 Enhanced polarization of PVDF composite films by trace BiFeO₃ fiber filler. **2021**, 32, 19703-19712 1
- 130 Effect of various operating parameters towards PVDF/HMO mixed matrix membrane performance. **2021**, 9, 105667 0

129	Effect of MWCNT content on the mechanical and piezoelectric properties of PVDF nanofibers. 2021 , 206, 109785	13
128	Fabrication of electroactive polymer actuators for adjustable X-ray optics. 2021 ,	
127	Multifunctional lead-free K _{0.5} Bi _{0.5} TiO ₃ -based ceramic reinforced PVDF matrix composites. 2021 , 871, 159616	5
126	Atomic Force Microscopy of the Local Electrical Properties of Bilayer Polyaniline-Polystyrene/P(VDF-TrFE) Composite. 899, 506-511	
125	Mixing nanostructured Ni/piezoPVDF composite thin films with e-beam irradiation: A beneficial synergy to piezoelectric response. 2021 , 28, 102528	1
124	Development of self-polarized PVDF films on carbon fabrics for sensing applications. 1-7	0
123	Negative-k and positive-k layers introduced into graphene/polyvinylidene fluoride composites to achieve high-k and low loss. 2021 , 209, 110009	10
122	A novel polarization-free 3D printing strategy for fabrication of poly (Vinylidene fluoride) based nanocomposite piezoelectric energy harvester. 2021 , 225, 109312	3
121	Performance-enhanced flexible piezoelectric nanogenerator via layer-by-layer assembly for self-powered vagal neuromodulation. 2021 , 89, 106319	8
120	Assessing the performance of electrospun nanofabrics as potential interlayer reinforcement materials for fiber-reinforced polymers. 2021 , 30, 263498332110025	1
119	Synthesis and Properties of Graphene and Graphene Oxide-Based Polymer Composites. 2019 , 175-201	1
118	Flexible Piezoelectric and Pyroelectric Polymers and Nanocomposites for Energy Harvesting Applications. 2017 , 537-557	1
117	Preparation of High-Performance Polyvinylidene Fluoride Films by the Combination of Simultaneous Biaxial Stretching and Solid-State Shear Milling Technologies. 2020 , 59, 18539-18548	1
116	Fluorescent films based on PVDF doped with carbon dots for evaluation of UVA protection of sunscreens and fabrication of cool white LEDs.. 2021 , 11, 32604-32614	0
115	Electrospinning of a Copolymer PVDF--HFP Solved in DMF/Acetone: Explicit Relations among Viscosity, Polymer Concentration, DMF/Acetone Ratio and Mean Nanofiber Diameter. 2021 , 13,	2
114	In situ synchrotron imaging of human serum proteins interactions, molecular docking and inflammatory biomarkers of hemocompatible synthesized zwitterionic polymer coated-polyvinylidene fluoride (PVDF) dialysis membranes. 2021 , 27, 101505	3
113	New Separators Based on Non-Polyolefin Polymers for Secondary Lithium Batteries. 2007 , 10, 82-87	
112	THE EFFECT OF ANNEALING TEMPERATURE ON CRYSTALLIZATION OF POLY(VINYLIDENE FLUORIDE) FILMS PREPARED FROM POLY(VINYLIDENE FLUORIDE)/AMIDE SOLUTION. 2009 , 007, 144-147	

111	CHAPTER 11:Organic Ferroelectric Memory Devices. 2015 , 355-376	
110	Dielectric properties of graphene/poly(vinyl alcohol)/poly (vinylidene fluoride) nanocomposites films. 2016 , 65, 188101	2
109	Studies on Electrode Integrated Piezoelectric Polyvinylidene difluoride(PVDF) Fiber. 2016 , 53, 279-284	
108	Influences of the Ceramic Matrix in the Properties of Ferroelectric Composites Based on PVDF Polymers. 91-97	
107	Smart material for printing: piezo-electric polymer film. 2018 ,	
106	Representation Surfaces. 2020 , 89-120	
105	Isothermal Crystallization Behavior of Poly(vinylidene fluoride) Based Membrane with Graphene Oxide. 2020 , 35, 398-407	
104	High dielectric constant and low dielectric loss of Y/Mn co-doped BST@ZrO ₂ /PVDF composite films for wearable capacitor applications. 2021 , 14, 2151004	0
103	Research progress of piezoelectrets based micro-energy harvesting. 2020 , 69, 247701	2
102	Enhancement of piezoelectricity in polymer PVDF based on molecular chain structure. 1	0
101	Energy harvesting nanogenerators: Electrospun PVDF nanofibers accompanying ZnO NPs and ZnO@Ag NPs. 2021 , 122, 106772	3
100	Molecular dynamics between amorphous and crystalline phases of e-beam irradiated piezoelectric PVDF thin films employing solid-state NMR spectroscopy. 2022 , 195, 109786	
99	High-Dielectric Polymer Coating for Uniform Lithium Deposition in Anode-Free Lithium Batteries. 4416-4425	6
98	On 3D printing of electro-active PVDF-Graphene and Mn-doped ZnO nanoparticle-based composite as a self-healing repair solution for heritage structures. 095440542110609	0
97	Grooved Fibers: Preparation Principles Through Electrospinning and Potential Applications. 1	12
96	Annealing of grain-like poly (vinylidene fluoride-trifluoroethylene) membranes with a single-crystalline electroactive phase and high anti-fouling activity. 2021 , 120089	1
95	Rational design of PVDF/BaTiO ₃ nanoparticle/Cu nanowire ternary nanocomposite films for optimal piezoelectric power generation. 2021 , 130, 204101	1
94	Ultrahigh energy density of poly(vinylidene fluoride) from synergistically improved dielectric constant and withstand voltage by tuning the crystallization behavior. 2021 , 9, 27660-27671	5

93	Infrared laser ablation of poly(vinylidene fluoride): The Loss of HF. 2022 , 255-256, 109947	0
92	Porous, multi-layered piezoelectric composites based on highly oriented PZT/PVDF electrospinning fibers for high-performance piezoelectric nanogenerators. 2022 , 11, 331-344	8
91	High performance piezoelectric polymer film with aligned electroactive phase nanofibrils achieved by melt stretching of slightly crosslinked poly(vinylidene fluoride) for sensor applications. 2022 , 433, 134475	0
90	Optical Anisotropy of Poly(vinylidene fluoride) Oriented Porous Films. 2021 , 63, 657-663	
89	Flexoelectricity in fluoropolymer/aluminium reactives.	0
88	Amine-Functionalized Membrane Adsorbers to Purify Copper from Acidic Solutions.	2
87	Advanced Design, Fabrication, and Applications of 3D-Printable Piezoelectric Nanogenerators. 2022 , 18, 129	0
86	Preparation of efficient piezoelectric PVDF/BiFP/Ni composite films by high electric field poling. 2022 , 11, 452-462	0
85	Robust Piezoelectric Coefficient Recovery by Nano-Inclusions Dispersion in Un-Poled PVDF/Ni _{0.5} Zn _{0.5} Fe ₂ O ₄ Ultra-Thin Films. 2022 , 12, 1589	
84	Self-seeded crystallization and optical changes of polymorphism poly (vinylidene fluoride) films. 2022 , 241, 124556	1
83	Impact of phosphonium-based ionic liquids-modified carbon nanotube on the microwave absorbing properties and crystallization behavior of poly(vinylidene fluoride) composites. 2022 , 125853	2
82	Poly(vinylidene fluoride) (PVDF) membrane fabrication with an ionic liquid via non-solvent thermally induced phase separation (N-TIPs). 2022 , 12, 1	0
81	CNT loaded PVDF-KNN nanocomposite films with enhanced piezoelectric properties. 2022 ,	2
80	Influence of the solvent evaporation rate on the phase content of electrospayed PVDF particles and films studied by a fast Multi-Overtone QCM. 2022 , 33, 103452	0
79	Recent advances in the preparation of PVDF-based piezoelectric materials. 2022 , 11, 1386-1407	3
78	Molecular weight as a key for electroactive phase formation in poly(vinylidene fluoride). 2022 , 10, 271-277	
77	Nucleation Effect of the Chemical Structure of Alkylammonium Salt on the Crystallization Behavior of Poly(Vinylidene Fluoride). 2022 , 2022, 1-9	0
76	Enhanced Dielectric and Ferroelectric Properties of Poly(vinylidene fluoride) through Annealing Oriented Crystallites under High Pressure. 2022 , 55, 2014-2027	7

75	Preparation and Luminescence Properties of PVDF/ZnS:Mn Flexible Thin-Film Sensors. 2022 , 12, 449	0
74	Structural and electrical response of poly(vinylidene fluoride- co -chlorotrifluoroethylene) copolymer free- standing films.	
73	Investigation of Molecular Mechanisms of Polyvinylidene Fluoride under the Effects of Temperature, Electric Poling, and Mechanical Stretching Using Molecular Dynamics Simulations.. 2022 , 245,	1
72	A Near-Room-Temperature Hybrid Organic-Inorganic Lead Halide Perovskite Ferroelectric [BrCH ₂ CH ₂ N(CH ₃) ₃][PbBr ₃] and Its Flexible Composite Film. 2022 , 126, 728-736	2
71	Application of Pyroelectric Sensors Based on PVDF Films for EPR Spectra Detection by Heat Release.. 2021 , 21,	
70	Stable composite electrolytes of PVDF modified by inorganic particles for solid-state lithium batteries.	
69	Investigation of Mg ²⁺ Ion Effect on the Structural Characteristics and Properties of PVDF-HFP Based Solid Polymer Electrolytes for Electrochemical Applications. 1	
68	Additive manufacturing of high- β -phase poly(vinylidene fluoride) via precipitation printing. 2022 ,	
67	Dipole switching dynamics in P(VDF-TrFE) film revealed by in-situ polarization switching and infrared spectroscopy measurements with high-time resolution. 2022 , 249, 124822	
66	Self-powered environmental monitoring via a triboelectric nanogenerator. 2022 , 98, 107282	6
65	Fused filament fabrication of PVDF films for piezoelectric sensing and energy harvesting applications.	0
64	Multiferroic and energy harvesting characteristics of P(VDF-TrFE)-CuFe ₂ O ₄ flexible films. 2022 , 124910	1
63	PVDF-Fe ₃ O ₄ nanocomposites: spectroscopic investigations. 2022 , 29, 1	
62	A poling-free PVDF nanocomposite via mechanically directional stress field for self-powered pressure sensor application. 2022 , 98, 107340	5
61	The importance of polymers in the preparation of medical devices for human body applications. 2022 , 1-39	
60	A study on the influence of cross-sectional shapes and convolutions on PVDF fiber properties. 1-11	
59	Effects of flexoelectric and piezoelectric properties on the impact-driven ignition sensitivity of P(VDF-TrFE)/nAl films. 2022 , 242, 112181	1
58	One-step fabrication of highly sensitive pressure sensor by all FDM printing. 2022 , 226, 109531	0

- 57 Structure dependent piezoelectricity in electrospun PVDF-SiC nanoenergy harvesters. **2022**, 917, 165505 0
- 56 Effect of Nano-Sized Poly(Butyl Acrylate) Layer Grafted from Graphene Oxide Sheets on the Compatibility and Beta-Phase Development of Poly(Vinylidene Fluoride) and Their Vibration Sensing Performance. **2022**, 23, 5777 1
- 55 Polyvinylidene fluoride membrane formation using carbon dioxide as a non-solvent additive for nuclear wastewater decontamination. **2022**, 137300 0
- 54 Investigation of increased electrical conductivity by rGO in rGO/PVDF/PMMA/PTFE nanocomposites. **2022**, 133541 0
- 53 Nanoparticle-Enhanced β -Phase Formation in Electroactive PVDF Composites: A Review of Systems for Applications in Energy Harvesting, EMI Shielding, and Membrane Technology. **2022**, 5, 7632-7651 3
- 52 Microstructure, magnetodielectric and multiferroic properties in PVDF-based sandwich-structured composites. **2022**, 918, 165772 0
- 51 Characterization methods used for the identification of ferroelectric beta phase of fluoropolymers. **2022**, 43-64 0
- 50 Compressibility and crystalline structures of PVDF membranes under elevated gravity acceleration by two-axis spin coating technology. 1
- 49 Waste to Treasure: Superwetting Foam Enhanced by Bamboo Powder for Sustainable On-Demand Oil-Water Separation. 0
- 48 Lithium-Ion Battery Solid Electrolytes Based on Poly(vinylidene Fluoride)Metal Thiocyanate Ionic Liquid Blends. 0
- 47 Effect of Fabrication Method on the Thermo Mechanical and Electrical Properties of Graphene Doped PVDF Nanocomposites. **2022**, 12, 2315 0
- 46 Improved surface-enhanced Raman scattering performance enabled by hydrophilic-hydrophobic piezoelectric PVDF-silver substrate. **2022**, 132431 0
- 45 Enhanced flexoelectricity with pre-strain gradients. **2022**, 121, 042904 0
- 44 PVDF-based and its Copolymer-Based Piezoelectric Composites: Preparation Methods and Applications. 1
- 43 Waste to treasure: superwetting foam enhanced by bamboo powder for sustainable on-demand oil-water separation. **2022**, 129829 0
- 42 A study of degradation mechanisms in PVDF-based photovoltaic backsheets. **2022**, 12, 129829 0
- 41 A highly ionic transference number eutectogel hybrid electrolytes based on spontaneous coupling inhibitor for solid-state lithium metal batteries. 1
- 40 ZnO@Ag Modified Piezoelectric Fibers for Higher Sensitivity and Enhanced Energy Harvesting. **2022**, 12, 129829 0

- 39 The Effect of Vegetable and Volatile Oils on the Piroxicam Skin Permeability: A Mechanistic Study. **2022**, 26,
- 38 Plasmonic enhanced piezoelectric photocatalytic performance with PVDF@BT/MoS₂/Au by strong piezoelectric functional particle doping. **2022**, 925, 166695 ○
- 37 Recent progress on polyvinylidene difluoride-based nanocomposites: applications in energy harvesting and sensing. 1
- 36 Two-Stage Evolution of Gamma-Phase Spherulites of Poly (Vinylidene Fluoride) Induced by Alkylammonium Salt. **2022**, 14, 3901 ○
- 35 A Brief Introduction and Current State of Polyvinylidene Fluoride as an Energy Harvester. **2022**, 12, 1429 1
- 34 Enhanced Piezoelectric response in BTO NWs-PVDF composite through tuning of polar phase content. 1
- 33 Combined Triboelectric and Piezoelectric Effect in ZnO/PVDF Hybrid-Based Fiber-Structured Nanogenerator with PDMS:Carbon Black Electrodes. **2022**, 14, 4414 ○
- 32 Degradation of PVDF-HFP Matrix. **2022**, 405, 2100223 ○
- 31 Correlating the Macrostructural Variations of an Ion Gel with Its Carbon Dioxide Sorption Capacity. **2022**, 12, 1087 ○
- 30 Flexoelectricity on the photovoltaic and pyroelectric effect and ferroelectric memory of 3D-printed BaTiO₃/PVDF nanocomposite. **2022**, 104, 107897 1
- 29 A multifunctional cathode sodiation additive for high-performance sodium-ion batteries. ○
- 28 Preparation of MWCNTs/PVDF composites with high-content β form crystalline of PVDF and enhanced dielectric constant by electrospinning-hot pressing method. **2022**, 109556 1
- 27 Carbon-Enhanced Piezoelectric Materials and Applications. **2023**, 155-183 ○
- 26 Prominent processing techniques to manipulate semiconducting polymer microstructure. 1
- 25 Co-immobilization of PPL and GOx on DUT-5/PVDF hybrid membranes and catalytic activity in the cascade oxidation of glucose and styrene. ○
- 24 Investigation of the optimum vibration energy harvesting performance of electrospun PVDF/BaTiO₃ nanogenerator. 002199832211446 ○
- 23 Defected poly(vinylidene fluoride) with enhanced piezoelectricity via liquid crystal small molecules doping. **2023**, 122, 022904 ○
- 22 Synthesis and characterization of conducting polymer/alginate composite hydrogels: Effect of conducting polymer loading on the release behaviour of metformin drug. **2023**, 372, 121193 ○

21	Synergistic improvement in piezoelectric, electrical, and mechanical properties of PVDF/PZT/Clay based Hybrid Nanocomposites. 2022 ,	0
20	Highly Transparent and Mechanically Robust Energy-harvestable Piezocomposite with Embedded 1D P(VDF-TrFE) Nanofibers and Single-walled Carbon Nanotubes. 2213374	0
19	Enhanced Piezoelectric Performance of Electrospun PVDF-TrFE by Polydopamine-Assisted Attachment of ZnO Nanowires for Impact Force Sensing. 2200520	0
18	Advances in wearable flexible piezoelectric energy harvesters: materials, structures, and fabrication. 2023 , 34,	0
17	Long-lasting self-cleaning daytime radiative cooling paint for building. 2023 , 666, 131296	0
16	Highly resilient carbon nanotubes/ poly (vinylidene fluoride) colloidal coated knitted fabrics as proficient sensing and energy harvesting implements. 2023 , 666, 131279	0
15	A self-powered wearable piezoelectric nanogenerator for physiological monitoring based on lead zirconate titanate/microfibrillated cellulose@polyvinyl alcohol (PZT/MFC@PVA) composition. 2023 , 460, 141598	0
14	Progress in Microtopography Optimization of Polymers-Based Pressure/Strain Sensors. 2023 , 15, 764	0
13	ZIF-67 blended PVDF membrane for improved Congo red removal and antifouling properties: A correlation establishment between morphological features and ultra-filtration parameters. 2023 , 320, 138075	0
12	Microstructure design and optimization of multilayered piezoelectric composites with wavy architectures. 1-17	0
11	Anti-Wetting Performance of an Electrospun PVDF/PVP Membrane Modified by Solvothermal Treatment in Membrane Distillation. 2023 , 13, 225	0
10	Investigation of the Effect of Atmospheric Plasma Treatment in Nanofiber and Nanocomposite Membranes for Piezoelectric Applications. 2023 , 13, 231	0
9	Impact of PVDF and its copolymer-based nanocomposites for flexible and wearable energy harvesters. 2023 , 34, 100949	2
8	Enhanced Power Generation by Piezoelectric P(VDF-TrFE)/rGO Nanocomposite Thin Film. 2023 , 13, 860	1
7	Preparation of superhydrophobic coating with excellent abrasion resistance and anti-icing properties using Al ₂ O ₃ /PVDF composites with different Al ₂ O ₃ particle sizes.	0
6	Electrical impedance spectroscopy for non-destructive detection of wetting, fouling and scaling in membrane distillation. 2023 , 53, 103608	0
5	Strain and temperature induced phase changes in spin-coated PVDF thin films.	0
4	Pressure and gas sensing composition based on PVDF nano particulates: a review. 2021 , 60, 1719-1758	0

- 3 A Self-Powered Piezoelectric Nanofibrous Membrane as Wearable Tactile Sensor for Human Body Motion Monitoring and Recognition. ○
- 2 Effect of cation and anion sizes of additive ionic liquid on the crystal structure of poly(vinylidene fluoride) nanofiber. **2023**, 13, 12000-12008 ○
- 1 A Piezoelectric-Driven Electrochromic/Electrofluorochromic Dual-Modal Display Device. ○