

CITATION REPORT

List of articles citing

Novel bioactive materials with different mechanical properties

DOI: 10.1016/s0142-9612(03)00044-9
Biomaterials, 2003, 24, 2161-75.

Source: <https://exaly.com/paper-pdf/35132781/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1566	Ceramic bioactivity and related biomimetic strategy. 2003 , 7, 289-299		129
1565	Nature-inspired calcium phosphate coatings: present status and novel advances in the science of mimicry. 2003 , 7, 309-318		86
1564	Bonelike Apatite Formation on Synthetic Organic Polymers Coated with TiO ₂ . 2003 , 254-256, 467-472		
1563	A New Procedure of a Calcium-Containing Coating on Implants of Titanium Alloy. 2003 , 254-256, 411-414		2
1562	Mechanism of Apatite Formation on Anodically Oxidized Titanium Metal in Simulated Body Fluid. 2003 , 254-256, 741-744		10
1561	³¹ P Nuclear Magnetic Resonance and X-Ray Diffraction Studies of Na-Sr-Phosphate Glass-Ceramics. 2003 , 254-256, 95-98		1
1560	Assessment of Cancellous Bone Architecture after Implantation of an Injectable Bone Substitute. 2003 , 254-256, 55-58		
1559	Enhancement of Biomimetic Apatite Forming Ability of Calcium Phosphate Glass-Ceramic by a Hydrothermal Treatment. 2003 , 111, 633-635		10
1558	Biodegradable Polymers: Past, Present, and Future. 2003 ,		29
1557	EFFECT OF HYDROXYAPATITE DOPANT TO YTTRIA STABILIZED ZIRCONIA CERAMICS FOR BIOMEDICAL APPLICATION. 2003 , 16, 75-82		5
1556	Calcium phosphate formation on alkali-treated titanium alloy and stainless steel. 2004 , 7, 299-303		18
1555	Gas Analysis in Spark Plasma Sintering of Hydroxyapatite. 2004 , 449-452, 793-796		1
1554	THE EFFECT OF COLD ISOSTATIC PRESSING ON THE SINTERABILITY OF SYNTHESIZED HA. 2004 , 16, 199-204		9
1553	Grafting RGD containing peptides onto hydroxyapatite to promote osteoblastic cells adhesion. 2004 , 15, 779-86		122
1552	The formation of a hydroxyl bond and the effects thereof on bone-like apatite formation on a magnesia partially stabilized zirconia (MgO-PSZ) bioceramic following CO ₂ laser irradiation. 2004 , 15, 967-75		12
1551	In vitro and in vivo performance of Ti6Al4V implants with plasma-sprayed osteoconductive hydroxylapatite-bioinert titania bond coat "duplex" systems: an experimental study in sheep. 2004 , 15, 1045-52		32
1550	Hydroxyapatite-doped zirconia for preparation of biomedical composites ceramics. 2004 , 172, 509-513		39

1549	Hydroxyapatite gels and nanocrystals prepared through a sol-gel process. 2004 , 177, 3092-3098	96
1548	Evaluation in vitro and in vivo of biomimetic hydroxyapatite coated on titanium dental implants. 2004 , 24, 647-651	68
1547	Crystallization behavior of silica-calcium phosphate biocomposites: XRD and FTIR studies. 2004 , 15, 1227-35	32
1546	Characterization and bond strength of electrolytic HA/TiO ₂ double layers for orthopedic applications. 2004 , 15, 1237-46	20
1545	A Method of Material Optimization of Cementless Stem Through Functionally Graded Material. 2004 , 1, 329-346	30
1544	Bioresorbable composite bone paste using polysaccharide based nano hydroxyapatite. <i>Biomaterials</i> , 2004 , 25, 3829-35	15.6 303
1543	Crystallization of CaTiO ₃ by sol-gel synthesis and rapid thermal processing. 2004 , 188-189, 741-744	45
1542	Effect of the crystallization of bioactive glass reinforcing agents on the mechanical properties of polymer composites. 2004 , 372, 245-251	22
1541	Calcium Phosphate Biomaterials: An Overview. 2004 , 37-57	4
1540	The mechanism of biomineralization of bone-like apatite on synthetic hydroxyapatite: an in vitro assessment. 2004 , 1, 17-22	186
1539	PREPARATION AND CHARACTERISTICS OF CELLULOSE-HYDROXYAPATITE COMPOSITES THROUGH MECHANOCHEMICAL REACTION. 2004 , 17, 197-202	1
1538	NOVEL METHOD FOR APATITE COATING ON Ti-29Nb-13Ta-4.6Zr ALLOY. 2004 , 17, 258-261	2
1537	Biomaterials in cartilage and bone tissue engineering. 2004 , 15, 347-354	8
1536	Synthesis control and characterization of hydroxyapatite prepared by wet precipitation process. 2004 , 7, 625-630	141
1535	Phospho-silicate and silicate layers modified by hydroxyapatite particles. 2005 , 744-747, 589-595	7
1534	Design, characterization and testing of Ti-based multicomponent coatings for load-bearing medical applications. <i>Biomaterials</i> , 2005 , 26, 2909-24	15.6 70
1533	Dissolution and mineralization of plasma-sprayed wollastonite coatings with different crystallinity. 2005 , 200, 2420-2427	29
1532	Synthetic model of a bioactive functionally graded nano-hybrid in silica-polydimethylsiloxane system. 2005 , 5, 453-457	5

1531	Bioactive calcium pyrophosphate glasses and glass-ceramics. 2005 , 1, 55-64		77
1530	Pulsed laser deposition of hydroxylapatite thin films on biomorphic silicon carbide ceramics. 2005 , 248, 355-359		24
1529	Surface properties and cell response of low metal ion release Ti-6Al-7Nb alloy after multi-step chemical and thermal treatments. <i>Biomaterials</i> , 2005 , 26, 1219-29	15.6	48
1528	Theoretical analysis of calcium phosphate precipitation in simulated body fluid. <i>Biomaterials</i> , 2005 , 26, 1097-108	15.6	437
1527	In vivo evaluation of plasma-sprayed titanium coating after alkali modification. <i>Biomaterials</i> , 2005 , 26, 3029-37	15.6	81
1526	In vivo evaluation of plasma-sprayed wollastonite coating. <i>Biomaterials</i> , 2005 , 26, 3455-60	15.6	194
1525	Process and kinetics of bonelike apatite formation on sintered hydroxyapatite in a simulated body fluid. <i>Biomaterials</i> , 2005 , 26, 4366-73	15.6	319
1524	Biomimetic deposition of apatite coating on surface-modified NiTi alloy. <i>Biomaterials</i> , 2005 , 26, 6916-23	15.6	100
1523	Functional nanostructured chitosan-siloxane hybrids. 2005 , 15, 3952		110
1522	Apatite Converted from 3-D Ordered Macroporous Sol-gel Bioactive Glass (3DOM-BG) Particles. 2005 , 88, 587-592		11
1521	Surface Potential of Poly(lactic acid) Composites Containing Calcium Carbonates in Simulated Body Fluid. 2005 , 88, 1964-1966		2
1520	Preparation and apatite layer formation of plasma electrolytic oxidation film on titanium for biomedical application. 2005 , 59, 185-189		71
1519	An in vitro evaluation of PCL-TCP composites as delivery systems for platelet-rich plasma. 2005 , 107, 330-42		49
1518	Effect of particulate bioactive glasses on human macrophages and monocytes in vitro. 2005 , 73, 73-9		70
1517	Preparation and characterization of nano-hydroxyapatite/chitosan composite scaffolds. 2005 , 75, 275-82		206
1516	Evaluation of calcium titanate as apatite growth promoter. 2005 , 75, 478-84		49
1515	Enhanced human osteoblast cell adhesion and proliferation on 316 LS stainless steel by means of CO ₂ laser surface treatment. 2005 , 73, 148-56		46
1514	Biorelevant Calcification and Non-Cytotoxic Behavior in Silicon Nanowires. 2005 , 17, 921-924		63

1513	Growth of nano-scale hydroxyapatite using chemically treated titanium oxide nanotubes. <i>Biomaterials</i> , 2005 , 26, 4938-43	15.6	411
1512	Sol-gel synthesis of a multifunctional, hierarchically porous silica/apatite composite. <i>Biomaterials</i> , 2005 , 26, 6827-35	15.6	127
1511	Characterization of surface modified Ti-6Al-7Nb alloy. 2005 , 16, 301-12		14
1510	Effects of silica on the bioactivity of calcium phosphate composites in vitro. 2005 , 16, 355-60		63
1509	SiO ₂ -CaO-K ₂ O coatings on alumina and Ti6Al4V substrates for biomedical applications. 2005 , 16, 863-71		20
1508	Characterization and bond strength of electrolytic HA/TiO ₂ double layers for orthopaedic applications. 2005 , 16, 889-97		11
1507	Microstructural and in vitro characterization of SiO ₂ -Na ₂ O-CaO-MgO glass-ceramic bioactive scaffolds for bone substitutes. 2005 , 16, 909-17		42
1506	Hydroxyapatite-Carboxymethyl Cellulose Nanocomposite Biomaterial. 2005 , 41, 509-515		48
1505	Fabrication of Bioactive Surfaces by Plasma Polymerization Techniques Using a Novel Acrylate-Derived Monomer. 2005 , 2, 605-611		39
1504	Porous silicon-based scaffolds for tissue engineering and other biomedical applications. 2005 , 202, 1451-1455		116
1503	Laser surface texturing of Ti-6Al-4V and controlled oxide formation for improving biocompatibility. 2005 ,		1
1502	. 2005 ,		23
1501	Apatite Formation on Organic-Inorganic Hybrid Containing Sulfonic Group. 2005 , 284-286, 725-728		2
1500	Preparation of a Bioactive Functionally Graded Ceramic-Polymer Hybrid. 2005 , 284-286, 753-756		
1499	Apatite Deposition on Organic-Inorganic Hybrids Synthesized from Poly(Vinyl Alcohol) and Various Metal Oxides. 2005 , 284-286, 469-472		1
1498	In Vitro Apatite Formation on Surface-Modified Titanium Coatings Prepared by Reactive Plasma Spraying. 2005 , 284-286, 255-258		4
1497	Preparation of Cellulose-Carbonate Apatite Composites through Mechanochemical Reaction. 2005 , 284-286, 855-858		1
1496	Surface Charge of Bioactive Polyethylene Modified with β SO ₃ H Groups and Its Apatite Inducing Capability in Simulated Body Fluid. 2005 , 284-286, 453-456		9

1495	In situ formation of bioactive titanium coating using reactive plasma spraying. 2005 , 23, 755-760	1
1494	Increased Osteogenesis Elicited by Boron-Modified Bioactive Glass Particles in the SiO ₂ -CaO-P ₂ O ₅ -Na ₂ O System: A Histomorphometric Study in Rats. 2005 , 284-286, 913-916	4
1493	In Vivo Biocompatibility of a Novel Ceramic-Metal Biocomposite. 2005 , 284-286, 807-810	5
1492	Hydroxyl Carbonateapatite Hybrid Bone Composites Using Carbohydrate Polymer. 2005 , 39, 1159-1167	12
1491	Thermal Characterizations of silver-containing bioactive glass-coated Sutures. 2005 , 20, 81-98	22
1490	Bioactive composite materials for tissue engineering scaffolds. 2005 , 2, 303-17	228
1489	Assisted Sintering Via SolâGel Deposition in Low-Fired Ceramic Preforms. 2005 , 88, 2300-2303	4
1488	New developments in pediatric plastic surgery research. 2005 , 32, 123-36, ix-x	6
1487	Learning from Nature How to Design New Implantable Biomaterials: From Biomineralization Fundamentals to Biomimetic Materials and Processing Routes. 2005 ,	5
1486	The structure of a bioactive calciaâsilica solâgel glass. 2005 , 15, 2369	57
1485	A composite of hydroxyapatite with electrospun biodegradable nanofibers as a tissue engineering material. 2005 , 100, 43-9	224
1484	Nanobiomaterials: a review of the existing science and technology, and new approaches. 2006 , 17, 1241-68	70
1483	Bioactivity of novel self-assembled crystalline Nb ₂ O ₅ microstructures in simulated and human salivas. 2006 , 1, 16-23	55
1482	Biological performance of boron-modified bioactive glass particles implanted in rat tibia bone marrow. 2006 , 1, 100-5	81
1481	Surface modifications of bone implants through wet chemistry. 2006 , 16, 2309	127
1480	Development of a degradable cement of calcium phosphate and calcium sulfate composite for bone reconstruction. 2006 , 1, 193-7	29
1479	Polyhydroxyalkanoate (PHA)/inorganic phase composites for tissue engineering applications. 2006 , 7, 2249-58	309
1478	Ceramic bioactivity: progresses, challenges and perspectives. 2006 , 1, R31-7	65

1477	Bioceramics as nanomaterials. 2006 , 1, 91-106		37
1476	Polymers as biomaterials for tissue engineering and controlled drug delivery. 2006 , 102, 47-90		217
1475	Craniofacial bone tissue engineering. 2006 , 50, 175-90, vii		29
1474	The engineering of craniofacial tissues in the laboratory: a review of biomaterials for scaffolds and implant coatings. 2006 , 50, 205-16, viii		42
1473	Nucleation and growth of apatite by a self-assembled polycrystalline bioceramic. 2006 , 1, 12-9		13
1472	Bioactive glasses in the system CaOâB2O3âP2O5: Preparation, structural study and in vitro evaluation. 2006 , 352, 390-398		147
1471	Alumina/zirconia composite coated by biomimetic method. 2006 , 352, 5279-5283		11
1470	Production of biofibers by laser spinning. 2006 ,		
1469	Synthesis of Bioactive Organic-Inorganic Hybrids from Tetraisopropyl Titanate and Hydroxyethylmethacrylate. 2006 , 114, 87-91		7
1468	Influence of Sintering Temperature on Mechanical Properties of Biologically Derived Hydroxyapatite Bodies. 2006 , 309-311, 45-48		3
1467	Fabrication of a Highly Porous Bioactive GlassâCeramic Scaffold with a High Surface Area and Strength. 2006 , 89, 391-394		40
1466	Fabrication of a Porous Bioactive GlassâCeramic Using Room-Temperature Freeze Casting. 2006 , 89, 2649-2653		46
1465	A study on the bioactivity of chitosan/nano-hydroxyapatite composite scaffolds for bone tissue engineering. 2006 , 42, 3171-3179		246
1464	A new in vivo screening model for posterior spinal bone formation: comparison of ten calcium phosphate ceramic material treatments. <i>Biomaterials</i> , 2006 , 27, 302-14	15.6	40
1463	Formation of bone-like apatite on organic polymers treated with a silane-coupling agent and a titania solution. <i>Biomaterials</i> , 2006 , 27, 1704-10	15.6	39
1462	Biodegradable and bioactive porous polymer/inorganic composite scaffolds for bone tissue engineering. <i>Biomaterials</i> , 2006 , 27, 3413-31	15.6	2998
1461	Biocompatibility of cluster-assembled nanostructured TiO2 with primary and cancer cells. <i>Biomaterials</i> , 2006 , 27, 3221-9	15.6	116
1460	Influence of manganese on stability and particle growth of hydroxyapatite in simulated body fluid. 2006 , 281, 221-229		66

1459	Bias-assisted in vitro calcification of calcium disilicide growth layers on spark-processed silicon. <i>Biomaterials</i> , 2006 , 27, 3726-37	15.6	5
1458	Biomineralization of calcium disilicide in porous polycaprolactone scaffolds. <i>Biomaterials</i> , 2006 , 27, 4745-4754	15.6	25
1457	Experimental and clinical performance of porous tantalum in orthopedic surgery. <i>Biomaterials</i> , 2006 , 27, 4671-81	15.6	437
1456	Structure and bioactivity studies of new polysiloxane-derived materials for orthopedic applications. 2006 , 792-793, 176-181		16
1455	Aqueous gel-casting of hydroxyapatite. 2006 , 435-436, 198-203		31
1454	Fabrication of novel TiZr alloy foams for biomedical applications. 2006 , 26, 1439-1444		74
1453	In vitro bioactivity of plasma-sprayed TiO ₂ coating after sodium hydroxide treatment. 2006 , 200, 5487-5492		37
1452	Thermal spraying of biomaterials. 2006 , 201, 2012-2019		170
1451	Study of two hydroxyapatite/poly(alkoxysilane) implant coatings. 2006 , 201, 3008-3015		13
1450	Influence of film thickness on in vitro bioactivity of thin anatase films produced through direct deposition from an aqueous titanium tetrafluoride solution. 2006 , 201, 3181-3187		14
1449	Multifunctional biocompatible nanostructured coatings for load-bearing implants. 2006 , 201, 4111-4118		53
1448	Microstructural characterisation and stress determination in as-plasma sprayed and incubated bioconductive hydroxyapatite coatings. 2006 , 201, 3633-3641		17
1447	The surface functionalization of 45S5 Bioglass-based glass-ceramic scaffolds and its impact on bioactivity. 2006 , 17, 979-87		63
1446	The use of advanced diffraction methods in the study of the structure of a bioactive calcia: silica sol-gel glass. 2006 , 17, 1003-10		21
1445	Macroporous bioactive glass-ceramic scaffolds for tissue engineering. 2006 , 17, 1069-78		80
1444	Behaviour of MG-63 osteoblast-like cells on wood-based biomorphic SiC ceramics coated with bioactive glass. 2006 , 17, 523-9		35
1443	Bioactive ceramic composites sintered from hydroxyapatite and silica at 1,200 degrees C: preparation, microstructures and in vitro bone-like layer growth. 2006 , 17, 573-81		53
1442	Formation of titanium oxide nanotubes using chemical treatments and their characteristic properties. 2006 , 496, 141-145		154

1441	Multifunctional Ti-(Ca,Zr)-(C,N,O,P) films for load-bearing implants. <i>Biomaterials</i> , 2006 , 27, 3519-31	15.6	39
1440	Biomimetic synthesis of calcium-deficient hydroxyapatite in a natural hydrogel. <i>Biomaterials</i> , 2006 , 27, 4661-70	15.6	279
1439	Accelerated degradation and improved bone-bonding ability of hydroxyapatite ceramics by the addition of glass. <i>Biomaterials</i> , 2006 , 27, 4738-44	15.6	37
1438	Biomimetic growth of apatite on electrolytic TiO ₂ coatings in simulated body fluid. 2006 , 26, 54-64		58
1437	Titanium oxide nanotubes with controlled morphology for enhanced bone growth. 2006 , 26, 1301-1306		133
1436	Preparation of mica/apatite glass-ceramics biomaterials. 2006 , 26, 1390-1394		22
1435	Immersion behavior of hydroxyapatite (HA) powders before and after sintering. 2006 , 56, 250-254		22
1434	Calcium hydroxyapatite, Ca ₁₀ (PO ₄) ₆ (OH) ₂ ceramics prepared by aqueous sol-gel processing. 2006 , 41, 1754-1762		87
1433	Calcium phosphate cements as bone drug delivery systems: a review. 2006 , 113, 102-10		527
1432	Effect of bioactive ceramic dissolution on the mechanism of bone mineralization and guided tissue growth in vitro. 2006 , 76, 386-97		52
1431	The optimal SAM surface functional group for producing a biomimetic HA coating on Ti. 2006 , 77, 763-72		46
1430	Hydroxyapatite growth on anodic TiO ₂ nanotubes. 2006 , 77, 534-41		239
1429	Bioactive glass nanofiber-collagen nanocomposite as a novel bone regeneration matrix. 2006 , 79, 698-705		107
1428	Modeling the Local Atomic Structure of Bioactive Sol-Gel-Derived Calcium Silicates. 2006 , 18, 3956-3964		24
1427	Spark plasma sintering of TiNi nano-powders for biological application. 2006 , 17, 5293-5298		17
1426	Pulsed laser deposition of hydroxyapatite-diamondlike carbon multilayer films and their adhesion aspects. 2006 , 20, 221-231		10
1425	Recent developments in processing and surface modification of hydroxyapatite. 2006 , 105, 113-139		54
1424	Chemivector Effect of Nano-Size-Hydroxyapatite Doped YSZ Ceramics on Apatite Formability in SBF. 2006 , 309-311, 589-592		1

- 1423 Sol-Gel Synthetic Model of Bi-Structured Bioactive Nano-Hybrids in TEOS-PDMS System. **2006**, 309-311, 557-560
- 1422 In Vitro Bioactivity of Bi-Structured Nano-Hybrids in the CaO-SiO₂-PTMO System. **2006**, 309-311, 549-552
- 1421 Resorbable Gypsum Coating on Calcium Metaphosphate for Controlled Degradation Rate. **2006**, 309-311, 723-726
- 1420 Self-Organized Metal Oxide Exhibiting Enhanced Bioactivity. **2006**, 53, 17-21
- 1419 Bioglass[®] Coatings on Superelastic NiTi Wires by Electrophoretic Deposition (EPD). **2006**, 314, 219-224 7
- 1418 Molecular Dynamics Modelling of the Structure of Bioactive (CaO)_{0.3} (SiO₂)_{0.7} Sol-Gel. **2006**, 514-516, 1059-1063 4
- 1417 Biomimetic Coatings on Ti-Based Alloys Obtained by Powder Metallurgy for Biomedical Applications. **2006**, 530-531, 599-604
- 1416 Formation of Bone-Like Apatite on Polymeric Surfaces Modified with -SO₃H Groups. **2006**, 514-516, 966-969 3
- 1415 Bioactive Organic-Inorganic Hybrids Prepared from Poly(Vinyl Alcohol) via Modification with Metal Oxides and Calcium Salt. **2006**, 309-311, 1153-1156 3
- 1414 CHARACTERIZATION OF SOME METHODS OF PREPARATION FOR BIOACTIVE GLASS COATING ON IMPLANTS. **2006**, 13, 93-102 6
- 1413 Bioactive comparison of a borate, phosphate and silicate glass. *Journal of Materials Research*, **2006**, 21, 125-131 2.5 35
- 1412 Biomimetic synthesis and mechanical properties of hydroxyapatite/poly (vinyl alcohol) nanocomposites. **2007**, 106, 165-170 10
- 1411 Hydroxyapatite coatings produced on commercially pure titanium by micro-arc oxidation. **2007**, 2, 196-201 28
- 1410 NANOCOATINGS FOR ORTHOPAEDIC AND DENTAL APPLICATION. **2007**, 573-605 2
- 1409 Review: titanium and titanium alloy applications in medicine. **2007**, 1, 3 155
- 1408 The influence of Ca/P ratio on the properties of hydroxyapatite bioceramics. **2007**, 6423, 855 23
- 1407 Differences of Bone Regeneration by Various Calcium Phosphate/Collagen Composites. **2007**, 361-363, 1229-1232
- 1406 Surface Structure and Apatite-Forming Ability of Silicone Rubber Substrates Irradiated by Cluster Ion Beams. **2007**, 361-363, 551-554

1405	Preparation and Characterisation of TiO ₂ Thick Films Fabricated by Anodic Oxidation. 2007 , 561-565, 2159-2162	24
1404	Influence of Cross-Linking Agents on Apatite-forming Ability of Pectin Gels. 2007 , 361-363, 559-562	
1403	A Resorbable Surface Formed on Ti Alloy Material. 2007 , 361-363, 701-704	1
1402	Apatite-Forming Ability of Pectin Gels in Simulated Body Environment. 2007 , 330-332, 675-678	
1401	Preparation and Properties of Porous Apatite-Wollastonite Bioactive Glass-Ceramic. 2007 , 330-332, 169-172	4
1400	Preparation of Poly(Lactic Acid) Composites Containing Vaterite for Bone Repair. 2007 , 539-543, 617-622	4
1399	Effects of intraosseous implantation of silica-based bioactive glass particles on rat kidney under experimental renal failure. 2007 , 21, 431-42	5
1398	In Vitro Apatite Formation on Polymer Substrates Irradiated by the Simultaneous Use of Oxygen Cluster and Monomer Ion Beams. 2007 , 1020, 1	
1397	Effects of Chemical and Heat Treatments on Surface Characteristics and Biocompatibility of Titanium-Niobium Alloys. 2007 , 48, 2978-2985	6
1396	Effects of Cross-Linking Agent on Apatite-Forming Ability and Mechanical Property of Organic-Inorganic Hybrids Based on Starch. 2007 , 48, 317-321	11
1395	Development of Phosphate Glass-Ceramics for Biomedical Applications. 2007 , 115, 455-459	8
1394	Applications of nanotechnology in orthopaedics. 2007 , 456, 243-9	21
1393	New Bioactive Ceramics Obtained by Heat Treatment of Modified Polymeric Precursors. 2007 , 253, 109-114	1
1392	Inorganic materials for bone repair or replacement applications. 2007 , 2, 899-918	56
1391	Hydrogen Bonding Interaction of Poly(d,l-Lactide)/hydroxyapatite Nanocomposites. 2007 , 19, 247-253	199
1390	In vitro changes in the structure of a bioactive calcium-silica sol-gel glass explored using isotopic substitution in neutron diffraction. 2007 , 353, 1854-1859	9
1389	DNA meets synthetic polymers--highly versatile hybrid materials. 2007 , 5, 1311-20	159
1388	Investigation on the Porous Biomaterial for Bone Reconstruction with Addition of Bio-Mimetic Nano-Sized Inorganic Particles. 2007 , 336-338, 1534-1537	6

1387	Surface Engineered Surgical Tools and Medical Devices. 2007 ,	19
1386	The formation of nanoscale structures in soluble phosphosilicate glasses for biomedical applications: MD simulations. 2007 , 136, 45-55; discussion 107-23	40
1385	Surface potential change in bioactive polymer during the process of biomimetic apatite formation in a simulated body fluid. 2007 , 17, 4057	28
1384	Structural effects of phosphorus inclusion in bioactive silicate glasses. 2007 , 111, 14256-64	124
1383	Surface reactivity of pulsed-plasma polymerized pentafluorophenyl methacrylate (PFM) toward amines and proteins in solution. 2007 , 23, 3927-31	33
1382	Radiopaque organic-inorganic hybrids based on poly(D,L-lactide). 2007 , 8, 672-8	9
1381	Titanium and Titanium Alloy Applications in Medicine. 2007 , 533-576	11
1380	Fabrication and in vitro biomineralization of bioactive glass (BG) nanofibres. 2007 , 18, 135601	71
1379	Development of calcium silicate/calcium phosphate cement for bone regeneration. 2007 , 2, S153-9	29
1378	Bioactivity and Mechanical Property of Starch-Based Organic-Inorganic Hybrids. 2007 , 330-332, 439-442	
1377	Sol-Gel SiO ₂ -CaO-P ₂ O ₅ biofilm with surface engineered for medical application. 2007 , 10, 177-181	17
1376	In vitro bioactivity of PMMA-based composite in simulated plasma with albumin. 2007 , 12, 128-133	
1375	Chitosan graft copolymers-HA/DBM biocomposites: Preparation, characterization, and in vitro evaluation. <i>Journal of Applied Polymer Science</i> , 2007 , 105, 2553-2563	2.9 9
1374	Thermally Responsive Biomineralization on Biodegradable Substrates. 2007 , 17, 3312-3318	60
1373	Processing, properties, and in vitro bioactivity of polysulfone-bioactive glass composites. 2007 , 80, 565-80	26
1372	Plasma-controlled nanocrystallinity and phase composition of TiO ₂ : a smart way to enhance biomimetic response. 2007 , 81, 453-64	38
1371	Electrophoretic deposition of zirconia-Bioglass composite coatings for biomedical implants. 2007 , 82, 436-44	25
1370	Acceleration of apatite nucleation on microrough bioactive titanium for bone-replacing implants. 2007 , 82, 521-9	48

1369	Surface structure and apatite-forming ability of polyethylene substrates irradiated by oxygen cluster ion beams. 2007 , 82, 995-1003		10
1368	The primacy of octacalcium phosphate collagen composites in bone regeneration. 2007 , 83, 725-33		48
1367	In situ apatite forming injectable hydrogel. 2007 , 83, 249-56		15
1366	Enhancement of osteoblast gene expression by mechanically compatible porous Si-rich nanocomposite. 2007 , 81, 387-96		32
1365	Consolidation of nanocrystalline hydroxyapatite powder. 2007 , 8, 124-130		76
1364	Nacre coatings deposited by electrophoresis on Ti6Al4V substrates. 2007 , 201, 7505-7512		11
1363	Effect of TiO ₂ H formation on bioactivity of vacuum plasma sprayed titanium coating after chemical treatment. 2007 , 202, 494-498		39
1362	Mechanical properties of sol-gel calcium titanate bioceramic coatings on titanium. 2007 , 202, 1236-1241		25
1361	Effect of zirconia addition on the microstructural evolution of porous hydroxyapatite. <i>Ceramics International</i> , 2007 , 33, 715-718	5.1	50
1360	Rapid densification of nanocrystalline hydroxyapatite for biomedical applications. <i>Ceramics International</i> , 2007 , 33, 1363-1367	5.1	71
1359	In situ synthesis and characterization of nano-size hydroxyapatite in poly(vinyl alcohol) matrix. <i>Ceramics International</i> , 2007 , 33, 1579-1583	5.1	85
1358	Characteristic and in vitro bioactivity of a microarc-oxidized TiO ₂ -based coating after chemical treatment. 2007 , 3, 817-27		113
1357	Early weight bearing of porous HA/TCP (60/40) ceramics in vivo: a longitudinal study in a segmental bone defect model of rabbit. 2007 , 3, 985-96		52
1356	Biomimetic mineralisation of apatites on Ca ²⁺ activated cellulose templates. 2007 , 27, 1-7		39
1355	In vitro degradation of novel bioactive polycaprolactone/20% tricalcium phosphate composite scaffolds for bone engineering. 2007 , 27, 293-298		90
1354	Physico-chemical properties of nanocrystalline apatites: Implications for biominerals and biomaterials. 2007 , 27, 198-205		218
1353	Biomimetic calcium phosphate coatings on nitric-acid-treated titanium surfaces. 2007 , 27, 700-708		83
1352	Design of novel bioactive materials through organic modification of calcium silicate. 2007 , 27, 1527-1533		21

1351	Alkaline treatments to render starch-based biodegradable polymers self-mineralizable. 2007 , 1, 425-35	12
1350	Porous Hydroxyapatite Scaffolds Coated With Bioactive Apatite/Wollastonite Glass Ceramics. 2007 , 90, 2703-2708	48
1349	Cytotoxicity of zinc-containing bioactive glasses in contact with human osteoblasts. 2007 , 167, 207-18	108
1348	Fabrication and characterization of porous bioceramic composites based on hydroxyapatite and titania. <i>Materials Chemistry and Physics</i> , 2007 , 103, 95-100	4-4 87
1347	Effect of applied voltage on the structure of microarc oxidized TiO ₂ -based bioceramic films. <i>Materials Chemistry and Physics</i> , 2007 , 104, 177-182	4-4 34
1346	The designable elastic modulus of 3-D fabric reinforced biocomposites. 2007 , 61, 330-333	16
1345	Preparation of HA/chitosan composite coatings on alkali treated titanium surfaces through sol-gel techniques. 2007 , 61, 3970-3973	41
1344	Polycaprolactone-20% tricalcium phosphate scaffolds in combination with platelet-rich plasma for the treatment of critical-sized defects of the mandible: a pilot study. 2007 , 65, 2195-205	66
1343	Self-propagating high-temperature synthesis of target cathodes in the system Ti-Ta-C-Ca ₃ (PO ₄) ₂ for the ion-plasma deposition of multifunctional tissue-compatible nanostructured coatings. 2007 , 48, 496-506	5
1342	Investigation of the bioactivity and biocompatibility of different glass interfaces with hydroxyapatite, fluorohydroxyapatite and 58S bioactive glass. 2007 , 30, 205-16	20
1341	Ceramic composites as matrices and scaffolds for drug delivery in tissue engineering. 2007 , 59, 234-48	449
1340	Preparation of a porous chitosan/fibroin-hydroxyapatite composite matrix for tissue engineering. 2007 , 15, 65-73	38
1339	Regulation of bone-related genes expression by bone-like apatite in MC3T3-E1 cells. 2007 , 18, 2237-41	8
1338	An electrodeposition method of calcium phosphate coatings on titanium alloy. 2007 , 18, 381-90	65
1337	Surface modification of organic polymers with bioactive titanium oxide without the aid of a silane-coupling agent. 2007 , 18, 1167-74	17
1336	Increase of the final setting time of brushite cements by using chondroitin 4-sulfate and silica gel. 2007 , 18, 1195-201	26
1335	Formation mechanism of biomedical apatite coatings on porous titania layer. 2007 , 18, 457-63	9
1334	Development of graded hydroxyapatite/CaCO ₃ composite structures for bone ingrowth. 2007 , 18, 1817-24	25

1333	In vivo evaluation of titanium implants coated with bioactive glass by pulsed laser deposition. 2007 , 18, 2371-6	21
1332	A study on in vitro and in vivo bioactivity of nano hydroxyapatite/polymer biocomposite. 2007 , 52, 267-271	11
1331	Fabrication of poly(vinyl alcohol)âapatite hybrids through biomimetic process. 2007 , 27, 1585-1588	17
1330	Growth of a bonelike apatite on chitosan microparticles after a calcium silicate treatment. 2008 , 4, 1349-59	61
1329	The effect of chemical treatment on apatite-forming ability of the macroporous zirconia films formed by micro-arc oxidation. 2008 , 254, 4833-4839	37
1328	Adsorptive property of albumin and streptokinase on sputtered hydroxyapatite films and its antithrombogenicity. 2008 , 255, 2869-2873	1
1327	Simultaneous in vivo comparison of bone substitutes in a guided bone regeneration model. <i>Biomaterials</i> , 2008 , 29, 3195-200	15.6 53
1326	Ta-doped multifunctional bioactive nanostructured films. 2008 , 202, 3615-3624	33
1325	Nanostructured carbon nanotube/TiO ₂ composite coatings using electrophoretic deposition (EPD). 2008 , 10, 99-105	85
1324	Sol-gel processing of drug delivery zirconia/polycaprolactone hybrid materials. 2008 , 19, 531-40	36
1323	PET fiber fabrics modified with bioactive titanium oxide for bone substitutes. 2008 , 19, 695-702	16
1322	Apatite formation on titanium substrates by electrochemical deposition in metastable calcium phosphate solution. 2008 , 19, 137-42	11
1321	Self-assembly and bioactive response of a crystalline metal oxide in a simulated blood fluid. 2008 , 19, 1349-54	9
1320	Bioceramic dip-coating on Ti-6Al-4V and 316L SS implant materials. 2008 , 19, 2097-104	43
1319	Bioactivity of wollastonite/aerogels composites obtained from a TEOS-MTES matrix. 2008 , 19, 2207-13	15
1318	Effect of hot water and heat treatment on the apatite-forming ability of titania films formed on titanium metal via anodic oxidation in acetic acid solutions. 2008 , 19, 1767-73	30
1317	Apatite-forming ability of polyglutamic acid hydrogels in a body-simulating environment. 2008 , 19, 2269-74	49
1316	PLD bioactive ceramic films: the influence of CaO-P ₂ O ₅ glass additions to hydroxyapatite on the proliferation and morphology of osteoblastic like-cells. 2008 , 19, 1775-85	11

1315	Controlled size and morphology of EDTMP-doped hydroxyapatite nanoparticles as model for 153Samarium-EDTMP doping. 2008 , 19, 2993-3003	13
1314	In vitro biomimetic deposition of apatite on alkaline and heat treated Ti6A14V alloy surface. 2008 , 31, 101-108	31
1313	In situ Raman study to monitor bioactive glasses reactivity. 2008 , 39, 260-264	19
1312	Preparation of bone-like apatite-collagen nanocomposites by a biomimetic process with phosphorylated collagen. 2008 , 85, 293-300	77
1311	Transformation of nacre coatings into apatite coatings in phosphate buffer solution at low temperature. 2008 , 86, 510-21	15
1310	Mechanism of calcium disilicide-induced calcification of crystalline silicon surfaces in simulated body fluid under zero bias. 2008 , 87, 15-24	2
1309	Collagen release kinetics of surface functionalized 45S5 Bioglass-based porous scaffolds. 2008 , 86, 987-95	30
1308	Bone response to endosseous titanium implants surface-modified by blasting and chemical treatment: a histomorphometric study in the rabbit femur. 2008 , 84, 400-7	24
1307	Formation of CaTiO ₃ /TiO ₂ composite coating on titanium alloy for biomedical applications. 2008 , 84, 444-51	31
1306	Biomimetic processing of bioactive interface on silicon substrates. 2008 , 85, 368-77	2
1305	A review of materials, fabrication methods, and strategies used to enhance bone regeneration in engineered bone tissues. 2008 , 85, 573-82	218
1304	The role of hydroxyapatite as solid signal on performance of PCL porous scaffolds for bone tissue regeneration. 2008 , 86, 548-57	73
1303	Phosphate: known and potential roles during development and regeneration of teeth and supporting structures. 2008 , 84, 281-314	51
1302	Bio-Inspired Mineral Growth on Porous Spherulitic Textured Poly(L-lactic acid)/Bioactive Glass Composite Scaffolds. 2008 , 10, B18-B22	4
1301	Preparation and bioactivity evaluation of hydroxyapatite-titania/chitosan-gelatin polymeric biocomposites. 2008 , 28, 1087-1099	52
1300	Micropatterning of inorganic precipitations in hydrogels with soft lithography. 2008 , 132, 20-25	11
1299	Densification behaviour of nanocrystalline hydroxyapatite bioceramics. 2008 , 206, 221-230	86
1298	Immersion behaviour of calcium polyphosphate in simulated body fluid. 2008 , 255, 534-537	4

1297	Fabrication of hydroxycarbonate apatite coatings with hierarchically porous structures. 2008 , 4, 334-42		56
1296	Mechanism and kinetics of apatite formation on nanocrystalline TiO ₂ coatings: a quartz crystal microbalance study. 2008 , 4, 560-8		60
1295	Mesoporous silica/apatite nanocomposite: special synthesis route to control local drug delivery. 2008 , 4, 671-9		72
1294	Preparation and in vitro characterization of scaffolds of poly(L-lactic acid) containing bioactive glass ceramic nanoparticles. 2008 , 4, 1297-306		143
1293	In vitro bioactivity evaluation of titanium and niobium metals with different surface morphologies. 2008 , 4, 1530-5		76
1292	Characterization and in vitro application of nano-crystalline calcia stabilized zirconia (CSZ)/copolymer composites. <i>Ceramics International</i> , 2008 , 34, 285-292	5-1	4
1291	Effect of Al ₂ O ₃ addition on bioactivity, thermal and mechanical properties of some bioactive glasses. <i>Ceramics International</i> , 2008 , 34, 1667-1673	5-1	55
1290	Electrochemical deposition of octacalcium phosphate micro-fiber/chitosan composite coatings on titanium substrates. 2008 , 202, 3142-3147		33
1289	Bioactivity and cytocompatibility of plasma-sprayed titania coating treated by sulfuric acid treatment. 2008 , 202, 3221-3226		18
1288	Microstructure and apatite-forming ability of the MAO-treated porous titanium. 2008 , 202, 4248-4256		44
1287	Structure and apatite formation of microarc oxidized TiO ₂ -based films before and after alkali-treatment by various alkali concentrations. 2008 , 202, 5012-5019		21
1286	Activated calcium silicate thinfilm by He plasma treatments. 2008 , 202, 5746-5749		2
1285	Nano-indentation of hybrid silica coatings on surgical grade stainless steel. 2008 , 516, 1082-1087		26
1284	Chemical etching of micro-plasma oxidized titania film on titanium alloy and apatite deposited on the surface of modified titania film in vitro. 2008 , 516, 1818-1825		16
1283	Effect of dehydration on structure and induction capability for apatite formation of microarc oxidized TiO ₂ -based film with chemical modification. 2008 , 516, 6413-6420		5
1282	Formation of hydroxyapatite on a self-organized 3D honeycomb-patterned biodegradable polymer film. 2008 , 313-314, 515-519		23
1281	Synthesis of hydroxyapatite crystals using titanium oxide electrospun nanofibers. 2008 , 28, 70-74		23
1280	Biocompatibility and bioactivity of PDLLA/TiO ₂ and PDLLA/TiO ₂ /Bioglass nanocomposites. 2008 , 28, 1-10		36

1279	Improving the biocompatibility of NiTi alloy by chemical treatments: An in vitro evaluation in 3T3 human fibroblast cell. 2008 , 28, 1117-1122		25
1278	Vacuum-plasma-sprayed silicon coatings for biomedical application. 2008 , 28, 1132-1137		8
1277	Bioactive pyrophosphate glass/beta-tricalcium phosphate composite with high mechanical properties. 2008 , 28, 1138-1143		16
1276	Bioactive poly(L-lactic acid)-chitosan hybrid scaffolds. 2008 , 28, 1356-1365		37
1275	Effect of surface structure on biomechanical properties and osseointegration. 2008 , 28, 1448-1461		22
1274	Comparative study of a new composite biomaterial fluor-hydroxyapatite on fibroblast cell line NIH-3T3 by direct test. 2008 , 63, 273-281		6
1273	Porous silicon in drug delivery devices and materials. 2008 , 60, 1266-1277		681
1272	Histomorphometric analysis of the osseointegration of four different implant surfaces in the femoral epiphyses of rabbits. 2008 , 19, 1103-10		63
1271	Nanobioengineered electrospun composite nanofibers and osteoblasts for bone regeneration. 2008 , 32, 388-97		202
1270	Effect of heat-treatment atmosphere on the bond strength of apatite layer on Ti substrate. 2008 , 24, 1549-55		30
1269	Chemisorption of silane compounds on hydroxyapatites of various morphologies. 2008 , 58, 1039-1042		38
1268	Preparation and characterization of some substituted bioglasses and their ceramic derivatives from the system $\text{SiO}_2\text{-Na}_2\text{O-Ta}_2\text{O}_5$ and effect of gamma irradiation. <i>Materials Chemistry and Physics</i> , 2008 , 110, 352-362	4.4	58
1267	Biomining synthesis of mesoporous hydroxyapatite-calcium pyrophosphate polycrystal using ovalbumin as biosurfactant. <i>Materials Chemistry and Physics</i> , 2008 , 111, 265-270	4.4	17
1266	Kinetics and sintering mechanisms of hydro-thermally obtained hydroxyapatite. <i>Materials Chemistry and Physics</i> , 2008 , 111, 180-185	4.4	26
1265	Preparation and characterization of hydroxyapatite/chondroitin sulfate composites by biomimetic synthesis. <i>Materials Chemistry and Physics</i> , 2008 , 112, 838-843	4.4	20
1264	Biomining synthesis of large hydroxyapatite particles using ovalbumin as biosurfactant. 2008 , 62, 3603-3605		19
1263	Preparation of 3D cubic ordered mesoporous bioactive glasses. 2008 , 10, 1083-1092		29
1262	pH-Responsive biomining synthesis onto chitosan grafted biodegradable substrates. 2008 , 18, 2493		45

1261	Role of Magnesium in Soda-Lime Glasses: Insight into Structural, Transport, and Mechanical Properties through Computer Simulations. 2008 , 112, 11034-11041	73
1260	Photocatalytic degradation of bilirubin on hydroxyapatite-modified nanocrystalline titania coatings. 2008 , 10, 351-354	13
1259	Exploring the Surface of Bioactive Glasses: Water Adsorption and Reactivity. 2008 , 112, 11936-11945	50
1258	Urease Functionalized Silica: A Biohybrid Substrate To Drive Self-Mineralization. 2008 , 20, 7368-7370	8
1257	Preparation of anhydrous dicalcium phosphate, DCPA, through sol-gel process, identification and phase transformation evaluation. 2008 , 354, 3854-3857	32
1256	Fabrication and properties of carbon nanotubes reinforced Fe/hydroxyapatite composites by in situ chemical vapor deposition. 2008 , 39, 1128-1132	28
1255	Controlled Bioactivity in Zinc-Doped Sol-Gel-Derived Binary Bioactive Glasses. 2008 , 112, 13663-13667	56
1254	Urea assisted hydroxyapatite mineralization on MWCNT/CHI scaffolds. 2008 , 18, 5933	34
1253	Combining chemistry and biology to create colloiddally stable bionanohydroxyapatite particles: toward load-bearing bone applications. 2008 , 24, 7744-9	15
1252	In Vitro Behavior of Ti-6Al-7Nb Alloy After Various Surface Treatments Modification. 2008 , 486, 120/[1162]-132/[1174]	
1251	Manufacture of degradable polymeric scaffolds for bone regeneration. 2008 , 3, 022001	52
1250	A Combined Experimental-Computational Strategy for the Design, Synthesis and Characterization of Bioactive Zinc-Silicate Glasses. 2008 , 377, 211-224	3
1249	Design of bioactive bone cement based on organic-inorganic hybrids. 2008 , 358-376	
1248	Apatite-inducing ability of titanium oxide layer on titanium surface: The effect of surface energy. <i>Journal of Materials Research</i> , 2008 , 23, 1682-1688	2.5 43
1247	Biocompatibility, Bioactivity and Mechanical Properties of Portland Cement and Portland Cement-Metakaolin Blends for Bone Tissue Engineering Applications. 2008 , 1094, 1	
1246	High-porosity poly(epsilon-caprolactone)/mesoporous silicon scaffolds: calcium phosphate deposition and biological response to bone precursor cells. 2008 , 14, 195-206	60
1245	High energy irradiation--a tool for enhancing the bioactivity of Hydroxyapatite. 2008 , 116, 320-324	31
1244	Preparation of bioactive Ti and its alloys via electrochemical treatment in sulfuric acid solution. 2008 , 116, 329-333	2

1243 Bioactive Glass. **2008**, 133-141

1242 Osteoclastic Bone Resorption. **2008**, 2081-2090

1241 TEM observation of hydroxyapatite nanocrystals ionically-bonded onto the graftpolymer-modified PET substrate. **2008**, 116, 100-104 1

1240 Development of bioactive materials based on bone-bonding mechanism on metal oxides. **2008**, 116, 260-264 12

1239 Apatite-forming ability of organic-inorganic hybrids fabricated from glucomannan by chemical modification with alkoxysilane and calcium salt. **2008**, 116, 46-49 1

1238 Design of Bioactive Materials Based on Control in Chemicovector. **2009**, 56, 199-204

1237 Composite biomaterials for bone repair. **2009**, 252-270 11

1236 The evaluation of the possibilities of using PLGA co-polymer and its composites with carbon fibers or hydroxyapatite in the bone tissue regeneration process - in vitro and in vivo examinations. **2009**, 10, 3224-34 24

1235 Biomimetic hydroxyapatite coatings deposited onto heat and alkali treated Ti6Al4V surface. **2009**, 25, 583-588 18

1234 The Use of Ceramics as Bone Substitutes in Revision Hip Arthroplasty. **2009**, 2, 1895-1907 8

1233 Ceramics as bone repair materials. **2009**, 194-230 4

1232 Structural models of bioactive glasses from molecular dynamics simulations. **2009**, 465, 1003-1027 112

1231 Fabrication of (Ti-O-N-Si)/Ti Composite Coating on NiTi Shape Memory Alloy Using PIID and Coating Evaluation. **2009**, 1239, 1

1230 Preparation of bioactive titania films on titanium metal via anodic oxidation. **2009**, 25, 80-6 165

1229 Hydroxyapatite Coatings on Titanium Prepared by Electrodeposition in a Modified Simulated Body Fluid. **2009**, 17, 667-671 39

1228 Scaffold design and manufacturing: from concept to clinic. **2009**, 21, 3330-42 287

1227 Bioactivity and osteoblast response of the micro-arc oxidized zirconia films. **2009**, 88, 117-27 49

1226 Interfaces in graded coatings on titanium-based implants. **2009**, 88, 1010-21 26

1225	Bone-like tissue formation on a biomimetic titanium surface in an explant model of osteoconduction. 2009 , 89, 585-93		15
1224	Titanium dioxide nanotubes enhance bone bonding in vivo. 2010 , 92, 1218-24		134
1223	Injectable acrylic bone cements for vertebroplasty based on a radiopaque hydroxyapatite. Bioactivity and biocompatibility. 2009 , 88, 103-14		21
1222	Preparation of hydroxyapatite-titania hybrid coatings on titanium alloy. 2009 , 90, 574-83		11
1221	A novel silicate-doped calcium-based composite dental pulp capping agent. 2009 , 4, 522-527		1
1220	Biomimetic potential of some methacrylate-based copolymers: a comparative study. 2009 , 91, 966-73		8
1219	Rapid calcification on solution blending of homogenous PHBV/collagen composite. <i>Journal of Applied Polymer Science</i> , 2009 , 112, 963-970	2.9	7
1218	Combined computational study of mechanical behaviour and drug delivery from a porous, hydroxyapatite-based bone graft. 2009 , 8, 209-16		5
1217	Fluoride-containing bioactive glasses: surface reactivity in simulated body fluids solutions. 2009 , 5, 3548-62		103
1216	Mechanical properties and in vitro response of strontium-containing hydroxyapatite/polyetheretherketone composites. <i>Biomaterials</i> , 2009 , 30, 3810-7	15.6	149
1215	Calcium orthophosphate-based biocomposites and hybrid biomaterials. 2009 , 44, 2343-2387		226
1214	Apatite formation abilities and mechanical properties of hydroxyethylmethacrylate-based organic-inorganic hybrids incorporated with sulfonic groups and calcium ions. 2009 , 20, 157-61		16
1213	Fabrication and biological characteristics of beta-tricalcium phosphate porous ceramic scaffolds reinforced with calcium phosphate glass. 2009 , 20, 351-8		57
1212	Investigations on the in vitro bioactivity of swift heavy oxygen ion irradiated hydroxyapatite. 2009 , 20 Suppl 1, S271-5		32
1211	Mechanical and in vitro performance of apatite-wollastonite glass ceramic reinforced hydroxyapatite composite fabricated by 3D-printing. 2009 , 20, 1281-9		97
1210	Biomimetic hydroxyapatite coating on glass coverslips for the assay of osteoclast activity in vitro. 2009 , 20, 1467-73		12
1209	Bioactive titanium metal surfaces with antimicrobial properties prepared by anodic oxidation treatment. 2009 , 52, 2269-2274		10
1208	Fabrication and characterization of a PAM modified PHBV/BG scaffold. 2009 , 54, 2940-2946		2

1207	Fabrication of Bioactive Scaffold of Poly(ϵ -Caprolactone) and Nanofiber Wollastonite Composite. 2009 , 92, 1017-1023		28
1206	Effect of ion species on apatite-forming ability of silicone elastomer substrates irradiated by cluster ion beams. 2009 , 161, 155-159		
1205	The influence of sintering temperature on the properties of compacted bovine hydroxyapatite. 2009 , 29, 1674-1680		84
1204	Cladding of titanium/hydroxyapatite composites onto Ti6Al4V for load-bearing implant applications. 2009 , 29, 2036-2044		18
1203	Nanostructured biocomposite substrates by electrospinning and electrospraying for the mineralization of osteoblasts. <i>Biomaterials</i> , 2009 , 30, 2085-94	15.6	253
1202	In vitro bioactivity of glass-ceramics of the $\text{CaMgSi}_2\text{O}_6\text{-CaSiO}_3\text{-Ca}_5(\text{PO}_4)_3\text{F-Ca}_2\text{SiO}_3$ system with TiO_2 or ZnO additives. <i>Ceramics International</i> , 2009 , 35, 1083-1093	5.1	27
1201	Ultraviolet-enhanced bioactivity of ZrO_2 films prepared by micro-arc oxidation. 2009 , 517, 1577-1581		41
1200	Surface modification of a low-modulus Ti-7.5Mo alloy treated with aqueous NaOH . 2009 , 203, 3142-3150		39
1199	Mechanical characterization of nano-reinforced silica based sol-gel hybrid coatings on AISI 316L stainless steel using nanoindentation techniques. 2009 , 203, 3325-3331		57
1198	The composite films of gradient TiO_2 -based/nano-scale hydrophilic sodium titanate: Biomimetic apatite induction and cell response. 2009 , 204, 372-379		6
1197	Frictional and adhesive behavior of organic-inorganic hybrid coatings on surgical grade stainless steel using nano-scratching technique. 2009 , 266, 1165-1170		18
1196	Titanium modified with layer-by-layer sol-gel tantalum oxide and an organodiphosphonic acid: a coating for hydroxyapatite growth. 2009 , 336, 497-503		42
1195	Characterization and fatigue damage of plasma sprayed HAp top coat with Ti and HAp/Ti bond coat layers on commercially pure titanium substrate. 2009 , 2, 444-53		33
1194	Effect of Y-TZP addition on the microstructure and properties of titania-based composites. <i>Ceramics International</i> , 2009 , 35, 281-288	5.1	6
1193	Fabrication and characterization of bioactive glass (45S5)/titania biocomposites. <i>Ceramics International</i> , 2009 , 35, 1991-1997	5.1	37
1192	Preparation, biomimetic apatite induction and osteoblast proliferation test of TiO_2 -based coatings containing P with a graded structure. <i>Ceramics International</i> , 2009 , 35, 2343-2350	5.1	22
1191	Fabrication, characterization and bioactivity evaluation of calcium pyrophosphate/polymeric biocomposites. <i>Ceramics International</i> , 2009 , 35, 2933-2942	5.1	31
1190	Adsorption/desorption behavior of protein on nanosized hydroxyapatite coatings: A quartz crystal microbalance study. 2009 , 255, 4569-4574		26

1189	Apatite formation on Poly (vinyl alcohol)-coated Poly (ε-caprolactone) films by incubation in simulated body fluids. 2009 , 255, 7734-7738	8
1188	Correlation between physicochemical properties of doxorubicin-loaded silica/polydimethylsiloxane xerogel and in vitro release of drug. 2009 , 5, 193-207	36
1187	Induction of bioactivity on silicone elastomer by simultaneous irradiation of oxygen cluster and monomer ion beams. 2009 , 5, 621-7	3
1186	Bioactive titanate nanomesh layer on the Ti-based bulk metallic glass by hydrothermal-electrochemical technique. 2009 , 5, 1367-73	39
1185	Bioactivity of electro-thermally poled bioactive silicate glass. 2009 , 5, 1274-83	23
1184	In vivo and in vitro evaluation of flexible, cottonwool-like nanocomposites as bone substitute material for complex defects. 2009 , 5, 1775-84	103
1183	Mesoporous calcium silicate for controlled release of bovine serum albumin protein. 2009 , 5, 1686-96	74
1182	Preparation and characterization of homogeneous chitosan-poly(lactic acid)/hydroxyapatite nanocomposite for bone tissue engineering and evaluation of its mechanical properties. 2009 , 5, 2693-703	194
1181	Molecular functionalization of tantalum oxide surface towards development of apatite growth. 2009 , 255, 4765-4772	10
1180	Cladding of titanium/fluorapatite composites onto Ti6Al4V substrate and the in vitro behaviour in the simulated body fluid. 2009 , 255, 8126-8134	11
1179	Titania nanostructures fabricated by atomic layer deposition using spherical protein cages. 2009 , 25, 13284-9	21
1178	Potential applications of fluorhydroxyapatite as biomaterials in medicine. 2009 , 7, 246-251	2
1177	Polyurethane foams electrophoretically coated with carbon nanotubes for tissue engineering scaffolds. 2009 , 4, 015008	34
1176	Modeling and investigation of interfacial interaction between PLA and one type of deficient hydroxyapatite. 2009 , 113, 7112-23	5
1175	Synthesis and bioactive properties of macroporous nanoscale SiO ₂ -CaO-P ₂ O ₅ bioactive glass. 2009 , 355, 2678-2681	29
1174	Nanodimensional and Nanocrystalline Apatites and Other Calcium Orthophosphates in Biomedical Engineering, Biology and Medicine. 2009 , 2, 1975-2045	190
1173	Effects of Surface Modification on the Properties of Poly(lactide-co-glycolide) Composite Materials. 2009 , 48, 658-664	17
1172	Calcium Orthophosphates in Nature, Biology and Medicine. 2009 , 2, 399-498	504

1171	Biomimetic design of materials and biomaterials inspired by the structure of nacre. 2009 , 367, 1587-605		176
1170	Formation and bioactivation of Zr-Al-Co bulk metallic glasses. <i>Journal of Materials Research</i> , 2009 , 24, 2941-2948	2.5	89
1169	Sinus augmentation analysis revised: the gradient of graft consolidation. 2009 , 20, 1078-83		60
1168	Quantitative Evaluation of Calcium Phosphate on Surface of Titanium by X-ray Fluorescence Analysis. 2009 , 50, 2297-2301		5
1167	Polymer-ceramic nanocomposites for applications in the bone surgery. 2009 , 146, 012026		2
1166	Bioactive Titania Layer Fabricated on Metallic Biomaterials by Electrodeposition. 2009 , 34, 89-91		
1165	Laser coating of multi layer Hydroxyapatite on titanium alloy. 2010 ,		1
1164	Nanoelectrochemical coatings on titanium for bioimplant applications. 2010 , 25, 143-148		3
1163	Apatite formation abilities of various carrageenan gels in simulated body environment. 2010 , 118, 487-490		9
1162	Quantitative Evaluation of Calcium Phosphate on Surface of Titanium by X-ray Fluorescence Analysis. 2010 , 74, 237-241		1
1161	Spherical and Anisotropic Hydroxyapatite Nanocrystals. 2010 ,		
1160	BIOMIMETIC MATRICES FOR INTEGRIN-MEDIATED CELL ADHESION. 2010 , 247-284		3
1159	Development and characterization of titanium-containing hydroxyapatite for medical applications. 2010 , 6, 241-9		80
1158	Improving the osteointegration and bone-implant interface by incorporation of bioactive particles in sol-gel coatings of stainless steel implants. 2010 , 6, 1601-9		82
1157	Direct laser processing of a tantalum coating on titanium for bone replacement structures. 2010 , 6, 2329-34		218
1156	Strategies for cell manipulation and skeletal tissue engineering using high-throughput polymer blend formulation and microarray techniques. <i>Biomaterials</i> , 2010 , 31, 2216-28	15.6	67
1155	Osteoinductive silk-silica composite biomaterials for bone regeneration. <i>Biomaterials</i> , 2010 , 31, 8902-10	15.6	115
1154	Hybrid composite scaffolds prepared by sol-gel method for bone regeneration. 2010 , 70, 1861-1868		59

1153	Microstructure and bioactivity of Ca, P and Sr doped TiO ₂ coating formed on porous titanium by micro-arc oxidation. 2010 , 205, 1702-1713	64
1152	Influence of nanoscale surface topography on protein adsorption and cellular response. 2010 , 5, 66-78	453
1151	Apatite formation on anodized Ti-6Al-4V alloy in simulated body fluid. 2010 , 16, 407-412	7
1150	Preparation and characterization of bioceramic nanocomposites based on hydroxyapatite (HA) and carboxymethyl cellulose (CMC). 2010 , 18, 1160-1167	19
1149	Do tantalum and titanium cups show similar results in revision hip arthroplasty?. 2010 , 468, 459-65	77
1148	The effects of hydroxyl groups on Ca adsorption on rutile surfaces: a first-principles study. 2010 , 21, 1-10	18
1147	In vitro and in vivo evaluation of the effects of demineralized bone matrix or calcium sulfate addition to polycaprolactone-bioglass composites. 2010 , 21, 295-308	21
1146	Synthesis of mesoporous structured hydroxyapatite particles using yeast cells as the template. 2010 , 21, 155-9	24
1145	Surface modification of a Ti-7.5Mo alloy using NaOH treatment and Bioglass coating. 2010 , 21, 1479-88	18
1144	Nano iron oxide-hydroxyapatite composite ceramics with enhanced radiopacity. 2010 , 21, 1427-34	58
1143	Effect of processing parameters on the microstructure and mechanical behavior of silica-calcium phosphate nanocomposite. 2010 , 21, 2087-94	9
1142	Effects of heat treatment of wood on hydroxylapatite type mineral precipitation and biomechanical properties in vitro. 2010 , 21, 2345-54	5
1141	A spectroscopic investigation into the setting and mechanical properties of titanium containing glass polyalkenoate cements. 2010 , 21, 2355-64	17
1140	Preparation of superhydrophilic microrough titanium implant surfaces by alkali treatment. 2010 , 21, 2751-63	72
1139	Synthesis and in vitro characterization of freeze-dried doxorubicin-loaded silica xerogels. 2010 , 53, 525-533	11
1138	In situ biomimetic synthesis, characterization and in vitro investigation of bone-like nanohydroxyapatite in starch matrix. <i>Materials Chemistry and Physics</i> , 2010 , 124, 217-222	4-4 33
1137	Structural, chemical and tribo-mechanical surface features of Ti and nitrided Ti submitted to hydrogen low energy implantation. <i>Materials Chemistry and Physics</i> , 2010 , 124, 443-452	4-4 8
1136	Temperature dependence of magnetic property and photocatalytic activity of Fe ₃ O ₄ /hydroxyapatite nanoparticles. 2010 , 45, 2036-2039	34

1135	Multicomponent nanostructured films for various tribological applications. 2010 , 28, 32-39	47
1134	Enhanced osteoblastic activity and bone regeneration using surface-modified porous bioactive glass scaffolds. 2010 , 94, 1023-33	23
1133	Interaction of endothelial cells with methacrylic terpolymer biomaterials. 2010 , 92, 289-97	13
1132	A review--micromorphological evidence of degradation in resin-dentin bonds and potential preventional solutions. 2010 , 92, 268-80	88
1131	Enhancement of octacalcium phosphate deposition on a titanium surface activated by electron cyclotron resonance plasma oxidation. 2010 , 93, 476-83	7
1130	Effect of monomer composition on crystal growth by resin containing bioglass. 2010 , 94, 127-33	6
1129	Analysis in vitro of the cytotoxicity of potential implant materials. I: Zirconia-titania sintered ceramics. 2010 , 94, 305-11	22
1128	Preparation and characterization of novel alkali-activated nano silica cements for biomedical application. 2010 , 95, 347-56	15
1127	Bioceramic Materials. 2010 , 347-419	
1126	In vitro bioactivity and biocompatibility of calcium phosphate cements using Hydroxy-propyl-methyl-Cellulose (HPMC). 2010 , 257, 1533-1539	20
1125	Shape-controlled synthesis of F-substituted hydroxyapatite microcrystals in the presence of Na ₂ EDTA and citric acid. 2010 , 350, 30-8	46
1124	Sol-gel synthesis of nanostructured hydroxyapatite powder in presence of polyethylene glycol. 2010 , 405, 2799-2802	21
1123	Apatite formation from simulated body fluid on various phases of TiO ₂ thin films prepared by filtered cathodic vacuum arc deposition. 2010 , 519, 1300-1306	18
1122	Nanomechanical properties of bioactive films grown on low energy ion implanted Ti. 2010 , 204, 2944-2949	6
1121	Biomimetic deposition of apatite coatings on micro-arc oxidation treated biomedical NiTi alloy. 2010 , 204, 3294-3299	60
1120	Si-doped multifunctional bioactive nanostructured films. 2010 , 205, 728-739	32
1119	Chitosan/apatite composite beads prepared by in situ generation of apatite or Si-apatite nanocrystals. 2010 , 6, 466-76	35
1118	Novel borate glass/chitosan composite as a delivery vehicle for teicoplanin in the treatment of chronic osteomyelitis. 2010 , 6, 812-9	72

1117	Nanotextured titanium surfaces for enhancing skin growth on transcutaneous osseointegrated devices. 2010 , 6, 2352-62		79
1116	Influence of design on bioactivity of novel CaSiO ₃ -CaMg(SiO ₃) ₂ bioceramics: in vitro simulated body fluid test and thermodynamic simulation. 2010 , 6, 2797-807		92
1115	Light-curable polymer/calcium phosphate nanocomposite glue for bone defect treatment. 2010 , 6, 2704-10		25
1114	Porous tantalum structures for bone implants: fabrication, mechanical and in vitro biological properties. 2010 , 6, 3349-59		326
1113	Bioengineering of the silica-polymerizing enzyme silicatein-alpha for a targeted application to hydroxyapatite. 2010 , 6, 3720-8		43
1112	Modified titanium surface with gelatin nano gold composite increases osteoblast cell biocompatibility. 2010 , 256, 5882-5887		37
1111	X-ray photoelectron spectroscopy study of the growth kinetics of biomimetically grown hydroxyapatite thin-film coatings. 2010 , 256, 7178-7185		13
1110	Bioceramics of calcium orthophosphates. <i>Biomaterials</i> , 2010 , 31, 1465-85	15.6	846
1109	The effect of heat- or ultra violet ozone-treatment of titanium on complement deposition from human blood plasma. <i>Biomaterials</i> , 2010 , 31, 4795-801	15.6	35
1108	Recyclable Fe ₃ O ₄ /hydroxyapatite composite nanoparticles for photocatalytic applications. 2010 , 165, 117-121		89
1107	Antibacterial properties, in vitro bioactivity and cell proliferation of titania/wollastonite composites. <i>Ceramics International</i> , 2010 , 36, 513-519	5.1	16
1106	Mineralized structures in nature: Examples and inspirations for the design of new composite materials and biomaterials. 2010 , 70, 1777-1788		108
1105	Influence of Sintering Temperature on Pore Structure and Apatite Formation of a Sol-Gel-Derived Bioactive Glass. 2010 , 93, 32-35		21
1104	Biomimetic Porous Titanium Scaffolds for Orthopedic and Dental Applications. 2010 ,		39
1103	Biocompatibility, osteointegration, osteoconduction, and biodegradation of a hydroxyapatite-polyhydroxybutyrate composite. 2010 , 53, 817-826		25
1102	Plasma immersion ion implantation (PIII) of light alloys. 2010 , 362-397		3
1101	Coatings for metallic biomaterials. 2010 , 260-282		6
1100	Synthesis of hydroxyapatite film utilizing carbon nanotubes as template. 2010 ,		

1099	Novel scaffolds of collagen with bioactive nanofiller for the osteogenic stimulation of bone marrow stromal cells. 2010 , 24, 733-50	17
1098	Calcium Orthophosphate Bioceramics. 2010 , 5, 57-100	3
1097	Poly(ϵ -Caprolactone) Reinforced with Sol-Gel Synthesized Organic-Inorganic Hybrid Fillers as Composite Substrates for Tissue Engineering. 2010 , 8, 146-152	10
1096	Designing biomaterials based on biomineralization of bone. 2010 , 20, 2911	134
1095	Microfibrinous β -TCP/collagen scaffolds mimic woven bone in structure and composition. 2010 , 5, 065005	14
1094	Bioactive Glass and Glass-Ceramic Scaffolds for Bone Tissue Engineering. 2010 , 3, 3867-3910	669
1093	Bonelike apatite formation utilizing carbon nanotubes as template. 2010 , 26, 4069-73	40
1092	Synthesis and In Vitro Bioactivity of TiO ₂ Nanorods. 2010 , 31, 1358-1361	2
1091	Octacalcium phosphate (OCP) collagen composites enhance bone healing in a dog tooth extraction socket model. 2010 , 39, 161-8	25
1090	Bone regeneration by octacalcium phosphate collagen composites in a dog alveolar cleft model. 2010 , 39, 1218-25	25
1089	Synthesis and in vitro characterization of freeze-dried doxorubicin-loaded silica/PEG composite. 2010 , 356, 1711-1720	16
1088	Preparation and in vitro evaluation of nanostructured TiO ₂ /TCP composite coating by plasma electrolytic oxidation. 2010 , 498, 172-178	40
1087	Material properties and composition of soft-tissue fixation. 2010 , 26, 821-31	61
1086	Fabrication and Characterization of Electrospun PLGA/MWNTs/ Hydroxyapatite Biocomposite Scaffolds for Bone Tissue Engineering. 2010 , 25, 241-259	59
1085	Calcium orthophosphates as bioceramics: state of the art. 2010 , 1, 22-107	163
1084	Models of structure, dynamics and reactivity of bioglasses: a review. 2010 , 20, 6848	79
1083	Ultrasonic, FTIR and thermal investigations of SiO ₂ -Na ₂ O-CaO-B ₂ O ₅ glasses doped with CeO ₂ . 2010 , 90, 4393-4407	
1082	Carbon Nanotube Composite Scaffolds and Coatings for Tissue Engineering Applications. 2010 , 441, 31-52	21

1081	Motif-programmed artificial proteins mediated nucleation of octacalcium phosphate on titanium substrates. 2010 , 46, 6675-7	10
1080	In vitro assessment of the differentiation potential of bone marrow-derived mesenchymal stem cells on genipin-chitosan conjugation scaffold with surface hydroxyapatite nanostructure for bone tissue engineering. 2011 , 17, 1341-9	63
1079	Apatite-coated hyaluronan for bone regeneration. 2011 , 90, 906-11	8
1078	The role of nanostructured mesoporous silicon in discriminating in vitro calcification for electrospun composite tissue engineering scaffolds. 2011 , 3, 354-61	54
1077	Bioactivity of a Chitosan Based Nanocomposite. 2011 , 10, 95-106	8
1076	Biofunctionalization of a "clickable" organic layer photochemically grafted on titanium substrates. 2011 , 27, 4848-56	26
1075	Macroporous Bioglass Scaffolds Prepared by Coupling SolâGel with Freeze Drying. 2011 , 23, 2327-2332	45
1074	Notice of Retraction: Human Osteosarcoma Cell Functions Enhanced by Nanoscale TiO ₂ with Different Surface Topography. 2011 ,	
1073	The biomimetic deposition of carbonate apatite induced by titanium base calcium enriched silica films. 2011 , 27, 240-245	1
1072	Osteoconductive and bioresorbable composites based on poly(L,L-lactide) and pseudowollastonite: from synthesis and interfacial compatibilization to in vitro bioactivity and in vivo osseointegration studies. 2011 , 12, 692-700	16
1071	Carbonate substituted hydroxyapatite (CHA) powder consolidated at 450°C. 2011 , 291, 012036	2
1070	Bioactive Ceramics and Bioactive Ceramic Composite-Based Scaffolds. 2011 , 255-268	
1069	Environment Benevolent Biodegradable Polymers: Synthesis, Biodegradability, and Applications. 2011 , 425-451	5
1068	Calcium Phosphates and Bone Induction. 2011 , 269-280	1
1067	Multifunctional Polymer Based Structures for Human Tissues Reconstruction. 2011 , 91-112	1
1066	Influence of the Chemical Composition on Nature and Activity of the Surface Layer of Zn-Substituted SolâGel (Bioactive) Glasses. 2011 , 115, 2196-2210	22
1065	Effect of Surface Characteristics on Bioactivity of Ceramic Coating on Ti6Al4v by Plasma Electrolytic Oxidation. 2011 , 320, 33-37	1
1064	Bioactive glass-based scaffolds for bone tissue engineering. 2012 , 126, 195-226	21

1063	Effect of electrolyte on surface properties of pure titanium coated by plasma electrolytic oxidation. 2011 , 509, S478-S481	60
1062	The structural role of titanium in Ca ²⁺ /Zn ²⁺ /Si/Ti glasses for medical applications. 2011 , 357, 1021-1026	30
1061	High-temperature X-ray analysis of phase evolution in Sr-doped zinc-silicate glasses. 2011 , 357, 2097-2102	7
1060	Silicon: The key element in early stages of biocalcification. 2011 , 174, 180-6	34
1059	Synthesis and in vitro behavior of β -TCP zirconia/polymeric biocomposites for bio-applications. 2011 , 9, 111-119	1
1058	Strategies for regeneration of the bone using porcine adult adipose-derived mesenchymal stem cells. 2011 , 75, 1381-99	64
1057	Biomaterials and Sol-gel Process: A Methodology for the Preparation of Functional Materials. 2011 , ,	2
1056	Resposta do tecido subcutâneo de camundongos à implantação de um novo biovidro à base de vidro de nióbio. 2011 , 16, 574-582	4
1055	Engineering Scaffold Mechanical and Mass Transport Properties. 2011 , 13-33	2
1054	Bioactive Layer Formation on Metals and Polymers. 2011 , 231-244	6
1053	Rod-shaped Hydroxyapatite Nanoparticle Formation by Maturation with AOT. 2011 , 40, 1085-1086	1
1052	Rod-shaped Hydroxyapatite Nanoparticle Formation Using AOT and Water without Oil. 2011 , 40, 400-401	3
1051	Preparation of Thin-film Hydroxyapatite/Polymer Hybrids. 2011 , 40, 458-460	13
1050	Bioactive Surfaces for Total Hip Prostheses. 2011 , 193-199	
1049	Effects of ionic products from silicon-substituted hydroxyapatite on the rat brain activity: Morris water maze studies and long term potentiation in hippocampal CA1. 2011 , 31, 1558-1566	2
1048	Bacterial adhesion reduction on a biocompatible Si ⁺ ion implanted austenitic stainless steel. 2011 , 31, 1567-1576	12
1047	Effects of heat treatments on the structure and mechanical properties of ZrO ₂ /Ti alloys. 2011 , 62, 157-163	35
1046	Hydroxyapatite coating on the titanium substrate modulated by a recombinant collagen-like protein. <i>Materials Chemistry and Physics</i> , 2011 , 126, 811-817	4.4 23

1045	Surface characteristics, properties and in vitro biological assessment of a NiTi shape memory alloy after high temperature heat treatment or surface H ₂ O ₂ -oxidation: A comparative study. <i>Materials Chemistry and Physics</i> , 2011 , 130, 45-58	4.4	10
1044	Fabrication of mesoporous carbonated hydroxyapatite/carbon nanotube composite coatings by microwave irradiation method. 2011 , 65, 1007-1009		17
1043	Microwave-hydrothermal synthesis and characterization of hydroxyapatite nanocrystallites. 2011 , 65, 3388-3390		32
1042	Effect of heat-treatment on grain growth of nanocrystalline tricalcium phosphate powder synthesized via the precipitation method. 2011 , 29, 203-208		1
1041	Possibilities and limitations of preparing silica/collagen/hydroxyapatite composite xerogels as load-bearing biomaterials. 2011 , 71, 1873-1880		46
1040	Molecularly imprinted hydroxyapatite thin film for bilirubin recognition. 2011 , 29, 167-71		45
1039	The toxic effect of fluoride on MG-63 osteoblast cells is also dependent on the production of nitric oxide. 2011 , 190, 179-86		15
1038	Formation and properties of bioactive surface layers on titanium. 2011 , 2, 474-481		34
1037	In-vitro investigation of magnetron-sputtered coatings based on silicon-substituted hydroxyapatite. 2011 , 5, 1202-1207		22
1036	Effect of water aging on the apatite formation of a low-modulus Ti-7.5Mo alloy treated with aqueous NaOH. 2011 , 46, 1369-1379		9
1035	The bioactivity and ion release of titanium-containing glass polyalkenoate cements for medical applications. 2011 , 22, 19-28		11
1034	Functionalization of titanium based metallic biomaterials for implant applications. 2011 , 22, 1147-59		17
1033	Silicate and borate glasses as composite fillers: a bioactivity and biocompatibility study. 2011 , 22, 1501-10		22
1032	Biomimetic calcium phosphate coating on Ti-7.5Mo alloy for dental application. 2011 , 22, 2457-65		13
1031	Influence of microstructure and chemical composition of sputter deposited TiO ₂ thin films on in vitro bioactivity. 2011 , 22, 2727-34		19
1030	Utilizing inverse micelles to synthesize calcium phosphate nanoparticles as nano-carriers. 2011 , 13, 3441-3454		18
1029	Preparation of sol-gel hybrid materials from ̢-methacryloxypropyltrimethoxysilane and tetramethyl orthosilicate: study of the hydrolysis and condensation reactions. 2011 , 289, 1875-1883		39
1028	Degradation, bioactivity, and osteogenic potential of composites made of PLGA and two different sol-gel bioactive glasses. 2011 , 39, 2114-29		71

1027	Synthesis and characterization of nanoporous sodium-substituted hydrophilic titania ceramics coated on 316L SS for biomedical applications. 2011 , 8, 595-604		13
1026	Bioactivity of Hench Bioglass and Corresponding Glass-Ceramic and the Effect of Transition Metal Oxides. 2011 , 3, 185-197		12
1025	Bone-guided regeneration: from inert biomaterials to bioactive polymer (nano)composites. 2011 , 22, 463-475		25
1024	Optimized electro- and wet-spinning techniques for the production of polymeric fibrous scaffolds loaded with bisphosphonate and hydroxyapatite. 2011 , 5, 253-63		67
1023	Mineral coatings for temporally controlled delivery of multiple proteins. 2011 , 23, 4279-84		54
1022	Bioceramics: from bone regeneration to cancer nanomedicine. 2011 , 23, 5177-218		300
1021	Response of murine bone marrow-derived mesenchymal stromal cells to dry-etched porous silicon scaffolds. 2011 , 99, 269-74		11
1020	Regulation on the biocompatibility of bioactive titanium metals by type I collagen. 2011 , 99, 125-34		16
1019	Portland cement for bone tissue engineering: Effects of processing and metakaolin blends. 2011 , 98, 308-15		13
1018	An aqueous synthesis of photocatalyst by selective dissolution of titanium oxide/hydroxyapatite composite. <i>Ceramics International</i> , 2011 , 37, 1563-1568	5.1	4
1017	Structural and material approaches to bone tissue engineering in powder-based three-dimensional printing. 2011 , 7, 907-20		350
1016	In vitro biodegradability and mechanical properties of bioabsorbable bacterial cellulose incorporating cellulases. 2011 , 7, 2835-45		83
1015	Clay enriched silk biomaterials for bone formation. 2011 , 7, 3036-41		76
1014	Removal of a textile dye by adsorption on synthetic calcium phosphates. 2011 , 275, 10-16		44
1013	A new supramolecular organic-inorganic adduct: $\{[Eu(CH_3OH)(H_2O)_8]_2[Eu(H_2O)_8][PW_{12}O_{40}]_3\} \cdot (C_{14}H_{20}O_5)_2 \cdot (C_{28}H_{40}O_{10})_6 \cdot (CH_3OH)_6 \cdot (H_2O)$. 2011 , 989, 80-85		1
1012	Variation of roughness and adhesion strength of deposited apatite layers on titanium dental implants. 2011 , 31, 320-324		51
1011	Enhanced bioactivity of self-organized ZrO ₂ nanotube layer by annealing and UV irradiation. 2011 , 31, 1104-1110		24
1010	The in vitro biomineralization and cytocompatibility of polydopamine coated carbon nanotubes. 2011 , 257, 4849-4855		62

1009	Nanomechanical and nanotribological properties of bioactive titanium surfaces prepared by alkali treatment. 2011 , 4, 756-65	22
1008	Tribo-mechanical characterization of rough, porous and bioactive Ti anodic layers. 2011 , 4, 796-806	37
1007	Reinforcement of calcium phosphate cement with multi-walled carbon nanotubes and bovine serum albumin for injectable bone substitute applications. 2011 , 4, 331-9	49
1006	Bone-like forming ability of apatite-silica wollastonite glass ceramic. 2011 , 31, 1549-1561	46
1005	Biocomposites and hybrid biomaterials based on calcium orthophosphates. 2011 , 1, 3-56	113
1004	Bioactive materials in orthopaedics. 2011 , 124-154	0
1003	Process Technology and Mechanical Properties of Polylactic Acid Ply Yarns and 316L Stainless Steel Braids. 2011 , 287-290, 2656-2659	3
1002	Nanomechanical Properties of Bioactive Ti Surfaces Obtained by NaOH-Based Anodic Oxidation and Alkali Treatment. 2011 , 493-494, 524-529	1
1001	Surface Morphology of P2O5-CaO-Nb2O5-Na2O Glass-Ceramics after Acid Treatment: SEM and XRD Study. 2011 , 493-494, 61-67	
1000	In Vitro Bioactivity Test of FA Added with TiO2 of Different Phases Coated on Ti-6Al-4V Substrates by Nd-YAG Laser Cladding Process. 2011 , 287-290, 2225-2229	1
999	Preparation and characterisation of bioactive hydroxyapatite-silica composite nanopowders via sol-gel method for medical applications. 2011 , 110, 8-14	19
998	Medical Application of Calcium Orthophosphate Bioceramics. 2011 , 1, 1-51	73
997	Preparation and Characterization of CaF2 Doped Bioglass Ceramics. 2011 , 11, 45-66	1
996	Sintering Behavior of Nanocrystalline Hydroxyapatite Produced by Wet Chemical Method. 2011 , 7, 845-849	5
995	Manufacturing of High Toughness Hydroxyapatite Produced by Wet Chemical Method. 2011 , 110-116, 1289-1295	
994	Structure and properties of nano-hydroxyapatite scaffolds for bone tissue engineering with a selective laser sintering system. 2011 , 22, 285703	97
993	Materials in Fracture Fixation. 2011 , 219-235	2
992	Preparation and characterisation of calcium phosphate-hyaluronic acid nanocomposite bone cement. 2011 , 110, 340-345	7

- 991 Bioactive porous titania formed by two-step chemical treatment of titanium substrates under high intensity ultrasonic field. **2011**, 27, 46-50 6
- 990 Preliminary Study of Manufacturing Technique Using Three Dimensions Stain Steel Braid for Bone Scaffold. **2012**, 184-185, 1424-1427
- 989 Titanium Dioxide (TiO₂) Films by Anodic Oxidation in Phosphoric Acid. **2012**, 545, 223-228 7
- 988 Osseous integration in porous tantalum implants. **2012**, 46, 505-13 28
- 987 The effect of poly(lactic-co-glycolic acid) (PLGA) coating on the mechanical, biodegradable, bioactive properties and drug release of porous calcium silicate scaffolds. **2012**, 22, 289-300 16
- 986 Bioactivity of Fibrous Polymer Based Nanocomposites for Application in Regenerative Medicine. **2012**, 714, 229-236 5
- 985 Preliminary Study of Manufacturing Technique Using Polyester/Stainless Steel Composite Braid for an Artificial Bone Scaffold. **2012**, 550-553, 1253-1257
- 984 Three Dimensional Stainless Steel Bone Scaffolds: Using the Electrochemical Technique to Coat Hydroxyapatite on Stainless Steel Braids. **2012**, 184-185, 1371-1374 1
- 983 Gel Oxidation of Titanium for Biomedical Application. **2012**, 620, 122-126 3
- 982 Surface modification of biomaterials using plasma immersion ion implantation and deposition. **2012**, 2, 325-36 96
- 981 Characterization and antibacterial efficacy of silver-coated Ca-Na-Zn-Si/Ti glasses. **2012**, 27, 433-43 5
- 980 Apatite-Wollastonite Bioactive Glass-Ceramic Scaffolds for Hard Tissue Engineering. **2012**, 506, 146-149 1
- 979 Effect of Metal Oxide Nanoparticles Addition on Physical Properties of Hydroxyapatite. **2012**, 506, 234-237
- 978 Influence of Surface Composition of Silicon-Based Material on their Bioactivity. **2012**, 512-515, 1826-1829
- 977 Porous tantalum as a structural graft in foot and ankle surgery. **2012**, 33, 179-89 32
- 976 Synthesis and Characterization of Bone Cement (Hydroxyapatite Base) Calcinated at 900°C and Loading the Silver Nanoparticles on it. **2012**, 622-623, 893-896
- 975 Hydroxyapatite-Coated Titanium-Based Preparation of Biomaterials by RF Magnetron Sputtering. **2012**, 531, 288-291
- 974 Design of bioactive electrospun scaffolds for bone tissue engineering. **2012**, 10, 223-8 13

973	Gel Oxidation of Titanium and Effect of UV Irradiation on Precipitation of Hydroxyapatite from Simulated Body Fluid. 2012 , 488-489, 1229-1237	4
972	Laser surface modification of nickel-titanium (NiTi) alloy biomaterials to improve biocompatibility and corrosion resistance. 2012 , 124-151	1
971	Transplantation of osteogenically differentiated mouse iPS cells for bone repair. 2012 , 21, 591-600	30
970	Calcium phosphate coating on Ti6Al4V by autocatalytic route. 2012 , 1, 221-228	5
969	Calcium Orthophosphates as Bioceramics. 2012 , 329-458	
968	Calcium Orthophosphate-Based Biocomposites and Hybrid Biomaterials Nomenclature. 2012 , 579-760	
967	Investigations on In Vitro and Degradation Properties of ZnO-Added Phosphate-Based Glasses and Glass Ceramics. 2012 , 95, 3490-3500	8
966	Determination of relative in vivo osteoconductivity of modified potassium fluorrichterite glass-ceramics compared with 45S5 bioglass. 2012 , 23, 2521-9	13
965	Improvement in antibacterial properties of Ti by electrodeposition of biomimetic Ca-apatite coat on anodized titania. 2012 , 261, 1-7	25
964	Biological behavior of osteoblast-like cells on titania and zirconia films deposited by cathodic arc deposition. 2012 , 7, 60	20
963	Development of hydroxyapatite nanorods-polycaprolactone composites and scaffolds derived from a novel in-situ sol-gel process. 2012 , 9, 295-303	12
962	Composite Bioceramics/Polymer Electrospun Scaffolds for Regenerative Medicine. 2012 , 529-530, 441-446	
961	Precision machining of medical devices. 2012 , 59-113	7
960	PLA/βTCP complex tubes: the mechanical properties and applications of artificial bone. 2012 , 23, 1701-12	12
959	Calcium phosphate cements modified with pore expanded SBA-15 materials. 2012 , 22, 14502	6
958	Additive manufacturing of wet-spun polymeric scaffolds for bone tissue engineering. 2012 , 14, 1115-27	100
957	Evaluating the biodegradability of Gelatin/Siloxane/Hydroxyapatite (GS-Hyd) complex in vivo and its ability for adhesion and proliferation of rat bone marrow mesenchymal stem cells. 2012 , 64, 485-95	11
956	Tailor-Made Fibrous Nanohydroxyapatite/Polydimethylsiloxane Composites: Excavating the Role of Nanofiller Aspect Ratio, Amorphicity, and Noncovalent Surface Interaction. 2012 , 116, 8763-8772	19

955	Polyhedral oligomeric silsesquioxane (POSS)-poly(ethylene glycol) (PEG) hybrids as injectable biomaterials. 2012 , 7, 035013	17
954	Effect of a bioactive glass-ceramic on the apatite nucleation on titanium surface modified by micro-arc oxidation. 2012 , 206, 4601-4605	12
953	Electrophoretic deposition of bioactive glass coating on 316L stainless steel and electrochemical behavior study. 2012 , 258, 9832-9839	49
952	Hydrothermal fabrication of hydroxyapatite on the PEG-grafted surface of wood from Chinese Glossy Privet. 2012 , 259, 643-649	4
951	Development of Niobium Oxide Coatings on Sand-Blasted Titanium Alloy Dental Implants. 2012 , 03, 301-305	2
950	Surfaces Inducing Biomineralization. 2012 , 333-351	
949	Nacre-Inspired Biomaterials. 2012 , 313-331	
948	Characterisation of the surface structure and bioactivity of glass and glass ceramics using surface topography. 2012 , 10, 1890-1898	1
947	Biological and Medical Significance of Nanodimensional and Nanocrystalline Calcium Orthophosphates. 2012 , 19-99	4
946	Economic route to sodium-containing silicate bioactive glass scaffold. 2012 , 01, 33-40	12
945	Calcium orthophosphate coatings, films and layers. 2012 , 1, 1	99
944	Novel low temperature processing techniques for apatite ceramics and chitosan polymer composite bulk materials and its mechanical properties. 2012 , 262, 263-266	13
943	Modification of silica surface with nonstoichiometric calcium phosphate and its effects on protein adsorption and osteoblast response. 2012 , 213, 291-298	4
942	Effect of partial crystallization on the mechanical properties and cytotoxicity of bioactive glass from the $3\text{CaO}\cdot\text{P}(2)\text{O}(5)\text{-SiO}(2)\text{-MgO}$ system. 2012 , 14, 78-88	24
941	Failure behavior of plasma-sprayed HAp coating on commercially pure titanium substrate in simulated body fluid (SBF) under bending load. 2012 , 15, 153-66	38
940	Tuning the Biomineralization Process for Controlling the Nucleation and Oriented Growth of $\text{Ca}\hat{\text{a}}\text{P}$ Crystals onto Functionalized Carbon Nanotubes. 2012 , 116, 3400-3404	3
939	Tailoring bimetallic alloy surface properties by kinetic control of self-diffusion processes at the nanoscale. 2012 , 134, 16827-33	11
938	Bioactive Titanium Oxide-Based Nanostructures Prepared by One-Step Hydrothermal Anodization. 2012 , 116, 8054-8062	17

937	Nanoparticle-Based Material Shaping. 2012 , 263-328		0
936	Biocompatibility of electrospun halloysite nanotube-doped poly(lactic-co-glycolic acid) composite nanofibers. 2012 , 23, 299-313		79
935	Dissolution of Plasma-Sprayed Wollastonite Coatings: The Effects of Microstructure Coupled with Stress. 2012 , 21, 908-916		1
934	Sol-Gel Derived Glasses for Medicine. 2012 , 29-44		4
933	Tissue Engineering III: Cell - Surface Interactions for Tissue Culture. 2012 ,		6
932	Progress and challenges in biomaterials used for bone tissue engineering: bioactive glasses and elastomeric composites. 2012 , 1, 2		128
931	Osteoconductive Nanocomposite Materials for Bone Regeneration. 2012 , 730-732, 38-43		8
930	Effect of MgO addition on the crystallization and in vitro bioactivity of glass ceramics in the CaO-MgO-SiO ₂ -P ₂ O ₅ system. <i>Ceramics International</i> , 2012 , 38, 6677-6684	5.1	39
929	PREPARATION AND CHARACTERIZATION OF HYDROXYAPATITE-SILICA COMPOSITE NANOPOWDERS. 2012 , 05, 630-637		3
928	Fabrication of CaO-NaO-SiO ₂ /TiO ₂ scaffolds for surgical applications. 2012 , 23, 2881-91		13
927	Collagen-templated bioactive titanium dioxide porous networks for drug delivery. 2012 , 4, 4717-25		39
926	PHOSPHATE GLASSES AND GLASS-CERAMICS FOR BIOMEDICAL APPLICATIONS. 2012 , 26, 8-15		18
925	Biocomposite Materials. 2012 ,		2
924	PREPARATION AND APATITE-FORMING ABILITY OF CaSO ₄ -PHOSPHATE GLASS COMPOSITES. 2012 , 26, 95-100		
923	Calcium phosphate growth at electropolished titanium surfaces. 2012 , 3, 327-48		13
922	Mechanical properties of radial bone defects treated with autogenous graft covered with hydroxyapatite in rabbit. 2012 , 27, 256-9		15
921	A review of the application of anodization for the fabrication of nanotubes on metal implant surfaces. 2012 , 8, 2875-88		288
920	MgO-doped tantalum coating on Ti: microstructural study and biocompatibility evaluation. 2012 , 4, 577-80		42

919	Bioactivity and viscoelastic characterization of chitosan/bioglass composite membranes. 2012 , 12, 1106-13	26
918	In vitro and in vivo study of calcium polyphosphate fiber/calcium phosphate cement/micromorselized bone composite for bone defect repair. 2012 , 100, 1190-7	7
917	Machining of a bioactive nanocomposite orthopedic fixation device. 2012 , 100, 1545-55	2
916	Recent advances in research applications of nanophase hydroxyapatite. 2012 , 13, 2495-506	87
915	Gallium containing glass polyalkenoate anti-cancerous bone cements: glass characterization and physical properties. 2012 , 23, 1823-33	26
914	Development of strong and bioactive calcium phosphate cement as a light-cure organic-inorganic hybrid. 2012 , 23, 1569-81	13
913	Oxidative stress and antioxidant responses of liver and kidney tissue after implantation of titanium or titanium oxide coated plate in rat tibiae. 2012 , 23, 1763-74	7
912	Radiolabeled gelatin type B analogues can be used for non-invasive visualisation and quantification of protein coatings on 3D porous implants. 2012 , 23, 1961-9	4
911	Sorption behavior of hydroxyapatite for 109Cd(II) as a function of environmental conditions. 2012 , 292, 545-553	7
910	The enhancement of bone regeneration by a combination of osteoconductivity and osteostimulation using $\text{ECaSiO}_3/\text{ECa}_3(\text{PO}_4)_2$ composite bioceramics. 2012 , 8, 350-60	106
909	Structural and Spectroscopic Studies of Hydroxyapatite Nanorods Formed via Microwave-Assisted Synthesis Route. 2012 , 95, 2709-2715	34
908	Biocompatible alginate/nano bioactive glass ceramic composite scaffolds for periodontal tissue regeneration. 2012 , 87, 274-283	202
907	Alternating current electrophoretic deposition (EPD) of TiO_2 nanoparticles in aqueous suspensions. 2012 , 375, 102-5	41
906	Preparation, characterization, corrosion behavior and bioactivity of Ni_2O_3 -doped TiO_2 nanotubes on NiTi alloy. 2012 , 70, 382-393	72
905	Mechanical properties and biomineralization of multifunctional nanodiamond-PLLA composites for bone tissue engineering. <i>Biomaterials</i> , 2012 , 33, 5067-75	15.6 166
904	Evaluation of the micro-hardness and fracture toughness of amorphous and partially crystallized $3\text{CaO} \cdot \text{P}_2\text{O}_5 \cdot \text{SiO}_2 \cdot \text{MgO}$ bioglasses. 2012 , 533, 26-32	13
903	Oxidative stress and apoptosis induced by hydroxyapatite nanoparticles in C6 cells. 2012 , 100, 738-45	50
902	Enhancing the bioactivity of zirconia and zirconia composites by surface modification. 2012 , 100, 832-40	24

901	Removal of Co(II) from aqueous solution by using hydroxyapatite. 2012 , 291, 777-785	18
900	In vitro release kinetics and physical, chemical and mechanical characterization of a POVIAC [®] /CaCO ₃ /HAP-200 composite. 2012 , 23, 259-70	5
899	Evaluation of the behaviour of fluorine-containing bioactive glasses: reactivity in a simulated body fluid solution assisted by multivariate data analysis. 2012 , 23, 639-48	5
898	Evaluation of moldable, in situ hardening calcium phosphate bone graft substitutes. 2013 , 24, 149-57	40
897	Commercially pure titanium implants with surfaces modified by laser beam with and without chemical deposition of apatite. Biomechanical and topographical analysis in rabbits. 2013 , 24, 896-903	20
896	Mechanical properties and bioactivity of high-performance poly(etheretherketone)/carbon nanotubes/bioactive glass biomaterials. 2013 , 20, 1	13
895	Synthesis, characterization and cytocompatibility of spherical bioactive glass nanoparticles for potential hard tissue engineering applications. 2013 , 8, 025011	65
894	Effect of ammonia or nitric acid treatment on surface structure, in vitro apatite formation, and visible-light photocatalytic activity of bioactive titanium metal. 2013 , 111, 503-8	3
893	Enhanced bioactivity and bacteriostasis effect of TiO ₂ nanofilms with favorable biomimetic architectures on titanium surface. 2013 , 3, 11214	36
892	Electrospun inorganic and polymer composite nanofibers for biomedical applications. 2013 , 24, 365-85	54
891	Characterisation of Ga ₂ O ₃ -Na ₂ O-Ta ₂ O ₅ -ZnO-Bi ₂ O ₃ bioactive glasses. 2013 , 48, 3999-4007	15
890	In vitro bioactivity, cytocompatibility, and antibiotic release profile of gentamicin sulfate-loaded borate bioactive glass/chitosan composites. 2013 , 24, 2391-403	22
889	Diamond as a scaffold for bone growth. 2013 , 24, 849-61	25
888	Fabrication and characterization of porous Ti-7.5Mo alloy scaffolds for biomedical applications. 2013 , 24, 645-57	23
887	In vivo testing of canine prosthetic femoral components with HA-Ti ladder-type coating on vacuum plasma-sprayed Ti substrate. 2013 , 33, 543-550	
886	Application of β -1,3-glucan in production of ceramics-based elastic composite for bone repair. 2013 , 8, 534-548	5
885	Characterization and thermal degradation of poly(d,l-lactide-co-glycolide) composites with nanofillers. 2013 , 53, 1414-1429	22
884	PLLA-HA vs. PLGA-HA characterization and comparative analysis. 2013 , 34, 1433-1442	10

883	Design and functionalization of chitin-based microsphere scaffolds. 2013 , 15, 3252		35
882	Scaffold Design for Bone Tissue Engineering: From Micrometric to Nanometric Level. 2013 , 1-16		1
881	Calcium Phosphate Coatings Incorporated in Mesoporous TiO ₂ /SBA-15 by a Facile Inner-pore Sol-gel Process toward Enhanced Adsorption-photocatalysis Performances. 2013 , 130916100033003		6
880	Microwave assisted preparation of magnesium phosphate cement (MPC) for orthopedic applications: a novel solution to the exothermicity problem. 2013 , 33, 4288-94		45
879	Development of multi-walled carbon nanotubes reinforced monetite bionanocomposite cements for orthopedic applications. 2013 , 33, 4323-30		27
878	Bioactive Ceramic and Metallic Surfaces for Bone Engineering. 2013 , 337-374		15
877	Nanostructured hydroxyapatite/poly(lactic-co-glycolic acid) composite coating for controlling magnesium degradation in simulated body fluid. 2013 , 24, 375103		45
876	Hybrid biodegradable membranes of silane-treated chitosan/soy protein for biomedical applications. 2013 , 28, 385-397		9
875	Cytocompatibility, osseointegration, and bioactivity of three-dimensional porous and nanostructured network on polyetheretherketone. <i>Biomaterials</i> , 2013 , 34, 9264-77	15.6	229
874	Effect of Si-incorporation on hydrophilicity and bioactivity of titania film. 2013 , 229, 156-161		11
873	Laser Technology in Biomimetics. 2013 ,		8
872	Preparation of HA-Bioglass-Al ₂ O ₃ Biological Composite. 2013 , 130905035547000		
871	In vitro evaluation of bioactive strontium-based ceramic with rabbit adipose-derived stem cells for bone tissue regeneration. 2013 , 24, 2831-44		13
870	Fabrication of Macroscopically Flexible and Highly Porous 3D Semiconductor Networks from Interpenetrating Nanostructures by a Simple Flame Transport Approach. 2013 , 30, 775-783		240
869	Multifunctional porous titanium oxide coating with apatite forming ability and photocatalytic activity on a titanium substrate formed by plasma electrolytic oxidation. 2013 , 33, 4871-5		32
868	Advanced composites for hard-tissue engineering based on PCL/organic-inorganic hybrid fillers: From the design of 2D substrates to 3D rapid prototyped scaffolds. 2013 , 34, 1413-1417		46
867	Adhesion of sodium dodecyl sulfate surfactant monolayers with TiO ₂ (rutile and anatase) surfaces. 2013 , 29, 11609-14		7
866	Microscopic observations of osteoblast growth on micro-arc oxidized titanium. 2013 , 266, 73-80		25

865	Layer-by-layer self-assembly techniques for nanostructured devices in tissue engineering. 2013 , 88-118	3
864	Sol-gel derived bioactive glass ceramics for dental applications. 2013 , 194-231	6
863	Ceramics, Glasses, and Glass-Ceramics: Basic Principles. 2013 , 128-151	13
862	Natural and Synthetic Hydroxyapatites. 2013 , 151-161	5
861	Tissue engineering and regenerative medicine: recent innovations and the transition to translation. 2013 , 19, 1-13	181
860	Comparison of bone regeneration between octacalcium phosphate/collagen composite and tricalcium phosphate in canine calvarial defect. 2013 , 115, 9-17	25
859	Nontoxic poly(ethylene oxide phosphonamidate) hydrogels as templates for biomimetic mineralization of calcium carbonate and hydroxyapatite architectures. 2013 , 48, 288-298	5
858	Preparation process of a highly resistant wollastonite bioceramics using local raw materials. 2013 , 111, 203-211	41
857	Comparative in vivo study of commercially pure Ti implants with surfaces modified by laser with and without silicate deposition: biomechanical and scanning electron microscopy analysis. 2013 , 101, 76-84	19
856	Silk fibroin-based scaffolds for bone regeneration. 2013 , 101, 295-302	35
855	Suspension plasma sprayed bioactive glass coatings: Effects of processing on microstructure, mechanical properties and in-vitro behaviour. 2013 , 220, 52-59	40
854	Investigating the mechanical durability of bioactive glasses as a function of structure, solubility and incubation time. 2013 , 380, 25-34	19
853	Biomimetic hydroxyapatite grown on biomedical polymer coated with titanium dioxide interlayer to assist osteocompatible performance. 2013 , 549, 98-102	15
852	In vitro bioactivity and biocompatibility of a Co-Cr-Mo alloy after heat treatment in contact with different bioactive systems. <i>Ceramics International</i> , 2013 , 39, 2003-2011	5.1 9
851	Electrochemical corrosion and bioactivity of titanium-hydroxyapatite composites prepared by spark plasma sintering. 2013 , 70, 212-220	68
850	Gallium-containing phosphosilicate glasses: functionalization and in-vitro bioactivity. 2013 , 33, 3190-6	18
849	Acid neutralizing, mechanical and physical properties of pit and fissure sealants containing melt-derived 45S5 bioactive glass. 2013 , 29, 1228-35	42
848	Corrosion resistance and biocompatibility of titanium surface coated with amorphous tantalum pentoxide. 2013 , 528, 130-135	46

847	Ion-association complexes unite classical and non-classical theories for the biomimetic nucleation of calcium phosphate. 2013 , 4, 1507	457
846	Characterization of the surface biocompatibility of an electrospun nylon 6/CaP nanofiber scaffold using osteoblasts. 2013 , 215-216, 57-64	41
845	Scaffolds for bone tissue engineering: role of surface patterning on osteoblast response. 2013 , 3, 11073	76
844	Bone formation controlled by biologically relevant inorganic ions: role and controlled delivery from phosphate-based glasses. 2013 , 65, 405-20	177
843	Modification of a TiâMo alloy surface via plasma electrolytic oxidation in a solution containing calcium and phosphorus. 2013 , 96, 180-190	33
842	Preparation and characterization of microporous layers on titanium by anodization in sulfuric acid with and without hydrogen charging. 2013 , 5, 3340-7	11
841	Effect of nitrogen and fluorine on mechanical properties and bioactivity in two series of bioactive glasses. 2013 , 23, 133-48	19
840	Electrophoretic deposition of nanostructured-TiO ₂ /chitosan composite coatings on stainless steel. 2013 , 3, 11247	61
839	Microstructure, composition and hardness of laser-assisted hydroxyapatite and Ti-6Al-4V composite coatings. 2013 , 232, 482-488	25
838	Bioactive Glass Nanoparticles for Periodontal Regeneration and Applications in Dentistry. 2013 , 299-322	4
837	Effect of sputtering parameters and substrate composition on the structure of tantalum thin films. 2013 , 282, 1-6	17
836	Sintering properties of hydroxyapatite powders prepared using different methods. <i>Ceramics International</i> , 2013 , 39, 111-119	5.1 70
835	Bioactivity and structural properties of nanostructured bulk composites containing Nb ₂ O ₅ and natural hydroxyapatite. 2013 , 113, 223505	16
834	Fabrication of Titanium/Fluorapatite Composites and In Vitro Behavior in Simulated Body Fluid. <i>Journal of Materials Science and Technology</i> , 2013 , 29, 523-532	9.1 7
833	Electrochemical construction of microâano spongelike structure on titanium substrate for enhancing corrosion resistance and bioactivity. 2013 , 107, 16-25	19
832	Enhanced apatite-forming ability and cytocompatibility of porous and nanostructured TiO ₂ /CaSiO ₃ coating on titanium. 2013 , 101, 83-90	44
831	Novel silicificated PVAc/POSS composite nanofibrous mat via facile electrospinning technique: potential scaffold for hard tissue engineering. 2013 , 102, 795-802	33
830	Mechanical and microstructure of reinforced hydroxyapatite/calcium silicate nano-composites materials. 2013 , 44, 461-468	33

829	Synthesis and characterization of a novel mesoporous bioactive glass/hydroxyapatite nanocomposite. 2013 , 92, 444-447	19
828	The fabrication of nanocomposites via calcium phosphate formation on gelatin-chitosan network and the gelatin influence on the properties of biphasic composites. 2013 , 33, 370-5	16
827	Novel method for early investigation of bioactivity in different borate bio-glasses. 2013 , 100, 120-6	44
826	Ultrathin conformal coating of apatite nanostructures onto electrospun nylon 6 nanofibers: Mimicking the extracellular matrix. 2013 , 228, 708-716	30
825	Effects of carbon and nitrogen plasma immersion ion implantation on in vitro and in vivo biocompatibility of titanium alloy. 2013 , 5, 1510-6	70
824	Micro/nanostructured hyaluronic acid matrices with tuned swelling and drug release properties. 2013 , 14, 1-9	31
823	Biomedical applications of ceramic nanocomposites. 2013 , 530-547	6
822	Bone regeneration assessment by optical coherence tomography and MicroCT synchrotron radiation. 2013 ,	0
821	Anodic Oxidation of Titanium in Mixture of Glycerophosphate (EGP) and Calcium Acetate (CA). 2013 , 594-595, 275-280	9
820	Apatite mineralization behavior on polyglutamic acid hydrogels in aqueous condition: effects of molecular weight. 2013 , 23, 339-47	3
819	Improvement of Compressive Properties of Porous HA Scaffold by Introducing PCL Secondary Phase. 2013 , 858, 96-102	1
818	Mechanical Properties and Bioactive Surface Modification via Alkali-Heat Treatment of Porous Titanium for Biomedical Applications. 2013 , 647, 511-517	2
817	Phosphating of Calcium Carbonate for Obtaining Hydroxyapatite from the Ostrich Egg Shell. 2013 , 587, 69-73	
816	A Taguchi Design Study for Optimisation of Plasma Sprayed Hydroxyapatite Coatings. 2013 , 773-774, 590-601	
815	Hydroxyapatite and Titanium Composite Coatings on Austenitic Stainless Steel Substrates Using Direct Material Deposition. 2013 , 773-774, 602-615	
814	The Investigation of Bioactivity and Mechanical Properties of Glass Ionomer Cements Prepared from Al ₂ O ₃ -SiO ₂ Glass and Poly(ϵ -glutamic acid). 2013 , 2013, 1-6	3
813	Biomechanical properties of novel biodegradable poly(ϵ -caprolactone-chitosan scaffolds. 2013 , 4, 26-33	8
812	Influence of zirconium doping on the growth of apatite and corrosion behavior of DLC-coated titanium alloy Ti-3Nb-3Zr. 2013 , 45, 1785-1791	20

811	In vivo evaluation of CaO-SiO ₂ -P ₂ O ₅ -B ₂ O ₃ glass-ceramics coating on Steinman pins. 2013 , 37, 656-62	9
810	In vitro cytotoxicity and in vivo osseointegration properties of compression-molded HDPE-HA-Al ₂ O ₃ hybrid biocomposites. 2013 , 101, 1539-49	18
809	In vitro endothelialization of electrospun terpolymer scaffolds: evaluation of scaffold type and cell source. 2013 , 19, 79-90	8
808	High biocompatibility and improved osteogenic potential of novel Ca-P/titania composite scaffolds designed for regeneration of load-bearing segmental bone defects. 2013 , 101, 1612-9	19
807	Preparation and in vitro apatite-forming ability of porous and non-porous titania microspheres. 2013 , 121, 782-787	6
806	Organic-inorganic composites designed for biomedical applications. 2013 , 36, 1670-5	23
805	Structure and bioactivity of Ti/bioactive glass "hanging landscape coatings" 2013 , 1, 209-223	2
804	Formation of Rectangular Plate-like γ -MnOOH and Sheet-like γ -MnOOH by Slow Diffusion of Ammonia Vapor. 2013 , 42, 341-343	4
803	Nanotechnology for dental implants. 2013 , 28, e535-46	28
802	Solution Process for Synthesizing Bioactive Nano-Mesh Layer on Ti-Based Bulk Metallic Glasses. 2013 , 54, 1343-1346	5
801	Effect of Autoclave and Hot Water Treatments on Surface Structure and In Vitro Apatite-Forming Ability of NaOH- and Heat-Treated Bioactive Titanium Metal. 2013 , 54, 811-816	13
800	In vitro biomineralization of a novel hydroxyapatite/superhydrophilic multiwalled carbon nanotube nanocomposite using simulated body fluids. 2013 , 16, 650-654	
799	Proposed model for biomineralization of novel nanohydroxyapatite/vertically aligned multiwalled carbon nanotube scaffolds. 2013 , 16, 661-667	
798	Crystal growth on bioactive glass sputter-coated alumina in artificial saliva. 2013 , 32, 775-80	8
797	Biomineralization on chemically synthesized collagen containing immobilized poly- γ -glutamic acid. 2013 , 32, 544-9	11
796	In situ Preparation of Poly(L-lactic acid)/hydroxyapatite Composites as Artificial Bone Materials. 2013 , 70, 185-192	1
795	A novel controlled-release system for antibacterial enzyme lysostaphin delivery using hydroxyapatite/chitosan composite bone cement. 2014 , 9, e113797	21
794	Métodos de reforço microestrutural da hidroxiapatita. 2014 , 60, 402-410	5

793	Physical and biological characteristics of nanohydroxyapatite and bioactive glasses used for bone tissue engineering. 2014 , 3,	31
792	Synthesis of a novel bioactive glass using the ultrasonic energy assisted hydrothermal method and their biocompatibility evaluation. <i>Journal of Materials Research</i> , 2014 , 29, 1781-1789	2.5 4
791	Effect of TiO ₂ addition on surface microstructure and bioactivity of fluorapatite coatings deposited using Nd:YAG laser. 2014 , 228, 379-87	4
790	In vitro apatite formation on porous anodic alumina induced by a phosphorylation treatment. 2014 , 29, 321-8	12
789	Mineral deposition at dental adhesive resin containing niobium pentoxide. 2014 , 2,	13
788	Poly(L-lactic acid)/vaterite composite coatings on metallic magnesium. 2014 , 25, 2639-47	6
787	Synthesis and chemical characterization of new silica polyethylene glycol hybrid nanocomposite materials for controlled drug delivery. 2014 , 24, 320-325	41
786	On the Microstructure of a Biocomposite Fabricated from Bioceramics and 3D Ti-Mesh by Dip Coating Method. 2014 , 556-562, 355-361	
785	Current strategies to improve the bioactivity of PEEK. 2014 , 15, 5426-45	237
784	Competitiveness of chitosan-based implants. 2014 , 26, 77-88	1
783	Electrophoretic Deposition of Chitosan/h-BN and Chitosan/h-BN/TiO ₂ Composite Coatings on Stainless Steel (316L) Substrates. 2014 , 7, 1814-1829	51
782	Bioactivity Assessment of Poly(ϵ -caprolactone)/Hydroxyapatite Electrospun Fibers for Bone Tissue Engineering Application. 2014 , 2014, 1-6	26
781	Synthesis and cytotoxicity of carbon nanotube/hydroxyapatite in situ composite powders prepared by chemical vapour deposition. 2014 , 18, S2-338-S2-343	1
780	Sm:HAp Nanopowders Present Antibacterial Activity against <i>Enterococcus faecalis</i> . 2014 , 2014, 1-9	19
779	Electrophoretic deposition of nanostructured TiO ₂ /alginate and TiO ₂ -bioactive glass/alginate composite coatings on stainless steel. 2014 , 113, 42-49	35
778	Influence of heat treatments upon the mechanical properties and in vitro bioactivity of ZrO ₂ -toughened MgO-CaO-SiO ₂ -P ₂ O ₅ -CaF ₂ glass-ceramics. 2014 , 9, 031014	6
777	Synthesis of zirconia/polyethylene glycol hybrid materials by sol-gel processing and connections between structure and release kinetic of indomethacin. 2014 , 21, 595-604	21
776	Interaction between mesenchymal stem cells and Ti-30Ta alloy after surface treatment. 2014 , 102, 2147-56	13

775	Biological Performance of Calcium Pyrophosphate-coated Porous Alumina Scaffolds. 2014 , 11, 1-11		13
774	Histometric analysis and topographic characterization of cp Ti implants with surfaces modified by laser with and without silica deposition. 2014 , 102, 1677-88		11
773	PDMS-modified CaO-SiO ₂ hybrids derived by a sol-gel process for biomedical applications. 2014 , 35, 1193-1197		4
772	Chapter 11: Surface Structure of Nanocomposites and Its Properties: A Practical Example. 2014 , 473-515		2
771	An in vitro biomechanical evaluation of a new commercial titanium-zirconium alloy dental implant: a pilot study. 2014 , 23, 534-8		13
770	Ion Beam Etching on Ti-30Ta Alloy for Biomedical Application. 2014 , 805, 57-60		6
769	Effect of the Mg ²⁺ Substitution on the Sintering Behavior and Compressive Strength of Doped TCP/CP Ceramics. 2014 , 798-799, 466-471		
768	The Effect of the Two-Step Sintering Process on Consolidation of Fluoridated Hydroxyapatite and its Mechanical Properties and Bioactivity. 2014 , 11, 47-56		15
767	Poly(D, L-lactic)-reinforced akermanite bioceramic scaffolds: Preparation and characterization. <i>Ceramics International</i> , 2014 , 40, 12765-12775	5:1	14
766	Synthesis and characterization of wollastonite glass-ceramics for dental implant applications. 2014 , 30, 364-71		42
765	Antimicrobial activity and cytocompatibility of Ag plasma-modified hierarchical TiO ₂ film on titanium surface. 2014 , 113, 134-45		64
764	Mechanical evaluation of calcium-zirconium-silicate (baghdadite) obtained by a direct solid-state synthesis route. 2014 , 34, 294-301		49
763	Development of monetite/phosphorylated chitosan composite bone cement. 2014 , 102, 260-6		17
762	Evaluation of in vitro and in vivo osteogenic differentiation of nano-hydroxyapatite/chitosan/poly(lactide-co-glycolide) scaffolds with human umbilical cord mesenchymal stem cells. 2014 , 102, 760-8		35
761	In vitro biocompatibility of chitosan/hyaluronic acid-containing calcium phosphate bone cements. 2014 , 37, 1507-16		26
760	Development of sol-gel-derived multi-wall carbon nanotube/hydroxyapatite nanocomposite powders for bone substitution. 2014 , 48, 483-489		20
759	Crystal structure and nanotopographical features on the surface of heat-treated and anodized porous titanium biomaterials produced using selective laser melting. 2014 , 290, 287-294		64
758	A novel injectable borate bioactive glass cement for local delivery of vancomycin to cure osteomyelitis and regenerate bone. 2014 , 25, 733-45		32

757	Characterization and bioactive properties of zirconia based polymeric hybrid for orthopedic applications. 2014 , 25, 347-54	9
756	Novel injectable biomaterials for bone augmentation based on isosorbide dimethacrylic monomers. 2014 , 40, 76-84	12
755	Effect of Sr on the bioactivity and corrosion resistance of nanoporous niobium oxide coating for orthopaedic applications. 2014 , 36, 194-205	15
754	Formation of carbonated hydroxyapatite films on metallic surfaces using dihexadecyl phosphate-LB film as template. 2014 , 118, 31-40	23
753	In vitro bioactivity of implantable Ti materials coated with PVAc membrane layer. 2014 , 126, 267-270	17
752	Novel porous Al ₂ O ₃ -SiO ₂ -TiO ₂ bone grafting materials: formation and characterization. 2014 , 28, 813-24	12
751	Fabrication, characterization and in vitro biocompatibility evaluation of porous Ta-Nb alloy for bone tissue engineering. 2014 , 40, 71-5	21
750	Pulsed laser deposition and in vitro characteristics of triphasic - HASi composition on titanium. 2014 , 28, 849-58	5
749	Synthesis and characterization of nanocomposite scaffolds based on triblock copolymer of L-lactide, ε-caprolactone and nano-hydroxyapatite for bone tissue engineering. 2014 , 42, 199-210	68
748	Thermally induced phase separation followed by in situ sol-gel process: A novel method for PVDF/SiO ₂ hybrid membranes. 2014 , 465, 56-67	67
747	Investigating the surface reactivity of SiO ₂ -TiO ₂ -CaO-Na ₂ O/SrO bioceramics as a function of structure and incubation time in simulated body fluid. 2014 , 25, 1853-64	6
746	Preparation of titanium oxide and hydroxyapatite on Ti-6Al-4V alloy surface and electrochemical behaviour in bio-simulated fluid solution. 2014 , 80, 331-338	79
745	Significance of calcium phosphate coatings for the enhancement of new bone osteogenesis--a review. 2014 , 10, 557-79	511
744	Optical imaging of fibrin deposition to elucidate participation of mast cells in foreign body responses. <i>Biomaterials</i> , 2014 , 35, 2089-2096	15.6 15
743	Striped, bioactive Ce-TiO materials with peroxy nitrite-scavenging activity. 2014 , 2, 834-845	12
742	Investigation on bioactivity and cytotoxicity of mesoporous nano-composite MCM-48/hydroxyapatite for ibuprofen drug delivery. <i>Ceramics International</i> , 2014 , 40, 7355-7362	5.1 45
741	The increase of apatite layer formation by the poly(3-hydroxybutyrate) surface modification of hydroxyapatite and tricalcium phosphate. 2014 , 34, 236-44	20
740	Biocompatibility improvement of titanium implants by coating with hybrid materials synthesized by sol-gel technique. 2014 , 102, 4473-9	30

739	Updates in biological therapies for knee injuries: bone. 2014 , 7, 220-7	2
738	Bioceramics for skeletal bone regeneration. 2014 , 180-216	6
737	Mechanical and shape-memory properties of poly(mannitol sebacate)/cellulose nanocrystal nanocomposites. 2014 , 52, 3123-3133	38
736	The influence of the Hubbard U parameter in simulating the catalytic behaviour of cerium oxide. 2014 , 16, 21032-8	12
735	Porous silicon and related composites as functional tissue engineering scaffolds. 2014 , 470-485	4
734	Highly ordered mesoporous bioactive glass with high surface areas using H ₃ PO ₄ as the catalyst. 2014 , 402, 149-152	8
733	Interfacial characteristics and determination of cohesive and adhesive strength of plasma-coated hydroxyapatite via nanoindentation and microscratch techniques. 2014 , 30, 11412-20	15
732	Synthesis and characterization of selenium substituted hydroxyapatite via a hydrothermal procedure. 2014 , 134, 123-125	26
731	The influence of polymeric component of bioactive glass-based nanocomposite paste on its rheological behaviors and in vitro responses: hyaluronic acid versus sodium alginate. 2014 , 102, 561-73	20
730	Sol-gel derived bioactive glasses with low tendency to crystallize: synthesis, post-sintering bioactivity and possible application for the production of porous scaffolds. 2014 , 43, 573-86	47
729	In vitro assessment of three dimensional dense chitosan-based structures to be used as bioabsorbable implants. 2014 , 40, 413-425	15
728	Preparation and properties of calcium-silicate filled resins for dental restoration. Part I: chemical-physical characterization and apatite-forming ability. 2014 , 72, 597-606	3
727	Characterization of hydroxyapatite deposition on biomimetic polyphosphazenes by time-of-flight secondary ion mass spectrometry (ToF-SIMS). 2014 , 4, 19680-19689	5
726	Biocompatible nanocrystalline natural bonelike carbonated hydroxyapatite synthesized by mechanical alloying in a record minimum time. 2014 , 42, 647-56	37
725	Electrodeposition of nanostructured bioactive hydroxyapatite-heparin composite coatings on titanium for dental implant applications. 2014 , 25, 1425-34	11
724	Preparation, characterization, in vitro bioactivity, and cellular responses to a polyetheretherketone bioactive composite containing nanocalcium silicate for bone repair. 2014 , 6, 12214-25	72
723	Biomimetic Synthesis, Characterization, and Adhesion Properties of Bone-Like Apatite on Heat and Alkaline-Treated Titanium Alloy. 2014 , 44, 1535-1540	4
722	Atomically resolved tissue integration. 2014 , 14, 4220-3	38

721	Design and Microstructure of Innovative Cobalt Base Alloy. 2014 , 790-791, 235-240		1
720	Structure, composition and morphology of bioactive titanate layer on porous titanium surfaces. 2014 , 308, 1-9		15
719	Influence of three remineralization materials on physicochemical structure of demineralized enamel. 2014 , 29, 410-416		2
718	Optical and mechanical properties of calcium phosphate glasses. 2014 , 40, 303-309		23
717	Apatite formation on alumina: The role of the initial adsorption of calcium and phosphate ions. <i>Ceramics International</i> , 2014 , 40, 4909-4915	5.1	9
716	Novel bioactive polyester scaffolds prepared from unsaturated resins based on isosorbide and succinic acid. 2014 , 45, 64-71		17
715	Tantalum coating on TiO ₂ nanotubes induces superior rate of matrix mineralization and osteofunctionality in human osteoblasts. 2014 , 37, 332-41		55
714	A polycaprolactone-tricalcium phosphate composite scaffold as an autograft-free spinal fusion cage in a sheep model. <i>Biomaterials</i> , 2014 , 35, 5647-59	15.6	51
713	Effect of carbonization treatment on the morphology and microstructure of mesoporous bioactive glass/nanocrystalline hydroxyapatite nanocomposite. 2014 , 389, 104-112		9
712	Biological evaluation of zirconia/PEG hybrid materials synthesized via sol-gel technique. 2014 , 40, 253-9		45
711	Structure, phases, and mechanical response of Ti-alloy bioactive glass composite coatings. 2014 , 36, 261-76		12
710	In vitro apatite formation and visible-light photocatalytic activity of Ti metal subjected to chemical and thermal treatments. <i>Ceramics International</i> , 2014 , 40, 12629-12636	5.1	4
709	An in situ hydrothermal fabrication process of poly(vinyl alcohol)/apatite-like nanocomposites with improved thermal and mechanical properties. <i>Ceramics International</i> , 2014 , 40, 4995-5000	5.1	16
708	Coatings and surface modifications imparting antimicrobial activity to orthopedic implants. 2014 , 6, 475-95		51
707	Osteoinduction of biphasic calcium phosphate scaffolds in a nude mouse model. 2014 , 29, 595-604		23
706	Hybrid nanotopographical surfaces obtained by biomimetic mineralization of statherin-inspired elastin-like recombinamers. <i>Advanced Healthcare Materials</i> , 2014 , 3, 1638-47	10.1	28
705	Synthesis and biodegradation evaluation of nano-Si and nano-Si/TiO ₂ coatings on biodegradable Mg ₉₂ Zn ₈ alloy in simulated body fluid. <i>Ceramics International</i> , 2014 , 40, 14009-14018	5.1	22
704	Antibacterial and bioactive nanostructured titanium surfaces for bone integration. 2014 , 311, 279-291		78

703	Phosphate mineral formation on the supported dipalmitoylphosphatidylcholine (DPPC) layers. 2014 , 40, 373-81	6
702	Effect of ball milling on properties of porous Ti-7.5Mo alloy for biomedical applications. 2014 , 582, 793-801	29
701	Chapter 7: Nanodimensional and Nanocrystalline Calcium Orthophosphates. 2014 , 219-341	4
700	Biom mineralization of marine-patterned C-scaffolds. 2014 , 3, 106-114	1
699	Investigation of 70SiO ₂ -15CaO-10P ₂ O ₅ -Na ₂ O Glass Composition for Bone Regeneration Applications. 2014 , 2, 191-195	5
698	Enhanced MC3T3-E1 preosteoblast response and bone formation on the addition of nano-needle and nano-porous features to microtopographical titanium surfaces. 2014 , 9, 045001	23
697	Bioactivity and mechanical behaviour of cobalt oxide-doped bioactive glass. 2015 , 38, 957-964	25
696	Fabrication and Characterization of Nano Bioglass-Ceramic Scaffold for Bone Tissue Engineering. 2015 , 37-49	
695	Bioactive Co-Cr alloy for biomedical applications prepared by surface modification using self-assembled monolayers and poly-L-glutamic acid. 2015 , 34, 707-12	5
694	Comparison of photocatalytic activity and surface friction force variation on Ti-doped hydroxyapatite and anatase under UV illumination. 2015 , 311, 160-165	12
693	Biom mineralization behavior of a vinylphosphonic acid-based copolymer added with polymerization accelerator in simulated body fluidPeer review under responsibility of The Ceramic Society of Japan and the Korean Ceramic Society.View all notes. 2015 , 3, 407-411	2
692	Synthesis and characterization of poly(ethylene oxide)-based glycopolymers and their biocompatibility with osteoblast cells. 2015 , 64, 795-803	11
691	Synthesis, Characterization, and Bioactivity Evaluation of Amorphous and Crystallized 58S Bioglass Nanopowders. 2015 , 12, 867-874	11
690	Ceramics in art and archaeology: a review of the materials science aspects. 2015 , 88, 1	18
689	Evidences of in vivo bioactivity of Fe-bioceramic composites for temporary bone implants. 2015 , 103, 1354-65	31
688	Tuning the surface microstructure of titanate coatings on titanium implants for enhancing bioactivity of implants. 2015 , 10, 3887-96	17
687	Nanocellulose as Novel Supportive Functional Material for Growth and Development of Cells. 2015 , 04,	5
686	Fabrication, Properties and Applications of Dense Hydroxyapatite: A Review. 2015 , 6, 1099-140	140

685	Temperature Effect on Hydroxyapatite Preparation by Co-precipitation Method under Carbamide Influence. 2015 , 26, 01007	3
684	The effect of home-use and in-office bleaching treatments combined with experimental desensitizing agents on enamel and dentin. 2015 , 9, 66-73	10
683	Polymer-Based Matrix Composites. 2015 , 3-27	
682	Dendrimer templated bioactive glass-ceramic nanovehicle for gene delivery applications. 2015 , 5, 56794-56807	18
681	Fabrication and Characterization of Nanoporous Niobia, and Nanotubular Tantalum, Titania and Zirconia via Anodization. 2015 , 6, 153-70	29
680	Surface Properties and In Vitro Bioactivity of Fluorapatite/TiO ₂ Coatings Deposited on Ti Substrates by Nd:YAG Laser Cladding. 2015 , 35, 357-366	6
679	Bioactivity of coatings formed on Ti-13Nb-13Zr alloy using plasma electrolytic oxidation. 2015 , 49, 159-173	39
678	In vitro adhesion of fibroblastic cells to titanium alloy discs treated with sodium hydroxide. 2015 , 26, 15-9	17
677	A novel simple one-step air jet spinning approach for deposition of poly(vinyl acetate)/hydroxyapatite composite nanofibers on Ti implants. 2015 , 49, 681-690	37
676	The First Step in the Production of Fiber-Diopside Crystal. 2015 , 12, E159-E165	1
675	Influence of barium substitution on bioactivity, thermal and physico-mechanical properties of bioactive glass. 2015 , 49, 549-559	44
674	The physicochemical/biological properties of porous tantalum and the potential surface modification techniques to improve its clinical application in dental implantology. 2015 , 49, 323-329	68
673	Electrochemical behavior of nanostructured TiO ₂ /alginate composite coating on magnesium alloy AZ91D via electrophoretic deposition. 2015 , 265, 212-217	28
672	Surface Modification of Titanium and Its Alloy by Anodic Oxidation for Dental Implant. 2015 , 65-76	0
671	Fundamentals of Interaction of Bioceramics and Living Matter. 2015 , 41-68	2
670	Technology of Coating Deposition. 2015 , 113-252	1
669	Deposition, Structure, Properties and Biological Function of Plasma-Sprayed Bioceramic Coatings. 2015 , 253-308	3
668	Hierarchical bioglass scaffolds: introducing the "milky way" for templated bioceramics. 2015 , 3, 2971-2977	8

667	Enhanced osteointegration on tantalum-implanted polyetheretherketone surface with bone-like elastic modulus. <i>Biomaterials</i> , 2015 , 51, 173-183	15.6	152
666	Human periosteum cell osteogenic differentiation enhanced by ionic silicon release from porous amorphous silica fibrous scaffolds. 2015 , 103, 2797-806		19
665	Encyclopedia of Polymeric Nanomaterials. 2015 , 155-160		
664	Carboxymethyl cellulose-g-poly (acrylic acid)/calcium phosphate composite as a multifunctional hydrogel material. 2015 , 157, 243-247		29
663	Titania nanotube/nano-brushite composited bioactive coating with micro/nanotopography on titanium formed by anodic oxidation and hydrothermal treatment. <i>Ceramics International</i> , 2015 , 41, 13115-13125	15.1	118
662	Enhancement of bioactivity on medical polymer surface using high power impulse magnetron sputtered titanium dioxide film. 2015 , 57, 58-66		23
661	Textured and hierarchically structured calcium phosphate ceramic blocks through hydrothermal treatment. <i>Biomaterials</i> , 2015 , 67, 93-103	15.6	27
660	In vitro study of polycaprolactone/bioactive glass composite coatings on corrosion and bioactivity of pure Mg. 2015 , 355, 832-841		32
659	Bioactivity studies on TiO ₂ -bearing Na ⁺ -CaO-SiO ₂ -BaO glasses. 2015 , 57, 240-8		34
658	Tribological Behavior of Bone Against Calcium Titanate Coating in Simulated Body Fluid. 2015 , 16, 279-286		2
657	Comparative study of the biodegradability of porous silicon films in simulated body fluid. 2015 , 25, 111-6		1
656	Process Optimisation to Control the Physico-Chemical Characteristics of Biomimetic Nanoscale Hydroxyapatites Prepared Using Wet Chemical Precipitation. 2015 , 8, 2297-2310		48
655	Formation and oxygen diffusion barrier properties of fish gelatin/natural sodium montmorillonite clay self-assembled multilayers onto the biopolyester surface. 2015 , 5, 61465-61480		3
654	Morphological and Mechanical Properties of Hydroxyapatite Bilayer Coatings Deposited on 316L SS by Sol-Gel Method. 2015 , 46, 2340-2347		11
653	Nano-hydroxyapatite/chitosan-starch nanocomposite as a novel bone construct: Synthesis and in vitro studies. <i>International Journal of Biological Macromolecules</i> , 2015 , 80, 282-92	7.9	71
652	Bioactive polymethylmethacrylate bone cement modified with combinations of phosphate group-containing monomers and calcium acetate. 2015 , 29, 1296-303		3
651	Chemical surface modification of metallic biomaterials. 2015 , 159-183		2
650	Crystalline hydroxyapatite coatings synthesized under hydrothermal conditions on modified titanium substrates. 2015 , 51, 57-63		54

649	Introduction to surface coating and modification for metallic biomaterials. 2015 , 3-60		26
648	Study of Ti-Enriched CoCrMo Alloy for Dental Application. 2015 , 3, 73-80		11
647	Calcium orthophosphate deposits: Preparation, properties and biomedical applications. 2015 , 55, 272-326		191
646	Silica/quercetin sol-gel hybrids as antioxidant dental implant materials. 2015 , 16, 035001		90
645	The effect of acid and base catalysts on phase purity and dissolution behavior of sol-gel derived in situ silica coated apatite composite nanopowders. <i>Ceramics International</i> , 2015 , 41, 9476-9481	5-1	7
644	EBSD-measurements of textured apatite glass-ceramics. 2015 , 17, 2969-2973		4
643	Encyclopedia of Polymeric Nanomaterials. 2015 , 118-124		0
642	Study of the Electrophoretic Deposition of Chitosan/Halloysite Nanotubes/Titanium Dioxide Composite Coatings Using Taguchi Experimental Design Approach. 2015 , 654, 230-239		8
641	Production, Characterization and Bioactivity of 46S6 Bioactive Glass from Rice Hull Ash Silica. 2015 , 1120-1121, 857-861		1
640	Effect of TiO ₂ nanoparticle loading on Poly(l-lactic acid) porous scaffolds fabricated by TIPS. 2015 , 81, 189-195		37
639	A Stable Lipid/TiO ₂ Interface with Headgroup-Inversed Phosphocholine and a Comparison with SiO ₂ . 2015 , 137, 11736-42		44
638	Structural characterization and in vitro bioactivity assessment of SiO ₂ -CaO-B ₂ O ₅ -K ₂ O-Al ₂ O ₃ glass as bioactive ceramic material. <i>Ceramics International</i> , 2015 , 41, 11756-11769	5-1	30
637	Encyclopedia of Polymeric Nanomaterials. 2015 , 98-105		
636	Novel nanocomposite biomaterials with controlled copper/calcium release capability for bone tissue engineering multifunctional scaffolds. 2015 , 12, 0509		23
635	Preparation and characterization of laser cladding wollastonite derived bioceramic coating on titanium alloy. 2015 , 10, 031007		4
634	Continuous synthesis of dispersant-coated hydroxyapatite plates. 2015 , 17, 6175-6182		9
633	Preparation, characterization, cellular response and in vivo osseointegration of polyetheretherketone/nano-hydroxyapatite/carbon fiber ternary biocomposite. 2015 , 136, 64-73		57
632	The Mechanical Properties and Corrosion Behavior of Double-Layered Nano Hydroxyapatite-Polymer Coating on Mg-Ca Alloy. 2015 , 24, 4010-4021		18

631	Bioactive (Si, O, N)/(Ti, O, N)/Ti composite coating on NiTi shape memory alloy for enhanced wear and corrosion performance. 2015 , 356, 599-609		8
630	Novel hybrid materials for preparation of bone tissue engineering scaffolds. 2015 , 26, 231		16
629	Bond strength and corrosion resistance of bioglass coated magnesium alloy fabricated by uniaxial pressing and microwave hybrid heating. 2015 , 86, 610-615		10
628	Influence of the polymer amount on bioactivity and biocompatibility of SiO ₂ /PEG hybrid materials synthesized by sol-gel technique. 2015 , 48, 548-55		76
627	In situ preparation of poly(L-lactic acid-co-glycolic acid)/hydroxyapatite composites as artificial bone materials. 2015 , 47, 164-170		20
626	Surface modification of investment cast-316L implants: microstructure effects. 2015 , 48, 320-7		16
625	Copper-doped borosilicate bioactive glass scaffolds with improved angiogenic and osteogenic capacity for repairing osseous defects. 2015 , 14, 185-96		46
624	Effect of titania anodic formation and hydroxyapatite electrodeposition on electrochemical behaviour of Ti-6Al-4V alloy under fretting conditions for biomedical applications. 2015 , 91, 262-271		62
623	Synthesis, cytotoxicity, and hydroxyapatite formation in 27-Tris-SBF for sol-gel based CaO-P ₂ O ₅ -SiO ₂ -B ₂ O ₃ -ZnO bioactive glasses. <i>Scientific Reports</i> , 2014 , 4, 4392	4-9	50
622	Development of bioactive silicate-based glass-ceramics from preceramic polymer and fillers. 2015 , 35, 731-739		29
621	Investigating the solubility and cytocompatibility of CaO-Na ₂ O-SiO ₂ /TiO ₂ bioactive glasses. 2015 , 103, 709-20		9
620	Synthesis and study of new functionalized silica aerogel poly(methyl methacrylate) composites for biomedical use. 2015 , 36, 348-358		18
619	The Effects of Calcium-to-Phosphorus Ratio on the Densification and Mechanical Properties of Hydroxyapatite Ceramic. 2015 , 12, 223-227		14
618	Micropush-out dentine bond strength of a new gutta-percha and niobium phosphate glass composite. 2015 , 48, 451-9		38
617	Smart Nanocellulose Composites With Shape-Memory Behavior. 2016 , 277-312		2
616	Silica-Based and Borate-Based, Titania-Containing Bioactive Coatings Characterization: Critical Strain Energy Release Rate, Residual Stresses, Hardness, and Thermal Expansion. 2016 , 7,		14
615	Development of Biomimetic NiTi Alloy: Influence of Thermo-Chemical Treatment on the Physical, Mechanical and Biological Behavior. 2016 , 9,		12
614	Facile Synthesis of Photofunctional Nanolayer Coatings on Titanium Substrates. 2016 , 2016, 4318917		

613	Enhanced Stem Cell Osteogenic Differentiation by Bioactive Glass Functionalized Graphene Oxide Substrates. 2016 , 2016, 1-11	8
612	A Comparison Between Biocompatibilities of Nanocomposites of Silica Doped in HA/Collagen and Those Doped in HA/Gelatin. 2016 , 32, 1551-1557	1
611	Osseointegration of nanohydroxyapatite- or nano-calcium silicate-incorporated polyetheretherketone bioactive composites in vivo. 2016 , 11, 6023-6033	28
610	Apatite Formation and Biocompatibility of a Low Young's Modulus Ti-Nb-Sn Alloy Treated with Anodic Oxidation and Hot Water. 2016 , 11, e0150081	14
609	Modification and cytocompatibility of biocomposited porous PLLA/HA-microspheres scaffolds. 2016 , 27, 1462-75	8
608	Titanium and Titanium Alloy Applications in Medicine. 2016 , 475-517	9
607	Bone formation in mono cortical mandibular critical size defects after augmentation with two synthetic nanostructured and one xenogenous hydroxyapatite bone substitute - in vivo animal study. 2016 , 27, 597-603	17
606	The effect of alendronate on biomineralization at the bone/implant interface. 2016 , 104, 620-629	9
605	Synthesis of piezoelectric and bioactive NaNbO ₃ from metallic niobium and niobium oxide. 2016 , 104, 979-85	2
604	Mechanical behaviour of degradable phosphate glass fibres and composites-a review. 2015 , 11, 014105	30
603	Investigating the effect of TiO on the structure and biocompatibility of bioactive glass. 2016 , 104, 1703-1712	7
602	Deposition of hydroxyapatite-incorporated TiO ₂ coating on titanium using plasma electrolytic oxidation coupled with electrophoretic deposition. 2016 , 6, 62540-62544	18
601	Atomic force microscopy technique for the surface characterization of sol-gel derived multi-component silica nanocomposites. 2016 , 504, 350-357	8
600	Enhanced bioactivity, biocompatibility and mechanical behavior of strontium substituted bioactive glasses. 2016 , 69, 108-16	46
599	Modified poly(caprolactone trifumarate) with embedded gelatin microparticles as a functional scaffold for bone tissue engineering. <i>Journal of Applied Polymer Science</i> , 2016 , 133,	2.9 3
598	Reprint of "Hydroxyapatite deposition on micropore-formed Ti-Ta-Nb alloys by plasma electrolytic oxidation for dental applications" 2016 , 307, 1152-1157	3
597	Green Recycled Cellulose Aerogels: Properties and Applications. 2016 , 259-272	3
596	Sol-gel silica-based nanocomposites containing a high PEG amount: Chemical characterization and study of biological properties. 2016 ,	

595	Assessment of nickel oxide substituted bioactive glass-ceramic on in vitro bioactivity and mechanical properties. 2016 , 55, 228-238	17
594	Microstructure evolution and enhanced bioactivity of Ti-Nb-Zr alloy by bioactive hydroxyapatite fabricated via spark plasma sintering. 2016 , 6, 100939-100953	11
593	Bioactive glass-based nanocomposites for personalized dental tissue regeneration. 2016 , 35, 710-720	15
592	Biocompatible Glasses. 2016 ,	7
591	Structure and Percolation of Bioglasses. 2016 , 49-84	4
590	Hydroxyapatite deposition on micropore-formed Ti-Ta-Nb alloys by plasma electrolytic oxidation for dental applications. 2016 , 294, 15-20	14
589	Quantitative evaluation of the adhesion of bioactive glasses onto Ti6Al4V substrates. 2016 , 97, 213-221	13
588	Synthesis of 60 (wt.%)SiO ₂ -40 (wt.%)CaO Sol-Gel Derived Glass-Ceramic and In Vitro Bioactivity Assessment in SBF Solution. 2016 , 673, 161-170	1
587	Carboxymethyl cellulose enables silk fibroin nanofibrous scaffold with enhanced biomimetic potential for bone tissue engineering application. 2016 , 151, 335-347	98
586	Effects of h-BN addition on microstructures and mechanical properties of CaSiO ₃ bioceramics. 2016 , 62, 275-281	3
585	Characterization of hydroxyapatite coatings deposited by hydrothermal electrochemical method on NaOH immersed Ti6Al4V. 2016 , 672, 336-343	23
584	Effects of silica sol on the microstructure and mechanical properties of CaSiO ₃ bioceramics. 2016 , 64, 336-340	5
583	Fabrication and apatite inducing ability of different porous titania structures by PEO treatment. 2016 , 66, 297-305	19
582	"False" cytotoxicity of ions-adsorbing hydroxyapatite - Corrected method of cytotoxicity evaluation for ceramics of high specific surface area. 2016 , 65, 70-9	32
581	Ceramic-Polymer Composites for Biomedical Applications. 2016 , 287-300	0
580	Formation of bioactive N-doped TiO ₂ on Ti with visible light-induced antibacterial activity using NaOH, hot water, and subsequent ammonia atmospheric heat treatment. 2016 , 145, 285-290	14
579	Effect of nickel oxide substitution on bioactivity and mechanical properties of bioactive glass. 2016 , 39, 1355-1361	9
578	Advances in collagen, chitosan and silica biomaterials for oral tissue regeneration: from basics to clinical trials. 2016 , 4, 6913-6929	25

577	Biopolymeric hydrogels - nanostructured TiO hybrid materials as potential injectable scaffolds for bone regeneration. 2016 , 148, 607-614		26
576	Characterisation of CorGlaes(®) Pure 107 fibres for biomedical applications. 2016 , 27, 149		
575	Biomimetic mineralization of ceramics and glasses. 2016 , 315-338		2
574	Carbon Nanotube Functionalization Decreases Osteogenic Differentiation in Aluminum Oxide Reinforced Ultrahigh Molecular Weight Polyethylene. 2016 , 2, 1242-1256		17
573	Implantation of octacalcium phosphate collagen composites (OCP/Col) after extraction of canine deciduous teeth achieved undisturbed permanent tooth eruption. 2016 , 72, 179-186		11
572	3D plotting of highly uniform Sr(PO)SiO bioceramic scaffolds for bone tissue engineering. 2016 , 4, 6200-6212		36
571	Effect of ion implantation on the physical and mechanical properties of Ti-Si-N multifunctional coatings for biomedical applications. 2016 , 110, 821-829		53
570	Nano-hydroxyapatite/ECD/chitosan nanocomposite for potential applications in bone tissue engineering. <i>International Journal of Biological Macromolecules</i> , 2016 , 93, 276-289	7.9	41
569	Effect of pH on the Electrochemical Behavior of Tantalum in Borate Buffer Solutions. 2016 , 25, 4199-4209		9
568	In vitro colonization of stratified bioactive scaffolds by pre-osteoblast cells. 2016 , 44, 73-84		16
567	Bio-inspired synthesis of hybrid tube-like structures based on CaCO ₃ and type I-collagen. 2016 , 6, 90509-90515		11
566	Antimicrobial design of titanium surface that kill sessile bacteria but support stem cells adhesion. 2016 , 389, 7-16		18
565	Novel bioactive Fe-based metallic glasses with excellent apatite-forming ability. 2016 , 69, 513-21		18
564	Evolution of the microstructure and mechanical properties of Mg-matrix in situ composites during spark plasma sintering. 2016 , 59, 302-307		11
563	Apatite-forming ability of vinylphosphonic acid-based copolymer in simulated body fluid: effects of phosphate group content. 2016 , 27, 152		2
562	Synergistic interactions of blood-borne immune cells, fibroblasts and extracellular matrix drive repair in an in vitro peri-implant wound healing model. <i>Scientific Reports</i> , 2016 , 6, 21071	4.9	18
561	Nanocomposite scaffolds with tunable mechanical and degradation capabilities: co-delivery of bioactive agents for bone tissue engineering. 2016 , 11, 065003		19
560	Biomedical Applications of Polyhydroxyalkanoates. 2016 , 337-383		11

559	The effect of the chemical nature of implant materials on regeneration processes in an implant site. 2016 , 61, 687-695	2
558	Synthesis of sol-gel derived glass powder and in vitro bioactivity property tested in simulated body fluid. 2016 ,	2
557	Review and the state of the art: Sol-gel and melt quenched bioactive glasses for tissue engineering. 2016 , 104, 1248-75	97
556	A bioceramic with enhanced osteogenic properties to regulate the function of osteoblastic and osteoclastic cells for bone tissue regeneration. 2016 , 11, 035018	18
555	Plasma-Sprayed Hydroxylapatite-Based Coatings: Chemical, Mechanical, Microstructural, and Biomedical Properties. 2016 , 25, 827-850	78
554	Composites of poly(L-lactide-trimethylene carbonate-glycolide) and surface modified calcium carbonate whiskers as a potential bone substitute material. 2016 , 6, 57762-57772	8
553	Recent advances in degradable lactide-based shape-memory polymers. 2016 , 107, 136-152	68
552	Mechanical and cytotoxicity evaluation of nanostructured hydroxyapatite-bredigite scaffolds for bone regeneration. 2016 , 68, 603-612	32
551	Physical characteristics and biocompatibility of the polycaprolactone-biphasic calcium phosphate scaffolds fabricated using the modified melt stretching and multilayer deposition. 2016 , 30, 1460-72	11
550	A mechanical evaluation of micro-HA/CS composite scaffolds with interconnected spherical macropores. 2016 , 15, 12	7
549	Insight into characteristic features of cartilage growth plate as a physiological template for bone formation. 2016 , 104, 357-66	11
548	Biomaterials Obtained by Gelation. 2016 , 1-42	
547	Controlling the Metastable States of Glasses by External Fields. 2016 , 7, 270-284	8
546	Effect of P2O5 on mechanical properties of porous natural hydroxyapatite derived from cortical bovine bones sintered at 1,050°C. 2016 , 57, 5297-5302	14
545	Simultaneous structural and surface modifications of nanophase hydroxyapatite for improving its dissolution and bioactivity. <i>Ceramics International</i> , 2016 , 42, 6355-6359	5.1 5
544	Functional coatings formed on the titanium and magnesium alloys as implant materials by plasma electrolytic oxidation technology: fundamental principles and synthesis conditions. <i>Corrosion Reviews</i> , 2016 , 34, 65-83	3.2 34
543	Bioactive glass coupling with natural polyphenols: Surface modification, bioactivity and anti-oxidant ability. 2016 , 367, 237-248	40
542	Micromechanics methods for evaluating the effective moduli of soft neo-Hookean composites. 2016 , 86, 219-234	6

541	Processing of ZrO ₂ scaffolds coated by glass-ceramic derived from 45S5 bioglass. <i>Ceramics International</i> , 2016 , 42, 4507-4516	5.1	9
540	Investigation of bioactivity, biocompatibility and thermal behavior of sol-gel silica glass containing a high PEG percentage. 2016 , 61, 51-5		38
539	Synthesis of PEO-based di-block glycopolymers at various pendant spacer lengths of glucose moiety and their in-vitro biocompatibility with MC3T3 osteoblast cells. 2016 , 19, 24-33		3
538	A new titanium based alloy Ti-27Nb-13Zr produced by powder metallurgy with biomimetic coating for use as a biomaterial. 2016 , 63, 671-7		42
537	Preparation and characterization of wollastonite/titanium oxide nanofiber bioceramic composite as a future implant material. <i>Ceramics International</i> , 2016 , 42, 11525-11534	5.1	19
536	Amorphous apatite thin film formation on a biodegradable Mg alloy for bone regeneration: strategy, characterization, biodegradation, and in vitro cell study. 2016 , 6, 22563-22574		15
535	Direct conversion of eggshell to hydroxyapatite ceramic by a sintering method. <i>Ceramics International</i> , 2016 , 42, 7824-7829	5.1	55
534	Effect of Roughness on in Situ Biomineralized CaP-Collagen Coating on the Osteogenesis of Mesenchymal Stem Cells. 2016 , 32, 1808-17		32
533	Synthesis and characterization of calcium oxyborapatite with bimodal porosity. 2016 , 78, 339-346		7
532	Bioactive surface modification of Ti-29Nb-13Ta-4.6Zr alloy through alkali solution treatments. 2016 , 62, 662-7		8
531	Fabrication and properties of carbon nanotube-reinforced hydroxyapatite composites by a double in situ synthesis process. 2016 , 101, 159-167		37
530	Accelerating mineralization of biomimetic surfaces. 2016 , 267-289		2
529	Anticorrosion coatings for Ti and NiTi implants. 2016 , 31, 203-209		4
528	A biocompatible hybrid material with simultaneous calcium and strontium release capability for bone tissue repair. 2016 , 62, 429-38		14
527	Inflammatory and immuno-reactivity in mice induced by intramuscular implants of HSNGLPL peptide grafted-polyurethane. 2016 , 4, 1898-1907		7
526	Designing biomaterials based on biomineralization for bone repair and regeneration. 2016 , 377-404		1
525	Multifunctional commercially pure titanium for the improvement of bone integration: Multiscale topography, wettability, corrosion resistance and biological functionalization. 2016 , 60, 384-393		20
524	Metal-organodiphosphonate chemistry: Hydrothermal syntheses and structures of Ca(II) coordination polymers with xylyldiphosphonate ligands. 2016 , 441, 109-116		11

523	The effect of the addition of gallium on the structure of zinc borate glass with controlled gallium ion release. 2016 , 92, 1018-1027	18
522	Preparation, characterization and in vitro dissolution behavior of porous biphasic β -tricalcium phosphate bioceramics. 2016 , 59, 1007-1015	27
521	Coatings of titanium substrates with $x\text{CaO} \cdot (1-x)\text{SiO}_2$ sol-gel materials: characterization, bioactivity and biocompatibility evaluation. 2016 , 58, 846-51	24
520	Enhancement of corrosion resistance and mechanical properties of $\text{Mg} \cdot 1.2\text{Ca} \cdot \text{Bi}$ via a hybrid silicon-biopolymer coating system. 2016 , 301, 133-139	17
519	In vitro and in vivo evaluation of a new zirconia/niobium biocermet for hard tissue replacement. <i>Biomaterials</i> , 2016 , 76, 313-20	15.6 25
518	Sol-gel synthesis and characterization of SiO_2/PCL hybrid materials containing quercetin as new materials for antioxidant implants. 2016 , 58, 945-52	34
517	Skeletal stem cell and bone implant interactions are enhanced by LASER titanium modification. 2016 , 473, 719-25	16
516	Fluoride-containing bioactive glasses: Glass design, structure, bioactivity, cellular interactions, and recent developments. 2016 , 58, 1279-89	33
515	Effect of B_2O_3 on mechanical properties of porous natural hydroxyapatite derived from cortical bovine bones sintered at $1,050^\circ\text{C}$. 2016 , 57, 5303-5309	15
514	In vitro bioactivity study of TiCaPCO(N) and Ag-doped TiCaPCO(N) films in simulated body fluid. 2017 , 105, 193-203	8
513	Novel crosslinkable polyester resin-based composites as injectable bioactive scaffolds. 2017 , 66, 1-11	4
512	A review on carrier systems for bone morphogenetic protein-2. 2017 , 105, 904-925	68
511	Apatite formation on a hydrogel containing sulfinic acid group under physiological conditions. 2017 , 105, 1924-1929	3
510	Influence of Preparation Techniques on the Properties of Bioactive Glasses. 2017 , 211-235	
509	Mechanical Behavior of Bioactive Glasses/Ceramics. 2017 , 173-209	
508	Bioactivity, cytocompatibility and thermal properties of experimental Bioglass-reinforced composites as potential root-canal filling materials. 2017 , 69, 355-361	16
507	Surface Modifications and Surface Characterization of Biomaterials Used in Bone Healing. 2017 , 405-452	4
506	Use of Pig as a Model for Mesenchymal Stem Cell Therapies for Bone Regeneration. 2017 , 28, 275-287	20

505	Fabrication of Zn-Sr-doped laser-spinning glass nanofibers with antibacterial properties. 2017 , 31, 819-831	18
504	Tuning surface morphology and crystallinity of anodic TiO ₂ nanotubes and their response to biomimetic bone growth for implant applications. 2017 , 315, 163-171	23
503	Fabrication and characterization of baghdadite nanostructured scaffolds by space holder method. 2017 , 68, 1-7	29
502	A review of TiO NTs on Ti metal: Electrochemical synthesis, functionalization and potential use as bone implants. 2017 , 76, 1401-1412	105
501	Li activated nanohydroxyapatite doped with Eu ions enhances proliferative activity and viability of human stem progenitor cells of adipose tissue and olfactory ensheathing cells. Further perspective of nHAP:Li, Eu application in theranostics. 2017 , 78, 151-162	31
500	Robust silk fibroin/bacterial cellulose nanoribbon composite scaffolds with radial lamellae and intercalation structure for bone regeneration. 2017 , 5, 3640-3650	34
499	solvothermal processing of polycaprolactone/hydroxyapatite nanocomposites with enhanced mechanical and biological performance for bone tissue engineering. 2017 , 2, 146-155	23
498	Novel bioglasses for bone tissue repair and regeneration: Effect of glass design on sintering ability, ion release and biocompatibility. 2017 , 129, 239-248	16
497	Evaluation of the osseointegration of dental implants coated with calcium carbonate: an animal study. 2017 , 9, 133-138	12
496	Nano-carrier based drug delivery systems for sustained antimicrobial agent release from orthopaedic cementous material. <i>Advances in Colloid and Interface Science</i> , 2017 , 249, 234-247	14.3 34
495	Biomimetic Mineralization of Biomaterials Using Simulated Body Fluids for Bone Tissue Engineering and Regenerative Medicine. 2017 , 23, 1169-1180	59
494	Electrophoretic-deposited hydroxyapatite-copper nanocomposite as an antibacterial coating for biomedical applications. 2017 , 321, 171-179	79
493	Novel bioactive glass based injectable bone cement with improved osteoinductivity and its in vivo evaluation. <i>Scientific Reports</i> , 2017 , 7, 3622	4.9 26
492	Formation of Fluorohydroxyapatite with Silver Diamine Fluoride. 2017 , 96, 1122-1128	54
491	Optimized composition of nanocomposite scaffolds formed from silk fibroin and nano-TiO for bone tissue engineering. 2017 , 79, 783-792	28
490	Synchrotron X-ray Absorption Spectroscopy study of local structure in strontium-doped hydroxyapatite. <i>Ceramics International</i> , 2017 , 43, 11023-11027	5.1 11
489	Calcium phosphates for biomedical applications. 2017 , 56, 91-112	98
488	Bioactive glass coating on gelatin scaffolds at ambient temperature: easy route to make polymer scaffolds become bioactive. 2017 , 52, 9129-9139	12

487	Electrophoretic deposition of nanocrystalline TiO ₂ particles on porous TiO ₂ -x ceramic scaffolds for biomedical applications. 2017 , 37, 3185-3193	12
486	Microarc oxidation discharge types and bio properties of the coating synthesized on zirconium. 2017 , 77, 374-383	32
485	Development of novel silk fibroin/polyvinyl alcohol/sol-gel bioactive glass composite matrix by modified layer by layer electrospinning method for bone tissue construct generation. 2017 , 9, 015028	41
484	Computer simulations on the mechanical behaviors of biphasic calcium phosphates. 2017 , 23, 156	8
483	Development of Bulk Metallic Glasses for Biomedical Application. 2017 , 189-221	
482	Copper-containing glass polyalkenoate cements based on SiO ₂ -ZnO-Ta ₂ O ₅ glasses: glass characterization, physical and antibacterial properties. 2017 , 52, 8886-8903	15
481	Agarose encapsulated mesoporous carbonated hydroxyapatite nanocomposites powder for drug delivery. 2017 , 166, 220-231	40
480	Bioactive Glasses. 2017 ,	11
479	Enhanced properties of novel zirconia-based osteo-implant systems. 2017 , 9, 622-632	17
478	Enhanced osteointegration of tantalum-modified titanium implants with micro/nano-topography. 2017 , 7, 46472-46479	8
477	Monodispersed Bioactive Glass Nanoclusters with Ultralarge Pores and Intrinsic Exceptionally High miRNA Loading for Efficiently Enhancing Bone Regeneration. <i>Advanced Healthcare Materials</i> , 2017 , 6, 1700630	10.1 34
476	Quantifying the mode II critical strain energy release rate of borate bioactive glass coatings on Ti6Al4V substrates. 2017 , 75, 212-221	3
475	Bioactive calcium phosphate-based glasses and ceramics and their biomedical applications: A review. 2017 , 8, 2041731417719170	91
474	Surface characterization, shear strength, and bioactivity of anodized titanium prepared in mixed-acid electrolytes. 2017 , 325, 594-603	8
473	In vitro and in vivo studies of a gelatin/carboxymethyl chitosan/LAPONITE® composite scaffold for bone tissue engineering. 2017 , 7, 54100-54110	46
472	Effect of different post-treatments on the bioactivity of alkali-treated Ti-5Si alloy. 2017 , 28, 503-514	6
471	Pre-clinical evaluation of the mechanical properties of a low-stiffness cement-injectable hip stem. 2017 , 41, 681-691	4
470	1.14 Calcium Phosphates and Bone Induction. 2017 , 333-349	3

469	6.1 Bioactive Ceramics and Bioactive Ceramic Composite Based Scaffolds. 2017 , 1-19		1
468	Microstructure evolution, mechanical properties and enhanced bioactivity of Ti-Nb-Zr based biocomposite by bioactive calcium pyrophosphate. 2017 , 720, 567-581		16
467	Bioactivity and biocompatibility of hydroxyapatite-based bioceramic coatings on zirconium by plasma electrolytic oxidation. 2017 , 71, 1020-1027		53
466	The bone-implant interface of dental implants in humans on the atomic scale. 2017 , 48, 445-450		33
465	Influence of silver on the structure, dielectric and antibacterial effect of silver doped bioglass-ceramic nanoparticles. <i>Ceramics International</i> , 2017 , 43, 2196-2201	5.1	29
464	Fabrication and characterization of Ag doped hydroxyapatite-polyvinyl alcohol composite nanofibers and its in vitro biological evaluations for bone tissue engineering applications. 2017 , 81, 750-761		35
463	Bioactive carbon-PEEK composites prepared by chemical surface treatment. 2017 , 70, 71-75		26
462	Effect of geometry on deformation of anterior implant-supported zirconia frameworks: An in vitro study using digital image correlation. 2017 , 61, 139-148		2
461	Effect of metallographic structure and machining process on the apatite-forming ability of sodium hydroxide- and heat-treated titanium. 2018 , 29, 109-118		1
460	Types of ceramics. 2017 , 21-82		7
459	Destructive and non-destructive behavior of nickel oxide doped bioactive glass and glass-ceramic. 2017 , 53, 939-951		8
458	5.2 Engineering Scaffold Mechanical and Mass Transport Properties. 2017 , 18-40		1
457	Anticorrosive, Antimicrobial, and Bioactive Titanium Dioxide Coating for Surface-modified Purpose on Biomedical Material. 2017 ,		4
456	Composite Calcium Phosphate/Titania Scaffolds in Bone Tissue Engineering. 2017 ,		1
455	The Influence of the Polymer Amount on the Biological Properties of PCL/ZrO ₂ Hybrid Materials Synthesized via Sol-Gel Technique. 2017 , 10,		6
454	The Bioactivity and Photocatalytic Properties of Titania Nanotube Coatings Produced with the Use of the Low-Potential Anodization of Ti6Al4V Alloy Surface. 2017 , 7,		25
453	7.16 Materials in Fracture Fixation. 2017 , 278-297		5
452	In Vitro Bioactivity Test of Real Dental Implants According to ISO 23317. 2017 , 32, 1221-1230		3

451	A Review of Additive Mixed-Electric Discharge Machining: Current Status and Future Perspectives for Surface Modification of Biomedical Implants. 2017 , 2017, 1-23		49
450	Ti-Based Biomedical Material Modified with TiO/TiN Duplex Bioactivity Film via Micro-Arc Oxidation and Nitrogen Ion Implantation. 2017 , 7,		13
449	Effects of Nano-Hydroxyapatite/Polyetheretherketone-Coated, Sandblasted, Large-Grit, and Acid-Etched Implants on Inflammatory Cytokines and Osseointegration in a Peri-Implantitis Model in Beagle Dogs. 2017 , 23, 4601-4611		8
448	Surfactant-assisted synthesis of polyvinylpyrrolidone-hydroxyapatite composites as a bone filler. 2017 , 15, e334-e340		3
447	Biocomposites from (Anadara granosa) shells waste for bone material applications. 2017 , 257, 012061		5
446	Research: Design and Analysis of a Low-Stiffness Porous Hip Stem. 2017 , 51, 474-482		2
445	Full Issue. 2017 , 51, fmi-C4		
444	Highly Structured Polyvinyl Alcohol Porous Carriers: Tuning Inherent Stability and Release Kinetics in Water. 2018 , 3, 2390-2395		3
443	Single phased silicate-containing calcium phosphate bioceramics: Promising biomaterials for periodontal repair. <i>Ceramics International</i> , 2018 , 44, 11003-11012	5.1	20
442	Progress in TiO nanotube coatings for biomedical applications: a review. 2018 , 6, 1862-1886		94
441	Characterization of the morphology, structure and wettability of phase dependent lamellar and nanotube oxides on anodized Ti-10Nb alloy. 2018 , 448, 30-40		28
440	A three-dimensional hydroxyapatite/polyacrylonitrile composite scaffold designed for bone tissue engineering.. 2018 , 8, 1730-1736		15
439	In vitro bioactivity behavior of modified multicomponent borate glasses containing dopants of Ag ₂ O, CuO, CeO ₂ or V ₂ O ₅ . 2018 , 124, 1		5
438	Bacterial cellulose-based scaffold materials for bone tissue engineering. 2018 , 11, 34-49		135
437	Development of hafnium metal and titanium-hafnium alloys having apatite-forming ability by chemical surface modification. 2018 , 106, 2519-2523		6
436	Effect of titania content and biomimetic coating on the mechanical properties of the Y-TZP/TiO composite. 2018 , 34, 238-245		6
435	Enhanced antibacterial property and osteo-differentiation activity on plasma treated porous polyetheretherketone with hierarchical micro/nano-topography. 2018 , 29, 520-542		23
434	Dentinal tubule occluding capability of nano-hydroxyapatite; The in-vitro evaluation. <i>Microscopy Research and Technique</i> , 2018 , 81, 843-854	2.8	12

433	Left-Right Symmetry or Asymmetry of Cells on Stripe-Like Micropatterned Material Surfaces. 2018 , 36, 605-611		10
432	Antibacterial ability of supported silver nanoparticles by functionalized hydroxyapatite with 5-aminosalicylic acid. 2018 , 148, 62-68		22
431	Synthesis, characterization and solubility analysis of amorphous SiO_2 - CaO - Na_2O - P_2O_5 scaffolds for hard tissue repair. 2018 , 490, 1-12		3
430	Development of a SiYALON glaze for improved osteoconductivity of implantable medical devices. 2018 , 106, 1084-1096		13
429	Nanodimensional and Nanocrystalline Calcium Orthophosphates. 2018 , 355-448		3
428	Bioactive Biomaterials: Potential for Application in Bone Regenerative Medicine. 2018 , 333-360		4
427	Electrophoretic deposition of fiber hydroxyapatite/titania nanocomposite coatings. <i>Ceramics International</i> , 2018 , 44, 622-630	5.1	20
426	Injectable β TCP/MCPM cement associated with mesoporous silica for bone regeneration: characterization and toxicity evaluation. 2018 , 13, 025023		5
425	Tuning the response of osteoblast-like cells to the porous-alumina-assisted mixed-oxide nano-mound arrays. 2018 , 106, 1645-1654		11
424	New calcium-free Na_2O - Al_2O_3 - P_2O_5 bioactive glasses with potential applications in bone tissue engineering. 2018 , 101, 602-611		10
423	Screw extrusion-based additive manufacturing of PEEK. 2018 , 140, 209-221		61
422	Structural effects of phosphate groups on apatite formation in a copolymer modified with Ca in a simulated body fluid. 2018 , 6, 174-182		5
421	3D bioactive composite scaffolds for bone tissue engineering. 2018 , 3, 278-314		519
420	In-vitro study of the bioactivity and cytotoxicity response of Ti surfaces modified by Nb and Mo diffusion treatments. 2018 , 335, 148-158		15
419	Interaction of biologically relevant ions and organic molecules with titanium oxide (rutile) surfaces: A review on molecular dynamics studies. 2018 , 161, 563-577		19
418	Biomaterials Degradation and Bioabsorbability: Biomedical Potentials of Marine Enzymes. 2018 , 1-28		
417	Characteristic, Microstructure and Properties of Dense Hydroxyapatite Ceramic from Cockle Shell for Biomaterials. 2018 , 940, 3-7		0
416	Peculiarities of Ion-Exchange Adsorption of Ca^{2+} and (HPO_4^{2-}) as Main Factor of Self-Assembly of Apatite in the Surface Layer of Biomineralization Initiators. 2018 , 54, 339-348		

415	Cementing Line Configuration of Bioactive Engineered Zirconia Implants (In Vivo Histological Study). 2018 , 786, 236-247	
414	An in-vitro bioactive, structural and degradation studies on B ₂ O ₃ -SiO ₂ -P ₂ O ₅ -Na ₂ O-Al ₂ O ₃ glass system incorporated with chromium ions. 2018 , 5, 26280-26289	3
413	Study of thermomechanical and antibacterial properties of TiO ₂ /Poly(lactic acid) nanocomposites. 2018 , 5, 27553-27562	14
412	Collagen Functionalized With Graphene Oxide Enhanced Biomimetic Mineralization and in Situ Bone Defect Repair. 2018 , 10, 44080-44091	45
411	Bone-like Polymeric Composites with a Combination of Bioactive Glass and Hydroxyapatite: Simultaneous Enhancement of Mechanical Performance and Bioactivity. 2018 , 4, 4434-4442	5
410	Avaliaço topogrfica e in vitro de superfcies de titnio revestidas com vidro bioativo. 2018 , 47, 230-236	
409	Gelatin coating increases in vivo bone formation capacity of three-dimensional 45S5 bioactive glass-based crystalline scaffolds. 2019 , 13, 179-190	5
408	Integrating 3D Printing and Biomimetic Mineralization for Personalized Enhanced Osteogenesis, Angiogenesis, and Osteointegration. 2018 , 10, 42146-42154	37
407	3D Printing of Bioactive Ceramic Scaffolds for Bone Tissue Engineering. 2018 , 10,	2
406	Evaluation of the effects of different remineralizing agents on Streptococcus mutans biofilm adhesion. 2018 , 32, 2617-2630	2
405	Fabrication of Al ₂ O ₃ -SiCw protective coatings on carbon fiber by the sol-spraying method. 2018 , 88, 508-518	1
404	Hybrid scaffolds enhanced by nanofibers improve in vitro cell behavior for tissue regeneration. 2018 , 25, 7113-7125	5
403	Preparation and characterization of boron-based bioglass by sol-gel process. 2018 , 88, 181-191	8
402	Bioactive-hybrid-zirconia implant surface for enhancing osseointegration: an in vivo study. 2018 , 4, 20	12
401	Generation and characterisation of gallium titanate surfaces through hydrothermal ion-exchange processes. 2018 , 155, 264-277	15
400	Structural Effects of Sulfur-Containing Functional Groups on Apatite Formation on Ca-Modified Copolymers in a Simulated Body Environment. 2018 , 3, 5627-5633	4
399	Structure-property relation of porous poly (l-lactic acid) scaffolds fabricated using organic solvent mixtures and controlled cooling rates and its bio-compatibility with human adipose stem cells. 2018 , 33, 397-415	2
398	Small intestinal submucosa/polymethyl methacrylate composite bone cement for vertebral repair. 2018 , 154, 254-265	12

397	Synthesis and characterization of Halar [®] polymer coating deposited on titanium substrate by electrophoretic deposition process. 2018 , 347, 369-378	11
396	Traversing the profile of biomimetically nanoengineered iron substituted hydroxyapatite: synthesis, characterization, property evaluation, and drug release modeling.. 2018 , 8, 19389-19401	16
395	Patient-Specific Surgical Implants Made of 3D Printed PEEK: Material, Technology, and Scope of Surgical Application. 2018 , 2018, 4520636	107
394	Bone regeneration by freeze-dried composite of octacalcium phosphate collagen and teriparatide. 2018 , 24, 1514-1521	5
393	Assembly Preparation of Multilayered Biomaterials with High Mechanical Strength and Bone-Forming Bioactivity. 2018 , 30, 4646-4657	19
392	Bioactive Silica-Based Coating on Stainless Steel Implants. 2018 , 3505-3553	1
391	Biomaterials Obtained by Gelation. 2018 , 3555-3596	
390	Bioactivity evaluation of collagen-based scaffolds containing a series of Sr-doped melt-quench derived phosphate-based glasses. 2018 , 29, 101	3
389	Laser deposition of nano coatings on biomedical implants. 2018 , 235-254	6
388	Nanostructured biomimetic, bioresponsive, and bioactive biomaterials. 2018 , 35-65	1
387	Bioactive glasses 2: Composite bone void fillers. 2018 , 365-380	0
386	Polydopamine-assisted chlorhexidine immobilization on medical grade stainless steel 316L: Apatite formation and in vitro osteoblastic evaluation. 2018 , 220, 29-37	8
385	Nanostructured biocompatible ceramics and glass-ceramics. 2018 , 97-118	1
384	First Results of a New Vacuum Plasma Sprayed (VPS) Titanium-Coated Carbon/PEEK Composite Cage for Lumbar Interbody Fusion. 2018 , 9,	16
383	Further Theoretical Insight into the Mechanical Properties of Polycaprolactone Loaded with Organic-Inorganic Hybrid Fillers. 2018 , 11,	42
382	Biomimetic mineralized strontium-doped hydroxyapatite on porous poly(L-lactic acid) scaffolds for bone defect repair. 2018 , 13, 1707-1721	40
381	Biom mineralization process generating hybrid nano- and micro-carriers. 2018 , 19-42	1
380	Preparation and bioactive surface modification of the microwave sintered porous Ti-15Mo alloys for biomedical application. 2018 , 61, 545-556	10

379	Effect of the hydroxyapatite particle size on the properties of sprayed coating. 2018 , 352, 619-626	9
378	Bioactive glass-ceramics. 2018 , 129-152	1
377	Additive manufacturing of nanostructured bone scaffolds. 2018 , 181-210	1
376	Marine Collagen/Apatite Composite Scaffolds Envisaging Hard Tissue Applications. 2018 , 16,	36
375	Effects of Pre-Treatments on Bioactivity of High-Purity Titanium. 2018 , 11,	3
374	Integrating 3D-printed PHBV/Calcium sulfate hemihydrate scaffold and chitosan hydrogel for enhanced osteogenic property. 2018 , 202, 106-114	27
373	Bioactive ceramic composite material stability, characterization, and bonding to bone. 2018 , 273-296	4
372	Development of cerium and silicon co-doped hydroxyapatite nanopowder and its in vitro biological studies for bone regeneration applications. 2018 , 29, 2792-2803	20
371	Comparative study on 1D phononic crystal vibration transmission – A case study on surgical tool structure. 2018 ,	
370	3D printing of ceramic-based scaffolds for bone tissue engineering: an overview. 2018 , 6, 4397-4412	112
369	Microstructure evolution, electrochemical properties and in-vitro properties of Ti-Nb-Zr based biocomposite by hydroxyapatite bioceramic. 2018 , 764, 987-1002	6
368	Evaluation of an artificial vertebral body fabricated by a tantalum-coated porous titanium scaffold for lumbar vertebral defect repair in rabbits. <i>Scientific Reports</i> , 2018 , 8, 8927	4.9 11
367	Investigation of antimicrobial properties and in-vitro bioactivity of Ce ³⁺ -Sr ²⁺ -dual-substituted nano hydroxyapatites. 2019 , 102, 144-157	15
366	Titanium incorporated Zinc-Phosphate bioactive glasses for bone tissue repair and regeneration: Impact of Ti ⁴⁺ on physico-mechanical and in vitro bioactivity. <i>Ceramics International</i> , 2019 , 45, 23715-23727	5.1 13
365	Effect of surface chemical modifications on the bioactivity of carbon fibers reinforced epoxy composites. 2019 , 377, 124889	7
364	Surface engineering of nanostructured Ta surface with incorporation of osteoconductive elements by anodization. 2019 , 495, 143573	13
363	Bio-active glass coatings manufactured by thermal spray: a status report. 2019 , 8, 4965-4984	26
362	Facile Surface Modification Method for Synergistically Enhancing the Biocompatibility and Bioactivity of Poly(ether ether ketone) That Induced Osteodifferentiation. 2019 , 11, 27503-27511	29

361	In vitro bioactivity investigation of ZnO-Na ₂ O-CaO-P ₂ O ₅ -SiO ₂ bioglass system for medical applications. 2019 ,		
360	Biomimetic assembly of multilevel hydroxyapatite using bacterial cellulose hydrogel as a reactor. 2019 , 21, 4859-4863		5
359	Bioactive Materials: A Comprehensive Review on Interactions with Biological Microenvironment Based on the Immune Response. 2019 , 16, 563-581		27
358	3D hydroxyapatite scaffold for bone regeneration and local drug delivery applications. 2019 , 53, 101131		48
357	Bioactive Glass-Polymer Nanocomposites for Bone Tissue Regeneration Applications: A Review. 2019 , 21, 1900287		21
356	Recent advances in biomaterials for 3D scaffolds: A review. 2019 , 4, 271-292		289
355	Apatite Forming Ability and Dissolution Behavior of Boron- and Calcium-Modified Silicon Oxycarbides in Comparison to Silicate Bioactive Glass. 2019 , 5, 5337-5347		6
354	Nanotexturization of Ti-based implants in simulated body fluid: Influence of synthesis parameters on coating properties and kinetics of drug release. <i>Journal of Materials Research</i> , 2019 , 34, 2828-2836	2.5	4
353	Self-organized TiO ₂ nanotube layer on Ti-Nb-Zr alloys: growth, characterization, and effect on corrosion behavior. 2019 , 49, 1079-1089		6
352	Development and Characterization of Hydroxyapatite-Alumina Biocomposites for Orthopedic Implants. 2019 , 820, 97-103		1
351	Evaluating the bioactivity of a hydroxyapatite-incorporated polyetheretherketone biocomposite. 2019 , 14, 32		39
350	Biocompatibility Characteristics of Titanium Coated with Multi Walled Carbon Nanotubes-Hydroxyapatite Nanocomposites. 2019 , 12,		10
349	Ceramics as bone repair materials. 2019 , 141-178		16
348	Preparation of nanosized porous oxide layers on titanium by asymmetric AC electrolysis in sulfuric acid. 2019 , 9, 194-202		
347	Composite biomaterials for bone repair. 2019 , 273-299		8
346	Scaffold for bone tissue engineering. 2019 , 189-209		3
345	A porous collagen-carboxymethyl cellulose/hydroxyapatite composite for bone tissue engineering by bi-molecular template method. <i>International Journal of Biological Macromolecules</i> , 2019 , 137, 45-53	7.9	23
344	Enzyme-Directed Biomineralization Coating on TiO Nanotubes and its Positive Effect on Osteogenesis. 2019 , 5, 2769-2777		4

343	Investigating the effect of germanium on the structure of SiO-ZnO-CaO-SrO-PO glasses and the subsequent influence on glass polyalkenoate cement formation, solubility and bioactivity. 2019 , 103, 109843		5
342	Effects of MoO modification on photocatalytic activity of hydroxyapatite and Ti-doped hydroxyapatite. 2019 , 30, 1617-1624		6
341	Surface potential and charges impact on cell responses on biomaterials interfaces for medical applications. 2019 , 104, 109883		76
340	Mechanical properties of bioactive glasses, ceramics, glass-ceramics and composites: State-of-the-art review and future challenges. 2019 , 104, 109895		88
339	A novel approach on the synthesis and characterization of bioceramic composites. <i>Ceramics International</i> , 2019 , 45, 15375-15384	5.1	7
338	Microporous biocomposite scaffolds with tunable degradation and interconnected microarchitecture-A synergistic integration of bioactive chain silicate glass-ceramic and poly(Ecaprolactone). 2019 , 165, 20-26		6
337	Polyhydroxyalkanoate (PHA): applications in drug delivery and tissue engineering. 2019 , 16, 467-482		65
336	Characterization and investigation of in vitro properties of antibacterial copper deposited on bioactive ZrO ₂ coatings on zirconium. 2019 , 681, 69-77		16
335	Na ₂ Ti ₇ O ₁₅ Nanowires with an Oriented Tunnel Structure and High Mechanical Stability: A Potential Anode of Sodium-Ion Batteries and Gas Sensing Materials. 2019 , 9, 1673		6
334	Additively manufactured calcium phosphate reinforced CoCrMo alloy: Bio-tribological and biocompatibility evaluation for load-bearing implants. 2019 , 28, 312-324		28
333	Bioactive glass nanoparticles for periodontal regeneration and applications in dentistry. 2019 , 351-383		6
332	Polydopamine-mediated synthesis of core-shell gold@calcium phosphate nanoparticles for enzyme immobilization. 2019 , 7, 2841-2849		11
331	Influence of -acetyl cysteine (NAC) and 2-methylene-1,3-dioxepane (MDO) on the properties of polymethyl methacrylate (PMMA) bone cement.. 2019 , 9, 11833-11841		3
330	Fabrication, Morphology Analysis, and Mechanical Properties of Ti Foams Manufactured Using the Space Holder Method for Bone Substitute Materials. 2019 , 9, 340		6
329	Mechanical and biological properties of graded porous tantalum coatings deposited on titanium alloy implants by vacuum plasma spraying. 2019 , 372, 399-409		32
328	Novel niobium and silver toughened hydroxyapatite nanocomposites with enhanced mechanical and biological properties for load-bearing bone implants. 2019 , 15, 531-542		12
327	3D-printed barium strontium titanate-based piezoelectric scaffolds for bone tissue engineering. <i>Ceramics International</i> , 2019 , 45, 14029-14038	5.1	28
326	Design and evaluation of chitosan/chondroitin sulfate/nano-bioglass based composite scaffold for bone tissue engineering. <i>International Journal of Biological Macromolecules</i> , 2019 , 133, 817-830	7.9	50

325	Dual modulation of crystallinity and macro-/microstructures of 3D printed porous titanium implants to enhance stability and osseointegration. 2019 , 7, 2865-2877		47
324	Polymerization kinetics stability, volumetric changes, apatite precipitation, strontium release and fatigue of novel bone composites for vertebroplasty. 2019 , 14, e0207965		10
323	Assessment of phase stability and in vitro biological properties of hydroxyapatite coatings composed of hexagonal rods. 2019 , 364, 298-305		6
322	Re-designing materials for biomedical applications: from biomimicry to nature-inspired chemical engineering. 2019 , 377, 20180268		29
321	Tantalum nanoparticles reinforced polyetheretherketone shows enhanced bone formation. 2019 , 101, 232-242		18
320	In vitro evaluation of a novel multiwalled carbon nanotube/nanohydroxyapatite/polycaprolactone composite for bone tissue engineering. <i>Journal of Materials Research</i> , 2019 , 34, 532-544	2.5	3
319	Creep, recovery, and stress relaxation behavior of nanostructured bioactive calcium phosphate glass-POSS/polymer composites for bone implants studied under simulated physiological conditions. 2019 , 107, 2419-2432		5
318	Fabrication of Porous Bone Scaffolds Using Alginate and Bioactive Glass. 2019 , 10,		19
317	A hydrogenated black TiO coating with excellent effects for photothermal therapy of bone tumor and bone regeneration. 2019 , 102, 458-470		29
316	Biomimetic characterization reveals enhancement of hydroxyapatite formation by fluid flow in gellan gum and bioactive glass composite scaffolds. 2019 , 76, 464-472		5
315	Glass-ceramics for dental restoration. 2019 , 329-340		0
314	The Interface Between Degradable Mg and Tissue. 2019 , 71, 1447-1455		19
313	Nature-Inspired Processes and Structures: New Paradigms to Develop Highly Bioactive Devices for Hard Tissue Regeneration. 2019 ,		4
312	Surface characteristics of a dental implant modified by low energy oxygen ion implantation. 2019 , 365, 208-213		19
311	In vitro biocompatibility of new bioactive lithia-silica glass-ceramics. 2019 , 94, 117-125		19
310	Potential of growth factor incorporated mesoporous bioactive glass for in vivo bone regeneration. 2019 , 91, 182-192		8
309	Synthesis and characterization of Barium-Iron containing magnetic bioactive glasses: The effect of magnetic component on structure and in vitro bioactivity. 2019 , 176, 27-37		13
308	Comparative investigation into effects of ZrO and AlO addition in fluorapatite laser-clad composite coatings on Ti6Al4V alloy. 2019 , 233, 157-169		2

307	Hydroxyapatite/tricalcium silicate composites cement derived from novel two-step sol-gel process with good biocompatibility and applications as bone cement and potential coating materials. <i>Ceramics International</i> , 2019 , 45, 5668-5679	5.1	19
306	Mineralization in micropores of calcium phosphate scaffolds. 2019 , 83, 435-455		45
305	Nanolayer coextrusion: An efficient and environmentally friendly micro/nanofiber fabrication technique. 2019 , 95, 292-301		12
304	Enhanced Osteogenesis of Bone Marrow-Derived Mesenchymal Stem Cells by a Functionalized Silk Fibroin Hydrogel for Bone Defect Repair. <i>Advanced Healthcare Materials</i> , 2019 , 8, e1801043	10.1	36
303	Quantitative analysis of complex nanocomposites based on straight skeletonization. 2019 , 562, 71-78		2
302	The Use of Tantalum Metal in Foot and Ankle Surgery. 2019 , 50, 119-129		7
301	Formation of calcium phosphate coatings within polycaprolactone scaffolds by simple, alkaline phosphatase based method. 2019 , 96, 319-328		11
300	Tribo-mechanical properties and cellular viability of electrochemically treated Ti-10Nb and Ti-20Nb alloys. 2019 , 779, 129-139		10
299	Fabrication and characterization of novel ethyl cellulose-grafted-poly (ε-caprolactone)/alginate nanofibrous/macroporous scaffolds incorporated with nano-hydroxyapatite for bone tissue engineering. 2019 , 33, 1128-1144		25
298	Microstructure evolution, mechanical properties, and enhanced bioactivity of Ti-13Nb-13Zr based calcium pyrophosphate composites for biomedical applications. 2019 , 98, 279-287		14
297	Electrospun hydrogels composites for bone tissue engineering. 2019 , 39-70		3
296	Tailoring surface properties from nanotubes and anodic layers of titanium for biomedical applications. 2019 , 179-199		2
295	Preparation and photocatalytic activity of Mo-modified Ti-doped HAp. 2019 , 243, 448-454		9
294	Growth of hydroxyapatite coatings on tantalum by plasma electrolytic oxidation in a single step. 2019 , 357, 698-705		24
293	Synthesis and characterization of CaO-P2O5-SiO2-Li2O-Fe2O3 bioactive glasses: The effect of Li2O-Fe2O3 content on the structure and in-vitro bioactivity. 2019 , 503-504, 139-150		9
292	Incorporation of Stromal Cell-Derived Factor-1 in Three-Dimensional Hydroxyapatite/Polyacrylonitrile Composite Scaffolds for Bone Regeneration. 2019 , 5, 911-921		4
291	Collagen-supported CaCO3 cylindrical particles enhance Ti bioactivity. 2019 , 358, 858-864		4
290	Magnesium-particle/polyurethane composite layer coating on titanium surfaces for orthopedic applications. 2019 , 112, 555-568		10

289	Preparation, properties and in vitro cellular response of multi-walled carbon nanotubes/bioactive glass/poly(etheretherketone) biocomposite for bone tissue engineering. 2019 , 68, 433-441		12
288	Additive manufacturing of tantalum – A study of chemical and physical properties of printed tantalum. 2020 , 75, 28-33		11
287	Design and fabrication of clinoptilolite-nanohydroxyapatite/chitosan-gelatin composite scaffold and evaluation of its effects on bone tissue engineering. 2020 , 108, 221-233		20
286	Nature-Inspired Chemical Engineering. 2020 , 19-31		4
285	Microstructural design of ceramics for bone regeneration. 2020 , 40, 2555-2565		3
284	Octacalcium phosphate collagen composite stimulates the expression and activity of osteogenic factors to promote bone regeneration. 2020 , 14, 99-107		9
283	Strontium ion reinforced bioceramic scaffold for load bearing bone regeneration. 2020 , 109, 110427		14
282	Collagen/bioceramic-based composite bioink to fabricate a porous 3D hASCs-laden structure for bone tissue regeneration. 2019 , 12, 015007		37
281	Influences of sodium tantalite submicro-particles in polyetheretherketone based composites on behaviors of rBMSCs/HGE-1 cells for dental application. 2020 , 188, 110723		2
280	In situ hydrothermal transformation of titanium surface into lithium-doped continuous nanowire network towards augmented bioactivity. 2020 , 505, 144604		10
279	Preparation of silicon coated-carbon fiber reinforced HA bio-ceramics for application of load-bearing bone. <i>Ceramics International</i> , 2020 , 46, 7903-7911	5.1	8
278	Comparison of the vertical bone defect healing abilities of carbonate apatite, tricalcium phosphate, hydroxyapatite and bovine-derived heterogeneous bone. 2020 , 39, 309-318		8
277	Development and clinical application of octacalcium phosphate/collagen composites. 2020 , 289-308		1
276	Microstructures, mechanical properties and corrosion resistance of sprayed Ca-B coating for micropatterning carbon/carbon substrate surface. <i>Ceramics International</i> , 2020 , 46, 7374-7387	5.1	1
275	A sericin/ graphene oxide composite scaffold as a biomimetic extracellular matrix for structural and functional repair of calvarial bone. 2020 , 10, 741-756		27
274	Bioactive Coatings Formed on Titanium by Plasma Electrolytic Oxidation: Composition and Properties. 2020 , 13,		24
273	Elaboration of Superparamagnetic and Bioactive Multicore-Shell Nanoparticles (FeO@SiO-CaO): A Promising Material for Bone Cancer Treatment. 2020 , 12, 47820-47830		14
272	Sustained Release of Magnesium Ions Mediated by a Dynamic Mechanical Hydrogel to Enhance BMSC Proliferation and Differentiation. 2020 , 5, 24477-24486		4

271	Carbon fiber reinforced hydroxyapatite composites with excellent mechanical properties and biological activities prepared by spark plasma sintering. <i>Ceramics International</i> , 2020 , 46, 27446-27456	5.1	4
270	Compositional dependence of the apatite formation ability of Ti-Zr alloys designed for hard tissue reconstruction. 2020 , 31, 110		0
269	Effect of Bioactivity of Surface Topography and Coating Forming by Infrared Light-Induced on Titanium for Bone Repair. 2020 , 10, 8158		
268	Mechanical Properties of Different Nanopatterned TiO Substrates and Their Effect on Hydrothermally Synthesized Bioactive Hydroxyapatite Coatings. 2020 , 13,		5
267	Clinical Case Employing Two Different Biomaterials in Bone Regeneration. 2020 , 10, 4516		
266	Effect of Sintering Temperature on Mechanical Properties of Mg α -HA Composites. 2020 , 62, 285-291		1
265	Electrical percolation and electromagnetic properties of polydimethylsiloxane composites filled with Ag nanoparticles of different sizes. 2020 , 41, 4750-4756		1
264	Recent advances and challenges in materials for 3D bioprinting. 2020 , 30, 618-634		26
263	Laser-assisted production of HAp-coated zirconia structured surfaces for biomedical applications. 2020 , 112, 104049		9
262	Biomaterials for Tissue Engineering α Bioabsorbability/Degradation in Marine Biotechnology. 2020 , 827-839		
261	A review: silicate ceramic-polymer composite scaffold for bone tissue engineering. 2020 , 1-16		6
260	Editorial: Bioceramics and Bioactive Glasses for Hard Tissue Regeneration. 2020 , 7,		1
259	Carbon nanotube-collagen@hydroxyapatite composites with improved mechanical and biological properties fabricated by a multi in situ synthesis process. 2020 , 22, 64		6
258	Fabrication of a Porous and Formable Ceramic Composite Bone Tissue Scaffold at Ambient Temperature. 2020 , 51, 6110-6126		1
257	Three dimensional printed bioglass/gelatin/alginate composite scaffolds with promoted mechanical strength, biomineralization, cell responses and osteogenesis. 2020 , 31, 77		5
256	Setting behavior, apatite-forming ability, mechanical strength of polymethylmethacrylate bone cement through bioactivity modification of phosphate functional groups combined with Ca ions. 2020 , 31, 2128-2151		2
255	Resin-Based Sealant with Bioactive Glass and Zwitterionic Material for Remineralisation and Multi-Species Biofilm Inhibition. 2020 , 10,		6
254	Surface treatment functionalization of sodium hydroxide onto 3D printed porous Ti6Al4V for improved biological activities and osteogenic potencies. 2020 , 9, 13661-13670		6

253	Characterization of Tantalum Oxide Sol-Gel-coated AZ91 Mg Alloys. 2020 , 73, 1249-1256		2
252	Bioactive poly (methyl methacrylate) bone cement for the treatment of osteoporotic vertebral compression fractures. 2020 , 10, 6544-6560		14
251	Design and prototyping of a novel low stiffness cementless hip stem. 2020 , 32, 229		0
250	Comparison of the Influence of 45S5 and Cu-Containing 45S5 Bioactive Glass (BG) on the Biological Properties of Novel Polyhydroxyalkanoate (PHA)/BG Composites. 2020 , 13,		5
249	Degradative Effects of the Biological Environment on Ceramic Biomaterials. 2020 , 955-971		4
248	Fabrication of c-plane-oriented hydroxyapatite film on amorphous SiO ₂ substrate. 2020 , 103, 26-31		
247	Biomimetic collagen-sodium alginate-titanium oxide (TiO) 3D matrix supports differentiated periodontal ligament fibroblasts growth for periodontal tissue regeneration. <i>International Journal of Biological Macromolecules</i> , 2020 , 163, 9-18	7.9	12
246	Advanced Theragenerative Biomaterials with Therapeutic and Regeneration Multifunctionality. 2020 , 30, 2002621		17
245	Protein adsorption on titanium substrates and its effects on platelet adhesion. 2020 , 529, 146986		13
244	Effects of Nanotopography Regulation and Silicon Doping on Angiogenic and Osteogenic Activities of Hydroxyapatite Coating on Titanium Implant. 2020 , 15, 4171-4189		11
243	Bovine Serum Albumin (BSA)/polyacrylonitrile (PAN) biohybrid nanofibers coated with a biom mineralized calcium deficient hydroxyapatite (HA) shell for wound dressing. 2020 , 116, 111248		14
242	3D printing of calcium phosphate scaffolds with controlled release of antibacterial functions for jaw bone repair. 2020 , 189, 108540		40
241	A novel pathway to produce biodegradable and bioactive PLGA/TiO nanocomposite scaffolds for tissue engineering: Air-liquid foaming. 2020 , 108, 1390-1407		7
240	Generation of scaffold incorporated with nanobioglass encapsulated in chitosan/chondroitin sulfate complex for bone tissue engineering. <i>International Journal of Biological Macromolecules</i> , 2020 , 153, 1-16	7.9	26
239	Enhancement of osteoblast cells osteogenic differentiation and bone regeneration by hydroxyapatite/phosphoester modified poly(amino acid). 2020 , 111, 110769		4
238	Biomimetic hydroxyapatite/silkfibre/methylcellulose composites for bone tissue engineering applications. 2020 , 44, 4647-4663		9
237	Corrosion behaviours of Ti6Al4V-Mg/Mg-Alloy composites. 2020 , 166, 108470		7
236	Unravelling the Impact of Calcium Content on the Bioactivity of Sol-Gel-Derived Bioactive Glass Nanoparticles.. 2020 , 3, 1312-1320		5

235	Microstructure and bioactivity of a cold sprayed rough/porous Ta coating on Ti6Al4V substrate. 2020 , 63, 731-739		5
234	Variation of meso- and macroporous morphologies in resorcinol-formaldehyde (RF) gels tailored via a sol-gel process combined with soft-templating and phase separation. 2020 , 95, 801-812		3
233	Femoral Interference Screw Fixation in ACL Reconstruction Using Bone-Patellar Tendon-Bone Grafts. 2020 , 8, e0066		3
232	Tantalum Bone Implants Printed by Selective Electron Beam Manufacturing (SEBM) and Their Clinical Applications. 2020 , 72, 1016-1021		15
231	Material characteristics, surface/interface, and biological effects on the osteogenesis of bioactive materials. 2020 , 1-103		1
230	3D Printing of Bioinspired Biomaterials for Tissue Regeneration. <i>Advanced Healthcare Materials</i> , 2020 , 9, e2000208	10.1	16
229	Development and characterization of printable PLA/βTCP bioactive composites for bone tissue applications. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 49759	2.9	8
228	Calcium phosphate powders synthesized from CaCO ₃ and CaO of natural origin using mechanical activation in different media combined with solid-state interaction. 2021 , 118, 111333		2
227	Incorporation of graphene oxide and calcium phosphate in the PCL/PHBV core-shell nanofibers as bone tissue scaffold. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 49797	2.9	11
226	Co-inspired hydroxyapatite-based scaffolds for vascularized bone regeneration. 2021 , 119, 419-431		19
225	The influence of long carbon fiber and its orientation on the properties of three-dimensional needle-punched CF/PEEK composites. 2021 , 203, 108565		10
224	Engineering of sustainable biomaterial composites from cellulose and silk fibroin: Fundamentals and applications. <i>International Journal of Biological Macromolecules</i> , 2021 , 167, 687-718	7.9	18
223	Structural vs. electrochemical investigation of niobium oxide layers anodically grown in a Ca and P containing electrolyte. 2021 , 851, 156937		3
222	Additively Manufactured Tantalum Implants for Repairing Bone Defects: A Systematic Review. 2021 , 27, 166-180		11
221	Segmental Bone Reconstruction by Octacalcium Phosphate Collagen Composites with Teriparatide. 2021 , 27, 561-571		0
220	Scaffolds and Tissue Engineering Applications by 3D Bio-Printing Process. 2021 , 718-733		
219	Strategies for Bone Regeneration: From Graft to Tissue Engineering. 2021 , 22,		17
218	Other metallic alloys: tantalum-based materials for biomedical applications. 2021 , 229-273		1

217	How Surface Properties of Silica Nanoparticles Influence Structural, Microstructural and Biological Properties of Polymer Nanocomposites. 2021 , 14,	3
216	Bioactivity of a Novel Polycaprolactone-Hydroxyapatite Scaffold Used as a Carrier of Low Dose BMP-2: An In Vitro Study. 2021 , 13,	0
215	Surface-Directed Mineralization of Fibrous Collagen Scaffolds in Simulated Body Fluid for Tissue Engineering Applications.. 2021 , 4, 2514-2522	2
214	Biocomposites for Energy Storage. 2021 , 123-142	6
213	Measurement of Biomimetic Deposition of Calcium Phosphate in Real Time Using Complex Capacitance. 2021 , 218, 2000672	
212	The effects of strontium-doped bioactive glass and fluoride on hydroxyapatite crystallization. 2021 , 105, 103581	4
211	Tuning filament composition and microstructure of 3D-printed bioceramic scaffolds facilitate bone defect regeneration and repair. 2021 , 8, rbab007	6
210	Recent Progress on Biodegradable Tissue Engineering Scaffolds Prepared by Thermally-Induced Phase Separation (TIPS). 2021 , 22,	15
209	A new criterion for predicting the glass-forming ability of alloys based on machine learning. 2021 , 189, 110259	9
208	In vitro biological activity of Zn substituted hydroxyapatite/ polyvinyl alcohol composite for orthopaedic applications. 2021 , 26, 102025	1
207	Preparation of bioactive and antibacterial PMMA-based bone cement by modification with quaternary ammonium and alkoxysilane. 2021 , 36, 311-320	0
206	Mechanical Biocompatibility, Osteogenic Activity, and Antibacterial Efficacy of Calcium Silicate-Zirconia Biocomposites. 2021 , 6, 7106-7118	3
205	Biomimetic biohybrid nanofibers containing bovine serum albumin as a bioactive moiety for wound dressing. 2021 , 123, 111965	6
204	Alkali-Treated Titanium Coated with a Polyurethane, Magnesium and Hydroxyapatite Composite for Bone Tissue Engineering. 2021 , 11,	3
203	Studying the in vitro corrosion response of nanostructured TaN coatings in Hank's physiological solution. 2021 , 18, 1269-1280	0
202	Spongostan Leads to Increased Regeneration of a Rat Calvarial Critical Size Defect Compared to NanoBone and Actifuse. 2021 , 14,	2
201	From soft- to hard-sphere fluids: Crossover evidenced by high-frequency elastic moduli. 2021 , 103, 052117	4
200	Bioactive materials for bone regeneration based on zinc-modified hydroxyapatite. 2021 , 31, 382-384	3

199	Effect of akermanite powders on mechanical properties and bioactivity of chitosan-based scaffolds produced by 3D-bioprinting. <i>Ceramics International</i> , 2021 , 47, 13912-13921	5.1	6
198	Bioactive materials for bone regeneration based on zinc-modified hydroxyapatite. 2021 , 31, 382-384		
197	Recent Trends in the Development of Bone Regenerative Biomaterials. 2021 , 9, 665813		13
196	Injectable Affinity and Remote Magnetothermal Effects of Bi-Based Alloy for Long-Term Bone Defect Repair and Analgesia. 2021 , 8, e2100719		7
195	The effects of plasma electrolytically oxidized layers containing Sr and Ca on the osteogenic behavior of selective laser melted Ti6Al4V porous implants. 2021 , 124, 112074		3
194	Fabrication of NO-containing calcium phosphate coatings via direct introduction of argon-nitrogen-mixtures applied in reactive RF-magnetron sputtering. 2021 , 1954, 012007		
193	Fabrication of porous-Ti6Al4V alloy by using hot pressing technique and Mg space holder for hard-tissue biomedical applications. 2021 , 32, 80		5
192	assessment of β -tricalcium phosphate/bredigite-ciprofloxacin (CPFX) scaffolds for bone treatment applications. 2021 , 16,		0
191	Dissolution, bioactivity behavior, and cytotoxicity of $19.58\text{LiO} \cdot 1.10\text{ZrO} \cdot 69.32\text{SiO}$ glass-ceramic. 2022 , 110, 67-78		0
190	3D-Printing Biodegradable PU/PAAM/Gel Hydrogel Scaffold with High Flexibility and Self-Adaptability to Irregular Defects for Nonload-Bearing Bone Regeneration. 2021 , 32, 1915-1925		3
189	An effective surface modification strategy to boost PEEK osteogenesis using porous CaP generated in well-tuned collagen matrix. 2021 , 555, 149571		1
188	The effect of Ag incorporation on the characteristics of the polymer derived bioactive silicate phosphate glass-ceramic scaffolds. 2021 ,		
187	Teriparatide with octacalcium phosphate collagen composite stimulates osteogenic factors. 2021 ,		
186	A high strength, wear and corrosion-resistant, antibacterial and biocompatible Nb-5 at.% Ag alloy for dental and orthopedic implants. <i>Journal of Materials Science and Technology</i> , 2021 , 80, 266-278	9.1	2
185	Coating the magnesium implants with reinforced nanocomposite nanoparticles for use in orthopedic applications. 2021 , 621, 126581		10
184	In vitro biological and antimicrobial properties of chitosan-based bioceramic coatings on zirconium. <i>Scientific Reports</i> , 2021 , 11, 15104	4.9	4
183	Polyhydroxyalkanoates (PHA)-based responsive polymers. 1-20		
182	Tantalum as a Novel Biomaterial for Bone Implant: A Literature Review. 52, 55-65		2

181	Atomic Resolution Electron Microscopy: A Key Tool for Understanding the Activity of Nano-Oxides for Biomedical Applications. 2021 , 11,	0
180	In Situ Hydroxyapatite Synthesis Enhances Biocompatibility of PVA/HA Hydrogels. 2021 , 22,	3
179	Preparation and characterization of caprine bone derived mineral substituted hydroxyapatite/phyllanthus acidus extract for biomedical applications. 2021 , 49, 1730-1730	
178	Bioactive glass with biocompatible polymers for bone applications. 2021 , 160, 110801	3
177	Nano-indentation of biomimetic artificial bone material based on porous Ti6Al4V substrate with Fe ₂₂ Co ₂₂ Ni ₂₂ Ti ₂₂ Al ₁₂ high entropy alloy coating. 2021 , 28, 102659	3
176	Interactions of Tris with rutile surfaces and consequences for in vitro bioactivity testing. 2021 , 7, 100173	
175	Recent advances and challenges in silicon carbide (SiC) ceramic nanoarchitectures and their applications. 2021 , 28, 102533	11
174	Mechanical characterisation of PEEK-HA composite as an orthopaedic implant. 1-24	1
173	Investigations on the effect of swift heavy silicon ion irradiation on hydroxyapatite. 2021 ,	1
172	Bioactive CaTiO ₃ film prepared on the biomedical porous Ti-5Mo alloy by one-step hydrothermal treatment. 2021 , 14, 202-209	1
171	Enhanced spreading, migration and osteodifferentiation of HBMSCs on macroporous CS-Ta - A biocompatible macroporous coating for hard tissue repair. 2021 , 129, 112411	2
170	Micro/nano-structured titanium surfaces modified by NaOH-H ₂ O ₂ -heat-water treatment: Biomimetic calcium phosphate deposition and hMSCs behavior. <i>Materials Chemistry and Physics</i> , 2021 , 272, 124896	4.4 1
169	Coupling sol-gel with electrospray deposition: Towards nanotextured bioactive glass coatings. 2021 , 41, 7288-7300	2
168	3D printing of a titanium-tantalum Gyroid scaffold with superb elastic admissible strain, bioactivity and in-situ bone regeneration capability. 2021 , 47, 102223	9
167	Nano-hybrid gradient scaffold for articular repair. 2021 , 208, 112116	4
166	Microstructured poly(ether-ether-ketone)-hydroxyapatite composites for bone replacements. 2021 , 55, 2263-2271	2
165	Coatings on orthopedic implants to overcome present problems and challenges: A focused review. 2021 , 45, 5269-5276	4
164	From Substitution to Regeneration: The Tridimensional Interplay Between Cells and Biomaterials. 2021 , 101-117	

163	High temperature-functioning ceramic-based ionic liquid electrolyte engraved planar HAp/PVP/MnO ₂ @MnCO ₃ supercapacitors on carbon cloth. 2021 , 9, 14319-14330	6
162	Ceramic Scaffolds, Current Issues and Future Trends. 25-46	2
161	Laser Processed Tantalum for Implants. 123-129	1
160	Electrophoretic Deposition of Soft Coatings for Orthopaedic Applications. 145-152	3
159	Biomimetic Gelatin Nanocomposite as a Scaffold for Bone Tissue Repair. 487-525	2
158	Engineered Nanomaterials: a Discussion of the Major Categories of Nanomaterials. 49-74	2
157	Development of Bioactive Organic-Inorganic Hybrids Through Sol-Gel Processing. 2009 , 769-793	1
156	Ceramic-Polymer Composites for Biomedical Applications. 2015 , 1-12	2
155	Bioactive Silica Based Coating on Stainless Steel Implants. 2016 , 1-49	1
154	Vitreous Materials for Dental Restoration and Reconstruction. 2016 , 203-225	3
153	Bioactive Coatings. 2018 , 361-406	2
152	Influence of Magnesium Doping in Hydroxyapatite Ceramics. 2008 , 326-329	4
151	Metal Oxide Nanocrystals and Their Properties for Application in Solar Cells. 2014 , 671-707	1
150	Biomimetic Assemblies by Matrix-Assisted Pulsed Laser Evaporation. 2013 , 111-141	5
149	Bone Grafts and Bone Replacements. 2006 , 1030-1036	2
148	RETRACTED: Bioactivity, antibacterial activity and functionality of zirconia doped zinc phosphate bioglasses for application in dentistry. 2020 , 114, 111052	3
147	High-Porosity Poly(ϵ -Caprolactone)/Mesoporous Silicon Scaffolds: Calcium Phosphate Deposition and Biological Response to Bone Precursor Cells. 2008 , 14, 195-206	7
146	Development and characterization of novel light-curable composite resins with calcium phosphate silicate cement. 2017 ,	1

145	Silicate Ceramics and its Composites for Hard Tissue Applications. 2016 , 131-182	1
144	Bioactive Glass Coatings Synthesized by Pulsed Laser Deposition Technique. 2012 , 121, 502-505	9
143	Effects of mesenchymal stem cells treated with BMP-2 and VEGF on regeneration of large bone defects. 2014 , 15, 24-31	1
142	CRYSTALLIZATION AND MECHANICAL PROPERTIES OF (45S5-HA) BIOCOMPOSITE FOR BIOMEDICAL IMPLANTATION. 2017 , 378-384	7
141	Influence of Nano-HA Coated Bone Collagen to Acrylic (Polymethylmethacrylate) Bone Cement on Mechanical Properties and Bioactivity. 2015 , 10, e0129018	13
140	3D Printing Bioceramic Porous Scaffolds with Good Mechanical Property and Cell Affinity. 2015 , 10, e0143713	36
139	Titanium Biomimetically Coated With Hydroxyapatite, Silver Nitrate and Polycaprolactone, for Use In Biomaterials (Biomedicine). 2019 , 22,	4
138	Additive Manufactured Nanocomposites for Bone Tissue Engineering Applications: an Overview. 2020 , 23,	3
137	Corrosion Protection of Nano-biphasic Calcium Phosphate Coating on Titanium Substrate. 2020 , 16, 779-792	1
136	Formation of Solution-derived Hydroxyapatite Coatings on Titanium Alloy in the Presence of Magnetron-sputtered Alumina Bond Coats. 2015 , 9, 75-82	7
135	Biocompatibility and Bone Formation of Flexible, Cotton Wool-like PLGA/Calcium Phosphate Nanocomposites in Sheep. 2011 , 5, 63-71	39
134	Comparative Study of Sr ²⁺ and Zn ²⁺ Incorporation in the Biomimetic Coating of a Prosthetic Alloy. 2011 , 3, 4-13	6
133	An overview of the effects of thermal processing on bioactive glasses. 2010 , 42, 307-320	73
132	Material optimization of a cemented tibia tray using functionally graded material. 2016 , 58, 260-268	2
131	Bioactive Porous and Nanostructured TiO ₂ Coating Prepared by Plasma Electrolytic Oxidation. 2011 , 26, 585-590	4
130	Effect of Fluoride Content on Morphology and Phase Composition of ZrO ₂ Nanotubes. 2012 , 27, 107-112	3
129	Research on Preparation and Biological Properties of Dense Hydroxyapatite Spheres. 2013 , 28, 40-44	2
128	Scaffolds and Tissue Engineering Applications by 3D Bio-Printing Process. 2019 , 78-99	6

127	The effect of plasma surface treatment on the bioactivity of titanium implant materials (in vitro). 2016 , 6, 15-21	3
126	Biodegradable polyesters as biomaterials for biomedical applications. 2014 , 1, 2	3
125	Surface Modification on Ti-30Ta Alloy for Biomedical Application. 2013 , 05, 707-713	12
124	Surface Modification of Titanium Plate with Anodic Oxidation and Its Application in Bone Growth. 2013 , 04, 74-83	10
123	Synthesis and Characterization of Hydroxyapatite Powder by Eggshell. 2016 , 04, 119-126	10
122	Biocompatibility of Nanoscale Hydroxyapatite-embedded Chitosan Films. 2012 , 33, 3950-3956	15
121	Comet assay: a method to evaluate genotoxicity of nano-drug delivery system. 2011 , 1, 87-97	23
120	Implants and Prostheses. 2005 ,	
119	Molecular Biology Techniques in Musculoskeletal Research. 2006 , 981-990	
118	FABRICATION OF INORGANIC-ORGANIC HYBRIDS UTILIZING BIOMIMETIC PROCESS. 2006 , 20, 79-88	
117	Management of Facial Fractures. 2007 , 312-337	
116	References. 2008 , 499-527	
115	Hydroxyapatite-Zirconia Composite Thin Films Showing Improved Mechanical Properties and Bioactivity. 2009 , 19, 85-89	1
114	PREPARATION OF SILOXANE-CONTAINING VATERITE α -POLY (LACTIC ACID) HYBRID BEADS BY ELECTROSPRAYING AND HA-COATING ON THEIR SURFACES. 2010 , 24, 1-5	
113	Bioactive Ceramic Coatings for Metallic Implants. 2012 , 59-84	
112	Biocompatible and Bioactive Mesoporous Ceramics. 2012 , 1-66	
111	Surface Engineering for Biotribological Application. 2013 , 277-310	
110	Encyclopedia of Polymeric Nanomaterials. 2014 , 1-6	

- 109 Effect of ethyl alcohol aging on the apatite formation of a low-modulus Ti-7.5Mo alloy treated with aqueous NaOH. **2014**, 1, 51-62
- 108 Nanosilicon for Advanced Post-Scaling Applications. **2014**, 635-670
- 107 Analysis of the Experience of Carbon Nanostructured Implants Use in Traumatology and Orthopaedics. **2016**, 23, 77-81
- 106 Analysis of the Experience of Carbon Nanostructured Implants Use in Traumatology and Orthopaedics. **2016**, 77-81
- 105 Investigation of Antioxidant Capacity of Several Luting Cements Processes by HPMC Method. **2016**, 20, 155-159
- 104 TANTALUM BASED IMPLANTS: EXPERIMENTAL AND CLINICAL ASPECTS OF APPLICATION. **2018**, 25, 71-83
- 103 Polymerization Kinetics Stability, Volumetric Changes, Apatite Precipitation, Strontium Release and Fatigue of Novel Bone Composites for Vertebroplasty.
- 102 Influência da incorporação da HAp e β -TCP no cimento β -se wollastonita/brushita. **2019**, 24, 0
- 101 Biomaterials Degradation and Bioabsorbability: Biomedical Potentials of Marine Enzymes. **2019**, 2007-2034
- 100 Biodegradability and Composite Coatings: Past, Present and Future Prospects. **2020**, 399-415 1
- 99 Effect of Surrounding Chemical Environment on Adsorption and Accumulation of Serum Protein onto Octacalcium Phosphate Crystals. **2020**, 67, 258-263
- 98 Microstructure and biological properties of titanium dioxide coatings doped with bioactive and bactericidal elements. **2021**, 575, 151755 0
- 97 Modified hydroxyapatite as a carrier for ^{69}mZn . **2021**, 70, 2023-2026 1
- 96 Influence of P_2O_5 Content on In Vitro Behavior of CaO-ZnO- P_2O_5 Bioglass Powder Compacts. **2020**, 45, 201-206 0
- 95 Physicochemical properties of biomaterials. **2020**, 19-32 1
- 94 Biomedical Activity of TiO_2 Loaded TiNbSn Alloy for Implant Application. **2020**, 59, 84-91
- 93 Current Concepts in Scaffolding for Bone Tissue Engineering. **2018**, 6, 90-99 111
- 92 Laser-assisted manufacturing of 45S5 Bioglass-coated zirconia structured surfaces targeting medical implants: adhesive, wettability, mechanical, and bioactivity evaluation. 1

91	Synthesis of n-HAP using different precursors and dependence of Vickers hardness on the structure by tuning sintering temperature.		0
90	Effect of Low Magnetic Field on Biomimetic Deposition of Hydroxyapatite on Titanium and BIOLINE Stainless Steel. 2021 , 11, 1484		2
89	Porous silicon and related composites as functional tissue engineering scaffolds. 2021 , 493-516		
88	Hybrid Sol-Gel Coatings Doped with Non-Toxic Corrosion Inhibitors for Corrosion Protection on AZ61 Magnesium Alloy.. 2022 , 8,		2
87	Effect of Li/Na exchange on mechanical behavior and biological activity of lithium disilicate glass-ceramic.. 2021 , 126, 105036		0
86	Probing the photocatalytic competency of hydroxyapatite synthesized by solid state and wet chemical precipitation method. 2022 , 1252, 132142		4
85	Applications of Calcium-Based Nanomaterials in Osteoporosis Treatment.. 2022 ,		
84	Nanobiomaterials for medical devices and implants. 2022 , 235-272		
83	Effects of biomimetic hydroxyapatite coatings on osteoimmunomodulation.. 2022 , 112640		0
82	Development of non-toxic low-cost bioactive porous TiâBeâSi bulk metallic glass with bone-like mechanical properties for orthopedic implants. 2022 , 17, 1319-1329		0
81	Advanced bioactive nanomaterials for biomedical applications. 2021 , 1, 20210089		41
80	The advances in nanomedicine for bone and cartilage repair.. 2022 , 20, 141		3
79	Reviewâ Conceptual Analysis on Ceramic Materials Used for Dental Practices: Manufacturing Techniques and Microstructure.		
78	Evaluation of the electrical and dielectric behavior of the apatite layer formed on the surface of hydroxyapatite/hardystonite/copper oxide hybrid nanocomposites for bone repair applications. <i>Ceramics International</i> , 2022 ,	5.1	4
77	Graphene Oxide-Protein-Based Scaffolds for Tissue Engineering: Recent Advances and Applications.. 2022 , 14,		3
76	Evaluation of ethylene oxide, gamma radiation, dry heat and autoclave sterilization processes on extracellular matrix of biomaterial dental scaffolds.. <i>Scientific Reports</i> , 2022 , 12, 4299	4.9	0
75	Preparation of chitosan/hydroxyapatite composite coating obtained from crab shells on hierarchical micro/nano-textured Ti surface. 2022 , 437, 128364		1
74	One-step preparation of functionally hierarchical and structurally hierarchical biomimetic bioceramics composed of porous hydroxyapatite and carbon fiber reinforced hydroxyapatite composites. <i>Materials Chemistry and Physics</i> , 2022 , 283, 126012	4.4	

73	Organocatalytic Ring-Opening Polymerization of ϵ -Caprolactone Using (<i>l</i> -butylimidazolium)alkane Dicationic Ionic Liquids as the Metal-Free Catalysts: Polymer Synthesis, Kinetics and DFT Mechanistic Study.. 2021 , 13,		0
72	Effects of particle size of hydroxyapatite on mechanical property and cytocompatibility of hydroxyapatite/poly(amino acid) composites. 2022 , 43, 1107-1120		0
71	APATITIC NANOPOWDERS AND COATINGS: A COMPREHENSIVE REVIEW.		0
70	3D-Printed PCL Scaffolds Coated with Nanobioceramics Enhance Osteogenic Differentiation of Stem Cells.. 2021 , 6, 35284-35296		3
69	A review on bovine hydroxyapatite; extraction and characterization. 2021 ,		2
68	Conductive Scaffolds for Bone Tissue Engineering: Current State and Future Outlook.. 2021 , 13,		4
67	Biocompatibility of mesoporous SBA-16/hydroxyapatite nanocomposite and dentin demineralized particles on human dental pulp stem cells. <i>Microscopy Research and Technique</i> , 2021 ,	2.8	0
66	Beta-tricalcium phosphate enhanced mechanical and biological properties of 3D-printed polyhydroxyalkanoates scaffold for bone tissue engineering.. <i>International Journal of Biological Macromolecules</i> , 2022 ,	7.9	0
65	Evaluation of mechanical behavior, bioactivity, and cytotoxicity of chitosan/akermanite-TiO ₂ 3D-printed scaffolds for bone tissue applications. <i>Ceramics International</i> , 2022 ,	5.1	1
64	Tribo-mechanical measurements and in vivo performance of zirconia-containing biphasic calcium phosphate material implanted in a rat model for bone replacement applications. <i>Materials Chemistry and Physics</i> , 2022 , 285, 126085	4.4	2
63	Bioceramics: materials, properties, and applications. 2022 , 65-110		
62	Enhanced biomedical applicability of ZrO-SiO ceramic composites in 3D printed bone scaffolds.. <i>Scientific Reports</i> , 2022 , 12, 6845	4.9	1
61	Ultrafine-grained Nb-Cu immiscible alloy implants for hard tissue repair: Fabrication, characterization, and in vitro and in vivo evaluation. <i>Journal of Materials Science and Technology</i> , 2022 ,	9.1	1
60	Bamboo-based Biomaterials for Cell Transportation and Bone Integration.. <i>Advanced Healthcare Materials</i> , 2022 , e2200287	10.1	0
59	Microstructures and properties of polycaprolactone/tricalcium phosphate scaffolds containing polyethylene glycol fabricated by 3D printing. <i>Ceramics International</i> , 2022 ,	5.1	1
58	Role of nanostructured materials in hard tissue engineering.. <i>Advances in Colloid and Interface Science</i> , 2022 , 304, 102682	14.3	0
57	Hydroxyapatite-based bio-ceramic of ternary nanocomposites containing cuprous oxide/graphene oxide for biomedical applications. <i>Diamond and Related Materials</i> , 2022 , 109121	3.5	0
56	Fabrication of a zirconia/calcium silicate composite scaffold based on digital light processing. <i>Ceramics International</i> , 2022 ,	5.1	0

55	Investigation on strain rate sensitivity of 3D printed sPEEK-HAP/rGO composites. <i>Journal of Manufacturing Processes</i> , 2022 , 79, 789-802	5	0
54	Corrosion, stress corrosion cracking and corrosion fatigue behavior of magnesium alloy bioimplants. <i>Corrosion Reviews</i> , 2022 ,	3.2	1
53	3D printed hydroxyapatite-nacre-starch based bone grafts: Evaluation of biological and mechanical properties. <i>Journal of Materials Research</i> ,	2.5	
52	Zinc substituted hydroxyapatite/silk fiber/methylcellulose nanocomposite for bone tissue engineering applications. <i>International Journal of Biological Macromolecules</i> , 2022 , 214, 324-337	7.9	1
51	Three-dimensional printing hydrogel scaffold with bioactivity and shape-adaptability for potential application in irregular bone defect regeneration. <i>Journal of Applied Polymer Science</i> ,	2.9	
50	A Review of Anodized TiNbSn Alloys for Improvement in Layer Quality and Application to Orthopedic Implants. 2022 , 15, 5116		1
49	Biomimetic Self-Assembling Metal-Organic Architectures with Non-Iridescent Structural Coloration for Synergetic Antibacterial and Osteogenic Activity of Implants.		0
48	Bioinspired Laminated Bioceramics with High Toughness for Bone Tissue Engineering.		
47	Bioactive glass materials for tissue regeneration. 2022 , 130, 595-604		
46	Porous NiTiNb alloys with superior strength and ductility induced by modulating eutectic microregion. 2022 , 118295		0
45	Freeze Casting with Bioceramics for Bone Graft Substitutes.		
44	A review on bioceramics scaffolds for bone defect in different types of animal models: HA and β -TCP.		1
43	Effect of Zn-nanoHA concentration on the mechanical performance and bioactivity of 3D printed PEEK composites for craniofacial implants. 1-7		
42	Strategies to improve bioactive and antibacterial properties of polyetheretherketone (PEEK) for use as orthopedic implants. 2022 , 16, 100402		3
41	Simultaneously stimulated osteogenesis and anti-bacteria of physically cross-linked double-network hydrogel loaded with MgO-Ag ₂ O nanocomposites. 2022 , 141, 213123		0
40	Microwaves speed up producing scaffold foams with designed porosity from water glass. 2022 , 222, 111100		0
39	Effect of tantalum interlayer on hydroxyapatite biointerface for orthopedic applications. 2022 , 447, 128882		1
38	Femtosecond laser optimization of PEEK: efficient bioactivity achieved by synergistic surface chemistry and structures. 2022 , 10, 7014-7029		1

- 37 Hydroxyapatite coating on an aluminum/bioplastic scaffold for bone tissue engineering. **2022**, 12, 26789-26799
- 36 A review on recent advancements in biodegradable Mg-Ca alloys. **2022**, 10, 2094-2117 1
- 35 Effective role of P2O5 on in vitro bioactivity of CaO-ZnO-P2O5/P2O5 glass composites. 0
- 34 ZIF-8 induced hydroxyapatite-like crystals enabled superior osteogenic ability of MEW printing PCL scaffolds. 0
- 33 Bone-bioglass graft - an alternative to improve the osseointegration. **2022**, 16, 230-236 0
- 32 Mechanical and morphological characterization of nano-hydroxyapatite (nHA) for bone regeneration: A mini review. **2022**, 4, 100056 0
- 31 Mechanical Properties of Hydroxyapatite Ceramic Prepared from Micropowder and Nanopowder. 1074, 17-22 0
- 30 Characterization of hydroxyapatite coatings produced by pulsed-laser deposition on additive manufacturing Ti6Al4V ELI. **2022**, 139592 0
- 29 Immunomodulatory Blood-Derived Hybrid Hydrogels as Multichannel Microenvironment Modulators for Augmented Bone Regeneration. 1
- 28 Blending strategy to modify PEEK-based orthopedic implants. **2022**, 110427 0
- 27 A review on biomaterials-based scaffold: An emerging tool for bone tissue engineering. **2023**, 34, 105124 0
- 26 Thermal stability and antibacterial activity of Er2O3, and Co3O4 scattered in polycaprolactone. **2022**, 0
- 25 Novel Method for the Production of Titanium Foams to Reduce Stress Shielding in Implants. **2023**, 8, 1876-1884 0
- 24 Improved biological compatibility of carbon materials via aqua regia and CaCl2 treatments. **2023**, 296, 127359 0
- 23 Deposición de laser pulsado de hidroxiapatita en Ti-6Al-4V producido por manufactura aditiva. **2022**, 21, 0
- 22 Biofabrication of Poly(glycerol sebacate) Scaffolds Functionalized with a Decellularized Bone Extracellular Matrix for Bone Tissue Engineering. **2023**, 10, 30 0
- 21 A novel bioactive glass/graphene oxide composite coating for a polyether ether ketone-based dental implant. 0
- 20 Ceramics Choice for Implants. **2023**, 59-87 0

- 19 Developing alkaline titanate surfaces for medical applications. 1-48 0
- 18 Fabrication and investigation of physicochemical and biological properties of 3D printed sodium alginate-chitosan blend polyelectrolyte complex scaffold for bone tissue engineering application. 1
- 17 Improved drug incorporation and in vitro osteogenic effect of baicalin coating on different modified titanium surfaces. 0
- 16 Osteoconductive element-doped, porous, and low-elastic-modulus duplex coatings on a Ti-6Al-4V alloy: A hybrid coating system for accelerating cell growth. **2023**, 943, 169131 0
- 15 Surface nanocrystallization and biomedical performance of Ti-Ta laminated composite processed by surface mechanical grinding treatment. **2023**, 623, 157051 0
- 14 Ultrasonic-based surface patterning and interfacial reaction of ZrO₂ ceramics. **2023**, 155, 202-210 0
- 13 Titanium surface-grafted zwitterionic polymers with an anti-polyelectrolyte effect enhances osteogenesis. **2023**, 226, 113293 0
- 12 Fabrication of polycaprolactone/calcium phosphates hybrid scaffolds impregnated with plant extracts using 3D printing for potential bone regeneration. **2023**, 9, e13176 0
- 11 A comparative study of apatite growth and adhesion on a laser-functionalized titanium surface. **2023**, 182, 108338 0
- 10 Ultraporous Submicron-Grained ECa₃(PO₄)₂-Based Ceramics. **2022**, 58, 1208-1219 1
- 9 Identification and ranking biomaterials for bone scaffolds using machine learning and PROMETHEE. **2023**, 39, 129-138 0
- 8 Geopolymer Materials for Bone Tissue Applications: Recent Advances and Future Perspectives. **2023**, 15, 1087 0
- 7 Enhancement of apatite formation on Ti-50Zr alloy in simulated body environment. **2023**, 0
- 6 Hydroxyapatite materials-synthesis routes, mechanical behavior, theoretical insights, and artificial intelligence models: a review. 0
- 5 Bioglass-polymer composite scaffolds for bone tissue regeneration: a review of current trends. 1-20 0
- 4 A Novel Strategy for Liposomal Drug Separation in Plasma by TiO₂ Microspheres and Application in Pharmacokinetics. Volume 18, 1321-1334 0
- 3 Smart materials – A state-of-the-art-review. **2023**, 0
- 2 Laser Structuring for Biomedical Applications. **2023**, 1105-1165 0

- 1 Biocompatibility and osteogenic activity of Zr₃₀Ta and Zr₂₅Ta₅Ti sintered alloys for dental and orthopedic implants. **2023**, 33, 851-864

o