

CITATION REPORT

List of articles citing

Infrared detectors: status and trends

DOI: 10.1016/s0079-6727(02)00024-1
Progress in Quantum Electronics, 2003, 27, 59-210.

Source: <https://exaly.com/paper-pdf/35138813/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
878	Freely suspended nanocomposite membranes as highly sensitive sensors. 2004 , 3, 721-8		485
877	The role of surface adsorbates on electrical properties of MOVPE grown HgCdTe onto (0 0 1) GaAs substrates. 2004 , 48, 1623-1627		5
876	Pyroelectric Properties of Pure and Doped Lithium Niobate Crystals for Infrared Sensors. 2004 , 31, 131-139		8
875	Uncooled infrared photodetectors in Poland. 2005 ,		2
874	MBE growth and characterization of type-II InAs/GaSb superlattices for mid-infrared detection. 2005 , 274, 6-13		78
873	Advanced characterization of the radiometric performances of quantum well infrared photodetectors. <i>Infrared Physics and Technology</i> , 2005 , 47, 119-131	2.7	5
872	Morphology of the prothoracic discs and associated sensilla of <i>Acanthocnemus nigricans</i> (Coleoptera, Acanthocnemidae). 2005 , 34, 419-428		22
871	Freely Suspended Layer-by-Layer Nanomembranes: Testing Micromechanical Properties. <i>Advanced Functional Materials</i> , 2005 , 15, 771-780	15.6	170
870	Optimization of InAsSb photodetector for non-cryogenic operation in the mid-infrared range. 2005 , 202, 647-651		12
869	Quantum-dot based avalanche photodiodes for mid-infrared sensing. 2005 ,		0
868	Nanoindentation of HgCdTe prepared by molecular beam epitaxy. 2005 , 87, 251905		23
867	Short-period InAs/GaSb type-II superlattices for mid-infrared detectors. 2005 , 87, 261106		33
866	Antenna coupled niobium bolometers for 10 μ m wavelength radiation detection. 2005 , 15, 541-544		
865	.		
864	Theoretical investigation of quantum-dot avalanche photodiodes for mid-infrared applications. 2005 , 41, 1468-1473		19
863	Guide to the Literature of Piezoelectricity and Pyroelectricity. 24. 2005 , 322, 115-210		1
862	Absorption Coefficients for the Bound-to-continuum Transitions in a Biased Quantum-well Infrared Photodetector. 2005 , 9, 131-134		

861	Short-wavelength infrared tuneable filters on HgCdTe photoconductors. 2005 , 13, 9683-94	6
860	CMOS-based Thermal Sensors. 2005 , 479-512	11
859	Free-standing epitaxial $\text{La}_{1-x}(\text{Sr,Ca})_x\text{MnO}_3$ membrane on Si for uncooled infrared microbolometer. 2005 , 87, 033502	32
858	Quantum dots-in-a-well infrared photodetectors grown by MOCVD. 2006 ,	0
857	High-detectivity quantum-dot infrared photodetectors grown by metalorganic chemical-vapor deposition. 2006 , 88, 121102	36
856	Numerical analysis of HgCdTe simultaneous two-color photovoltaic infrared detectors. 2006 , 42, 418-426	63
855	A Novel Avalanche Free Single Photon Detector. 2006 ,	
854	Laser Optimisation of Photoelectric Properties of Variable Bandgap CdHgTe layers for Multiband IR Detection. 2006 ,	
853	Electroluminescence of InAs-GaSb heterodiodes. 2006 , 42, 126-130	9
852	Effect of growth-interrupted method on quality of AlGaAs/GaAs multiple quantum wells prepared by MBE. 2006 , 16, s183-s186	1
851	A novel uncooled substrate-free optical-readable infrared detector: design, fabrication and performance. 2006 , 17, 1981-1986	27
850	Polymeric nanolayers as actuators for ultrasensitive thermal bimorphs. 2006 , 6, 730-4	86
849	Unstable mixing regions in CdMnHgTe and ZnMnHgTe solid solutions. 2006 , 423, 144-146	1
848	Chalcogenides: Solid-State Chemistry Based in part on the article Chalcogenides: Solid State Chemistry by Patricia M. Keane which appeared in the Encyclopedia of Inorganic Chemistry, First Edition.. 2006 ,	0
847	Pushing the envelope to the maximum: Short-period InAs/GaSb type-II superlattices for mid-infrared detectors. 2006 , 32, 289-292	10
846	Elimination of stress-induced curvature in microcantilever infrared focal plane arrays. 2006 , 130-131, 331-339	16
845	Effects of O^+ irradiation on infrared sensing characteristics of modified PZT ceramic. 2006 , 246, 369-373	4
844	Novel semiconductor solar cell structures: The quantum dot intermediate band solar cell. 2006 , 511-512, 638-644	141

843	Thermo-Optical Arrays of Flexible Nanoscale Nanomembranes Freely Suspended over Microfabricated Cavities as IR Microimagers. 2006 , 18, 2632-2634	61
842	Uncooled infrared photodetectors in Poland. 2006 , 14,	7
841	Interfaces as design tools for short-period InAs/GaSb type-II superlattices for mid-infrared detectors. 2006 , 14,	27
840	Determination of HgCdTe elasto-plastic properties using nanoindentation. 2006 , 35, 1197-1205	4
839	Pyroelectric ceramics for infrared detection applications. 2006 , 60, 1937-1942	45
838	Recombination properties of Si-doped InGaAs/GaAs quantum dots. 2006 , 17, 5373-5377	5
837	Quantum Dots in GaInP/GaInAs/GaAs for Infrared Sensing. 2006 , 51, 201-208	2
836	A new approach for quantum infrared detection at room temperature. 2006 , 6206, 510	1
835	MICROFABRICATION OF EPITAXIAL $\text{La}_{1-x}(\text{Sr,Ca})_x\text{MnO}_3$ IR BOLOMETER ON Si. 2006 , 80, 47-54	4
834	Growth of short-period InAs/GaSb superlattices. 2006 , 100, 123110	23
833	Environmental stability and cryogenic thermal cycling of low-temperature plasma-deposited silicon nitride thin films. 2006 , 99, 053519	13
832	An Investigation on Spectral-Characteristic of HgCdTe two-color Detector. 2006 ,	
831	Single and Multi Emitter Terahertz Detectors Using n-Type GaAs/AlGaAs Heterostructures. 2007 ,	1
830	Optimized Optomechanical Micro-Cantilever Array for Uncooled Infrared Imaging. 2007 , 24, 3362-3364	2
829	A Novel Method for Estimating the Thermal Conductance of Uncooled Microbolometer Pixels. 2007 ,	
828	The pressure-dependent performance of a substrate-free focal plane array in an uncooled infrared imaging system. 2007 , 102, 113524	15
827	IR imaging using a cantilever-based focal plane array fabricated by deep reactive ion etching technique. 2007 , 91, 054109	7
826	Double-Cantilever Infrared Detector: Fabrication, Curvature Control and Demonstration of Thermal Detection. 2007 ,	

825	Fourier Transform Mid-infrared Spectroscopic Imaging. 2007 , 1-24		3
824	Non-equilibrium free carriers overcome cooling need in quantum IR detectors. 2007 ,		
823	Uncooled nanoscale infrared high-speed sensors for missile seeker applications. 2007 ,		2
822	Single-scan extraction of two-dimensional parameters of infrared focal plane arrays utilizing a Fourier-transform spectrometer. 2007 , 46, 1379-84		9
821	Thermography techniques for integrated circuits and semiconductor devices. 2007 , 27, 298-309		44
820	Study of gradient stress in bimaterial cantilever structures for infrared applications. <i>Journal of Micromechanics and Microengineering</i> , 2007 , 17, 1211-1219	2	10
819	Very high quantum efficiency in type-II InAs/GaSb superlattice photodiode with cutoff of 12 μ m. 2007 , 90, 231108		89
818	Silicidation of silicon nanowires by platinum. 2007 , 7, 818-24		49
817	Sensitivity analysis of MWIR HgCdTe photodiodes. 2007 ,		6
816	Be ion irradiation induced p- to n-type conversion in HgCdTe. 2007 , 101, 116102		3
815	Preparation of vanadium oxide thin films with high temperature coefficient of resistance by facing targets d.c. reactive sputtering and annealing process. 2007 , 201, 4969-4972		32
814	An uncooled optically readable infrared imaging detector. 2007 , 133, 236-242		30
813	Short-period InAs/GaSb superlattices for mid-infrared photodetectors. 2007 , 4, 1702-1706		6
812	Large Signal Analysis of the Infrared Semiconductor Mercury-Cadmium-Telluride Detectors. 2007 , 28, 849-858		0
811	Optical readout uncooled infrared imaging detector using knife-edge filter operation. 2007 , 3, 119-122		8
810	Design, optimisation and predicted performance of a micro-machined IR sensor that exploits the squeeze film damping effect to measure cantilever beam displacement. 2007 , 45, 503-522		2
809	Performance analysis of microcantilever arrays for optical readout uncooled infrared imaging. 2007 , 137, 13-19		16
808	Uncooled IR imaging using optomechanical detectors. 2007 , 107, 610-6		17

807	Uncooled infrared imaging device based on optimized optomechanical micro-cantilever array. 2008 , 108, 579-88		15
806	Wet Etching Study of La _{0.67} (Sr _{0.5} Ca _{0.5}) _{0.33} MnO ₃ Films on Silicon Substrates. 2008 , 37, 361-367		9
805	Development of double-cantilever infrared detectors: Fabrication, curvature control and demonstration of thermal detection. 2008 , 145-146, 231-240		12
804	Studying the effect of material parameters on detectivity in a p \bar{n} In _{0.53} Ga _{0.47} As photovoltaic detector. 2008 , 52, 11-16		2
803	High-temperature PbTe diodes. 2008 , 516, 7065-7069		8
802	Design of mid-infrared InAs/GaSb superlattice detectors for room temperature operation. 2008 , 44, 611-616	11	
801	Quantum Dot Structures for Multi-band Infrared and Terahertz Radiation Detection. 2008 , 659-686		
800	Mid-infrared photoluminescence of PbSe film structures up to room temperature. 2008 ,		4
799	Structural, electrical, and optical properties of thermally evaporated nanocrystalline PbTe films. 2008 , 104, 053707		40
798	The deformation of microcantilever-based infrared detectors during thermal cycling. <i>Journal of Micromechanics and Microengineering</i> , 2008 , 18, 075012	2	13
797	Characterization of high-temperature PbTe p-n junctions prepared by thermal diffusion and by ion implantation. 2008 , 103, 024506		7
796	Lasers and photodetectors for mid-infrared 2 μ m applications. 2008 , 104, 091101		37
795	Metal mesh resonant filters for terahertz frequencies. 2008 , 47, 6064-9		70
794	Low noise, high gain short-wave infrared nano-injection photon detectors with low jitter. 2008 ,		
793	Uncooled Infrared Imaging Using a Substrate-Free Focal-Plane Array. 2008 , 29, 1218-1221		11
792	Modeling and ATLAS simulation of Hg Cd Te based MWIR photo detector for free space optical communication. 2008 ,		4
791	Size, Shape, Composition, and Segregation Tuning of InGaAs Thermo-optical Properties. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 17889-17892	3.8	13
790	Uncooled infrared detectors for 3 μ m and beyond. 2008 , 93, 021105		37

789	High performance of IR detectors due to controllable kinetics in quantum-dot structures. 2008,		1
788	A PCB-like process for vertically configured thermopiles. <i>Journal of Micromechanics and Microengineering</i> , 2008 , 18, 065021	2	13
787	HOT-ELECTRON TRANSPORT IN QUANTUM-DOT PHOTODETECTORS. 2008 , 18, 1013-1022		8
786	Directed self-assembly of quantum structures by nanomechanical stamping using probe tips. 2008 , 19, 015301		29
785	Design of a Micromachined Thermopile Infrared Sensor With a Self-Supported SiO_2/Si Membrane. 2008 , 8, 2044-2052		18
784	Electron dominated impact ionization and avalanche gain characteristics in InAs photodiodes. 2008 , 93, 111107		45
783	Growth and pyroelectric properties of high Curie temperature relaxor-based ferroelectric $\text{Pb}(\text{In}_{1-x}\text{Nb}_x)\text{O}_3/\text{Pb}(\text{Mg}_{1-x}\text{Nb}_x)\text{O}_3/\text{PbTiO}_3$ ternary single crystal. 2008 , 92, 252907		30
782	Nanomembrane-Enabled MEMS Sensors: Case of Plasmonic Devices for Chemical and Biological Sensing. 2009 ,		1
781	Scanning capacitance microscopy investigation on InGaAs/InP avalanche photodiode structures: Light-induced polarity reversal. 2009 , 95, 093506		11
780	Performance of an optimized substrate-free focal plane array for optical readout uncooled infrared detector. 2009 , 105, 034505		5
779	Correlation of temperature response and structure of annealed VOx thin films for IR detector applications. 2009 , 27, 956-961		21
778	Pyroelectric IR sensor array using lead-free pyroelectric NBT thin film on epitaxial $\text{Al}_2\text{O}_3/\text{Si}(100)$ substrates. 2009 ,		
777	Analysis of Optical Readout Sensitivity for Uncooled Infrared Detector. 2009 , 26, 124206		7
776	Quantum Ring Infrared Photodetector Based On Droplet Epitaxy Technique. 2009 , 1208, 1		
775	Evaluation of B ⁺ -implanted n ⁺ -n-p HgCdTe structures using transient microwave reflectance. 2009 , 106, 056103		1
774	A $\langle 1\ 0\ 0 \rangle$ direction front-etched membrane structure for a micro-bolometer. <i>Journal of Micromechanics and Microengineering</i> , 2009 , 19, 035022	2	4
773	Optical sensitivity analysis of a bent micro reflector array in uncooled infrared imaging. <i>Journal of Micromechanics and Microengineering</i> , 2009 , 19, 095018	2	5
772	The infrared retina. <i>Journal Physics D: Applied Physics</i> , 2009 , 42, 234005	3	11

771	Photodetectors Fabricated from Strain-free GaAs Coupled Quantum Dots. 2009 , 1208, 1		
770	The roadmap for low price- high performance IR detector based on LWIR to NIR light up-conversion approach. 2009 ,		
769	Bioinspired Material Approaches to Sensing. <i>Advanced Functional Materials</i> , 2009 , 19, 2527-2544	15.6	81
768	Micromachined quartz resonator based infrared detector array. 2009 , 149, 189-192		29
767	Growth and fabrication issues of GaSb-based detectors. 2009 , 20, 1039-1058		17
766	Ion implantation studies on VOx films prepared by pulsed dc reactive sputtering. 2009 , 267, 1476-1479		13
765	Optical and structural properties of MOVPE-grown GaInSb/GaSb quantum wells. <i>Physica B: Condensed Matter</i> , 2009 , 404, 5167-5169	2.8	0
764	Design, simulations and optimization of micromachined Golay-cell based THz sensors operating at room temperature. 2009 , 1, 1175-1178		6
763	Far-infrared sensor with LPCVD-deposited low-stress Si-rich nitride absorber membrane Part 1. Optical absorptivity. 2009 , 152, 119-125		10
762	Coupled physics analyses of VOx-based, three-level microbolometer. 2009 , 5, 63-65		10
761	Piezoelectric MEMS sensors: state-of-the-art and perspectives. 2009 , 20, 092001		372
760	Nonhysteretic behavior inside the hysteresis loop of VO2 and its possible application in infrared imaging. 2009 , 106, 104504		45
759	Thermal simulation and design optimization of a thermopile infrared detector with an SU-8 membrane. <i>Journal of Micromechanics and Microengineering</i> , 2009 , 19, 055016	2	16
758	Optical sensitivity analysis of deformed mirrors for microcantilever array IR imaging. 2009 , 17, 4367-81		15
757	Laser Heterodyne Radars and Lidars. 2009 , 105-190		
756	Multicolor photodetector based on GaAs quantum rings grown by droplet epitaxy. 2009 , 94, 171102		72
755	Broad spectral response using carbon nanotube/organic semiconductor/C60 photodetectors. 2009 , 9, 3354-8		204
754	Thermomechanical behavior and microstructural evolution of SiNx/Al bimaterial microcantilevers. <i>Journal of Micromechanics and Microengineering</i> , 2009 , 19, 085010	2	7

753	Photothermal effect in narrow band gap PbTe semiconductor. 2009 , 106, 076105	1
752	Dielectric, ferroelectric, and pyroelectric characterization of Mn-doped $0.74\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3 \cdot 0.26\text{PbTiO}_3$ crystals for infrared detection applications. 2009 , 95, 192903	60
751	Characterizations of bismuth telluride/gallium nitride heterojunction photovoltaic detector for MWIR detection under room temperature. 2009 , 152, 012046	3
750	A low-noise wide-dynamic-range UV detector with pixel-level A/D conversion. 2009 ,	1
749	Development of infrared detector with slot antenna-coupled microbolometer. 2010 ,	1
748	128 \times 128 dual-color ROIC with electrical crosstalk resistant design. 2010 ,	1
747	Novel structure for ultrafast uncooled focal plane array. 2010 ,	
746	Infrared Imaging: Principles and Practices. 2010 ,	
745	Structural and optical characterization of infrared hot electron transistor. 2010 , 108, 034515	
744	Performance enhancement of Bolometer by increasing fill factor. 2010 ,	
743	Fabrication and evaluation of the CdZnTe microlens arrays. 2010 ,	3
742	Fundamental Performance Limitations of Infrared Detectors. 2010 , 45-74	
741	Uncooled MWIR and LWIR photodetectors in Poland. 2010 , 18,	8
740	History of HgTe-based photodetectors in Poland. 2010 , 18,	
739	Modeling of thermal conductance in an uncooled microbolometer pixel. 2010 , 157, 235-245	11
738	Detector material and sensitivity analysis for space-based infrared sensors. 2010 , 6, 27-30	2
737	Polarization Sensitivity of Quantum Well Infrared Photodetector Coupled to a Metallic Diffraction Grid. 2010 , 46, 877-883	6
736	Fullerene sensitized silicon for near- to mid-infrared light detection. 2010 , 22, 647-50	19

735	Review of current progress in quantum dot infrared photodetectors. <i>Laser and Photonics Reviews</i> , 2010 , 4, 738-750	8.3	90
734	Room temperature infrared imaging array fabricated using heterogeneous integration methods. 2010 , 5, 952-955		
733	Electrical conductivity and minority carrier diffusion in thermally oxidized PbTe thin films. <i>Physica B: Condensed Matter</i> , 2010 , 405, 1058-1061	2.8	5
732	Influence of oxygen treatment on transport properties of PbTe:In polycrystalline films. <i>Physica B: Condensed Matter</i> , 2010 , 405, 2380-2384	2.8	13
731	Opto-electrical characterization of infrared sensors based on carbon nanotube films. 2010 , 11, 405-410		4
730	Numerical optimization of an ambient temperature photoelectromagnetic detector for middle and far infrared spectral regions. <i>Infrared Physics and Technology</i> , 2010 , 53, 419-424	2.7	6
729	Fullerene sensitized silicon for near- to mid-infrared light detection. 2010 , 247, 3043-3046		5
728	Polymer carpets. <i>Small</i> , 2010 , 6, 1623-30	11	55
727	Fullerene sensitized silicon for near to mid infrared light detection. 2010 , 1247, 1		
726	Infrared Thermo-Electric Photodetectors. 2010 ,		
725	3D numerical analysis of As-diffused HgCdTe planar pixel arrays. 2010 ,		3
724	Design, Preparation and Application of Dual-Color HgCdTe Infrared Sensor. 2010 , 44-47, 2055-2059		
723	Thermal and mechanical characterizations of a substrate-free focal plane array. 2010 , 19, 010701-12		3
722	A Photovoltaic InAs Quantum-Dot Infrared Photodetector. 2010 , 27, 047801		4
721	Dark current and noise measurements in InAs/GaSb superlattice detectors. 2010 ,		1
720	Hochdetektive pyroelektrische Infrarotsensoren auf der Basis von LiTaO3. 2010 , 77, 333-340		2
719	Thermal modeling of novel monolithic pyroelectric infrared image sensors. 2010 ,		
718	Suppression of surface leakage currents using molecular beam epitaxy-grown unipolar barriers. 2010 , 28, C3H18-C3H21		13

717	Electrical characterization of devices based on carbon nanotube films. 2010 , 96, 103501		17
716	. 2010 ,		1
715	Nanostructured Black Metal: Novel Fabrication Method by Use of Self-Growing Helium Bubbles. 2010 , 3, 085204		67
714	Modeling and Simulation of Infrared Sensors Using Cantilever and Bridge Structures. 2010 ,		
713	InSbN based p-n junctions for infrared photodetection. 2010 , 46, 787		22
712	Ion irradiation-induced bimodal surface morphology changes in InSb. 2010 , 21, 325602		16
711	A normal-incident quantum well infrared photodetector enhanced by surface plasmon resonance. 2010 ,		
710	Traveling-Wave Metal/Insulator/Metal Diodes for Improved Infrared Bandwidth and Efficiency of Antenna-Coupled Rectifiers. 2010 , 9, 716-722		73
709	Adaptive band selection snapshot multispectral imaging in the VIS/NIR domain. 2010 ,		6
708	Metal-insulator-semiconductor photodetectors. <i>Sensors</i> , 2010 , 10, 8797-826	3.8	117
707	Infrared dipole antenna enhanced by surface phonon polaritons. <i>Optics Letters</i> , 2010 , 35, 3748-50	3	15
706	Polycrystalline PbSe on a polyimide substrate. 2010 , 501, 6-13		10
705	Applications of thermal imaging in food quality and safety assessment. 2010 , 21, 190-200		115
704	Sequential coupling transport for the dark current of quantum dots-in-well infrared photodetectors. 2010 , 97, 193511		24
703	Study of insulator traps in InSb InSb/SiOx/Metal devices. 2010 , 107, 084510		1
702	History highlights and future trends of infrared sensors. 2010 , 57, 1663-1686		24
701	Pyroelectric performances of rhombohedral 0.42Pb(In _{1-x} Nb _x)O ₃ ·0.3Pb(Mg _{1-x} Nb _x)O ₃ ·0.28PbTiO ₃ single crystals. 2010 , 57, 2154-8		17
700	Study of annealing condition of InSbN alloys fabricated by ion implantation. 2010 ,		

699	Investigation of multistack InAs/InGaAs/GaAs self-assembled quantum dots-in-double-well structures for infrared detectors. 2010 , 28, C3G1-C3G7		17
698	Electrical & optical properties of Mg-doped narrow band-gap InSbN p-n junction. 2010 ,		
697	Properties of InSb (N) epilayers grown by metal-organic chemical vapor deposition. 2010 ,		
696	. 2010 , 9, 647-652		8
695	Nanostructured materials for sensing and imaging. 2010 ,		
694	Application of Micromachined X-Cut-Quartz Bulk Acoustic Wave Resonator for Infrared Sensing. <i>Journal of Microelectromechanical Systems</i> , 2011 , 20, 288-296	2.5	35
693	Monitoring biochemical reactions using Y-cut quartz thermal sensors. 2011 , 136, 2904-11		12
692	An intermediate-band-assisted avalanche multiplication in InAs/InGaAs quantum dots-in-well infrared photodetector. 2011 , 98, 073504		2
691	Controlled Oxide Removal and Surface Morphology on InSb(100) Using Gas Phase HF/H ₂ O. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 7440-7449	3.8	9
690	A numerical study of broadband absorbers for visible to infrared detectors. 2011 , 99, 091109		27
689	Fabrication of High-Quality InSb Nanowire Arrays by Chemical Beam Epitaxy. 2011 , 11, 1896-1900		44
688	Demonstration of a Room-Temperature InP-Based Photodetector Operating Beyond 3 μm . 2011 , 23, 218-220		38
687	Bionic (Nano) Membranes. 2011 , 9-24		2
686	Chalcogenides: Solid-State Chemistry Based in part on the article Chalcogenides: Solid State Chemistry by Patricia M. Keane which appeared in the Encyclopedia of Inorganic Chemistry, First Edition.. 2011 ,		
685	Optical response of laser-doped silicon carbide for an uncooled midwave infrared detector. 2011 , 50, 2640-53		6
684	Sub-wavelength bolometers: uncooled platinum wires as infrared sensors. 2011 , 19, 8721-7		20
683	Ge/SiGe Quantum Well p-i-n Structures for Uncooled Infrared Bolometers. 2011 , 32, 1567-1569		8
682	Probing into the effect of Auger recombination mechanism on zero bias resistance-area product in In _{1-x} Ga _x As detector. 2011 , 151, 1953-1957		1

681	Semiconductor infrared up-conversion devices. <i>Progress in Quantum Electronics</i> , 2011 , 35, 77-108	9.1	31
680	SWIR/MWIR InP-Based p-i-n Photodiodes With InGaAs/GaAsSb Type-II Quantum Wells. 2011 , 47, 1244-1250		53
679	Broadband Coverage Optical Sensor with Liquid Crystalline Materials and Pyroelectrics. 2011 , 1293, 1		1
678	Effects of absorption layer characteristic on spectral photoresponse of mid-wavelength InSb photodiodes. 2011 , 42, 801-808		9
677	Large pyroelectric response in $(\text{Pb}_{0.87}\text{La}_{0.02}\text{Ba}_{0.1})(\text{Zr}_{0.7}\text{Sn}_{0.3-x}\text{Ti}_x)\text{O}_3$ antiferroelectric ceramics under DC bias field. 2011 , 103, 1159-1163		9
676	Dielectric and pyroelectric properties of Ba-modified lead lanthanum zirconate stannate titanate ceramics. 2011 , 176, 816-820		9
675	Growth and pyroelectric properties of rhombohedral $0.21\text{Pb}(\text{In}_{1/2}\text{Nb}_{1/2})\text{O}_3 \cdot 0.49\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3 \cdot 0.3\text{PbTiO}_3$ ternary single crystals. 2011 , 318, 856-859		18
674	Signal readout for pyroelectric detector based on relaxor ferroelectric single crystals. 2011 , 208, 1078-1083		4
673	Raman spectroscopic study of HgCdTe epilayers for infrared detector array fabrication. <i>Infrared Physics and Technology</i> , 2011 , 54, 44-47	2.7	3
672	Investigation of the quantum dot infrared photodetectors dark current. 2011 , 43, 1020-1025		23
671	Sb antisite defects in InSb epilayers prepared by metalorganic chemical vapor deposition. 2011 , 318, 356-359		9
670	The performance improvement evaluation for SiGe-based IR detectors. 2011 , 62, 72-76		17
669	Room temperature device performance of electrodeposited InSb nanowire field effect transistors. 2011 , 98, 243504		29
668	Compact magnetospectrometer for pulsed magnets based on infrared quantum cascade lasers. 2011 , 82, 033108		14
667	Amorphous HgCdTe infrared photoconductive detector with high detectivity above 200 K. 2011 , 99, 113508		28
666	Investigation on the limit of weak infrared photodetection. 2011 , 110, 074501		5
665	Novel resonant cavity-enhanced absorber structures for high-efficiency midinfrared photodetector application. 2011 , 5, 051824		7
664	Different approximations of carrier statistics in middle-wavelength infrared HgCdTe photovoltaic devices with nonparabolic band. 2011 , 50, 094006		

663	High pyroelectric properties of $(\text{Pb}_{0.87}\text{La}_{0.02}\text{Ba}_{0.1})(\text{Zr}_{0.75}\text{Sn}_{0.25}\text{Ti}_x)\text{O}_3$ ceramics near AFE/RFE phase boundary under DC bias field. 2011 , 26, 1441-1445	4
662	Finite Element Analysis on Structural Stress of 88 InSb Infrared Focal Plane Array with Underfill. 2011 , 201-203, 108-112	
661	Terahertz Detection Devices. 2011 , 265-307	1
660	Dark conductivity and photoconductivity of amorphous $\text{Hg}_{0.78}\text{Cd}_{0.22}\text{Te}$ thin films. 2011 , 32, 033004	3
659	A New Class of Nanostructured Inorganic/Organic Hybrid Semiconductors Based on II/VI Binary Compounds. 2011 , 445-504	10
658	APPLICATION OF EPITAXIAL UNIPOLAR BARRIERS TO REDUCE NOISE CURRENTS IN PHOTODETECTORS. 2011 , 20, 557-564	
657	Electrical Properties of InSbN Alloys Fabricated by Two-Step Ion Implantation. 2012 , 569, 305-310	
656	A novel optical readout infrared FPA imaging system with fiber reference channel. 2012 , 20, 9516-22	4
655	Double triangular prism filter based on the optical-readout method in a microelectromechanical infrared imaging system. 2012 , 51, 669-75	1
654	Bulk and interfacial deep levels observed in $\text{In}_{0.53}\text{Ga}_{0.47}\text{As}/\text{GaAs}_{0.5}\text{Sb}_{0.5}$ multiple quantum well photodiode. 2012 , 101, 052107	28
653	Mid-infrared As_2Se_3 chalcogenide glass-on-silicon waveguides. 2012 ,	
652	Laser induced modification and ablation of InAs nanowires. 2012 , 111, 094316	11
651	Plasmon-enhanced internal photoemission for photovoltaics: Theoretical efficiency limits. 2012 , 101, 073905	159
650	Science and Engineering Beyond Moore's Law. 2012 , 100, 1720-1749	160
649	Carbon nanotube arrays based high-performance infrared photodetector [Invited]. 2012 , 2, 839	79
648	Calorimetric sensing system for real-time urea and creatinine measurements. 2012 ,	0
647	Camouflage and display for soft machines. 2012 , 337, 828-32	514
646	Treatment for GaSb surfaces using a sulphur blended $(\text{NH}_4)_2\text{S}/(\text{NH}_4)_2\text{SO}_4$ solution. 2012 , 258, 6753-6758	21

645	Microbolometer SU-8 photoresist microstructure with cytochrome c protein as a sensing pixel for microbolometer. 2012,		5
644	Optical Absorption Layers for Infrared Radiation. 2012, 355-381		1
643	Tailoring the Mechanics of Freestanding Multilayers. 2012, 363-392		1
642	Parylene supported 20um*20um uncooled thermoelectric infrared detector with high fill factor. 2012,		2
641	Thin-film platinum nanowires as sub-wavelength bolometers. 2012,		1
640	Manufacturing-oriented developments of silicon multiplexers for multielement IR photodetectors. 2012, 48, 373-383		1
639	Sub-bandgap spectral photo-response analysis of Ti supersaturated Si. 2012, 101, 192101		30
638	Infrared: A Key Technology for Security Systems. 2012, 2012, 1-15		9
637	Un-Cooled Microbolometers with Amorphous Germanium-Silicon (a-GexSiy:H) Thermo-Sensing Films. 2012,		3
636	Comparative analysis of oxide phase formation and its effects on electrical properties of SiO ₂ /InSb metal-oxide-semiconductor structures. 2012, 520, 5382-5385		3
635	Optimization of growth parameters for MOVPE-grown GaSb and Ga _{1-x} In _x Sb. <i>Physica B: Condensed Matter</i> , 2012, 407, 1611-1614	2.8	4
634	Improved GaSb surfaces using a (NH ₄) ₂ S/(NH ₄) ₂ SO ₄ solution. <i>Physica B: Condensed Matter</i> , 2012, 407, 1675-1678	2.8	4
633	Experimental and theoretical investigation of the pyroelectric effect of the p-n junction in a paraelectric non-polar semiconductor. <i>Physica B: Condensed Matter</i> , 2012, 407, 439-450	2.8	
632	Passivation techniques for InAs/GaSb strained layer superlattice detectors. <i>Laser and Photonics Reviews</i> , 2013, 7, 45-59	8.3	35
631	Crosstalk suppressing design of GaAs microlenses integrated on HgCdTe infrared focal plane array. 2013, 45, 665-672		5
630	Vanadium Oxide Thin Films Alloyed with Ti, Zr, Nb, and Mo for Uncooled Infrared Imaging Applications. 2013, 42, 901-905		16
629	Effect of Boundary Condition and Periodical Extension on Transmission Characteristics of Terahertz Filters with Periodical Hole Array Structure Fabricated on Aluminum Slab. 2013, 8, 1293-1297		4
628	Nanostructured Inorganic/Organic Hybrid Semiconductor Materials. 2013, 375-415		2

627	Design strategy for broadband or dual-band ultrathin imaging system. 2013 , 124, 3282-3286		1
626	Performance of gas source MBE grown InAlGaAs photovoltaic detectors tailored to 1.4 μ m. 2013 , 378, 579-582		1
625	Impact of optical antenna and plasmonics on infrared imagers. <i>Infrared Physics and Technology</i> , 2013 , 59, 142-145	2.7	7
624	High performance NEMS resonant infrared detector based on an aluminum nitride nano-plate resonator. 2013 ,		16
623	Structural, optical and electrical characterization of Ag doped lead chalcogenide (PbSe) thin films. 2013 , 135, 295-300		26
622	Nanometric CMOS-SOI-NEMS Transistor for Uncooled THz Sensing. 2013 , 60, 1575-1583		31
621	Rectenna Solar Cells. 2013 ,		63
620	Wafer-level vacuum packaging for an optical readout bi-material cantilever infrared FPA. 2013 ,		
619	Hybrid optical antenna with high directivity gain. 2013 ,		1
618	Infrared temperature sensor for industrial application: Package design for reliable operation in a high voltage generator circuit breaker. 2013 ,		
617	SiO ₂ /SiN infrared absorbing films for uncooled pyroelectric sensor and its fabrication and evaluation. 2013 ,		1
616	Quantum well infrared photodetector based on a continuum localized state in a [defective] superlattice. 2013 ,		
615	Low-cost thermo-optic imaging sensors: a detection principle based on tunable one-dimensional photonic crystals. 2013 , 5, 1575-82		35
614	The tolerable target temperature for bimaterial microcantilever array infrared imaging. 2013 , 45, 545-550		7
613	Phonon thermal transport in InAs nanowires with different size and growth directions. 2013 , 377, 3144-3147		31
612	Pixels array matching for optical readout microcantilever array sensing system. 2013 , 124, 6058-6062		
611	Plasmonic enhancement of photocurrent in carbon nanotube by Au nanoparticles. 2013 , 102, 103102		30
610	Carbon nanotube photoelectronic and photovoltaic devices and their applications in infrared detection. <i>Small</i> , 2013 , 9, 1225-36	11	76

609	Diameter-Dependent photocurrent in InAsSb nanowire infrared photodetectors. 2013 , 13, 1380-5		121
608	Strong magnetic field effect on over-the-barrier transport in Pb-p-Hg _{1-x} CdxTe Schottky barriers. 2013 , 28, 035004		
607	Progress in infrared photodetectors since 2000. <i>Sensors</i> , 2013 , 13, 5054-98	3.8	156
606	Nanomachined pyroelectric detector with low thermal conductance [Design and concepts. 2013 ,		1
605	An automated miniaturized creatinine sensing system. 2013 ,		
604	New quantum effect photodetector array Readout and display. 2013 ,		1
603	Inverse design of the absorbing layer for detection enhancement in near-infrared range. 2013 , 21, 23220-30		
602	Si-CMOS compatible materials and devices for mid-IR microphotronics. 2013 , 3, 1474		34
601	Hybrid optical antenna with high directivity gain. <i>Optics Letters</i> , 2013 , 38, 2726-8	3	20
600	Infrared Detector Array with an Incident-Ray Concentrator. 2013 , 52, 06GL12		2
599	Characterization of a two-stage 30 K Joule-Thomson microcooler. <i>Journal of Micromechanics and Microengineering</i> , 2013 , 23, 065022	2	5
598	Micromachined cryogenic cooler for cooling electronic devices down to 30 K. <i>Journal of Micromechanics and Microengineering</i> , 2013 , 23, 025014	2	7
597	Far infrared photoconductivity in a silicon based material: Vanadium supersaturated silicon. 2013 , 103, 032101		26
596	Fast and high resolution thermal detector based on an aluminum nitride piezoelectric microelectromechanical resonator with an integrated suspended heat absorbing element. 2013 , 102, 093501		45
595	Surface Recombination Noise in InAs/GaSb Superlattice Photodiodes. 2013 , 6, 032202		3
594	MICROMAGNETISM INDUCED BY THE UNPAIRED ELECTRONS IN InSb SINGLE CRYSTAL. 2013 , 27, 1350193		
593	Research of capacitor transimpedance amplifier for infrared readout integrated circuit design with variable integration time. 2013 ,		
592	Absorption enhancement of In _{0.53} Ga _{0.47} As photodetector with rear plasmonic nanostructure. 2013 ,		

591	Pyroelectric Response of Submicron Free-Standing Poly(vinylidene fluoride/trifluoroethylene) Copolymer Thin Films. 2013 , 6, 021601		24
590	InAs/GaSb Type-II Superlattice Detectors. 2014 , 2014, 1-12		56
589	Radiometric and noise characteristics of InAs-rich T2SL MWIR pin photodiodes. 2014 , 9,		3
588	Infrarot-Strahlungssensoren zur berührungslosen Temperaturmessung. 2014 , 929-1003		
587	A review of imaging methods in analysis of works of art: Thermographic imaging method in art analysis. 2014 , 92, 341-364		49
586	InGaAs/InAlAs quantum well infrared photodetectors for operation in the 1.7 to 3.1 μm wavelength range. 2014 ,		
585	Design, Simulation and Characterization of Wheatstone Bridge Structured Metal Thin Film Uncooled Microbolometer. 2014 , 94, 6-13		3
584	Temperature dependent spectral response and detectivity of GeSn photoconductors on silicon for short wave infrared detection. 2014 , 22, 15639-52		59
583	High-responsivity thermoelectric infrared detectors with stand-alone sub-micrometer polysilicon wires. <i>Journal of Micromechanics and Microengineering</i> , 2014 , 24, 125013	2	8
582	Infrared light detection using a whispering-gallery-mode optical microcavity. 2014 , 104, 171114		15
581	Room-temperature operation of a titanium supersaturated silicon-based infrared photodetector. 2014 , 104, 211105		32
580	Structural and electrical characterizations of $\text{In}_x\text{Ga}_{1-x}\text{As}/\text{InP}$ structures for infrared photodetector applications. 2014 , 115, 104502		17
579	Uncooled resonant infrared detector based on aluminum nitride piezoelectric film through charge generations and lattice absorptions. 2014 , 104, 201110		6
578	2.6 μm MBE grown InGaAs detectors with dark current of SRH and TAT. 2014 , 4, 087135		19
577	Structural, chemical bonding and optoelectronic properties of Mg doped zinc chalcogenides: A first principles study. 2014 , 26, 681-689		30
576	Dual behavior of optical antenna integrated with sub-wavelength photodetector to achieve ultra-high specific detectivity. 2014 ,		
575	Modeling of LWIR nBn HgCdTe photodetector. 2014 ,		3
574	Analysis of failure of C-V characteristics of MIS structure with SiO_2 passivation layer deposited on InSb substrate via Raman spectroscopy. 2014 , 1670, 25		

573	Passivation of InSb(100) with 1-Eicosanethiol Self-Assembled Monolayers. 2014 , 219, 59-62		3
572	Dark current characteristics of GaAs-based 2.6 μm InGaAs photodetectors on different types of InAlAs buffer layers. <i>Journal Physics D: Applied Physics</i> , 2014 , 47, 085107	3	17
571	Infrared receptors of pyrophilous jewel beetles as model for new infrared sensors. 2014 , 34, 123-134		14
570	Design of a nano-machined pyroelectric detector for low thermal conductance. 2014 ,		
569	Investigation of quantum efficiency in mid-wave infrared (MWIR) InAs/GaSb type-II strained layer superlattice (T2SL) detectors. 2014 ,		
568	Development of an ultrahigh-performance infrared detector platform for advanced spectroscopic sensing systems. 2014 ,		4
567	Pyroelectric figures of merit and associated properties of LiTaO ₃ /poly vinylidene difluoride nanocomposites for thermal/infrared sensing. 2014 , 206, 121-126		12
566	Synthesis, structure and spectro-microscopic studies of polycrystalline Hg _x Pb _{1-x} S thin films grown by a chemical route. 2014 , 597, 223-229		2
565	Infrared Absorption Properties of Carbon Nanotube/Nanodiamond Based Thin Film Coatings. <i>Journal of Microelectromechanical Systems</i> , 2014 , 23, 191-197	2.5	34
564	Theoretical prediction of novel ultrafine nanowires formed by Si ₁₂ C ₁₂ cage-like clusters. 2014 , 68, 1		3
563	Graphene photodetectors with ultra-broadband and high responsivity at room temperature. 2014 , 9, 273-8		798
562	Optimum growth window for InAs/GaInSb superlattice materials tailored for very long wavelength infrared detection. 2014 , 32, 02C109		11
561	Phonon frequency variations in high quality InAs _{1-x} Sb _x epilayers grown on GaAs. 2014 , 318, 28-31		5
560	Efficient room-temperature near-infrared detection with solution-processed networked single wall carbon nanotube field effect transistors. <i>Small</i> , 2014 , 10, 653-9	11	7
559	Enhanced dielectric, pyroelectric and ferroelectric properties of Mn-doped 0.15Pb(In _{1/2} Nb _{1/2})O ₃ 0.55Pb(Mg _{1/3} Nb _{2/3})O ₃ 0.30PbTiO ₃ single crystals. 2014 , 595, 120-124		19
558	Sinusoidally Modulated Graphene Leaky-Wave Antenna for Electronic Beamscanning at THz. 2014 , 4, 116-122		169
557	Graphene-Based Plasmonic Tunable Low-Pass Filters in the Terahertz Band. 2014 , 13, 1145-1153		87
556	Uncooled Infrared Detectors Using Gallium Nitride on Silicon Micromechanical Resonators. <i>Journal of Microelectromechanical Systems</i> , 2014 , 23, 803-810	2.5	33

555	Compact thermal modeling of microbolometers. 2014 ,		
554	Isolated Electron Injection Detectors With High Gain and Record Low Dark Current at Telecom Wavelength. 2014 , 20, 65-70		21
553	High Performance Room Temperature Rectenna IR Detectors Using Graphene Geometric Diodes. 2014 , 20, 70-78		15
552	Self-catalysed InAs 1-x Sb x nanowires grown directly on bare Si substrates. 2014 , 60, 572-575		17
551	Mobility enhancement by Sb-mediated minimisation of stacking fault density in InAs nanowires grown on silicon. 2014 , 14, 1643-50		69
550	About the dynamic characterization of micro-bolometric infrared cameras. 2014 , 217, 68-74		2
549	The structural and electronic properties of amorphous HgCdTe from first-principles calculations. <i>Journal Physics D: Applied Physics</i> , 2014 , 47, 025304	3	1
548	Monte Carlo uncertainty simulation of surface emissivity at ambient temperature obtained by dual spectral infrared radiometry. <i>Infrared Physics and Technology</i> , 2014 , 67, 131-137	2.7	15
547	Raman mapping of laser-induced changes and ablation of InAs nanowires. 2014 , 115, 885-893		4
546	Scale effects of low-dimensional relaxor ferroelectric single crystals and their application in novel pyroelectric infrared detectors. 2014 , 26, 2580-5		36
545	Impact of optical antennas on active optoelectronic devices. 2014 , 6, 10961-74		23
544	Readout circuit with dual switching mode design for infrared focal plane arrays. <i>Infrared Physics and Technology</i> , 2014 , 65, 9-16	2.7	2
543	Improving detection performance of broadband QDIP in dual-bands of 3 μ m and 8 μ m with photonic crystal filters. 2014 , 62, 82-88		7
542	Mid-infrared materials and devices on a Si platform for optical sensing. 2014 , 15, 014603		119
541	Sulfur passivation of InSb(100) surfaces: Comparison of aqueous and alcoholic ammonium sulfide solutions using X-ray photoemission spectroscopy. 2014 , 311, 300-307		19
540	Large-area, transparent, and flexible infrared photodetector fabricated using P-N junctions formed by N-doping chemical vapor deposition grown graphene. 2014 , 14, 3702-8		163
539	Enhancing the Infrared Photoresponse of Silicon by Controlling the Fermi Level Location within an Impurity Band. <i>Advanced Functional Materials</i> , 2014 , 24, 2852-2858	15.6	48
538	Simulation of spectral emissivity of vanadium oxides (VOx)-based microbolometer structures. 2014 , 3, 194-202		4

537	Broadband Near-Infrared Photoluminescence of Doped Chalcogenide Glasses. 2014 , 181-214		1
536	Atomic-layer-deposited zinc oxide as tunable uncooled infrared microbolometer material. 2014 , 211, 2475-2482		16
535	Colloidal and Epitaxial Quantum Dot Infrared Photodetectors: Growth, Performance, and Comparison. 2014 , 1-26		2
534	Combining Digital Image Correlation and Thermal Measurements. 2015 , 240, 81-86		1
533	Effect of hydrostatic pressure and uniaxial strain on the electronic structure of Pb _{1-x} SnxTe. 2015 , 92,		17
532	Semiconductor up-converter based on cascade carrier transport for infrared detection/imaging. 2015 , 107, 131107		7
531	Design of a thermal sensitive MEMS resonator and readout circuit for infrared sensing. 2015 ,		1
530	Triglycine sulphate and its deuterated analog in polyurethane matrix for thermal/infrared detection: A comparison. 2015 , 132, n/a-n/a		2
529	Low-noise AlN-on-Si resonant infrared detectors using a commercial foundry MEMS fabrication process. 2015 ,		3
528	Thermal Sensors. 2015 ,		4
527	High performing ITO/Ge heterojunction photodetector for broad wavelength detection. 2015 , 26, 6099-6106		8
526	Numerical Modeling of SRH and Tunneling Mechanisms in High-Operating-Temperature MWIR HgCdTe Photodetectors. 2015 , 44, 3056-3063		24
525	Non-uniform system response detection for hyperspectral imaging systems. <i>Infrared Physics and Technology</i> , 2015 , 73, 263-268	2.7	6
524	Large-scale self-assembled epitaxial growth of highly-ordered three-dimensional micro/nano single-crystalline PbSe pyramid arrays by selective chemical bath deposition. 2015 , 2, 055010		2
523	Design, Fabrication, and Characterization of a Polymer-Based MEMS Uncooled Infrared Focal Plane Array. <i>Journal of Microelectromechanical Systems</i> , 2015 , 24, 1132-1141	2.5	4
522	Measurements of very small temperature variations with LWIR QWIP infrared camera. <i>Infrared Physics and Technology</i> , 2015 , 72, 195-203	2.7	21
521	Application of carbon nanotube and graphene nanocomposites for fabrication of micro-bolometers. 2015 ,		1
520	Room-temperature, high-gain, broad-spectrum InAs nanowire infrared photodetectors. 2015 ,		

519	Charge disproportionation in tetragonal La ₂ MoO ₅ , a small band gap semiconductor influenced by direct Mo-Mo bonding. 2015 , 137, 1245-57		7
518	Pyroelectricity in strontium barium niobate/polyurethane nanocomposites for thermal/infrared detection. 2015 , 109, 6-11		8
517	A 288 μ m linear-array photodetector based on Hg vacancy-doped HgCdTe with long-wave cutoff wavelength greater than 12 μ m. <i>Infrared Physics and Technology</i> , 2015 , 69, 107-110	2.7	2
516	Quantum Dots. 2015 , 169-219		1
515	Infrared thermal detector array using Eu(TTA) ₃ -based temperature sensitive paint for optical readable thermal imaging device. <i>Journal of Micromechanics and Microengineering</i> , 2015 , 25, 035012	2	4
514	A Review on Polymeric Nanocomposites of Nanodiamond, Carbon Nanotube, and Nanofiller: Structure, Preparation and Properties. 2015 , 54, 1379-1409		39
513	Tunable far infrared detection using quantum rings-in-well intersubband photodetectors. 2015 , 47, 3555-3565	1	
512	Realization of Vertically Aligned, Ultrahigh Aspect Ratio InAsSb Nanowires on Graphite. 2015 , 15, 4348-55		35
511	Uncooled infrared thermal imaging sensor using vacuum-evaporated europium phosphor. <i>Journal of Micromechanics and Microengineering</i> , 2015 , 25, 085001	2	4
510	Metal silicide/Si thin-film Schottky-diode bolometers. 2015 ,		5
509	Short-wavelength infrared photodetector on Si employing strain-induced growth of very tall InAs nanowire arrays. 2015 , 5, 10764		45
508	Selective p- and n-Doping of Colloidal PbSe Nanowires To Construct Electronic and Optoelectronic Devices. <i>ACS Nano</i> , 2015 , 9, 7536-44	16.7	28
507	Model, design, and fabrication of antenna coupled metal-insulator-metal diodes for IR sensing. 2015 ,		
506	Investigation of p-type multicolour-broadband quantum dot infrared photodetector. 2015 , 82, 336-348		5
505	Enhancement in pyroelectric detection sensitivity for flexible LiNbO ₃ /PVDF nanocomposite films by inclusion content control. 2015 , 22, 1		19
504	Enhanced spectroscopic gas sensors using in-situ grown carbon nanotubes. 2015 , 106, 194101		20
503	Room temperature infrared imaging sensors based on highly purified semiconducting carbon nanotubes. 2015 , 7, 6805-12		14
502	Spectral sensitivity of a graphene/silicon pn-junction photodetector. 2015 ,		5

501	Two Different Growth Mechanisms for Au-Free InAsSb Nanowires Growth on Si Substrate. 2015 , 15, 2413-2418		22
500	Unraveling the Gain Mechanism in High Performance Solution-Processed PbS Infrared PIN Photodiodes. <i>Advanced Functional Materials</i> , 2015 , 25, 1233-1238	15.6	52
499	Survey of emissivity measurement by radiometric methods. 2015 , 54, 669-83		38
498	All-optical background subtraction readout method for bimaterial cantilever array sensing. 2015 , 23, 20576-81		3
497	State-of-the-art photodetectors for optoelectronic integration at telecommunication wavelength. 2015 , 4, 277-302		56
496	Short-wave infrared barrier detectors using InGaAsSb absorption material lattice matched to GaSb. 2015 , 106, 201103		30
495	Pt silicide/poly-Si Schottky diodes as temperature sensors for bolometers. 2015 , 117, 204502		10
494	Theoretical investigations of the structural, electronic and optical properties of Hg _{1-x} Cd _x Te alloys. 2015 , 95, 2466-2481		10
493	Enhancing near-infrared light absorption in PtSi thin films for Schottky barrier IR detectors using moth-eye surface structures. <i>Optics Letters</i> , 2015 , 40, 1512-5	3	10
492	Improvement of surface leakage current of 2.6 μm InGaAs photodetectors by using inductive coupled plasma chemical vapor deposition technology. 2015 , 54, 04DG09		5
491	Quantum dot optoelectronic devices: lasers, photodetectors and solar cells. <i>Journal Physics D: Applied Physics</i> , 2015 , 48, 363001	3	100
490	Near-infrared photodetectors utilizing MoS ₂ -based heterojunctions. 2015 , 118, 044504		12
489	Device characteristics of antenna-coupled metal-insulator-metal diodes (rectenna) using Al ₂ O ₃ , TiO ₂ , and Cr ₂ O ₃ as insulator layer for energy harvesting applications. 2015 ,		2
488	Simultaneous digital super-resolution and nonuniformity correction for infrared imaging systems. 2015 , 54, 6508-15		8
487	Determination of a System's Entropy Using Pyroelectric Sensors. 2015 , 15, 6890-6897		4
486	Surfactant effect of antimony addition to the morphology of self-catalyzed InAs _{1-x} Sb _x nanowires. <i>Nano Research</i> , 2015 , 8, 1309-1319	10	48
485	. <i>Journal of Microelectromechanical Systems</i> , 2015 , 24, 144-154	2.5	16
484	Terahertz Detection Devices. 2016 ,		

483	Basic temperature correction of QWIP cameras in thermoelastic/plastic tests of composite materials. 2016 , 55, D87-D94	7
482	Bayesian discriminant analysis of plant leaf hyperspectral reflectance for identification of weeds from cabbages. 2016 , 11, 551-562	8
481	Characterization of a thermoelectric/Joule-Thomson hybrid microcooler. 2016 , 77, 36-42	5
480	Toward High-Performance Carbon Nanotube Photovoltaic Devices. 2016 , 6, 1600522	22
479	A practitioner's guide to thermal infrared remote sensing of rivers and streams: recent advances, precautions and considerations. 2016 , 3, 251-268	53
478	Simulation and optimization of Hg _{1-x} Cd _x Te based mid-wavelength IR photodetector. 2016 ,	3
477	Bulk photovoltaic effect at infrared wavelength in strained Bi ₂ Te ₃ films. 2016 , 4, 126104	5
476	Formation of periodic interfacial misfit dislocation array at the InSb/GaAs interface via surface anion exchange. 2016 , 120, 035301	7
475	Design and simulation of uncooled microbolometer using coventorware. 2016 ,	
474	320 × 40 CMOS array for the spectral range of 3–5 μm based on PtSi photodiodes. 2016 , 45, 474-477	
473	Mid/far-infrared photo-detectors based on graphene asymmetric quantum wells. 2016 , 25, 098101	1
472	Temperature independent infrared responsivity of a quantum dot quantum cascade photodetector. 2016 , 108, 251103	7
471	Exploring Parity Anomaly for Dual Peak Infrared Photodetection. 2016 , 52, 1-6	3
470	Multiwalled carbon nanotube and graphene-polystyrene nanocomposites for bolometric detection. 2016 , 34, 042001	
469	References. 2016 , 321-340	
468	Synthesis, Structure, Band Gap, and Near-Infrared Photosensitivity of a New Chalcogenide Crystal, (NH ₄) ₄ Ag ₁₂ Sn ₇ Se ₂₂ . 2016 , 55, 5110-2	10
467	Minimum resolvable temperature difference model, simulation, measurement and analysis. 2016 , 48, 1	4
466	Fast switching response of Na-doped CZTS photodetector from visible to NIR range. 2016 , 157, 28-34	41

465	Investigations of quantum efficiency in type-II InAs/GaSb very long wavelength infrared superlattice detectors. 2016 , 92, 330-336	6
464	Flexible infrared detectors based on p-n junctions of multi-walled carbon nanotubes. 2016 , 8, 9592-9	13
463	Nano- and micro-structured silicon for hybrid near-infrared photodetectors. 2016 ,	0
462	Magnesium-doped InSbN p-n Junctions for Infrared Photodetection. 2016 , 140, 187-194	
461	Study on the MWIR imaging ability of optical readout bimaterial microcantilever FPA uncooled infrared imaging system. 2016 ,	1
460	Infrared thermography and NDT: 2050 horizon. 2016 , 13, 210-231	20
459	Extended short wavelength infrared HgCdTe detectors on silicon substrates. 2016 ,	
458	High-quality infrared imaging with graphene photodetectors at room temperature. 2016 , 8, 16065-72	40
457	Development of High-Performance eSWIR HgCdTe-Based Focal-Plane Arrays on Silicon Substrates. 2016 , 45, 4620-4625	10
456	Structural, optical and electrical characterization of InAs _{0.83} Sb _{0.17} p-n photodetector grown on GaAs substrate. 2016 , 616, 141-144	4
455	HgCdTe Detector Chip Technology. 2016 , 351-476	
454	High speed mid-infrared detectors based on MEMS resonators and spectrally selective metamaterials. 2016 ,	2
453	Epitaxial 2D PbS Nanoplates Arrays with Highly Efficient Infrared Response. 2016 , 28, 8051-8057	77
452	Design Methods for HgCdTe Infrared Detectors. 2016 , 17-120	
451	A micromachined Joule-Thomson cryogenic cooler with parallel two-stage expansion. 2016 , 69, 223-231	12
450	Plasmonic piezoelectric nanomechanical resonator for spectrally selective infrared sensing. 2016 , 7, 11249	99
449	A new monolithic approach for mid-IR focal plane arrays. 2016 ,	2
448	Robust electric-field tunable opto-electrical behavior in Pt-NiO-Pt planar structures. 2016 , 6, 28007	7

447	Application of Hyperbolic Metamaterials for Responsivity Enhancement of Thin Film Photo-Conductive Detectors. 2016 , 16, 8916-8920		6
446	Design of monocrystalline Si/SiGe multi-quantum well microbolometer detector for infrared imaging systems. 2016 ,		1
445	Windowed XOR photography for optical readout cantilever FPA imaging. 2016 , 127, 452-455		
444	Monitoring of the laser wavelength in modern fiber-optic communication systems using dual photodetectors. 2016 , 48, 1		1
443	Growth of High Material Quality Group III-Antimonide Semiconductor Nanowires by a Naturally Cooling Process. 2016 , 11, 222		4
442	Calibration of spectral responsivity of IR detectors in the range from 0.6 μm to 24 μm . 2016 ,		8
441	The metal-insulator-metal diodes for infrared energy harvesting and detection applications. 2016 ,		3
440	Room Temperature Broadband Infrared Carbon Nanotube Photodetector with High Detectivity and Stability. 2016 , 4, 238-245		78
439	Direct band gap nature and optical response of BexMgyZn1(x+y)Se . 2016 , 30, 1650007		1
438	IRradiance Glass: Technology Transfer from University to Industry. 2016 , 39-58		1
437	Controlled-Direction Growth of Planar InAsSb Nanowires on Si Substrates without Foreign Catalysts. 2016 , 16, 877-82		23
436	Study on a flexoelectric microphone using barium strontium titanate. <i>Journal of Micromechanics and Microengineering</i> , 2016 , 26, 045001	2	21
435	Bio-inspired sensors based on photonic structures of Morpho butterfly wings: a review. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 1752-1763	7.1	59
434	Ligand-Free, Colloidal, and Plasmonic Silicon Nanocrystals Heavily Doped with Boron. 2016 , 3, 415-422		58
433	Effects of continuously or step-continuously graded buffer on the performance of wavelength extended InGaAs photodetectors. 2016 , 440, 1-5		16
432	Thermal Aspects of Pyroelectric Ceramic Functional Material for Infrared Image Sensing. 2016 , 45, 329-338		1
431	High performance near-infrared photodetectors based on ultrathin SnS nanobelts grown via physical vapor deposition. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 2111-2116	7.1	86
430	Two-dimensional metallic square-hole array for enhancement of mid-wavelength infrared photodetection. 2016 , 48, 1		4

429	Self-assembly of a 1-eicosanethiolate layer on InSb(100). 2016 , 370, 67-75	5
428	Near-Infrared Detection Using Pulsed Tunneling Junction in Silicon Devices. 2016 , 63, 377-383	2
427	Resonant cavity enhanced photodetectors: Theory, design and modeling. 2016 , 415-470	4
426	Spectral sensitivity of graphene/silicon heterojunction photodetectors. 2016 , 115, 207-212	55
425	Uncooled infrared detector based on silicon diode Wheatstone bridge. 2017 , 23, 669-676	2
424	Plasmon-Induced Enhancement of Infrared Detection Using a Carbon Nanotube Diode. 2017 , 5, 1600865	7
423	Tunable pyroelectric properties of barium strontium titanate thin films. 2017 , 29, 185701	2
422	Simple Nanoimprinted Polymer Nanostructures for Uncooled Thermal Detection by Direct Surface Plasmon Resonance Imaging. 2017 , 9, 8327-8335	2
421	Highly Sensitive, Gate-Tunable, Room-Temperature Mid-Infrared Photodetection Based on GrapheneBi ₂ Se ₃ Heterostructure. 2017 , 4, 482-488	41
420	InGaAs/GaAsSb type-II quantum-well focal plane array with cutoff-wavelength of 2.5 μ m. 2017 ,	2
419	Novel absorber membrane and thermocouple designs for CMOS-MEMS thermoelectric infrared sensor. 2017 ,	6
418	Fabrication and optical behavior of graded-index, moth-eye antireflective structures in CdTe. 2017 , 35, 011201	9
417	Template-Assisted Electrochemical Synthesis of p-Type InSb Nanowires. 2017 , 6, N39-N43	7
416	Improvement on performance of cascade infrared up-converter using metal grid electrodes. <i>Infrared Physics and Technology</i> , 2017 , 83, 195-199	2.7 2
415	Infrared broadband metasurface absorber for reducing the thermal mass of a microbolometer. 2017 , 7, 430	24
414	Analysis and design of bridge structure for a micro Fabry-Perot cavity. 2017 ,	
413	Ga-La-S-Se glass for visible and thermal imaging. 2017 , 6,	5
412	Array size and area impact on nanorectenna performance properties. 2017 ,	

411	Advances in III-V based dual-band MWIR/LWIR FPAs at HRL. 2017 ,		8
410	Numerical analysis of clogging dynamics in micromachined Joule-Thomson coolers. 2017 , 81, 60-68		8
409	Compound Quantum Dot-Perovskite Optical Absorbers on Graphene Enhancing Short-Wave Infrared Photodetection. <i>ACS Nano</i> , 2017 , 11, 5547-5557	16.7	73
408	Nanostructured Materials and Architectures for Advanced Infrared Photodetection. 2017 , 2, 1700005		59
407	Induced pyroelectric effect in a planar field. 2017 , 59, 914-919		
406	Plasmonic Enhanced Performance of an Infrared Detector Based on Carbon Nanotube Films. 2017 , 9, 12743-12749		20
405	Two-dimensional growth of germanium under a diffusion limited aggregation environment. 2017 , 13, 91-96		
404	Synergistic Effects of Plasmonics and Electron Trapping in Graphene Short-Wave Infrared Photodetectors with Ultrahigh Responsivity. <i>ACS Nano</i> , 2017 , 11, 430-437	16.7	153
403	Asymmetric Light Excitation for Photodetectors Based on Nanoscale Semiconductors. <i>ACS Nano</i> , 2017 , 11, 549-557	16.7	8
402	Multinary wurtzite-type oxide semiconductors: present status and perspectives. 2017 , 32, 013007		9
401	Hybrid ZnO Core-Si:H Shell Infrared Photodetectors Integrated With Thin-Film Transistors. 2017 , 38, 1688-1691		2
400	Dependence on pressure of the elastic parameters and microhardness of InSb. <i>Infrared Physics and Technology</i> , 2017 , 86, 176-180	2.7	11
399	Modeling the Performance of Nano Machined CMOS Transistors for Uncooled IR Sensing. 2017 , 64, 4657-4663		15
398	Joule-Thomson microcooling developments at University of Twente. 2017 , 171, 012064		2
397	Ultrafast photoresponse and enhanced photoresponsivity of Indium Nitride based broad band photodetector. 2017 , 172, 376-383		31
396	Decreasing Defect-State Density of Al ₂ O ₃ /GaIn _{1-x} As Device Interfaces with InO _x Structures. 2017 , 4, 1700722		4
395	Hybrid Organic-Inorganic Perovskite Photodetectors. <i>Small</i> , 2017 , 13, 1702107	11	206
394	Photo-sensitive Ge nanocrystal based films controlled by substrate deposition temperature. 2017 , 32, 105003		7

393	On-Chip Bimetallic Plasmo-Thermomechanical Detectors for Mid-Infrared Radiation. 2017 , 29, 1459-1462		3
392	Resonant and resistive dual-mode uncooled infrared detectors toward expanded dynamic range and high linearity. 2017 , 110, 263502		7
391	Multi-spectral pyrometry review. 2017 , 28, 082002		42
390	Infrared Nanophotonics Based on Graphene Plasmonics. 2017 , 4, 2989-2999		70
389	Widely tunable black phosphorus mid-infrared photodetector. 2017 , 8, 1672		191
388	Wurtzite-Derived Quaternary Oxide Semiconductor CuZnGeO: Its Structural Characteristics, Optical Properties, and Electronic Structure. 2017 , 56, 14277-14283		3
387	Defect-Mediated CdS Nanobelt Photoluminescence Up-Conversion. <i>Journal of Physical Chemistry C</i> , 2017 , 121, 16607-16616	3.8	22
386	Effect of interface on mid-infrared photothermal response of MoS ₂ thin film grown by pulsed laser deposition. <i>Nano Research</i> , 2017 , 10, 3571-3584	10	23
385	The impact of confinement enhancement AlGaAs barrier on the optical and structural properties of InAs/InGaAs/GaAs submonolayer quantum dot heterostructures. 2017 , 192, 277-282		13
384	Carbon Photodetectors: The Versatility of Carbon Allotropes. 2017 , 7, 1601574		30
383	Infrared Thermography Basics. 2017 , 57-83		14
382	Enhanced pyroelectric properties and application of tetragonal Mn-doped 0.29Pb(In _{1/2} Nb _{1/2})O ₃ -0.31Pb(Mg _{1/3} Nb _{2/3})O ₃ -0.40PbTiO ₃ ternary single crystals. 2017 , 695, 760-764		8
381	Room-Temperature operation of a quantum well mid-infrared detector embedded in nano-antennae array at critical optical coupling. 2017 ,		2
380	Optimization of operational amplifier settling time by adjusting secondary poles based on gm/ID design. 2017 ,		
379	Graphene metamaterial spatial light modulator for infrared single pixel imaging. 2017 , 25, 25318-25325		24
378	Spectral sorting of visible light using dielectric gratings. 2017 , 25, 33389		6
377	An Overview of Infrared Remote Sensing of Volcanic Activity. 2017 , 3, 13		38
376	Water Plume Temperature Measurements by an Unmanned Aerial System (UAS). <i>Sensors</i> , 2017 , 17,	3.8	14

375	Enhancing the Responsivity of Uncooled Infrared Detectors Using Plasmonics for High-Performance Infrared Spectroscopy. <i>Sensors</i> , 2017 , 17,	3.8	7
374	Infrared background clutter analysis and the quantitative method research. 2017 ,		0
373	Advances in Breast Thermography. 2017 ,		14
372	It's Not a Bug, It's a Feature: Functional Materials in Insects. 2018 , 30, e1705322		80
371	Mid-infrared GaSb-based resonant tunneling diode photodetectors for gas sensing applications. 2018 , 112, 161107		15
370	Nonvolatile infrared memory in MoS/PbS van der Waals heterostructures. 2018 , 4, eaap7916		106
369	Room-temperature operating extended short wavelength infrared photodetector based on interband transition of InAsSb/GaSb quantum well. 2018 , 27, 047209		5
368	Anisotropic Broadband Photoresponse of Layered Type-II Weyl Semimetal MoTe. 2018 , 30, e1707152		80
367	Broadband Anisotropic Photoresponse of the "Hydrogen Atom" Version Type-II Weyl Semimetal Candidate TaIrTe. <i>ACS Nano</i> , 2018 , 12, 4055-4061	16.7	64
366	Electrically tunable perfect light absorbers as color filters and modulators. 2018 , 8, 2635		35
365	Broadband hybrid organic/CuInSe ₂ quantum dot photodetectors. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 2573-2579	7.1	34
364	Monolithic Integration of InSb Photodetector on Silicon for Mid-Infrared Silicon Photonics. 2018 , 5, 1512-1520		26
363	High-Performance Photo-Electrochemical Photodetector Based on Liquid-Exfoliated Few-Layered InSe Nanosheets with Enhanced Stability. <i>Advanced Functional Materials</i> , 2018 , 28, 1705237	15.6	206
362	High-Performance Near-Infrared Photodetector Based on Ultrathin Bi ₂ O ₂ Se Nanosheets. <i>Advanced Functional Materials</i> , 2018 , 28, 1706437	15.6	144
361	Pyroelectric Energy Harvesting Using Ferroelectric Ba _{1-x} CaxTiO ₃ . 2018 , 215, 1701002		3
360	Demonstration of InAs/InGaAs/GaAs Quantum Dots-in-a-Well Mid-Wave Infrared Photodetectors Grown on Silicon Substrate. 2018 , 36, 2572-2581		26
359	Room-temperature nine- μ m-wavelength photodetectors and GHz-frequency heterodyne receivers. 2018 , 556, 85-88		124
358	Growth and characterization of an InSb infrared photoconductor on Si via an AlSb/GaSb buffer. 2018 , 490, 97-103		2

357	Leaky electronic states for photovoltaic photodetectors based on asymmetric superlattices. 2018 , 112, 033503			3
356	Emerging terahertz photodetectors based on two-dimensional materials. 2018 , 406, 36-43			10
355	Emerging technologies for high performance infrared detectors. 2018 , 7, 169-197			114
354	Uncooled EuSbTe 3 photodetector highly sensitive from ultraviolet to terahertz frequencies. 2018 , 5, 011008			13
353	A study on SBN-POP composites for pyroelectric sensing applications. 2018 , 54, 389-394			3
352	Applications of the infrared thermography in the energy audit of buildings: A review. 2018 , 82, 3077-3090			103
351	Restoration and Digital Super-Resolution for Infrared Microscopy Imaging. 2018 ,			
350	Analysis of artificial intelligence techniques applied to thermographic inspection for automatic detection of electrical problems. 2018 ,			1
349	Metamaterial-Enhanced Quantum Infrared Detectors. 2018 ,			
348	Bilayer graphene/HgCdTe based very long infrared photodetector with superior external quantum efficiency, responsivity, and detectivity.. 2018 , 8, 39579-39592			23
347	Near-infrared organic photodetectors based on bay-annulated indigo showing broadband absorption and high detectivities up to 1.1 Th. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 11645-11650	7.1		31
346	A Quantitative Analysis Method for Pipeline Defect Inspection Based on Infrared Thermal Imaging. 2018 ,			1
345	Atlas Simulation of a Long-Infrared P+-N Homojunction Photodiode. 2018 ,			4
344	Epitaxy growth and characterization of InAs p-i-n photodetector through ion exchange for mid-infrared detection on Si substrates. 2018 , 8, 1085-1091			6
343	NIR Sensors Based on Photolithographically Patterned PbS QD Photodiodes for CMOS Integration. 2018 ,			
342	Ultra-Stable Heterodyne Detection in the Mid-IR. 2018 ,			
341	Advances on Sensors Based on Carbon Nanotubes. 2018 , 6, 62			80
340	In0.5Ga0.5As Bilayer Quantum Dot Heterostructure for mid-infrared photodetection. <i>Infrared Physics and Technology</i> , 2018 , 94, 263-266	2.7		1

339	Modeling of a bimetallic MEMS-based infrared detector. 2018 , 289, 012022		
338	Infrared Imaging with Graphene Photodetectors. 2018 , 7-19		1
337	GaAsSb layer thickness dependence of arsenic incorporation on InAs/GaAsSb superlattice on InAs substrate grown by metalorganic vapor phase epitaxy for mid-infrared device. 2018 , 57, 08PD05		
336	Optimization of Charge Carrier Extraction in Colloidal Quantum Dots Short-Wave Infrared Photodiodes through Optical Engineering. <i>Advanced Functional Materials</i> , 2018 , 28, 1804502	15.6	19
335	Extended Infrared Photoresponse in Te-Hyperdoped Si at Room Temperature. <i>Physical Review Applied</i> , 2018 , 10,	4.3	25
334	Weed species discrimination based on SIMCA analysis of plant canopy spectral data. 2018 , 171, 143-154		23
333	Responsivity enhancement of CMOS-MEMS thermoelectric infrared sensor by heat transduction absorber design. 2018 ,		3
332	Dual-mode resonant infrared detector based on film bulk acoustic resonator toward ultra-high sensitivity and anti-interference capability. 2018 , 112, 243501		7
331	Submillimeter 2D Bi ₂ Se ₃ Flakes toward High-Performance Infrared Photodetection at Optical Communication Wavelength. <i>Advanced Functional Materials</i> , 2018 , 28, 1802707	15.6	98
330	Room-Temperature, Wide-Band, Quantum Well Infrared Photodetector for Microwave Optical Links at 4.9 μ m Wavelength. 2018 , 5, 3689-3694		18
329	Integration of an InSb photodetector on Si via heteroepitaxy for the mid-infrared wavelength region. 2018 , 26, 7227-7234		9
328	Mid-wave and Long-Wave Infrared Linear Dichroism in a Hexagonal Perovskite Chalcogenide. 2018 , 30, 4897-4901		12
327	Plasmonic nano-arrays for enhanced photoemission and photodetection. 2018 , 35, 208		12
326	Controllable preparation of rGO/VO ₂ (B) intercalation thin films with high thermal sensitive properties. 2018 , 218, 154-159		6
325	Unconventional thermal transport in thin film-on-substrate systems. <i>Journal Physics D: Applied Physics</i> , 2018 , 51, 365302	3	
324	Ultrabroadband photosensitivity from visible to terahertz at room temperature. 2018 , 4, eaao3057		37
323	Radiative Properties of Thin Films of Common Dielectric Materials in the IR Spectral Range of 1.5-4.2 μ m: Application to Infrared Imaging. 2018 , 70, 1267-1273		1
322	Noise effect on performance of IR PVDF pyroelectric detector. 2018 ,		1

321	Recent Advances in Group III-V Nanowire Infrared Detectors. 2018 , 6, 1800256		29
320	Analysis of in-plane thermal phonon transport in III-V compound semiconductor superlattices. 2018 , 22, 239-253		3
319	Enhanced pyroelectric properties and thermal stability of Mn-doped $0.29\text{Pb}(\text{In}_{1/2}\text{Nb}_{1/2})\text{O}_3$ - $0.29\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - 0.42PbTiO_3 single crystals. 2018 , 112, 172901		18
318	Analysis of Misorientation of Single-Crystal Blocks in the Bulk InSb Crystal. 2018 , 63, 309-313		
317	Measurement and estimation of the weld bead geometry in arc welding processes: the last 50 years of development. 2018 , 40, 1		7
316	Gradient-dependent exchange-correlation kernel for materials optical properties. 2018 , 98,		18
315	Application of Lead-Free Piezoelectric Materials. 2018 , 463-522		1
314	Visible-infrared dual-mode MoS ₂ -graphene-MoS ₂ phototransistor with high ratio of the I_{ph}/I_{dark} . 2018 , 5, 045027		21
313	Enhanced Optoelectronic Properties of Bilayer Graphene/HgCdTe-Based Single- and Dual-Junction Photodetectors in Long Infrared Regime. 2019 , 18, 781-789		29
312	A CMOS Compatible Pyroelectric Mid-Infrared Detector Based on Aluminium Nitride. <i>Sensors</i> , 2019 , 19,	3.8	10
311	Effects of transmission line geometry on traveling-wave metal-insulator-metal rectenna infrared detectors. 2019 , 126, 064503		1
310	Visualizing the Knowledge Structure and Research Evolution of Infrared Detection Technology Studies. 2019 , 10, 227		9
309	A graphene PN junction induced by single-gate control of dielectric structures. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 8796-8802	7.1	5
308	Highly Efficient and Broadband Hybrid Photodetector Based on 2-D Layered Graphene/CTS Quantum Dots. 2019 , 66, 3417-3424		8
307	Photonic upconversion in solution-processed Gd-based thin films for delayed quantum efficiency roll-off in a-Si flat panel image detectors. 2019 , 4, 705-712		
306	Properties of chemical bath deposited and sensitized PbSe thin films for IR detection. 2019 , 34, 115010		12
305	Double Resonant Cavity of Oxides/Metal/Nitrides for Long Wavelength Infrared Sensing. 2019 , 1, 2287-2294		1
304	Progress of Photodetectors Based on the Photothermoelectric Effect. 2019 , 31, e1902044		56

303	Magnetoelectric Coupling in NiMnIn/PLZT Artificial Multiferroic Heterostructure and Its Application in Mid-IR Photothermal Modulation by External Magnetic Field. 2019 , 1, 2226-2235		5
302	Mid-wavelength infrared photo response and band alignment for sensitized PbSe thin films. 2019 , 126, 105701		14
301	A Novel 3D Encapsulation Structure Based on Subwavelength Structure and Inserted Pyrex Glass for RF MEMS Infrared Detectors. 2019 , 8, 974		1
300	Sensing Infrared Photons at Room Temperature: From Bulk Materials to Atomic Layers. <i>Small</i> , 2019 , 15, e1904396	11	48
299	Structure and Electronic Properties of InSb Nanowires Grown in Flexible Polycarbonate Membranes. <i>Nanomaterials</i> , 2019 , 9,	5-4	3
298	Transition levels of intrinsic defects in type-II InAs/InAs _{0.5} Sb _{0.5} strained-layer superlattices. 2019 , 115, 152104		2
297	Mechanical Nano-Patterning: Toward Highly-Aligned Ge Self-Assembly on Low Lattice Mismatched GaAs Substrate. 2019 , 9, 14221		2
296	Graphene-Based Infrared Position-Sensitive Detector for Precise Measurements and High-Speed Trajectory Tracking. 2019 , 19, 8132-8137		23
295	Vanadium Oxides: Synthesis, Properties, and Applications. 2019 , 127-218		4
294	Fabrication and Characterization of a SU-8 Epoxy Membrane-Based Thermopile Detector With an Integrated Multilayered Absorber Structure for the Mid-IR Region. 2019 , 19, 4000-4007		2
293	Análise comparativa das propriedades elétricas de camadas e multicamadas de VOx depositadas por pulverização catódica para aplicação em bolômetros. 2019 , 24,		
292	Optoelectronic characteristics of the Ag-doped Si p-n photodiodes prepared by a facile thermal diffusion process. 2019 , 9, 055024		4
291	A Unified Method for Digital Super-Resolution and Restoration in Infrared Microscopy Imaging. 2019 , 7, 75648-75657		3
290	Silicon-compatible Mg ₂ Si/Si n-p photodiodes with high room temperature infrared responsivity. 2019 , 102, 104577		7
289	Amorphous MoS ₂ Photodetector with Ultra-Broadband Response. 2019 , 1, 1314-1321		39
288	Optical Properties of MBE-Grown Hg _{1-x} CdxSe. 2019 , 48, 6063-6068		1
287	Engineering of the band gap and optical properties of In _x Ga _{1-x} (As/Sb) via across composition alloying for solar cell applications using density functional theory-based approaches. 2019 , 94, 105812		3
286	High efficient ultra-broadband anti-reflection coating on silicon for infrared applications. <i>Infrared Physics and Technology</i> , 2019 , 100, 82-86	2.7	5

285	Low-dimensional nanomaterial/Si heterostructure-based photodetectors. 2019 , 1, 140		38
284	Poly(sulfur-random-(1,3-diisopropenylbenzene)) based mid-wavelength infrared polarizer: Optical property experimental and theoretical analysis. 2019 , 176, 118-126		45
283	Structures and pyroelectric properties for [111]-oriented Mn-doped rhombohedral 0.36PIN-0.36PMN-0.28PT crystal. 2019 , 102, 7329-7335		6
282	2D Metal Chalcogenides for IR Photodetection. <i>Small</i> , 2019 , 15, e1901347	11	65
281	Cross-plane heat conduction in III-V semiconductor superlattices. 2019 , 31, 345301		5
280	Progress in Symmetric and Asymmetric Superlattice Quantum Well Infrared Photodetectors. 2019 , 531, 1800462		1
279	Colloidal quantum dots for thermal infrared sensing and imaging. 2019 , 6, 7		46
278	Variations of Dark and Photo Currents of Metal-Semiconductor-Metal Photodetectors Fabricated on Ge Epilayer Grown on Si Substrate Caused by the Dimension of Interdigitated Pt Finger Electrodes. 2019 , 74, 713-717		
277	Preparation and Characterization of Oxide/Semiconductor Interfaces. 2019 , 423-455		0
276	Study on the Temperature Dependency Effect of Thermal Coefficient of Resistance in Amorphous Silicon for Uncooled Microbolometer Application. 2019 , 4, 447-455		
275	Nanoprinted Quantum Dot/Graphene Photodetectors. 2019 , 7, 1900019		37
274	Silver Selenide Colloidal Quantum Dots for Mid-Wavelength Infrared Photodetection. <i>ACS Applied Nano Materials</i> , 2019 , 2, 1631-1636	5.6	25
273	. 2019 , 19, 3668-3672		2
272	High-Performance Nonequilibrium InSb PIN Infrared Photodetectors. 2019 , 66, 1361-1367		5
271	Design of High Dynamic Range and Digitalized Readout Integrated Circuit for LWIR FPAs. 2019 ,		
270	Anti-reflector Coating on the Bases of Detecting High Temperature Black Body Radiators. 2019 ,		
269	Thermal radiation sensing using high mechanical Q-factor silicon nitride membranes. 2019 ,		2
268	The Stabilization of the Bolometer's Heat-Exchange Coefficient with the Environment. 2019 ,		

267	Calibration of pyroelectric infrared detectors using a light bulb as a black body radiation source. 2019 , 1380, 012152		
266	Demonstration of genuine surface inversion for the p/n-In _{0.3} Ga _{0.7} Sb-Al ₂ O ₃ MOS system with in situ H ₂ plasma cleaning. 2019 , 115, 231602		1
265	Large Scale MoS ₂ /Si Photodiodes with Graphene Transparent Electrodes. 2019 ,		1
264	Performance enhance of CMOS-MEMS thermoelectric infrared sensor by using sensing material and structure design. <i>Journal of Micromechanics and Microengineering</i> , 2019 , 29, 025007	2	12
263	Phonon-enhanced photothermoelectric effect in SrTiO ultra-broadband photodetector. 2019 , 10, 138		66
262	Carbon nanotube Schottky type photodetectors for UV applications. 2019 , 151, 27-35		9
261	Ultrahigh-Sensitive Broadband Photodetectors Based on Dielectric Shielded MoTe /Graphene/SnS p-g-n Junctions. 2019 , 31, e1805656		95
260	Growth of foreign-catalyst-free vertical InAs/InSb heterostructure nanowires on Si (1 1 1) substrate by MOCVD. 2019 , 506, 45-54		5
259	Surface and thickness effect on the ferroelectric, dielectric and pyroelectric properties of Mn-doped Pb(Mg _{1/3} Nb _{2/3})O ₃ ·28PbTiO ₃ single crystals. 2020 , 816, 152500		4
258	Photovoltaic broadband photodetectors based on CH ₃ NH ₃ PbI ₃ thin films grown on silicon nanoporous pillar array. 2020 , 204, 110230		15
257	Interlayer Transition in a vdW Heterostructure toward Ultrahigh Detectivity Shortwave Infrared Photodetectors. <i>Advanced Functional Materials</i> , 2020 , 30, 1905687	15.6	28
256	Pre-planting weed detection based on ground field spectral data. 2020 , 76, 1173-1182		4
255	Development of high efficient and ultra-broadband antireflection coating on calcium fluoride for electro-optical applications. 2020 , 36, 364-370		
254	Integration of PbS Quantum Dot Photodiodes on Silicon for NIR Imaging. 2020 , 20, 6841-6848		18
253	Bi ₂ Te ₃ /Sb ₂ Te ₃ thermophotovoltaic cells for low temperature infrared radiation. <i>Journal Physics D: Applied Physics</i> , 2020 , 53, 035102	3	3
252	Device Applications of Ferroelectrics. 2020 , 47-71		
251	Mixing Properties of Room Temperature Patch-Antenna Receivers in a Mid-Infrared (100 μm) Heterodyne System. <i>Laser and Photonics Reviews</i> , 2020 , 14, 1900207	8.3	5
250	Achieving single domain in rhombohedral and tetragonal Mn-doped Pb(In _{1/2} Nb _{1/2})-Pb(Mg _{1/3} Nb _{2/3})-PbTiO ₃ crystals for infrared detecting applications. 2020 , 103, 2575-2586		5

249	HgCdTe photodetectors. 2020 , 235-335		7
248	Ultra-Broadband, High Speed, and High-Quantum-Efficiency Photodetectors Based on Black Phosphorus. 2020 , 12, 1201-1209		23
247	Nanowatt Thermal Radiation Sensing using Silicon Nitride Nanomechanical Resonators. 2020 ,		1
246	Current-Mode Self-Amplified CMOS Sensor Intended for 2D Temperature Microgradients Measurement and Imaging. <i>Sensors</i> , 2020 , 20,	3.8	0
245	The investigations to eliminate the bias dependency of quantum efficiency of InGaAsSb nBn photodetectors for extended short wavelength infrared detection. <i>Infrared Physics and Technology</i> , 2020 , 111, 103461	2.7	3
244	Infrared photodetector sensitized by InAs quantum dots embedded near an AlGaAs/GaAs heterointerface. 2020 , 10, 11628		12
243	Ultrafast Plasmonic Graphene Photodetector Based on the Channel Photothermoelectric Effect. 2020 , 7, 488-498		19
242	Improved pyroelectric properties and domain structures via poling and depoling effects in Mn-doped PIN β MNBT single crystals. 2020 , 31, 12317-12324		2
241	Enhanced mid-wavelength infrared refractive index of organically modified chalcogenide (ORMOCHALC) polymer nanocomposites with thermomechanical stability. 2020 , 108, 110197		7
240	High-speed, low-bias operated, broadband (Vis-NIR) photodetector based on sputtered Cu ₂ ZnSn(S, Se) ₄ (CZTSSe) thin films. 2020 , 314, 112231		11
239	Estimating surface temperature from thermal imagery of buildings for accurate thermal transmittance (U-value): A machine learning perspective. 2020 , 32, 101637		9
238	A comparison of indium arsenide antimonide and mercury cadmium telluride as long wavelength infrared detector materials. 2020 , 128, 075704		1
237	Resistive Switching of GaAs Oxide Nanostructures. 2020 , 13,		2
236	Radiative Heat Transfer in Freestanding Silicon Nitride Membranes. <i>Physical Review Applied</i> , 2020 , 14,	4.3	4
235	Quantum-Cascade Lasers in Atmospheric Optical Communication Lines: Challenges and Prospects (Review). 2020 , 87, 579-600		3
234	A versatile photodetector assisted by photovoltaic and bolometric effects. 2020 , 9, 160		24
233	A superlattice-based resonant cavity-enhanced photodetector operating in the long-wavelength infrared. 2020 , 117, 073503		4
232	Room temperature infrared detectors made of PbTe/CdTe multilayer composite. 2020 , 117, 072102		5

231	Inverse Perovskite Oxysilicides and Oxygermanides as Candidates for Nontoxic Infrared Semiconductor and Their Chemical Bonding Nature. 2020 , 59, 18305-18313		1
230	Near-Infrared-II Photodetectors Based on Silver Selenide Quantum Dots on Mesoporous TiO ₂ Scaffolds. <i>ACS Applied Nano Materials</i> , 2020 , 3, 12209-12217	5.6	6
229	Scalable fabrication of long-wave infrared PtSe ₂ -G heterostructure array photodetectors. 2020 , 117, 231104		6
228	Recent Progress on the Gold-Free Integration of Ternary III-As Antimonide Nanowires Directly on Silicon. <i>Nanomaterials</i> , 2020 , 10,	5.4	3
227	Crosstalk Analysis of a CMOS Single Membrane Thermopile Detector Array. <i>Sensors</i> , 2020 , 20,	3.8	2
226	Application in (Opto) Electronics. 2020 , 143-164		
225	Recent Progress on Extended Wavelength and Split-Off Band Heterostructure Infrared Detectors. 2020 , 11,		3
224	A Two-Step Annealing Method to Enhance the Pyroelectric Properties of Mn:PIMNT Chips for Infrared Detectors. 2020 , 13,		1
223	Influence of the CdZnTe Substrate Thickness on the Response of HgCdTe Detectors Under Irradiation: Modeling of the Substrate Luminescence. 2020 , 49, 6918-6935		0
222	Non-layered 2D materials toward advanced photoelectric devices: progress and prospects. 2020 , 7, 2185-2207	30	
221	Integrated photonic materials for the mid-infrared. 2020 , 11, 491-510		2
220	Inverted Si:PbS Colloidal Quantum Dot Heterojunction-Based Infrared Photodetector. 2020 , 12, 15414-15421	24	
219	Lead chalcogenide quantum dots for photoelectric devices. 2020 , 89, 379-391		14
218	High-performance self-powered photodetector based on Bi ₂ O ₂ Se nanosheets. 2020 , 126, 1		3
217	Infrared Thin Film Detectors Based on Thermoresponsive Microgels with Linear Shrinkage Behavior and Gold Nanorods. 2020 , 12, 34180-34189		6
216	Wavelength-selective infrared detector fabricated by integrating LiTaO ₃ with a metamaterial perfect absorber. 2020 , 313, 112186		3
215	Linear array of charge sensitive infrared phototransistors for long wavelength infrared detection. 2020 , 116, 233501		3
214	Efficient and readily tuneable near-infrared photodetection up to 1500 nm enabled by thiadiazoloquinoxaline-based pushpull type conjugated polymers. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 10098-10103	7.1	23

213	Semimetals for high-performance photodetection. 2020 , 19, 830-837		70
212	A method to extend wavelength into middle-wavelength infrared based on InAsSb/(Al)GaSb interband transition quantum well infrared photodetector. 2020 , 29, 038504		2
211	Strongly enhanced local electromagnetic field in mid-infrared and terahertz photodetectors employing a hybrid antenna. 2020 , 10, 015048		3
210	Synchronously wired infrared antennas for resonant single-quantum-well photodetection up to room temperature. 2020 , 11, 565		20
209	Ultrafast Infrared Photoresponse from Heavily Hydrogen-Doped VO Single Crystalline Nanoparticles. 2020 , 20, 2733-2740		8
208	Emerging thermal imaging techniques for seed quality evaluation: Principles and applications. 2020 , 131, 109025		13
207	A UV photodetector based on ordered free standing MWCNT. 2020 , 15, C01015-C01015		
206	An Adaptive and Wearable Thermal Camouflage Device. <i>Advanced Functional Materials</i> , 2020 , 30, 1909788-6	38	
205	Multicolor Broadband and Fast Photodetector Based on InGaAs/Insulator/Graphene Hybrid Heterostructure. 2020 , 6, 1901007		19
204	An Infrared Chemical Sensor Based on Plasmonic-Enhanced Bulk Acoustic Wave Resonator Array. 2020 , 41, 904-907		1
203	Design of High Efficient Mid-Wavelength Infrared Polarizer on ORMOCALC Polymer. 2020 , 305, 2000033		6
202	N-type doping of Ge by P spin on dopant and pulsed laser melting. 2020 , 35, 065002		3
201	A surface photovoltaic effect-related high-performance photodetector based on a single CH ₃ NH ₃ PbI ₃ micro/nanowire. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 6558-6564	7.1	4
200	Air-stable room-temperature photodetector based on large-diameter small-bundle single-wall carbon nanotube films. 2021 , 73, 205-209		1
199	A review: novel nanohybrids of epoxy/polyamide with carbon nanotube/nano-diamond. 2021 , 60, 579-600		3
198	Compensated pyroelectric infrared detector based on Mn-doped PIMNT single crystal with enhanced signal stability. 2021 , 104, 995-1001		0
197	Extrinsic Photoconduction Induced Short-Wavelength Infrared Photodetectors Based on Ge-Based Chalcogenides. <i>Small</i> , 2021 , 17, e2006765	11	9
196	Temperature-Dependent Charge Carrier Transfer in Colloidal Quantum Dot/Graphene Infrared Photodetectors. 2021 , 13, 848-856		5

195	Room-Temperature Infrared Photoresponse from Ion Beam Hyperdoped Silicon. 2021 , 218, 2000260		4
194	Multi-band SWIR-MWIR-LWIR Type-II superlattice based infrared photodetector. 2021 , 2, 100054		5
193	Online Measurements in Welding Processes.		
192	Signal and Noise Analysis of an Open-Circuit Voltage Pixel for Uncooled Infrared Image Sensors. 2021 , 1-14		2
191	Non-Planckian infrared emission from GaAs devices with electrons and lattice out-of-thermal-equilibrium. 2021 , 29, 1244-1250		1
190	. 2021 ,		
189	Chalcogenide-based, all-dielectric, ultrathin metamaterials with perfect, incidence-angle sensitive, mid-infrared absorption: inverse design, analysis, and applications. 2021 , 13, 11455-11469		1
188	Novel CuMgNiZnMn oxide thin film electrodes for NIR photodetector applications. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 4961-4970	7.1	2
187	Spatial correlation between groundwater seepage faces and fault zone in high bedrock channel: method and application. 2021 , 18, 558-566		
186	Comparative study of metamorphic InAs layers grown on GaAs and Si for mid-infrared photodetectors. 2021 , 176, 107942		2
185	Two-Color Infrared Sensor on the PbTe: In Junction. <i>Sensors</i> , 2021 , 21,	3.8	0
184	. <i>Journal of Microelectromechanical Systems</i> , 2021 , 30, 165-172	2.5	1
183	Colloidal HgTe Quantum Dot/Graphene Phototransistor with a Spectral Sensitivity Beyond 3 μm. 2021 , 8, 2003360		17
182	Plasmon mediated spectrally selective and sensitivity-enhanced uncooled near-infrared detector. 2021 , 586, 67-74		1
181	Passivation of III-V surfaces with crystalline oxidation. 2021 , 8, 011309		5
180	Numerical Analysis of X-Ray Diffraction Reflection Spectra of AlGaAs/GaAs Superlattices Depending on Structural Parameters. 2021 , 66, 348-353		
179	Growth of high quality InSb thin films on GaAs substrates by molecular beam epitaxy method with AlInSb/GaSb as compound buffer layers*. 2021 , 30, 028504		
178	Design Considerations for Discrete Frequency Infrared Microscopy Systems. 2021 , 75, 1067-1092		2

177	Detection of 9.5 Th CO2 laser pulses in indium doped PbTe p-n junction. <i>Physica B: Condensed Matter</i> , 2021 , 607, 412855	2.8	1
176	Broadband Photoresponsive Bismuth Halide Hybrid Semiconductors Built with Stacked Photoactive Polycyclic Viologen. 2021 , 60, 5538-5544		7
175	Interfacial Gated Graphene Photodetector with Broadband Response. 2021 , 13, 22796-22805		4
174	Low-Noise Dual-Band Polarimetric Image Sensor Based on 1D Bi S Nanowire. 2021 , 8, e2100075		16
173	66-2: Invited Paper: QD-Based Sensors for Infrared Imaging. 2021 , 52, 978-981		2
172	Advanced collagen nanofibers-based functional bio-composites for high-value utilization of leather: A review. 2021 , 6, 153-166		4
171	Wavelength-Selective Organic Photodetectors. <i>Advanced Functional Materials</i> , 2021 , 31, 2104060	15.6	15
170	Fabrication and characteristics of VOx microbolometer integrated into gold black absorbing layer. 2021 , 579, 70-76		1
169	Integrated Photonic Structure Enhanced Infrared Photodetectors. 2021 , 2, 2000187		2
168	Ultra-broadband and multiband infrared/terahertz photodetectors with high sensitivity.		1
167	Investigation of grown ZnS film on HgCdTe substrate for passivation of infrared photodetector. 2021 , 731, 138751		5
166	Ternary FePSe3 Atomic Layers with Competitive Temperature Coefficient of Resistance for Uncooled Infrared Bolometers. 2021 , 8, 2100491		2
165	Self-powered ZrO2 nanofibers/n-Si photodetector with high on/off ratio for detecting very low optical signal. <i>Journal Physics D: Applied Physics</i> , 2021 , 54, 475101	3	5
164	Analytical Evaluation of Mobile In Situ Soil Nitrate Infrared Sensor Designs for Precision Agriculture. 2021 , 21, 20200-20209		1
163	Graphene-based mid-infrared photodetectors using metamaterials and related concepts. 2021 , 8, 031303		6
162	Optical and electrical performance of 5 μm InAs/GaSb Type-II superlattice for NOx sensing application. 2021 , 142, 111424		2
161	Indium tin oxid/germanium Schottky photodetectors modulated by ultra-thin dielectric intercalation. 2021 , 70, 178506-178506		0
160	Band-structure-engineered high-gain LWIR photodetector based on a type-II superlattice. 2021 , 10, 17		9

159	Silicon-Based Intermediate-Band Infrared Photodetector Realized by Te Hyperdoping. 2021 , 9, 2001546	5
158	Geometric Diodes for Optical Rectennas. 2013 , 209-227	9
157	Quantum dots as biophotonics tools. 2014 , 1199, 3-9	4
156	Infrared Detectors. 2017 , 409-445	1
155	Cyclotron Resonance Spectroscopy. 2012 , 283-307	3
154	Emerging Thermal Infrared THz Torch Technology for Low-Cost Security and Defence Applications. 2014 , 239-275	5
153	First principle study of V-implantation in highly-doped silicon materials. 2017 , 136, 207-215	5
152	Palladium Diselenide Long-Wavelength Infrared Photodetector with High Sensitivity and Stability. <i>ACS Nano</i> , 2019 , 13, 2511-2519	16.7 144
151	High temperature metamaterial terahertz quantum detector. 2020 , 117, 251102	11
150	Gold-Hyperdoped Germanium with Room-Temperature Sub-Band-Gap Optoelectronic Response. <i>Physical Review Applied</i> , 2020 , 14,	4.3 3
149	Materials design parameters for infrared device applications based on III-V semiconductors. 2017 , 56, B58-B63	13
148	Pump fluence dependence of ultrafast carrier dynamics in InSb measured by optical pump-terahertz probe spectroscopy. 2018 , 57, 9729-9734	4
147	Design and realization of a wide field of view infrared scanning system with an integrated micro-electromechanical system mirror. 2018 , 57, 10449-10457	4
146	Plasmo-thermomechanical radiation detector with on-chip optical readout. 2018 , 26, 29638-29650	4
145	Polarization-independent infrared micro-lens array based on all-silicon metasurfaces. 2019 , 27, 10738-10744	17
144	Ultra-broad band antireflection coating at mid wave infrared for high efficient germanium optics. 2019 , 9, 3123	1
143	Near-field resonant photon sorting applied: dual-band metasurface quantum well infrared photodetectors for gas sensing. 2020 , 9, 4775-4784	5
142	Evaluation for Effectiveness of Individual Lighting Control using Image-based Motion Sensor. 2018 , 138, 1362-1374	3

141	Poly(3,4-Ethylenedioxythiophene): Poly(Styrenesulfonate) (PEDOT:PSS) Films for the Microbolometer Applications. 2009 , E92-C, 702-707	7
140	History of HgTe-based photodetectors in Poland.	1
139	Defect of Te-doped GaSb layers grown by molecular beam epitaxy. 2012 , 31, 298-301	1
138	Effect of Growth Methods of InAs Quntum Dots on Infrared Photodetector Properties. 2018 , 28, 659-662	2
137	Analysis of Structural Stress in InSb Array Detector without Underfill. 2012 , 7,	1
136	Parameterized Simulation Program with Integrated Circuit Emphasis Modeling of Two-level Microbolometer. 2011 , 6, 270-274	4
135	Influence of high dose As ion implantation on electrical properties of high resistivity silicon. 2014 , 63, 136803	6
134	Application of quantum dot infrared photodetectors in space photoelectric systems. 2014 , 63, 148501	4
133	Unstable mixing regions in II-VI quaternary solid solutions. 2005 , 8, 1-4	1
132	Structural and Electrical Properties of SiO ₂ /Si Film on La _{0.7} Sr _{0.3} MnO ₃ Substrate by RF Magnetron Sputtering at Low Temperature. 2007 , 44, 645-649	
131	3D Read-Out Integrated Circuits for Advanced Sensor Arrays. 2008 , 689-701	
130	Study on thermal conductivity of porous silicon thermal isolation layer based on micro-structure mathematical model. 2010 , 59, 8794	2
129	Study of Multi-stacked InAs Quantum Dot Infrared Photodetectors Grown by Metal Organic Chemical Vapor Deposition. 2010 , 19, 217-223	4
128	Further Reading and Sources. 299-300	
127	Analysis of theoretical model of thermal infrared imager based on the substrate-free focal plane array. 2011 , 60, 054401	3
126	Quantum Dots with Built-in Charge for Enhancing Quantum Dot Solar Cells and Infrared Photodetectors. 2012 , 297-316	
125	II-VI Semiconductor Nanostructures. 2012 , 167-235	
124	7.3.1 Quantum dots and nano crystals containing Hg. 2013 , 304-305	

- 123 Theoretical D* Optimization of N+-p Pb_xSn_{1-x}Se Long-Wavelength (8 - 11 μ m) Photovoltaic Detector at 77 K. **2014**, 02, 1-6
- 122 Epitaxial Quantum Dot Infrared Photodetectors. 1-30 2
- 121 Analysis of MWIR and LWIR Signature of Supersonic Aircraft to Air-to-air and Surface-to-air Missile by Coupled Simulation Method. *Journal of the Korea Institute of Military Science and Technology*, **2014**, 17, 764-772 0.2 2
- 120 Charge Transfer Devices. **2015**, 395-444
- 119 Linear polarization detection of Type II InAs/GaSb superlattice infrared photodetectors. **2015**, 1
- 118 Thermal Sensors for Energy Converter Applications. **2015**, 107-130 0
- 117 Palm Vein Authentication Based on the Coset Decomposition Method. **2015**, 06, 197-205 2
- 116 Single Detector Assemblies and Small Arrays. 171-190
- 115 Improvement on the efficiency of up-conversion infrared photodetectors using surface microstructure. **2016**, 65, 108501
- 114 Human Detection by Optical Readout Thermal Imaging Sensor using Evaporated Eu(TTA)₃. **2016**, 136, 473-477 1
- 113 Chapter 12: Photodetectors. **2017**, 257-274
- 112 A GaAs-based up-converter for mid-infrared detection utilizing quantum cascade transport. **2017**,
- 111 Introduction to Infrared Detectors and Quantum Dots. **2018**, 1-11
- 110 Plasmo-thermomechanical suspended nanowire array detectors for mid-infrared spectrum. **2017**,
- 109 Introduction. **2018**, 1-10
- 108 Infrared detector based on interband transition of semiconductor quantum well within p-n junction. **2017**,
- 107 Anomalous light-to-electricity conversion of low dimensional semiconductor in p-n junction and interband transition quantum well infrared detector. **2018**, 67, 128101
- 106 Mid-infrared coincidence measurements based on intracavity frequency conversion. **2018**,

105	Optical parametric oscillator-based trace detection of gases in the mid-infrared region using phase-fluctuation optical heterodyne spectroscopy. 2018,	2
104	Near-field microscopy of spontaneous evanescent waves. 2018,	
103	Improvement in NEDT characteristics of InAs/GaAs quantum dot based 320x256 focal plane array implanted with hydrogen ions. 2018,	
102	Structural and optical characterization of the high quality Be-doped InAs epitaxial layer grown on GaAs substrate. 2018,	0
101	InAsSb photoluminescence at low temperatures. 2018,	
100	High-performance extended SWIR photodetectors using strain compensated InGaAs/GaAsSb type-II quantum wells. 2019,	1
99	Strain-gated infrared photodetector based on helical graphene nanoribbon. 2019, 3,	
98	Effect of Si Doping in Self-Assembled InAs Quantum Dots on Infrared Photodetector Properties. 2019, 29, 542-546	
97	Numerical simulation of the effects of InAlSb barrier layers on the InSb mid-infrared photodetectors on a mismatched substrate. 2019,	
96	IR Spectroscopy and Spectromicroscopy with Synchrotron Radiation. 2020, 1-55	
95	InAsSb mole fraction determination using Raman low energy modes. 2020, 10, 149	0
94	IR Spectroscopy and Spectromicroscopy with Synchrotron Radiation. 2020, 2059-2113	1
93	Patchwork metasurface quantum well photodetectors with broadened photoresponse. 2021, 29, 59-69	2
92	Enhanced absorption per unit mass for infrared arrays using subwavelength metal/dielectric structures. 2021, 38, 183	2
91	IR Spectroscopy and Spectromicroscopy with Synchrotron Radiation. 2020, 1-55	
90	Broadband Electromagnetic Radiation Detector Based on Photoacoustic Effect. 2020,	
89	Novel optoelectronics and nanophotonics based on van der Waals materials. 2020,	
88	Widely-tunable mid-infrared ring cavity pump-enhanced OPO and application in photo-thermal interferometric trace ethane detection. 2020, 28, 4550-4562	2

87	Theoretical Design and Fabrication Process for Perovskite LiTaO ₃ -based Infrared Detectors. 2021 ,		
86	Relative radiometric correction of DMD based coded aperture spectral imager in MWIR band. 2021 ,		
85	Highly Efficient, Ultrabroad PdSe Phototransistors from Visible to Terahertz Driven by Mutiphysical Mechanism. <i>ACS Nano</i> , 2021 ,	16.7	12
84	On the Optoelectronic Mechanisms Ruling Ti-hyperdoped Si Photodiodes. 2100788		3
83	Breaking the interband detectivity limit with metasurface multi-quantum-well infrared photodetectors.		1
82	Modeling of CMOS Single Membrane Thermopile Detector Arrays. 2021 , 1-1		1
81	Methodology of measurement of steel ropes by infrared technology. 2022 , 133, 105978		3
80	5 [Capteurs optiques. 2017 , 147-245		
79	Hot-carrier infrared detection in PbS with ultrafast and highly sensitive responses. 2022 , 120, 042101		1
78	CdSe:In Mid-infrared transparent conductive films prospering uncooled PbSe/CdSe heterojunction photovoltaic detectors. <i>Materials Advances</i> , 2022 , 3, 1079-1086	3.3	1
77	Imaging Considerations From a Geostationary Orbit Using the Short Wavelength Side of the Mid-Infrared Water Vapor Absorption Band. <i>Earth and Space Science</i> , 2022 , 9,	3.1	
76	Present and future trends. 2022 , 299-308		
75	Recent Progress in Improving the Performance of Infrared Photodetectors via Optical Field Manipulations.. <i>Sensors</i> , 2022 , 22,	3.8	4
74	Flexible 2D Materials beyond Graphene: Synthesis, Properties, and Applications.. <i>Small</i> , 2022 , e2105383	11	13
73	An In-Situ Self-Test Method for Measuring Absorptivity of Film-Type Uncooled Infrared Detectors. <i>Journal of Microelectromechanical Systems</i> , 2022 , 31, 116-123	2.5	0
72	Enhancement of infrared response speed via modulating crystallinity of highly-oriented PbS polycrystalline thin films. <i>Infrared Physics and Technology</i> , 2022 , 121, 104033	2.7	1
71	Centimeter-Sized Stable Zero-Dimensional Cs ₃ Bi ₂ I ₉ Single Crystal for Mid-Infrared Lead-Free Perovskite Photodetector. <i>Journal of Physical Chemistry C</i> ,	3.8	1
70	Epitaxial Dirac Semimetal Vertical Heterostructures for Advanced Device Architectures. <i>Advanced Functional Materials</i> , 2111470	15.6	2

69	Single-side micromachined ultra-small thermopile IR detecting pixels for dense-array integration. <i>Journal of Micromechanics and Microengineering</i> ,	2	
68	VSe2 Nanosheets for Broadband Photodetection from Visible to Terahertz. <i>ACS Applied Nano Materials</i> ,	5.6	1
67	Reduced graphene oxide/carbon black thin-film mid-infrared photodetector. 2022 ,		
66	Optical power detector with broad spectral coverage, high detectivity, and large dynamic range.. <i>Optics Letters</i> , 2022 , 47, 1689-1692	3	0
65	Metamaterials-Based Photoelectric Conversion: From Microwave to Optical Range. <i>Laser and Photonics Reviews</i> , 2022 , 16, 2100458	8.3	1
64	IR Susceptibility of Supersonic Aircraft according to Omni-directional Detection Angle. <i>Journal of the Korea Institute of Military Science and Technology</i> , 2021 , 24, 638-644	0.2	
63	Highly sensitive infrared polarized photodetector enabled by out-of-plane PSN architecture composing of p-MoTe2, semimetal-MoTe2 and n-SnSe2. <i>Nano Research</i> , 1	10	5
62	Infrared Photodetectors Based on 2D Materials and Nanophotonics. <i>Advanced Functional Materials</i> , 2111970	19.70	14
61	Heat Transport in Silicon Nitride Drum Resonators and its Influence on Thermal Fluctuation-Induced Frequency Noise. <i>Physical Review Applied</i> , 2022 , 17,	4.3	1
60	Review of recent progress, challenges, and prospects of 2D materials-based short wavelength infrared photodetectors.. <i>Journal Physics D: Applied Physics</i> ,	3	0
59	Effective surface passivation of environment-friendly colloidal quantum dots for highly efficient near-infrared photodetectors. <i>Journal of Materials Chemistry C</i> , 2022 , 10, 7018-7023	7.1	1
58	Manganese Copper Ferrite Thin Films for Visible-NIR Region Photodetector Applications. <i>Physica Status Solidi - Rapid Research Letters</i> ,	2.5	
57	Infrared Nano-Focusing by a Novel Plasmonic Bundt Optenna.		0
56	Direct Absorption and Photoacoustic Spectroscopy for Gas Sensing and Analysis: A Critical Review. <i>Laser and Photonics Reviews</i> , 2100556	8.3	2
55	Manipulating Picosecond Photoresponse in van der Waals Heterostructure Photodetectors. <i>Advanced Functional Materials</i> , 2200973	15.6	
54	Uncooled MWIR and LWIR photodetectors in Poland.		0
53	MoS2/WSe2 vdW Heterostructures Decorated with PbS Quantum Dots for the Development of High-Performance Photovoltaic and Broadband Photodiodes. <i>ACS Nano</i> ,	16.7	0
52	Analysis on Infrared Stealth Performance of Metal Nano-coating on Radome Surface. <i>Journal of the Korea Institute of Military Science and Technology</i> , 2022 , 25, 251-258	0.2	

51	Temperature-dependent thermoelastic properties of GaSb and InSb semiconductors: Identification through ab initio DFT simulations. <i>Physica B: Condensed Matter</i> , 2022 , 643, 414135	2.8	0
50	Band Structure Near the Dirac Point in HgTe Quantum Wells with Critical Thickness. <i>Nanomaterials</i> , 2022 , 12, 2492	5.4	
49	Monitoring of Thermal Dispersion in Indoor Environments: an InfraRed Scanner Technique. 2022 ,		
48	Study of MXene Ti3C2Tx quantum dot thin film on quartz bulk acoustic wave uncooled infrared sensors.		
47	Ultra-broadband frequency up-converter based on AlGaAsGaAs heterojunction detector. 2022 , 121, 051106		
46	Infrared-to-THz Detection and Spectroscopy with Whispering-Gallery-Mode Microresonators. 2200147		
45	High-frequency enhanced response based on Sb2Te3 topological insulators.		
44	Tunable mid-infrared absorber based on graphene/ferroelectric stacks with dual-band selectivity. 2022 , 268, 169783		
43	Broadband Photodetection of Cd3As2: Review and Perspectives. 2022 , 2, 100007		3
42	IR spectroscopy and imaging using polarized light with QCLs: instrumentation and applications. 2022 , 409-431		0
41	A high-performance photodetector based on small-bundled single-wall carbon nanotube film/silicon heterojunctions. 2022 , 10, 16986-16994		1
40	Electrospun Tri-Cation Perovskite Nanofibers for Infrared Photodetection. 2207326		1
39	Two-Dimensional Van Der Waals Topological Materials: Preparation, Properties, and Device Applications. 2204380		0
38	Enhanced-performance self-powered photodetector based on multi-layer MoS2 sandwiched between two asymmetric graphene contacts.		0
37	Plasmonic Resonance-Enhanced Low Dark Current and High-Speed InP/InGaAs Uni-Traveling-Carrier Photodiode.		0
36	Ultrafast visible-infrared photodetector based on the SnSe2/Bi2Se3 heterostructure. 2022 , 47, 4977		0
35	Introduction and Motivation. 2022 , 1-7		0
34	Quasi-epitaxial growth of BaTiS3 films.		0

33	High mobility of (111)-oriented large-domain (>100 nm) poly-InSb on glass by rapid-thermal crystallization of sputter-deposited films. 2022 , 132, 145302	0
32	Properties and modification of native oxides of InP(100).	0
31	Sub-band gap infrared absorption in Si implanted with Mg.	0
30	Recent progress in mid-infrared photodetection devices using 2D/nD (n=0, 1, 2, 3) heterostructures. 2023 , 225, 111446	0
29	Polycrystalline PbTe:In Films on Amorphous Substrate: Structure and Physical Properties. 2022 , 15, 8383	0
28	Carbon Nanotube-Based Uncooled Bolometers: Advances and Progress. 249-274	1
27	Enhancement of Electronic and Optoelectronic Performance of the InSe Multilayer by Surface Transfer Engineering. 2022 , 4, 5867-5874	0
26	Non-contact diagnosis of sleep breathing disorders using infrared optical gas imaging: a prospective observational study. 2022 , 12,	0
25	Enhancement on extraction efficiency of quantum cascade detectors utilizing localized built-in electric field. 2022 ,	0
24	High-operating-temperature mid-infrared photodetectors via quantum dot gradient homojunction. 2023 , 12,	2
23	Bire-Beetles-Inspired All-Solid Infrared Sensor with Bolometric and Photomechanic Dual Sensing Modes.	0
22	IIIV Compound Semiconductor Avalanche Photodiodes for the Infrared Spectral Region: Opportunities and Challenges. 2023 , 53-77	0
21	Graphene/HgCdTe Heterojunction-Based IR Detectors. 2023 , 183-202	0
20	New Trends and Approaches in the Development of Photonic IR Detector Technology. 2023 , 107-133	0
19	Pulse-Voltage-Based Method of Thermal Parameter Extraction for Thermopile Infrared Sensors. 2023 , 1-1	0
18	Introduction in IR Detectors. 2023 , 3-22	0
17	A pH-value sensitive and self-powered photodetector based on an anthocyanin/graphene heterojunction. 2023 , 11, 4182-4187	0
16	Long-wave bilayer graphene/HgCdTe based GBp type-II superlattice unipolar barrier infrared detector. 2023 , 12, 100425	0

- 15 Review of multispectral radiation thermometry data processing algorithms. **2023**, 129, 104573 ○
- 14 Deciphering Adverse Detrapped Hole Transfer in Hot-Electron Photoelectric Conversion at Infrared Wavelengths. **2023**, 35, 2210157 ○
- 13 Mid-infrared cross-comb spectroscopy. **2023**, 14, ○
- 12 High-Performance Shortwave Infrared Detector Based on Multilayer Carbon Nanotube Films. **2023**, 15, 13508-13516 ○
- 11 Narrowband HgCdTe infrared photodetector with integrated plasmonic structure. **2023**, 48, 1882 ○
- 10 High-quality perovskite toward planar MA_{0.6}FA_{0.4}PbI_{3-x}Cl_x-E_{Na}YF₄:Yb/Er of strong responsivity in photodetector application. **2023**, 138, 113655 ○
- 9 Large-area flexible colloidal-quantum-dot infrared photodiodes for photoplethysmogram signal measurements. **2023**, 68, 698-705 ○
- 8 Enhanced performance of Ru-based infrared imaging sensor array with electrospun thermal isolation structure. **2023**, 1-1 ○
- 7 Auto-Calibrated Charge-Sensitive Infrared Phototransistor at 9.3 μm. **2023**, 23, 3635 ○
- 6 Record-Breaking-High-Responsivity Silicon Photodetector at Infrared 1.31 and 1.55 μm by Argon Doping Technique. **2023**, 70, 2364-2369 ○
- 5 Sensitive photodetection below silicon bandgap using quinoid-capped organic semiconductors. **2023**, 9, ○
- 4 Luminescence Properties of CdTe and CdZnTe Materials When Used as Substrate for IR Detectors. ○
- 3 Monolithically Integrated PbS Colloidal Quantum Dot Photodetector Crossbar Array for Short-Wavelength Infrared Imaging. ○
- 2 II-VI Semiconductors Bandgap Engineering. **2023**, 109-131 ○
- 1 A material full of promises: Hg_{1-x}Cd_xTe - mercury cadmium telluride. **2023**, 30, 99-105 ○