

CITATION REPORT

List of articles citing

New trends in solid-phase extraction

DOI: 10.1016/s0165-9936(03)00605-8

TrAC - Trends in Analytical Chemistry, 2003, 22, 362-373.

Source: <https://exaly.com/paper-pdf/35148925/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
530	Latent solid-phase extraction with thermoresponsive soluble polymers. 2004 , 42, 6309-6317		12
529	Determination of some acidic drugs in surface and sewage treatment plant waters by capillary electrophoresis-electrospray ionization-mass spectrometry. 2004 , 25, 3441-9		49
528	Determination of thiamine in blood serum and urine by high-performance liquid chromatography with direct injection and post-column derivatization. 2004 , 78, 71-76		24
527	Influence of binary/ternary complex of imprint ion on the preconcentration of uranium(VI) using ion imprinted polymer materials. 2004 , 512, 63-73		78
526	Development of a molecularly imprinted polymer based solid-phase extraction of local anaesthetics from human plasma. 2004 , 526, 147-154		40
525	The Use of Molecularly Imprinted Polymer for Selective Extraction of (+)-Catechin. 2004 , 27, 2715-2731		16
524	Detecting N-nitrosamines in drinking water at nanogram per liter levels using ammonia positive chemical ionization. 2004 , 38, 4835-41		169
523	Styrene-Divinyl Benzene Copolymers: Synthesis, Characterization, and Their Role in Inorganic Trace Analysis. 2004 , 34, 177-193		63
522	Comparison of ultrafiltration and solid phase extraction for the separation of free and protein-bound serum copper for the Wilson's disease diagnosis. 2004 , 345, 113-21		24
521	Emerging Chemicals and Analytical Methods. 2004 , 76, 481-530		1
520	Sample Preparation for Chromatographic Analysis of Environmental Samples. 2005 , 31-131		2
519	Selectivity of affinity media in solid-phase extraction of analytes. <i>TrAC - Trends in Analytical Chemistry</i> , 2005 , 24, 407-415	14.6	66
518	New hydrophilic materials for solid-phase extraction. <i>TrAC - Trends in Analytical Chemistry</i> , 2005 , 24, 394-406	14.6	145
517	Comparison of trimethoprim molecularly imprinted polymers in bulk and in sphere as the sorbent for solid-phase extraction and extraction of trimethoprim from human urine and pharmaceutical tablet and their determination by high-performance liquid chromatography. 2005 , 537, 215-222		44
516	Multi-pumping flow system for the determination, solid-phase extraction and speciation analysis of iron. 2005 , 550, 33-39		43
515	Evaluation of a new hypercrosslinked polymer as a sorbent for solid-phase extraction of polar compounds. <i>Journal of Chromatography A</i> , 2005 , 1075, 51-6	4.5	86
514	SPECTROPHOTOMETRY Organic Compounds. 2005 , 358-366		1

513	Synthesis of heterogeneous phosphine-free palladium-based catalyst assemblies via solid phase extraction and their characterization. 2005 , 90, 99-105	2
512	The design of an on-line semi-preparative LC-SPE-NMR system for trace analysis. 2005 , 43, 776-82	30
511	Miniaturization in sample treatment for environmental analysis. 2005 , 381, 119-40	86
510	Determination of pesticides by enzyme immunoassay. 2005 , 60, 202-217	90
509	Immunoaffinity CE for proteomics studies. 2005 , 77, 61A-67A	75
508	Development of a novel and automated fluorescent immunoassay for the analysis of beta-lactam antibiotics. 2005 , 53, 6635-42	57
507	Solid Phase Extraction and Determination of Trace Amounts of Lead(II) Using Octadecyl Membrane Disks Modified by a New Schiff's Base and Flame Atomic Absorption Spectrometry. 2006 , 53, 1119-1128	20
506	Characterization of new nitrosamines in drinking water using liquid chromatography tandem mass spectrometry. 2006 , 40, 7636-41	160
505	Comparison of different solid-phase extraction materials for sample preparation in the analysis of veterinary drugs in water samples. 2006 , 19, 454-462	8
504	Study of the Sorption and Separation Abilities of Commercial Solid-Phase Extraction (SPE) Cartridge Oasis MAX Towards Au(III), Pd(II), Pt(IV), and Rh(III). 2006 , 24, 931-942	18
503	Extraction properties of new polymeric sorbents in SPE/GC analysis of phenol and hydroquinone from water samples. 2006 , 62, 890-8	29
502	A simplified protein precipitation/mixed-mode cation-exchange solid-phase extraction, followed by high-speed liquid chromatography/mass spectrometry, for the determination of a basic drug in human plasma. 2006 , 20, 2660-8	27
501	Evaluation of mixed mode solid phase extraction cartridges for the preconcentration of beta-lactam antibiotics in wastewater using liquid chromatography with UV-DAD detection. 2006 , 556, 415-422	112
500	Preconcentration of copper using double-imprinted polymer via solid phase extraction. 2006 , 565, 145-151	93
499	Metal ion-imprinted polymers--novel materials for selective recognition of inorganics. 2006 , 578, 105-16	304
498	New fractionation scheme for lipid classes based on "in-cell fractionation" using sequential pressurized liquid extraction. <i>Journal of Chromatography A</i> , 2006 , 1127, 18-25	4.5 35
497	Enantioselective molecular imprinting polymer coated QCM for the recognition of l-tryptophan. 2006 , 113, 234-240	89
496	Comparison of mixed-mode anion-exchange performance of N-vinylimidazole-divinylbenzene sorbent. 2006 , 29, 1622-9	15

495	Molecular imprinting science and technology: a survey of the literature for the years up to and including 2003. 2006 , 19, 106-80		938
494	Isolation of L-Theanine from Plant Material using a Molecularly Imprinted Polymer. 2007 , 30, 2045-2058		11
493	Extraction of alkyl methylphosphonic acids from aqueous samples using a conventional polymeric solid-phase extraction sorbent and a molecularly imprinted polymer. <i>Journal of Chromatography A</i> , 2007 , 1139, 171-7	4-5	47
492	Solid-phase extraction combined with dispersive liquid-liquid microextraction-ultra pre-concentration of chlorophenols in aqueous samples. <i>Journal of Chromatography A</i> , 2007 , 1169, 63-9	4-5	163
491	Flow-through solid-phase reflectometric method for simultaneous multiresidue determination of nitrophenol derivatives. 2007 , 600, 155-63		33
490	A new ion-imprinted silica gel sorbent for on-line selective solid-phase extraction of dysprosium(III) with detection by inductively coupled plasma-atomic emission spectrometry. 2007 , 597, 12-8		62
489	Chemically modified silica gel with p-dimethylaminobenzaldehyde for selective solid-phase extraction and pre-concentration of Cr(III), Cu(II), Ni(II), Pb(II) and Zn(II) by ICP-OES. 2007 , 87, 20-26		116
488	Preparation of xylenol orange functionalized silica gel as a selective solid phase extractor and its application for pre-concentration--separation of mercury from waters. 2007 , 145, 323-30		70
487	Recent developments in extraction procedures relevant to analytical toxicology. 2007 , 388, 1381-91		54
486	Multiresidue determination of chlorophenoxy acid herbicides in human urine samples by use of solid-phase extraction and capillary LC-UV detection. 2008 , 390, 759-68		20
485	Recent trends in the use of organized molecular systems combined with chromatographic techniques in environmental analysis. 2008 , 391, 725-33		9
484	Analysis of sulfamerazine in pond water and several fishes by high-performance liquid chromatography using molecularly imprinted solid-phase extraction. 2008 , 391, 2291-8		23
483	Selective solid-phase extraction of trace Fe(III) from biological and natural water samples using nanometer SiO ₂ modified with acetylsalicylic acid. 2008 , 161, 115-122		19
482	Solid-phase extraction of Zn(II), Cu(II), Ni(II) and Pb(II) on poly(vinyl chloride) modified with 3-ferrocenyl-3-hydroxydithioacrylic acid, and their subsequent determination by electrothermal atomic absorption spectrometry. 2008 , 160, 211-218		20
481	Selective enrichment of trace copper(II) from biological and natural water samples by SPE using ion-imprinted polymer. 2008 , 31, 1195-200		25
480	Sensitivity enhancement for the analysis of naproxen in tap water by solid-phase extraction coupled in-line to capillary electrophoresis. 2008 , 31, 872-80		30
479	Electrical field-assisted solid-phase extraction coupled on-line to capillary electrophoresis-mass spectrometry. 2008 , 29, 2033-40		21
478	ICP-OES determination of trace metal ions after pre-concentration by 4-(8-hydroxy-5-quinolylazo)naphthalenesulfonic acid modified silica gel. 2008 , 891, 45-49		22

477	New practical algorithm for modelling analyte recovery in bioanalytical reversed phase and mixed-mode solid phase extraction. 2008 , 48, 158-70		5
476	Restricted access materials for sample clean-up in the analysis of trace levels of tetracyclines by liquid chromatography. Application to food and environmental analysis. <i>Journal of Chromatography A</i> , 2008 , 1181, 1-8	4.5	52
475	Removal of bovine serum albumin using solid-phase extraction with in-situ polymerized stationary phase in a microfluidic device. <i>Journal of Chromatography A</i> , 2008 , 1187, 11-7	4.5	16
474	Hypercrosslinked polymer microspheres with weak anion-exchange character. Preparation of the microspheres and their applications in pH-tuneable, selective extractions of analytes from complex environmental samples. <i>Journal of Chromatography A</i> , 2008 , 1215, 21-9	4.5	57
473	Carbon nanostructures as sorbent materials in analytical processes. <i>TrAC - Trends in Analytical Chemistry</i> , 2008 , 27, 34-43	14.6	260
472	Analysis of Organochlorine Pesticides in Mollusc Samples by HPLC after Microwave Assisted Micellar Extraction Coupled with Solid Phase Extraction. 2008 , 31, 865-877		2
471	Carbon Nanotubes as a New Solid-Phase Extraction Material for Removal and Enrichment of Organic Pollutants in Water. 2008 , 37, 372-389		65
470	Macroporous Gel Particles As Novel Sorbent Materials: Rational Design. 2008 , 47, 4131-4141		36
469	Chromium(III)-imprinted silica gel for speciation analysis of chromium in environmental water samples with ICP-MS detection. 2008 , 75, 536-43		122
468	Application of Molecularly Imprinted Column for Separation and Purification of Bioactive Compound from <i>Cirsium segetum</i> Bunge. 2009 , 44, 370-385		8
467	On-line coupling of solid-phase extraction to liquid chromatography--a review. 2009 , 47, 614-23		65
466	Preparation of functionalized magnetic nanoparticulate sorbents for rapid extraction of biphenolic pollutants from environmental samples. 2009 , 32, 2139-45		62
465	Extraction, separation, and fluorometric analysis of selected environmental contaminants. 2009 , 32, 2985-92		2
464	Ion-imprinted thiol-functionalized silica gel sorbent for selective separation of mercury ions. 2009 , 165, 151-157		33
463	Chemically-modified activated carbon with ethylenediamine for selective solid-phase extraction and preconcentration of metal ions. 2009 , 632, 272-7		106
462	Synthesis and characterization of UO ₂ (2+)-ion imprinted polymer for selective extraction of UO ₂ (2+). 2009 , 644, 42-7		60
461	Chemically modified activated carbon with 1-acylthiosemicarbazide for selective solid-phase extraction and preconcentration of trace Cu(II), Hg(II) and Pb(II) from water samples. 2009 , 172, 324-9		89
460	Performance of polymeric materials for solid phase extraction prior to chromatographic analysis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 277-342		3

459	Development of sulfamethoxazole-imprinted polymers for the selective extraction from waters. 2009 , 170, 722-8		33
458	Synthesis, characterization and application of ethylenediamine-modified multiwalled carbon nanotubes for selective solid-phase extraction and preconcentration of metal ions. 2009 , 172, 958-63		133
457	Highly selective ion-imprinted particles for solid-phase extraction of Pb ²⁺ ions. 2009 , 29, 2464-2470		84
456	Screening of cocaine and its metabolites in human urine samples by direct analysis in real-time source coupled to time-of-flight mass spectrometry after online preconcentration utilizing microextraction by packed sorbent. 2009 , 20, 891-9		139
455	Ligands for mixed-mode protein chromatography: Principles, characteristics and design. 2009 , 144, 3-11		132
454	Theoretical models in LC based bioanalytical method development. 2009 , 49, 1-10		4
453	Improved extraction and clean-up of imidazolinone herbicides from soil solutions using different solid-phase sorbents. <i>Journal of Chromatography A</i> , 2009 , 1216, 5092-100	4-5	21
452	Determination of alkenylbenzenes and related flavour compounds in food samples by on-column preconcentration-capillary liquid chromatography. <i>Journal of Chromatography A</i> , 2009 , 1216, 7179-85	4-5	27
451	Cu(II)-imprinted styrene-divinylbenzene beads as a new sorbent for flow injection-flame atomic absorption determination of copper. 2009 , 93, 87-92		50
450	Inverse gas chromatographic characterization of Porapak Q as an extractant of pollutants from aqueous media. 2009 , 63,		2
449	Preparation of octadecyl and amino mixed group modified titanate nanotubes and its efficient adsorption to several ionic or ionizable organic analytes. 2009 , 81, 9913-20		22
448	An MSFIA system for mercury speciation based on an anion-exchange membrane. 2009 , 78, 790-4		16
447	Molecularly imprinted polymer for analysis of trace atrazine herbicide in water. 2009 , 44, 772-80		21
446	A Comparative Investigation on Efficacy of Two Methodologies of Solid Phase Extraction for Separation and Pre-Concentration of Trace Copper in Aqueous Samples Prior to Flame Atomic Absorption Spectrometric Determination. 2010 , 57, 363-370		7
445	Determination of Total Iron in Environmental Samples by Solid Phase Extraction with Dimethyl(E)-2-(2-Methoxyphenoxy)-2-Butenedioate. 2010 , 57, 118-123		6
444	Dispersive liquid-liquid microextraction using a surfactant as disperser agent. 2010 , 397, 3107-15		70
443	In situ polymerization preparation of chiral molecular imprinting polymers monolithic column for amlodipine and its recognition properties study. 2010 , 17, 401-409		29
442	Nanostructured Materials for Selective Collection of Trace-Level Metals from Aqueous Systems. 2010 , 191-221		3

423	Sample treatment based on extraction techniques in biological matrices. 2011 , 3, 2003-18	87
422	Trace analysis of diethylstilbestrol, dienestrol and hexestrol in environmental water by Nylon 6 nanofibers mat-based solid-phase extraction coupled with liquid chromatography-mass spectrometry. 2011 , 136, 5030-7	34
421	Models for liquid-liquid partition in the system formamide-organic solvent and their use for estimating descriptors for organic compounds. 2011 , 83, 1118-25	20
420	Solid phase extraction of lactic acid from fermentation broth by anion-exchangeable silica confined ionic liquids. 2011 , 83, 974-9	55
419	On-line solid phase extraction of Ni and Pb using carbon nanotubes and modified carbon nanotubes coupled to ETAAS. 2011 , 85, 245-51	50
418	Sampling and Sample Preparation for Clinical and Pharmaceutical Analysis. 2011 , 285-311	2
417	Solid-phase extraction of some heavy metal ions on a double-walled carbon nanotube disk and determination by flame atomic absorption spectrometry. 2011 , 94, 1617-24	13
416	Analysis of Flavonoids in Foods and Biological Samples. 2011 , 11, 1239-1255	1
415	FI-photoinduced chemiluminescence method for diuron determination in water samples. 2011 , 27, 291-6	5
414	Determination of nickel in cigarettes smoke by molecular fluorescence. 2011 , 99, 486-491	11
413	Heavy metal ions extraction from aqueous media using nanoporous silica. 2011 , 175, 117-123	30
412	Chapter 4:Green Sample Preparation Methods. 2011 , 63-106	4
411	Preparation of polymer based sorbents for solid phase extraction of polyphenolic compounds. 2011 , 9, 206-212	11
410	Sorbents based on calix[4]arenes for extraction of technetium(vii) from acidic and alkaline media. 2011 , 60, 175-178	1
409	Determination of thiol compounds by solid-phase extraction using multi-walled carbon nanotubes as adsorbent coupled with high-performance liquid chromatography-fluorescence detection. 2011 , 174, 421-427	14
408	Activated carbon functionalized with 1-amino-2-naphthol-4-sulfonate as a selective solid-phase sorbent for the extraction of gold(III). 2011 , 174, 391-398	28
407	Models for Liquid-Liquid Partition in the System Ethylene Glycol-Organic Solvent and Their Use for Estimating Descriptors for Organic Compounds. 2011 , 73, 941-951	25
406	Synthesis of ion-selective imprinted polymer for manganese removal from environmental water. 2011 , 67, 413-425	14

405	High performance stationary phases for planar chromatography. <i>Journal of Chromatography A</i> , 2011 , 1218, 2648-60	4.5	45
404	Tandem use of solid-phase extraction and dispersive liquid-liquid microextraction for the determination of mononitrotoluenes in aquatic environment. 2011 , 34, 1035-40		11
403	Solid-phase extraction and ultra high-performance liquid chromatography tandem mass spectrometry analysis of the gastrointestinal absorption of emodin in different digestive segments of rats. 2011 , 34, 260-7		11
402	Dispersive liquid-liquid microextraction and gas chromatography-mass spectrometry determination of polychlorinated biphenyls and polybrominated diphenyl ethers in milk. 2011 , 34, 1084-90		38
401	Extraction of ketamine from urine using a miniature silica monolithic cartridge followed by quantification with liquid chromatography tandem mass spectrometry (LC-MS/MS). 2011 , 34, 1041-6		13
400	Novel extraction approach for liquid samples: stir cake sorptive extraction using monolith. 2011 , 34, 2145-51		46
399	An extraction technique for analytical sample preparation in aqueous solution based on controlling dispersion of ionic surfactant assemblies in isotachophoretic migration. <i>Journal of Chromatography A</i> , 2011 , 1218, 185-9	4.5	4
398	Models for liquid-liquid partition in the system propylene carbonate-organic solvent and their use for estimating descriptors for organic compounds. <i>Journal of Chromatography A</i> , 2011 , 1218, 809-16	4.5	28
397	Current status and future developments of LC-MS/MS in clinical chemistry for quantification of biogenic amines. 2011 , 44, 95-103		57
396	Models for liquid-liquid partition in the system dimethyl sulfoxide-organic solvent and their use for estimating descriptors for organic compounds. <i>Journal of Chromatography A</i> , 2011 , 1218, 4525-36	4.5	18
395	Simultaneous determination of nine flavonoids in Polygonum hydropiper L. samples using nanomagnetic powder three-phase hollow fibre-based liquid-phase microextraction combined with ultrahigh performance liquid chromatography-mass spectrometry. 2011 , 54, 311-6		39
394	Spectrofluorimetric determination of glutathione in human plasma by solid-phase extraction using graphene as adsorbent. 2011 , 79, 1860-5		67
393	Development of sorbents for immunoaffinity extraction of isoflavonoids. 2011 , 4, 113-117		9
392	Application of new approaches to liquid-phase microextraction for the determination of emerging pollutants. <i>TrAC - Trends in Analytical Chemistry</i> , 2011 , 30, 731-748	14.6	103
391	Metal Ion Removal Properties of Water-Insoluble Functional Polymers. 2011 , 304, 40-45		1
390	New Hypercrosslinked Polymer Adsorbents for Solid Phase Extraction of Polar Compounds. 2011 , 239-242, 2076-2079		4
389	Selective preconcentration of trace thorium from aqueous solutions with Th(IV)-imprinted polymers prepared by a surface-grafted technique. 2011 , 91, 1050-1061		24
388	Magnetic Nanomaterials for Environmental Applications. 2011 ,		3

- 387 Synthesis and application of glutaric dihydrazide modified multiwalled carbon nanotubes for selective solid-phase extraction and preconcentration of Cu(II), Zn(II), Ni(II), and Fe(III). **2012**, 95, 897-902 4
- 386 Bioguided Fractionation Shows Cassia alata Extract to Inhibit Staphylococcus epidermidis and Pseudomonas aeruginosa Growth and Biofilm Formation. **2012**, 2012, 867103 10
- 385 SOLID PHASE EXTRACTION OF THREE PHENOLIC ACIDS FROM SALICONIA HERBACEA L. BY DIFFERENT IONIC LIQUID-BASED SILICAS. **2012**, 35, 723-736 13
- 384 A Monolith-like Macroporous Reversed Phase/Anion Exchange Mixed-mode Adsorbent Sintered with a Polyethylene Powder for Solid-phase Extraction. **2012**, 61, 335-340 3
- 383 Synthesis and characterization of microporous polymer microspheres with strong cation-exchange character. **2012**, 72, 939-946 22
- 382 Recent advances in liquid microextraction techniques coupled with MS for determination of small-molecule drugs in biological samples. **2012**, 4, 725-39 10
- 381 Analytical methods for tracing plant hormones. **2012**, 403, 55-74 78
- 380 Iron phosphate as a novel sorbent for selective adsorption of chromium(III) and chromium speciation with detection by ETAAS. **2012**, 27, 466 43
- 379 Solid-phase extraction combined with dispersive liquid-liquid microextraction as an efficient and simple method for the determination of carbamazepine in biological samples. **2012**, 4, 2887 17
- 378 Noncovalent surface grafting of uranium complexed cucurbit[5]uril oligomer onto palm shell powder: a novel approach for selective uranyl ion extraction. **2012**, 137, 3242-5 11
- 377 Simultaneous determination of four plant hormones in bananas by molecularly imprinted solid-phase extraction coupled with high performance liquid chromatography. **2012**, 137, 2884-90 52
- 376 Simultaneous decoloration and deproteinization of crude polysaccharide from pumpkin residues by cross-linked polystyrene macroporous resin. **2012**, 60, 8450-6 39
- 375 Automated total and radioactive strontium separation and preconcentration in samples of environmental interest exploiting a lab-on-valve system. **2012**, 96, 96-101 22
- 374 Simultaneous separation and determination of trace amounts of Cd(II) and Cu(II) in environmental samples using novel diphenylcarbazide modified nanoporous silica. **2012**, 89, 455-61 69
- 373 Zincon-immobilized silica-coated magnetic Fe₃O₄ nanoparticles for solid-phase extraction and determination of trace lead in natural and drinking waters by graphite furnace atomic absorption spectrometry. **2012**, 94, 251-6 86
- 372 Characterisation and application of molecularly imprinted polymers for group-selective recognition of antibiotics in food samples. **2012**, 137, 3381-9 19
- 371 Selective extraction and preconcentration of ultra-trace level of mercury ions in water and fish samples using Fe₃O₄-magnetite-nanoparticles functionalized by triazene compound prior to its determination by inductively coupled plasma-optical emission spectrometry. **2012**, 4, 959 39
- 370 Analysis and Antioxidant Capacity of Anthocyanin Pigments. Part III: An Introduction to Sample Preparation and Extraction. **2012**, 42, 284-312 13

369	Preconcentration of Zn ²⁺ and Cu ²⁺ ions from food and vegetable samples using modified activated carbon. 2012 , 184, 6583-91	15
368	Sorbent-Phase Sample Preparation in Environmental Analysis. 2012 , 541-567	1
367	Sorbent Chemistry, Evolution. 2012 , 243-256	2
366	A selective modified nanoporous silica as sorbent for separation and preconcentration of dysprosium in water samples prior to ICP-OES determination. 2012 , 92, 355-365	14
365	Automatic miniaturized flow methodology with in-line solid-phase extraction for quinine determination in biological samples. 2012 , 4, 1681	2
364	Principles and Practice of Solid-Phase Extraction. 2012 , 273-297	6
363	Pre-concentration and Sample Treatment Techniques for Trace Element Analysis. 2012 , 365-394	1
362	Extraction of Nickel from Soil, Water, Fish, and Plants on Novel Pyridine-Functionalized MCM-41 and MCM-48 Nanoporous Silicas and Its Subsequent Determination by FAAS. 2012 , 5, 1070-1078	13
361	Solid-phase extraction of trace metal ions with magnetic nanoparticles modified with 2,6-diaminopyridine. 2012 , 178, 405-412	38
360	Extraction of hexachloroplatinate from hydrochloric acid solutions with phosphorylated hexane-1,6-diyl polymers. 2012 , 72, 878-888	1
359	Preparation and characterization of layer-by-layer assembly of thiols/Ag nanoparticles/polydopamine on PET bottles for the enrichment of organic pollutants from water samples. 2012 , 22, 15644	28
358	Sample Handling. 2012 , 295-448	
357	Extraction and isolation of phenolic compounds. 2012 , 864, 427-64	47
356	Dual functional rhodamine-immobilized silica toward sensing and extracting mercury ions in natural water samples. 2012 , 41, 2620-5	28
355	New Application of Chemically Modified Multiwalled Carbon Nanotubes with Thiosemicarbazide as a Sorbent for Separation and Preconcentration of Trace Amounts of Co(II), Cd(II), Cu(II), and Zn(II) in Environmental and Biological Samples Prior to Determination by Flame Atomic Absorption Spectrometry. 2012 , 59, 114-121	11
354	Evaluation of the solid-phase extraction (SPE) cartridge method in combination with thermal desorption-gas chromatography-mass spectrometry (TD-GC-MS) for the analysis of different VOCs in liquid matrices in varying pH conditions. 2012 , 35, 1914-21	4
353	Past, Present, and Future of Solid Phase Extraction: A Review. 2012 , 42, 198-213	264
352	Beyond the synthesis of novel solid phases: Review on modelling of sorption phenomena. 2012 , 256, 28-45	155

351	Rubus fruit phenolic research: The good, the bad, and the confusing. 2012 , 130, 785-796		96
350	Simultaneous separation and preconcentration of Cr(III), Cu(II), Cd(II) and Pb(II) from environmental samples prior to inductively coupled plasma optical emission spectrometric determination. 2012 , 86, 443-8		33
349	Combination of solid-phase extraction-hollow fiber for ultra-preconcentration of some triazole pesticides followed by gas chromatography-flame ionization detection. 2012 , 35, 121-7		38
348	Extraction of neurotransmitters from rat brain using graphene as a solid-phase sorbent, and their fluorescent detection by HPLC. 2012 , 176, 327-335		48
347	Simultaneous determination of 24 or more acidic and alkaline phytohormones in femtomole quantities of plant tissues by high-performance liquid chromatography-electrospray ionization-ion trap mass spectrometry. 2013 , 405, 1257-66		54
346	Determination of abamectin in citrus fruits using SPE combined with dispersive liquid-liquid microextraction and HPLC-UV detection. 2013 , 36, 2629-34		17
345	Spectrophotometric determination of iron in environmental and food samples using solid phase extraction. 2013 , 141, 1941-6		40
344	Application of a New Functionalized Nanoporous Silica for Simultaneous Trace Separation and Determination of Cd(II), Cu(II), Ni(II), and Pb(II) in Food and Agricultural Products. 2013 , 6, 1320-1329		61
343	C18/C8-Functionalized Magnetic Silica Nanospheres (Fe ₃ O ₄ @Si-C8/C18) as Capture Probes for Highly Efficient and Rapid Purification of Veterinary Drug Residues. 2013 , 6, 933-940		10
342	Microextraction versus exhaustive extraction approaches for simultaneous analysis of compounds in wide range of polarity. <i>Journal of Chromatography A</i> , 2013 , 1316, 37-43	4.5	38
341	Synthesis, characterization and application of a novel ion-imprinted polymer for selective solid phase extraction of copper(II) ions from high salt matrices prior to its determination by FAAS. 2013 , 116, 322-9		49
340	Extraction of three nitrophenols using polypyrrole-coated magnetic nanoparticles based on anion exchange process. <i>Journal of Chromatography A</i> , 2013 , 1314, 15-23	4.5	78
339	Preparation of mesoporous silica embedded pipette tips for rapid enrichment of endogenous peptides. <i>Journal of Chromatography A</i> , 2013 , 1316, 23-8	4.5	23
338	Models for Liquid-Liquid Partition in the System Ethanolamine-Organic Solvent and Their Use for Estimating Descriptors for Organic Compounds. 2013 , 76, 157-164		13
337	Totally organic biphasic solvent systems for extraction and descriptor determinations. 2013 , 36, 96-109		30
336	MSPE/UV for field detection of micropollutants in water. 2013 , 108, 215-223		9
335	The use of silica gel modified with allyl 6-methyl-4-phenyl-2-thioxo-1,2,3,4-tetrahydropyrimidine-5-carboxylate for selective separation and preconcentration of lead in environmental samples. 2013 , 185, 4969-76		2
334	Magnetic Th(IV)-ion imprinted polymers with salophen schiff base for separation and recognition of Th(IV). 2013 , 295, 167-177		30

333	On-line anion exchange solid-phase extraction coupled to liquid chromatography with fluorescence detection to determine quinolones in water and human urine. <i>Journal of Chromatography A</i> , 2013 , 1310, 91-7	4.5	33
332	New materials and trends in sorbents for solid-phase extraction. <i>TrAC - Trends in Analytical Chemistry</i> , 2013 , 43, 14-23	14.6	207
331	Solid phase analytical derivatization as a sample preparation method. <i>Journal of Chromatography A</i> , 2013 , 1296, 204-13	4.5	34
330	Magnetic materials as sorbents for metal/metalloid preconcentration and/or separation. A review. 2013 , 789, 1-16		341
329	Diosgenin-selective molecularly imprinted pearls prepared by wet phase inversion. 2013 , 73, 1188-1197		14
328	Application of Ion Exchange Solid Phase Extraction Technique in Drug Residue Analysis. 2013 , 333-335, 1907-1915		
327	Adsorption Study of Metal Ions on Electrochemically Synthesized Poly-(ortho-phenylenediamine). 2013 , 53, 21-28		
326	Chromatography, Liquid. 2013 , 1		0
325	Retention of halogenated solutes on stationary phases containing heavy atoms. 2013 , 18, 5163-71		3
324	Fluorescent immunoassay for determination of penicillin and sulphonamide residues in milk using carboxylic magnetic nanoparticles. 2014 , 67, 521-529		3
323	Improved methodology for assaying brassinosteroids in plant tissues using magnetic hydrophilic material for both extraction and derivatization. 2014 , 10, 39		28
322	High Response and Selectivity Methanol Gas Sensor Using Molecular Imprinting Technique. 2014 , 809-810, 731-736		
321	Purification of nucleic acids using isotachopheresis. <i>Journal of Chromatography A</i> , 2014 , 1335, 105-20	4.5	65
320	Synthesis, characterization and analytical application of Zn(II)-imprinted polymer as an efficient solid-phase extraction technique for trace determination of zinc ions in food samples. 2014 , 34, 81-89		65
319	Solid phase extraction of magnetic carbon doped Fe ₃ O ₄ nanoparticles. <i>Journal of Chromatography A</i> , 2014 , 1325, 8-15	4.5	46
318	A PEGylated-rhodamine based sensor for turn-on fluorimetric and colorimetric detection of Hg ²⁺ ions in aqueous media. 2014 , 6, 3784-3790		19
317	Macrocyclic polyamine-functionalized silica as a solid-phase extraction material coupled with ionic liquid dispersive liquid-liquid extraction for the enrichment of polycyclic aromatic hydrocarbons. 2014 , 37, 1004-11		19
316	Determination of phthalates released from paper packaging materials by solid-phase extraction-high-performance liquid chromatography. 2014 , 52, 383-9		17

315	Analytical Methodology of POPs. 2014 , 59-139		4
314	Synthesis of novel aniline immobilized silica gel for the selective extraction of Cr(III). 2014 , 52, 1550-1559		3
313	Determination of urea and creatinine by chronoamperometry. 2014 , 69, 758-762		8
312	An experimental design approach to the optimisation of pesticide extraction from water. 2014 , 6, 6514-6521		7
311	Simultaneous determination of five anthraquinones in a Chinese traditional preparation by RP-HPLC using an improved extraction procedure. 2014 , 12, 455-62		9
310	Preparation of SPE hybrid mesoporous silica sorbents for the analysis and removal of organic pollutants in water. 2014 , 72-75, 83-87		4
309	Synthesis and characterization of a novel nanostructured ion-imprinted polymer for pre-concentration of Y(III) ions. 2014 , 6, 741-749		6
308	Sample Treatment Strategies for Capillary Electrophoresis Analysis. 2014 , 1-23		
307	Determination of phthalate acid esters in soybean milk using dispersive liquid-liquid microextraction coupled with gas chromatography and mass spectrometric detection. 2014 , 6, 7361-7366		9
306	Graphene based solid phase extraction combined with ultra high performance liquid chromatography-tandem mass spectrometry for carbamate pesticides analysis in environmental water samples. <i>Journal of Chromatography A</i> , 2014 , 1355, 219-27	4.5	93
305	In-syringe dispersive solid phase extraction: a novel format for electrospun fiber based microextraction. 2014 , 139, 6266-71		18
304	SPE coupled with dispersive liquid-liquid microextraction followed by GC with flame ionization detection for the determination of ultra-trace amounts of benzodiazepines. 2014 , 37, 287-94		16
303	Determination of degradation products of doxercalciferol by solid-phase extraction and reversed-phase HPLC. 2014 , 52, 520-5		
302	Overview of Analytical Methods Used for Chemical Characterization of Pyrolysis Bio-oil. 2014 , 28, 385-402		128
301	Application of modern sample preparation techniques to the determination of chloropropanols in food samples. <i>TrAC - Trends in Analytical Chemistry</i> , 2014 , 62, 173-183	14.6	16
300	Biological sample preparation: attempts on productivity increasing in bioanalysis. 2014 , 6, 1691-710		30
299	How to address the sample preparation of hydrophilic compounds: Determination of entecavir in plasma and plasma ultrafiltrate with novel extraction sorbents. 2014 , 88, 337-44		14
298	Application of solid phase extraction with the use of silica modified with polyaniline film for pretreatment of samples from plant material before HPLC determination of triterpenic acids. 2014 , 122, 51-7		26

297	Hydrophilic interaction liquid chromatography-solid phase extraction directly combined with protein precipitation for the determination of triptorelin in plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 960, 214-21	3.2	11
296	Solid phase extraction of radioyttrium from irradiated strontium target using nanostructure ion imprinted polymer formed with 1-hydroxy-4-(prop-2-enyloxy)-9,10-anthraquinone. 2014 , 90, 8-14		4
295	Analytical and toxicity characterization of halo-hydroxyl-benzoquinones as stable halobenzoquinone disinfection byproducts in treated water. 2014 , 86, 4982-8		89
294	Selective mixed-bed solid phase extraction of atrazine herbicide from environmental water samples using molecularly imprinted polymer. 2014 , 129, 132-8		46
293	Application of magnetic nanoparticles for magnetic solid-phase extraction in preparing biological, environmental and food samples. <i>TrAC - Trends in Analytical Chemistry</i> , 2014 , 59, 50-58	14.6	383
292	Synthesis and characterization of molecularly imprinted silica mediated by Al for solid phase extraction of quercetin in Ginkgo biloba L.. 2014 , 6, 4029-4037		13
291	Comparison of different sorbent materials for solid-phase extraction of selected drugs in human urine analyzed by UHPLC-UV. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 958, 22-8	3.2	19
290	Determination of Triazoles in Tea Samples Using Dispersive Solid Phase Extraction Combined with Dispersive Liquid-Liquid Microextraction Followed by Liquid Chromatography-Tandem Mass Spectrometry. 2014 , 7, 189-196		22
289	Strategies in the Analysis of Plant Flavonoids. 2014 , 1-25		
288	Magnetic solid-phase extraction of brominated flame retardants from environmental waters with graphene-doped Fe ₃ O ₄ nanocomposites. 2015 , 38, 1969-76		28
287	Comparison of mouse plasma and brain tissue homogenate sample pretreatment methods prior to high-performance liquid chromatography for a new 1,2,4-triazole derivative with anticonvulsant activity. 2015 , 38, 2149-57		1
286	Capillary-channeled polymer (C-CP) fibers for the rapid extraction of proteins from urine matrices prior to detection with MALDI-MS. 2015 , 9, 522-30		3
285	Solid-Phase Extraction With Discs. 2015 ,		2
284	The effect of molecular weight on the porosity of hypercrosslinked polystyrene. 2015 , 6, 7280-7285		20
283	Efficacy of dihydroxy-mercaptopyrimidine functionalized polymeric resin for the trace determination of Cd by SPE coupled flame atomic absorption spectrometry. 2015 , 5, 46662-46671		6
282	Nano polypyrrole-coated magnetic solid phase extraction followed by dispersive liquid phase microextraction for trace determination of megestrol acetate and levonorgestrel. 2015 , 885, 98-105		43
281	EBT anchored SiO ₂ 3-D microarray: a simultaneous entrapper of two different metal centers at high and low oxidation states using its highest occupied and lowest unoccupied molecular orbital, respectively. 2015 , 5, 55686-55703		11
280	Dendrimer-functionalized mesoporous silica as a reversed-phase/anion-exchange mixed-mode sorbent for solid phase extraction of acid drugs in human urine. <i>Journal of Chromatography A</i> , 2015 , 1392, 28-36	4.5	49

279	An alternative method for the decoloration of e-poly-l-lysine eluate by macroporous resin in the separation and purification of e-poly-l-lysine from fermentation broth. 2015 , 95, 332-338		12
278	Solid-Phase Extraction of Pt(IV) with Dialkyl-(hexane-1,6-diyl) Phosphate Modified Merrifield Resins from Aqueous Chloride Media in Column Operations. 2015 , 50, 191-206		2
277	Synthesis of metronidazole-imprinted molecularly imprinted polymers by distillation precipitation polymerization and their use as a solid-phase adsorbent and chromatographic filler. 2015 , 38, 1172-8		33
276	Nanometer-sized materials for solid-phase extraction of trace elements. 2015 , 407, 2685-710		100
275	Evaluation of three-phase hollow fiber microextraction based on two immiscible solvents coupled to GC and HPLC for determination of statin drugs in biological fluids. 2015 , 7, 2959-2967		8
274	Development and validation of an ultra-high performance liquid chromatography-tandem mass spectrometry method to measure creatinine in human urine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 988, 88-97	3.2	25
273	Determination of sulfonamides in serum by on-line solid-phase extraction coupled to liquid chromatography with photoinduced fluorescence detection. 2015 , 138, 258-262		18
272	Recent advances in analysis of phthalate esters in foods. <i>TrAC - Trends in Analytical Chemistry</i> , 2015 , 72, 10-26	14.6	87
271	Modification of activated carbon by 2,6-diaminopyridine for separation of Hg ²⁺ from aqueous solutions. 2015 , 3, 1662-1668		4
270	Preparation of naphthyl functionalized magnetic nanoparticles for extraction of polycyclic aromatic hydrocarbons from river waters. 2015 , 5, 56189-56197		14
269	Silica-coated Mn ₃ O ₄ nanoparticles coated with an ionic liquid for use in solid phase extraction of silver(I) ions prior to their determination by AAS. 2015 , 182, 1447-1456		17
268	A potentiometric biosensing system based on an isolated degrading bacterium <i>Klebsiella</i> sp. MP-6 for the determination of methyl parathion. 2015 , 5, 34475-34480		2
267	Diamond porous membranes: A material toward analytical chemistry. 2015 , 55, 123-130		36
266	Use of ZIF-8-derived nanoporous carbon as the adsorbent for the solid phase extraction of carbamate pesticides prior to high-performance liquid chromatographic analysis. 2015 , 142, 104-9		44
265	C,N-bipyrazole receptor grafted onto a porous silica surface as a novel adsorbent based polymer hybrid. 2015 , 143, 1-6		17
264	A simple sample pretreatment method for multi-mycotoxin determination in eggs by liquid chromatography tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2015 , 1417, 1-7	4.5	32
263	Adsorption and extraction preconcentration of trace components in flow analytical systems. 2015 , 70, 1289-1306		6
262	A new sorbent based on MWCNTs modification for separation/preconcentration of trace amounts of Cd(II), Cr(III), Cu(II), Ni(II), and Pb(II) and their determination by flame atomic absorption spectrometry. 2015 , 6,		11

261	A molecularly imprinted polymer as the sorptive phase immobilized in a rotating disk extraction device for the determination of diclofenac and mefenamic acid in wastewater. 2015 , 889, 130-7	53
260	Molecular approaches to chromatography using single molecule spectroscopy. 2015 , 87, 83-98	32
259	Application of 1-(2-pyridylazo)-2-naphthol-modified nanoporous silica as a technique in simultaneous trace monitoring and removal of toxic heavy metals in food and water samples. 2015 , 187, 4176	27
258	Automation of Uc extraction by LOV prior ICP-MS detection: application to environmental samples. 2015 , 133, 88-93	21
257	Multiclass determination of 27 antibiotics in honey. 2015 , 48, 12-24	53
256	Optimized Kaempferitrin Isolation from <i>Uncaria guianensis</i> Leaves by Solid-Phase Extraction. 2015 , 38, 532-542	3
255	Separation and preconcentration of trace amounts of gold from water samples prior to determination by flame atomic absorption spectrometry. 2016 , 9, S1700-S1705	14
254	EXTRACTION Solid-Phase Extraction?. 2016 , 89-89	1
253	Separation/Preconcentration Techniques for Rare Earth Elements Analysis. 2016 , 1,	3
252	Novel mode of liquid-phase microextraction: A magnetic stirrer as the extractant phase holder. 2016 , 39, 399-404	11
251	Online solid-phase extraction with high-performance liquid chromatography and mass spectrometry for the determination of five tannins in traditional Chinese medicine injections. 2016 , 39, 889-94	4
250	Magnetic solid-phase extraction based on a polydopamine-coated Fe_3O_4 nanoparticles absorbent for the determination of bisphenol A, tetrabromobisphenol A, 2,4,6-tribromophenol, and (S)-1,1'-bi-2-naphthol in environmental waters by HPLC. 2016 , 39, 2562-72	23
249	Solid-Phase Extraction of Pb (II) Ions Based on L-Cysteine Functionalized $\text{Fe}_3\text{O}_4/\text{SiO}_2$ Core-Shell Nanoparticles. 2016 , 142, 04016062	5
248	Antibiotics in Agroecosystems: Introduction to the Special Section. 2016 , 45, 377-93	49
247	Challenges in the Measurement of Antibiotics and in Evaluating Their Impacts in Agroecosystems: A Critical Review. 2016 , 45, 407-19	74
246	Aspartic acid-modified magnetic nanoparticles as an ideal sorbent for solid phase extraction of Pb in water samples prior to ICP-OES determination. 2016 , 57, 25765-25772	6
245	Ion-exchange solid-phase extraction combined with liquid chromatography-tandem mass spectrometry for the determination of veterinary drugs in organic fertilizers. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1022, 281-289	3.2 12
244	Application of a Zn(II) based metalorganic framework as an efficient solid-phase extraction sorbent for preconcentration of plasticizer compounds. 2016 , 6, 40211-40218	27

243	Automated solid-phase extraction of organic pollutants using melamine-formaldehyde polymer-derived carbon foams. 2016 , 6, 48558-48565	20
242	Synergetic recognition and separation of kelthane and pyridaben base on magnetic molecularly imprinted polymer nanospheres. 2016 , 39, 4019-4026	5
241	Flexible Method for Analysis of Lidocaine and Its Metabolite in Biological Fluids. 2016 , 54, 1193-200	3
240	Selective extraction and detection of noble metal based on ionic liquid immobilized silica gel surface using ICP-OES. 2016 , 39, 1011-1019	5
239	A review of the determination of persistent organic pollutants for environmental forensics investigations. 2016 , 941, 10-25	44
238	Quantitative produced water analysis using mobile ¹ H NMR. 2016 , 27, 105501	16
237	Glossary of terms used in extraction (IUPAC Recommendations 2016). 2016 , 88, 517-558	23
236	Automated Enrichment of Sulfanilamide in Milk Matrices by Utilization of Aptamer-Linked Magnetic Particles. 2016 , 64, 9246-9252	12
235	Extraction for analytical scale sample preparation (IUPAC Technical Report). 2016 , 88, 649-687	29
234	Sample Preparation for Bioanalytical and Pharmaceutical Analysis. 2016 , 88, 11262-11270	58
233	Modified Capillary Electrophoresis for Highly Sensitive and Selective Detection of Hg ²⁺ in Natural Water. 2016 , 63, 417-423	1
232	Molecularly imprinted porous beads for the selective removal of copper ions. 2016 , 39, 793-8	27
231	Zeolite/iron oxide composite as sorbent for magnetic solid-phase extraction of benzene, toluene, ethylbenzene and xylenes from water samples prior to gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2016 , 1458, 18-24	4.5 46
230	Facile preparation of acid-resistant magnetite particles for removal of Sb(III) from strong acidic solution. 2016 , 17, 80-88	10
229	Determination of glyphosate and its metabolite in emergency room in Korea. 2016 , 265, 41-6	16
228	Extraction techniques based on solid state and connected with liquid chromatography. 2016 , 39, 477-487	6
227	Critical review of factors governing data quality of integrative samplers employed in environmental water monitoring. 2016 , 94, 200-207	39
226	Synthesis of novel silica-gel-supported thiosemicarbazide and its properties for solid phase extraction of mercury. 2016 , 51, 1103-1111	7

225	Multiplexed MALDI-MS arrays for screening of MIP solid phase extraction materials. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1021, 213-220	3.2	14
224	Modern trends in solid phase extraction: New sorbent media. <i>TrAC - Trends in Analytical Chemistry</i> , 2016 , 77, 23-43	14.6	376
223	Extraction Methods in Trace Analysis. 2016 , 123-152		1
222	Selective solid-phase extraction and analysis of trace-level Cr(III), Fe(III), Pb(II), and Mn(II) ions in wastewater using diethylenetriamine-functionalized carbon nanotubes dispersed in graphene oxide colloids. 2016 , 146, 358-63		70
221	Desomorphine (Krokodil): An overview of its chemistry, pharmacology, metabolism, toxicology and analysis. 2017 , 173, 59-68		20
220	Auxin Extraction and Purification Based on Recombinant Aux/IAA Proteins. 2017 , 19, 1		6
219	Selective ion-imprinted polymers for preconcentration and determination of silver in water and hair by electrothermal atomic absorption spectrometry. 2017 , 72, 70-75		3
218	Application of packed-fiber solid-phase extraction coupled with GC-MS for the determination of short-chain fatty acids in children's urine. 2017 , 468, 120-125		20
217	Equilibrium partitioning of organic compounds to OASIS HLB as a function of compound concentration, pH, temperature and salinity. 2017 , 174, 297-305		29
216	Sample Clean-up Strategies for ESI Mass Spectrometry Applications in Bottom-up Proteomics: Trends from 2012 to 2016. 2017 , 17, 1700011		40
215	High Internal Phase Emulsion Polymeric Monolith Extraction Coupling with High-Performance Liquid Chromatography for the Determination of Para Red and Sudan Dyes in Chilli Samples. 2017 , 10, 2018-2026		9
214	Improvement of Soil Ecosystem Multifunctionality by Dissipating Manure-Induced Antibiotics and Resistance Genes. 2017 , 51, 4988-4998		41
213	New Polymeric Materials for Solid Phase Extraction. 2017 , 47, 373-383		36
212	Extraction and Determination of Quercetin from Ginkgo biloba by DESs-Based Polymer Monolithic Cartridge. 2017 , 55, 866-871		8
211	Comparative Study of Solid-Phase Extraction of Dissolved Organic Matter from Oilfield-Produced Brine by Different Sorbents. 2017 , 34, 675-686		8
210	Potential tracers for tracking septic tank effluent discharges in watercourses. 2017 , 228, 245-255		22
209	Analytical method for metabolites involved in biosynthesis of plant volatile compounds. 2017 , 7, 19363-19372		8
208	Partition constant database for totally organic biphasic systems. <i>Journal of Chromatography A</i> , 2017 , 1527, 18-32	4.5	12

207	DNA extraction on bio-chip: history and preeminence over conventional and solid-phase extraction methods. 2017 , 101, 8077-8088		13
206	Selectivity of solid phase extraction for dissolved organic matter in the hypersaline Da Qaidam Lake, China. 2017 , 19, 1374-1386		2
205	Dispersed synthesis of uniform Fe ₃ O ₄ magnetic nanoparticles via in situ decomposition of iron precursor along cotton fibre for Sudan dyes analysis in food samples. 2017 , 34, 1853-1862		6
204	Polymer inclusion membranes (PIMs) in chemical analysis - A review. 2017 , 987, 1-14		90
203	The solid-phase extraction of α -chymotrypsin based on a novel porous polymeric dianionic ionic liquid-coated magnetic material. 2017 , 7, 53203-53209		7
202	Identification Strategies for Bioactive Secondary Metabolites of Fungal Origin. 2017 , 511-547		1
201	Graphene solid phase extraction (SPE) of synthetic antioxidants in complex food matrices. 2017 , 62, 223-230		24
200	Hydrophilic materials in sample pretreatment. <i>TrAC - Trends in Analytical Chemistry</i> , 2017 , 86, 172-184	14.6	55
199	Determination of azoxystrobin and chlorothalonil using a methacrylate-based polymer modified with gold nanoparticles as solid-phase extraction sorbent. 2017 , 409, 243-250		24
198	Sample pre-treatment techniques for use with ICP-MS hyphenated techniques for elemental speciation in biological samples. 2017 , 32, 58-77		23
197	Recent Application of Solid Phase Based Techniques for Extraction and Preconcentration of Cyanotoxins in Environmental Matrices. 2017 , 47, 119-126		15
196	Bioanalytical method development and validation: Critical concepts and strategies. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1043, 3-11	3.2	60
195	Purification of high-purity glycyrrhizin from licorice using hydrophilic interaction solid phase extraction coupled with preparative reversed-phase liquid chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1040, 47-52	3.2	18
194	Phytohormonal quantification based on biological principles. 2017 , 431-470		15
193	Highly efficient determination of malachite green in aquatic product using Tb-organic framework as sorbent. 2018 , 25, 1771-1781		12
192	A modified ZSM-5 zeolite/Fe ₂ O ₃ composite as a sorbent for magnetic dispersive solid-phase microextraction of cadmium, mercury and lead from urine samples prior to inductively coupled plasma optical emission spectrometry. 2018 , 33, 856-866		26
191	Preparation of carbon-functionalized magnetic graphene/mesoporous silica composites for selective extraction of miglitol and voglibose in rat plasma. 2018 , 182, 405-413		16
190	Application of Polymethacrylic Acid Imprinted Quartz Crystal Microbalance Sensor for Detection of 3-Carene in Mango. 2018 , 18, 2697-2704		17

189	Antiviral Activity of <i>Fareamea hyacinthina</i> and <i>Fareamea truncata</i> Leaves on Dengue Virus Type-2 and Their Major Compounds. 2018 , 15, e1700393		6
188	Oxidized Buckypaper for Stir-Disc Solid Phase Extraction: Evaluation of Several Classes of Environmental Pollutants Recovered from Surface Water Samples. 2018 , 90, 6827-6834		19
187	Applying molecular modelling and experimental studies to develop molecularly imprinted polymer for domoic acid enrichment from both seawater and shellfish. 2018 , 199, 98-106		14
186	A new strategy for accelerated extraction of target compounds using molecularly imprinted polymer particles embedded in a paper-based disk. 2018 , 31, e2629		9
185	Spectrophotometric determination of fluoxetine by molecularly imprinted polypyrrole and optimization by experimental design, artificial neural network and genetic algorithm. 2018 , 190, 181-187		14
184	The role of graphene-based sorbents in modern sample preparation techniques. 2018 , 41, 288-302		69
183	Advances in organic-inorganic hybrid sorbents for the extraction of organic and inorganic pollutants in different types of food and environmental samples. 2018 , 41, 195-208		21
182	Ionic liquids: solvents and sorbents in sample preparation. 2018 , 41, 209-235		101
181	Comparison of Two Solid-Phase Extraction (SPE) Methods for the Identification and Quantification of Porcine Retinal Protein Markers by LC-MS/MS. 2018 , 19,		17
180	Chromatography. 2018 , 1-32		6
179	Recent advances in facile synthesis and applications of covalent organic framework materials as superior adsorbents in sample pretreatment. <i>TrAC - Trends in Analytical Chemistry</i> , 2018 , 108, 154-166	14.6	106
178	An overview of cosmeceutically relevant plant extracts and strategies for extraction of plant-based bioactive compounds. 2018 , 112, 69-85		46
177	Synthesis of copper(II) ion-imprinted polymers via suspension polymerization. 2018 , 29, 3134-3141		14
176	Adsorption efficiency enhancing of electrospun polycaprolactone nanofibers towards acidic polar drugs through the incorporation of a composite of graphene oxide nanosheets and Al polyoxocations: a comparative study. 2018 , 143, 4684-4698		11
175	Microextraction techniques in antibiotic monitoring in body fluids: Recent trends and future. 2018 , 41, 401-407		5
174	Quantification of ondansetron, granisetron and tropisetron in goat plasma using hydrophilic interaction liquid chromatography-solid phase extraction coupled with hydrophilic interaction liquid chromatography-triple quadrupole tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1095, 50-58	3.2	6
173	How to measure release from nanosized carriers?. 2018 , 120, 199-211		37
172	Pharmaceutical Analysis Sample Preparation. 2018 , 231-231		2

171	Solid-phase extraction based on multi-walled carbon nanotube (MWCNT) sorbents combined with bio-coacervation extraction for the determination of atrazine from water samples followed by HPLC analysis. 2018 , 15, 2395-2400		6
170	Principles and Recent Advancements in Microextraction Techniques. 2018 , 257-294		9
169	Synthesis of 4-formyl pyridinium propylthioacetate stabilized silver nanoparticles and their application in chemosensing of 6-aminopenicillanic acid (APA). 2019 , 16, 1563-1570		8
168	Efficiency comparison of nylon-6-based solid-phase and stir bar sorptive extractors for carbamazepine extraction. 2019 , 11, 899-911		2
167	Modern Extraction and Cleanup Methods of Veterinary Drug Residues in Food Samples of Animal Origin. 2019 ,		5
166	Dual optical properties of new schiff base based on bithiophene for sensing of Cu ²⁺ in protic media. 2019 , 1198, 126906		8
165	Microsampling with cotton thread: Storage and ultra-sensitive analysis by thread spray mass Spectrometry. 2019 , 1082, 98-105		19
164	Micro solid-phase extraction (pipette tip and spin column) and thin film solid-phase microextraction: Miniaturized concepts for chromatographic analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2019 , 118, 810-827	14.6	51
163	Determination of steroidal estrogens in food matrices: current status and future perspectives. 2019 , 28, 104-113		4
162	On-chip solid phase extraction and in situ optical detection. 2019 , 197, 299-303		6
161	Examining the Extraction Efficiency of Petroleum-Derived Dissolved Organic Matter in Contaminated Groundwater Plumes. 2019 , 39, 25-31		6
160	Use of Magnetic Materials in Sample Preparation Techniques. 2019 , 375-409		
159	Materials-Based Sample Preparation in Water Analysis. 2019 , 795-824		1
158	Nanoconfined Ionic Liquids. 2019 , 23-72		
157	Forensic analysis using ultra-high-performance liquid chromatography-tandem mass spectrometry with solid-phase extraction of ßolanine and ßhaconine in whole blood. 2019 , 37, 197-206		5
156	Zeolites and zeolite-based materials in extraction and microextraction techniques. 2019 , 144, 366-387		29
155	Analysis of josamycin in three kinds of feed using ultra high performance liquid chromatography with tandem mass spectrometry. 2019 , 36, 1302-1313		1
154	Automation of radiochemical analysis by flow techniques [A review]. <i>TrAC - Trends in Analytical Chemistry</i> , 2019 , 118, 352-367	14.6	8

153	Carbon composite membrane derived from MIL-125-NH MOF for the enhanced extraction of emerging pollutants. 2019 , 231, 510-517		15
152	Paradigm Shift in the Arena of Sample Preparation and Bioanalytical Approaches Involving Liquid Chromatography Mass Spectroscopic Technique. 2019 , 35, 1069-1082		5
151	A new diosgenin sensor based on molecularly imprinted polymer of para aminobenzoic acid selected by computer-aided design. 2019 , 174, 552-560		9
150	Metal-Organic Frameworks in Solid-Phase Extraction Procedures for Environmental and Food Analyses. 2019 , 82, 1191-1205		32
149	Monolithic Spin Column Extraction in LC-MS Bioanalysis. 2019 , 163-173		
148	Graphene/sepiolite mixtures as dispersive solid-phase extraction sorbents for the analysis of polycyclic aromatic hydrocarbons in wastewater using surfactant aqueous solutions for desorption. <i>Journal of Chromatography A</i> , 2019 , 1596, 30-40	4.5	22
147	Detecting Ocimene in mango using mustard oil based quartz crystal microbalance sensor. 2019 , 284, 514-524		6
146	Enhanced solid phase extraction of DNA using hydrophilic monodisperse poly(methacrylic acid-co-ethylene dimethacrylate) microparticles. 2019 , 46, 3063-3072		1
145	Synthetic Peptide Purification via Solid-Phase Extraction with Gradient Elution: A Simple, Economical, Fast, and Efficient Methodology. 2019 , 24,		17
144	Rapid and Effective Isolation of Dissolved Organic Matter Using Solid-Phase Extraction Cartridges Packed with Amberlite XAD 8/4 Resins. 2019 , 11, 67		5
143	Synthesis and characterization of a surface-grafted Pb(ii)-imprinted polymer based on activated carbon for selective separation and pre-concentration of Pb(ii) ions from environmental water samples.. 2019 , 9, 5110-5120		3
142	Synthesis of ultrasonic-assisted lead ion imprinted polymer as a selective sorbent for the removal of Pb ²⁺ in a real water sample. 2019 , 146, 1160-1168		32
141	In-syringe solvent-assisted dispersive solid phase extraction followed by flame atomic absorption spectrometry for determination of nickel in water and food samples. 2019 , 144, 88-92		27
140	Highly Porous Hypercrosslinked Polymers Derived from Biobased Molecules. 2019 , 12, 839-847		9
139	Automated on-line SPE determination of amisulpride in human plasma using LC coupled with restricted-access media column. 2019 , 145, 154-161		8
138	Solid phase fractionation techniques for segregation of red cabbage anthocyanins with different colorimetric and stability properties. 2019 , 120, 688-696		5
137	Synthesis, characterization and application of a new nano-structured samarium(III) ion-imprinted polymer. 2019 , 76, 5499-5516		7
136	Chemically modified multiwalled carbon nanotubes as efficient and selective sorbent for separation and preconcentration of trace amount of Co(II), Cd(II), Pb(II), and Pd(II). 2019 , 12, 1487-1495		12

135	4-Ethylphenol, 4-ethylguaiacol and 4-ethylcatechol in red wines: Microbial formation, prevention, remediation and overview of analytical approaches. 2019 , 59, 1367-1391	18
134	Core concepts and milestones in the development of solid-phase extraction. 2020 , 1-36	3
133	Water monitoring using polymer inclusion membranes: a review. 2020 , 18, 129-150	13
132	Porous molecularly-imprinted polymer for detecting diclofenac in aqueous pharmaceutical compounds. 2020 , 382, 123002	20
131	Micro-solid-phase extraction. 2020 , 443-471	1
130	A comprehensive look at solid-phase microextraction technique: A review of reviews. 2020 , 152, 104319	86
129	Development of a new strategy for studying the aroma potential of winemaking grapes through the accelerated hydrolysis of phenolic and aromatic fractions (PAFs). 2020 , 127, 108728	12
128	Graphene oxide-FeO nanocomposite magnetic solid phase extraction followed by UHPLC-MS/MS for highly sensitive determination of eight psychoactive drugs in urine samples. 2020 , 206, 120212	37
127	Combination of poly(ϵ -caprolactone) grafted graphene quantum dots based dispersive solid phase extraction followed by dispersive liquid-liquid microextraction for extraction of some pesticides from fruit juices prior to their quantification by gas chromatography. 2020 , 153, 104328	23
126	Cyclodextrin-based sorbents for solid phase extraction. <i>Journal of Chromatography A</i> , 2020 , 1609, 460654.5	28
125	Selective solid phase extraction and pre-concentration of Cu(II) ions from aqueous solution using Cu(II)-ion imprinted polymeric beads. 2020 , 8, 103656	5
124	Fully automatic system for lead monitoring in water. 2020 , 154, 104550	2
123	Inorganic oxide and chemically bonded sorbents. 2020 , 37-54	1
122	A new molecularly imprinted polymer for selective extraction and pre-concentration of guaifenesin in different samples: Adsorption studies and kinetic modeling. 2020 , 43, 1164-1172	2
121	Pre-concentration and extraction of fenitrothion using a prefabricated 3D spongin-based skeleton of marine demosponge: optimization by experimental design. 2020 , 126, 1	2
120	Recent development and challenges in extraction of phytonutrients from palm oil. 2020 , 19, 4031-4061	8
119	The fabrication of a covalent triazine-based organic framework for the solid-phase extraction of fourteen kinds of sulfonamides from meat samples.. 2020 , 10, 35941-35948	1
118	A sensitive determination of triazole pesticides in grape juice by combining solid phase extraction-dispersive liquid-liquid microextraction followed by gas chromatography-flame ionisation detection. 2020 , 1-16	3

117	Development of a mesoporous silica based solid-phase extraction and ultra-performance liquid chromatography-MS/MS method for quantifying lignans in <i>Justicia procumbens</i> . 2020 , 41, 379-385	3
116	Solid-Phase Extraction Nuclear Magnetic Resonance (SPE-NMR): Prototype Design, Development, and Automation. 2020 , 59, 20836-20844	5
115	Preparation of phenylboronic acid based hypercrosslinked polymers for effective adsorption of chlorophenols. <i>Journal of Chromatography A</i> , 2020 , 1628, 461470	4-5 9
114	Synthesis and characterization of Cu ²⁺ imprinted polymer-tannin extract from mango leaf (<i>Mangifera indica</i> L.) for selective separation of Cu ²⁺ . 2020 , 763, 012033	
113	Magnetic Nanoparticles Based Solid Phase Extraction Methods for the Determination of Trace Elements. 2020 , 1-19	18
112	Utilizing a Nanocomposite Based on Ion-Imprinted Polydopamine-Coated Magnetic Graphene Oxide for Extraction of Cd(II) and Ni(II) from Water Samples. 2020 , 75, 967-974	1
111	Multiphase Behavior of Tetraphenylethylene Derivatives with Different Polarities at High Pressures. 2020 , 124, 7263-7271	3
110	ACE Inhibitory Activity and Molecular Docking of Gac Seed Protein Hydrolysate Purified by HILIC and RP-HPLC. 2020 , 25,	4
109	Solid-Phase Extraction and Detection by Digital Image Directly in the Sorbent: Determination of Nickel in Environmental Samples. 2020 , 231, 1	3
108	Historical backgrounds, milestones in the field of development of separation and preconcentration methods. 2020 , 1-43	
107	Assessment of the In Vivo Antioxidant Activity of an Anthocyanin-Rich Bilberry Extract Using the Model. 2020 , 9,	4
106	Synthesis and characterization of a molecularly imprinted polymer (MIP) for solid-phase extraction of the antidiabetic gliclazide from human plasma. 2020 , 116, 111191	13
105	Exploration of a novel triazine-based covalent organic framework for solid-phase extraction of antibiotics.. 2020 , 10, 11557-11564	11
104	Technical viewpoint on polystyrene/graphene nanocomposite. 2020 , 089270572090765	4
103	Evolution of Environmentally Friendly Strategies for Metal Extraction. 2020 , 7, 4	22
102	Dispersive micro-solid-phase extraction using chitosan/polymethacrylate/clay bionanocomposite followed by UV-Vis spectrophotometry for determination of zinc. 2020 , 74, 3399-3408	4
101	An automated solid phase extraction procedure for lipid biomarker purification and stable isotope analysis. 2020 , 142, 103995	9
100	Phytochemical constituents, advanced extraction technologies and techno-functional properties of selected Mediterranean plants for use in meat products. A comprehensive review. 2020 , 100, 292-306	67

99	Reversed-phase ion-pair solid-phase extraction and ion chromatography analysis of pyrrolidinium ionic liquid cations in environmental water samples. 2020 , 43, 2743-2749		2
98	Recent applications of magnetic solid phase extraction in sample preparation for phytochemical analysis. 2021 , 192, 113675		13
97	Detection and quantification of Covid-19 antiviral drugs in biological fluids and tissues. 2021 , 224, 121862		23
96	Selective extraction of zolpidem from plasma using molecularly imprinted polymer followed by high performance liquid chromatography. 2021 , 162, 105844		4
95	Evaluation of the performance of a selective magnetite molecularly imprinted polymer for extraction of quercetin from onion samples. 2021 , 162, 105849		8
94	Facile preparation of nitrogen-doped amorphous carbon nanocomposite as an efficient sorbent in dispersive solid phase extraction. 1-19		1
93	Sample preparation for gas chromatography. 2021 , 615-653		
92	Application of an MOF-based dispersive micro solid phase extraction method followed by dispersive liquid-liquid microextraction for plasticizers-detection and determination.		4
91	Nanoparticles Based Extraction Strategies for Accurate and Sensitive Determination of Different Pesticides. 2021 , 1-16		1
90	Customized dispersive micro-solid-phase extraction device combined with micro-desorption for the simultaneous determination of 39 multiclass pesticides in environmental water samples. <i>Journal of Chromatography A</i> , 2021 , 1639, 461781	4.5	9
89	Molecularly imprinted polymers by the surface imprinting technique. 2021 , 145, 110231		34
88	Biologically active peptides from marine proteobacteria: Discussion article. 2021 , 005-012		1
87	Sample preparation and instrumental methods for illicit drugs in environmental and biological samples: A review. <i>Journal of Chromatography A</i> , 2021 , 1640, 461961	4.5	15
86	Miniaturized sample preparation techniques and ambient mass spectrometry as approaches for food residue analysis. <i>Journal of Chromatography A</i> , 2021 , 1640, 461949	4.5	4
85	A stable isotope dilution method for a highly accurate analysis of karrikins. 2021 , 17, 37		
84	Development of ultrasound-assisted centrifugal extraction combined with two countercurrent chromatography systems for the simultaneous extraction and isolation of phytochemicals. 2021 , 44, 2279-2289		2
83	Development of ultrasound-assisted centrifugal extraction and online solvent concentration coupled with parallel countercurrent chromatography for the preparation of purified phytochemicals: Application to <i>Lycium ruthenicum</i> . 2021 , 162, 113266		2
82	Development of ultrasound-assisted mixture extraction and online extraction solution concentration coupled with countercurrent chromatography for the preparation of pure phytochemicals from <i>Phellinus vaninii</i> . <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021 , 1171, 122619	3.2	1

81	Metabolomic Studies for the Evaluation of Toxicity Induced by Environmental Toxicants on Model Organisms. 2021 , 11,	3
80	Lipidomics phenotyping of clam (<i>Corbicula fluminea</i>) through graphene/fibrous silica nanohybrids based solid-phase extraction and HILIC-MS analysis. 2021 , 354, 129565	6
79	Recent Advances in Sample Preparation for Cosmetics and Personal Care Products Analysis. 2021 , 26,	7
78	Application of the poly (POSS-octavinyl-co-N-methylacetamide-co-divinylbenzene) solid extraction column in analyzing preservatives. 2021 , 1	1
77	Macro-microporous zeolitic imidazole framework-8/cellulose aerogel for semi-automated pipette tip solid phase extraction of fluoroquinolones in water. 2021 , 1184, 338984	1
76	An MOF-based dispersive micro solid phase extraction prior to dispersive liquid-liquid microextraction for analyzing plasticizers. 2021 , 104, 104174	4
75	Occurrence of organic micropollutants in municipal landfill leachate and its effective treatment by advanced oxidation processes. 2022 , 287, 132216	9
74	Principles and Practice of ABA Analysis. 2014 , 431-446	2
73	Use of Amphiphilic Nonionic Polymer Nanoparticles for Removal of Hydrophobic Pollutants From Soil. 2016 , 53-86	1
72	Flame Atomic Absorption Spectrometric Determination of Ultra Traces of Thallium(I) ion after Solid Phase Extraction by Octadecyl Silica Membrane Disk Modified by a New Schiff Base. 2004 , 25, 1309-1313	10
71	Molecularly-imprinted polymers as synthetic mimics of bioreceptors. 2. Applications in modern biotechnology. 2009 , 25, 431-444	1
70	Ultrasound-Assisted Emulsified Microextraction Based on Deep Eutectic Solvent for Trace Residue Analysis of Metribuzin in Urine Samples. 2021 , 16, 153-161	1
69	Preparation and Evaluation of Molding-type Solid-phase Extraction Media Binding with Commercially Available Adhesives. 2021 ,	1
68	Simultaneous Determination of Seven Bisphenol Analogues in Surface Water by Solid-Phase Extraction and Ultra-Performance Liquid Chromatography-Tandem Mass Spectrometry.	
67	Synthesis of Monodisperse Polymer Particles with Dozens \bar{M}_n by a Membrane Emulsification-Copolymerization Method and Evaluation of Solid-phase Extraction Characteristics. 2021 , 70, 435-441	
66	β Cyclodextrin Derivative Grafted on Silica Gel Represents a New Polymeric Sorbent for Extracting Nitisinone from Model Physiological Fluids. 2021 , 26,	
65	Sensing Methods for Hazardous Phenolic Compounds Based on Graphene and Conducting Polymers-Based Materials. 2021 , 9, 291	3
64	EXTRACTION Solid-Phase Extraction. 2005 , 604-608	

- 63 Recent Trends in Sample Preparation for Pesticide Analysis. **2009**, 381-397
- 62 PREPARATION OF ERYTHROMYCIN-IMPRINTED SOLID-PHASE EXTRACTION MATERIAL BY SOL-GEL METHOD AND THE SELECTIVE ADSORPTION. **2010**, 010, 677-683 1
- 61 Chromatography and Extraction. **2012**, 307-328
- 60 Green Sample Preparation Focusing on Organic Analytes in Complex Matrices. **2014**, 141-166 2
- 59 Encyclopedia of Polymeric Nanomaterials. **2014**, 1-10 3
- 58 Strategies in the Analysis of Plant Flavonoids: An Update. 1-40
- 57 Black-necked spitting cobra (*Naja nigricollis*) phospholipases A2 cause *Trypanosoma brucei* death by blocking endocytosis through the flagellar pocket.
- 56 Protocols for Extraction of Pesticide Residues. **2021**, 77-128
- 55 Determination of 3-Nitrobenzanthrone Its Metabolites, and Other 41 Polycyclic Aromatic Compounds (16 PAHs, 19 Nitro-PAHs, and 6 Oxy-PAHs) in Ascidians (*Phallusia nigra*).
- 54 Cadmium selenide and carbon nanodots modified magnetite nanospheres for the magnetic solid-phase extraction (MSPE) of malachite green prior to spectrophotometric determination. 1-15 0
- 53 Synthesis of MOF-70 based on diffusion method; microgram amount application as a highly efficient sorbent in dispersive micro solid phase extraction prior to dispersive liquid-liquid microextraction for the preconcentration and extraction of pesticides from fruit juices. 1 1
- 52 Photodegradation of norfloxacin in ice: Role of the fluorine substituent. **2021**, 133042 1
- 51 Review on Amphiphilic Ionic Liquids as New Surfactants: From Fundamentals to Applications. **2021**, 380, 5 3
- 50 Lectin and Liquid Chromatography-Based Methods for Immunoglobulin (G) Glycosylation Analysis. **2021**, 112, 29-72
- 49 Determination of 3-nitrobenzanthrone, its metabolites, and 41 polycyclic aromatic compounds (16 PAHs, 19 nitro-PAHs, and 6 oxy-PAHs) in ascidians (*Phallusia nigra*). **2022**, 174, 107081 0
- 48 Spatiotemporal Distribution and Analysis of Organophosphate Flame Retardants in the Environmental Systems: A Review.. **2022**, 27, 0
- 47 Self-assembly of core-shell structured multiwalled nanotubes@covalent organic frameworks composite for solid-phase extraction of four phytohormones from fruit juices.. *Journal of Chromatography A*, **2022**, 1664, 462807 4-5 1
- 46 Advanced Solid-Phase Microextraction Techniques and Related Automation: A Review of Commercially Available Technologies.. **2022**, 2022, 8690569 1

45	Nanosorbents as Materials for Extraction Processes of Environmental Contaminants and Others.. 2022 , 27,		3
44	The use of H-form clinoptilolite to preconcentrate trace amounts of Nd(III) from aqueous solution under dynamic conditions. 2022 , 333, 111739		0
43	Synthesis of a novel polydopamine and C dual-functionalized magnetic core-shell mesoporous nanocomposite for enrichment and analysis of widely abused illegal drugs in urine samples on site and in the laboratory.. 2022 , 212, 114656		0
42	Synthesis of Phosphonated Polymer Resins for the Extraction of Rare-Earth Elements. 2022 , 4, 2506-2512		0
41	A combination of amino-functionalized fibrous silica (KCC-1-NH)/effectively and efficiently oxidized graphene oxide (EEGO) nanocomposite for dispersive solid-phase extraction, pre-concentration and fluorescence determination of total para-cresol in plasma samples of chronic kidney disease patients.. 2022 , 214, 114746		0
40	Black-necked spitting cobra (<i>Naja nigricollis</i>) phospholipases A may cause <i>Trypanosoma brucei</i> death by blocking endocytosis through the flagellar pocket.. 2022 , 12, 6394		1
39	DESIGN OF MOLECULARLY IMPRINTED POLYMER MATERIALS RELYING ON HYDROPHOBIC INTERACTIONS. 2022 , 129008		0
38	Challenges in commercialization of carbon nanomaterial-based sensors. 2022 , 381-392		
37	Deep eutectic solvent in ultrasound-assisted liquid-phase microextraction for determination of vanadium in food and environmental waters. 2022 , 180, 107543		0
36	Traditional and innovative approaches for the extraction of bioactive compounds. 2022 , 25, 1215-1233		5
35	A New Approach for Quantifying Purpurogallin in Brewed Beverages Using LC-MS in Combination with Solid Phase Extraction. 2022 , 11, 1429		0
34	Selective separation of radionuclides from environmental matrices using proprietary solid-phase extraction systems: A review. 2022 , 107637		0
33	Combination of a dispersive solid phase extraction method based on octadecylamine modified magnetic nanoparticles with dispersive liquid-liquid microextraction for the extraction and preconcentration of pesticides. 2022 , 14, 2376-2388		0
32	Green Sorption Materials Used in Analytical Procedures. 2022 , 101-169		
31	Green Chromatography Techniques. 2022 , 379-432		
30	Biocompatible magnetite nanoparticles coated with ionic liquid-based surfactant as a hydrophilic sorbent for dispersive solid phase microextraction of cephalosporins prior to their quantitation by HPTLC. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2022 , 1667, 123228	3.2	1
29	Rapid and ultra-trace levels analysis of 33 antibiotics in water by on-line solid-phase extraction with ultra-performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2022 , 1677, 463304	4.5	0
28	A novel sonication assisted dispersive liquid-liquid microextraction method for methylparaben in cosmetic samples using deep eutectic solvent. <i>Sustainable Chemistry and Pharmacy</i> , 2022 , 29, 100781	3.9	0

27	Current Sample Preparation Methods and Analytical Techniques for the Determination of Synthetic Antioxidants in Edible Oils.	1
26	Anoxybacillus flavithermus loaded γ -Fe ₂ O ₃ magnetic nanoparticles as an efficient magnetic sorbent for the preconcentrations of Cu(II) and Mn(II). 2022 , 168, 113334	0
25	Novel core-shell SiO ₂ @dSiO ₂ @NH ₂ -MIL-53(Al) packed into solid phase extraction column for enrichment of non-steroidal anti-inflammatory drugs prior to UPLC-MS/MS. 2022 , 183, 107970	0
24	Combination of dispersive solid phase extraction using MILB8A as a sorbent and deep eutectic solvent based dispersive liquid-liquid microextraction for the extraction of some pesticides from fruit juices before their determination by GCMS. 2022 , 183, 107984	0
23	Fully Automated Microfluidic Mixing Aided In-Line Detection of Trace Level Oil Field Tracers.	0
22	Development and validation of analytical method for acidic pesticide residues determination in water using LC-MS/MS: a one year surveillance program for two Egyptian governorates. 1-14	0
21	A review of the modern principles and applications of solid-phase extraction techniques in chromatographic analysis.	3
20	A New Trend and Future Perspectives of the Miniaturization of Conventional Extraction Methods for Elemental Analysis in Different Real Samples: A Review. 1-19	2
19	Fully automated microfluidic mixing aided in-line detection of trace level oil field tracers. 2022 , 111171	0
18	Simultaneous Quantification of Opioids in Blood and Urine by Gas Chromatography-Mass Spectrometer with Modified Dispersive Solid-Phase Extraction Technique. 2022 , 27, 6761	0
17	Effects of ecological factors on phytochemical and nutritional composition of Caralluma tuberculata N. E. Brown. 2022 , 105, 104518	0
16	Selective Separation and Preconcentration of Caffeine from Natural and Pharmaceutical Products using New Polyurethane Foams. 58,	0
15	Combining environmental, health, and safety features with a conductor like Screening Model for selecting green solvents for antibiotic analyses. 2023 , 218, 114962	0
14	Saffron: Metabolomics and Quality Point of View. 2022 , 239-252	0
13	Homochiral Porous Metal-Organic Polyhedra with Multiple Kinds of Vertices.	1
12	Applications of graphitic carbon nitride as sorbent in analytical chemistry. 2023 , 271-304	0
11	An automated micro solid phase extraction gas chromatography-mass spectrometry (SPE-GCMS) detection method for geosmin and 2-methylisoborneol in drinking water. 2023 , 13,	0
10	Sample preparation for planar chromatography.	0

- 9 Miniaturized Solid Phase Extraction techniques for different kind of pollutants analysis: State of the art and future perspectives [PART 1. **2023**, 162, 117034
- 8 Investigating analyte breakthrough under non-linear isotherm conditions during solid phase extraction facilitated by non-targeted analysis with comprehensive two-dimensional gas chromatography time-of-flight mass spectrometry. **2023**, 259, 124525
- 7 Current Developments of Analytical Methodologies for Aflatoxins Determination in Food during the Last Decade (2013-2022), with a Particular Focus on Nuts and Nut Products. **2023**, 12, 527
- 6 An Overview of Recent Advances and Applications of Matrix Solid-Phase Dispersion. 1-18
- 5 Analytical techniques for the detection of pharmaceuticals in the environment. **2023**, 149-177
- 4 Use of response surface methodology to optimize triclosan adsorption on alumina pillared clays in a fixed-bed column for applications in solid-phase extraction. **2023**, 235, 106879
- 3 Selectivity evaluation of extraction systems. **2023**, 1695, 463939
- 2 An Imine-Based Porous 3D Covalent Organic Polymer as a New Sorbent for the Solid-Phase Extraction of Amphenicols from Water Sample. **2023**, 28, 3301
- 1 LC-MS/MS Method Minimizing Matrix Effect for the Analysis of Bifenthrin and Butachlor in Chinese Chives and Its Application for Residual Study. **2023**, 12, 1683