

Connective tissue growth factor (CTGF/CCN2) in hepatic

Hepatology Research

26, 1-9

DOI: [10.1016/s1386-6346\(03\)00115-3](https://doi.org/10.1016/s1386-6346(03)00115-3)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Connective Tissue Growth Factor Participates in Scar Formation of Crescentic Glomerulonephritis. Laboratory Investigation, 2003, 83, 1615-1625.	1.7	50
2	The role of connective tissue growth factor, a multifunctional matricellular protein, in fibroblast biology. Biochemistry and Cell Biology, 2003, 81, 355-363.	0.9	246
3	Transcriptional profiling of the scleroderma fibroblast reveals a potential role for connective tissue growth factor (CTGF) in pathological fibrosis. Keio Journal of Medicine, 2004, 53, 74-77.	0.5	57
4	Connective Tissue Growth Factor (CCN2) Induces Adhesion of Rat Activated Hepatic Stellate Cells by Binding of Its C-terminal Domain to Integrin $\alpha 5 \beta 1$ and Heparan Sulfate Proteoglycan. Journal of Biological Chemistry, 2004, 279, 8848-8855.	1.6	225
5	Insights Into the Molecular Mechanism of Chronic Fibrosis: The Role of Connective Tissue Growth Factor in Scleroderma. Journal of Investigative Dermatology, 2004, 122, 1-6.	0.3	122
6	From Cell-ECM interactions to tissue engineering. Journal of Cellular Physiology, 2004, 199, 174-180.	2.0	565
7	Ethanol upregulates pro-fibrogenic connective tissue growth factor (CTGF) gene expression in HepG2 cells via cytochrome P450 2E1-mediated ethanol oxidation. Hepatology Research, 2004, 28, 102-108.	1.8	4
8	Mechanisms of Disease: mechanisms of hepatic fibrosis and therapeutic implications. Nature Reviews Gastroenterology & Hepatology, 2004, 1, 98-105.	1.7	421
9	Connective tissue growth factor induces c-fos gene activation and cell proliferation through p44/42 MAP kinase in primary rat hepatic stellate cells. Journal of Hepatology, 2004, 40, 431-438.	1.8	64
10	Evaluation of Liver Fibrosis: A Concise Review. American Journal of Gastroenterology, 2004, 99, 1160-1174.	0.2	562
11	Diffuse expression of heparan sulfate proteoglycan and connective tissue growth factor in fibrous septa with many mast cells relate to unresolving hepatic fibrosis of congenital hepatic fibrosis. Liver International, 2005, 25, 817-828.	1.9	34
12	Transforming growth factor- $\beta 2$ pathway is activated in cholecystolithiasis. Langenbeck's Archives of Surgery, 2005, 390, 21-28.	0.8	14
13	Activation of nuclear factor kappa B (NF-kappaB) by connective tissue growth factor (CCN2) is involved in sustaining the survival of primary rat hepatic stellate cells. Cell Communication and Signaling, 2005, 3, 14.	2.7	21
14	Vascular Endothelial Growth Factor Reduced and Connective Tissue Growth Factor Induced by Triamcinolone in ARPE19 Cells under Oxidative Stress. , 2005, 46, 1062.		101
15	Structural and Functional Properties of CCN Proteins. Vitamins and Hormones, 2005, 70, 69-103.	0.7	153
16	TGF- $\beta 1$ -Induced Connective Tissue Growth Factor (CCN2) Expression in Human Renal Proximal Tubule Epithelial Cells Requires Ras/MEK/ERK and Smad Signalling. Nephron Experimental Nephrology, 2005, 100, e156-e165.	2.4	57
17	SGK1-mediated Fibronectin Formation in Diabetic Nephropathy. Cellular Physiology and Biochemistry, 2005, 16, 237-244.	1.1	58
18	Fibrosis in chronic liver diseases: diagnosis and management. Journal of Hepatology, 2005, 42, S22-S36.	1.8	212

#	ARTICLE	IF	CITATIONS
19	Role of Connective Tissue Growth Factor in Oval Cell Response During Liver Regeneration After 2-AAF/PHx in Rats. <i>Gastroenterology</i> , 2005, 128, 2077-2088.	0.6	62
20	Hepatitis C Virus-Replicating Hepatocytes Induce Fibrogenic Activation of Hepatic Stellate Cells. <i>Gastroenterology</i> , 2005, 129, 246-258.	0.6	139
21	Expression of connective tissue growth factor is a prognostic marker for patients with intrahepatic cholangiocarcinoma. <i>Digestive and Liver Disease</i> , 2005, 37, 269-274.	0.4	28
22	A Role for Serotonin (5-HT) in Hepatic Stellate Cell Function and Liver Fibrosis. <i>American Journal of Pathology</i> , 2006, 169, 861-876.	1.9	161
23	Curcumin suppresses the expression of extracellular matrix genes in activated hepatic stellate cells by inhibiting gene expression of connective tissue growth factor. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 290, G883-G893.	1.6	80
24	Mechanisms of liver fibrosis. <i>Clinica Chimica Acta</i> , 2006, 364, 33-60.	0.5	315
25	Differential expression genes analyzed by cDNA array in the regulation of rat hepatic fibrogenesis. <i>Liver International</i> , 2006, 26, 1126-1137.	1.9	33
26	PPAR gamma inhibits growth of rat hepatic stellate cells and TGF beta-induced connective tissue growth factor expression1. <i>Acta Pharmacologica Sinica</i> , 2006, 27, 715-723.	2.8	61
27	The antifibrogenic effect of (âˆ“)epigallocatechin gallate results from the induction of de novo synthesis of glutathione in passaged rat hepatic stellate cells. <i>Laboratory Investigation</i> , 2006, 86, 697-709.	1.7	53
28	Expression of growth factors in the conjunctiva from patients with active trachoma. <i>Eye</i> , 2006, 20, 362-369.	1.1	19
29	Hepatic gene expression in hepatocyte-specific Pten deficient mice showing steatohepatitis without ethanol challenge. <i>Hepatology Research</i> , 2006, 34, 256-265.	1.8	55
30	SGK1-dependent cardiac CTGF formation and fibrosis following DOCA treatment. <i>Journal of Molecular Medicine</i> , 2006, 84, 396-404.	1.7	111
31	Microarray and phosphokinase screenings leading to studies on ERK and JNK regulation of connective tissue growth factor expression by angiotensin II 1a and bradykinin B2 receptors in Rat1 fibroblasts. <i>Journal of Cellular Biochemistry</i> , 2006, 97, 1104-1120.	1.2	33
32	Inhibition of connective tissue growth factor by siRNA prevents liver fibrosis in rats. <i>Journal of Gene Medicine</i> , 2006, 8, 889-900.	1.4	150
33	TGF-Î²1 induces IL-8 and MCP-1 through a connective tissue growth factor-independent pathway. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 290, F703-F709.	1.3	84
34	Limited therapeutic efficacy of pioglitazone on progression of hepatic fibrosis in rats. <i>Gut</i> , 2006, 55, 1020-1029.	6.1	58
35	Connective Tissue Growth Factor in Serum as a New Candidate Test for Assessment of Hepatic Fibrosis. <i>Clinical Chemistry</i> , 2006, 52, 1815-1817.	1.5	67
36	Intrinsic biological activity of the thrombospondin structural homology repeat in connective tissue growth factor. <i>Journal of Endocrinology</i> , 2006, 188, R1-R8.	1.2	36

#	ARTICLE	IF	CITATIONS
37	(Patho)physiological Significance of the Serum- and Glucocorticoid-Inducible Kinase Isoforms. <i>Physiological Reviews</i> , 2006, 86, 1151-1178.	13.1	623
38	Tissue-specific Mechanisms for CCN2/CTGF Persistence in Fibrotic Gingiva. <i>Journal of Biological Chemistry</i> , 2007, 282, 15416-15429.	1.6	66
39	Connective tissue growth factor binds to fibronectin through the type I repeat modules and enhances the affinity of fibronectin to fibrin. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2007, 1770, 672-680.	1.1	31
40	Effects and mechanisms of extract from <i>Paeonia lactiflora</i> and <i>Astragalus membranaceus</i> on liver fibrosis induced by carbon tetrachloride in rats. <i>Journal of Ethnopharmacology</i> , 2007, 112, 514-523.	2.0	52
41	Differential effects of TGF- β 2 on connective tissue growth factor (CTGF/CCN2) expression in hepatic stellate cells and hepatocytes. <i>Journal of Hepatology</i> , 2007, 47, 699-710.	1.8	142
42	Role of CCN2/CTGF/Hcs24 in Bone Growth. <i>International Review of Cytology</i> , 2007, 257, 1-41.	6.2	96
43	Expression of Connective Tissue Growth Factor in the Human Liver with Idiopathic Portal Hypertension. <i>Molecular Medicine</i> , 2007, 13, 240-245.	1.9	29
44	Amelioration of inflammation, angiogenesis and CTGF expression in an arthritis model by a TSP1-derived peptide treatment. <i>Journal of Cellular Physiology</i> , 2007, 211, 504-512.	2.0	35
46	Laser-induced thermotherapy (LITT) elevates mRNA expression of connective tissue growth factor (CTGF) associated with reduced tumor growth of liver metastases compared to hepatic resection. <i>Lasers in Surgery and Medicine</i> , 2007, 39, 42-50.	1.1	6
47	Evolving concepts of liver fibrogenesis provide new diagnostic and therapeutic options. <i>Comparative Hepatology</i> , 2007, 6, 7.	0.9	124
48	siRNA-mediated knockdown of connective tissue growth factor prevents N-nitrosodimethylamine-induced hepatic fibrosis in rats. <i>Gene Therapy</i> , 2007, 14, 790-803.	2.3	118
49	Role of microsomal enzymes in development of alcoholic liver diseases. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007, 22, S7-S10.	1.4	17
50	Antifibrotic activity of rofecoxib in vivo is associated with reduced portal hypertension in rats with carbon tetrachloride-induced liver injury. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007, 22, 877-884.	1.4	32
51	Connective tissue growth factor, steatosis and fibrosis in patients with chronic hepatitis C. <i>Liver International</i> , 2008, 28, 370-376.	1.9	31
52	Expression of mRNAs related to connective tissue metabolism in rat hepatic stellate cells and myofibroblasts. <i>Experimental and Toxicologic Pathology</i> , 2007, 58, 263-273.	2.1	7
53	Expression of angiogenic and fibrogenic factors in proliferative vitreoretinal disorders. <i>International Ophthalmology</i> , 2007, 27, 11-22.	0.6	42
54	Hepatic fibrosis—Overview. <i>Toxicology</i> , 2008, 254, 120-129.	2.0	301
55	Connective tissue growth factor modulates extracellular matrix production in human subconjunctival fibroblasts and their proliferation and migration in vitro. <i>Japanese Journal of Ophthalmology</i> , 2008, 52, 8-15.	0.9	25

#	ARTICLE	IF	CITATIONS
56	RNA interfering connective tissue growth factor prevents rat hepatic stellate cell activation and extracellular matrix production. <i>Journal of Gene Medicine</i> , 2008, 10, 1039-1047.	1.4	29
57	Thioacetamide accelerates steatohepatitis, cirrhosis and HCC by expressing HCV core protein in transgenic zebrafish <i>Danio rerio</i> . <i>Toxicology</i> , 2008, 243, 11-22.	2.0	56
58	Targeted inhibition of platelet-derived growth factor receptor- β subunit in hepatic stellate cells ameliorates hepatic fibrosis in rats. <i>Gene Therapy</i> , 2008, 15, 1424-1435.	2.3	46
59	Intracrine signalling of activin A in hepatocytes upregulates connective tissue growth factor (CTGF/CCN2) expression. <i>Liver International</i> , 2008, 28, 1207-1216.	1.9	31
60	Connective tissue growth factor: a fibrogenic master switch in fibrotic liver diseases. <i>Liver International</i> , 2008, 28, 1065-1079.	1.9	231
61	Connective tissue growth factor stimulates renal cortical myofibroblast-like cell proliferation and matrix protein production. <i>Wound Repair and Regeneration</i> , 2008, 16, 408-415.	1.5	18
62	Changing the pathogenetic roadmap of liver fibrosis? Where did it start; where will it go?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008, 23, 1024-1035.	1.4	68
63	Molecular evolution of connective tissue growth factor in Cyprinidae (Teleostei: Cypriniformes). <i>Progress in Natural Science: Materials International</i> , 2008, 18, 155-160.	1.8	3
64	Disease-Specific Mechanisms of Fibrosis: Hepatitis C Virus and Nonalcoholic Steatohepatitis. <i>Clinics in Liver Disease</i> , 2008, 12, 805-824.	1.0	28
65	Mechanisms of Hepatic Fibrogenesis. <i>Gastroenterology</i> , 2008, 134, 1655-1669.	0.6	2,381
66	Genesis of hepatic fibrosis and its biochemical markers. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2008, 68, 260-269.	0.6	34
67	Pharmacological application of caffeine inhibits TGF- β -stimulated connective tissue growth factor expression in hepatocytes via PPAR β and SMAD2/3-dependent pathways. <i>Journal of Hepatology</i> , 2008, 49, 758-767.	1.8	109
68	Advances in antifibrotic therapy. <i>Expert Review of Gastroenterology and Hepatology</i> , 2008, 2, 803-816.	1.4	81
69	Hepatic Stellate Cells: Protean, Multifunctional, and Enigmatic Cells of the Liver. <i>Physiological Reviews</i> , 2008, 88, 125-172.	13.1	2,345
70	SGK1-Dependent Upregulation of Connective Tissue Growth Factor by Angiotensin II. <i>Kidney and Blood Pressure Research</i> , 2008, 31, 80-86.	0.9	16
71	Emerging drugs for complications of end-stage liver disease. <i>Expert Opinion on Emerging Drugs</i> , 2008, 13, 159-174.	1.0	1
72	Transforming Growth Factor- β 1 (TGF β 1) Stimulates Connective Tissue Growth Factor (CCN2/CTGF) Expression in Human Gingival Fibroblasts through a RhoA-independent, Rac1/Cdc42-dependent Mechanism. <i>Journal of Biological Chemistry</i> , 2008, 283, 10835-10847.	1.6	49
73	Connective tissue growth factor inhibits adipocyte differentiation. <i>American Journal of Physiology - Cell Physiology</i> , 2008, 295, C740-C751.	2.1	81

#	ARTICLE	IF	CITATIONS
74	Specific signals involved in the long-term maintenance of radiation-induced fibrogenic differentiation: a role for CCN2 and low concentration of TGF- β 1. American Journal of Physiology - Cell Physiology, 2008, 294, C1332-C1341.	2.1	43
75	Fibrosis in diabetes complications: Pathogenic mechanisms and circulating and urinary markers. Vascular Health and Risk Management, 2008, Volume 4, 575-596.	1.0	230
76	Variants of CTGF are associated with hepatic fibrosis in Chinese, Sudanese, and Brazilians infected with Schistosomes. Journal of Experimental Medicine, 2009, 206, 2321-2328.	4.2	53
77	sPECAM-1 and sVCAM-1: role in pathogenesis and diagnosis of chronic hepatitis C and association with response to antiviral therapy. Therapeutic Advances in Gastroenterology, 2009, 2, 79-90.	1.4	9
78	Connective tissue growth factor is a Smad2 regulated amplifier of transforming growth factor β 2 actions in hepatocytes-But without modulating bone morphogenetic protein 7 signaling. Hepatology, 2009, 49, 2021-2030.	3.6	49
79	Less Smad2 is good for you! A scientific update on coffee's liver benefits. Hepatology, 2009, 50, 970-978.	3.6	26
80	Susceptibility to liver fibrosis in mice expressing a connective tissue growth factor transgene in hepatocytes. Hepatology, 2009, 50, 939-947.	3.6	72
81	Activation of peroxisome proliferator-activated receptor- β 3 inhibits transforming growth factor- β 1 induction of connective tissue growth factor and extracellular matrix in hypertrophic scar fibroblasts in vitro. Archives of Dermatological Research, 2009, 301, 515-522.	1.1	24
82	Elevated concentrations of 15 α -deoxy- β 12,14-prostaglandin J ₂ in chronic liver disease propose therapeutic trials with peroxisome proliferator activated receptor β 3-inducing drugs. Liver International, 2009, 29, 730-735.	1.9	9
83	Functions and mechanisms of action of CCN matricellular proteins. International Journal of Biochemistry and Cell Biology, 2009, 41, 771-783.	1.2	478
84	About coffee, cappuccino and connective tissue growth factor-Or how to protect your liver!?. Environmental Toxicology and Pharmacology, 2009, 28, 1-10.	2.0	12
85	15-Deoxy- β 12,14-prostaglandin J2 inhibits fibrogenic response in human hepatoma cells. Toxicology Letters, 2009, 187, 22-27.	0.4	18
86	Pathology and pathogenesis of portal venopathy in idiopathic portal hypertension: Hints from systemic sclerosis. Hepatology Research, 2009, 39, 1023-1031.	1.8	26
87	Expression and Role of Connective Tissue Growth Factor in Painful Disc Fibrosis and Degeneration. Spine, 2009, 34, E178-E182.	1.0	57
88	All-trans retinoic acid diminishes collagen production in a hepatic stellate cell line via suppression of active protein-1 and c-Jun N-terminal kinase signal. Journal of Huazhong University of Science and Technology [Medical Sciences], 2010, 30, 726-733.	1.0	26
89	Plasma CCN2/connective tissue growth factor is associated with right ventricular dysfunction in patients with neuroendocrine tumors. BMC Cancer, 2010, 10, 6.	1.1	34
90	Schistosoma mansoni: Egg-induced downregulation of hepatic stellate cell activation and fibrogenesis. Experimental Parasitology, 2010, 124, 409-420.	0.5	48
91	Coffee and liver diseases. F3-toterap3-c, 2010, 81, 297-305.	1.1	82

#	ARTICLE	IF	CITATIONS
92	Future treatments in systemic sclerosis. <i>Journal of Dermatology</i> , 2010, 37, 54-70.	0.6	98
93	Avaliação das citocinas IL-10 e IL-13 como mediadores na progressão da fibrose de Symmers em portadores de esquistossomose mansônica na forma hepatoesplênica. <i>Revista Do Colegio Brasileiro De Cirurgioes</i> , 2010, 37, 333-337.	0.3	8
94	Connective tissue growth factor expression in endocrine tumors is associated with high stromal expression of α -smooth muscle actin. <i>European Journal of Endocrinology</i> , 2010, 163, 691-697.	1.9	25
95	The Level of Connective Tissue Growth Factor in Sera of Patients with Hepatitis B Virus Strongly Correlates with Stage of Hepatic Fibrosis. <i>Viral Immunology</i> , 2010, 23, 71-78.	0.6	18
96	Subtraction method for determination of N-terminal connective tissue growth factor. <i>Annals of Clinical Biochemistry</i> , 2010, 47, 205-211.	0.8	13
97	Fibrosis in the Liver. <i>Progress in Molecular Biology and Translational Science</i> , 2010, 97, 151-200.	0.9	29
98	Analysis of Secreted Proteins as an <i>in vitro</i> Model for Discovery of Liver Toxicity Markers. <i>Journal of Proteome Research</i> , 2010, 9, 5794-5802.	1.8	13
99	Expression of Leptin, Leptin Receptor, and Connective Tissue Growth Factor in Degenerative Disk Lesions in the Wrist. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2011, 27, 755-760.	1.3	6
100	Potential applications for cell regulatory factors in liver progenitor cell therapy. <i>International Journal of Biochemistry and Cell Biology</i> , 2011, 43, 214-221.	1.2	4
101	Ethanol-stimulated differentiated functions of human or mouse hepatic stellate cells are mediated by connective tissue growth factor. <i>Journal of Hepatology</i> , 2011, 55, 399-406.	1.8	51
102	N1-acetyl substituted pyrrolidine derivative CIP-A5: A novel compound that could ameliorate liver cirrhosis through modulation of hepatic stellate cell activity. <i>Toxicology in Vitro</i> , 2011, 25, 897-904.	1.1	2
103	Oral application of 1,7-dimethylxanthine (paraxanthine) attenuates the formation of experimental cholestatic liver fibrosis. <i>Hepatology Research</i> , 2011, 41, 1094-1109.	1.8	12
104	Discogenic Pain, Internal Disc Disruption, and Radicular Pain. , 2011, , 441-459.		0
105	The biological hallmarks of ileal carcinoids. <i>European Journal of Clinical Investigation</i> , 2011, 41, 1353-1360.	1.7	14
106	Integrin expression and function in the response of primary culture hepatic stellate cells to connective tissue growth factor (CCN2). <i>Journal of Cellular and Molecular Medicine</i> , 2011, 15, 1087-1095.	1.6	27
107	Inhibiting TGF- β 2 signaling in hepatocellular carcinoma. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2011, 1815, 214-223.	3.3	60
108	Coffee prevents CCl4-induced liver cirrhosis in the rat. <i>Hepatology International</i> , 2011, 5, 857-863.	1.9	34
109	Hepatitis C virus E2 protein induce reactive oxygen species (ROS)-related fibrogenesis in the HSC- α 6 hepatic stellate cell line. <i>Journal of Cellular Biochemistry</i> , 2011, 112, 233-243.	1.2	56

#	ARTICLE	IF	CITATIONS
110	Relationship between hepatic CTGF expression and routine blood tests at the time of liver transplantation for biliary atresia: hope or hype for a biomarker of hepatic fibrosis. <i>Clinical and Experimental Gastroenterology</i> , 2011, 4, 49.	1.0	1
111	Heparin-binding epidermal growth factor-like growth factor suppresses experimental liver fibrosis in mice. <i>Laboratory Investigation</i> , 2012, 92, 703-712.	1.7	29
112	Activation of the Connective Tissue Growth Factor (CTGF)-Transforming Growth Factor β 1 (TGF- β 1) Axis in Hepatitis C Virus-Expressing Hepatocytes. <i>PLoS ONE</i> , 2012, 7, e46526.	1.1	38
113	Regulation of hepatic stellate cells by connective tissue growth factor. <i>Frontiers in Bioscience - Landmark</i> , 2012, 17, 2495.	3.0	113
114	Hepatic Fibrosis and Cirrhosis. , 2012, , 64-85.		10
115	Cationic solid lipid nanoparticles derived from apolipoprotein-free LDLs for target specific systemic treatment of liver fibrosis. <i>Biomaterials</i> , 2013, 34, 542-551.	5.7	64
116	Genetic polymorphisms of ICAM 1 and IL28 as predictors of liver fibrosis severity and viral clearance in hepatitis C genotype 4. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2013, 37, 262-268.	0.7	20
117	Paeonol inhibits hepatic fibrogenesis via disrupting nuclear factor- κ B pathway in activated stellate cells: In vivo and in vitro studies. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013, 28, 1223-1233.	1.4	36
118	Transforming growth factor β 2 induces expression of connective tissue growth factor in hepatic progenitor cells through Smad independent signaling. <i>Cellular Signalling</i> , 2013, 25, 1981-1992.	1.7	64
119	Connective tissue growth factor/CCN-2 is upregulated in epididymal and subcutaneous fat depots in a dietary-induced obesity model. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2013, 304, E1291-E1302.	1.8	23
120	The antihepatic fibrotic effects of fluorofenidone via MAPK signalling pathways. <i>European Journal of Clinical Investigation</i> , 2013, 43, 358-368.	1.7	35
121	The Anti-Fibrotic Effect of Bone Morphogenic Protein-7(BMP-7) on Liver Fibrosis. <i>International Journal of Medical Sciences</i> , 2013, 10, 441-450.	1.1	35
122	BMP-7 counteracting TGF-beta1 activities in organ fibrosis. <i>Frontiers in Bioscience - Landmark</i> , 2013, 18, 1407.	3.0	55
123	MONOCYTE ADHESION MOLECULES EXPRESSION IN PATIENTS WITH CHRONIC HEPATITIS C AND LIVER CIRRHOSIS. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2013, 5, e2013054.	0.5	3
124	Increased Expression of CCN2, Epithelial Membrane Antigen, and Fibroblast Activation Protein in Hepatocellular Carcinoma with Fibrous Stroma Showing Aggressive Behavior. <i>PLoS ONE</i> , 2014, 9, e105094.	1.1	36
125	Beneficial effects of soluble dietary Jerusalem artichoke (<i>Helianthus tuberosus</i>) in the prevention of the onset of type 2 diabetes and non-alcoholic fatty liver disease in high-fructose diet-fed rats. <i>British Journal of Nutrition</i> , 2014, 112, 709-717.	1.2	37
126	Chronic hepatitis C and liver fibrosis. <i>World Journal of Gastroenterology</i> , 2014, 20, 11033.	1.4	178
127	Monitoring fibrogenic progression in the liver. <i>Clinica Chimica Acta</i> , 2014, 433, 111-122.	0.5	42

#	ARTICLE	IF	CITATIONS
128	Epigenetic regulation of connective tissue growth factor by MicroRNA-214 delivery in exosomes from mouse or human hepatic stellate cells. <i>Hepatology</i> , 2014, 59, 1118-1129.	3.6	224
129	Connective Tissue Growth Factor: A Predictor of Recurrence after Catheter Ablation in Patients with Nonparoxysmal Atrial Fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014, 37, 630-637.	0.5	6
130	Strain dependence of diet-induced NASH and liver fibrosis in obese mice is linked to diabetes and inflammatory phenotype. <i>Liver International</i> , 2014, 34, 1084-1093.	1.9	70
131	Fluorofenidone attenuates hepatic fibrosis by suppressing the proliferation and activation of hepatic stellate cells. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 306, G253-G263.	1.6	33
132	MCP-1 downregulates MMP-9 export via vesicular redistribution to lysosomes in rat portal fibroblasts. <i>Physiological Reports</i> , 2014, 2, e12153.	0.7	3
133	Pathobiochemical signatures of cholestatic liver disease in bile duct ligated mice. <i>BMC Systems Biology</i> , 2015, 9, 83.	3.0	51
134	Hepatocytes in liver injury: Victim, bystander, or accomplice in progressive fibrosis?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 1696-1704.	1.4	57
135	Increased Expression of Connective Tissue Growth Factor (CTGF) in Multiple Organs After Exposure of Non-Human Primates (NHP) to Lethal Doses of Radiation. <i>Health Physics</i> , 2015, 109, 374-390.	0.3	17
136	Role of Noncoding RNAs as Biomarker and Therapeutic Targets for Liver Fibrosis. <i>Gene Expression</i> , 2015, 16, 155-162.	0.5	43
137	Connective-Tissue Growth Factor (CTGF/CCN2) Induces Astrogenesis and Fibronectin Expression of Embryonic Neural Cells In Vitro. <i>PLoS ONE</i> , 2015, 10, e0133689.	1.1	30
138	Protective effects of extracts from Pomegranate peels and seeds on liver fibrosis induced by carbon tetrachloride in rats. <i>BMC Complementary and Alternative Medicine</i> , 2015, 15, 389.	3.7	39
139	Suppressive effect of SATB1 on hepatic stellate cell activation and liver fibrosis in rats. <i>FEBS Letters</i> , 2015, 589, 1359-1368.	1.3	10
140	CCN family protein 2 (CCN2) promotes the early differentiation, but inhibits the terminal differentiation of skeletal myoblasts. <i>Journal of Biochemistry</i> , 2015, 157, 91-100.	0.9	25
141	Noninvasive Markers to Assess Liver Fibrosis. <i>Journal of Clinical Gastroenterology</i> , 2016, 50, 445-457.	1.1	14
142	Development of Cell-Penetrating Asymmetric Interfering RNA Targeting Connective Tissue Growth Factor. <i>Journal of Investigative Dermatology</i> , 2016, 136, 2305-2313.	0.3	17
143	A virus-like particle-based connective tissue growth factor vaccine suppresses carbon tetrachloride-induced hepatic fibrosis in mice. <i>Scientific Reports</i> , 2016, 6, 32155.	1.6	7
144	Role of Smad3 in platelet-derived growth factor-C-induced liver fibrosis. <i>American Journal of Physiology - Cell Physiology</i> , 2016, 310, C436-C445.	2.1	29
145	Enhanced Wnt Signalling in Hepatocytes is Associated with <i>Schistosoma japonicum</i> Infection and Contributes to Liver Fibrosis. <i>Scientific Reports</i> , 2017, 7, 230.	1.6	20

#	ARTICLE	IF	CITATIONS
146	Fibroblast Growth Factor 2 as an Antifibrotic: Antagonism of Myofibroblast Differentiation and Suppression of Pro-Fibrotic Gene Expression. <i>Cytokine and Growth Factor Reviews</i> , 2017, 38, 49-58.	3.2	66
147	<sc>MMP</sc> 13 deletion decreases profibrogenic molecules and attenuates <i>N</i>-nitrosodimethylamine-induced liver injury and fibrosis in mice. <i>Journal of Cellular and Molecular Medicine</i> , 2017, 21, 3821-3835.	1.6	37
148	Monitoring of Liver Fibrogenesis and Biochemical Diagnosis of Fibrosis. , 2017, , 547-561.		0
149	Protective Effects of <i>Moringa oleifera</i> on HBV Genotypes C and H Transiently Transfected Huh7 Cells. <i>Journal of Immunology Research</i> , 2017, 2017, 1-9.	0.9	23
150	Increased YAP Activation Is Associated With Hepatic Cyst Epithelial Cell Proliferation in ARPKD/CHF. <i>Gene Expression</i> , 2017, 17, 313-326.	0.5	10
151	Inhibition of hepatocellular carcinoma tumorigenesis by curcumin may be associated with CDKN1A and CTGF. <i>Gene</i> , 2018, 651, 183-193.	1.0	20
152	Regulation and bioactivity of the CCN family of genes and proteins in obesity and diabetes. <i>Journal of Cell Communication and Signaling</i> , 2018, 12, 359-368.	1.8	20
153	Connective tissue growth factor (CTGF) from basics to clinics. <i>Matrix Biology</i> , 2018, 68-69, 44-66.	1.5	230
154	Smurf2, an E3 ubiquitin ligase, interacts with PDE4B and attenuates liver fibrosis through miR-132 mediated CTGF inhibition. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2018, 1865, 297-308.	1.9	30
155	STROBE. <i>Medicine (United States)</i> , 2018, 97, e11775.	0.4	13
156	Vitamin E inhibits cyclosporin A-induced CTGF and TIMP-1 expression by repressing ROS-mediated activation of TGF- β 2/Smad signaling pathway in rat liver. <i>International Immunopharmacology</i> , 2018, 65, 493-502.	1.7	39
157	Proteomic Profiling of Human Hepatic Stellate Cell Line LX2 Responses to Irradiation and TGF- β 1. <i>Journal of Proteome Research</i> , 2019, 18, 508-521.	1.8	17
158	Proliferation of hepatic stellate cells, mediated by YAP and TAZ, contributes to liver repair and regeneration after liver ischemia-reperfusion injury. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 314, G471-G482.	1.6	53
159	NNMT activation can contribute to the development of fatty liver disease by modulating the NAD + metabolism. <i>Scientific Reports</i> , 2018, 8, 8637.	1.6	72
160	CXCL16 Induces the Progression of Pulmonary Fibrosis through Promoting the Phosphorylation of STAT3. <i>Canadian Respiratory Journal</i> , 2019, 2019, 1-8.	0.8	5
161	Human skin-derived ABCB5+ stem cell injection improves liver disease parameters in Mdr2KO mice. <i>Archives of Toxicology</i> , 2019, 93, 2645-2660.	1.9	7
162	RNA-Seq Analysis Reveals Spatial and Sex Differences in Pectoralis Major Muscle of Broiler Chickens Contributing to Difference in Susceptibility to Wooden Breast Disease. <i>Frontiers in Physiology</i> , 2019, 10, 764.	1.3	41
163	Lats1 and Lats2 are required for the maintenance of multipotency in the Mullerian duct mesenchyme. <i>Development (Cambridge)</i> , 2019, 146, .	1.2	8

#	ARTICLE	IF	CITATIONS
164	Novel cytosine derivatives exert anti-liver fibrosis effect via PI3K/Akt/Smad pathway. <i>Bioorganic Chemistry</i> , 2019, 90, 103032.	2.0	16
165	The expression profile analysis of atrial mRNA in rats with atrial fibrillation: the role of IGF1 in atrial fibrosis. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 40.	0.7	10
166	An Inhibitor of Arginine-Glycine-Aspartate Binding Integrins Reverses Fibrosis in a Mouse Model of Nonalcoholic Steatohepatitis. <i>Hepatology Communications</i> , 2019, 3, 246-261.	2.0	28
167	Fibrosis and diabetes: Chronic hyperglycemia triggers organ-specific fibrotic mechanisms. , 2020, , 121-147.		0
168	The protective effect of Zataria multiflora Boiss essential oil on CCl4 induced liver fibrosis in rats. <i>Drug and Chemical Toxicology</i> , 2021, 44, 229-237.	1.2	5
169	Thioacetamide-Induced Norepinephrine Production by Hepatocytes is Associated with Hepatic Stellate Cell Activation and Liver Fibrosis. <i>Current Molecular Pharmacology</i> , 2022, 15, 454-461.	0.7	2
170	Dual agonist-antagonist effect of ulipristal acetate in human endometrium and myometrium. <i>Expert Review of Molecular Diagnostics</i> , 2021, 21, 851-857.	1.5	5
171	Exosomal microRNAs as diagnostic and therapeutic biomarkers in non-malignant liver diseases. <i>Archives of Pharmacal Research</i> , 2021, 44, 574-587.	2.7	17
172	Extracellular Matrix Remodeling in Chronic Liver Disease. <i>Current Tissue Microenvironment Reports</i> , 2021, 2, 41-52.	1.3	38
173	Dysregulation of PI3K and Hippo signaling pathways synergistically induces chronic pancreatitis via CTGF upregulation. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	15
175	LPSlow-Macrophages Alleviate the Outcome of Graft-Versus-Host Disease Without Aggravating Lymphoma Growth in Mice. <i>Frontiers in Immunology</i> , 2021, 12, 670776.	2.2	1
176	Zinc Finger E-Box Binding Homeobox 1 Promotes Cholangiocarcinoma Progression Through Tumor Dedifferentiation and Tumor Stroma Paracrine Signaling. <i>Hepatology</i> , 2021, 74, 3194-3212.	3.6	20
177	Stellate Cells. , 2010, , 41-68.		2
178	Recombinant Expression, Purification, and Functional Characterisation of Connective Tissue Growth Factor and Nephroblastoma-Overexpressed Protein. <i>PLoS ONE</i> , 2010, 5, e16000.	1.1	12
179	Kahweol decreases hepatic fibrosis by inhibiting the expression of connective tissue growth factor via the transforming growth factor-beta signaling pathway. <i>Oncotarget</i> , 2017, 8, 87086-87094.	0.8	15
180	Serum Markers of Epithelial Mesenchymal Transition as Predictors of HCV-induced Liver Fibrosis, Cirrhosis and Hepatocellular Carcinoma. <i>Electronic Physician</i> , 2015, 7, 1626-1637.	0.2	8
181	Autoimmune Hepatitis and Stellate Cells: An Insight into the Role of Autophagy. <i>Current Medicinal Chemistry</i> , 2020, 27, 6073-6095.	1.2	9
182	Identification of Paraxanthine as the Most Potent Inhibitor of TGF- β 2 Dependent Connective Tissue Growth Factor Expression Among the Three Primary Caffeine Metabolites - A New Approach in the Pharmacological Management of Chronic Fibrogenic Diseases?. <i>The Open Conference Proceedings Journal</i> , 2010, 1, 239-250.	0.6	1

#	ARTICLE	IF	CITATIONS
183	The Role of Connective Tissue Growth Factor (CTGF) in Fibroproliferative Processes and Tissues Fibrosis. <i>Advances in Cell Biology</i> , 2008, -1, 1-17.	1.5	1
185	Connective tissue growth factor hammerhead ribozyme attenuates human hepatic stellate cell function. <i>World Journal of Gastroenterology</i> , 2009, 15, 3807.	1.4	14
186	Circulating adhesion molecules in patients with virus-related chronic diseases of the liver. <i>World Journal of Gastroenterology</i> , 2005, 11, 4566.	1.4	24
187	Connective tissue growth factor reacts as an IL-6/STAT3-regulated hepatic negative acute phase protein. <i>World Journal of Gastroenterology</i> , 2011, 17, 151.	1.4	17
188	Dopamine receptor D2 antagonism normalizes profibrotic macrophage-endothelial crosstalk in non-alcoholic steatohepatitis. <i>Journal of Hepatology</i> , 2022, 76, 394-406.	1.8	39
189	è,â†...è†ç®¡â®½çæ^ç°â„šššçèfžæ€šè,ç-¾æ,£â•â...^â©æ€šè,ç:šç¶ç-†+ã,«ãfãfªç—...ã,'ã;ã;fã«. <i>Acta Hepatologica Japonica</i> , 2003		
191	Dietary Intake of 17β-Ethinylestradiol Promotes HCC Progression in Humanized Male Mice Expressing Sex Hormone-Binding Globulin. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12557.	1.8	2
192	Targeting CCN2 protects against progressive non-alcoholic steatohepatitis in a preclinical model induced by high-fat feeding and type 2 diabetes. <i>Journal of Cell Communication and Signaling</i> , 2022, 16, 447-460.	1.8	8
193	Long Noncoding RNA Metastasis-Associated Lung Adenocarcinoma Transcript 1 in Extracellular Vesicles Promotes Hepatic Stellate Cell Activation, Liver Fibrosis and β-Catenin Signaling Pathway. <i>Frontiers in Physiology</i> , 2022, 13, 792182.	1.3	3
194	ALM Induces Cellular Quiescence in the Surgical Margin 3 Days Following Liver Resection, Hemorrhage, and Shock. <i>Journal of Surgical Research</i> , 2022, 275, 16-28.	0.8	3
195	Influence of Silica Exposure for Lung Silicosis Rat. <i>Disease Markers</i> , 2021, 2021, 1-9.	0.6	9
199	Recent Advancements in Antifibrotic Therapies for Regression of Liver Fibrosis. <i>Cells</i> , 2022, 11, 1500.	1.8	14
200	Monitoring of hepatic fibrosis. , 2022, , 231-244.		1
202	BMP4 and Gremlin 1 regulate hepatic cell senescence during clinical progression of NAFLD/NASH. <i>Nature Metabolism</i> , 2022, 4, 1007-1021.	5.1	20
203	Evogliptin Directly Inhibits Inflammatory and Fibrotic Signaling in Isolated Liver Cells. <i>International Journal of Molecular Sciences</i> , 2022, 23, 11636.	1.8	8
204	Hepatocyte-Specific Smad4 Deficiency Alleviates Liver Fibrosis via the p38/p65 Pathway. <i>International Journal of Molecular Sciences</i> , 2022, 23, 11696.	1.8	2
205	The Role of CTGF in Liver Fibrosis Induced in 3D Human Liver Spheroids. <i>Cells</i> , 2023, 12, 302.	1.8	8
206	A human liver organoid screening platform for DILI risk prediction. <i>Journal of Hepatology</i> , 2023, 78, 998-1006.	1.8	28

#	ARTICLE	IF	CITATIONS
208	Promising Therapeutic Treatments for Cardiac Fibrosis: Herbal Plants and Their Extracts. Cardiology and Therapy, 0, , .	1.1	0