CITATION REPORT List of articles citing

Sensitive liquid chromatography-mass spectrometry assay for quantitation of docetaxel and paclitaxel in human plasma

DOI: 10.1016/s1570-0232(02)00659-1 Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2003, 783, 231-6.

Source: https://exaly.com/paper-pdf/35203725/citation-report.pdf

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
111	Fast LC/MS in the analysis of small molecules. 2003 , 377, 788-802		62
110	Current literature in mass spectrometry. 2003 , 38, 588-95		
109	Determination of paclitaxel in mouse plasma and brain tissue by liquid chromatography-mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003 , 798, 79-86	3.2	41
108	A rapid and sensitive liquid chromatography/tandem mass spectrometry method for determination of docetaxel in human plasma. 2003 , 17, 1548-52		45
107	Current awareness in phytochemical analysis. 2003 , 14, 184-191		
106	Comparative pharmacokinetics of weekly and every-three-weeks docetaxel. 2004, 10, 1976-83		98
105	A simple and sensitive assay for the quantitative analysis of paclitaxel in human and mouse plasma and brain tumor tissue using coupled liquid chromatography and tandem mass spectrometry. 2004 , 39, 1506-12		29
104	Rapid analysis of docetaxel in human plasma by tandem mass spectrometry with on-line sample extraction. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004 , 36, 125-31	3.5	32
103	Simple and rapid docetaxel assay in plasma by protein precipitation and high-performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004 , 804, 263-7	3.2	41
102	Simultaneous analysis of docetaxel and the formulation vehicle polysorbate 80 in human plasma by liquid chromatography/tandem mass spectrometry. 2004 , 324, 276-84		67
101	Paclitaxel quantification in mouse plasma and tissues containing liposome-entrapped paclitaxel by liquid chromatography-tandem mass spectrometry: application to a pharmacokinetics study. 2005 , 336, 213-20		58
100	Metabolism of repaglinide by CYP2C8 and CYP3A4 in vitro: effect of fibrates and rifampicin. 2005 , 97, 249-56		133
99	Quantitative analysis of docetaxel in human plasma using liquid chromatography coupled with tandem mass spectrometry. 2005 , 19, 355-61		49
98	Liquid chromatography-mass spectrometry for the quantitative bioanalysis of anticancer drugs. 2005 , 24, 887-917		47
97	Phase I study of weekly (day 1 and 8) docetaxel in combination with capecitabine in patients with advanced solid malignancies. <i>Cancer Chemotherapy and Pharmacology</i> , 2005 , 55, 354-360	3.5	16
96	A molecular model to explain paclitaxel and docetaxel sensitivity changes through adduct formation with primary amines in electrospray ionization mass spectrometry. 2005 , 19, 1221-6		12
95	Quantification of docetaxel and its main metabolites in human plasma by liquid chromatography/tandem mass spectrometry. 2005 , 19, 2419-26		36

(2007-2005)

94	Pharmacokinetic measurements of IDN 5390 using electrospray ionization tandem mass spectrometry: structure characterization and quantification in dog plasma. 2005 , 19, 3617-25	9
93	Phase I and pharmacokinetic study of weekly docetaxel, cisplatin, and daily capecitabine in patients with advanced solid tumors. 2005 , 11, 5942-9	5
92	Development and validation of a liquid chromatography-tandem mass spectrometry assay for the quantification of docetaxel and paclitaxel in human plasma and oral fluid. 2005 , 77, 4677-83	57
91	Endothelin receptor A blockade enhances taxane effects in prostate cancer. 2006 , 8, 725-32	36
90	Phase I and Pharmacokinetic Evaluation of the Combination of Orally Administered Docetaxel and Cyclosporin A in Tumor-Bearing Cats. 2006 , 20, 1370-1375	7
89	Clinical pharmacokinetics of docetaxel: recent developments. 2006 , 45, 235-52	125
88	High sensitivity assays for docetaxel and paclitaxel in plasma using solid-phase extraction and high-performance liquid chromatography with UV detection. 2006 , 6, 2	41
87	Liquid chromatography/tandem triple-quadrupole mass spectrometry for determination of paclitaxel in rat tissues. 2006 , 20, 1905-12	24
86	Measurement of paclitaxel and its metabolites in human plasma using liquid chromatography/ion trap mass spectrometry with a sonic spray ionization interface. 2006 , 20, 2183-9	26
85	Determination of paclitaxel in human plasma following the administration of Genaxol or Genetaxyl by liquid chromatography/tandem mass spectrometry. 2006 , 20, 2170-4	9
8 ₅		9
	by liquid chromatography/tandem mass spectrometry. 2006 , 20, 2170-4 A simple and sensitive assay for the quantitative analysis of paclitaxel and metabolites in human	
84	by liquid chromatography/tandem mass spectrometry. 2006, 20, 2170-4 A simple and sensitive assay for the quantitative analysis of paclitaxel and metabolites in human plasma using liquid chromatography/tandem mass spectrometry. 2006, 20, 139-48 The effect of alkylamine additives on the sensitivity of detection for paclitaxel and docetaxel and	35
84	A simple and sensitive assay for the quantitative analysis of paclitaxel and metabolites in human plasma using liquid chromatography/tandem mass spectrometry. 2006, 20, 139-48 The effect of alkylamine additives on the sensitivity of detection for paclitaxel and docetaxel and analysis in plasma of paclitaxel by liquid chromatography-tandem mass spectrometry. 2006, 20, 683-95 Simultaneous determination of paclitaxel and a new P-glycoprotein inhibitor HM-30181 in rat	35
8 ₄ 8 ₃ 8 ₂	A simple and sensitive assay for the quantitative analysis of paclitaxel and metabolites in human plasma using liquid chromatography/tandem mass spectrometry. 2006, 20, 139-48 The effect of alkylamine additives on the sensitivity of detection for paclitaxel and docetaxel and analysis in plasma of paclitaxel by liquid chromatography-tandem mass spectrometry. 2006, 20, 683-95 Simultaneous determination of paclitaxel and a new P-glycoprotein inhibitor HM-30181 in rat plasma by liquid chromatography with tandem mass spectrometry. 2006, 29, 628-34 LC-MS/MS for Determination of Paclitaxel in Rat Tissues: Application to a Biodistribution Study of	35 12 20
84 83 82 81	A simple and sensitive assay for the quantitative analysis of paclitaxel and metabolites in human plasma using liquid chromatography/tandem mass spectrometry. 2006, 20, 139-48 The effect of alkylamine additives on the sensitivity of detection for paclitaxel and docetaxel and analysis in plasma of paclitaxel by liquid chromatography-tandem mass spectrometry. 2006, 20, 683-95 Simultaneous determination of paclitaxel and a new P-glycoprotein inhibitor HM-30181 in rat plasma by liquid chromatography with tandem mass spectrometry. 2006, 29, 628-34 LC-MS/MS for Determination of Paclitaxel in Rat Tissues: Application to a Biodistribution Study of Paclitaxel Nanoliposome Modified by PEO-PPO-PEO Triblock Copolymers. 2006, 39, 1349-1363 Phase I and pharmacokinetic study of vorinostat, a histone deacetylase inhibitor, in combination	35 12 20 2
84 83 82 81 80	A simple and sensitive assay for the quantitative analysis of paclitaxel and metabolites in human plasma using liquid chromatography/tandem mass spectrometry. 2006, 20, 139-48 The effect of alkylamine additives on the sensitivity of detection for paclitaxel and docetaxel and analysis in plasma of paclitaxel by liquid chromatography-tandem mass spectrometry. 2006, 20, 683-95 Simultaneous determination of paclitaxel and a new P-glycoprotein inhibitor HM-30181 in rat plasma by liquid chromatography with tandem mass spectrometry. 2006, 29, 628-34 LC-MS/MS for Determination of Paclitaxel in Rat Tissues: Application to a Biodistribution Study of Paclitaxel Nanoliposome Modified by PEO-PPO-PEO Triblock Copolymers. 2006, 39, 1349-1363 Phase I and pharmacokinetic study of vorinostat, a histone deacetylase inhibitor, in combination with carboplatin and paclitaxel for advanced solid malignancies. 2007, 13, 3605-10 Simple Analytical Method for the Determination of Paclitaxel (Taxol I) Levels in Human Plasma.	35 12 20 2

76	Tumor, tissue, and plasma pharmacokinetic studies and antitumor response studies of docetaxel in combination with 9-nitrocamptothecin in mice bearing SKOV-3 human ovarian xenografts. <i>Cancer Chemotherapy and Pharmacology</i> , 2008 , 62, 417-26	3.5	22
75	Profiling of yew hair roots from various species using ultra-performance liquid chromatography/electrospray ionization mass spectrometry. 2008 , 22, 2315-23		13
74	Ultra-sensitive quantification of paclitaxel using selective solid-phase extraction in conjunction with reversed-phase capillary liquid chromatography/tandem mass spectrometry. 2008 , 1210, 160-7		33
73	LCMSMS Study of the Pharmacokinetics of a 9-EDihydro-9,10-O-acetal Derivative of Docetaxel in Rats and Beagle Dogs. 2008 , 67, 883-892		3
72	Expression and activity of taxane-metabolizing enzymes in ovarian tumors. 2008, 108, 355-60		16
71	Highly selective and sensitive assay for paclitaxel accumulation by tumor cells based on selective solid phase extraction and micro-flow liquid chromatography coupled to mass spectrometry. 2008 , 133, 1742-8		16
70	A phase I study of 17-allylamino-17-demethoxygeldanamycin combined with paclitaxel in patients with advanced solid malignancies. 2008 , 14, 3456-61		61
69	Determination of Paclitaxel in Human Plasma by UPLC-MS-MS. 2008 , 46, 220-4		19
68	Phase I/II study of atrasentan, an endothelin A receptor antagonist, in combination with paclitaxel and carboplatin as first-line therapy in advanced non-small cell lung cancer. 2008 , 14, 1464-9		35
67	Antitumor mechanisms of systemically administered epidermal growth factor receptor antisense oligonucleotides in combination with docetaxel in squamous cell carcinoma of the head and neck. 2008 , 73, 627-38		12
66	Lessons learned from development of docetaxel. 2008 , 4, 1007-19		6
65	Determination of a hydrophilic paclitaxel derivative, 7-xylosyl-10-deacetylpaclitaxel in rat plasma by LC-MS/MS. 2009 , 23, 472-9		8
64	Determination of a novel paclitaxel derivative (NPD-103) in human plasma by ultra-performance liquid chromatography-tandem mass spectrometry. 2009 , 23, 510-5		5
63	Development and validation of a LC-MS/MS method for the determination of the novel oral 1,14 substituted taxane derivatives, IDN 5738 and IDN 5839, in mouse plasma and its application to the pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and	3.2	8
62	Stereochemical differentiation of C-7 hydroxyltaxane isomers by electrospray ionization mass spectrometry. 2009 , 23, 425-32		10
61	Drug-virus interaction: effect of administration of recombinant adenoviruses on the pharmacokinetics of docetaxel in a rat model. 2009 , 16, 405-14		13
60	Chapter 7 Paclitaxel. 2009 , 34, 299-344		8
59	Development and Validation of a Selective and Robust LC-MS/MS Method, Employing Liquid l iquid Extraction Based on 96-Well Format Plates, for High-Throughput Quantification of Docetaxel in Small Plasma Samples. 2009 , 37, 1-22		3

58 Paclitaxel. **2010**, 373-408

57	Intratumoral concentrations of imatinib after oral administration in patients with glioblastoma multiforme. 2010 , 97, 241-5		41
56	Phase 1 and pharmacokinetic study of everolimus, a mammalian target of rapamycin inhibitor, in combination with docetaxel for recurrent/refractory nonsmall cell lung cancer. 2010 , 116, 3903-9		35
55	Development and validation of a nylon6 nanofibers mat-based SPE coupled with HPLC method for the determination of docetaxel in rabbit plasma and its application to the relative bioavailability study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences,	3.2	24
54	Liquid chromatography-tandem mass spectrometry for the determination of paclitaxel in rat plasma after intravenous administration of poly(L-glutamic acid)-alanine-paclitaxel conjugate. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 51, 1169-74	3.5	11
53	Dabigatran Etexilate. 2010 , 141-182		
52	High-throughput plasma docetaxel quantification by liquid chromatography-tandem mass spectrometry. 2011 , 412, 358-64		26
51	A sensitive combined assay for the quantification of paclitaxel, docetaxel and ritonavir in human plasma using liquid chromatography coupled with tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 2984-90	3.2	36
50	Pharmacokinetics and tissue distribution of docetaxel by liquid chromatography-mass spectrometry: evaluation of folate receptor-targeting amphiphilic copolymer modified nanostructured lipid carrier. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 3721-7	3.2	31
49	Analysis of anticancer drugs: a review. 2011 , 85, 2265-89		305
48	Pharmacologic and phenotypic study of docetaxel in patients with ovarian or primary peritoneal cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2011 , 68, 1255-62	3.5	11
47	Quantitation of paclitaxel and its two major metabolites using a liquid chromatography-electrospray ionization tandem mass spectrometry. <i>Journal of Chromatography B:</i> Analytical Technologies in the Biomedical and Life Sciences, 2011 , 879, 2018-22	3.2	29
46	Highly Sensitive Pharmaceutical and Clinical Analysis Using Selective Solid-Phase Extraction Coupled to Microflow Liquid Chromatography and Isotope-Dilution Mass Spectrometry. 2012 , 81-107		
45	Therapeutic drug monitoring and LC-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 883-884, 33-49	3.2	97
44	Determination of morphine, codeine, and paclitaxel in human serum and plasma by micellar electrokinetic chromatography. 2012 , 35, 2297-306		9
43	A Phase I clinical trial of the combination of imatinib and paclitaxel in patients with advanced or metastatic solid tumors refractory to standard therapy. <i>Cancer Chemotherapy and Pharmacology</i> , 2012 , 70, 843-53	3.5	14
42	LC-MS in Drug Bioanalysis. 2012 ,		3
41	A phase I trial of docetaxel and pulse-dose 17-allylamino-17-demethoxygeldanamycin in adult patients with solid tumors. <i>Cancer Chemotherapy and Pharmacology</i> , 2012 , 69, 1089-97	3.5	27

40	Direct and fast determination of paclitaxel, morphine and codeine in urine by micellar electrokinetic chromatography. 2012 , 1231, 66-72		28
39	A rapid and sensitive LC/ESI-MS/MS method for quantitative analysis of docetaxel in human plasma and its application to a pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 893-894, 157-61	3.2	26
38	Phase I study of vorinostat (suberoylanilide hydroxamic acid, NSC 701852) in combination with docetaxel in patients with advanced and relapsed solid malignancies. 2012 , 30, 249-57		57
37	Determination of paclitaxel in hyaluronic acid polymeric micelles in rat blood by protein precipitation-micelle breaking method: application to a pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013 , 935, 10-5	3.2	17
36	A UFLC-MS/MS method coupled with one-step protein precipitation for determination of docetaxel in rat plasma: comparative pharmacokinetic study of modified nanostructured lipid carrier. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 83, 202-8	3.5	14
35	The development and clinical validation of a turbulent-flow liquid chromatography-tandem mass spectrometric method for the rapid quantitation of docetaxel in serum. 2013 , 417, 12-8		9
34	A rapid and sensitive determination of paclitaxel in rat plasma by UPLC-MS/MS method: Application to a pharmacokinetic study. 2013 , 8, 199-205		9
33	A rapid analytical method for the quantification of paclitaxel in rat plasma and brain tissue by high-performance liquid chromatography and tandem mass spectrometry. 2013 , 27, 2127-34		17
32	Ultra-sensitive assay for paclitaxel in intracellular compartments of A549 cells using liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013 , 912, 93-7	3.2	14
31	Simultaneous online SPE-HPLC-MS/MS analysis of docetaxel, temsirolimus and sirolimus in whole blood and human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013 , 921-922, 35-42	3.2	31
30	An automated nanoparticle-based homogeneous immunoassay for determining docetaxel concentrations in plasma. 2013 , 35, 803-8		9
29	High-performance liquid chromatographic analysis of felotaxel, a novel anti-cancer drug, in rat plasma and in human plasma and urine. 2013 , 51, 292-6		1
28	Extraction and RP-HPLC determination of taxol in rat plasma, cell culture and quality control samples. 2013 , 27, 394-405		15
27	Quantification of taxanes in biological matrices: a review of bioanalytical assays and recommendations for development of new assays. 2014 , 6, 993-1010		7
26	Combined quantification of paclitaxel, docetaxel and ritonavir in human feces and urine using LC-MS/MS. 2014 , 28, 302-10		13
25	Quantitative determination of Lx2-32c, a novel taxane derivative, in rat plasma by liquid chromatography-tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 88, 483-8	3.5	4
24	A Rapid and Sensitive UPLC-MS/MS Method for Determination of Docetaxel in Rabbit Plasma: Pharmacokinetic Study of New Lung-Targeting Docetaxel Liposome at Low Dose. 2015 , 73, 623-9		6
23	Measurement of total and free docetaxel concentration in human plasma by ultra-performance liquid chromatography-tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 117, 140-9	3.5	5

22	Mass spectrometry in the pharmacokinetic studies of anticancer natural products. 2017, 36, 213-251	16
21	Chemotherapy completion in elderly women with ovarian, primary peritoneal or fallopian tube cancer - An NRG oncology/Gynecologic Oncology Group study. 2017 , 144, 459-467	45
20	Development and qualification of an LC-MS/MS method for investigating the biological implications of micelle entrapped paclitaxel in cell culture and rats. 2017 , 31, e3960	3
19	Determination of total and unbound docetaxel in plasma by ultrafiltration and UPLC-MS/MS: application to pharmacokinetic studies. 2017 , 7, 14609	2
18	Validation of a Commercial Assay and Decision Support Tool for Routine Paclitaxel Therapeutic Drug Monitoring (TDM). 2017 , 39, 617-624	12
17	Quantification of Paclitaxel and Polyaspartate Paclitaxel Conjugate in Beagle Plasma: Application to a Pharmacokinetic Study. 2017 , 55, 222-231	5
16	Molecular complexity of taxane-induced cytotoxicity in prostate cancer cells. 2017, 35, 32.e9-32.e16	6
15	Comparison of the docetaxel concentration in human plasma measured with liquid chromatography-tandem mass spectrometry (LC-MS/MS) and a nanoparticle immunoassay and clinical applications of that assay. 2017 , 11, 202-208	6
14	A Critical Review of Properties and Analytical Methods for the Determination of Docetaxel in Biological and Pharmaceutical Matrices. 2018 , 48, 517-527	10
13	Characteristics, Properties and Analytical Methods of Paclitaxel: A Review. 2018 , 48, 110-118	44
12	Phase 1 study of veliparib (ABT-888), a poly (ADP-ribose) polymerase inhibitor, with carboplatin and paclitaxel in advanced solid malignancies. <i>Cancer Chemotherapy and Pharmacology</i> , 2019 , 84, 1289-1301 ^{3.5}	18
11	Enhancing intratumoral biodistribution and antitumor activity of nab-paclitaxel through combination with a vascular disrupting agent, combretastatin A-4-phosphate. <i>Cancer Chemotherapy</i> 3.5 and Pharmacology, 2019 , 84, 1187-1194	5
10	Bioequivalence of paclitaxel protein-bound particles in patients with breast cancer: determining total and unbound paclitaxel in plasma by rapid equilibrium dialysis and liquid 4.4 chromatography-tandem mass spectrometry. <i>Drug Design, Development and Therapy</i> , 2019 , 13, 1739-1749	1
9	Quantitation of paclitaxel, and its 6-alpha-OH and 3-para-OH metabolites in human plasma by LC-MS/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 172, 26-32	6
8	Phase I study of intravenous oxaliplatin and intraperitoneal docetaxel in recurrent ovarian cancer. International Journal of Gynecological Cancer, 2019, 29, 147-152 3.5	3
7	Combretastatin-A4 phosphate improves the distribution and antitumor efficacy of albumin-bound paclitaxel in W256 breast carcinoma model. <i>Oncotarget</i> , 2016 , 7, 58133-58141	5
6	Development of a RP-HPLC method for analysis of docetaxel in tumor-bearing mice plasma and tissues following injection of docetaxel-loaded pH responsive targeting polymeric micelles. 2.6 Research in Pharmaceutical Sciences, 2020, 15, 1-13	3
5	Application of a Rapid ESI-MS/MS Method for Quantitative Analysis of Docetaxel in Polymeric Matrices of PLGA and PLGA-PEG Nanoparticles through Direct Injection to Mass Spectrometer. 0.7 American Journal of Analytical Chemistry, 2015, 06, 164-175	7

Clinical Pharmacology and Pharmacogenetics of Chemotherapy in Prostate Cancer. **2010**, 163-177

3	DEVELOPMENT AND VALIDATION OF RAPID AND SIMPLE BIOANALYTICAL METHOD FOR DOCETAXEL WITH ONE STEP PROTEIN PRECIPITATION. <i>Indian Drugs</i> , 2019 , 56, 23-32	0.2
2	Development of a liquid chromatography-tandem mass spectrometry method for the analysis of docetaxel-loaded Poly(lactic-co-glycolic acid) nanoparticles. 2022 , 115114	O
1	A phase 1 study of veliparib (ABT-888) plus weekly carboplatin and paclitaxel in advanced solid malignancies, with an expansion cohort in triple negative breast cancer (TNBC) (ETCTN 8620). 2023 , 198, 487-498	0