

CITATION REPORT

List of articles citing

Curcumin in plasma and urine: quantitation by high-performance liquid chromatography

DOI: 10.1016/s1570-0232(02)00714-6

Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2003, 783, 287-95.

Source: <https://exaly.com/paper-pdf/35203743/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 118 | Sensitive and rapid isocratic liquid chromatography method for the quantitation of curcumin in plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003 , 796, 339-46 | 3.2 | 56 |
| 117 | Current awareness in phytochemical analysis. 2003 , 14, 184-191 | | |
| 116 | Application of capillary zone electrophoresis in the separation and determination of the curcuminoids in urine. 2005 , 38, 133-8 | | 31 |
| 115 | Stability-indicating HPTLC determination of curcumin in bulk drug and pharmaceutical formulations. 2005 , 39, 132-8 | | 124 |
| 114 | A potential role of the curry spice curcumin in Alzheimer's disease. 2005 , 2, 131-6 | | 386 |
| 113 | Chemistry and biological activities of <i>C. longa</i> . 2005 , 16, 533-548 | | 207 |
| 112 | Curcumin content of turmeric and curry powders. 2006 , 55, 126-31 | | 216 |
| 111 | Some Biological Properties of Curcumin: A Review. 2006 , 1, 1934578X0600100 | | 33 |
| 110 | Rapid HPTLC method for identification and quantification of curcumin, piperine and thymol in an ayurvedic formulation. 2006 , 19, 398-400 | | 11 |
| 109 | LC Determination of Curcumin in Dog Plasma for a Pharmacokinetic Study. 2006 , 64, 531-535 | | 8 |
| 108 | The sensitive fluorimetric method for the determination of curcumin using the enhancement of mixed micelle. 2006 , 16, 53-9 | | 52 |
| 107 | Dose escalation of a curcuminoid formulation. 2006 , 6, 10 | | 828 |
| 106 | Efficient preparation of liposomes encapsulating food materials using lecithins by a mechanochemical method. 2006 , 56, 35-42 | | 70 |
| 105 | Determination of curcumin by its quenching effect on the fluorescence of Eu ³⁺ -tryptophan complex. 2007 , 43, 393-8 | | 25 |
| 104 | Development and validation of an HPLC method for the determination of dibenzoylmethane in rat plasma and its application to the pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007 , 852, 56-61 | 3.2 | 7 |
| 103 | Oral bioavailability of curcumin in rat and the herbal analysis from <i>Curcuma longa</i> by LC-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007 , 853, 183-9 ^{3.2} | | 387 |
| 102 | Curcumin: the Indian solid gold. 2007 , 595, 1-75 | | 941 |

| | | |
|-----|---|--------|
| 101 | Development and Validation of Improved Reversed Phase-HPLC Method for Simultaneous Determination of Curcumin, Demethoxycurcumin and Bis-Demethoxycurcumin. 2007 , 65, 483-488 | 63 |
| 100 | Recent advances in plant hepatoprotectives: a chemical and biological profile of some important leads. 2008 , 28, 746-72 | 107 |
| 99 | Fluorescence enhancement effect for the determination of curcumin with yttrium(III)-curcumin-sodium dodecyl benzene sulfonate system. 2008 , 128, 110-116 | 30 |
| 98 | Purification of curcumin, demethoxycurcumin, and bisdemethoxycurcumin by high-speed countercurrent chromatography. 2008 , 56, 9328-36 | 56 |
| 97 | Curcumin structure-function, bioavailability, and efficacy in models of neuroinflammation and Alzheimer's disease. 2008 , 326, 196-208 | 467 |
| 96 | Liposome-encapsulated curcumin suppresses growth of head and neck squamous cell carcinoma in vitro and in xenografts through the inhibition of nuclear factor kappaB by an AKT-independent pathway. 2008 , 14, 6228-36 | 168 |
| 95 | Pharmacokinetics of curcumin conjugate metabolites in healthy human subjects. 2008 , 17, 1411-7 | 350 |
| 94 | A rapid and simple HPLC method for the determination of curcumin in rat plasma: assay development, validation and application to a pharmacokinetic study of curcumin liposome. 2009 , 23, 1201-7 | 78 |
| 93 | A novel curcumin assay with the metal ion Cu (II) as a simple probe by resonance light scattering technique. 2009 , 72, 518-22 | 29 |
| 92 | Validated TLC-Image Analysis Method for Simultaneous Quantification of Curcuminoids in Curcuma longa. 2009 , 69, 397-400 | 14 |
| 91 | Development and Validation of a Stability-Indicating LC Method for Curcumin. 2009 , 69, 871-877 | 10 |
| 90 | Rapid analysis of curcumin and curcumin metabolites in rat biomatrices using a novel ultraperformance liquid chromatography (UPLC) method. 2009 , 57, 797-803 | 69 |
| 89 | Development and Validation of a Reversed Phase HPLC Method for Simultaneous Determination of Curcumin and Piperine in Human Plasma for Application in Clinical Pharmacological Studies. 2009 , 32, 2961-2974 | 15 |
| 88 | Near Infrared Quantitative Analysis of Total Curcuminoids in Rhizomes of Curcuma Longa by Moving Window Partial Least Squares Regression. 2010 , 18, 263-269 | 11 |
| 87 | A validated method for the quantification of curcumin in plasma and brain tissue by fast narrow-bore high-performance liquid chromatography with fluorescence detection. 2010 , 397, 1917-25 | 71 |
| 86 | A liquid chromatography-tandem mass spectrometric method for quantification of curcuminoids in cell medium and mouse plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 3045-51 | 3,2 39 |
| 85 | Development and validation of UPLC method for quality control of Curcuma longa Linn.: Fast simultaneous quantitation of three curcuminoids. 2010 , 53, 43-9 | 57 |
| 84 | Curcumin activates the p38MPAK-HSP25 pathway in vitro but fails to attenuate diabetic nephropathy in DBA2J mice despite urinary clearance documented by HPLC. 2010 , 10, 67 | 20 |

| | | | |
|----|--|-----|-----|
| 83 | Pharmacokinetic applicability of a validated liquid chromatography tandem mass spectroscopy method for orally administered curcumin loaded solid lipid nanoparticles to rats. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 3427-31 | 3.2 | 49 |
| 82 | Direct injection and determination of the active principles of spices using micellar liquid chromatography. <i>Food Chemistry</i> , 2010 , 120, 915-920 | 8.5 | 10 |
| 81 | Development and validation of a fluorimetric method to determine curcumin in lipid and polymeric nanocapsule suspensions. 2010 , 46, 219-226 | | 20 |
| 80 | Ultra-low flow liquid chromatography assay with ultraviolet (UV) detection for piperine quantitation in human plasma. 2010 , 58, 6594-9 | | 16 |
| 79 | Phase IIa clinical trial of curcumin for the prevention of colorectal neoplasia. 2011 , 4, 354-64 | | 367 |
| 78 | Metabolic and pharmacokinetic studies of curcumin, demethoxycurcumin and bisdemethoxycurcumin in mice tumor after intragastric administration of nanoparticle formulations by liquid chromatography coupled with tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 878, 2751-9 | 3.2 | 37 |
| 77 | Methods for the determination of European Union-permitted added natural colours in foods: a review. 2011 , 28, 527-96 | | 68 |
| 76 | LC-APCI-MS Quantitative Analysis of Curcumin in Rabbit Plasma. 2011 , 73, 605-608 | | 8 |
| 75 | Adsorptive cathodic stripping voltammetric determination of curcumin in turmeric and human serum. 2011 , 76, 143-157 | | 6 |
| 74 | Preparation and in vitro/in vivo characterization of curcumin microspheres intended to treat colon cancer. 2012 , 4, 164-71 | | 33 |
| 73 | Improving the oral bioavailability of curcumin using novel organogel-based nanoemulsions. 2012 , 60, 5373-9 | | 285 |
| 72 | Oral curcumin for Alzheimer's disease: tolerability and efficacy in a 24-week randomized, double blind, placebo-controlled study. 2012 , 4, 43 | | 311 |
| 71 | DEVELOPMENT AND VALIDATION OF RP-HPLC METHOD FOR SIMULTANEOUS ESTIMATION OF DICLOFENAC DIETHYLAMINE AND CURCUMIN IN TRANSDERMAL GELS. 2012 , 35, 174-187 | | 6 |
| 70 | Electropolymerization of Acid Chrome Blue K on Glassy Carbon Electrode for the Determination of Curcumin. 2012 , 59, 1415-1420 | | 15 |
| 69 | In-line cold column trapping of organic phase in dispersive liquid-liquid microextraction: enrichment and determination of curcumin in human serum. <i>Journal of Chromatography A</i> , 2012 , 1244, 14-9 | 4.5 | 26 |
| 68 | Lack of efficacy of curcumin on neurodegeneration in the mouse model of Niemann-Pick C1. 2012 , 101, 125-31 | | 16 |
| 67 | Curcumin: a new paradigm and therapeutic opportunity for the treatment of osteoarthritis: curcumin for osteoarthritis management. 2013 , 2, 56 | | 85 |
| 66 | Effect of a herbal extract containing curcumin and piperine on midazolam, flurbiprofen and paracetamol (acetaminophen) pharmacokinetics in healthy volunteers. 2013 , 75, 450-62 | | 51 |

| | | | |
|----|---|-----|-----|
| 65 | RAPID AND SIMULTANEOUS HPLC ANALYSIS OF CURCUMIN AND ITS METABOLITE TETRAHYDROCURCUMIN FROM PLASMA AND LIVER HOMOGENATES. 2013 , 36, 1788-1801 | | 9 |
| 64 | A Simple Device for Collection of Extraction Phase in Dispersive Liquid-Liquid Microextraction Method Based on Solidification of Floating Organic Droplet for Sensitive Determination of Curcumin in Human Serum. 2013 , 3, 92-101 | | 3 |
| 63 | Molecularly imprinted polymers-curcuminoids and its application for solid phase extraction. 2014 , | | 0 |
| 62 | Dose-dependent bioavailability indicators for curcumin and two of its novel derivatives. 2014 , 40, 132-7 | | |
| 61 | Cold column trapping-cloud point extraction coupled to high performance liquid chromatography for preconcentration and determination of curcumin in human urine. <i>Analytica Chimica Acta</i> , 2014 , 826, 35-42 | 6.6 | 27 |
| 60 | Bioactive components analysis of two various gingers (<i>Zingiber officinale</i> Roscoe) and antioxidant effect of ginger extracts. 2014 , 55, 329-334 | | 98 |
| 59 | Development of a liquid chromatographic method for the simultaneous quantification of curcumin, Earteether, tetrahydrocurcumin and dihydroartemisinin. Application to lipid-based formulations. 2014 , 88, 447-56 | | 7 |
| 58 | Assessing the viability of microsponges as gastro retentive drug delivery system of curcumin: optimization and pharmacokinetics. 2014 , 460, 1-12 | | 60 |
| 57 | The oral bioavailability of curcumin from micronized powder and liquid micelles is significantly increased in healthy humans and differs between sexes. 2014 , 58, 516-27 | | 186 |
| 56 | A versatile liquid chromatographic technique for pharmacokinetic estimation of curcumin in human plasma. 2014 , 52, 872-9 | | 4 |
| 55 | Separation and identification of curcuminoids in turmeric powder by HPLC using phenyl column. 2014 , 6, 2526-2536 | | 41 |
| 54 | Curcumin. 2014 , 39, 113-204 | | 145 |
| 53 | Quantification of curcumin, demethoxycurcumin, and bisdemethoxycurcumin in rodent brain by UHPLC/ESI-Q-TOF-MS/MS after intra-nasal administration of curcuminoids loaded PNIPAM nanoparticles. 2014 , 6, 257-67 | | 15 |
| 52 | Evaluation of Fourier Transform-Near Infrared Spectroscopic Measurements for the Quantification of Curcumin in Turmeric Herbal Medicines. 2014 , 22, 113-120 | | 7 |
| 51 | Wound healing: a new perspective on glucosylated tetrahydrocurcumin. <i>Drug Design, Development and Therapy</i> , 2015 , 9, 3579-88 | 4.4 | 17 |
| 50 | Liquid-liquid extraction and liquid chromatography-mass spectrometry detection of curcuminoids from bacterial culture medium. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 988, 116-20 | 3.2 | 4 |
| 49 | The oral bioavailability of curcuminoids in healthy humans is markedly enhanced by micellar solubilisation but not further improved by simultaneous ingestion of sesamin, ferulic acid, naringenin and xanthohumol. 2015 , 14, 183-191 | | 50 |
| 48 | Antihyperlipidemic bioactivity of <i>Alpinia officinarum</i> (Hance) Farw Zingiberaceae can be attributed to the coexistence of curcumin, polyphenolics, dietary fibers and phytosterols. 2015 , 6, 1600-10 | | 21 |

| | | | |
|----|---|-----|-----|
| 47 | Nitrogen-doped carbon dots as fluorescent probe for detection of curcumin based on the inner filter effect. 2015 , 5, 95054-95060 | | 47 |
| 46 | Molecularly imprinted polymers for cleanup and selective extraction of curcuminoids in medicinal herbal extracts. 2015 , 407, 803-12 | | 25 |
| 45 | Curcumin derivative with the substitution at C-4 position, but not curcumin, is effective against amyloid pathology in APP/PS1 mice. 2015 , 36, 201-10 | | 52 |
| 44 | Stability indicating HPLC-UV method for detection of curcumin in <i>Curcuma longa</i> extract and emulsion formulation. <i>Food Chemistry</i> , 2015 , 170, 321-6 | 8.5 | 68 |
| 43 | Curcumin confers protection to irradiated THP-1 cells while its nanoformulation sensitizes these cells via apoptosis induction. 2016 , 32, 543-561 | | 15 |
| 42 | Redox maintenance and concerted modulation of gene expression and signaling pathways by a nanoformulation of curcumin protects peripheral blood mononuclear cells against gamma radiation. 2016 , 257, 81-93 | | 14 |
| 41 | Intratumoral Concentrations and Effects of Orally Administered Micellar Curcuminoids in Glioblastoma Patients. 2016 , 68, 943-8 | | 35 |
| 40 | Effect of hydrogen bond formation/replacement on solubility characteristics, gastric permeation and pharmacokinetics of curcumin by application of powder solution technology. 2016 , 6, 600-613 | | 23 |
| 39 | Stressed Kinetics and Pharmacokinetics of Curcumin Nanoemulsion Using Validated Ultrahigh-Performance Liquid Chromatography/Orbitrap Mass Spectrometry (UPLC/MS/MSESI-Q-TOF). 2016 , 40, 109-123 | | 2 |
| 38 | <i>Curcuma longa</i> . 2016 , 241-362 | | 2 |
| 37 | Curcumin complexation with cyclodextrins by the autoclave process: Method development and characterization of complex formation. 2017 , 520, 173-180 | | 20 |
| 36 | A simple and sensitive sensor based on a molecularly imprinted polymer-modified carbon paste electrode for the determination of curcumin in foods. 2017 , 7, 22913-22918 | | 10 |
| 35 | A highly selective nanocomposite based on MIP for curcumin trace levels quantification in food samples and human plasma following optimization by central composite design. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1040, 129-135 | 3.2 | 24 |
| 34 | Molecular factors involved in the hypolipidemic- and insulin-sensitizing effects of a ginger (<i>Zingiber officinale</i> Roscoe) extract in rats fed a high-fat diet. 2017 , 42, 209-215 | | 30 |
| 33 | Selective reduction in the expression of UGTs and SULTs, a novel mechanism by which piperine enhances the bioavailability of curcumin in rat. 2017 , 38, 3-19 | | 26 |
| 32 | Liposomal curcumin and its application in cancer. <i>International Journal of Nanomedicine</i> , 2017 , 12, 6027-6044 | 9.5 | 151 |
| 31 | Synergistic Interplay between Curcumin and Polyphenol-Rich Foods in the Mediterranean Diet: Therapeutic Prospects for Neurofibromatosis 1 Patients. 2017 , 9, | | 20 |
| 30 | Nanostructures for Curcumin Delivery: Possibilities and Challenges. 2017 , 393-418 | | 5 |

| | | | |
|----|---|-----|----|
| 29 | A Novel Triple Stage Ion Trap MS method validated for curcumin pharmacokinetics application: A comparison summary of the latest validated curcumin LC/MS methods. 2018 , 156, 116-124 | | 8 |
| 28 | Development of UPLC-MS/MS method for quantitative analysis of curcumin in human plasma. 2018 , 30, 207-211 | | 4 |
| 27 | Characterization of diarylheptanoids: An emerging class of bioactive natural products. 2018 , 147, 13-34 | | 30 |
| 26 | Synthesis of curcuminoid-imprinted polymers applied to the solid-phase extraction of curcuminoids from turmeric samples. 2018 , 8, 60-68 | | 10 |
| 25 | Substantial Variability Across Individuals in the Vascular and Nutrigenomic Response to an Acute Intake of Curcumin: A Randomized Controlled Trial. 2018 , 62, 1700418 | | 22 |
| 24 | Polyhydric polymer-loaded pyrene composites as powerful adsorbents and fluorescent probes: highly efficient adsorption and test strips-based fluorimetric analysis of curcumin in urine and plant extracts. 2018 , 143, 392-395 | | 13 |
| 23 | Mechanical Characterization and Dissolution of Chewing Gum Tablets (CGTs) Containing Co-compressed Health in Gum β and Curcumin/Cyclodextrin Inclusion Complex. 2018 , 19, 3742-3750 | | 7 |
| 22 | D-optimal mixture design: Formulation development, mechanical characterization, and optimization of curcumin chewing gums using oppanol β B 12 elastomer as a gum-base. 2018 , 553, 210-219 | | 10 |
| 21 | An HPLC-UV method for the simultaneous quantification of curcumin and its metabolites in plasma and lung tissue: Potential for preclinical applications. 2018 , 32, e4280 | | 8 |
| 20 | One-pot synthesis of magnetic lipid nanoparticles as an efficient sorbent for curcumin determination in magnetic dispersive solid-phase extraction system. 2019 , 118, 661-667 | | 10 |
| 19 | Fluorous Derivatization Method for Selective Analysis of Curcumin with Liquid Chromatography-Tandem Mass Spectrometry. 2019 , 40, 115-119 | | 3 |
| 18 | Formulation, Characterization And Evaluation Of Curcumin- Loaded PLGA- TPGS Nanoparticles For Liver Cancer Treatment. <i>Drug Design, Development and Therapy</i> , 2019 , 13, 3569-3578 | 4.4 | 16 |
| 17 | A di-functional and label-free carbon-based chem-nanosensor for real-time monitoring of pH fluctuation and quantitative determining of Curcumin. <i>Analytica Chimica Acta</i> , 2019 , 1057, 132-144 | 6.6 | 20 |
| 16 | Nanoencapsulation of Curcumin and Its Protective Effects against CCl ₄ -Induced Hepatotoxicity in Mice. <i>Journal of Nanomaterials</i> , 2019 , 2019, 1-10 | 3.2 | 7 |
| 15 | Oral Curcumin No More Effective Than Placebo in Preventing Recurrence of Crohn's Disease After Surgery in a Randomized Controlled Trial. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 1553-1560.e1 | 6.9 | 20 |
| 14 | Rapid measurements of curcumin from complex samples coupled with magnetic biocompatibility molecularly imprinted polymer using electrochemical detection. <i>Journal of Separation Science</i> , 2020 , 43, 1173-1182 | 3.4 | 8 |
| 13 | The Safety and Exploration of the Pharmacokinetics of Intrapleural Liposomal Curcumin. <i>International Journal of Nanomedicine</i> , 2020 , 15, 943-952 | 7.3 | 5 |
| 12 | Analysis of curcumin and piperine in biological samples by reversed-phase liquid chromatography with multi-wavelength detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021 , 1162, 122487 | 3.2 | 3 |

| | | | |
|----|--|-----|---|
| 11 | After enjoying curry: urine metabolism analysis of curcuminoids by microemulsion electrokinetic chromatography with laser-induced native fluorescence detection. <i>Journal of Chromatography A</i> , 2021 , 1635, 461729 | 4.5 | 0 |
| 10 | HPLC method validation for quantification of tetrahydrocurcumin in bulk drug and formulation. <i>Future Journal of Pharmaceutical Sciences</i> , 2021 , 7, | 2.1 | 1 |
| 9 | Multicenter randomized phase II study comparing docetaxel plus curcumin versus docetaxel plus placebo in first-line treatment of metastatic castration-resistant prostate cancer. <i>Cancer Medicine</i> , 2021 , 10, 2332-2340 | 4.8 | 5 |
| 8 | Electrochemical Investigation of Curcumin-DNA Interaction by Using Hydroxyapatite Nanoparticles-Ionic Liquids Based Composite Electrodes. <i>Materials</i> , 2021 , 14, | 3.5 | 3 |
| 7 | Catálogo comentado de la colección herpetológica procedente de Marruecos del Museo Nacional de Ciencias Naturales (Madrid, España), con énfasis en el material colectado durante expediciones históricas. <i>Graellsia</i> , 2018 , 74, 071 | 0.2 | 0 |
| 6 | Curcumin nanoformulations: Beneficial nanomedicine against cancer.. <i>Phytotherapy Research</i> , 2022 , | 6.7 | 4 |
| 5 | A Validated Hplc-Ms/Ms Method for Simultaneously Analyzing Curcuminoids, Tetrahydrocurcumin and Piperine in Human Plasma, Urine or Feces. <i>SSRN Electronic Journal</i> , | 1 | 1 |
| 4 | Application of a transition metal oxide/carbon-based nanocomposite for designing a molecularly imprinted poly (L-cysteine) electrochemical sensor for curcumin.. <i>Food Chemistry</i> , 2022 , 386, 132845 | 8.5 | 1 |
| 3 | Review on Analytical Methodologies, Chemical and Therapeutic Perspectives of Curcumin: A Ubiquitous Natural Molecule. <i>Current Pharmaceutical Analysis</i> , 2022 , 18, | 0.6 | |
| 2 | Determination of Curcumin on Functionalized Carbon Nano Tube Modified Electrode and Probing its Interaction with DNA and Copper Ion. | | 0 |
| 1 | A validated HPLC-MS/MS method for simultaneously analyzing curcumin, demethoxycurcumin, bisdemethoxycurcumin, tetra-hydrocurcumin and piperine in human plasma, urine or feces. 2023 , 9, e15540 | | 0 |