

CITATION REPORT

List of articles citing

Improved method for plasma malondialdehyde measurement by high-performance liquid chromatography using methyl malondialdehyde as an internal standard

DOI: 10.1016/s1570-0232(02)00956-x

Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2003, 785, 337-44.

Source: <https://exaly.com/paper-pdf/35203842/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 104 | Improved procedure for the determination of malonaldehyde by gas-chromatography with electron-capture detection as 2,4,6-trichlorophenylhydrazine derivative. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003 , 796, 201-7 | 3.2 | 17 |
| 103 | Measurement by reversed-phase high-performance liquid chromatography of malondialdehyde in normal human urine following derivatisation with 2,4-dinitrophenylhydrazine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003 , 794, 353-62 | 3.2 | 69 |
| 102 | Gas Chromatographic Analysis of Malondialdehyde as an Index of Lipid Peroxidation: Validation and Application in Cultured Cells. 2004 , 37, 1355-1371 | | |
| 101 | Implementation of HPLC Methodology for the Quantification of Malondialdehyde in Cell Suspensions and Liver. 2004 , 27, 2357-2369 | | 5 |
| 100 | Alpha-lipoic acid does not acutely affect resistance and conduit artery function or oxidative stress in healthy men. 2004 , 58, 243-8 | | 17 |
| 99 | The effects of N-acetylcysteine on oxidative stress in organophosphate poisoning model. 2005 , 22, 107-16 | | 29 |
| 98 | Cyclosporine A-induced changes to erythrocyte redox balance is time course-dependent. 2005 , 97, 135-40 | | 8 |
| 97 | Cyclosporine A induced changes to plasma and erythrocyte antioxidant defences. 2005 , 10, 2-8 | | 6 |
| 96 | l-Arginine attenuates cardiovascular impairment in DOCA-salt hypertensive rats. 2005 , 289, H1408-16 | | 44 |
| 95 | Effect of l-deprenyl and gliclazide on oxidant stress/antioxidant status and dna damage in a diabetic rat model. 2005 , 31, 199-212 | | 25 |
| 94 | A review of recent studies on malondialdehyde as toxic molecule and biological marker of oxidative stress. 2005 , 15, 316-28 | | 1432 |
| 93 | Alpha-tocopherol and alpha-lipoic acid enhance the erythrocyte antioxidant defence in cyclosporine A-treated rats. 2006 , 98, 68-73 | | 33 |
| 92 | New method for HPLC separation and fluorescence detection of malonaldehyde in normal human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006 , 832, 103-8 | 3.2 | 27 |
| 91 | Antioxidant supplementation enhances erythrocyte antioxidant status and attenuates cyclosporine-induced vascular dysfunction. 2006 , 6, 41-9 | | 18 |
| 90 | Effect of vitamin E and C supplementation combined with oral antidiabetic therapy on the endothelial dysfunction in the neonatally streptozotocin injected diabetic rat. 2006 , 22, 190-7 | | 16 |
| 89 | Vitamin E and alpha-lipoic acid supplementation increase bleeding tendency via an intrinsic coagulation pathway. 2006 , 12, 169-73 | | 25 |
| 88 | Oxidative stress in half and full Ironman triathletes. 2007 , 39, 283-8 | | 92 |

| | | |
|----|--|--------|
| 87 | The effect of consecutive days of exercise on markers of oxidative stress. 2007 , 32, 677-85 | 27 |
| 86 | Chromatographic and electrophoretic methods for the analysis of biomarkers of oxidative damage to macromolecules (DNA, lipids, and proteins). 2007 , 30, 175-91 | 79 |
| 85 | Metabolic syndrome in severe chronic kidney disease: Prevalence, predictors, prognostic significance and effects of risk factor modification. 2007 , 12, 391-8 | 90 |
| 84 | [Oxidative stress and the possibilities of measuring it for environmental medicine: Report of the Commission "Methods and Quality Assurance in Environmental Medicine"]. 2008 , 51, 1464-82 | 4 |
| 83 | Improved resistance to serum oxidation in Gilbert's syndrome: a mechanism for cardiovascular protection. 2008 , 199, 390-6 | 97 |
| 82 | Urinary malondialdehyde levels in newborns following delivery room resuscitation. 2008 , 94, 96-9 | 16 |
| 81 | ELF magnetic therapy and oxidative balance. 2008 , 27, 325-39 | 13 |
| 80 | Use of conventional and -omics based methods for health claims of dietary antioxidants: a critical overview. 2008 , 99 E Suppl 1, ES3-52 | 86 |
| 79 | Effects of maximal static apnea on antioxidant defenses in trained free divers. 2008 , 40, 1307-13 | 8 |
| 78 | A prospective study of pregnancy outcome and biomarkers of oxidative stress in nulliparous obese women. 2009 , 200, 395.e1-9 | 83 |
| 77 | Determination of malondialdehyde in human blood by headspace-solid phase micro-extraction gas chromatography-mass spectrometry after derivatization with 2,2,2-trifluoroethylhydrazine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 3707-11 | 3.2 24 |
| 76 | Sensitive Analysis of Malondialdehyde in Human Urine by Derivatization with Pentafluorophenylhydrazine then Headspace GC/MS. 2009 , 70, 899-903 | 19 |
| 75 | Impact of intrapartum factors on oxidative stress in newborns. 2009 , 22, 867-72 | 8 |
| 74 | New hypotheses on the pathways of formation of malondialdehyde and isofurans. 2010 , 49, 1594-600 | 20 |
| 73 | Antifibrotic activity of an inhibitor of histone deacetylases in DOCA-salt hypertensive rats. 2010 , 159, 1408-17 | 100 |
| 72 | Comparison of purple carrot juice and β -carotene in a high-carbohydrate, high-fat diet-fed rat model of the metabolic syndrome. 2010 , 104, 1322-32 | 98 |
| 71 | Oxidative stability of gelatin coated pork at refrigerated storage. 2010 , 85, 651-6 | 26 |
| 70 | Olive leaf extract attenuates cardiac, hepatic, and metabolic changes in high carbohydrate-, high fat-fed rats. 2010 , 140, 946-53 | 183 |

| | | | |
|----|--|-----|-----|
| 69 | Peripheral oxidative stress biomarkers in mild cognitive impairment and Alzheimer's disease. 2011 , 26, 59-68 | | 149 |
| 68 | Evaluation of Malondialdehyde Levels. 2011 , 440-447 | | 8 |
| 67 | High-carbohydrate high-fat diet-induced metabolic syndrome and cardiovascular remodeling in rats. 2011 , 57, 51-64 | | 275 |
| 66 | Chronic β -adrenoceptor antagonist treatment controls cardiovascular remodeling in heart failure in the aging spontaneously hypertensive rat. 2011 , 58, 424-31 | | 18 |
| 65 | Effects of a gliadin-combined plant superoxide dismutase extract on self-perceived fatigue in women aged 50-65 years. 2011 , 18, 521-6 | | 7 |
| 64 | The effect of short-term canola oil ingestion on oxidative stress in the vasculature of stroke-prone spontaneously hypertensive rats. 2011 , 10, 180 | | 17 |
| 63 | Differential effects of dietary canola and soybean oil intake on oxidative stress in stroke-prone spontaneously hypertensive rats. 2011 , 10, 98 | | 14 |
| 62 | The simple and sensitive measurement of malondialdehyde in selected specimens of biological origin and some feed by reversed phase high performance liquid chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 2251-8 | 3,2 | 44 |
| 61 | Antioxidant supplementation reduces skeletal muscle mitochondrial biogenesis. 2011 , 43, 1017-24 | | 138 |
| 60 | Rutin attenuates metabolic changes, nonalcoholic steatohepatitis, and cardiovascular remodeling in high-carbohydrate, high-fat diet-fed rats. 2011 , 141, 1062-9 | | 117 |
| 59 | Environmental tobacco smoke induces oxidative stress in distinct brain regions of infant mice. 2012 , 75, 971-80 | | 23 |
| 58 | Burnt sugarcane harvesting - cardiovascular effects on a group of healthy workers, Brazil. 2012 , 7, e46142 | | 33 |
| 57 | Antioxidant enzyme activity and malondialdehyde levels can be modulated by Piper betle, tocotrienol rich fraction and Chlorella vulgaris in aging C57BL/6 mice. 2012 , 67, 1447-54 | | 34 |
| 56 | Trends in the Evaluation of Lipid Peroxidation Processes. 2012 , | | 2 |
| 55 | Recent Advancements in the LC- and GC-Based Analysis of Malondialdehyde (MDA): A Brief Overview. 2012 , 75, 433-440 | | 99 |
| 54 | Mineralocorticoid receptors mediate cardiac remodelling in morphine-dependent rats. 2012 , 111, 75-80 | | 9 |
| 53 | The effects of immunosuppressants on vascular function, systemic oxidative stress and inflammation in rats. 2012 , 25, 337-46 | | 16 |
| 52 | Oxidative stress, anti-oxidant therapies and chronic kidney disease. 2012 , 17, 311-21 | | 291 |

| | | |
|----|---|------|
| 51 | Application of medical and analytical methods in Lyme borreliosis monitoring. 2012 , 402, 2233-48 | 7 |
| 50 | Oxidative stress is closely associated with insulin resistance in genotypes 1 and 3 chronic hepatitis C. 2013 , 7, 516-23 | 1 |
| 49 | Cardioprotective and hepatoprotective effects of ellagitannins from European oak bark (<i>Quercus petraea</i> L.) extract in rats. 2013 , 52, 397-408 | 24 |
| 48 | Mechanisms of oxidative stress in human aortic aneurysms--association with clinical risk factors for atherosclerosis and disease severity. 2013 , 168, 2389-96 | 81 |
| 47 | A new and fast methodology to assess oxidative damage in cardiovascular diseases risk development through eVol-MEPS-UHPLC analysis of four urinary biomarkers. 2013 , 116, 164-72 | 17 |
| 46 | A rapid and sensitive method for the determination of malondialdehyde as its hydralazine derivative in human plasma using high performance liquid chromatography. 2013 , 5, 2995 | 11 |
| 45 | Vitamin E content in fish oil emulsion does not prevent lipoperoxidative effects on human colorectal tumors. 2013 , 29, 450-6 | 6 |
| 44 | Short-term changes after a weight reduction intervention in advanced diabetic nephropathy. 2013 , 8, 1892-8 | 50 |
| 43 | Salt loading in canola oil fed SHRSP rats induces endothelial dysfunction. 2013 , 8, e66655 | 5 |
| 42 | A rapid, sensitive and solvent-less method for determination of malonaldehyde in meat by stir bar sorptive extraction coupled thermal desorption and gas chromatography/mass spectrometry with in situ derivatization. 2014 , 28, 2723-8 | 10 |
| 41 | A fast and validated method for the determination of malondialdehyde in fish liver using high-performance liquid chromatography with a photodiode array detector. 2014 , 79, C484-8 | 16 |
| 40 | GTP cyclohydrolase I gene polymorphisms are associated with endothelial dysfunction and oxidative stress in patients with type 2 diabetes mellitus. 2014 , 9, e108587 | 10 |
| 39 | Malondialdehyde regulates glucose-stimulated insulin secretion in murine islets via TCF7L2-dependent Wnt signaling pathway. 2014 , 382, 8-16 | 24 |
| 38 | Interaction of Ω 3 polyunsaturated fatty acids with radiation therapy in two different colorectal cancer cell lines. 2014 , 33, 164-70 | 27 |
| 37 | Analytical method for lipoperoxidation relevant reactive aldehydes in human sera by high-performance liquid chromatography-fluorescence detection. 2014 , 464, 36-42 | 32 |
| 36 | Tocotrienol rich fraction reverses age-related deficits in spatial learning and memory in aged rats. 2014 , 49, 855-69 | 22 |
| 35 | Effects of atorvastatin on oxidative stress in chronic kidney disease. 2015 , 20, 697-705 | 12 |
| 34 | Resveratrol prevents cardiovascular complications in the SHR/STZ rat by reductions in oxidative stress and inflammation. <i>BioMed Research International</i> , 2015 , 2015, 918123 | 3 22 |

| | | | |
|----|--|-----|-----|
| 33 | Validation of the Analytical Procedure for the Determination of Malondialdehyde and Three Other Aldehydes in Vegetable Oil Using Liquid Chromatography Coupled to Tandem Mass Spectrometry (LC-MS/MS) and Application to Linseed Oil. 2015 , 8, 1425-1435 | | 37 |
| 32 | Quantification of malondialdehyde by HPLC-FL - application to various biological samples. 2015 , 29, 41-6 | | 48 |
| 31 | Development of an analytical method to determine malondialdehyde as an oxidative marker in cryopreserved bovine semen. 2015 , 7, 6331-6338 | | 9 |
| 30 | Attenuation effect of Abnormal Savda Munziq on liver and heart toxicity caused by chemotherapy in mice. 2016 , 12, 384-390 | | 8 |
| 29 | Development of an LC-MS/MS analytical method for the simultaneous measurement of aldehydes from polyunsaturated fatty acids degradation in animal feed. 2016 , 8, 458-64 | | 7 |
| 28 | Development and evaluation of a liquid chromatography-mass spectrometry method for rapid, accurate quantitation of malondialdehyde in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1029-1030, 205-212 | 3.2 | 19 |
| 27 | Protective effects of antioxidants on acrylonitrile-induced oxidative stress in female F344 rats. 2016 , 31, 1808-1818 | | 10 |
| 26 | Simple and sensitive determination of malondialdehyde in human urine and saliva using UHPLC-MS/MS after derivatization with 3,4-diaminobenzophenone. 2017 , 40, 3958-3968 | | 10 |
| 25 | Volumetric changes in the aging rat brain and its impact on cognitive and locomotor functions. 2017 , 99, 69-79 | | 34 |
| 24 | Sensitive and selective quantification of free and total malondialdehyde in plasma using UHPLC-HRMS. 2017 , 58, 1924-1931 | | 15 |
| 23 | Quantification of Malondialdehyde in Human Urine by HPLC-DAD and Derivatization with 2,4-Dinitrophenylhydrazine. 2017 , 38, 642-645 | | 6 |
| 22 | Measurement and Clinical Significance of Biomarkers of Oxidative Stress in Humans. 2017 , 2017, 6501046 | | 320 |
| 21 | Simple Quantification of Pentosidine in Human Urine and Plasma by High-Performance Liquid Chromatography. 2017 , 2017, 1389807 | | 2 |
| 20 | Δ ⁹ Tetrahydrocannabinol Prevents Cardiovascular Dysfunction in STZ-Diabetic Wistar-Kyoto Rats. <i>BioMed Research International</i> , 2017 , 2017, 7974149 | 3 | 10 |
| 19 | Simultaneous determination of malondialdehyde and 3-nitrotyrosine in cultured human hepatoma cells by liquid chromatography-mass spectrometry. 2018 , 32, e4349 | | 8 |
| 18 | Use of a hydroalcoholic extract of <i>Salix alba</i> L. bark powder in diets of broilers exposed to high heat stress. 2019 , 49, 944-956 | | 3 |
| 17 | Anhydroecgonine methyl ester (AEME), a cocaine pyrolysis product, impairs glutathione-related enzymes response and increases lipid peroxidation in the hippocampal cell culture. 2019 , 6, 1223-1229 | | 4 |
| 16 | Gold nanoparticle enriched by Q sepharose spheres for chemical reaction tandem SERS detection of malondialdehyde. 2019 , 281, 123-130 | | 6 |

| | | |
|----|---|-------|
| 15 | Characterization of Oxidative Stress in Chicken Heart Tissue by High-Performance Liquid Chromatography with Ultraviolet-Visible (HPLC-UV-Vis) Detection. 2019 , 52, 892-901 | 2 |
| 14 | Oxidative stress in female dogs with mammary neoplasms. 41, | |
| 13 | Pharmacological and toxicological activities of Humulene and its isomers: A systematic review. 2021 , 115, 255-274 | 4 |
| 12 | Lipid Peroxidation Originating Unsaturated Aldehydes and Their Metabolites as Biomarkers. 117-135 | 1 |
| 11 | Effect of short-term lycopene supplementation and postprandial dyslipidemia on plasma antioxidants and biomarkers of endothelial health in young, healthy individuals. 2008 , 4, 213-22 | 27 |
| 10 | Tryptophan Metabolism, Inflammation, and Oxidative Stress in Patients with Neurovascular Disease. 2020 , 10, | 20 |
| 9 | Protective effect of melatonin against multistress condition induced lipid peroxidation via measurement of gastric mucosal lesion and plasma malondialdehyde levels in rats. 2006 , 12, 7527 | 3 |
| 8 | Protective effect of melatonin against multistress condition induced lipid peroxidation via measurement of gastric mucosal lesion and plasma malondialdehyde levels in rats. 2006 , 12, 7527-31 | 7 |
| 7 | Camel Milk Improves the Semen Characteristic in Immobilization Stressed Rats. 2016 , 10, 139-146 | 2 |
| 6 | TEMPOL has limited protective effects on renal oxygenation and hemodynamics but reduces kidney damage and inflammation in a rat model of renal ischemia/reperfusion by aortic clamping. 2015 , 1, 1-13 | 2 |
| 5 | Colchicine Ameliorates 5-Fluorouracil-Induced Cardiotoxicity in Rats.. 2022 , 2022, 6194532 | 2 |
| 4 | Protective Effect of Kaempferol and Its Nanoparticles on 5-Fluorouracil-Induced Cardiotoxicity in Rats.. <i>BioMed Research International</i> , 2022 , 2022, 2273000 | 3 2 |
| 3 | Cardioprotective effect of silymarin nanoemulsion on 5-fluorouracil-induced cardiotoxicity in rats.. <i>Archiv Der Pharmazie</i> , 2022 , e2200060 | 4-3 0 |
| 2 | An Improved GC-MS Method for Malondialdehyde (MDA) Detection: Avoiding the Effects of Nitrite in Foods.. <i>Foods</i> , 2022 , 11, | 4-9 0 |
| 1 | The diagnostic potential of oxidative stress biomarkers for preeclampsia: systematic review and meta-analysis. <i>Biology of Sex Differences</i> , 2022 , 13, | 9-3 0 |