

CITATION REPORT

List of articles citing

Determination of dopamine and methoxycatecholamines in patient urine by liquid chromatography with electrochemical detection and by capillary electrophoresis coupled with spectrophotometry and mass spectrometry

DOI: 10.1016/s1570-0232(02)01037-1

Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2003, 788, 277-89.

Source: <https://exaly.com/paper-pdf/35203872/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
126	Current literature in mass spectrometry. 2003 , 38, 1117-24		
125	Determination of dopamine and methoxycatecholamines in patient urine by liquid chromatography with electrochemical detection and by capillary electrophoresis coupled with spectrophotometry and mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003 , 788, 277-89	3.2	114
124	Fragmentation mechanisms of protonated benzylamines. Electrospray ionisation-tandem mass spectrometry study and ab initio molecular orbital calculations. 2003 , 9, 351-60		22
123	Capillary electrophoresis in the determination of anionic catecholamine metabolites from patientsR urine. 2004 , 1032, 289-97		41
122	Determination of Catecholamines by Flow Injection Chemiluminescence Method Based on Their Restraining Effects on the LuminolPotassium Chlorate System. 2004 , 37, 2445-2458		12
121	The 6-derivative of beta-cyclodextrin with succinic acid: a new chiral selector for CD-EKC. 2005 , 37, 1009-14		31
120	Evaluation of Hydride-Based Stationary Phases for LC-MS. 2005 , 62, 595-601		9
119	Micellar electrokinetic chromatographic and capillary zone electrophoretic methods for screening urinary biomarkers of human disorders: a critical review of the state-of-the-art. 2005 , 26, 752-66		21
118	Analysis of drugs, natural and bioactive compounds containing phenolic groups by capillary electrophoresis coupled to mass spectrometry. 2005 , 26, 1319-33		49
117	Decomposition of protonated noradrenaline and normetanephrine assisted by NH ₂ migration studied by electrospray tandem mass spectrometry and molecular orbital calculations. 2005 , 19, 743-51		5
116	Two Spectrophotometric Assays for Dopamine Derivatives in Pharmaceutical Products and in Biological Samples of Schizophrenic Patients Using Copper Tetramine Complex and Tri-iodide Reagent. 2005 , 2005, 1-9		15
115	Catecholamine analysis with microcolumn LC-peroxyoxalate chemiluminescence reaction detection. 2006 , 366, 168-73		21
114	Detection of 28 neurotransmitters and related compounds in biological fluids by liquid chromatography/tandem mass spectrometry. 2006 , 20, 1405-21		62
113	Impact of halides on the simultaneous separation of aromatic amines and their acidic metabolites by capillary electrophoresis with laser-induced native fluorescence detection under acidic conditions. 2006 , 1102, 302-8		17
112	An Effective High-Performance Liquid ChromatographicMass Spectrometric Assay for Catecholamines, as the N(O,S)-Ethoxycarbonyl Ethyl Esters, in Human Urine. 2006 , 64, 731-737		12
111	Recent advances in methods for the analysis of catecholamines and their metabolites. 2006 , 386, 506-14		148
110	Flow-injection chemiluminescence determination of catecholamines based on their enhancing effects on the luminol-potassium periodate system. 2006 , 21, 112-7		40

109	Recent advances in the application of capillary electrophoresis with mass spectrometric detection. 2006 , 27, 3-34		114
108	Capillary electrophoresis-mass spectrometry, an attractive tool for drug bioanalysis and biomarker discovery. 2006 , 27, 2616-29		70
107	Capillary electrophoresis and the clinical laboratory. 2006 , 27, 2413-38		51
106	Analysis of biologically active amines by CE. 2006 , 27, 4792-807		56
105	Atmospheric pressure photoionization-mass spectrometry and atmospheric pressure chemical ionization-mass spectrometry of neurotransmitters. 2006 , 41, 781-9		47
104	Chromatographic Measurements of Catecholamines and Metanephrines. 101-126		3
103	Doubly Modified Electrodes for the Selective Determination of Dopamine in the Presence of Interfering Species. 2007 , 19, 1085-1092		8
102	Sample treatments prior to capillary electrophoresis-mass spectrometry. 2007 , 1153, 214-26		49
101	Determination of cationic neurotransmitters and metabolites in brain homogenates by microchip electrophoresis and carbon nanotube-modified amperometry. 2007 , 1142, 214-21		42
100	Electrophoretic determination of biogenic amines in biological fluids. 2007 , 62, 960-964		9
99	Electropolymerization of negatively charged Ni(II) complex for the selective determination of dopamine in the presence of ascorbic acid. <i>Bioelectrochemistry</i> , 2008 , 72, 87-93	5.6	14
98	Analysis of catecholamines and their metabolites in adrenal gland by liquid chromatography tandem mass spectrometry. 2008 , 609, 192-200		65
97	Competitive enzyme-linked immunosorbent assay for the determination of catecholamine, dopamine in serum. 2008 , 619, 87-93		70
96	On-line concentration and separation of indolamines, catecholamines, and metanephrines in capillary electrophoresis using high concentration of poly(diallyldimethylammonium chloride). 2008 , 613, 108-15		26
95	Ethyl Chloroformate as a Derivatizing Reagent for Capillary GC Determination of Dopamine, Adrenaline, Putrescine, and Histamine. 2008 , 67, 847-851		9
94	Fast liquid chromatography separation and multiple-reaction monitoring mass spectrometric detection of neurotransmitters. 2009 , 32, 2369-76		14
93	Relative efficiencies of plasma catechol levels and ratios for neonatal diagnosis of menkes disease. 2009 , 34, 1464-8		39
92	Key neurochemical markers for the prevention of suicide. 2009 , 28, 1037-1047		5

91	A new electrophoretic technique for determining catecholamines and their metabolites under the conditions of micellar electrokinetic chromatography format. 2009 , 64, 518-523		2
90	New possibilities of micellar electrokinetic chromatography and microemulsion electrokinetic chromatography in the determination of catechols and catecholamines in natural samples. 2010 , 65, 280-286		5
89	Sensitive Analysis of 5-(4,6-Dichloro-s-triazin-2-ylamino)fluorescein-Labeled Catecholamines by Mixed MEKC \square IF. 2010 , 72, 1121-1128		5
88	Novel ELISAs for screening of the biogenic amines GABA, glycine, beta-phenylethylamine, agmatine, and taurine using one derivatization procedure of whole urine samples. 2010 , 82, 6526-33		22
87	A Biosensor for Sensitive and Selective Determination of Dopamine Based on Poly(methyl red) Film Modified Electrode. <i>Journal of the Electrochemical Society</i> , 2011 , 159, F17-F22	3.9	13
86	Development of an LC-MS/MS method for the analysis of serotonin and related compounds in urine and the identification of a potential biomarker for attention deficit hyperactivity/hyperkinetic disorder. 2011 , 401, 2481-93		43
85	Analysis of urinary neurotransmitters by capillary electrophoresis: sensitivity enhancement using field-amplified sample injection and molecular imprinted polymer solid phase extraction. 2011 , 699, 242-8		64
84	Kinetics of the electropolymerization of aminoanthraquinone from aqueous solutions and analytical applications of the polymer film. 2012 , 3, 261-268		10
83	Selective extraction and determination of catecholamines in urine samples by using a dopamine magnetic molecularly imprinted polymer and capillary electrophoresis. <i>Talanta</i> , 2012 , 99, 897-903	6.2	71
82	A highly sensitive and selective method for dopamine detection based on poly (folic acid) film modified electrode. 2012 , 173, 29-34		18
81	Flow-injection method of spectrophotometric determination of catecholamines in pharmaceutical formulations. 2012 , 46, 419-423		3
80	Retracted: Terbium-sensitized fluorescence method for the determination of dopamine in biological fluids and tablet formulation. 2012 , 27, x		
79	A novel and simple biosensor based on poly(indoleacetic acid) film and its application for simultaneous electrochemical determination of dopamine and epinephrine in the presence of ascorbic acid. 2012 , 16, 2203-2210		26
78	A novel sensor based on LaPO ₄ nanowires modified electrode for sensitive simultaneous determination of dopamine and uric acid. 2012 , 75, 360-365		27
77	Tellurium-nanowire-coated glassy carbon electrodes for selective and sensitive detection of dopamine. 2012 , 35, 479-483		21
76	Determination of dopamine in pharmaceutical formulation using enhanced luminescence from europium complex. 2012 , 93, 331-4		12
75	Analytical approach to determine biogenic amines in urine using microextraction in packed syringe and liquid chromatography coupled to electrochemical detection. 2013 , 27, 608-14		24
74	(4-Ferrocenylethyne) phenylamine on Graphene as the Signal Amplificator to Determinate Dopamine and Acetaminophen Simultaneously. 2013 , 31, 845-854		11

73	Simultaneous determination of catecholamines and related metabolites by capillary electrophoresis with amperometric detection. 2013 , 29, 850-853		3
72	Electrocatalytic determination of dopamine in the presence of uric acid using an indenedione derivative and multiwall carbon nanotubes spiked in carbon paste electrode. 2013 , 33, 1491-7		14
71	Selective detection of dopamine in urine with electrodes modified by gold nanodendrite and anionic self-assembled monolayer. <i>Sensors and Actuators B: Chemical</i> , 2013 , 181, 179-186	8.5	31
70	In situ polymerization of highly dispersed polypyrrole on reduced graphite oxide for dopamine detection. 2013 , 50, 157-60		44
69	Fabrication of a novel laccase biosensor based on silica nanoparticles modified with phytic acid for sensitive detection of dopamine. <i>Sensors and Actuators B: Chemical</i> , 2014 , 197, 292-299	8.5	57
68	Preparation of a stir bar coated with molecularly imprinted polymer and its application in analysis of dopamine in urine. 2014 , 94, 118-24		32
67	Graphene and its nanocomposite material based electrochemical sensor platform for dopamine. 2014 , 4, 63296-63323		224
66	SELECTIVE SOLID-PHASE EXTRACTION OF CATECHOLAMINES AND METANEPHRINES FROM SERUM USING A NEW MOLECULARLY IMPRINTED POLYMER. 2014 , 37, 2624-2638		6
65	Electrochemical determination of selected neurotransmitters at electrodes modified with oppositely charged carbon nanoparticles. 2014 , 6, 7532-7539		12
64	Selective determination of dopamine and uric acid using electrochemical sensor based on poly(alizarin yellow R) film-modified electrode. 2014 , 6, 3474-3481		24
63	Electrochemical detection of dopamine using streptavidin-coated magnetic particles and carbon nanotube wiring. <i>Sensors and Actuators B: Chemical</i> , 2014 , 203, 891-898	8.5	28
62	A surface acoustic wave sensor functionalized with a polypyrrole molecularly imprinted polymer for selective dopamine detection. 2015 , 28, 667-78		25
61	Simultaneous analysis of dopamine and 5-hydroxyindoleacetic acid at nanogold modified screen printed carbon electrodes. <i>Sensors and Actuators B: Chemical</i> , 2015 , 213, 72-81	8.5	31
60	A novel sensor based on electrodeposited AuPt bimetallic nano-clusters decorated on graphene oxide (GO) electrochemically reduced GO for sensitive detection of dopamine and uric acid. <i>Sensors and Actuators B: Chemical</i> , 2015 , 221, 1542-1553	8.5	65
59	A validated LC-MS/MS method for neurotransmitter metabolite analysis in human cerebrospinal fluid using benzoyl chloride derivatization. 2015 , 7, 2461-75		13
58	Determination of dopamine in presence of ascorbic acid and uric acid using poly (Spands Reagent) modified carbon paste electrode. 2015 , 57, 378-86		43
57	Fabrication of DNA, o-phenylenediamine, and gold nanoparticle bioimprinted polymer electrochemical sensor for the determination of dopamine. 2015 , 66, 490-6		72
56	Determination of urinary biogenic amines biomarker profile in neuroblastoma and pheochromocytoma patients by MEKC method with preceding dispersive liquid-liquid microextraction. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1036-1037, 114-123	3.2	18

55	Fabrication of a graphene oxide nano-sheet modified electrode for determination of dopamine in the presence of tyrosine: A multivariate optimization strategy. 2016 , 215, 31-38		13
54	Simultaneous electrochemical determination of dopamine and 5-hydroxyindoleacetic acid in urine using a screen-printed graphite electrode modified with gold nanoparticles. 2016 , 1		7
53	Synthesis, exploration of energy storage and electrochemical sensing properties of hematite nanoparticles. 2016 , 671, 552-559		23
52	Quantitative determination of dopamine in human plasma by a highly sensitive LC-MS/MS assay: Application in preterm neonates. 2016 , 117, 227-31		26
51	A biosensor based on gold nanoparticles stabilized in poly(allylamine hydrochloride) and decorated with laccase for determination of dopamine. 2016 , 141, 216-24		36
50	Development of a disposable and low-cost electrochemical sensor for dopamine detection based on poly(pyrrole-3-carboxylic acid)-modified electrochemically over-oxidized pencil graphite electrode. <i>Talanta</i> , 2017 , 165, 489-495	6.2	37
49	Highly sensitive and selective voltammetric determination of dopamine using a gold electrode modified with a molecularly imprinted polymeric film immobilized on flaked hollow nickel nanospheres. 2017 , 184, 1285-1294		33
48	Novel impedimetric dopamine biosensor based on boronic acid functional polythiophene modified electrodes. 2017 , 72, 641-649		26
47	Photoelectrochemical CdSe/TiO nanotube array microsensor for high-resolution in-situ detection of dopamine. 2018 , 185, 278		16
46	Diagnosis by simplicity: an aptachip for dopamine capture and accurate detection with a dual colorimetric and fluorometric system. 2018 , 6, 3387-3394		6
45	Targeting human urinary metabolome by LC-MS/MS: a review. 2018 , 10, 489-516		24
44	FTO In Electrode Material for the Stable Electrochemical Determination of Dopamine. 2018 , 30, 225-229		4
43	Capillary Electrophoresis: Clinical Applications ?. 2018 ,		
42	Ultrafine PtNi bimetallic nanoparticles anchored on reduced graphene oxide nanocomposites for boosting electrochemical detection of dopamine in biological samples. 2018 , 42, 16891-16901		43
41	Enhanced electrochemical sensing of dopamine based on carboxylic acid functionalized multi-walled carbon nanotubes/poly(toluidine blue) composite. 2018 , 245, 87-95		15
40	3D-Ridge Stocked Layers of Nitrogen-Doped Mesoporous Carbon Nanosheets for Ultrasensitive Monitoring of Dopamine Released from PC12 Cells under K Stimulation. 2018 , 7, e1701459		49
39	Clinical Chemistry Applications of Capillary Electromigration Methods. 2018 , 423-452		1
38	Enhanced Sensitivity of Dopamine Biosensors: An Electrochemical Approach Based on Nanocomposite Electrodes Comprising Polyaniline, Nitrogen-Doped Graphene, and DNA-Functionalized Carbon Nanotubes. <i>Journal of the Electrochemical Society</i> , 2019 , 166, B1415-B1425	3.9	16

37	A Novel Electrochemical Sensor Based on Metal Ion Infiltrated Block Copolymer Thin Films for Sensitive and Selective Determination of Dopamine. 2019 , 2, 7311-7318		17
36	Ultrasensitive electrochemiluminescence biosensor for dopamine based on ZnSe, graphene oxide@multi walled carbon nanotube and Ru(bpy) ₃ ²⁺ . <i>Sensors and Actuators B: Chemical</i> , 2019 , 286, 266-271	8.5	14
35	CdTeS/ZnS Quantum Dots Embedded in a Molecularly Imprinted Polymer for the Selective Optosensing of Dopamine. 2019 , 9,		5
34	Poly (sunset yellow) sensor for dopamine: A voltammetric study. <i>Journal of Electroanalytical Chemistry</i> , 2019 , 840, 52-59	4.1	12
33	A Luminescent Lanthanide-Functionalized Metal-Organic Framework as a Highly Selective and Sensitive Chemical Sensor for Dopamine. 2019 , 4, 12573-12579		3
32	A facile preparation of Au@BiO ₂ nanocomposite for simultaneous electrochemical detection of dopamine and uric acid. 2019 , 14, 82-91		38
31	A novel label-free fluorescence aptasensor for dopamine detection based on an Exonuclease III- and SYBR Green I- aided amplification strategy. <i>Sensors and Actuators B: Chemical</i> , 2020 , 305, 127348	8.5	19
30	Progress in electrochemical detection of neurotransmitters using carbon nanotubes/nanocomposite based materials: A chronological review. 2020 , 1, 561-611		3
29	Electrochemical Micropyramid Array-Based Sensor for Monitoring of Dopamine Released from Neuroblastoma Cells. 2020 , 92, 7746-7753		25
28	Loading carboxyfluorescein into porous SiO ₂ spheres and UCNPs-cored porous SiO ₂ spheres: Emission turn-on sensing with a warning signal for tumor-biomarker 5-HIAA urine test. 2020 , 299, 110131		3
27	Application of cold plasma corona discharge in preparation of laccase-based biosensors for dopamine determination. 2020 , 116, 111199		11
26	Ultrasensitive dopamine detection of indium-zinc oxide on PET flexible based extended-gate field-effect transistor. <i>Sensors and Actuators B: Chemical</i> , 2020 , 310, 127850	8.5	23
25	Facile and recyclable dopamine sensing by a label-free terbium(III) metal-organic framework. <i>Talanta</i> , 2021 , 221, 121399	6.2	8
24	Synthesis of Polyfluorinated Azobenzene Intercalated Tantalum Tungstate Nanocomposite for Determination of Dopamine and Ascorbic Acid. <i>Journal of the Electrochemical Society</i> , 2021 , 168, 037516 ³⁻⁹		3
23	A Rapid, Precise, and Sensitive LC-MS/MS Method for the Quantitative Determination of Urinary Dopamine Levels a Simple Liquid-liquid Extraction Technique.. <i>Turkish Journal of Pharmaceutical Sciences</i> , 2021 , 18, 761-769	1.1	1
22	Fabrication of bisferrocenyl derivative grafted HTPB with high iron content and its application in dopamine detection. <i>Journal of Organometallic Chemistry</i> , 2021 , 940, 121789	2.3	2
21	Electrochemical dual signal sensing platform for the simultaneous determination of dopamine, uric acid and glucose based on copper and cerium bimetallic carbon nanocomposites. <i>Bioelectrochemistry</i> , 2021 , 139, 107745	5.6	13
20	Synthesis and characterization of a bi-functionalized lithium cobalt iron oxide/graphene nano-architected composite material for electrochemical sensing of dopamine and as cathode in lithium-ion battery. <i>Monatshefte für Chemie</i> , 2021 , 152, 785	1.4	1

19	Bioinspired N-C coated ZnO based electrochemiluminescence sensor for dopamine screening from neuroblastoma patient. <i>Journal of Electroanalytical Chemistry</i> , 2021 , 895, 115469	4.1	3
18	An electrochemical platform based on yttrium oxide/boron nitride nanocomposite for the detection of dopamine. <i>Sensors and Actuators B: Chemical</i> , 2021 , 349, 130787	8.5	9
17	Chemical Derivatization of Catecholamines for Gas Chromatography-Mass Spectrometry. <i>Bulletin of the Korean Chemical Society</i> , 2009 , 30, 1497-1504	1.2	7
16	Printable transistors for wearable sweat sensing. 2019 ,		1
15	Magnetic Ferrites-Based Hybrids Structures for the Heavy Metal Removal. <i>Topics in Mining, Metallurgy and Materials Engineering</i> , 2021 , 375-398	0.4	
14	Implanted Bioelectric Neuro Assay with Sensing Interface Circuit. <i>Sensor Letters</i> , 2020 , 18, 686-693	0.9	
13	A glassy carbon electrode modified with N-TiO ₂ @AgNPs@GQDs for electrochemical determination of dopamine. <i>Diamond and Related Materials</i> , 2022 , 109120	3.5	1
12	New horizons in surface topography modulation of MXenes for electrochemical sensing toward potential biomarkers of chronic disorders. <i>Critical Reviews in Solid State and Materials Sciences</i> , 1-43	10.1	1
11	3D-porous laser-scribed graphene decorated with overoxidized polypyrrole as an electrochemical sensing platform for dopamine. <i>Journal of Electroanalytical Chemistry</i> , 2022 , 919, 116529	4.1	2
10	Melamine-derived N-rich C-entrapped Au nanoparticles for sensitive and selective monitoring of dopamine in blood samples. 2022 , 12, 26390-26399		2
9	Fluorescence/Colorimetry/Smartphone Triple-Mode Sensing of Dopamine by a COF-Based Peroxidase-Mimic Platform.		1
8	Sonochemical fabrication of a hybrid electrode material based on pristine carbon nanotubes and bentonite clay for fast and highly sensitive determination of dopamine in the presence of ascorbic and uric acid. 2022 , 292, 126867		0
7	Novel Electrochemical Sensor Application for Dopamine and Preparation of N-rGO Micro-regionally Constrained WS ₂ Nanocomposite.		0
6	Prussian Blue Analogue-Derived Iron Sulfide/Cobalt Sulfide Nanoparticle-Decorated Hollow Nitrogen-Doped Carbon Nanocubes for the Selective Electrochemical Detection of Dopamine. 2022 , 10, 17230-17240		0
5	Construction of the embedded Li ₄ Ti ₅ O ₁₂ -MWCNTs nanocomposite electrode for diverse applications in electrochemical sensing and rechargeable battery.		0
4	L-Cysteine anchored Co-MOF derived cobalt-nitrogen-carbon hierarchical architecture as an efficient sensor for the electrochemical detection of catecholamine. 2023 , 190, 108748		0
3	Construction of the Embedded Li ₄ Ti ₅ O ₁₂ -MWCNTs Nanocomposite Electrode for Diverse Applications in Electrochemical Sensing and Rechargeable Battery.		0
2	Surface-Activated Pencil Graphite Electrode for Dopamine Sensor Applications: A Critical Review. 2023 , 13, 353		0

- 1 Fine-tuning of PdTeO₂/rGO nanocomposite: A facile synergetic strategy for effective electrochemical detection of dopamine in pharmaceutical and biological samples. **2023**, 941, 117544

○