Improved quantitative detection of 11 urinary phthalate metabolites in humans using liquid chromatography-atmospheric pressure chemical ionization tandem mass spectrometry

DOI: 10.1016/s1570-0232(03)00164-8
Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2003, 789, 393-404.

#	Paper	IF	Citations
135	Glucuronidation patterns of common urinary and serum monoester phthalate metabolites. **2003**, 77, 561-7		182
134	Current literature in mass spectrometry. **2003**, 38, 1117-24		
133	Internal exposure of the general population to DEHP and other phthalates--determination of secondary and primary phthalate monoester metabolites in urine. *Environmental Research*, **2003**, 93, 177-85	7.9	264
132	Quantitative detection of nine phthalate metabolites in human serum using reversed-phase high-performance liquid chromatography-electrospray ionization-tandem mass spectrometry. **2003** , 27, 284-9		86
131	Assessing human exposure to phthalates using monoesters and their oxidized metabolites as biomarkers. **2003**, 111, 1148-51		245
130	Medications as a source of human exposure to phthalates. **2004**, 112, 751-3		187
129	Temporal variability of urinary phthalate metabolite levels in men of reproductive age. **2004**, 112, 1734-40		338
128	Urinary levels of seven phthalate metabolites in the U.S. population from the National Health and Nutrition Examination Survey (NHANES) 1999-2000. **2004**, 112, 331-8		708
127	Mono(2-ethyl-5-hydroxyhexyl) phthalate and mono-(2-ethyl-5-oxohexyl) phthalate as biomarkers for human exposure assessment to di-(2-ethylhexyl) phthalate. **2004**, 112, 327-30		185
126	NTP center for the evaluation of risks to human reproduction reports on phthalates: addressing the data gaps. **2004**, 18, 759-60; author reply 761-4		7
125	Response to Dr. Koch letter. **2004**, 18, 761-764		1
124	Automated solid phase extraction and quantitative analysis of human milk for 13 phthalate metabolites. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, **2004**, 805, 49-56	3.2	167
123	Analysis of human urine for fifteen phthalate metabolites using automated solid-phase extraction. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, **2004**, 805, 161-7	3.2	144
122	Internal exposure of nursery-school children and their parents and teachers to di(2-ethylhexyl)phthalate (DEHP). *International Journal of Hygiene and Environmental Health*, **2004**, 207, 15-22	6.9	148
121	The relationship between environmental exposure to phthalates and computer-aided sperm analysis motion parameters. **2004**, 25, 293-302		125
120	Exposure to di-(2-ethylhexyl) phthalate among premature neonates in a neonatal intensive care unit. **2004**, 113, e429-34		187
119	Phthalate Esters. **2005**, 1103-1153		

118	Synthesis of DEHP metabolites as biomarkers for GC-MS evaluation of phthalates as endocrine disrupters. **2005**, 13, 3461-5		18
117	Uses of speciation techniques in biomonitoring for assessing human exposure to organic environmental chemicals. *Analytical and Bioanalytical Chemistry*, **2005**, 381, 397-404	4.4	38
116	Evidence of interaction between polychlorinated biphenyls and phthalates in relation to human sperm motility. **2005**, 113, 425-30		130
115	Personal care product use predicts urinary concentrations of some phthalate monoesters. **2005**, 113, 1530-5		230
114	Automated solid-phase extraction and quantitative analysis of 14 phthalate metabolites in human serum using isotope dilution-high-performance liquid chromatography-tandem mass spectrometry. **2005**, 29, 819-24		44
113	Decrease in anogenital distance among male infants with prenatal phthalate exposure. **2005**, 113, 1056-61		1192
112	Phthalate exposure and reproductive hormones in adult men. **2005**, 20, 604-10		166
111	Phthalates and human health. **2005**, 62, 806-18		619
110	Monitoring phthalate exposure in humans. **2005**, 361, 20-9		305
109	Determination of 16 phthalate metabolites in urine using automated sample preparation and on-line preconcentration/high-performance liquid chromatography/tandem mass spectrometry. **2005**, 77, 2985-91		184
108	Mono-(3-carboxypropyl) phthalate, a metabolite of di-n-octyl phthalate. **2006**, 69, 215-27		44
107	Measurement of eight urinary metabolites of di(2-ethylhexyl) phthalate as biomarkers for human exposure assessment. **2006**, 11, 1-13		115
106	Urinary oxidative metabolites of di(2-ethylhexyl) phthalate in humans. **2006**, 219, 22-32		91
105	I want to say one word to you--just one word--"plastics". **2006**, 46, 503-6		7
104	Di(2-ethylhexyl)phthalate (DEHP): human metabolism and internal exposure-- an update and latest results. **2006**, 29, 155-65; discussion 181-5		392
103	Impact of urine preservation methods and duration of storage on measured levels of environmental contaminants. **2006**, 16, 39-48		26
102	A environmentally friendly reversed-phase liquid chromatography method for phthalates determination in nail cosmetics. **2006**, 555, 238-241		59
101	Altered semen quality in relation to urinary concentrations of phthalate monoester and oxidative metabolites. **2006**, 17, 682-91		322

100	Integrating biomonitoring exposure data into the risk assessment process: phthalates [diethyl phthalate and di(2-ethylhexyl) phthalate] as a case study. **2006**, 114, 1783-9		149
99	Oxidative metabolites of diisononyl phthalate as biomarkers for human exposure assessment. **2006**, 114, 1158-61		65
98	Human Exposures and Body Burdens of Endocrine-Disrupting Chemicals. **2007**, 253-268		8
97	Trace Analysis of Endocrine Disrupting Chemicals for Risk Assessment to Human Exposure. **2007**, 56, 1005-1018		
96	DNA damage in human sperm is related to urinary levels of phthalate monoester and oxidative metabolites. **2007**, 22, 688-95		307
95	Di(2-ethylhexyl) phthalate metabolites may alter thyroid hormone levels in men. **2007**, 115, 1029-34		233
94	Simultaneous determination of seven phthalates and four parabens in cosmetic products using HPLC-DAD and GC-MS methods. **2007**, 30, 48-54		135
93	Determination of secondary, oxidised di-iso-nonylphthalate (DINP) metabolites in human urine representative for the exposure to commercial DINP plasticizers. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, **2007**, 847, 114-25	3.2	88
92	Cross validation and ruggedness testing of analytical methods used for the quantification of urinary phthalate metabolites. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, **2008**, 873, 180-6	3.2	32
91	Biological monitoring of occupational exposure to di(2-ethylhexyl) phthalate: survey of workers exposed to plastisols. **2008**, 81, 959-66		14
90	Constant pressure-assisted electrokinetic injection for on-line enhanced detection of monophthalates in capillary electrophoresis-mass spectrometry with application to human urine. **2008**, 29, 1965-73		11
89	Comparison of UPLC and HPLC for Analysis of 12 Phthalates. *Chromatographia*, **2008**, 68, 803-806	2.1	30
88	Validation and application of an HPLC method for determination of di (2-ethylhexyl) phthalate and mono (2-ethylhexyl) phthalate in liver samples. **2008**, 46, 627-31		14
87	Characterization of phthalate exposure among pregnant women assessed by repeat air and urine samples. **2008**, 116, 467-73		271
86	Advances in chromatography coupled to mass spectrometry-related techniques for analysis of endocrine disruptors in food. **2009**, 149-182		1
85	Exposure assessment of phthalate esters in Japanese pregnant women by using urinary metabolite analysis. **2009**, 14, 180-7		69
84	Ultra-trace determination of phthalate ester metabolites in seawater, sediments, and biota from an urbanized marine inlet by LC/ESI-MS/MS. **2009**, 43, 6262-8		99
83	Urinary metabolites of di(2-ethylhexyl) phthalate are associated with decreased steroid hormone levels in adult men. **2009**, 30, 287-97		180

82	Phthalates determination in pharmaceutical formulae used in parenteral nutrition by LC-ES-MS: importance in public health. *Analytical and Bioanalytical Chemistry*, **2010**, 397, 529-35	4.4	17
81	Voltammetric Determination of Aliphatic Phthalate Esters at a Hanging Mercury Drop Minielectrode and a Meniscus Modified Silver Solid Amalgam Electrode. **2010**, 22, 1957-1962		3
80	Association of exposure to phthalates with endometriosis and uterine leiomyomata: findings from NHANES, 1999-2004. **2010**, 118, 825-32		140
79	Fast voltammetric assay of water soluble phthalates in bottled and coolers water. **2010**, 2, 844		5
78	Detection of phthalates in using ultra performance liquid chromatography-electrospray ionizationtandem mass spectrometry MRM mode- 'ghost peaks' and measurement methodology. **2011**, 3, 314-321		12
77	Biomarker measurements of concurrent exposure to multiple environmental chemicals and chemical classes in children. **2011**, 74, 927-42		16
76	Determination of Phthalate Metabolites in Human Serum and Urine as Biomarkers for Phthalate Exposure Using Column-Switching LC-MS/MS. **2011**, 2, 57-64		12
75	Urinary phthalate metabolites in relation to biomarkers of inflammation and oxidative stress: NHANES 1999-2006. *Environmental Research*, **2011**, 111, 718-26	7.9	138
74	Increased plasma levels of phthalate esters in women with advanced-stage endometriosis: a prospective case-control study. **2011**, 95, 357-9		75
73	Toxicological characterization of phthalic Acid. **2011**, 27, 191-203		60
72	Biological monitoring of exposure to di(2-ethylhexyl) phthalate in six French factories: a field study. **2011**, 84, 523-31		18
71	Rapid determination of urinary di(2-ethylhexyl) phthalate metabolites based on liquid chromatography/tandem mass spectrometry as a marker for blood transfusion in sports drug testing. *Analytical and Bioanalytical Chemistry*, **2011**, 401, 517-28	4.4	31
70	Molecularly imprinted solid-phase extraction coupled with HPLC for the selective determination of monobutyl phthalate in bottled water. **2011**, 34, 2712-8		20
69	Urinary phthalate metabolites and their biotransformation products: predictors and temporal variability among men and women. **2012**, 22, 376-85		65
68	An investigation of the co-variation in circulating levels of a large number of environmental contaminants. **2012**, 22, 476-82		19
67	Using exposure biomarkers in children to compare between-child and within-child variance and calculate correlations among siblings for multiple environmental chemicals. **2012**, 22, 16-23		18
66	Accuracy investigation of phthalate metabolite standards. **2012**, 36, 270-9		19
65	Di-(2-ethylhexyl) phthalate and autism spectrum disorders. **2012**, 4, 223-9		100

64	Exposure to di(2-ethylhexyl) phthalate in premature neonates in a neonatal intensive care unit in Taiwan. **2012**, 13, 671-7		32
63	Die Verwendung der Flüssigkeitschromatographie / Massenspektrometrie (LC/MS) im biologischen Monitoring [Biomonitoring Methods in German language, 2008]. **2012**, 411-470		
62	The use of liquid chromatography/mass spectrometry (LC/MS) in biological monitoring [Biomonitoring Methods, 2007]. **2012**, 3-52		2
61	Exploration of oxidative stress and inflammatory markers in relation to urinary phthalate metabolites: NHANES 1999-2006. **2012**, 46, 477-85		75
60	Socioeconomic factors and phthalate metabolite concentrations among United States women of reproductive age. *Environmental Research*, **2012**, 115, 11-7	7.9	60
59	Circulating levels of bisphenol A (BPA) and phthalates in an elderly population in Sweden, based on the Prospective Investigation of the Vasculature in Uppsala Seniors (PIVUS). **2012**, 75, 242-8		39
58	Simultaneous determination of multiple phthalate metabolites and bisphenol-A in human urine by liquid chromatography-tandem mass spectrometry. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, **2012**, 904, 73-80	3.2	58
57	Human elimination of phthalate compounds: blood, urine, and sweat (BUS) study. **2012**, 2012, 615068		67
56	Autism and phthalate metabolite glucuronidation. **2013**, 43, 2677-85		27
55	Circulating serum xenoestrogens and mammographic breast density. *Breast Cancer Research*, **2013**, 15, R45	8.3	65
54	Magnetic solid-phase extraction based on magnetic multi-walled carbon nanotubes for the determination of phthalate monoesters in urine samples. **2013**, 1286, 22-8		91
53	Determination of Di-(2-ethylhexyl)phthalate (DEHP) metabolites in human hair using liquid chromatography-tandem mass spectrometry. **2013**, 420, 155-9		32
52	Serum factors and clinical characteristics associated with serum E-screen activity. **2013**, 22, 962-71		2
51	Toxicity of phthalate esters exposure to carp (Cyprinus carpio) and antioxidant response by biomarker. **2014**, 23, 626-32		23
50	Simultaneous determination of some phthalate metabolites, parabens and benzophenone-3 in urine by ultra high pressure liquid chromatography tandem mass spectrometry. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, **2014**, 949-950, 37-47	3.2	66
49	Matrix-assisted laser desorption/ionization mass spectrometry analysis of dimethyl arginine isomers from urine. **2014**, 6, 4602-4609		2
48	Phthalate metabolites in urine samples from Danish children and correlations with phthalates in dust samples from their homes and daycare centers. *International Journal of Hygiene and Environmental Health*, **2014**, 217, 78-87	6.9	98
47	Case-control study of breast cancer and exposure to synthetic environmental chemicals among Alaska Native women. **2014**, 73, 25760		64

46	Evaluation of Population and Individual Variances of Urinary Phthalate Metabolites in terms of Epidemiological Studies. **2015**, 06,		
45	Determination and separation of bisphenol A, phthalate metabolites and structural isomers of parabens in human urine with conventional high-pressure liquid chromatography combined with electrospray ionisation tandem mass spectrometry. *Analytical and Bioanalytical Chemistry*, **2015**, 407, 2509-18	4.4	25
44	Associations of urinary phthalates with body mass index, waist circumference and serum lipids among females: National Health and Nutrition Examination Survey 1999-2004. **2015**, 39, 994-1000		65
43	Determination of 18 phthalate metabolites in human urine using a liquid chromatography-tandem mass spectrometer equipped with a core□hell column for rapid separation. **2015**, 7, 8048-8059		13
42	Phthalate esters, parabens and bisphenol-A exposure among mothers and their children in Greece (Rhea cohort). *Environment International*, **2015**, 83, 1-10	12.9	86
41	Association between phthalate metabolites and biomarkers of reproductive function in 1066 Chinese men of reproductive age. **2015**, 300, 729-736		51
40	Insight into the retention processes of phthalate metabolites on different liquid chromatography stationary phases for the development of improved separation methods. **2015**, 1423, 86-95		2
39	Coupling UV-H2O2 to accelerate dimethyl phthalate (DMP) biodegradation and oxidation. **2015**, 26, 431-41		11
38	Feasibility of ultra-high performance liquid and gas chromatography coupled to mass spectrometry for accurate determination of primary and secondary phthalate metabolites in urine samples. **2015**, 853, 625-636		29
37	Associations of individual characteristics and lifestyle factors with metabolism of di-2-ethylhexyl phthalate in NHANES 2001-2012. *Environmental Research*, **2016**, 149, 23-31	7.9	15
36	Optimization of a NH4PF6-enhanced, non-organic solvent, dual microextraction method for determination of phthalate metabolites in urine by high performance liquid chromatography. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, **2016**, 1014, 1-9	3.2	10
35	Early snapshot on exposure to environmental chemicals among Korean adults-results of the first Korean National Environmental Health Survey (2009-2011). *International Journal of Hygiene and Environmental Health*, **2016**, 219, 398-404	6.9	37
34	Phthalates exposure indicators determined by urinary phthalate metabolites in healthy non-obese Czech adults: FANTOM study. *Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment*, **2016**, 33, 1817-1825	3.2	7
33	Associations of urinary 5-methyl-2'-deoxycytidine and 5-hydroxymethyl-2'-deoxycytidine with phthalate exposure and semen quality in 562 Chinese adult men. *Environment International*, **2016**, 94, 583-590	12.9	11
32	Low dose monoethyl phthalate (MEP) exposure triggers proliferation by activating PDX-1 at 1.1B4 human pancreatic beta cells. *Food and Chemical Toxicology*, **2016**, 93, 41-50	4.7	9
31	Analytical methods for the determination of biomarkers of exposure to phthalates in human urine samples. *TrAC - Trends in Analytical Chemistry*, **2016**, 75, 151-161	14.6	26
30	Associations between urinary phthalate metabolites and bisphenol A levels, and serum thyroid hormones among the Korean adult population - Korean National Environmental Health Survey (KoNEHS) 2012-2014. *Science of the Total Environment*, **2017**, 584-585, 950-957	10.2	62
29	Analytical Methodologies for the Assessment of Phthalate Exposure in Humans. *Critical Reviews in Analytical Chemistry*, **2017**, 47, 279-297	5.2	17

28	Dietary exposure to di-isobutyl phthalate increases urinary 5-methyl-2'-deoxycytidine level and affects reproductive function in adult male mice. *Journal of Environmental Sciences*, **2017**, 61, 14-23	6.4	8
27	Development of a dispersive liquid–liquid microextraction (DLLME) method coupled with GC/MS as a simple and valid method for simultaneous determination of phthalate metabolites in plasma. *International Journal of Environmental Analytical Chemistry*, **2017**, 97, 1362-1377	1.8	6
26	Comprehensive monitoring of specific metabolites of tri-(2-ethylhexyl) trimellitate (TEHTM) in urine by column-switching liquid chromatography-tandem mass spectrometry. *Analytical and Bioanalytical Chemistry*, **2018**, 410, 4343-4357	4.4	11
25	Human Biomonitoring of Select Ingredients in Cosmetics. **2018**, 387-434		6
24	Isomer and conformer selective atmospheric pressure chemical ionisation of dimethyl phthalate. *Physical Chemistry Chemical Physics*, **2019**, 21, 13679-13685	3.6	7
23	Association between Heavy Metals, Bisphenol A, Volatile Organic Compounds and Phthalates and Metabolic Syndrome. *International Journal of Environmental Research and Public Health*, **2019**, 16,	4.6	16
22	A Review of Biomonitoring of Phthalate Exposures. *Toxics*, **2019**, 7,	4.7	196
21	Use of dietary supplements in relation to urinary phthalate metabolite concentrations: Results from the National Health and Nutrition Examination Survey. *Environmental Research*, **2019**, 172, 437-443	7.9	8
20	Contaminants in bald eagles of the upper Midwestern U.S.: A framework for prioritizing future research based on in-vitro bioassays. *Environmental Pollution*, **2019**, 244, 861-870	9.3	8
19	Urinary bisphenol A and thyroid function by BMI in the Korean National Environmental Health Survey (KoNEHS) 2012-2014. *Chemosphere*, **2020**, 240, 124918	8.4	7
18	Thyroxine-binding globulin, peripheral deiodinase activity, and thyroid autoantibody status in association of phthalates and phenolic compounds with thyroid hormones in adult population. *Environment International*, **2020**, 140, 105783	12.9	11
17	Determination of Phthalate and Metabolites in Human Urine by Lithium Bis(trifluoromethanesulfonyl)imide-Enhanced Dual Microextraction Method Optimized by Central Composite Design. *Chromatographia*, **2020**, 83, 397-408	2.1	0
16	Phthalate levels in urine of pregnant women and their associated missed abortion risk. *Reproductive Biology*, **2021**, 21, 100476	2.3	1
15	Urinary phthalate exposures and risk of breast cancer: the Multiethnic Cohort study. *Breast Cancer Research*, **2021**, 23, 44	8.3	4
14	Monitoring of nonthermal plasma degradation of phthalates by ion mobility spectrometry. *Plasma Processes and Polymers*, **2021**, 18, 2100032	3.4	
13	Study of atmospheric pressure chemical ionization of phthalates in air by ion mobility spectrometry/mass spectrometry. *Rapid Communications in Mass Spectrometry*, **2021**, 35, e9145	2.2	0
12	Concentrations and endocrine disruptive potential of phthalates in marine mammals from the Norwegian Arctic. *Environment International*, **2021**, 152, 106458	12.9	8
11	Perturbation of serum metabolome in relation to type 2 diabetes mellitus and urinary levels of phthalate metabolites and bisphenols. *Environment International*, **2021**, 155, 106609	12.9	4

10	Epidemiological Studies On The Relationship Between Semen Quality And Environmental Chemicals: Historic And Contemporary Compounds. **2007**, 23-56		1
9	Environmental Phthalate Exposure in Relation to Reproductive Outcomes and Other Health Endpoints in Humans. *Advances in Environmental Engineering and Green Technologies Book Series*, **2020**, 288-313	0.4	2
8	Hidden Toxicity in Neonatal Intensive Care Units: Phthalate Exposure in Very Low Birth Weight Infants. *JCRPE Journal of Clinical Research in Pediatric Endocrinology*, **2016**, 8, 298-304	1.9	13
7	Development and Validation of On-line Column Switching HPLC-MS/MS Method for 10 Phthalate Metabolites in Human Urine. *Korean Journal of Environmental Health Sciences*, **2010**, 36, 510-517		2
6	Urinary levels of Phthalate metabolite mixtures and pulmonary function in adolescents. *Environmental Pollution*, **2021**, 293, 118595	9.3	2
5	Quantitative determination of trace amounts of Diethylhexyl phthalate content in Dextrose injection proficiently by a simplistic Gas Chromatography Technique. *Research Journal of Pharmacy and Technology*, **2022**, 581-586	1.7	
4	Multigenerational Effects of an Environmentally Relevant Phthalate Mixture on Reproductive Parameters and Ovarian miRNA Expression in Female Rats. *Toxicological Sciences*,	4.4	
3	Characterization and quantification of endocrine disruptors in female menstrual blood samples. **2022**, 9, 1877-1882		0
2	An insight into sex-specific neurotoxicity and molecular mechanisms of DEHP: A critical review. **2022**, 120673		0
1	Association of urinary phthalate metabolites with estrogen receptor related cancers in American adults: A Nationwide Study 2003-2006.		0