

CITATION REPORT

List of articles citing

Derivatization of carbohydrates for chromatographic, electrophoretic and mass spectrometric structure analysis

DOI: 10.1016/s1570-0232(03)00362-3

Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2003, 793, 15-36.

Source: <https://exaly.com/paper-pdf/35204035/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
214	Surface glycans of <i>Candida albicans</i> and other pathogenic fungi: physiological roles, clinical uses, and experimental challenges. 2004 , 17, 281-310		131
213	An optimized CZE method for analysis of mono- and oligomeric aldose mixtures. 2004 , 339, 2037-43		19
212	Glycoproteomics. 2005 ,		
211	Influence of the labeling group on ionization and fragmentation of carbohydrates in mass spectrometry. 2005 , 16, 683-96		53
210	Novel fluorescent asparaginy-N-acetyl-d-glucosamines (Asn-GlcNAc) for the resolution of oligosaccharides in glycopeptides, based on enzyme transglycosylation reaction. 2005 , 550, 173-181		17
209	Application of capillary zone electrophoresis and reversed-phase high-performance liquid chromatography in the biopharmaceutical industry for the quantitative analysis of the monosaccharides released from a highly glycosylated therapeutic protein. 2005 , 1079, 354-65		39
208	Comparison of Pulsed Electrochemical Detection Modes Coupled with Microchip Capillary Electrophoresis. 2005 , 17, 223-230		23
207	Rapid and sensitive screening of N-glycans as 9-fluorenylmethyl derivatives by high-performance liquid chromatography: a method which can recover free oligosaccharides after analysis. 2005 , 4, 146-52		69
206	Determination of levoglucosan from smoke samples using microchip capillary electrophoresis with pulsed amperometric detection. 2005 , 39, 618-23		61
205	Resolution of N-linked oligosaccharides in glycoproteins based upon transglycosylation reaction by CE-TOF-MS. 2005 , 3484-6		14
204	CARBOHYDRATES Sugar Alcohols. 2005 , 427-439		
203	cis-Diol functional group recognition by reactive desorption electrospray ionization (DESI). 2006 , 597-9		120
202	Glycomics - a new target for pharmaceuticals. 2006 , 3, 39-47		6
201	Determination of carbohydrates in tobacco products by liquid chromatography-mass spectrometry/mass spectrometry: a comparison with ion chromatography and application to product discrimination. 2006 , 54, 1975-81		29
200	High-performance reverse phase chromatography with fluorescence detection assay for characterization and quantification of pneumococcal polysaccharides. 2006 , 24 Suppl 2, S2-70-1		6
199	Derivatization in mass spectrometry--8. Soft ionization mass spectrometry of small molecules. 2006 , 12, 79-115		79
198	Advances in fluorescence derivatization methods for high-performance liquid chromatographic analysis of glycoprotein carbohydrates. 2006 , 350, 1-23		227

197	Electrophoretic approaches to the analysis of complex polysaccharides. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006 , 834, 1-13	3.2	64
196	Separation and determination of sugars by reversed-phase high-performance liquid chromatography after pre-column microwave-assisted derivatization. 2006 , 384, 844-50		11
195	Capillary electrophoresis for the analysis of glycoprotein pharmaceuticals. 2006 , 27, 2495-504		51
194	Sensitive determination of carbohydrates labelled with p-nitroaniline by capillary electrophoresis with photometric detection using a 406 nm light-emitting diode. 2006 , 27, 4039-46		18
193	Overview on advances in capillary electrophoresis-mass spectrometry of carbohydrates: a tabulated review. 2006 , 27, 2027-50		90
192	Chondroitin sulfate lyases: applications in analysis and glycobiology. 2006 , 53, 167-86		20
191	Determination of fluorescence-labeled asparaginylo-oligosaccharide in glycoprotein by reversed-phase ultraperformance liquid chromatography with electrospray ionization time-of-flight mass spectrometry. 2007 , 79, 8694-8		35
190	N-Glycan structure annotation of glycopeptides using a linearized glycan structure database (GlyDB). 2007 , 6, 3162-73		50
189	Resolution of oligosaccharides in glycopeptides using immobilized Endo-M and ultra-performance liquid chromatography with electrospray ionization time-of-flight mass spectrometry. 2007 , 21, 852-60		15
188	Cyclic chronopotentiometric determination of sugars at Au and Pt microelectrodes in flowing solutions. 2007 , 1150, 312-9		8
187	Study of molar response of dextrans in electrochemical detection. 2007 , 1149, 38-45		11
186	Recent developments in sample preparation for chromatographic analysis of carbohydrates. 2007 , 1153, 74-89		79
185	Complex analytical approach to characterization of the influence of carbon dioxide concentration on carbohydrate composition in Norway spruce needles. 2007 , 1148, 189-99		12
184	Fully automated two-dimensional high-performance liquid chromatography with electrospray ionization time-of-flight mass spectrometry for the determination of oligosaccharides in glycopeptides after enzymic fluorescence labeling. 2007 , 1160, 120-7		12
183	A 2,5-dihydroxybenzoic acid/N,N-dimethylaniline matrix for the analysis of oligosaccharides by matrix-assisted laser desorption/ionization mass spectrometry. 2007 , 21, 3711-5		43
182	Glycosylation analysis of glycoproteins and proteoglycans using capillary electrophoresis-mass spectrometry strategies. 2008 , 29, 2485-507		84
181	Capillary electrophoresis for the quality control of chondroitin sulfates in raw materials and formulations. 2008 , 374, 213-20		50
180	Simultaneous chromatographic separation of enantiomers, anomers and structural isomers of some biologically relevant monosaccharides. 2008 , 1188, 34-42		54

179	Determination of galactose and mannose residues in natural galactomannans using a fast and efficient high-performance liquid chromatography/UV detection. 2008 , 1181, 45-50	11
178	Utilisation of pH stacking in conjunction with a highly absorbing chromophore, 5-aminofluorescein, to improve the sensitivity of capillary electrophoresis for carbohydrate analysis. 2008 , 1200, 84-91	35
177	Quantitative determination of the glycosaminoglycan Delta-disaccharide composition of serum, platelets and granulocytes by reversed-phase high-performance liquid chromatography. 2008 , 1201, 54-60	37
176	CE Determination of Monosaccharides in Pulp Using Indirect Detection and Curve-Fitting. 2008 , 67, 151-155	7
175	Capillary electrophoresis. Methods and protocols. Preface. <i>Methods in Molecular Biology</i> , 2008 , 384, vii-ix.4	16
174	Capillary electrophoresis of neutral carbohydrates: mono-, oligosaccharides, glycosides. <i>Methods in Molecular Biology</i> , 2008 , 384, 247-305	1.4 5
173	Enabling methodology for the end functionalization of glycosaminoglycan oligosaccharides. 2008 , 4, 481-95	14
172	Analysis of mono-, di- and oligosaccharides by CE using a two-stage derivatization method and LIF detection. 2009 , 30, 1399-405	15
171	Structural analysis of glycosphingolipid analogues obtained by the saccharide primer method using CE-ESI-MS. 2009 , 30, 3519-26	6
170	Analysis of N-acetylaminosugars by CE: a comparative derivatization study. 2009 , 30, 2632-9	10
169	Analysis of carbohydrates and glycoconjugates by matrix-assisted laser desorption/ionization mass spectrometry: An update for 2003-2004. 2009 , 28, 273-361	82
168	Structural glycomics using hydrophilic interaction chromatography (HILIC) with mass spectrometry. 2009 , 28, 192-206	212
167	Identification of N-linked oligosaccharide labeled with 1-pyrenesulfonyl chloride by quadrupole time-of-flight tandem mass spectrometry after separation by micro- and nanoflow liquid chromatography. 2009 , 23, 912-21	6
166	Optimized conditions for 2-aminobenzamide labeling and high-performance liquid chromatography analysis of N-acylated monosaccharides. 2010 , 24, 343-6	5
165	Analysis of galactoglucomannans from spruce wood by capillary electrophoresis. 2009 , 16, 1089-1097	10
164	A chip-based amide-HILIC LC/MS platform for glycosaminoglycan glycomics profiling. 2009 , 9, 686-95	86
163	Mass spectrometric analysis of carbohydrates labeled with a biotinylated tag. 2009 , 23, 2775-84	21
162	Comparison of ionization behaviors of ring and linear carbohydrates in MALDI-TOFMS. 2009 , 279, 53-58	13

161	Multiple-reaction monitoring liquid chromatography mass spectrometry for monosaccharide compositional analysis of glycoproteins. 2009 , 20, 1224-34		43
160	Analysis of formose sugar and formaldehyde by high-performance liquid chromatography. 2009 , 1216, 5116-21		15
159	Comparison of fluorescent labels for oligosaccharides and introduction of a new postlabeling purification method. 2009 , 384, 263-73		122
158	An analytical system for the characterization of highly heterogeneous mixtures of N-linked oligosaccharides. 2009 , 389, 40-51		23
157	Galactooligosaccharides (GOS) inhibit <i>Vibrio cholerae</i> toxin binding to its GM1 receptor. 2009 , 57, 3113-9		50
156	Analysis of Prebiotic Oligosaccharides. 2009 , 465-534		4
155	Analysis of saccharides possessing post-translational protein modifications by phenylhydrazine labeling using high-performance liquid chromatography. 2009 , 25, 1039-42		7
154	Determination of N-Linked Oligosaccharide Derivatives by Reversed-Phase Chromatography Followed by Electrospray Ionization Time-of-Flight Mass Spectrometry: Evaluation of Fluorescence Reagents for the Labeling of α -Glycosylamine. 2010 , 6, 184-192		1
153	Development of a novel fluorescent tag O-2-[aminoethyl]fluorescein for the electrophoretic separation of oligosaccharides. 2010 , 662, 206-13		11
152	Deuterium effect on ionization and fragmentation patterns of monosaccharides ionized by atmospheric pressure chemical ionization. 2010 , 345, 408-13		12
151	Discrimination of polysaccharides from traditional Chinese medicines using saccharide mapping--enzymatic digestion followed by chromatographic analysis. 2010 , 51, 590-8		53
150	Towards the implementation of quality by design to the production of therapeutic monoclonal antibodies with desired glycosylation patterns. 2010 , 26, 1505-27		106
149	Liquid chromatography-tandem mass spectrometry for the determination of low-molecular mass aldehydes in human urine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 653-8	3,2	26
148	Detection of carbohydrates using a pre-column derivatization reagent 1-(4-isopropyl) phenyl-3-methyl-5-pyrazolone by high-performance liquid chromatography coupled with electrospray ionization mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 1135-44	3,2	30
147	Detection of saccharides by reactive desorption electrospray ionization (DESI) using modified phenylboronic acids. 2010 , 289, 98-107		59
146	Quantification of monosaccharides through multiple-reaction monitoring liquid chromatography/mass spectrometry using an aminopropyl column. 2010 , 24, 1565-74		22
145	A systematic approach to protein glycosylation analysis: a path through the maze. 2010 , 6, 713-23		519
144	A SIMPLE AND VALIDATED LC METHOD FOR THE SIMULTANEOUS ANALYSIS OF GLUCOSAMINE AND CHONDROITIN SULFATE EQUIVALENT IN DIETARY PRODUCTS. 2010 , 33, 1760-1775		7

143	The More and Less Common Approaches to Enhancing Sensitivity in Capillary Electrophoresis. 2010 , 6, 126-143	28
142	Functionalized C-glycoside ketohydrazones: carbohydrate derivatives that retain the ring integrity of the terminal reducing sugar. 2010 , 82, 2893-9	23
141	3-Aminoquinoline acting as matrix and derivatizing agent for MALDI MS analysis of oligosaccharides. 2010 , 82, 3719-26	96
140	Interplay of permanent charge and hydrophobicity in the electrospray ionization of glycans. 2010 , 82, 6636-42	49
139	Novel fluorescent cycloheximide derivatives for the imaging of protein synthesis. 2010 , 396, 258-64	4
138	Capillary electrophoretic separation of mono- and di-saccharides with dynamic pH junction and implementation in microchips. 2010 , 135, 1970-8	16
137	Carbohydrate analysis throughout the development of a protein therapeutic. 2010 , 27, 211-25	82
136	Increasing the hydrophobicity and electrospray response of glycans through derivatization with novel cationic hydrazides. 2010 , 46, 237-9	45
135	Highly sensitive MALDI analyses of glycans by a new aminoquinoline-labeling method using 3-aminoquinoline/cyano-4-hydroxycinnamic acid liquid matrix. 2011 , 83, 3663-7	66
134	Monosaccharide-NAIM derivatives for D-, L-configurational analysis. 2011 , 16, 652-64	10
133	Mass Spectrometric Characterization of Oligo- and Polysaccharides and Their Derivatives. 2011 , 105-174	13
132	Manipulating the Mass Spectrometric Properties of Peptides through Selective Chemical Modification. 2011 , 19-40	2
131	Determination of sucrose in equine serum using liquid chromatography-mass spectrometry (LC/MS). <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 3668-71	3,2 7
130	AN INNOVATIVE DERIVATIZATION METHOD FOR SIMULTANEOUS DETERMINATION OF URONIC ACIDS AND NEUTRAL AND AMINO SUGARS IN COEXISTING SAMPLES BY HPLC-ESI-MS/MS2. 2011 , 34, 1754-1771	6
129	Monosaccharide Compositional Analysis of Glycoproteins Using Liquid Chromatography-Mass Spectrometry. 2011 , 8, 257-268	3
128	Structural Characterization of Carbohydrates by Fourier Transform Tandem Mass Spectrometry. 2011 , 8, 297-308	18
127	Analytical Quality Assurance. 2011 , 46-67	3
126	The C-glycosyl bond of puerarin was cleaved hydrolytically by a human intestinal bacterium strain PUE to yield its aglycone daidzein and an intact glucose. 2011 , 59, 23-7	24

125	Fragmentation of neutral oligosaccharides using the MALDI LTQ Orbitrap. 2011 , 305, 199-208		16
124	LC-MS/MS quantitative analysis of reducing carbohydrates in soil solutions extracted from crop rhizospheres. 2011 , 400, 2205-15		19
123	Homogeneous detection of concanavalin A using pyrene-conjugated maltose assembled graphene based on fluorescence resonance energy transfer. 2011 , 26, 4497-502		73
122	Synthesis of fluorescently labelled rhamnosides: probes for the evaluation of rhamnogalacturonan II biosynthetic enzymes. 2011 , 346, 1617-21		6
121	Hydrophobic derivatization of N-linked glycans for increased ion abundance in electrospray ionization mass spectrometry. 2011 , 22, 1309-17		63
120	One-pot nonreductive O-glycan release and labeling with 1-phenyl-3-methyl-5-pyrazolone followed by ESI-MS analysis. 2011 , 11, 4229-42		74
119	Development of novel active acceptors possessing a positively charged structure for the transglycosylation reaction with Endo-M and their application to oligosaccharide analysis. 2011 , 25, 2911-22		3
118	Ultraviolet photodissociation of chromophore-labeled oligosaccharides via reductive amination and hydrazide conjugation. 2011 , 46, 359-66		14
117	Capillary electrophoretic analysis of neutral carbohydrates using ionic liquids as background electrolytes. 2011 , 32, 1068-73		37
116	Electron detachment dissociation of fluorescently labeled sialylated oligosaccharides. 2011 , 32, 3526-35		11
115	Capillary zone electrophoresis for the analysis of glycoforms of cellobiohydrolase. 2011 , 1218, 5362-8		7
114	Labeling of oligosaccharides for quantitative mass spectrometry. 2011 , 346, 68-75		47
113	Derivatization of carbohydrates for analysis by chromatography; electrophoresis and mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 1196-225	3,2	180
112	Fixed-charge labels for simplified reaction analysis: 5-hydroxy-1,2,3-triazoles as byproducts of a copper(I)-catalyzed click reaction. 2011 , 52, 2750-2753		13
111	Method for milk oligosaccharide profiling by 2-aminobenzamide labeling and hydrophilic interaction chromatography. 2011 , 21, 1317-30		114
110	High-Performance Anion-Exchange Chromatography Coupled with Pulsed Electrochemical Detection as a Powerful Tool to Evaluate Carbohydrates of Food Interest: Principles and Applications. 2012 , 2012, 1-13		96
109	Sample Preparation for the Determination of Carbohydrates in Food and Beverages. 2012 , 213-243		5
108	Derivatization methods for quantitative bioanalysis by LC-MS/MS. 2012 , 4, 49-69		53

107	High ion yields of carbohydrates from frozen solution by UV-MALDI. 2012 , 84, 3493-9		13
106	Optical properties of a visible push-pull chromophore covalently bound to carbohydrates: solution and gas-phase spectroscopy combined to theoretical investigations. 2012 , 116, 841-51		5
105	Systematic comparison of reverse phase and hydrophilic interaction liquid chromatography platforms for the analysis of N-linked glycans. 2012 , 84, 8198-206		18
104	Determination of nitrocellulose by capillary electrophoresis with laser-induced fluorescence detection. 2012 , 745, 149-55		26
103	Development and validation of an HPLC-DAD method for quantification of bornesitol in extracts from <i>Hancornia speciosa</i> leaves after derivatization with p-toluenesulfonyl chloride. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 887-888, 133-7	3.2	19
102	Carbohydrate Analysis by ESI and MALDI. 2012 , 723-769		2
101	High-performance liquid chromatography coupled to mass spectrometry methodology for analyzing site-specific N-glycosylation patterns. 2012 , 1259, 200-12		40
100	Mass Spectrometry of Polymers [New Techniques. 2012 ,		11
99	Production and fragmentation of negative ions from neutral N-linked carbohydrates ionized by matrix-assisted laser desorption/ionization. 2012 , 26, 469-79		35
98	Use of procaine and procainamide as derivatizing co-matrices for the analysis of oligosaccharides by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry. 2012 , 26, 1311-9		16
97	Microanalysis of oligosaccharide HS203 in beagle dog plasma by postcolumn fluorescence derivatization method. 2012 , 89, 661-6		8
96	Simultaneous determination of substituent patterns in partially acid hydrolyzed O-Me/O-Me-d(3)-cellulose and quantification of the obtained oligomers by HPLC-ESI-MS. 2012 , 348, 55-63		16
95	Glycan analysis via derivatization with a fluorogenic pyrylium dye. 2012 , 352, 94-100		18
94	Critical investigation of the substituent distribution in the polymer chains of hydroxypropyl methylcelluloses by (LC-)ESI-MS. 2013 , 405, 9021-32		11
93	Determination of Aldoses, Deoxy-aldoses and Uronic Acids Content in a Pectin-Rich Extract by RP-HPLC-FLD after p-AMBA Derivatization. 2013 , 76, 1117-1124		5
92	Biomimetic reagents for the selective free radical and acid-base chemistry of glycans: application to glycan structure determination by mass spectrometry. 2013 , 135, 10684-92		45
91	Capillary Electrophoresis of Biomolecules. <i>Methods in Molecular Biology</i> , 2013 ,	1.4	11
90	Selective enhancement of carbohydrate ion abundances by diamond nanoparticles for mass spectrometric analysis. 2013 , 85, 3836-41		26

89	Characterization of saccharide using high fluorescent 5-(((2-(carbohydrazino)methyl)thio)acetyl)-aminofluorescein tag by Capillary-HPLC-LIF and MALDI-TOF-MS. 2013 , 117, 229-34		3
88	Plasmid- and chromosomal genes-encoded two separate O-polysaccharide chains of Salmonella Uccle (O:3,54)--structural elucidation. 2013 , 184, 367-74		1
87	Development of a high-throughput glycoanalysis method for the characterization of oligosaccharides in human milk utilizing multiplexed capillary gel electrophoresis with laser-induced fluorescence detection. 2013 , 34, 2323-36		36
86	Characterisation of 3-aminoquinoline-derivatised isomeric oligogalacturonic acid by travelling-wave ion mobility mass spectrometry. 2013 , 27, 2279-85		4
85	Discrimination of cyclic and linear oligosaccharides by tandem mass spectrometry using collision-induced dissociation (CID), pulsed-Q-dissociation (PQD) and the higher-energy C-trap dissociation modes. 2013 , 27, 75-87		26
84	Ion mobility studies of carbohydrates as group I adducts: isomer specific collisional cross section dependence on metal ion radius. 2013 , 85, 9728-35		108
83	A novel approach for the quantitation of carbohydrates in mash, wort, and beer with RP-HPLC using 1-naphthylamine for precolumn derivatization. 2013 , 61, 3828-33		23
82	The usefulness of hydrazine derivatives for mass spectrometric analysis of carbohydrates. 2013 , 32, 366-85		41
81	Derivatization in Liquid Chromatography. 2013 , 25-56		1
80	Capillary electrophoresis for the analysis of glycosaminoglycan-derived disaccharides. <i>Methods in Molecular Biology</i> , 2013 , 984, 67-77	1.4	3
79	Compositional Analysis of Foods. 2013 , 295-317		2
78	Analysis of selected sugars and sugar phosphates in mouse heart tissue by reductive amination and liquid chromatography-electrospray ionization mass spectrometry. 2013 , 85, 5965-73		28
77	Analysis of monosaccharides and oligosaccharides in the pulp and paper industry by use of capillary zone electrophoresis: a review. 2013 , 405, 5773-84		16
76	Ion mobility and liquid chromatography/mass spectrometry strategies for exhaled breath condensate glucose quantitation in cystic fibrosis studies. 2013 , 27, 2263-71		15
75	Size exclusion chromatography of polysaccharides with reverse phase liquid chromatography. 2014 , 1323, 97-103		15
74	Structure and biosynthetic assembly of gulumirecins, macrolide antibiotics from the predatory bacterium <i>Pyxidicoccus fallax</i> . 2014 , 20, 15933-40		29
73	Determination of chondroitin sulfate in tablets by Raman spectroscopy and near-infrared spectroscopy combined with chemometric methods. 2014 , 6, 4219-4227		5
72	Simultaneous enantioseparation of monosaccharides derivatized with L-tryptophan by reversed phase HPLC. 2014 , 30, 739-43		23

71	Analysis and differentiation of paper samples by capillary electrophoresis and multivariate analysis. 2014 , 35, 3264-71	4
70	Simultaneous Enantioseparation of Aldohexoses and Aldopentoses Derivatized With L-Tryptophanamide by Reversed Phase HPLC Using Butylboronic Acid as a Complexation Reagent of Monosaccharides. 2015 , 27, 417-21	2
69	A Simple Analytical Method for High-Throughput Screening of Major Sugars from Soybean by Normal-Phase HPLC with Evaporative Light Scattering Detection. 2015 , 2015, 1-8	11
68	Discovery of a heparan sulfate 3-O-sulfation specific peeling reaction. 2015 , 87, 592-600	29
67	Synthesis and NMR and mass spectrometric study of ammonioacetohydrazones of formylphenylboronic acids as novel ionic prospective sugar receptors. 2015 , 39, 4695-4707	2
66	Orthogonal Technologies for NISTmAb N-Glycan Structure Elucidation and Quantitation. 2015 , 185-235	22
65	Water revealed as molecular mirror when measuring low concentrations of sugar with near infrared light. 2015 , 896, 52-62	43
64	Ultrasensitive electrochemical biosensor based on reduced graphene oxide-tetraethylene pentamine-BMIMPF ₆ hybrids for the detection of α ,6-sialylated glycans in human serum. 2015 , 74, 953-9	15
63	On-capillary derivatisation as an approach to enhancing sensitivity in capillary electrophoresis. 2015 , 36, 744-63	24
62	Rheological characteristics of Ganoderma applanatum exopolysaccharides. 2016 , 10, 147-155	1
61	Chemoenzymatic method for glycomics: Isolation, identification, and quantitation. 2016 , 16, 241-56	19
60	Compositional evaluation of selected agro-industrial wastes as valuable sources for the recovery of complex carbohydrates. 2016 , 89, 565-573	30
59	Highly sensitive derivatization reagents possessing positively charged structures for the determination of oligosaccharides in glycoproteins by high-performance liquid chromatography electrospray ionization tandem mass spectrometry. 2016 , 1465, 79-89	9
58	Capillary Electrophoresis of Mono- and Oligosaccharides. <i>Methods in Molecular Biology</i> , 2016 , 1483, 301-38	2
57	The impact of aminopyrene trisulfonate (APTS) label in acceptor glycan substrates for profiling plant pectin β -galactosyltransferase activities. 2016 , 433, 97-105	6
56	Current landscape of protein glycosylation analysis and recent progress toward a novel paradigm of glycoscience research. 2016 , 130, 273-300	22
55	Analysis of Protein Glycosylation by Mass Spectrometry. 2016 , 89-159	2
54	On-chip intermediate LED-IF-based detection for the control of electromigration in multichannel networks. 2016 , 408, 8713-8725	2

53	Highly efficient solid-phase derivatization of sugar phosphates with titanium-immobilized hydrophilic polydopamine-coated silica. 2016 , 1457, 125-33		7
52	Quantification of Lactulose and Epilactose in the Presence of Lactose in Milk using a dual HPLC analysis. 2016 , 9, 2210-2222		13
51	A sensitive and efficient method for determination of N-acetylhexosamines and N-acetylneuraminic acid in breast milk and milk-based products by high-performance liquid chromatography via UV detection and mass spectrometry identification. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1011, 14-23	3.2	8
50	Analysis of Saccharides by the Addition of Amino Acids. 2016 , 27, 1113-21		4
49	A method for the analysis of sugars in biological systems using reductive amination in combination with hydrophilic interaction chromatography and high resolution mass spectrometry. 2017 , 166, 75-80		12
48	Structural Characterization of Neutral Saccharides by Negative Ion MALDI Mass Spectrometry Using a Superbasic Proton Sponge as Deprotonating Matrix. 2017 , 28, 1666-1675		26
47	Comparative analysis of INLIGHT [®] labeled enzymatically depolymerized heparin by reverse-phase chromatography and high-performance mass spectrometry. 2017 , 409, 499-509		6
46	Optimization of Release Conditions for Acetylated Amino Sugars from Glycoprotein with the Aid of Experimental Design and Their Sensitive Determination with HPLC. 2017 , 80, 861-872		3
45	Interfacial photochemistry of biogenic surfactants: a major source of abiotic volatile organic compounds. 2017 , 200, 59-74		24
44	Enhancing carbohydrate ion yield by controlling crystalline structures in matrix-assisted laser desorption/ionization mass spectrometry. 2017 , 994, 49-55		2
43	Glycan Characterization. 2017 , 257-332		1
42	Purification, structural characterization and antiproliferative properties of chondroitin sulfate/dermatan sulfate from tunisian fish skins. 2017 , 95, 32-39		28
41	Reversed-phase separation methods for glycan analysis. 2017 , 409, 359-378		76
40	Derivatization in liquid chromatography. 2017 , 39-68		1
39	Optimization of reactions between reducing sugars and 1-phenyl-3-methyl-5-pyrazolone (PMP) by response surface methodology. 2018 , 254, 158-164		31
38	Supercritical fluid chromatography in traditional Chinese medicine analysis. 2018 , 147, 65-80		46
37	Development and validation of a new HPLC-MS method for meglumine impurity profiling. 2018 , 149, 517-524		3
36	Development of an advanced derivatization protocol for the unambiguous identification of monosaccharides in complex mixtures by gas and liquid chromatography. 2018 , 1568, 160-167		12

35	An Efficient Sample Preparation Method to Enhance Carbohydrate Ion Signals in Matrix-assisted Laser Desorption/Ionization Mass Spectrometry. 2018 ,	
34	Structural and biochemical characterization of a multidomain alginate lyase reveals a novel role of CBM32 in CAZymes. 2018 , 1862, 1862-1869	21
33	Analysis of 2-Aminobenzoic Acid-Labeled Monosaccharides and Glycoprotein-Derived Oligosaccharides by Online Cleanup Liquid Chromatography in the Reversed-Phase and Hydrophilic Interaction Liquid Chromatography Modes. 2019 , 40, 65-70	1
32	Analytical Methods and Advances to Evaluate Dietary Fiber. 2019 , 165-197	0
31	Tools for the Quality Control of Pharmaceutical Heparin. 2019 , 55,	2
30	Novel DNA Biosensor for Direct Determination of Carrageenan. 2019 , 9, 6379	14
29	Separation of carbohydrates on electrophoresis microchips with controlled electrolysis. 2019 , 40, 693-698	12
28	Recent quantitative research of near infrared spectroscopy in traditional Chinese medicine analysis. 2019 , 54, 653-672	8
27	Effective analysis of degree of polymerization of polysialic acids in mass spectrometry by combining novel sample preparation and dynamic instrument optimization methods. 2019 , 471, 78-84	2
26	Optimization of synthesis of carbohydrates and 1-phenyl-3-methyl-5-pyrazolone (PMP) by response surface methodology (RSM) for improved carbohydrate detection. 2020 , 309, 125686	10
25	Purity Assessment of Monosaccharides using Mass Balance Method. <i>Bulletin of the Korean Chemical Society</i> , 2020 , 41, 1002-1008	1.2 2
24	Presence of N-acetylneuraminic acid in the lung during postnatal development. 2020 , 64,	0
23	A simple and highly sensitive masking fluorescence detection system for capillary array electrophoresis and its application to food and medicine analysis. 2020 , 1620, 460968	5
22	Characterization of the fragmentation behaviors of protonated β -cyclodextrin generated by electrospray ionization. 2021 , 35, e8967	
21	Carbohydrate analysis by high-performance liquid chromatography (HPLC) with evaporative light-scattering detection (ELSD). 2021 , 631-644	1
20	Analysis of Synthetic Monodisperse Polysaccharides by Wide Mass Range Ultrahigh-Resolution MALDI Mass Spectrometry. 2021 , 93, 4666-4675	7
19	Structural resolution of disaccharides through halogen anion complexation using negative trapped ion mobility spectrometry. 2021 , 230, 122348	3
18	Method development for mono- and disaccharides monitoring in cell culture medium by capillary and microchip electrophoresis. 2021 ,	0

17	Capillary electrophoresis-mass spectrometry of carbohydrates and glycoconjugates. 2021 , 443-484		2
16	Labelling heparan sulphate saccharides with chromophore, fluorescence and mass tags for HPLC and MS separations. <i>Methods in Molecular Biology</i> , 2009 , 534, 157-69	1.4	17
15	Fluorophores and Chromophores for the Separation of Carbohydrates by Capillary Electrophoresis. 2011 , 23-51		1
14	Capillary Electrophoresis and Capillary Electrophoresis-Mass Spectrometry for Structural Analysis of N-Glycans Derived from Glycoproteins. 2011 , 205-235		7
13	Analysis of Mixture of Maltooligosaccharides Using MALDI-TOFMS: Influence of Cationizing Agent Types. <i>Bulletin of the Korean Chemical Society</i> , 2009 , 30, 2806-2808	1.2	5
12	Influence of Alkali Metal Cation Type on Ionization Characteristics of Carbohydrates in ESI-MS. <i>Bulletin of the Korean Chemical Society</i> , 2009 , 30, 1996-2000	1.2	3
11	Characterization and Analysis of Food-Sourced Carbohydrates. <i>Methods in Molecular Biology</i> , 2022 , 2370, 67-95	1.4	2
10	Monosaccharide Compositional Analysis of Glycoproteins and Glycolipids: Utility in the Diagnosis/Prognosis of Diseases. 2011 , 237-267		1
9	Analytical Characterization of Proteins and Peptides. 1-38		
8	Determination of 5-Hydroxymethylfurfural and Saccharides in Mead. <i>KvasnPrůmysl</i> , 2018 , 64, 65-70	1.3	0
7	Analytical Techniques Applied to Hemicellulose Structure and Functional Characterization. <i>Clean Energy Production Technologies</i> , 2022 , 139-170	0.8	
6	Development and Validation of HPLC-DAD Method with Pre-Column PMP Derivatization for Monomeric Profile Analysis of Polysaccharides from Agro-Industrial Wastes. <i>Polymers</i> , 2022 , 14,	4.5	0
5	Retention Behaviors of Pre-Column Derivatized Mono-, Di- and Oligosaccharides in Various Modes of High Performance Liquid Chromatography. <i>SSRN Electronic Journal</i> ,	1	
4	The structures and applications of microbial chondroitin AC lyase. 2022 , 38,		
3	Retention behaviors of pre-column derivatized mono-, di- and oligosaccharides in various modes of high performance liquid chromatography. 2022 , 1682, 463508		0
2	Multimodal spectroscopic methods for the analysis of carbohydrates. 2023 , 459-482		0
1	Solutes in solvent resistant and solvent tolerant nanofiltration: How molecular interactions impact membrane rejection. 2023 , 677, 121595		0