

CITATION REPORT

List of articles citing

Analysis of eighteen antidepressants, four atypical antipsychotics and active metabolites in serum by liquid chromatography: a simple tool for therapeutic drug monitoring

DOI: 10.1016/s1570-0232(03)00393-3

Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2003, 794, 35-47.

Source: <https://exaly.com/paper-pdf/35204051/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
228	Population pharmacokinetic analysis of mirtazapine. 2004 , 60, 473-80		31
227	Impact of polymorphisms of cytochrome-P450 isoenzymes 2C9, 2C19 and 2D6 on plasma concentrations and clinical effects of antidepressants in a naturalistic clinical setting. 2004 , 60, 329-36		124
226	Simultaneous determination of clozapine, olanzapine, risperidone and quetiapine in plasma by high-performance liquid chromatography-electrospray ionization mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004 , 802, 257-62	3.2	100
225	A validated liquid chromatographic tandem mass spectrometric method for the determination of mirtazapine and demethylmirtazapine in human plasma: application to a pharmacokinetic study. 2004 , 514, 15-26		23
224	Multicommutated flow system for the chemiluminometric determination of clomipramine in pharmaceutical preparations. 2004 , 518, 31-36		20
223	Therapeutic monitoring of new antipsychotic drugs. <i>Therapeutic Drug Monitoring</i> , 2004 , 26, 156-60	3.2	92
222	High performance liquid chromatographic and thin layer densitometric methods for the determination of risperidone in the presence of its degradation products in bulk powder and in tablets. 2005 , 36, 975-81		17
221	Photo-isomerization of fluvoxamine in aqueous solutions. 2005 , 37, 643-8		25
220	Electroanalytical study of the antidepressant sertraline. 2005 , 39, 290-3		27
219	Rapid and sensitive method for the determination of sertraline in human plasma using liquid chromatography-tandem mass spectrometry (LC-MS/MS). <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005 , 829, 69-74	3.2	41
218	Determination of several psychiatric drugs in whole blood using capillary gas-liquid chromatography with nitrogen phosphorus detection: comparison of two solid phase extraction procedures. 2005 , 155, 193-204		73
217	Development of a solid phase extraction for 13 5 th generation antidepressants and their active metabolites for gas chromatographic-mass spectrometric analysis. 2005 , 1098, 19-29		125
216	Extractive spectrophotometric methods for the determination of doxepin hydrochloride in pharmaceutical preparations using titanium (IV) and iron (III) thiocyanate complexes. 2005 , 60, 61-9		14
215	Amitriptyline and nortriptyline serum determination by micellar liquid chromatography. 2005 , 52, 323-9		32
214	Response surface methodology in the development of a stacking-sensitive capillary electrophoresis method for the analysis of tricyclic antidepressants in human serum. 2005 , 26, 3518-27		30
213	Electroanalytical study of fluvoxamine. 2005 , 382, 1662-8		17
212	Development and Validation of Spectrophotometric Methods for Determination of Fluoxetine, Sertraline, and Paroxetine in Pharmaceutical Dosage Forms. 2005 , 88, 38-45		31

211	Noradrenergic modulation of emotion-induced forgetting and remembering. 2005 , 25, 6343-9		141
210	Determination of Citalopram in Tablets by HPLC, Densitometric HPTLC, and Videodensitometric HPTLC Methods. 2005 , 28, 313-324		13
209	Optimization of the SPME parameters and its online coupling with HPLC for the analysis of tricyclic antidepressants in plasma samples. 2006 , 44, 340-6		37
208	Electrochemical Determination of Citalopram by Adsorptive Stripping Voltammetry Determination in Pharmaceutical Products. 2006 , 39, 1907-1915		26
207	Development and application of spectrophotometric methods for the determination of citalopram hydrobromide in dosage forms. 2006 , 54, 432-4		16
206	Determination of paroxetine in human plasma by high-performance liquid chromatography using 7,7,8,8-tetracyanoquinodimethane as the derivatization reagent. <i>Therapeutic Drug Monitoring</i> , 2006 , 28, 180-4	3.2	11
205	Development and validation of a liquid chromatographic/tandem mass spectrometric method for the determination of sertraline in human plasma. 2006 , 20, 2483-9		22
204	Solid-phase extraction and analysis of 20 antidepressant drugs in human plasma by LC/MS with SSI method. 2006 , 162, 108-12		106
203	Selective serotonin reuptake inhibitors in sewage influents and effluents from Tromsø Norway. 2006 , 1115, 187-95		101
202	Optimization of the separation of some psychotropic drugs and their respective metabolites by liquid chromatography. 2006 , 41, 333-40		25
201	Electroanalytical determination of paroxetine in pharmaceuticals. 2006 , 42, 341-6		30
200	Capillary Electrophoretic Determination of Citalopram in Pharmaceutical Tablets and Serum. <i>Chromatographia</i> , 2006 , 64, 317-320	2.1	8
199	Voltammetric Analysis of the Novel Atypical Antipsychotic Drug Quetiapine in Human Serum and Urine. 2006 , 153, 27-35		35
198	Optimization of solid-phase microextraction procedures for the determination of tricyclic antidepressants and anticonvulsants in plasma samples by liquid chromatography. 2006 , 386, 256-63		53
197	Simultaneous quantitation of five active principles in a pharmaceutical preparation: development and validation of a near infrared spectroscopic method. 2006 , 27, 280-6		51
196	Applicability of bioanalysis of multiple analytes in drug discovery and development: review of select case studies including assay development considerations. <i>Biomedical Chromatography</i> , 2006 , 20, 383-414	1.7	51
195	Study of SPE Conditions for CE Determination of Tricyclic Antidepressants in Body Fluids. 2007 , 30, 185-198		7
194	Electrochemical Study of Interaction Between Clozapine and DNA and Its Analytical Application. 2007 , 40, 1750-1762		9

193	Simultaneous determination of nontricyclic antidepressants in human plasma by solid-phase microextraction and liquid chromatography (SPME-LC). 2007 , 31, 313-20		32
192	Electrochemical behavior and determination of clozapine on a glassy carbon electrode modified by electrochemical oxidation. 2007 , 23, 479-83		32
191	Dissolution test for citalopram in tablets and comparison of in vitro dissolution profiles. 2007 , 67, 524-30		19
190	Capillary column switching restricted-access media-liquid chromatography-electrospray ionization-tandem mass spectrometry system for simultaneous and direct analysis of drugs in biofluids. 2007 , 79, 6359-67		30
189	CE of tricyclic antidepressant clomipramine and metabolites: electromigration and wall adsorption. 2007 , 28, 3650-7		5
188	Development of an HPLC method for the monitoring of tricyclic antidepressants in biofluids. 2007 , 30, 2391-400		49
187	Analysis of tricyclic antidepressant drugs in plasma by means of solid-phase microextraction-liquid chromatography-mass spectrometry. 2007 , 42, 1342-7		51
186	Comparative validation of amisulpride determination in pharmaceuticals by several chromatographic, electrophoretic and spectrophotometric methods. 2007 , 590, 195-202		13
185	Validated HPLC-MS/MS method for determination of quetiapine in human plasma. 2007 , 44, 498-505		47
184	Stir bar sorptive extraction and liquid chromatography with UV detection for determination of antidepressants in plasma samples. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007 , 850, 295-302	3.2	97
183	Employing atmospheric pressure photoionization in liquid chromatography/tandem mass spectrometry to minimize ion suppression and matrix effects for the quantification of venlafaxine and O-desmethylvenlafaxine. 2007 , 21, 1680-6		36
182	An electrospray ionisation tandem mass spectrometric investigation of selected psychoactive pharmaceuticals and its application in drug and metabolite profiling by liquid chromatography/electrospray ionisation tandem mass spectrometry. 2007 , 21, 2031-8		20
181	Characterization of the trace-level impurities in the bulk drug citalopram by high-performance liquid chromatography/tandem multistage mass spectrometry. 2007 , 21, 2889-94		8
180	Simultaneous analysis of classical neuroleptics, atypical antipsychotics and their metabolites in human plasma. 2007 , 388, 235-43		59
179	Hollow fiber-based liquid phase microextraction combined with high-performance liquid chromatography for extraction and determination of some antidepressant drugs in biological fluids. 2007 , 604, 127-33		134
178	Reliable HPLC method for therapeutic drug monitoring of frequently prescribed tricyclic and nontricyclic antidepressants. 2007 , 44, 955-62		76
177	Simultaneous determination of citalopram, fluoxetine and their main metabolites in human urine samples by solid-phase microextraction coupled with high-performance liquid chromatography. 2008 , 46, 763-70		61
176	Analytical methodologies for the determination of sertraline. 2008 , 48, 1290-302		19

175	Determination of tricyclic antidepressants in human plasma using pipette tip solid-phase extraction and gas chromatography-mass spectrometry. 2008 , 31, 2265-71		33
174	Capillary electrophoretic separation of tricyclic antidepressants using a polymer-coated capillary and beta-cyclodextrin as an electrolyte additive. 2008 , 31, 3921-9		26
173	Liquid chromatography tandem mass spectrometry method for the quantification of amisulpride with LLOQ of 100 pg/mL using 100 microL of plasma. <i>Biomedical Chromatography</i> , 2008 , 22, 1424-33	1.7	12
172	Automated analysis of fluvoxamine in rat plasma using a column-switching system and ion-pair high-performance liquid chromatography. <i>Biomedical Chromatography</i> , 2008 , 22, 1442-9	1.7	10
171	Bioanalytical methods for the determination of antipsychotic drugs. <i>Biomedical Chromatography</i> , 2008 , 22, 671-87	1.7	34
170	In-tube solid-phase microextraction coupled to liquid chromatography (in-tube SPME/LC) analysis of nontricyclic antidepressants in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008 , 862, 181-8	3.2	70
169	Enantioselective analysis of amisulpride in pharmaceutical formulations by means of capillary electrophoresis. 2008 , 46, 966-70		19
168	Non-destructive quantitative analysis of risperidone in film-coated tablets. 2008 , 47, 631-5		19
167	Liquid chromatography tandem mass spectrometry assay for the simultaneous determination of venlafaxine and O-desmethylvenlafaxine in human plasma and its application to a bioequivalence study. 2008 , 47, 603-11		33
166	Simultaneous analysis of five antidepressant drugs using direct injection of biofluids in a capillary restricted-access media-liquid chromatography-tandem mass spectrometry system. 2008 , 1189, 514-22		38
165	Determination of Dothiepin in Human Plasma by LC-ESI-MS and its Application to Bioequivalence Studies. <i>Chromatographia</i> , 2008 , 68, 941-947	2.1	2
164	Stability-Indicating HPLC Method for the Determination of Quetiapine: Application to Tablets and Human Plasma. 2008 , 31, 1283-1298		23
163	Relevant issues in the monitoring and the toxicology of antidepressants. 2008 , 45, 25-89		66
162	Simultaneous Analysis of New Antidepressants by Densitometric Thin-Layer Chromatography. 2008 , 31, 2429-2441		14
161	Comparative validation of quetiapine Determination in tablets by NP-HPTLC and RP-HPTLC with densitometric and videodensitometric detection. 2008 , 21, 289-294		8
160	Quantification of citalopram or escitalopram and their demethylated metabolites in neonatal hair samples by liquid chromatography-tandem mass spectrometry. <i>Therapeutic Drug Monitoring</i> , 2008 , 30, 467-73	3.2	30
159	Development and Validation of Column High-Performance Liquid Chromatographic and Ultraviolet Spectrophotometric Methods for Citalopram in Tablets. 2008 , 91, 52-58		4
158	Simultaneous Determination of Maprotiline, Desipramine, and Moclobemide by Reversed-Phase High-Performance Liquid Chromatography and Statistical Optimization. 2009 , 42, 2060-2070		1

157	Study of Separation and Extraction Conditions for Five Neuroleptic Drugs by an LLE-HPLC-DAD Method in Human Plasma. 2009 , 32, 3025-3037		5
156	Rapid HPLC method for the simultaneous monitoring of duloxetine, venlafaxine, fluoxetine and paroxetine in biofluids. 2009 , 1, 905-17		12
155	Modern bioanalytical methods for the rapid detection of antidepressants: SNRIs and SSRIs in human biological samples. 2009 , 1, 451-88		4
154	Development and validation of a reversed-phase HPLC method for separation and simultaneous determination of process-related substances of mirtazapine in bulk drugs and formulations. 2009 , 47, 223-30		7
153	Verapamil in treatment resistant depression: a role for the P-glycoprotein transporter?. 2009 , 24, 217-23		27
152	Second-derivative synchronous fluorescence spectroscopy for the simultaneous determination of fluphenazine hydrochloride and nortriptyline hydrochloride in pharmaceutical preparations. 2009 , 19, 891-904		15
151	Analysis of second-generation antidepressant drug, sertraline and its active metabolite, N-desmethyl sertraline in human plasma by a sensitive and selective liquid chromatography-tandem mass spectrometry method. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 221-9	3.2	26
150	Solid-phase microextraction using poly(pyrrole) film and liquid chromatography with UV detection for analysis of antidepressants in plasma samples. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 587-93	3.2	65
149	Therapeutic drug monitoring of seven psychotropic drugs and four metabolites in human plasma by HPLC-MS. 2009 , 50, 1000-8		88
148	Polydimethylsiloxane/polypyrrole stir bar sorptive extraction and liquid chromatography (SBSE/LC-UV) analysis of antidepressants in plasma samples. 2009 , 633, 57-64		99
147	Analysis of Multiple Antidepressant and Antipsychotic Drugs Including Active Metabolites in Serum of Psychiatric Patients by LC with Column Switching and Spectrophotometric Detection. <i>Chromatographia</i> , 2009 , 69, 821-827	2.1	15
146	Development and Validation of a New Analytical Method for the Determination of Related Components in Quetiapine Hemifumarate. <i>Chromatographia</i> , 2009 , 70, 545-550	2.1	13
145	Quantification of Quetiapine in Human Plasma by LC-MS/MS. <i>Chromatographia</i> , 2009 , 70, 1587-1592	2.1	7
144	Determination of Fluoxetine in Human Plasma by Liquid Chromatography-Mass Spectrometry and Its Application. 2009 , 42, 2071-2086		1
143	Capillary Electrophoretic Separation of Tricyclic Antidepressants Using 1-Alkyl-3-Methylimidazolium-Based Ionic Liquids as Background Electrolyte. 2009 , 56, 351-359		7
142	Tacrine Hydrochloride. 2010 , 446-470		
141	Valacyclovir Hydrochloride. 2010 , 471-479		
140	Quetiapine Fumarate. 2010 , 409-411		

139	Simultaneous determination of antidepressants by non-aqueous or quasi-non-aqueous capillary electrophoresis. 2010 , 26, 693-8		6
138	Accuracy Profile Theory for the Validation of an LC-MS-MS Method for the Determination of Risperidone and 9-Hydroxyrisperidone in Human Plasma. <i>Chromatographia</i> , 2010 , 71, 1015-1023	2.1	8
137	Simultaneous quantification of venlafaxine and O-desmethylvenlafaxine in human plasma by ultra performance liquid chromatography-tandem mass spectrometry and its application in a pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 689-94	3.2	26
136	Simultaneous determination of antidepressants by non-aqueous capillary electrophoresis-time of flight mass spectrometry. 2010 , 1217, 7598-604		31
135	Simultaneous determination of citalopram and its metabolite in human plasma by LC-MS/MS applied to pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 615-9	3.2	24
134	Quantification of nortriptyline in plasma by HPLC and fluorescence detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 841-4	3.2	12
133	Development of a stir bar sorptive extraction based HPLC-FLD method for the quantification of serotonin reuptake inhibitors in plasma, urine and brain tissue samples. 2010 , 51, 178-85		51
132	Development and validation of a HPLC method for the determination of sertraline and three non-chiral related impurities. 2010 , 53, 122-9		8
131	Stereoselective determination of venlafaxine and its three demethylated metabolites in human plasma and whole blood by liquid chromatography with electrospray tandem mass spectrometric detection and solid phase extraction. 2010 , 53, 583-90		48
130	Determination of New Antidepressants in Pharmaceuticals by Thin-Layer Chromatography with Densitometry. 2010 , 93, 778-782		4
129	Abacavir. 2010 , 1-55		
128	Manidipine Hydrochloride. 2010 , 299-334		
127	Salicylic Acid. 2010 , 424-445		
126	Famotidine. 2010 , 208-232		
125	Caffeine. 2010 , 73-140		
124	Raltegravir Potassium. 2010 , 412-423		
123	Optimization and validation of spectrofluorimetric method for the determination of clomipramine hydrochloride via ion-pair complexation with alizarin red S. 2010 , 2, 513		15
122	High Performance Liquid Chromatographic Determination of Sertraline in Presence of Its Degradation Product. 2010 , 43, 1434-1447		1

121	Bio-sample preparation and analytical methods for the determination of tricyclic antidepressants. 2011 , 3, 97-118		14
120	A new PAT/QbD approach for the determination of blend homogeneity: combination of on-line NIRS analysis with PC Scores Distance Analysis (PC-SDA). 2011 , 78, 173-82		42
119	Development and validation of an EI-GC/MS method for the determination of sertraline and its major metabolite desmethyl-sertraline in blood. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 2576-82	3.2	19
118	A novel electrochemical sensor for assaying of antipsychotic drug quetiapine. 2011 , 86, 393-9		22
117	PHARMACOKINETIC STUDY OF RISPERIDONE: APPLICATION OF A HPLC METHOD WITH SOLID PHASE EXTRACTION. 2011 , 56, 606-609		3
116	Spectrophotometric Determination of Reboxetine through Condensation and Diazo-Coupling Reactions. 2011 , 8, 281-287		1
115	Association between citalopram serum levels and clinical improvement of patients with major depression. 2011 , 31, 281-6		22
114	RP TLC analysis of new antidepressants in pharmaceutical preparations. 2011 , 24, 40-43		4
113	Stability-indicating HPTLC method for analysis of venlafaxine hydrochloride, and use of the method to study degradation kinetics. 2011 , 24, 160-165		5
112	Identification and determination of compounds belonging to the group of OUN pharmaceutical agents by thin-layer chromatography with densitometric detection in biological material. <i>Acta Chromatographica</i> , 2011 , 23, 247-266	1.5	1
111	Identification of photodegradation product of amisulpride by ultra-high-pressure liquid chromatography-DAD/ESI-quadrupole time-of-flight-mass spectrometry. 2011 , 56, 904-10		17
110	Combination of corona discharge ion mobility spectrometry with a novel reagent gas and two immiscible organic solvent liquid-liquid-liquid microextraction for analysis of clomipramine in biological samples. 2011 , 1218, 8600-7		17
109	Risperidone in schizophrenia: is there a role for therapeutic drug monitoring?. <i>Therapeutic Drug Monitoring</i> , 2011 , 33, 275-83	3.2	25
108	Analysis of Amisulpride in Human Plasma by SPE and LC with Fluorescence Detection. <i>Chromatographia</i> , 2011 , 73, 67-74	2.1	18
107	LCMS Analysis of Sertraline and Its Active Metabolite in Human Serum Using a Silica Column with a Non-Aqueous Polar Mobile Phase. <i>Chromatographia</i> , 2011 , 73, 749-754	2.1	6
106	Quantification of Tricyclic and Nontricyclic Antidepressants in Spiked Plasma and Urine Samples Using Microextraction in Packed Syringe and Analysis by LC and GC-MS. <i>Chromatographia</i> , 2011 , 74, 235-242	2.1	27
105	Analytical procedures for the determination of the selective serotonin reuptake inhibitor antidepressant citalopram and its metabolites. <i>Biomedical Chromatography</i> , 2011 , 25, 238-57	1.7	22
104	Modern chromatographic and electrophoretic measurements of antidepressants and their metabolites in biofluids. <i>Biomedical Chromatography</i> , 2011 , 25, 164-98	1.7	17

103	Rapid assays of clozapine and its metabolites in dried blood spots by liquid chromatography and microextraction by packed sorbent procedure. 2011 , 1218, 2153-9		56
102	Stir bar sorptive extraction for central nervous system drugs from biological fluids. <i>Arabian Journal of Chemistry</i> , 2011 , 4, 25-35	5,9	10
101	A rapid and simple RP-HPLC method for quantification of desipramine in human plasma. 2011 , 30,		3
100	Analytical methods for determination of selective serotonin reuptake inhibitor antidepressants. 2011 , 30,		12
99	A simple HPLC method for the simultaneous determination of venlafaxine and its major metabolite O-desmethylvenlafaxine in human serum. 2011 , 3, 1713-8		7
98	DRAR-CPI: a server for identifying drug repositioning potential and adverse drug reactions via the chemical-protein interactome. 2011 , 39, W492-8		155
97	Development and validation of amisulpride in human plasma by HPLC coupled with tandem mass spectrometry and its application to a pharmacokinetic study. 2011 , 79, 583-99		11
96	Extractive Spectrophotometric Determination of Quetiapine Fumarate in Pharmaceuticals and Spiked Human Urine. 2012 , 9-17		6
95	A validated UHPLC-diode array detector method for the bioanalysis of atypical antipsychotics in whole blood, urine and cerebrospinal fluid following SPE. 2012 , 4, 2929-38		8
94	Selective serotonin reuptake inhibitors (SSRIs): therapeutic drug monitoring and pharmacological interactions. 2012 , 19, 1846-63		69
93	Determination of sertraline in rat plasma by HPLC and fluorescence detection and its application to in vivo pharmacokinetic studies. 2012 , 35, 3302-7		10
92	A fully validated method for the simultaneous determination of 11 antidepressant drugs in whole blood by gas chromatography-mass spectrometry. 2012 , 70, 557-62		60
91	Inhibition of P-glycoprotein enhances transport of imipramine across the blood-brain barrier: microdialysis studies in conscious freely moving rats. 2012 , 166, 1333-43		34
90	Electromembrane extraction combined with gas chromatography for quantification of tricyclic antidepressants in human body fluids. 2012 , 725, 51-6		56
89	Simultaneous quantification of selective serotonin reuptake inhibitors and metabolites in human plasma by liquid chromatography-electrospray mass spectrometry for therapeutic drug monitoring. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 885-886, 117-30	3,2	34
88	A reliable and rapid tool for plasma quantification of 18 psychotropic drugs by ESI tandem mass spectrometry. 2012 , 67-68, 104-13		15
87	A study of photodegradation of quetiapine by the use of LC-MS/MS method. 2012 , 10, 232-240		6
86	A simple and reliable method for quantifying plasma concentrations of tetracyclic antidepressants using monolithic silica solid-phase extraction tips. 2012 , 30, 98-105		7

85	A Simple Liquid Chromatographic Method for the Simultaneous Determination of Antidepressants in Pharmaceutical Preparations. 2012 , 59, 1125-1129		1
84	A fast, sensitive and simple method for mirtazapine quantification in human plasma by HPLC-ESI-MS/MS. Application to a comparative bioavailability study. <i>Biomedical Chromatography</i> , 2012 , 26, 1399-407	1.7	2
83	Three-phase hollow fiber microextraction based on two immiscible organic solvents for determination of tricyclic antidepressant drugs: comparison with conventional three-phase hollow fiber microextraction. 2012 , 1222, 5-12		61
82	Determination of reboxetine in rat brain microdialysates and plasma samples using liquid chromatography coupled to fluorescence detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 898, 53-61	3.2	3
81	A validated spectrofluorimetric method for the determination of citalopram in bulk and pharmaceutical preparations based on the measurement of the silver nanoparticles-enhanced fluorescence of citalopram/terbium complexes. 2013 , 23, 161-9		16
80	Quantitative determination of fifteen basic pharmaceuticals in ante- and post-mortem whole blood by high pH mobile phase reversed phase ultra high performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013 , 887, 118-23	3.2	36
79	Electrochemical investigation of clozapine at TiO ₂ nanoparticles modified carbon paste electrode and simultaneous adsorptive voltammetric determination of two antipsychotic drugs. 2013 , 87, 816-823		58
78	Voltammetric methods of reboxetine analysis and the mechanism of its electrode reactions. 2013 , 11, 706-716		2
77	P-glycoprotein inhibition increases the brain distribution and antidepressant-like activity of escitalopram in rodents. 2013 , 38, 2209-19		34
76	HPTLC METHOD FOR ANALYSIS OF SERTRALINE IN PURE BULK DRUG AND LIPIDIC NANO DELIVERY SYSTEM: A STRESS DEGRADATION STUDIES. 2013 , 36, 700-716		4
75	Uptake of human pharmaceuticals in bull sharks (<i>Carcharhinus leucas</i>) inhabiting a wastewater-impacted river. 2013 , 456-457, 196-201		44
74	Simultaneous Determination of 13 Psychiatric Pharmaceuticals in Sewage by Automated Solid Phase Extraction and Liquid Chromatography-Mass Spectrometry. 2013 , 41, 49-56		10
73	Determination of Serotonin-Norepinephrine Reuptake Inhibitor Antidepressants in Pharmaceuticals and Biological Material. 2013 , 43, 2-34		9
72	A critical review of microextraction by packed sorbent as a sample preparation approach in drug bioanalysis. 2013 , 5, 1409-42		40
71	Human P-glycoprotein differentially affects antidepressant drug transport: relevance to blood-brain barrier permeability. 2013 , 16, 2259-72		28
70	Disposable pipette extraction for the simultaneous determination of biperiden and three antipsychotic drugs in human urine by GC-nitrogen phosphorus detection. 2013 , 5, 21-9		12
69	Potential cost-effectiveness of therapeutic drug monitoring for depressed patients treated with citalopram. <i>Therapeutic Drug Monitoring</i> , 2013 , 35, 396-401	3.2	18
68	Trends and Advances in Separation and Detection of SSRIs and SNRIs in Biological Matrices. 2013 , 2013, 1-15		3

67	Simultaneous quantitation of venlafaxine and its main metabolite, O-desmethylvenlafaxine, in human saliva by HPLC. 2013 , 36, 1726-33		18
66	Determination of fluoxetine in the presence of photodegradation products appearing during UVA irradiation in a solid phase by chromatographic-densitometric method, kinetics and identification of photoproducts. <i>Acta Chromatographica</i> , 2013 , 25, 465-481	1.5	5
65	HPLC and its Essential Role in the Analysis of Tricyclic Antidepressants in Biological Samples. 2014 , 332-380		1
64	A validated silver-nanoparticle-enhanced chemiluminescence method for the determination of citalopram in pharmaceutical preparations and human plasma. 2014 , 29, 266-74		10
63	A validated GC/MS method for the determination of amisulpride in whole blood. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 947-948, 111-6	3.2	8
62	Analysis of fluoxetine and norfluoxetine in human plasma by HPLC-UV using a high purity C18 silica-based SPE sorbent. 2014 , 6, 4181-4187		9
61	The development and validation of a turbulent flow-liquid chromatography-tandem mass spectrometric method for the simultaneous quantification of citalopram, sertraline, bupropion and hydroxybupropion in serum. 2014 , 47, 73-9		10
60	Quantification of 33 antidepressants by LC-MS/MS--comparative validation in whole blood, plasma, and serum. 2014 , 406, 5939-53		24
59	HPLC-DAD determination of CNS-acting drugs in human blood, plasma, and serum. 2014 , 44, 68-106		13
58	Determination of Doxepin in human plasma using cloud-point extraction with high-performance liquid chromatography and ultraviolet detection. 2015 , 38, 3192-3197		9
57	Depressive Disorders: Major Depressive Disorder and Persistent Depressive Disorder. 2015 , 902-965		
56	Development and validation of stability indicating chromatographic method for determination of impurities in maprotiline pharmaceutical tablets. 2015 , 70, 225-233		1
55	Development and validation of HILIC-ESI/MS/MS methods for simultaneous quantitation of several antipsychotics in human plasma and blood. 2016 , 8, 765-94		14
54	Determination of selective serotonin reuptake inhibitors in biological samples via magnetic stirring-assisted dispersive liquid-liquid microextraction followed by high performance liquid chromatography. 2016 , 6, 50710-50720		8
53	Analytical Methods for the Determination of Atypical Neuroleptics (Review). 2016 , 50, 339-345		2
52	Separation and identification of antidepressants by acrylate-based monolithic column capillary electrochromatography with UV detection. 2016 , 37, 2882-2890		4
51	Optimization of alcohol-assisted dispersive liquid-liquid microextraction by experimental design for the rapid determination of fluoxetine in biological samples. 2016 , 39, 4784-4793		8
50	Analytical Strategies for the Determination of Norepinephrine Reuptake Inhibitors in Pharmaceutical Formulations and Biological Fluids. 2016 , 46, 40-66		9

49	Electrospun fibrous thin film microextraction coupled with desorption corona beam ionization-mass spectrometry for rapid analysis of antidepressants in human plasma. 2016 , 152, 188-95		19
48	A Review for the Analysis of Antidepressant, Antiepileptic and Quinolone Type Drugs in Pharmaceuticals and Environmental Samples. 2016 , 46, 424-42		15
47	A Simple, Rapid and Reliable Method to Determine Imipramine and Desipramine in Mouse Serum Using Ultra-High-Performance Liquid Chromatography-Quadrupole-Time-of-Flight Mass Spectrometry. 2016 , 54, 561-8		7
46	Tandem dispersive liquid-liquid microextraction as an efficient method for determination of basic drugs in complicated matrices. 2016 , 1429, 13-21		48
45	Solubilities and solubility products of clomipramine hydrochloride ion-associates with tetraphenylborate and silicotungstate. <i>Arabian Journal of Chemistry</i> , 2017 , 10, 336-343	5.9	3
44	Application of dispersive liquid-liquid microextraction with alcoholic solvents followed by HPLC-UV as a sensitive and efficient method for the extraction and determination of citalopram in biological samples using an experimental design. <i>Journal of the Iranian Chemical Society</i> , 2017 , 14, 985-993	2	5
43	Simultaneous Quantification of Antidepressants and Metabolites in Urine and Plasma Samples by GC/MS for Therapeutic Drug Monitoring. <i>Chromatographia</i> , 2017 , 80, 301-328	2.1	12
42	A Novel Liquid-Liquid Extraction for the Determination of Sertraline in Tap Water and Waste Water at Trace Levels by GC-MS. 2017 , 99, 354-359		8
41	Functionalized superparamagnetic nanoparticles with a polymer containing Cyclodextrin for the extraction of sertraline hydrochloride in biological samples. 2017 , 40, 3690-3695		8
40	Therapeutic Drug Monitoring of Fluoxetine, Norfluoxetine and Paroxetine: A New Tool Based on Microextraction by Packed Sorbent Coupled to Liquid Chromatography. 2017 , 41, 631-638		13
39	Analysis of tricyclic antidepressants in human plasma using online-restricted access molecularly imprinted solid phase extraction followed by direct mass spectrometry identification/quantification. 2017 , 163, 8-16		45
38	New Modified UPLC/Tandem Mass Spectrometry Method for Determination of Risperidone and Its Active Metabolite 9-Hydroxyrisperidone in Plasma: Application to Dose-Dependent Pharmacokinetic Study in Sprague-Dawley Rats. 2017 , 2017, 1271383		2
37	Dispersive liquid-liquid microextraction for the quantification of venlafaxine in environmental waters. 2018 , 217, 71-77		15
36	Development of new extraction method based on liquid-liquid-liquid extraction followed by dispersive liquid-liquid microextraction for extraction of three tricyclic antidepressants in plasma samples. <i>Biomedical Chromatography</i> , 2018 , 32, e4251	1.7	10
35	Development and validation of a gas chromatography/tandem mass spectrometry method for simultaneous quantitation of several antipsychotics in human plasma and oral fluid. 2018 , 32, 2081-2095		14
34	Sensitive determination of psychotropic drugs in urine samples using continuous liquid-phase microextraction with an extraction solvent lighter than water. <i>New Journal of Chemistry</i> , 2018 , 42, 4450-4456	3.6	6
33	A new concept of efficient therapeutic drug monitoring using the high-resolution continuum source absorption spectrometry and the surface enhanced Raman spectroscopy. 2018 , 142, 91-96		9
32	Review of approaches and examples for monitoring biotransformation in protein and peptide therapeutics by MS. 2018 ,		14

13	Evaluation of the central and peripheral effects of doxepin on carrageenan-induced inflammatory paw edema in rat. <i>Research in Pharmaceutical Sciences</i> , 2017 , 12, 337-345	2.6	4
12	Titrimetric and sensitive spectrophotometric methods for the assay of quetiapine fumarate in pharmaceutical formulations. <i>Chemical Industry and Chemical Engineering Quarterly</i> , 2011 , 17, 99-106	0.7	0
11	A Systematic Review on Analytical Methods to Determine Chiral and Achiral Forms of Venlafaxine and its Metabolite O-desmethylvenlafaxine. <i>Current Pharmaceutical Analysis</i> , 2020 , 16, 474-486	0.6	
10	Chemical and Toxicological Diagnosis of Acute Poisoning with Clozapine, Olanzapine, Quetiapine and Risperidone. <i>Sklifosovsky Journal Emergency Medical Care</i> , 2020 , 9, 188-194	0.5	
9	A Comprehensive Review on Importance and Quantitation of Atypical Antipsychotic Drugs and their Active Metabolites in Commercial Dosage Forms. <i>Current Pharmaceutical Analysis</i> , 2020 , 16, 989-1019	0.6	
8	Artificial Neural Networks (ANN) For the Simultaneous Spectrophotometric Determination of Fluoxetine and Sertraline in Pharmaceutical Formulations and Biological Fluid. <i>Iranian Journal of Pharmaceutical Research</i> , 2017 , 16, 478-489	1.1	7
7	Electrochemical Behavior and Highly Sensitive Voltammetric Determination of Doxepin in Pharmaceutical Preparations and Blood Serum Using Carbon Ionic Liquid Electrode. <i>Iranian Journal of Pharmaceutical Research</i> , 2019 , 18, 91-101	1.1	4
6	Determination of Mirtazapine and Desmethyl Mirtazapine in Human Plasma by a New Validated HPLC Ultraviolet Method with a Simple and Reliable Extraction Method: Application to Therapeutic Drug Monitoring Study by 62 Real Patient Plasma. <i>Iranian Journal of Pharmaceutical Research</i> , 2020 , 19, 18-30	1.1	
5	Clozapine and norclozapine monitoring in plasma following surfactant assisted dispersive liquid-liquid microextraction. <i>Separation Science Plus</i> ,	1.1	0
4	Quantification of panel of most potent antipsychotic medicines by high throughput UPLC method. <i>Results in Chemistry</i> , 2022 , 4, 100427	2.1	
3	Smartphone-based label-free ratiometric fluorescence detection of sertraline and glutathione based on the use of orange-emission carbon dots. 2022 , 26, 101170		0
2	Quetiapine Fumarate: A Review of Analytical Methods.		0
1	Application of nickel-doped graphene nanotubes to modified GCE as a sensitive electrochemical sensor for the antipsychotic drug clozapine in spiked human blood serum samples.		0