

A novel urea sensitive biosensor with extended dynamic range using urease and ISFETs

Biosensors and Bioelectronics

19, 131-135

DOI: [10.1016/S0956-5663\(03\)00175-1](https://doi.org/10.1016/S0956-5663(03)00175-1)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Synthesis of bio-doped oxides for urea sensing. , 0, , .		0
2	Encapsulation of Urease in Molybdenum Trioxide Sol-Gel. Materials Research Society Symposia Proceedings, 2004, 828, 32.	0.1	0
3	Enzymatic Biosensor Based on the ISFET and Photopolymeric Membrane for the Determinaion of Urea. Electroanalysis, 2004, 16, 1891-1895.	1.5	29
4	Development of the real-time pH sensing system for array sensors. Sensors and Actuators B: Chemical, 2005, 108, 870-876.	4.0	20
5	Enzyme coated glass pH-electrode: Its fabrication and applications in the determination of urea in blood samples. Analytica Chimica Acta, 2005, 542, 157-161.	2.6	24
6	Solid state potentiometric sensor for the estimation of tributyrin and urea. Sensors and Actuators B: Chemical, 2005, 107, 418-423.	4.0	44
7	Potentiometric enzyme electrode for urea determination using immobilized urease in poly(vinylferrocenium) film. Sensors and Actuators B: Chemical, 2005, 109, 194-199.	4.0	78
8	Analytical aspects of fet-based biosensors. Frontiers in Bioscience - Landmark, 2005, 10, 420.	3.0	42
9	Measurement and comparison of potentiometric selectivity coefficients of urea biosensors based on ammonium ion-selective electrodes. IEEE Sensors Journal, 2005, 5, 1362-1368.	2.4	16
10	Protein Engineering for Biosensors. , 2006, , 89-115.		3
11	Study on the disposable urea biosensors based on PVC-COOH membrane ammonium ion-selective electrodes. IEEE Sensors Journal, 2006, 6, 262-268.	2.4	22
12	Amperometric enzyme electrode for urea determination using immobilized urease in poly(vinylferrocenium) film. Sensors and Actuators B: Chemical, 2006, 114, 500-506.	4.0	65
13	Bio FEDs (Field-Effect Devices): State-of-the-Art and New Directions. Electroanalysis, 2006, 18, 1893-1900.	1.5	209
14	Solid-state urea biosensor based on the differential method. IEEE Sensors Journal, 2006, 6, 269-275.	2.4	14
15	Inhibitive determination of Hg ²⁺ ion by an amperometric urea biosensor using poly(vinylferrocenium) film. Enzyme and Microbial Technology, 2007, 40, 1156-1159.	1.6	45
16	Comparative study between organic and inorganic entrapment matrices for urease biosensor development. Sensors and Actuators B: Chemical, 2007, 123, 671-679.	4.0	37
17	Enzymatic detection of glucose using fluoride-selective electrodes with polymeric membranes. Analytical and Bioanalytical Chemistry, 2007, 389, 533-539.	1.9	6
18	Differential type solid-state urea biosensors based on ion-selective electrodes. Sensors and Actuators B: Chemical, 2008, 130, 359-366.	4.0	25

#	ARTICLE	IF	CITATIONS
19	Potentiometric urea biosensor based on BSA embedded surface modified polypyrrole film. <i>Sensors and Actuators B: Chemical</i> , 2008, 134, 140-145.	4.0	68
20	Use of CdSe/ZnS luminescent quantum dots incorporated within sol-gel matrix for urea detection. <i>Analytica Chimica Acta</i> , 2008, 626, 53-61.	2.6	30
21	ISFET and Fiber Optic Sensor Technologies: In Vivo Experience for Critical Care Monitoring. <i>Chemical Reviews</i> , 2008, 108, 826-844.	23.0	33
24	Nanomaterials for Neural Interfaces. <i>Advanced Materials</i> , 2009, 21, 3970-4004.	11.1	460
25	Performance Characteristics of a New Generation Pressure Microsensor for Physiologic Applications. <i>Annals of Biomedical Engineering</i> , 2009, 37, 1638-1645.	1.3	16
26	Comparative study on Pulsed Laser Deposition and Matrix Assisted Pulsed Laser Evaporation of urease thin films. <i>Thin Solid Films</i> , 2009, 517, 4299-4302.	0.8	33
27	Metalloporphyrin-based acetate-selective electrodes as detectors for enzymatic acetylcholine determination in flow-injection analysis system. <i>Analytica Chimica Acta</i> , 2009, 644, 30-35.	2.6	14
28	Recent developments in urea biosensors. <i>Biochemical Engineering Journal</i> , 2009, 44, 42-52.	1.8	177
29	Ionic effect investigation of a potentiometric sensor for urea and surface morphology observation of entrapped urease/polypyrrole matrix. <i>Biosensors and Bioelectronics</i> , 2009, 24, 2671-2677.	5.3	36
30	Variable wavelength surface plasmon resonance (SPR) in biosensing. <i>BioSystems</i> , 2009, 98, 51-55.	0.9	13
31	Photocurable Polymers for Ion Selective Field Effect Transistors. 20 Years of Applications. <i>Sensors</i> , 2009, 9, 7097-7110.	2.1	26
32	Ion-Sensitive Field-Effect Transistor for Biological Sensing. <i>Sensors</i> , 2009, 9, 7111-7131.	2.1	366
33	A Nanoelectronic Enzyme-Linked Immunosorbent Assay for Detection of Proteins in Physiological Solutions. <i>Small</i> , 2010, 6, 232-238.	5.2	52
34	Development of an Ion Sensitive Field Effect Transistor Based Urea Biosensor with Solid State Reference Systems. <i>Sensors</i> , 2010, 10, 6115-6127.	2.1	16
35	Analytical Nanosphere Sensors Using Quantum Dot-Enzyme Conjugates for Urea and Creatinine. <i>Analytical Chemistry</i> , 2010, 82, 9043-9049.	3.2	70
36	Design and Implementation of Functional Nanoelectronic Interfaces With Biomolecules, Cells, and Tissue Using Nanowire Device Arrays. <i>IEEE Nanotechnology Magazine</i> , 2010, 9, 269-280.	1.1	103
37	Development of high-k TiO ₂ /SiO ₂ sensing membrane-based electrolyte-insulator-semiconductor for pH detection and its application for glucose biosensing using poly(N-isopropylacrylamide) as an enzyme encapsulation material. <i>Journal of Materials Chemistry</i> , 2011, 21, 539-547.	6.7	12
38	Highly sensitive nano-porous lattice biosensor based on localized surface plasmon resonance and interference. <i>Optics Express</i> , 2011, 19, 22882.	1.7	65

#	ARTICLE	IF	CITATIONS
39	Selective determination of urea using urease immobilized on ZnO nanowires. <i>Sensors and Actuators B: Chemical</i> , 2011, 160, 637-643.	4.0	78
40	Urea potentiometric enzymatic biosensor based on charged biopolymers and electrodeposited polyaniline. <i>Biosensors and Bioelectronics</i> , 2011, 26, 4139-4145.	5.3	88
41	Potentiometric urea biosensor based on multi-walled carbon nanotubes (MWCNTs)/silica composite material. <i>Materials Science and Engineering C</i> , 2011, 31, 90-94.	3.8	45
42	Optical Biosensors: A Revolution Towards Quantum Nanoscale Electronics Device Fabrication. <i>Journal of Biomedicine and Biotechnology</i> , 2011, 2011, 1-7.	3.0	92
43	Elaboration of Urease Adsorption on Silicalite for Biosensor Creation. <i>Electroanalysis</i> , 2012, 24, 1380-1385.	1.5	25
44	Development of non-enzymatic strip for simple and selective determination of urea in water and biological samples. <i>Journal of the Iranian Chemical Society</i> , 2012, 9, 383-388.	1.2	4
45	Sensing small neurotransmitter enzyme interaction with nanoporous gated ion-sensitive field effect transistors. <i>Biosensors and Bioelectronics</i> , 2012, 31, 157-163.	5.3	11
46	Biosensors. A quarter of a century of R&D experience. <i>Biopolymers and Cell</i> , 2013, 29, 188-206.	0.1	27
47	An amperometric urea biosensor based on covalent immobilization of urease on N2 incorporated diamond nanowire electrode. <i>Biosensors and Bioelectronics</i> , 2014, 56, 64-70.	5.3	39
48	Bio-chem-FETs: field effect transistors for biological sensing. , 2014, , 194-219.		5
49	Urea impedimetric biosensor based on reactive RF magnetron sputtered zinc oxide nanoporous transducer. <i>Electrochimica Acta</i> , 2014, 146, 538-547.	2.6	51
50	The development of a novel urea sensor using polypyrrole. <i>Electrochimica Acta</i> , 2014, 145, 19-26.	2.6	24
51	Dopamine functionalized CuInS2 quantum dots as a fluorescence probe for urea. <i>Sensors and Actuators B: Chemical</i> , 2014, 191, 246-251.	4.0	29
52	Potentiometric Biosensor System Based on Recombinant Urease and Creatinine Deiminase for Urea and Creatinine Determination in Blood Dialysate and Serum. <i>Electroanalysis</i> , 2015, 27, 1699-1706.	1.5	20
53	Polyelectrolyte microcapsules with urease and paramagnetic particles as a basis for a potentiometric biosensor for determining urea. <i>Journal of Analytical Chemistry</i> , 2015, 70, 1368-1372.	0.4	14
54	Disposable urea biosensor based on nanoporous ZnO film fabricated from omissible polymeric substrate. <i>Materials Science and Engineering C</i> , 2015, 57, 387-396.	3.8	44
55	Single chip SPR and fluorescent ELISA assay of prostate specific antigen. <i>Lab on A Chip</i> , 2015, 15, 4433-4440.	3.1	53
56	Electrochemical fabrication of ZnO-polyvinyl alcohol nanostructured hybrid film for application to urea biosensor. <i>Sensors and Actuators B: Chemical</i> , 2015, 207, 772-781.	4.0	50

#	ARTICLE	IF	CITATIONS
57	Recent advances in micro/nanotechnologies for global control of hepatitis B infection. <i>Biotechnology Advances</i> , 2015, 33, 178-190.	6.0	38
58	Application of potentiometric biosensor based on recombinant urease for urea determination in blood serum and hemodialyzate. <i>Sensors and Actuators B: Chemical</i> , 2015, 207, 981-986.	4.0	39
59	Non-enzymatic urea sensor using molecularly imprinted polymers surface modified based-on ion-sensitive field effect transistor (ISFET). <i>Surface and Coatings Technology</i> , 2016, 306, 147-150.	2.2	19
60	Bio-inspired nano tools for neuroscience. <i>Progress in Neurobiology</i> , 2016, 142, 1-22.	2.8	41
61	A Novel Conductometric Urea Biosensor with Improved Analytical Characteristic Based on Recombinant Urease Adsorbed on Nanoparticle of Silicalite. <i>Nanoscale Research Letters</i> , 2016, 11, 106.	3.1	35
62	Optoelectronic detectors and flow analysis systems for determination of dialysate urea nitrogen. <i>Sensors and Actuators B: Chemical</i> , 2016, 226, 563-569.	4.0	17
63	L-noradrenaline functionalized near-infrared fluorescence CdSeTe probe for the determination of urea and bioimaging of HepG2 Cells. <i>Talanta</i> , 2017, 171, 16-24.	2.9	11
64	pH and Urea Estimation in Urine Samples using Single Fluorophore and Ratiometric Fluorescent Biosensors. <i>Scientific Reports</i> , 2017, 7, 5840.	1.6	31
65	Nanofilm of ZnO nanocrystals/carbon nanotubes as biocompatible layer for enzymatic biosensors in capacitive field-effect devices. <i>Journal of Materials Science</i> , 2017, 52, 12314-12325.	1.7	29
66	Biopolymer Composites in Field-Effect Transistors. , 2017, , 219-229.		6
67	Carbon Nanotubes and Algal Polysaccharides To Enhance the Enzymatic Properties of Urease in Lipid Langmuir-Blodgett Films. <i>Langmuir</i> , 2018, 34, 3082-3093.	1.6	20
68	ISFET structures with chemically modified membrane for bovine serum albumin detection. <i>Circuit World</i> , 2018, 44, 45-50.	0.7	8
69	Development of sensitive impedimetric urea biosensor using DC sputtered Nano-ZnO on TiO2 thin film as a novel hierarchical nanostructure transducer. <i>Sensors and Actuators B: Chemical</i> , 2018, 256, 760-774.	4.0	56
70	The influence of geometry and other fundamental challenges for bio-sensing with field effect transistors. <i>Biophysical Reviews</i> , 2019, 11, 757-763.	1.5	8
71	Immobilized Enzymes in Biosensor Applications. <i>Materials</i> , 2019, 12, 121.	1.3	329
72	Structural, chemical and electrochemical studies of bismuth oxide thin films growth via Unbalanced Magnetron Sputtering. <i>Surfaces and Interfaces</i> , 2020, 21, 100627.	1.5	4
73	Effect of forming gas annealing on SnO2 sensing membranes in high-performance silicon-on-insulator extended-gate field-effect transistors. <i>Thin Solid Films</i> , 2020, 706, 138083.	0.8	10
74	Subthermionic negative capacitance ion sensitive field-effect transistor. <i>Applied Physics Letters</i> , 2020, 116, .	1.5	17

#	ARTICLE	IF	CITATIONS
75	High throughput urease immobilization onto a new metal-organic framework called nanosized electroactive quasi-coral-340 (NEQC-340) for water treatment and safe blood cleaning. <i>Process Biochemistry</i> , 2021, 105, 79-90.	1.8	18
76	Highly Sensitive and Transparent Urea-EnFET Based Point-of-Care Diagnostic Test Sensor with a Triple-Gate α -IGZO TFT. <i>Sensors</i> , 2021, 21, 4748.	2.1	6
77	DEVELOPMENT OF NEW BIOSENSOR FOR ARGININE DETERMINATION IN PHARMACEUTICALS. <i>Sensor Electronics and Microsystem Technologies</i> , 2017, 14, 74-87.	0.1	1
78	Use of Water Soluble and Phosphorescent MPA Capped CdTe Quantum Dots for Detection of Urea. <i>Turkish Journal of Pharmaceutical Sciences</i> , 2018, 15, 44-49.	0.6	4
79	Fabrication and Response Characteristics of the Light Addressable Potentiometric Sensor for Detecting the Penicillin Concentration. <i>Journal of Sensor Science and Technology</i> , 2004, 13, 356-362.	0.1	0
80	Light addressable potentiometric penicillin sensor using Ta ₂ O ₅ sensing membrane. <i>Journal of Sensor Science and Technology</i> , 2006, 15, 192-198.	0.1	1
82	Biologically Sensitive FETs: Holistic Design Considerations from Simulation, Modeling and Fabrication Perspectives. <i>Silicon</i> , 2022, 14, 9237-9261.	1.8	3
84	Versatility of ureases: many uses for biotechnological and medical applications. , 2024, , 421-443.		0