## A novel urea sensitive biosensor with extended dynami urease and ISFETs

Biosensors and Bioelectronics 19, 131-135 DOI: 10.1016/s0956-5663(03)00175-1

**Citation Report** 

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Synthesis of bio-doped oxides for urea sensing. , 0, , .   |     | 0         |
| 2  | Encapsulation of Urease in Molybdenum Trioxide Sol-Gel. Materials Research Society Symposia<br>Proceedings, 2004, 828, 32.   | 0.1 | 0         |
| 3  | Enzymatic Biosensor Based on the ISFET and Photopolymeric Membrane for the Determinaion of Urea.<br>Electroanalysis, 2004, 16, 1891-1895.                                      | 2.9 | 29        |
| 4  | Development of the real-time pH sensing system for array sensors. Sensors and Actuators B: Chemical, 2005, 108, 870-876.   | 7.8 | 20        |
| 5  | Enzyme coated glass pH-electrode: Its fabrication and applications in the determination of urea in blood samples. Analytica Chimica Acta, 2005, 542, 157-161.                  | 5.4 | 24        |
| 6  | Solid state potentiometric sensor for the estimation of tributyrin and urea. Sensors and Actuators B:<br>Chemical, 2005, 107, 418-423.   | 7.8 | 44        |
| 7  | Potentiometric enzyme electrode for urea determination using immobilized urease in poly(vinylferrocenium) film. Sensors and Actuators B: Chemical, 2005, 109, 194-199.         | 7.8 | 78        |
| 8  | Analytical aspects of fet-based biosensors. Frontiers in Bioscience - Landmark, 2005, 10, 420.   | 3.0 | 42        |
| 9  | Measurement and comparison of potentiometric selectivity coefficients of urea biosensors based on ammonium ion-selective electrodes. IEEE Sensors Journal, 2005, 5, 1362-1368. | 4.7 | 16        |
| 10 | Protein Engineering for Biosensors. , 2006, , 89-115.  |     | 3         |
| 11 | Study on the disposable urea biosensors based on PVC-COOH membrane ammonium ion-selective electrodes. IEEE Sensors Journal, 2006, 6, 262-268.                                  | 4.7 | 22        |
| 12 | Amperometric enzyme electrode for urea determination using immobilized urease in poly(vinylferrocenium) film. Sensors and Actuators B: Chemical, 2006, 114, 500-506.           | 7.8 | 65        |
| 13 | Bio FEDs (Field-Effect Devices): State-of-the-Art and New Directions. Electroanalysis, 2006, 18, 1893-1900.  | 2.9 | 209       |
| 14 | Solid-state urea biosensor based on the differential method. IEEE Sensors Journal, 2006, 6, 269-275.   | 4.7 | 14        |
| 15 | Inhibitive determination of Hg2+ ion by an amperometric urea biosensor using poly(vinylferrocenium)<br>film. Enzyme and Microbial Technology, 2007, 40, 1156-1159.             | 3.2 | 45        |
| 16 | Comparative study between organic and inorganic entrapment matrices for urease biosensor development. Sensors and Actuators B: Chemical, 2007, 123, 671-679.                   | 7.8 | 37        |
| 17 | Enzymatic detection of glucose using fluoride-selective electrodes with polymeric membranes.<br>Analytical and Bioanalytical Chemistry, 2007, 389, 533-539.                    | 3.7 | 6         |
| 18 | Differential type solid-state urea biosensors based on ion-selective electrodes. Sensors and Actuators<br>B: Chemical, 2008, 130, 359-366.                                     | 7.8 | 25        |

TION RED

CITATION REPORT

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Potentiometric urea biosensor based on BSA embedded surface modified polypyrrole film. Sensors and Actuators B: Chemical, 2008, 134, 140-145.  | 7.8  | 68        |
| 20 | Use of CdSe/ZnS luminescent quantum dots incorporated within sol–gel matrix for urea detection.<br>Analytica Chimica Acta, 2008, 626, 53-61.   | 5.4  | 30        |
| 21 | ISFET and Fiber Optic Sensor Technologies:Â In Vivo Experience for Critical Care Monitoring. Chemical<br>Reviews, 2008, 108, 826-844.  | 47.7 | 33        |
| 24 | Nanomaterials for Neural Interfaces. Advanced Materials, 2009, 21, 3970-4004.  | 21.0 | 460       |
| 25 | Performance Characteristics of a New Generation Pressure Microsensor for Physiologic Applications. Annals of Biomedical Engineering, 2009, 37, 1638-1645.  | 2.5  | 16        |
| 26 | Comparative study on Pulsed Laser Deposition and Matrix Assisted Pulsed Laser Evaporation of urease thin films. Thin Solid Films, 2009, 517, 4299-4302.  | 1.8  | 33        |
| 27 | Metalloporphyrin-based acetate-selective electrodes as detectors for enzymatic acetylcholine determination in flow-injection analysis system. Analytica Chimica Acta, 2009, 644, 30-35.  | 5.4  | 14        |
| 28 | Recent developments in urea biosensors. Biochemical Engineering Journal, 2009, 44, 42-52.  | 3.6  | 177       |
| 29 | lonic effect investigation of a potentiometric sensor for urea and surface morphology observation of entrapped urease/polypyrrole matrix. Biosensors and Bioelectronics, 2009, 24, 2671-2677.  | 10.1 | 36        |
| 30 | Variable wavelength surface plasmon resonance (SPR) in biosensing. BioSystems, 2009, 98, 51-55.  | 2.0  | 13        |
| 31 | Photocurable Polymers for Ion Selective Field Effect Transistors. 20 Years of Applications. Sensors, 2009, 9, 7097-7110.   | 3.8  | 26        |
| 32 | Ion-Sensitive Field-Effect Transistor for Biological Sensing. Sensors, 2009, 9, 7111-7131.   | 3.8  | 366       |
| 33 | A Nanoelectronic Enzymeâ€Linked Immunosorbent Assay for Detection of Proteins in Physiological<br>Solutions. Small, 2010, 6, 232-238.  | 10.0 | 52        |
| 34 | Development of an Ion Sensitive Field Effect Transistor Based Urea Biosensor with Solid State<br>Reference Systems. Sensors, 2010, 10, 6115-6127.  | 3.8  | 16        |
| 35 | Analytical Nanosphere Sensors Using Quantum Dotâ^'Enzyme Conjugates for Urea and Creatinine.<br>Analytical Chemistry, 2010, 82, 9043-9049.   | 6.5  | 70        |
| 36 | Design and Implementation of Functional Nanoelectronic Interfaces With Biomolecules, Cells, and<br>Tissue Using Nanowire Device Arrays. IEEE Nanotechnology Magazine, 2010, 9, 269-280.  | 2.0  | 103       |
| 37 | Development of high-kTm2Ti2O7 sensing membrane-based electrolyte–insulator–semiconductor for pH detection and its application for glucose biosensing using poly(N-isopropylacrylamide) as an enzyme encapsulation material. Journal of Materials Chemistry, 2011, 21, 539-547. | 6.7  | 12        |
| 38 | Highly sensitive nano-porous lattice biosensor based on localized surface plasmon resonance and interference. Optics Express, 2011, 19, 22882.   | 3.4  | 65        |

CITATION REPORT

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 39 | Selective determination of urea using urease immobilized on ZnO nanowires. Sensors and Actuators<br>B: Chemical, 2011, 160, 637-643.   | 7.8  | 78        |
| 40 | Urea potentiometric enzymatic biosensor based on charged biopolymers and electrodeposited polyaniline. Biosensors and Bioelectronics, 2011, 26, 4139-4145.                                     | 10.1 | 88        |
| 41 | Potentiometric urea biosensor based on multi-walled carbon nanotubes (MWCNTs)/silica composite material. Materials Science and Engineering C, 2011, 31, 90-94.                                 | 7.3  | 45        |
| 42 | Optical Biosensors: A Revolution Towards Quantum Nanoscale Electronics Device Fabrication.<br>Journal of Biomedicine and Biotechnology, 2011, 2011, 1-7.                                       | 3.0  | 92        |
| 43 | Elaboration of Urease Adsorption on Silicalite for Biosensor Creation. Electroanalysis, 2012, 24, 1380-1385.   | 2.9  | 25        |
| 44 | Development of non-enzymatic strip for simple and selective determination of urea in water and biological samples. Journal of the Iranian Chemical Society, 2012, 9, 383-388.                  | 2.2  | 4         |
| 45 | Sensing small neurotransmitter–enzyme interaction with nanoporous gated ion-sensitive field effect transistors. Biosensors and Bioelectronics, 2012, 31, 157-163.                              | 10.1 | 11        |
| 46 | Biosensors. A quarter of a century of R&D experience. Biopolymers and Cell, 2013, 29, 188-206.   | 0.4  | 27        |
| 47 | An amperometric urea bisosensor based on covalent immobilization of urease on N2 incorporated diamond nanowire electrode. Biosensors and Bioelectronics, 2014, 56, 64-70.                      | 10.1 | 39        |
| 48 | Bio-chem-FETs: field effect transistors for biological sensing. , 2014, , 194-219.   |      | 5         |
| 49 | Urea impedimetric biosensor based on reactive RF magnetron sputtered zinc oxide nanoporous transducer. Electrochimica Acta, 2014, 146, 538-547.  | 5.2  | 51        |
| 50 | The development of a novel urea sensor using polypyrrole. Electrochimica Acta, 2014, 145, 19-26.   | 5.2  | 24        |
| 51 | Dopamine functionalized CuInS2 quantum dots as a fluorescence probe for urea. Sensors and Actuators B: Chemical, 2014, 191, 246-251.   | 7.8  | 29        |
| 52 | Potentiometric Biosensor System Based on Recombinant Urease and Creatinine Deiminase for Urea and Creatinine Determination in Blood Dialysate and Serum. Electroanalysis, 2015, 27, 1699-1706. | 2.9  | 20        |
| 53 | Polyelectrolyte microcapsules with urease and paramagnetic particles as a basis for a potentiometric biosensor for determining urea. Journal of Analytical Chemistry, 2015, 70, 1368-1372.     | 0.9  | 14        |
| 54 | Disposable urea biosensor based on nanoporous ZnO film fabricated from omissible polymeric substrate. Materials Science and Engineering C, 2015, 57, 387-396.                                  | 7.3  | 44        |
| 55 | Single chip SPR and fluorescent ELISA assay of prostate specific antigen. Lab on A Chip, 2015, 15, 4433-4440.  | 6.0  | 53        |
| 56 | Electrochemical fabrication of ZnO-polyvinyl alcohol nanostructured hybrid film for application to urea biosensor. Sensors and Actuators B: Chemical, 2015, 207, 772-781.                      | 7.8  | 50        |

CITATION REPORT

| #  | Article   | IF  | CITATIONS                            |
|--|---|---|--------------------------------------|
| 57   | Recent advances in micro/nanotechnologies for global control of hepatitis B infection.<br>Biotechnology Advances, 2015, 33, 178-190.  | 11.7  | 38                                   |
| 58   | Application of potentiometric biosensor based on recombinant urease for urea determination in blood serum and hemodialyzate. Sensors and Actuators B: Chemical, 2015, 207, 981-986.   | 7.8   | 39                                   |
| 59   | Non-enzymatic urea sensor using molecularly imprinted polymers surface modified based-on<br>ion-sensitive field effect transistor (ISFET). Surface and Coatings Technology, 2016, 306, 147-150.   | 4.8   | 19                                   |
| 60   | Bio-inspired nano tools for neuroscience. Progress in Neurobiology, 2016, 142, 1-22.  | 5.7   | 41                                   |
| 61   | A Novel Conductometric Urea Biosensor with Improved Analytical Characteristic Based on<br>Recombinant Urease Adsorbed on Nanoparticle of Silicalite. Nanoscale Research Letters, 2016, 11, 106.   | 5.7   | 35                                   |
| 62   | Optoelectronic detectors and flow analysis systems for determination of dialysate urea nitrogen.<br>Sensors and Actuators B: Chemical, 2016, 226, 563-569.  | 7.8   | 17                                   |
| 63   | L-noradrenaline functionalized near-infrared fluorescence CdSeTe probe for the determination of urea and bioimaging of HepG2 Cells. Talanta, 2017, 171, 16-24.  | 5.5   | 11                                   |
| 64   | pH and Urea Estimation in Urine Samples using Single Fluorophore and Ratiometric Fluorescent<br>Biosensors. Scientific Reports, 2017, 7, 5840.  | 3.3   | 31                                   |
| 65   | Nanofilm of ZnO nanocrystals/carbon nanotubes as biocompatible layer for enzymatic biosensors in capacitive field-effect devices. Journal of Materials Science, 2017, 52, 12314-12325.  | 3.7   | 29                                   |
| 66   | Biopolymer Composites in Field-Effect Transistors. , 2017, , 219-229.   |   | 6                                    |
| 67   | Carbon Nanotubes and Algal Polysaccharides To Enhance the Enzymatic Properties of Urease in Lipid   |   | 20                                   |
|  | Langhunae blougett mins. Langhun, 2016, 54, 5062-5055.  | 3.5   | 20                                   |
| 68   | ISFET structures with chemically modified membrane for bovine serum albumin detection. Circuit<br>World, 2018, 44, 45-50.   | 3.5<br>0.9  | 8                                    |
| 68<br>69   | <ul> <li>ISFET structures with chemically modified membrane for bovine serum albumin detection. Circuit World, 2018, 44, 45-50.</li> <li>Development of sensitive impedimetric urea biosensor using DC sputtered Nano-ZnO on TiO2 thin film as a novel hierarchical nanostructure transducer. Sensors and Actuators B: Chemical, 2018, 256, 760-774.</li> </ul>   | 3.5<br>0.9<br>7.8   | 8                                    |
| 68<br>69<br>70   | ISFET structures with chemically modified membrane for bovine serum albumin detection. Circuit         World, 2018, 44, 45-50.         Development of sensitive impedimetric urea biosensor using DC sputtered Nano-ZnO on TiO2 thin film as a novel hierarchical nanostructure transducer. Sensors and Actuators B: Chemical, 2018, 256, 760-774.         The influence of geometry and other fundamental challenges for bio-sensing with field effect transistors. Biophysical Reviews, 2019, 11, 757-763.  | 3.5<br>0.9<br>7.8<br>3.2  | 8<br>56<br>8                         |
| 68<br>69<br>70<br>71   | ISFET structures with chemically modified membrane for bovine serum albumin detection. Circuit World, 2018, 44, 45-50.         Development of sensitive impedimetric urea biosensor using DC sputtered Nano-ZnO on TiO2 thin film as a novel hierarchical nanostructure transducer. Sensors and Actuators B: Chemical, 2018, 256, 760-774.         The influence of geometry and other fundamental challenges for bio-sensing with field effect transistors. Biophysical Reviews, 2019, 11, 757-763.         Immobilized Enzymes in Biosensor Applications. Materials, 2019, 12, 121.   | <ul> <li>3.5</li> <li>0.9</li> <li>7.8</li> <li>3.2</li> <li>2.9</li> </ul>                           | 20<br>8<br>56<br>8<br>329            |
| <ul> <li>68</li> <li>69</li> <li>70</li> <li>71</li> <li>72</li> </ul>             | ISFET structures with chemically modified membrane for bovine serum albumin detection. Circuit         World, 2018, 44, 45-50.         Development of sensitive impedimetric urea biosensor using DC sputtered Nano-ZnO on TiO2 thin film as a novel hierarchical nanostructure transducer. Sensors and Actuators B: Chemical, 2018, 256, 760-774.         The influence of geometry and other fundamental challenges for bio-sensing with field effect transistors. Biophysical Reviews, 2019, 11, 757-763.         Immobilized Enzymes in Biosensor Applications. Materials, 2019, 12, 121.         Structural, chemical and electrochemical studies of bismuth oxide thin films growth via Unbalanced Magnetron Sputtering. Surfaces and Interfaces, 2020, 21, 100627.   | <ul> <li>3.5</li> <li>0.9</li> <li>7.8</li> <li>3.2</li> <li>2.9</li> <li>3.0</li> </ul>              | 20<br>8<br>56<br>8<br>329<br>4       |
| <ul> <li>68</li> <li>69</li> <li>70</li> <li>71</li> <li>72</li> <li>73</li> </ul> | ISFET structures with chemically modified membrane for bovine serum albumin detection. Circuit         World, 2018, 44, 45-50.         Development of sensitive impedimetric urea biosensor using DC sputtered Nano-ZnO on TiO2 thin film as a novel hierarchical nanostructure transducer. Sensors and Actuators B: Chemical, 2018, 256, 760-774.         The influence of geometry and other fundamental challenges for bio-sensing with field effect transistors. Biophysical Reviews, 2019, 11, 757-763.         Immobilized Enzymes in Biosensor Applications. Materials, 2019, 12, 121.         Structural, chemical and electrochemical studies of bismuth oxide thin films growth via Unbalanced Magnetron Sputtering. Surfaces and Interfaces, 2020, 21, 100627.         Effect of forming gas annealing on SnO2 sensing membranes in high-performance silicon-on-insulator extended-gate field-effect transistors. Thin Solid Films, 2020, 706, 138083. | <ul> <li>3.5</li> <li>0.9</li> <li>7.8</li> <li>3.2</li> <li>2.9</li> <li>3.0</li> <li>1.8</li> </ul> | 20<br>8<br>56<br>8<br>329<br>4<br>10 |

**CITATION REPORT** IF ARTICLE CITATIONS High throughput urease immobilization onto a new metal-organic framework called nanosized electroactive quasi-coral-340 (NEQC-340) for water treatment and safe blood cleaning. Process 3.7 18 Biochemistry, 2021, 105, 79-90. Highly Sensitive and Transparent Urea-EnFET Based Point-of-Care Diagnostic Test Sensor with a Triple-Gate a-IGZO TFT. Sensors, 2021, 21, 4748. 3.8 DEVELOPMENT OF NEW BIOSENSOR FOR ARGININE DETERMINATION IN PHARMACEUTICALS. Sensor 0.2 1 Electronics and Microsystem Technologies, 2017, 14, 74-87. Use of Water Soluble and Phosphorescent MPA Capped CdTe Quantum Dots for Detection of Urea. Turkish Journal of Pharmaceutical Sciences, 2018, 15, 44-49. Fabrication and Response Characteristics of the Light Addressable Potentiometric Sensor for 0.2 0 Detecting the Penicillin Concentration. Journal of Sensor Science and Technology, 2004, 13, 356-362. Light addressable potentiometric penicillin sensor using Ta2O5sensing membrane. Journal of Sensor Science and Technology, 2006, 15, 192-198. 0.2 Biologically Sensitive FETs: Holistic Design Considerations from Simulation, Modeling and Fabrication 82 3.3 3 Perspectives. Silicon, 2022, 14, 9237-9261. Versatility of ureases: many uses for biotechnological and medical applications., 2024, , 421-443. 84

#

75

77

79