

Phylogeography of the northern hogsucker, *Hypentelium*

Journal of Biogeography

30, 1139-1152

DOI: 10.1046/j.1365-2699.2003.00888.x

Citation Report

#	ARTICLE	IF	CITATIONS
1	Genes and Biogeographers: Incorporating a Genetic Perspective into Biogeographical Research. <i>Physical Geography</i> , 2003, 24, 447-466.	1.4	5
2	Phylogenetic Relationships in the Genus <i>Erimystax</i> (Actinopterygii: Cyprinidae) Based on the CytochromebGene. <i>Copeia</i> , 2004, 2004, 351-356.	1.3	16
3	Morphology and Phylogeny of the Studfish Clade, Subgenus <i>Xenisma</i> (Teleostei: Cyprinodontiformes). <i>Copeia</i> , 2004, 2004, 53-61.	1.3	6
4	Dispersal, vicariance, and timing of diversification in <i>Nothonotus</i> darters. <i>Molecular Ecology</i> , 2005, 14, 3485-3496.	3.9	72
5	Gene lineages and eastern North American palaeodrainage basins: phylogeography and speciation in salamanders of the <i>Eurycea bislineata</i> species complex. <i>Molecular Ecology</i> , 2005, 15, 191-207.	3.9	139
6	Biogeography and molecular phylogeny of the genus <i>Schizothorax</i> (Teleostei: Cyprinidae) in China inferred from cytochrome b sequences. <i>Journal of Biogeography</i> , 2006, 33, 1448-1460.	3.0	134
7	Phylogeography and post-glacial colonization patterns of the rainbow darter, <i>Etheostoma caeruleum</i> (Teleostei: Percidae). <i>Journal of Biogeography</i> , 2006, 33, 1550-1558.	3.0	51
8	Comparative phylogeography of unglaciated eastern North America. <i>Molecular Ecology</i> , 2006, 15, 4261-4293.	3.9	843
9	Life -history Aspects of <i>Hypentelium etowanum</i> (Alabama Hog Sucker) (Actinopterygii: Catostomidae) in Northern Georgia. <i>Southeastern Naturalist</i> , 2007, 6, 479-490.	0.4	5
10	Molecular taxonomy in the dark: Evolutionary history, phylogeography, and diversity of cave crayfish in the subgenus <i>Aviticambarus</i> , genus <i>Cambarus</i> . <i>Molecular Phylogenetics and Evolution</i> , 2007, 42, 435-448.	2.7	83
11	An empirical test of freshwater vicariance via river capture. <i>Molecular Ecology</i> , 2007, 16, 1883-1895.	3.9	93
12	GEOLOGICAL AND CLIMATIC FORCES DRIVING SPECIATION IN THE CONTINENTALLY DISTRIBUTED TRILLING CHORUS FROGS (PSEUDACRIS). <i>Evolution; International Journal of Organic Evolution</i> , 2007, 61, 2086-2103.	2.3	112
13	Population genetics of the freshwater mussel, <i>Amblema plicata</i> (Say 1817) (Bivalvia: Unionidae): Evidence of high dispersal and post-glacial colonization. <i>Conservation Genetics</i> , 2007, 8, 355-372.	1.5	71
14	Recovering cryptic diversity and ancient drainage patterns in eastern North America: Historical biogeography of the <i>Notropis rubellus</i> species group (Teleostei: Cypriniformes). <i>Molecular Phylogenetics and Evolution</i> , 2008, 46, 721-737.	2.7	55
15	Phylogeography of <i>Diadophis punctatus</i> : Extensive lineage diversity and repeated patterns of historical demography in a trans-continental snake. <i>Molecular Phylogenetics and Evolution</i> , 2008, 46, 1049-1070.	2.7	83
16	Species limits and phylogeography of North American cricket frogs (Acris: Hylidae). <i>Molecular Phylogenetics and Evolution</i> , 2008, 48, 112-125.	2.7	53
17	Molecular, morphological, and biogeographic resolution of cryptic taxa in the Greenside Darter <i>Etheostoma blennioides</i> complex. <i>Molecular Phylogenetics and Evolution</i> , 2008, 49, 69-83.	2.7	20
18	Phylogeography of the bigeye chub <i>Hybopsis amblops</i> (Teleostei: Cypriniformes): early Pleistocene diversification and post-glacial range expansion. <i>Journal of Fish Biology</i> , 2008, 73, 2021-2039.	1.6	26

#	ARTICLE	IF	CITATIONS
19	Population genetics and phylogeography of freshwater mussels in North America, <i>< i>Elliptio dilatata</i></i> and <i>< i>Actinonaias ligamentina</i></i> (Bivalvia: Unionidae). Molecular Ecology, 2008, 17, 2149-2163.	3.9	53
20	Systematics and Zoogeography of the Rock Basses (Centrarchidae: Ambloplites). Copeia, 2008, 2008, 858-867.	1.3	10
21	Intraspecific Phylogeography of the Least Brook Lamprey (<i>Lampetra aepyptera</i>). Copeia, 2008, 2008, 579-585.	1.3	13
22	Phylogeography and conservation genetics of the hellbender salamander (<i>Cryptobranchus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 55	1.5	23
23	A striking lack of genetic diversity across the wide-ranging amphibian <i>Gastrophryne carolinensis</i> (Anura: Microhylidae). Genetica, 2009, 135, 169-183.	1.1	30
24	A hierarchical classification of freshwater mussel diversity in North America. Journal of Biogeography, 2010, 37, 12-26.	3.0	62
25	TEMPORAL PATTERNS OF DIVERSIFICATION AND MICROENDEMISM IN EASTERN HIGHLAND ENDEMIC BARCHEEK DARTERS (PERCIDAE: ETHEOSTOMATINAE). Evolution; International Journal of Organic Evolution, 2009, 63, 228-243.	2.3	57
26	Ecological niche conservatism in North American freshwater fishes. Biological Journal of the Linnean Society, 0, 96, 282-295.	1.6	31
27	Landscape genetic patterns of the rainbow darter <i>< i>Etheostoma caeruleum</i></i> : a catchment analysis of mitochondrial DNA sequences and nuclear microsatellites. Journal of Fish Biology, 2009, 75, 2244-2268.	1.6	26
28	Mitochondrial DNA divergence in the critically imperilled pygmy madtom, <i>< i>Noturus stanauli</i></i> (Siluriformes: Ictaluridae). Journal of Fish Biology, 2009, 75, 2363-2372.	1.6	3
29	Population genetic diversity and phylogeographic divergence patterns of the yellow perch (<i>Perca</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.9	34
30	The snails the dinosaurs saw: are the pleurocerid populations of the Older Appalachians a relict of the Paleozoic Era?. Journal of the North American Benthological Society, 2009, 28, 1-11.	3.1	27
31	Intraspecific Phylogeography of the Stonecat Madtom, <i>Noturus flavus</i> . Copeia, 2009, 2009, 563-571.	1.3	9
32	Phylogeography of the Bluegill Sunfish, <i>Lepomis macrochirus</i> , in the Mississippi River Basin. Zoological Science, 2009, 26, 24-34.	0.7	11
33	Phylogeography and postglacial dispersal of smallmouth bass (<i>Micropterus dolomieu</i>) into the Great Lakes. Canadian Journal of Fisheries and Aquatic Sciences, 2009, 66, 2142-2156.	1.4	30
34	Analyzing the relationship between sequence divergence and nodal support using Bayesian phylogenetic analyses. Molecular Phylogenetics and Evolution, 2010, 57, 485-494.	2.7	16
35	Postglacial expansion into the Paleozoic Plateau: evidence of an Ozarkian refugium for the Ozark minnow <i>< i>Notropis nubilus</i></i> (Teleostei: Cypriniformes). Journal of Fish Biology, 2010, 77, 1114-1136.	1.6	15
36	Phylogeography of <i>< i>Hemibarbus labeo</i></i> (Cyprinidae): secondary contact of ancient lineages of mtDNA. Zoologica Scripta, 2010, 39, 23-35.	1.7	10

#	ARTICLE	IF	CITATIONS
37	Evolution of Herbivory in a Carnivorous Clade of Minnows (Teleostei: Cyprinidae): Effects on Gut Size and Digestive Physiology. <i>Physiological and Biochemical Zoology</i> , 2010, 83, 1-18.	1.5	94
38	Novel Phylogeographic Patterns in a Lowland Fish, <i><scp>Etheostoma proeliare</scp></i> (Percidae). <i>Southeastern Naturalist</i> , 2011, 10, 133-144.	0.4	7
39	Impacts of past glaciation events on contemporary fish assemblages of the Ohio River basin. <i>Journal of Biogeography</i> , 2011, 38, 982-991.	3.0	15
40	Phylogeographic analyses of the southern leopard frog: the impact of geography and climate on the distribution of genetic lineages vs. subspecies. <i>Molecular Ecology</i> , 2011, 20, 5295-5312.	3.9	20
41	Genetic Identity of Walleye in the Cumberland River. <i>American Midland Naturalist</i> , 2012, 167, 373-383.	0.4	7
42	Rapid diversification in the North American minnow genus <i>Nocomis</i> . <i>Molecular Phylogenetics and Evolution</i> , 2012, 63, 639-649.	2.7	28
43	Explicit tests of palaeodrainage connections of southeastern <i><scp>N</scp></i> orth <i><scp>A</scp></i> merica and the historical biogeography of <i><scp>O</scp></i> rangethroat <i><scp>D</scp></i> arters (<i><scp>P</scp></i> ercidae: <i><scp>E</scp></i> theostoma <i></i></i> : <i><scp>C</scp></i> easia <i></i></i>). <i>Molecular Ecology</i> , 2013, 22, 5397-5417.	3.9	36
44	EFFECTS OF CLIMATIC AND GEOLOGICAL PROCESSES DURING THE PLEISTOCENE ON THE EVOLUTIONARY HISTORY OF THE NORTHERN CAVEFISH, <i><scp>AMBLYOPSIS SPELEAE</scp></i> (TELEOSTEI: AMBLYOPSIDAE). <i>Evolution; International Journal of Organic Evolution</i> , 2013, 67, 1011-1025.	2.3	33
45	Phylogeographic and population genetic analyses reveal Pleistocene isolation followed by high gene flow in a wide ranging, but endangered, freshwater mussel. <i>Heredity</i> , 2014, 112, 282-290.	2.6	47
46	Molecular phylogenetics and morphological variation reveal recent speciation in freshwater mussels of the genera <i><scp>Arcidens</scp></i> and <i><scp>Arkansas</scp></i> (Bivalvia: Unionidae). <i>Biological Journal of the Linnean Society</i> , 2014, 112, 535-545.	1.6	33
47	First Record of the Bigeye Shiner (<i>Notropis boops</i>) from West Virginia. <i>American Midland Naturalist</i> , 2014, 172, 372-375.	0.4	0
48	Molecular systematics and historical biogeography of the <i>Nocomis biguttatus</i> species group (Teleostei: Cyprinidae): Nuclear and mitochondrial introgression and a cryptic Ozark species. <i>Molecular Phylogenetics and Evolution</i> , 2014, 81, 109-119.	2.7	12
49	Refugia and postglacial expansion of <i><scp>Acroneuria frisoni</scp></i> Stark & Brown (Plecoptera: Perlidae) in North America. <i>Freshwater Science</i> , 2014, 33, 232-249.	1.8	13
50	Phylogeography of <i><scp>Pteronotropis signipinnis</scp></i> , <i><scp>P. euryzonus</scp></i> , and the <i><scp>P. hypselopterus</scp></i> Complex (Teleostei: Cypriniformes), with Comments on Diversity and History of the Gulf and Atlantic Coastal Streams. <i>BioMed Research International</i> , 2015, 2015, 1-25.	1.9	6
51	Molecular Systematics of the Least Darter (Percidae: <i><scp>Etheostoma microperca</scp></i>): Historical Biogeography and Conservation Implications. <i>Copeia</i> , 2015, 103, 87-98.	1.3	9
52	Morphological and molecular variation in the least madtom <i><scp>Noturus hildebrandi</scp></i> (Siluriformes: Ictaluridae), a Mississippi Embayment endemic: evidence for a cryptic lineage in the Hatchie River. <i>Journal of Fish Biology</i> , 2015, 86, 493-526.	1.6	5
53	The influence of historical and contemporary landscape variables on the spatial genetic structure of the rainbow darter (<i>Etheostoma caeruleum</i>) in tributaries of the upper Mississippi River. <i>Conservation Genetics</i> , 2015, 16, 167-179.	1.5	6
54	The biogeography and phylogeny of schizothoracine fishes (<i><scp>S</scp><scp>i>chizopygopsis</i></scp></i>) in the <i><scp>Q</scp></i> inghai <i>&#229;</i> <i><scp>T</scp></i> betan <i><scp>P</scp></i> lateau. <i>Zoologica Scripta</i> , 2015, 44, 523-533.	1.7	17

#	ARTICLE	IF	CITATIONS
55	Ancient river systems and phylogeographical structure in the spring salamander, <i>Gyrinophilus porphyriticus</i>. Journal of Biogeography, 2016, 43, 639-652.	3.0	18
56	Phylogeography of <i>Diptychus maculatus</i> (Cyprinidae) endemic to the northern margin of the QTP and Tien Shan region. BMC Evolutionary Biology, 2016, 16, 186.	3.2	5
57	Species delimitation and phylogeography of the studfish <i>Fundulus catenatus</i> species group (Ovalentaria: Cyprinodontiformes). Zoological Journal of the Linnean Society, 2016, , .	2.3	1
58	Ecology, environment and evolutionary history influence genetic structure in five mammal species from the Italian Alps. Biological Journal of the Linnean Society, 2016, 117, 428-446.	1.6	10
59	Genetic variation and biogeography of the spotted gar <i>Lepisosteus oculatus</i> from core and peripheral populations. Journal of Experimental Zoology Part B: Molecular and Developmental Evolution, 2017, 328, 596-606.	1.3	6
60	Disintegrating over space and time: Paraphyly and species delimitation in the Wehrle's Salamander complex. Zoologica Scripta, 2018, 47, 285-299.	1.7	18
61	A genomic assessment of population structure and gene flow in an aquatic salamander identifies the roles of spatial scale, barriers, and river architecture. Freshwater Biology, 2018, 63, 407-419.	2.4	13
62	Spatial extent of analysis influences observed patterns of population genetic structure in a widespread darter species (Percidae). Freshwater Biology, 2018, 63, 1185-1198.	2.4	10
63	Phylogeography of the freshwater mussel species <i>Lasmigona costata</i>: testing post-glacial colonization hypotheses. Hydrobiologia, 2018, 810, 191-206.	2.0	15
64	Conservation genetics of redside dace (<i>Clinostomus elongatus</i>): phylogeography and contemporary spatial structure. Conservation Genetics, 2018, 19, 409-424.	1.5	7
65	Evolutionary insights into the North American <i>Necturus beyeri</i> complex (Amphibia: Caudata) based on molecular genetic and morphological analyses. Journal of Zoological Systematics and Evolutionary Research, 2018, 56, 352-363.	1.4	3
66	Historical biogeography reveals new independent evolutionary lineages in the <i>Pantosteus plebeius-nebuliferus</i> species-group (Actinopterygii: Catostomidae). BMC Evolutionary Biology, 2018, 18, 173.	3.2	7
67	Phylogeography of the widespread creek chub <i>Semotilus atromaculatus</i> (Cypriniformes: Leuciscidae). Journal of Fish Biology, 2018, 93, 778-791.	1.6	8
68	The Pleurobemini (Bivalvia : Unionida) revisited: molecular species delineation using a mitochondrial DNA gene reveals multiple conspecifics and undescribed species. Invertebrate Systematics, 2018, 32, 689.	1.3	21
69	The Messinian imprint on the evolution of freshwater fishes of the genus <i>Luciobarbus</i> Heckel, 1843 (Teleostei, Cyprinidae) in the western Mediterranean. Journal of Biogeography, 2018, 45, 1593-1603.	3.0	12
70	Comparative phylogenomics reveal complex evolution of life history strategies in a clade of bivalves with parasitic larvae (Bivalvia: Unionoida: Ambleminae). Cladistics, 2020, 36, 505-520.	3.3	21
71	Introgression and Species Delimitation in the Longear Sunfish <i>Lepomis megalotis</i> (Teleostei: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	3.6	20
73	Genetic and morphological differentiation in the green swordtail fish, <i>Xiphophorus hellerii</i>: the influence of geographic and environmental factors. Hydrobiologia, 2021, 848, 4599-4622.	2.0	2

#	ARTICLE	IF	CITATIONS
74	Comparative Phylogeography of Mississippi Embayment Fishes. PLoS ONE, 2015, 10, e0116719.	2.5	6
75	Drainage History, Evolution, and Conservation of Tonguetied Minnow (<i>Exoglossum laurae</i>), a Rare and Imperiled Teays River Endemic. Copeia, 2020, 108, 381.	1.3	3
76	Multilocus Phylogeography of Eastern Red-Backed Salamanders (<i>Plethodon cinereus</i>): Cryptic Appalachian Diversity and Postglacial Range Expansion. Herpetologica, 2020, 76, 61.	0.4	13
77	Genetic structuring in the Pyramid Elimia, <i>Elimia potosiensis</i> (Gastropoda, Pleuroceridae), with implications for pleurocerid conservation. Zoosystematics and Evolution, 2017, 93, 437-449.	1.1	3
78	Population Genetic Analyses of <i>Lampsilis cardium</i> (Bivalvia: Unionida) Reveal Multiple Postâ€“Glacial Colonization Routes into the Great Lakes Drainage. American Malacological Bulletin, 2019, 37, 21.	0.2	8
79	Late Pleistocene fishes of the Tennessee River Basin: an analysis of a late Pleistocene freshwater fish fauna from Bell Cave (site ACb-2) in Colbert County, Alabama, USA. PeerJ, 2016, 4, e1648.	2.0	4
80	Genetic and morphological characterization of the freshwater mussel clubshell species complex (<i>< i>Pleurobema clava</i></i> and <i>< i>Pleurobema oviforme</i></i>) to inform conservation planning. Ecology and Evolution, 2021, 11, 15325-15350.	1.9	5
81	Morphological diversity within the O'zark minnow (<i>Notropis nubilus</i> : Leciscidae). Journal of Fish Biology, 2021, , .	1.6	0
82	Comparative riverscape genomics of the rainbow darter (<i>Etheostoma caeruleum</i>) in glaciated and unglaciated environments. Ecology and Evolution, 2021, 11, 18305-18318.	1.9	2
83	Postglacial Expansion Routes and Mitochondrial Genetic Diversification of the Freshwater Pearl Mussel in Europe and North America. Diversity, 2022, 14, 477.	1.7	4
84	Phylogeography and population genetics of a headwater-stream adapted crayfish, <i>Cambarus pristinus</i> (Decapoda: Cambaridae), from the Cumberland Plateau in Tennessee. Conservation Genetics, 0, , .	1.5	0
85	Genetic differences among the Interior Highlands walleye (<i>Sander vitreus</i>) with mitochondrial and nuclear markers indicate the need for updated stocking practices. Conservation Genetics, 0, , .	1.5	0
86	To all the gar I loved before: range-wide population genetic structure in Alligator gar. Conservation Genetics, 0, , .	1.5	1
87	Glacial vicariance and secondary contact shape demographic histories in a freshwater mussel species complex. Journal of Heredity, 0, , .	2.4	0
88	Riverscape genetics of the orangethroat darter complex. Journal of Fish Biology, 0, , .	1.6	0