

Seroma Formation Following Breast Cancer Surgery

Breast Journal

9, 385-388

DOI: [10.1046/j.1524-4741.2003.09504.x](https://doi.org/10.1046/j.1524-4741.2003.09504.x)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Seroma formation after surgery for breast cancer. World Journal of Surgical Oncology, 2004, 2, 44.	0.8	114
2	Relationship between Octeotride and Breast Surgery. Breast Journal, 2005, 11, 223-223.	0.4	1
4	Evidence-Based Risk Factors for Seroma Formation in Breast Surgery. Japanese Journal of Clinical Oncology, 2006, 36, 197-206.	0.6	138
5	Patient Outcomes After Axillary Lymph Node Dissection for Breast Cancer: Use of Postoperative Continuous Local Anesthesia Infusion. Journal of Surgical Research, 2006, 134, 124-132.	0.8	35
6	Talc Seromadesis: A Novel Technique for the Treatment of Chronic Seromas Following Breast Surgery. Breast Journal, 2006, 12, 502-504.	0.4	21
7	REVIEW OF CONCEPTS OF SEROMA FORMATION AND PREVENTION IN BREAST CANCER SURGERY. ANZ Journal of Surgery, 2006, 76, 1046-1046.	0.3	1
8	CONCEPTS OF SEROMA FORMATION AND PREVENTION IN BREAST CANCER SURGERY. ANZ Journal of Surgery, 2006, 76, 1088-1095.	0.3	168
9	Surgical Complications Associated With Sentinel Lymph Node Biopsy: Results From a Prospective International Cooperative Group Trial. Annals of Surgical Oncology, 2006, 13, 491-500.	0.7	506
10	Systematic review and meta-analysis of the use of fibrin sealant to prevent seroma formation after breast cancer surgery. British Journal of Surgery, 2006, 93, 810-819.	0.1	144
11	Completely Autologous Platelet Gel in Breast Reduction Surgery: A Blinded, Randomized, Controlled Trial. Plastic and Reconstructive Surgery, 2007, 119, 1159-1166.	0.7	8
12	Rehabilitation in Women with Breast Cancer. Physical Medicine and Rehabilitation Clinics of North America, 2007, 18, 521-537.	0.7	25
13	Atypical Cytology in a Persistent Seroma Following Mastectomy for Breast Cancer: A Case Report and Review of the Literature. Breast Journal, 2007, 13, 196-199.	0.4	1
14	Analysis of Risk Factors Affecting the Development of Seromas Following Breast Cancer Surgeries: Seromas Following Breast Cancer Surgeries. Breast Journal, 2007, 13, 588-592.	0.4	39
15	Axillary surgery in breast cancer patients. Clinical and Translational Oncology, 2007, 9, 513-520.	1.2	2
16	Breast cancer outcomes following a national initiative in Ireland to restructure delivery of services for symptomatic disease. Breast, 2008, 17, 412-417.	0.9	5
17	Materials in Surgery: A Review of Biomaterials in Postsurgical Tissue Adhesion and Seroma Prevention. Tissue Engineering - Part B: Reviews, 2008, 14, 377-391.	2.5	27
18	Manejo de los seromas y hematomas en cirugía dermatológica. Piel, 2008, 23, 264-267.	0.0	0
19	Modified Radical Mastectomy With Axillary Dissection Using the Electrothermal Bipolar Vessel Sealing System. Archives of Surgery, 2008, 143, 575.	2.3	40

#	ARTICLE	IF	CITATIONS
20	Use of Multiple Drains After Mastectomy Is Associated With More Patient Discomfort and Longer Postoperative Stay. <i>Clinical Breast Cancer</i> , 2009, 9, 243-246.	1.1	33
21	Volume-controlled vs no/short-term drainage after axillary lymph node dissection in breast cancer surgery: A meta-analysis. <i>Breast</i> , 2009, 18, 109-114.	0.9	45
22	Influence of Fibrin Glue on Seroma Formation after Modified Radical Mastectomy: A Prospective Randomized Study. <i>Breast Journal</i> , 2009, 15, 671-672.	0.4	8
23	Change in Seroma Volume During Whole-Breast Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009, 75, 89-93.	0.4	45
24	Sealants after axillary lymph node dissection for breast cancer: good intentions but bad results. <i>American Journal of Surgery</i> , 2009, 198, 55-58.	0.9	35
25	Factors Affecting Seroma Formation after Mastectomy with Full Axillary Dissection. <i>Acta Chirurgica Belgica</i> , 2009, 109, 481-483.	0.2	26
26	The Combination of Fibrin Glue and Quilting Reduces Drainage in the Extended Latissimus Dorsi Flap Donor Site. <i>Plastic and Reconstructive Surgery</i> , 2010, 125, 1615-1619.	0.7	47
27	Health-Related Quality of Life and Healthcare Experiences in Breast Cancer Patients in a Study of Swedish Women. <i>Cancer Nursing</i> , 2010, 33, 164-170.	0.7	11
28	Prevalence, Risk Factors, and Management of Seroma Formation After Breast Approach Endoscopic Thyroidectomy. <i>World Journal of Surgery</i> , 2010, 34, 1817-1822.	0.8	11
29	Seroma Formation after Mastectomy: Pathogenesis and Prevention. <i>Indian Journal of Surgical Oncology</i> , 2010, 1, 328-333.	0.3	43
30	Does the use of fibrin glue prevent seroma formation after axillary lymphadenectomy for breast cancer? A prospective randomized trial in 159 patients. <i>Journal of Surgical Oncology</i> , 2010, 101, 600-603.	0.8	42
31	Postoperative Seroma Formation After Intraoperative Radiotherapy Using Low-Kilovoltage X-Rays Given During Breast-Conserving Surgery. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 77, 1140-1145.	0.4	27
33	Intrathoracic manifestations of breast cancer. <i>Radiologia</i> , 2011, 53, 7-17.	0.3	2
34	Prevention of seroma formation after axillary dissection in breast cancer: A systematic review. <i>European Journal of Surgical Oncology</i> , 2011, 37, 829-835.	0.5	127
35	Electrothermal bipolar vessel sealing system in axillary dissection: A prospective randomized clinical study. <i>International Journal of Surgery</i> , 2011, 9, 636-640.	1.1	31
36	EVOLUÇÃO DO DAS PACIENTES SUBMETIDAS A CIRURGIA DE MAMA EM DRENAGEM ASPIRATIVA. <i>Cogitare Enfermagem</i> , 2011, 16, .	0.6	2
37	Seroma Formation in Two Cohorts after Axillary Lymph Node Dissection in Breast Cancer Surgery: Does Timing of Drain Removal Matter?. <i>Breast Journal</i> , 2011, 17, 359-364.	0.4	41
38	Seroma is an Expected Consequence and not a Complication of MammoSite Brachytherapy. <i>Breast Journal</i> , 2011, 17, 498-502.	0.4	15

#	ARTICLE	IF	CITATIONS
40	Axillary lymph node dissection for breast cancer utilizing Harmonic Focus®. World Journal of Surgical Oncology, 2011, 9, 90.	0.8	13
42	Microporous Polysaccharide Hemospheres and Seroma Formation After Mastectomy and Axillary Dissection in Rats. Balkan Medical Journal, 2012, 29, 179-183.	0.3	16
43	Ultrasonic dissection versus electrocautery in mastectomy for breast cancer – A meta-analysis. European Journal of Surgical Oncology, 2012, 38, 897-901.	0.5	30
44	Preventing seroma formation after axillary dissection for breast cancer: a randomized clinical trial. American Journal of Surgery, 2012, 203, 708-714.	0.9	48
45	Prospective randomized comparison of conventional instruments and the Harmonic Focus® device in breast-conserving therapy for primary breast cancer. European Journal of Surgical Oncology, 2012, 38, 118-124.	0.5	25
46	Interfraction accumulation of seroma during accelerated partial breast irradiation: Preliminary results of a prospective study. Brachytherapy, 2012, 11, 374-379.	0.2	5
47	The effects of neoadjuvant and adjuvant chemotherapy on the surgical outcomes of breast reconstruction. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2012, 65, e267-e280.	0.5	33
48	Technique for seroma drainage in implant-based breast reconstruction. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2012, 65, 1614-1617.	0.5	18
49	Axillary lymphadenectomy for breast cancer. A randomized controlled trial comparing a bipolar vessel sealing system to the conventional technique. Breast, 2012, 21, 739-745.	0.9	16
50	Feasibility of Eradication of Breast Cancer Cells Remaining in Postlumpectomy Cavity and Draining Lymph Nodes following Intracavitary Injection of Radioactive Immunoliposomes. Molecular Pharmaceutics, 2012, 9, 2513-2522.	2.3	17
51	Effects of local phenytoin on seroma formation after mastectomy and Axillary lymph node dissection: an experimental study on mice. BMC Surgery, 2012, 12, 25.	0.6	5
52	Seroma Formation after Breast Cancer Surgery: What We Have Learned in the Last Two Decades. Journal of Breast Cancer, 2012, 15, 373.	0.8	172
53	Physics Contributions Impact of interfraction seroma collection on breast brachytherapy dosimetry – a mathematical model. Journal of Contemporary Brachytherapy, 2012, 2, 101-105.	0.4	7
54	The value of mastectomy flap fixation in reducing fluid drainage and seroma formation in breast cancer patients. World Journal of Surgical Oncology, 2012, 10, 8.	0.8	62
55	Application of Subcutaneous Talc after Axillary Dissection in a Porcine Model Safely Reduces Drain Duration and Prevents Seromas. Journal of the American College of Surgeons, 2012, 214, 338-347.	0.2	9
56	Effectiveness of OK-432 (Sapylin) to Reduce Seroma Formation After Axillary Lymphadenectomy for Breast Cancer. Annals of Surgical Oncology, 2013, 20, 1500-1504.	0.7	16
57	Clinical Outcomes of Percutaneous Drainage of Breast Fluid Collections after Mastectomy with Expander-based Breast Reconstruction. Journal of Vascular and Interventional Radiology, 2013, 24, 1369-1374.	0.2	4
58	Analysis of selected factors influencing seroma formation in breast cancer patients undergoing mastectomy. Archives of Medical Science, 2013, 1, 86-92.	0.4	40

#	ARTICLE	IF	CITATIONS
59	Negative effect of seroma on breast balloon brachytherapy dosimetry. <i>Practical Radiation Oncology</i> , 2014, 4, e1-e5.	1.1	3
60	Quilting Prevents Seroma Formation Following Breast Cancer Surgery: Closing the Dead Space by Quilting Prevents Seroma Following Axillary Lymph Node Dissection and Mastectomy. <i>Annals of Surgical Oncology</i> , 2014, 21, 802-807.	0.7	68
61	Imaging of Breast Cancer-Related Changes After Surgical Therapy. <i>American Journal of Roentgenology</i> , 2014, 202, 262-272.	1.0	24
63	A prospective study on delayed shoulder exercises in reducing seroma formation after modified radical mastectomy. <i>Hellenike Cheirurgike Acta Chirurgica Hellenica</i> , 2015, 87, 165-168.	0.1	0
64	Randomized clinical trial of prevention of seroma formation after mastectomy by local methylprednisolone injection. <i>British Journal of Surgery</i> , 2015, 102, 1195-1203.	0.1	19
65	Evaluation of the Quilting Technique for Reduction of Postmastectomy Seroma: A Randomized Controlled Study. <i>International Journal of Breast Cancer</i> , 2015, 2015, 1-6.	0.6	31
66	Potential risk factors for the development of seroma following mastectomy with axillary dissection. <i>Molecular and Clinical Oncology</i> , 2015, 3, 222-226.	0.4	12
67	Response to the article by Rodríguez et al: Effectiveness of an absorbable fibrin sealant patch to reduce lymphocele formation after axillary lymphadenectomy for breast cancer: a matched-pair analysis. <i>Am J Surg</i> 2014. <i>American Journal of Surgery</i> , 2015, 209, 426-427.	0.9	2
68	Ultrasound-guided scraping of fibrous capsule plus bilayered negative pressure wound therapy for treatment of refractory postmastectomy seroma. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2015, 68, 403-409.	0.5	8
69	Quilting Sutures Reduces Seroma in Mastectomy. <i>Clinical Breast Cancer</i> , 2015, 15, 289-293.	1.1	32
70	Quilting Suture of Mastectomy Dead Space Compared with Conventional Closure with Drain. <i>Annals of Surgical Oncology</i> , 2015, 22, 4233-4240.	0.7	40
71	Dead space closure with quilting suture versus conventional closure with drainage for the prevention of seroma after mastectomy for breast cancer (QUISERMAS): protocol for a multicentre randomised controlled trial: Table 1. <i>BMJ Open</i> , 2016, 6, e009903.	0.8	27
72	A randomized controlled study comparing a vessel sealing system with the conventional technique in axillary lymph node dissection for primary breast cancer. <i>SpringerPlus</i> , 2016, 5, 1004.	1.2	12
73	Unraveling Factors Influencing Early Seroma Formation in Breast Augmentation Surgery. <i>Aesthetic Surgery Journal</i> , 2017, 37, sjw196.	0.9	18
74	Efficacy of Autologous Platelet-rich Plasma Glue in Weight Loss Sequelae Surgery and Breast Reduction: A Prospective Study. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2016, 4, e871.	0.3	27
75	Symptomatic Axillary Seroma after Sentinel Lymph Node Biopsy: Incidence and Treatment. <i>Annals of Surgical Oncology</i> , 2016, 23, 3347-3353.	0.7	18
76	When should axillary drains be removed? A meta-analysis of time-limited versus volume controlled strategies for timing of drain removal following axillary lymphadenectomy. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2016, 69, 1614-1620.	0.5	8
77	Tumor bed variation during multi-lumen balloon-based accelerated partial breast irradiation: implication of surgical clips. <i>Acta Oncologica</i> , 2016, 55, 526-529.	0.8	0

#	ARTICLE	IF	CITATIONS
78	Efficacy of axillary exclusion on seroma formation after modified radical mastectomy. <i>World Journal of Surgical Oncology</i> , 2016, 14, 39.	0.8	16
80	Flap fixation reduces seroma in patients undergoing mastectomy: a significant implication for clinical practice. <i>World Journal of Surgical Oncology</i> , 2016, 14, 66.	0.8	25
81	Flap Fixation Using Tissue Glue or Sutures Appears to Reduce Seroma Aspiration After Mastectomy for Breast Cancer. <i>Clinical Breast Cancer</i> , 2017, 17, 316-321.	1.1	31
82	A mussel-inspired double-crosslinked tissue adhesive on rat mastectomy model: seroma prevention and in vivo biocompatibility. <i>Journal of Surgical Research</i> , 2017, 215, 173-182.	0.8	17
83	Cyanoacrylate Adhesive Reduces Seroma Production After Modified Radical Mastectomy or Quadrantectomy With Lymph Node Dissection: A Prospective Randomized Clinical Trial. <i>Clinical Breast Cancer</i> , 2017, 17, 595-600.	1.1	19
84	A Prospective Randomized Trial of the Efficacy of Fibrin Glue, Triamcinolone Acetonide, and Quilting Sutures in Seroma Prevention after Latissimus Dorsi Breast Reconstruction. <i>Plastic and Reconstructive Surgery</i> , 2017, 139, 854e-863e.	0.7	38
85	Case Report: Breast Seroma Mimicking Breast Implants. <i>International Journal of Surgery Case Reports</i> , 2017, 40, 73-76.	0.2	5
86	The Case for Prehabilitation Prior to Breast Cancer Treatment. <i>PM and R</i> , 2017, 9, S305-S316.	0.9	56
87	Current margin practice and effect on re-excision rates following the publication of the SSO-ASTRO consensus and ABS consensus guidelines: a national prospective study of 2858 women undergoing breast-conserving therapy in the UK and Ireland. <i>European Journal of Cancer</i> , 2017, 84, 315-324.	1.3	51
88	Magnetic Resonance Imaging after Breast Oncoplastic Surgery: An Update. <i>Breast Care</i> , 2017, 12, 260-265.	0.8	13
89	Identification of sentinel lymph nodes by contrast-enhanced ultrasonography with Sonazoid in patients with breast cancer: a feasibility study in three hospitals. <i>Cancer Medicine</i> , 2017, 6, 1915-1922.	1.3	37
90	Change of target volume and its dosimetric impact during the course of accelerated partial breast irradiation using intraoperative multicatheter interstitial brachytherapy after open cavity surgery. <i>Brachytherapy</i> , 2017, 16, 1028-1034.	0.2	2
91	Analysis of the Effect of Locally Applied Bovine Collagen Sponge and Adipose-Derived Mesenchymal Stem Cells on Seroma Development in Rats Undergone Mastectomy and Axillary Dissection. <i>Journal of Investigative Surgery</i> , 2017, 30, 252-259.	0.6	1
92	Comparison of Electrocautery and Plasmablate on Ischemia and Seroma Formation after Modified Radical Mastectomy for Locally Advanced Breast Cancer. <i>Surgical Techniques Development</i> , 2017, 7, 7011.	0.2	2
93	Complete axillary dissection without drainage for the surgical treatment of breast cancer: a randomized clinical trial. <i>Clinics</i> , 2017, 72, 426-431.	0.6	4
94	Evaluation of adaptive radiotherapy (ART) by use of replanning the tumor bed boost with repeated computed tomography (CT) simulation after whole breast irradiation (WBI) for breast cancer patients having clinically evident seroma. <i>Japanese Journal of Radiology</i> , 2018, 36, 401-406.	1.0	27
95	Patterns and predictors of emergency department visits among older patients after breast cancer surgery: A population-based cohort study. <i>Journal of Geriatric Oncology</i> , 2018, 9, 204-213.	0.5	14
96	A systematic review of flap fixation techniques in reducing seroma formation and its sequelae after mastectomy. <i>Breast Cancer Research and Treatment</i> , 2018, 167, 409-416.	1.1	37

#	ARTICLE	IF	CITATIONS
97	Digital Mammographic Features of Breast Cancer Recurrences and Benign Lesions Mimicking Malignancy Following Breast-Conserving Surgery and Radiation Therapy. <i>Kurume Medical Journal</i> , 2018, 65, 113-121.	0.0	3
98	A Feasibility Study on the Identification of Postlumpectomy Seromas by a Radiation Therapist Compared with That by Radiation Oncologists in Radiation Therapy Planning for Early Stage Breast Cancer. <i>Journal of Medical Imaging and Radiation Sciences</i> , 2018, 49, 173-178.	0.2	4
99	A multi-center, double blind randomized controlled trial evaluating flap fixation after mastectomy using sutures or tissue glue versus conventional closure: protocol for the Seroma reduction After Mastectomy (SAM) trial. <i>BMC Cancer</i> , 2018, 18, 830.	1.1	19
100	The use of ultrasonic scalpel lowers the risk of post-mastectomy seroma formation in obese women. <i>Journal of Cancer</i> , 2019, 10, 3481-3485.	1.2	7
101	Bacterial colonization of seromas after breast cancer surgery with and without local steroid prophylaxis. <i>World Journal of Surgical Oncology</i> , 2019, 17, 120.	0.8	5
102	Breast deformation during the course of radiotherapy: The need for an additional outer margin. <i>Physica Medica</i> , 2019, 65, 1-5.	0.4	20
104	Reducing seroma formation and its sequelae after mastectomy by closure of the dead space: The interim analysis of a multi-center, double-blind randomized controlled trial (SAM trial). <i>Breast</i> , 2019, 46, 81-86.	0.9	26
105	Advanced hemostasis in axillary lymph node dissection for locally advanced breast cancer: new technology devices compared in the prevention of seroma formation. <i>BMC Surgery</i> , 2019, 18, 125.	0.6	24
106	A Drain-free Technique for Female-to-Male Gender Affirmation Chest Surgery Decreases Morbidity. <i>Annals of Plastic Surgery</i> , 2019, 83, 15-21.	0.5	13
107	Complete excision with narrow margins provides equivalent local control to wider excision in breast conservation for invasive cancer. <i>BJS Open</i> , 2019, 3, 161-168.	0.7	4
108	Quilting of Mastectomy Flaps; a Simple Way to Avoid Postmastectomy Seroma. <i>Indian Journal of Surgery</i> , 2020, 82, 9-13.	0.2	8
109	Drainage Collection After Endoscopic-Assisted Transaxillary Dual-Plane Augmentation Mammoplasty Using Cold or Electrosurgical Separation of Interpectoral Space. <i>Plastic Surgery</i> , 2020, 28, 19-28.	0.4	7
110	Feasibility of Prehabilitation Prior to Breast Cancer Surgery: A Mixed-Methods Study. <i>Frontiers in Oncology</i> , 2020, 10, 571091.	1.3	41
111	Impact of the Lysine-urethane Adhesive TissuGlu® on Postoperative Complications and Interventions After Drain-free Mastectomy. <i>Anticancer Research</i> , 2020, 40, 2801-2812.	0.5	8
112	Drain secretion and seroma formation after immediate breast reconstruction with a biological and a synthetic mesh, respectively: A randomized controlled study. <i>Breast Journal</i> , 2020, 26, 1756-1759.	0.4	6
113	Quilting suture versus conventional closure in prevention of seroma after total mastectomy and axillary dissection in breast cancer patients. <i>ANZ Journal of Surgery</i> , 2020, 90, 1408-1413.	0.3	11
114	Comparing Breast Conservation Surgery Seromas Contoured by Radiation Therapists versus those Contoured by a Radiation Oncologist in Radiation Therapy Planning for Early-Stage Breast Cancer. <i>Journal of Medical Imaging and Radiation Sciences</i> , 2020, 51, 108-116.	0.2	2
115	Reducing Seroma Formation and Its Sequelae After Mastectomy by Closure of the Dead Space: A Multi-center, Double-Blind Randomized Controlled Trial (SAM-Trial). <i>Annals of Surgical Oncology</i> , 2021, 28, 2599-2608.	0.7	21

#	ARTICLE	IF	CITATIONS
116	A systematic review of seroma formation following drain-free mastectomy. <i>European Journal of Surgical Oncology</i> , 2021, 47, 757-763.	0.5	9
117	Flap Fixation as a Technique for Reducing Seroma Formation in Patients Undergoing Modified Radical Mastectomy: an Institutional Experience. <i>Indian Journal of Surgical Oncology</i> , 2021, 12, 48-53.	0.3	6
118	Breast cancer in young and very young women; Is age related to outcome?. <i>Journal of Cancer Research and Therapeutics</i> , 2021, 17, 1322.	0.3	8
119	Lymphatic contribution in a chronic breast seroma: a case report. <i>Annals of Breast Surgery</i> , 0, 5, 40-40.	0.8	0
120	Potential Risk Factors Influencing the Formation of Postoperative Seroma After Breast Surgery – A Prospective Study. <i>Anticancer Research</i> , 2021, 41, 859-867.	0.5	9
121	Effects of Different Applications on Postoperative Seroma Formation and Wound Healing Following Mastectomy and Axillary Dissection in Rats. <i>Galician Medical Journal</i> , 2021, 28, E202115.	0.1	2
122	Flap fixation in preventing seroma formation after mastectomy: an updated meta-analysis. <i>Updates in Surgery</i> , 2021, 73, 1307-1314.	0.9	9
123	Fibrin Sealants and Axillary Lymphatic Morbidity: A Systematic Review and Meta-Analysis of 23 Clinical Randomized Trials. <i>Cancers</i> , 2021, 13, 2056.	1.7	4
124	COMPARISON OF SINGLE VERSUS DOUBLE DRAIN ON POSTOPERATIVE SEROMA FORMATION FOLLOWING MODIFIED RADICAL MASTECTOMY IN A TERTIARY CARE CENTRE IN NORTH INDIA. , 2021, , 72-75.		0
125	Impact of neoadjuvant chemotherapy on surgical complications in breast cancer: A systematic review and meta-analysis. <i>European Journal of Surgical Oncology</i> , 2022, 48, 44-52.	0.5	21
126	Breast Surgery. <i>Surgical Clinics of North America</i> , 2021, 101, 845-863.	0.5	21
127	Impact of contemporary therapy- concepts on surgical morbidity in breast cancer patients: A retrospective single center analysis of 829 patients. <i>European Journal of Surgical Oncology</i> , 2020, 46, 1477-1483.	0.5	2
128	Interrogating a Multifactorial Model of Breast Conserving Therapy with Clinical Data. <i>PLoS ONE</i> , 2015, 10, e0125006.	1.1	7
129	Harmonic Scalpel versus Electrocautery Dissection in Modified Radical Mastectomy for Breast Cancer: A Meta-Analysis. <i>PLoS ONE</i> , 2015, 10, e0142271.	1.1	37
130	Using axillary region myoplasty with the pectoralis minor muscle flap for seroma prevention after radical mastectomy. <i>Kazan Medical Journal</i> , 2016, 97, 449-453.	0.1	1
131	The Use of Fibrin-based Tissue Adhesives for Breast in Reconstructive and Plastic Surgery. <i>Current Topics in Medicinal Chemistry</i> , 2020, 19, 2985-2990.	1.0	6
132	The Use of TissuGlu® Surgical Adhesive for Mastectomy with or Without Lymphonodectomy. <i>In Vivo</i> , 2018, 32, 625-631.	0.6	13
133	Axillary “Exclusion” A Successful Technique for Reducing Seroma Formation after Mastectomy and Axillary Dissection. <i>Advances in Breast Cancer Research</i> , 2013, 02, 1-6.	0.1	6

#	ARTICLE	IF	CITATIONS
134	“Axillary Space Obliteration” An Effective Technique in Reducing Seroma Formation after Mastectomy and Axillary Dissection. <i>Advances in Breast Cancer Research</i> , 2018, 07, 23-32.	0.1	2
135	Porcine Dermal Collagen Prevents Seroma Formation After Mastectomy and Axillary Dissection in Rats. <i>The Journal of Breast Health</i> , 2017, 13, 200-205.	0.4	2
136	Daily Serum Collection after Acellular Dermal Matrix-Assisted Breast Reconstruction. <i>Archives of Plastic Surgery</i> , 2015, 42, 321-326.	0.4	14
137	Hemostatic Agents in Surgical Oncology. , 2010, , 129-140.		0
139	The usefulness of ultrasonic activated coagulating shears in the seroma formation after breast cancer sentinel lymph node biopsy. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical)</i> Tj ETQq0 0 0 rgBT /00 Overlock 10 Tf 50 57	0.0	0
140	Computed Tomographic Findings of Postoperative Seroma in Breast Cancer Patients. <i>Journal of Breast Disease</i> , 2014, 2, 64-68.	0.2	3
141	SEROMA FORMATION IN CANCER BREAST SURGERY. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2015, 04, 1681-1688.	0.1	1
142	Seromas and Punctures after Complete Axillary Node Dissection for Breast Cancer: Differences between Mastectomy and Lumpectomy. <i>Journal of Surgery (Northborough, Mass)</i> , 2015, 3, .	0.0	2
143	Factors that Affect Drain Indwelling Time after Breast Cancer Surgery. <i>Journal of Breast Health</i> , 2016, 12, 102-106.	0.9	2
144	POST-MASTECTOMY SEROMA- HOW TO ANTICIPATE AND PREVENT IT?. <i>Journal of Evidence Based Medicine and Healthcare</i> , 2017, 4, 5261-5264.	0.0	0
145	Comparison of harmonic scalpel and conventional technique in the surgery for breast cancer: A systematic review and meta-analysis. <i>Indian Journal of Cancer</i> , 2018, 55, 348.	0.2	6
146	The Clinical Usefulness of the LigaSure [®] Small Jaw in Axillary Lymph Node Dissection in Patients with Breast Cancer. <i>Anticancer Research</i> , 2018, 38, 2359-2362.	0.5	5
147	COMPARISON BETWEEN SINGLE DRAIN VERSUS TWO DRAINS IN THE PREVENTION OF POSTMASTECTOMY SEROMA. <i>Basrah Journal of Surgery</i> , 2018, 24, 52-56.	0.0	2
148	Long-Term Complications and Management. , 2019, , 781-787.		0
149	THE EFFECT OF LIMITED VERSUS EXTENDED AXILLARY LYMPH NODES DISSECTION IN THE DEVELOPMENT OF POST-MASTECTOMY MORBIDITY. <i>Basrah Journal of Surgery</i> , 2019, 25, 55-60.	0.0	0
150	Factors Predicting Seroma Formation after Axillary Lymph Node Clearance. <i>Journal of Evidence Based Medicine and Healthcare</i> , 2019, 6, 3236-3239.	0.0	0
151	A Study of Factors Influencing Seroma Formation after Radical Modified Mastectomy. <i>Journal of Evidence Based Medicine and Healthcare</i> , 2020, 7, 743-747.	0.0	1
152	Influence of Fibrin Glue on Seroma Formation After Modified Radical Mastectomy: A Prospective Randomized Study. <i>Breast Journal</i> , 2009, , .	0.4	0

#	ARTICLE	IF	CITATIONS
154	Quilting following mastectomy reduces seroma, associated complications and health care consumption without impairing patient comfort. <i>Journal of Surgical Oncology</i> , 2022, 125, 369-376.	0.8	10
155	Randomised controlled study of seroma rates after mastectomy with and without quilting the skin flap to pectoralis muscle. <i>Nigerian Journal of Clinical Practice</i> , 2021, 24, 1779.	0.2	4
156	Capsulectomy Can Successfully Treat Chronic Encapsulated Breast Seroma: A Case Report. <i>Cureus</i> , 2022, 14, e21677.	0.2	1
157	Comparison of Flap Fixation to Its Bed and Conventional Wound Closure with Drainage in Preventing Seroma Formation Following Mastectomy for Breast Cancer: Systematic Review and Meta-analysis. <i>Aesthetic Plastic Surgery</i> , 2022, 46, 1180-1188.	0.5	3
158	The effects of case management for breast cancer patients. <i>Medicine (United States)</i> , 2022, 101, e28960.	0.4	2
159	The effect of Modified Radical Mastectomy (MRM) with and without latissimus dorsi flap on seroma of Locally Advanced Breast Cancer (LABC) in Sanglah Hospital. <i>Intisari Sains Medis</i> , 2021, 12, 572.	0.1	0
160	SÄ±ÅŒanlarda Mastektomi ve Aksiller Diseksiyon SonrasÄ± Seroma GeliÅŒimi Åœzerine Kriyoprezerve Å°nsan Amniyotik Membran ve Trombositten Zengin PlazmanÄ±n Etkileri. <i>Duzce Universitesi Tıp FakÄ¼ltesi Dergisi</i> , 2022, 24, 78-84.	0.3	1
162	Clinical outcomes after modified radical mastectomy in a tertiary care hospital: An observational study. <i>Journal of Dr NTR University of Health Sciences</i> , 2022, 11, 11.	0.0	0
163	Importance of Nutrition in the development of Seroma after Breast Surgery. <i>Journal of Basic and Clinical Health Sciences</i> , 0, , .	0.2	0
164	Ultrasonic scissors decrease postoperative bleeding complications in mastectomy: A retrospective multicenter cohort study on 728 patients. <i>European Journal of Surgical Oncology</i> , 2022, , .	0.5	0
165	Management of Postoperative Seroma: Recommendations Based on a 12-Year Retrospective Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 5062.	1.0	1
166	The role of tranexamic acid in reducing post-operative bleeding and seroma formation in breast surgery: A meta-analysis. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , 2023, 21, e183-e194.	0.8	5
167	Ethanol Sclerotherapy for Postoperative Seroma of the Breast and Axilla. <i>Journal of Breast Imaging</i> , 2023, 5, 167-173.	0.5	0
168	SFOT Surgery. , 2023, , 359-614.		0