

CITATION REPORT

List of articles citing

Sarcopenia: alternative definitions and associations with lower extremity function

DOI: 10.1046/j.1532-5415.2003.51534.x

Journal of the American Geriatrics Society, 2003, 51, 1602-9.

Source: <https://exaly.com/paper-pdf/35234626/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
756	Cancer and ageing: a nexus at several levels. 2005 , 5, 655-62		183
755	Sarcopenia, obesity, and inflammation—Results from the Trial of Angiotensin Converting Enzyme Inhibition and Novel Cardiovascular Risk Factors study. 2005 , 82, 428-434		252
754	Sarcopenia, obesity, and inflammation—results from the Trial of Angiotensin Converting Enzyme Inhibition and Novel Cardiovascular Risk Factors study. 2005 , 82, 428-34		257
753	The effect of 6 months of androgen deprivation therapy on muscle and fat mass in older men with localized prostate cancer. 2005 , 8, 207-12		67
752	Pathophysiology of Body Composition Changes in Elderly People. 2006 , 369-375		5
751	Muscle mass and functional recovery in women with hip fracture. 2006 , 85, 209-15		30
750	Inflammatory factors in age-related muscle wasting. 2006 , 18, 625-30		84
749	Sarcopenia in premenopausal and postmenopausal women with osteopenia, osteoporosis and normal bone mineral density. <i>Osteoporosis International</i> , 2006 , 17, 61-7	5.3	167
748	Frailty of older age: the role of the endocrine-immune interaction. 2006 , 12, 3147-59		43
747	Sarcopenia: age-related skeletal muscle changes from determinants to physical disability. 2006 , 19, 703-19		37
746	Effects of age on muscle as measured by electrical impedance myography. 2006 , 27, 953-9		47
745	Sarcopenia is predictive of nosocomial infection in care of the elderly. 2006 , 96, 895-901		176
744	Lack of association between vitamin D receptor genotypes and haplotypes with fat-free mass in postmenopausal Brazilian women. 2007 , 62, 966-72		24
743	Muscle mass and functional recovery in men with hip fracture. 2007 , 86, 818-25		23
742	Carotenoids as protection against sarcopenia in older adults. 2007 , 458, 141-5		100
741	Fat mass and skeletal muscle mass in hip-fracture women: a cross-sectional study. 2007 , 56, 404-10		23
740	Assessment of sarcopenia: longitudinal versus cross sectional body composition data. 2007 , 19, 295-9		15

739	High baseline values of fat mass, independently of appendicular skeletal mass, predict 2-year onset of disability in elderly subjects at the high end of the functional spectrum. 2007 , 19, 154-9		33
738	Associated factors and health impact of sarcopenia in older chinese men and women: a cross-sectional study. 2007 , 53, 404-10		160
737	BMI, body composition, and physical functioning in older adults. 2007 , 15, 1886-94		118
736	Alternative definitions of sarcopenia, lower extremity performance, and functional impairment with aging in older men and women. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 769-74	5.6	539
735	Frailty in older men: prevalence, progression, and relationship with mortality. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 1216-23	5.6	342
734	Skeletal muscle mass, fat mass, and hip bone mineral density in elderly women with hip fracture. 2007 , 25, 237-42		28
733	Nutrition and aging. The Carla Workshop. 2008 , 12, 355-64		13
732	Sarcopenia: its assessment, etiology, pathogenesis, consequences and future perspectives. 2008 , 12, 433-50		623
731	Target population for clinical trials on sarcopenia. 2008 , 12, 470-8		26
730	Lower extremity muscle mass predicts functional performance in mobility-limited elders. 2008 , 12, 493-8		160
729	Does an exercise aimed at improving swallow function have an effect on vocal function in the healthy elderly?. 2008 , 23, 317-26		30
728	Relative contributions of adiposity and muscularity to physical function in community-dwelling older adults. 2008 , 16, 1039-44		44
727	Malnutrition in women with rheumatoid arthritis is not revealed by clinical anthropometrical measurements or nutritional evaluation tools. 2008 , 62, 1239-47		40
726	Immunosenescence and immunogenetics of human longevity. 2008 , 15, 224-40		139
725	Basic consensus document on late-onset hypogonadism. 2008 , 55, 5-28		5
724	Sarcopenic obesity: a new category of obesity in the elderly. 2008 , 18, 388-95		543
723	Influences of body mass index and waist circumference on physical function in older persons with heart failure. 2008 , 24, 905-11		4
722	Sarcopenic obesity: definition, cause and consequences. 2008 , 11, 693-700		672

721	Dietary protein intake is associated with lean mass change in older, community-dwelling adults: the Health, Aging, and Body Composition (Health ABC) Study. 2008 , 87, 150-5	782
720	Geriatrics. 2009 , 477-495	0
719	Using Exercise as Medicine for Older Adults. 67-78	
718	Prevalence of sarcopenia and sarcopenic obesity in Korean adults: The Korean Sarcopenic Obesity Study (KSOS). 2009 ,	1
717	Skeletal muscle and mortality results from the InCHIANTI Study. 2009 , 64, 377-84	244
716	Sarcopenia and functional decline: pathophysiology, prevention and therapy. 2009 , 64, 303-16	44
715	Difficulties with physical function associated with obesity, sarcopenia, and sarcopenic-obesity in community-dwelling elderly women: the EPIDOS (EPIDemiologie de l'OSteoporose) Study. 2009 , 89, 1895-900	322
714	Statin therapy, muscle function and falls risk in community-dwelling older adults. 2009 , 102, 625-33	99
713	Weighty concerns: the growing prevalence of obesity among older adults. 2009 , 109, 1886-95	135
712	Epidemiology and consequences of sarcopenia. 2009 , 13, 708-12	229
711	Towards a definition of sarcopenia--results from epidemiologic studies. 2009 , 13, 713-6	74
710	Sarcopenia: clinical evaluation, biological markers and other evaluation tools. 2009 , 13, 724-8	112
709	Prevalence of sarcopenia and sarcopenic obesity in Korean adults: the Korean sarcopenic obesity study. 2009 , 33, 885-92	263
708	Do muscle mass, muscle density, strength, and physical function similarly influence risk of hospitalization in older adults?. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 1411-9	5.6 275
707	Fat-free mass, strength, and sarcopenia are related to bone mineral density in older women. 2009 , 12, 35-41	69
706	Beyond FRAX: it's time to consider "sarco-osteopenia". 2009 , 12, 413-6	127
705	Correcting for fat mass improves DXA quantification of quadriceps specific strength in obese adults aged 50-59 years. 2009 , 12, 299-305	10
704	Sex impacts the relation between body composition and physical function in older adults. 2009 , 16, 518-23	50

703	Regional muscle and whole-body composition factors related to mobility in older individuals: a review. 2009 , 61, 197-209		24
702	Functional consequences of sarcopenia and dynapenia in the elderly. 2010 , 13, 271-6		216
701	Sarcopenia: European consensus on definition and diagnosis: Report of the European Working Group on Sarcopenia in Older People. 2010 , 39, 412-23		6856
700	Osteoporosis and gait and balance disturbances in older sarcopenic obese New Zealanders. <i>Osteoporosis International</i> , 2010 , 21, 351-7	5.3	73
699	Loss of muscle strength, mass (sarcopenia), and quality (specific force) and its relationship with functional limitation and physical disability: the Concord Health and Ageing in Men Project. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 2055-62	5.6	307
698	A technique to assess body composition and sarcopenia using DXA: application for an obese population. 2010 , 64, 218-20		6
697	Advantages of dietary, exercise-related, and therapeutic interventions to prevent and treat sarcopenia in adult patients: an update. 2010 , 5, 259-70		128
696	Resistance Training During Weight Loss in Overweight and Obese Older Adults: What Are the Benefits?. 2010 , 4, 309-313		4
695	Understanding sarcopenia as a geriatric syndrome. 2010 , 13, 1-7		343
694	Cochrane review: Improving physical function and performance with progressive resistance strength training in older adults. 2010 , 90, 1711-5		57
693	Evolution of sarcopenia research. 2010 , 35, 707-12		112
692	Plasminogen activator inhibitor-1 (PAI-1): a key factor linking fibrinolysis and age-related subclinical and clinical conditions. 2010 , 28, e72-91		248
691	Changes in body weight and metabolic indexes in overweight breast cancer survivors enrolled in a randomized trial of low-fat vs. reduced carbohydrate diets. 2010 , 62, 1142-52		54
690	Toward a definition of sarcopenia. 2011 , 27, 341-53		48
689	The epidemiology of sarcopenia. 2011 , 27, 355-63		119
688	Consequences of sarcopenia. 2011 , 27, 387-99		209
687	Sarcopenia: an undiagnosed condition in older adults. Current consensus definition: prevalence, etiology, and consequences. International working group on sarcopenia. 2011 , 12, 249-56		1809
686	Genetic Variation and Skeletal Muscle Traits: Implications for Sarcopenia. 2011 , 223-257		1

685	Sarcopenia and obesity. 2011 , 27, 401-21	120
684	Appendicular lean mass does not mediate the significant association between vitamin D status and functional outcome in hip-fracture women. 2011 , 92, 271-6	26
683	Skeletal muscle mass to visceral fat area ratio is associated with metabolic syndrome and arterial stiffness: The Korean Sarcopenic Obesity Study (KSOS). 2011 , 93, 285-291	105
682	Obésité sarcopénique et altérations du métabolisme protéique musculaire. 2011 , 25, 138-151	9
681	[The emergent role of sarcopenia: Preliminary Report of the Observatory of Sarcopenia of the Spanish Society of Geriatrics and Gerontology]. 2011 , 46, 100-10	15
680	Identification of sarcopenic obesity in postmenopausal women: a cutoff proposal. 2011 , 44, 1171-6	38
679	Obesity, sarcopenia and their functional consequences in old age. 2011 , 70, 114-8	27
678	Designing Phase II B trials in sarcopenia: the best target population. 2011 , 15, 725-30	7
677	Are current definitions of sarcopenia applicable for older Chinese adults?. 2011 , 15, 847-51	36
676	Comparison of two frailty screening tools in older women with early breast cancer. 2011 , 79, 51-64	41
675	Prevalence of sarcopenia and its association with osteoporosis in 313 older women following a hip fracture. 2011 , 52, 71-4	181
674	Longitudinal evidence on the association between interleukin-6 and C-reactive protein with the loss of total appendicular skeletal muscle in free-living older men and women. 2011 , 40, 469-75	78
673	Relationship of Physical Performance with Body Composition and Bone Mineral Density in Individuals over 60 Years of Age: A Systematic Review. 2011 , 2011, 191896	47
672	Physical performance, sarcopenia and respiratory function in older patients with chronic obstructive pulmonary disease. 2012 , 41, 237-41	22
671	Identifying sarcopenia. 2012 , 15, 436-41	32
670	Sarcopenic indices in community-dwelling older adults. 2012 , 35, 118-25	20
669	Prevalence of sarcopenia and sarcopenic obesity in the Korean population based on the Fourth Korean National Health and Nutritional Examination Surveys. 2012 , 67, 1107-13	207
668	The additional value of bioelectrical impedance analysis-derived muscle mass as a screening tool in geriatric assessment for fall prevention. 2012 , 58, 407-12	15

667	Definitions of Sarcopenia. 2012 , 8-19		5
666	LB014-MON ADENOSINE HAS A LIVER-PROTECTIVE EFFECT; INHIBITION OF iNOS INDUCTION IN HEPATOCYTES. 2012 , 7, 270-271		
665	LB015-MON PREVALENCE OF SARCOPENIA IN MALNOURISHED COMMUNITY-LIVING OLDER SUBJECTS. 2012 , 7, 271		0
664	LB016-MON IMPACT OF EARLY PARENTERAL NUTRITION ON MUSCLE VOLUME AND INTEGRITY DURING THE FIRST WEEK OF CRITICAL ILLNESS. 2012 , 7, 271-272		1
663	Biomarkers of sarcopenia in clinical trials-recommendations from the International Working Group on Sarcopenia. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2012 , 3, 181-90	10.3	175
662	Sarcopenia: a novel clinical condition or still a matter for research?. 2012 , 13, 766-7		29
661	The frequency of low muscle mass and its overlap with low bone mineral density and lipodystrophy in individuals with HIV--a pilot study using DXA total body composition analysis. 2012 , 15, 224-32		26
660	Impact of a new sarco-osteopenia definition on health-related quality of life in a population-based cohort in Northern Europe. 2012 , 15, 32-8		34
659	Dynapenia and aging: an update. 2012 , 67, 28-40		456
658	Chronology of age-related disease definitions: osteoporosis and sarcopenia. 2012 , 11, 320-4		46
657	Sarcopenic obesity: A Critical appraisal of the current evidence. <i>Clinical Nutrition</i> , 2012 , 31, 583-601	5.9	349
656	Prevalence and prognostic effect of sarcopenia in breast cancer survivors: the HEAL Study. 2012 , 6, 398-406		167
655	Sarcopenia and its determinants among Iranian elderly (SARIR): study protocol. 2012 , 11, 23		15
654	Genetic aspects of skeletal muscle strength and mass with relevance to sarcopenia. 2012 , 1, 58		15
653	Sarcopenia in Older People. 2012 ,		2
652	Prevalence rate and associated factors of sarcopenic obesity in korean elderly population. 2012 , 27, 748-55		48
651	[Japanese translation of "Sarcopenia: European consensus on definition and diagnosis: Report of the European Working Group on Sarcopenia in Older People" with supplementary explanation by the JGS working group]. 2012 , 49, 788-805		4
650	Associaçã entre sarcopenia, obesidade sarcopônica e forçã muscular com variáveis relacionadas de qualidade de vida em idosos. 2012 , 16, 360-367		38

649	Sex-specific associations between soft tissue body composition and bone mineral density among older adults. 2012 , 39, 206-13	20
648	Pulse wave velocity is associated with muscle mass decline: Health ABC study. 2012 , 34, 469-78	75
647	What is dynapenia?. 2012 , 28, 495-503	226
646	Sarcopenia in the elderly: basic and clinical issues. <i>Geriatrics and Gerontology International</i> , 2012 , 12, 388-96	98
645	Molecular genetic studies of gene identification for sarcopenia. 2012 , 131, 1-31	69
644	Tools in the assessment of sarcopenia. 2013 , 93, 201-10	155
643	Quality of life in sarcopenia and frailty. 2013 , 93, 101-20	235
642	Sarcopenic obesity is closely associated with metabolic syndrome. 2013 , 7, e301-7	109
641	Comparison of three BIA muscle indices for sarcopenia screening in old adults. 2013 , 4, 145-149	17
640	Diagnostic criteria for sarcopenia relate differently to insulin resistance. 2013 , 35, 2367-75	41
639	Simplified method of clinical phenotyping for older men and women using established field-based measures. 2013 , 48, 1479-88	3
638	Sarcopenia definitions considering body size and fat mass are associated with mobility limitations: the Framingham Study. 2013 , 68, 168-74	160
637	Impaired aerobic capacity and physical functional performance in older heart failure patients with preserved ejection fraction: role of lean body mass. 2013 , 68, 968-75	105
636	Body composition and its association with cardiometabolic risk factors in the elderly: a focus on sarcopenic obesity. 2013 , 56, 270-8	165
635	Discriminating sarcopenia in community-dwelling older women with high frequency of overweight/obesity: the São Paulo Ageing & Health Study (SPAH). <i>Osteoporosis International</i> , 2013 , 24, 595-603	5-3 51
634	Body weight and health-related quality of life in Catalonia, Spain. 2013 , 14, 95-105	12
633	The Official Positions of the International Society for Clinical Densitometry: body composition analysis reporting. 2013 , 16, 508-19	88
632	PC-FACS. 2013 , 46, 608-615	

631	Body composition parameters in healthy Brazilian women differ from white, black, and Hispanic American women reference range. 2013 , 16, 360-367		14
630	The Cooperative Lifestyle Intervention Program-II (CLIP-II): design and methods. 2013 , 36, 382-93		22
629	Relative fat-free mass deficiency and left ventricular adaptation to obesity: the Strong Heart Study. 2013 , 168, 729-33		25
628	Comparisons of sarcopenia defined by IWGS and EWGSOP criteria among older people: results from the I-Lan longitudinal aging study. 2013 , 14, 528.e1-7		157
627	Variation in the prevalence of sarcopenia and sarcopenic obesity in older adults associated with different research definitions: dual-energy X-ray absorptiometry data from the National Health and Nutrition Examination Survey 1999-2004. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 974-80	5.6	186
626	Age-related skeletal muscle mass loss and physical performance in Taiwan: implications to diagnostic strategy of sarcopenia in Asia. <i>Geriatrics and Gerontology International</i> , 2013 , 13, 964-71	2.9	62
625	Sarcopenia and osteopenia among 70-80-year-old home-dwelling Finnish women: prevalence and association with functional performance. <i>Osteoporosis International</i> , 2013 , 24, 787-96	5.3	55
624	Defining sarcopenia: the impact of different diagnostic criteria on the prevalence of sarcopenia in a large middle aged cohort. 2013 , 35, 871-81		160
623	Obesity and Mobility in Advancing Age: Mechanisms and Interventions to Preserve Independent Mobility. 2013 , 2, 275-283		9
622	The relationship of physical activity (PA) and walking with sarcopenia in Korean males aged 60 years and older using the Fourth Korean National Health and Nutrition Examination Survey (KNHANES IV-2, 3), 2008-2009. 2013 , 56, 472-7		50
621	Mitochondrial and skeletal muscle health with advancing age. 2013 , 379, 19-29		31
620	Primer of Geriatric Urology. 2013 ,		
619	Sarcopenia in women with vertebral fragility fractures. 2013 , 25 Suppl 1, S129-31		35
618	Leitlinie der Deutschen Gesellschaft für Ernährungsmedizin (DGEM). 2013 , 38, 97-111		57
617	Sarcopenia and cognitive impairment in elderly women: results from the EPIDOS cohort. 2013 , 42, 196-202		80
616	Early exercise rehabilitation of muscle weakness in acute respiratory failure patients. 2013 , 41, 208-15		6
615	Frailty in older breast cancer survivors: age, prevalence, and associated factors. 2013 , 40, E126-34		49
614	Long-term aerobic exercise is associated with greater muscle strength throughout the life span. 2013 , 68, 631-8		47

613	Dietary patterns and sarcopenia in an urban African American and White population in the United States. 2013 , 32, 291-316	35
612	Influence of diet, exercise, and serum vitamin d on sarcopenia in postmenopausal women. 2013 , 45, 607-14	26
611	Sarcopenia and sarcopenic obesity. 2013 , 28, 86-9	63
610	Relative skeletal muscle mass is associated with development of metabolic syndrome. 2013 , 37, 458-64	59
609	Association of body composition with sarcopenic obesity in elderly women. 2013 , 6, 25-9	21
608	Sarcopenia: definition, epidemiology, and pathophysiology. 2013 , 20, 1-10	223
607	Sarcopenia and obesity: gender-different relationship with functional limitation in older persons. 2013 , 28, 1041-7	29
606	Sarcopenic Obesity. 2013 , 14, 166	6
605	Associaço do polimorfismo Apal do gene IGF-2 com a fora e a massa muscular em idosas brasileiras. 2013 , 23,	
604	Genome-wide association study identified copy number variants important for appendicular lean mass. 2014 , 9, e89776	9
603	Quantitative ultrasound: measurement considerations for the assessment of muscular dystrophy and sarcopenia. 2014 , 6, 172	45
602	Sarcopenia and sarcopenic obesity in patients with muscular dystrophy. 2014 , 6, 274	10
601	Nutritional influences on age-related skeletal muscle loss. 2014 , 73, 16-33	78
600	Cutpoints for low appendicular lean mass that identify older adults with clinically significant weakness. 2014 , 69, 567-75	227
599	Endocrine, metabolic, nutritional and body composition abnormalities are common in advanced intensively-treated (transplanted) multiple myeloma. 2014 , 49, 907-12	28
598	Sarcopenia, sarcopenic obesity and mortality in older adults: results from the National Health and Nutrition Examination Survey III. 2014 , 68, 1001-7	285
597	Associao entre fora, sarcopenia e obesidade sarcopnica com o desempenho funcional de idosas. 2014 , 10,	4
596	Body composition explains sex differential in physical performance among older adults. 2014 , 69, 93-100	64

595	Sarcopenia in older people. 2014 , 12, 227-43		19
594	The impact of low muscle mass definition on the prevalence of sarcopenia in older Australians. 2014 , 2014, 361790		19
593	Socioeconomic position across life and body composition in early old age: findings from a British birth cohort study. 2014 , 68, 516-23		29
592	Disparities in the consequences of sarcopenia: implications for African American Veterans. 2014 , 5, 250		11
591	The relationship between iron status and adiposity in women from developing countries: a review. 2014 , 54, 553-60		8
590	Association between insulin resistance and low relative appendicular skeletal muscle mass: evidence from a cohort study in community-dwelling older men and women participants. 2014 , 69, 871-7		36
589	The CD4:CD8 ratio is associated with markers of age-associated disease in virally suppressed HIV-infected patients with immunological recovery. 2014 , 15, 40-9		98
588	Epidemiology of sarcopenia among community-dwelling older adults in Taiwan: a pooled analysis for a broader adoption of sarcopenia assessments. <i>Geriatrics and Gerontology International</i> , 2014 , 14 Suppl 1, 52-60	2.9	80
587	Sarcopenia, and its association with cardiometabolic and functional characteristics in Taiwan: results from I-Lan Longitudinal Aging Study. <i>Geriatrics and Gerontology International</i> , 2014 , 14 Suppl 1, 36-45	2.9	44
586	Criteria for clinically relevant weakness and low lean mass and their longitudinal association with incident mobility impairment and mortality: the foundation for the National Institutes of Health (FNIH) sarcopenia project. 2014 , 69, 576-83		278
585	Sarcopenia according to the European Working Group on Sarcopenia in Older People (EWGSOP) versus dynapenia as a risk factor for mortality in the elderly. 2014 , 18, 751-6		89
584	Sarcopenia: burden and challenges for public health. 2014 , 72, 45		211
583	The associations of leg lean mass with foot pain, posture and function in the Framingham foot study. 2014 , 7, 46		3
582	Essential Amino Acid Supplementation for the Prevention and Treatment of Obesity. 2014 , 447-458		
581	Transition to sarcopenia and determinants of transitions in older adults: a population-based study. 2014 , 69, 751-8		56
580	An evidence-based comparison of operational criteria for the presence of sarcopenia. 2014 , 69, 584-90		250
579	The application of different appendicular skeletal muscle cutoff points and research definitions associated with health-related quality of life in Korean older people: data from KNHANES 2008-2011. 2014 , 14, 144		12
578	Sarcopenia and sarcopenic obesity classifications and cardiometabolic risks in older women. 2014 , 59, 56-61		39

577	Prevalence of sarcopenia and associated risk factors by two diagnostic criteria in community-dwelling older men: the São Paulo Ageing & Health Study (SPAHS). <i>Osteoporosis International</i> , 2014 , 25, 589-96	5.3	44
576	Operational definitions of sarcopenia and their associations with 5-year changes in falls risk in community-dwelling middle-aged and older adults. <i>Osteoporosis International</i> , 2014 , 25, 187-93	5.3	96
575	Sarcopenic obesity in aging population: current status and future directions for research. 2014 , 45, 15-25		116
574	Bearing arms against osteoarthritis and sarcopenia: when cartilage and skeletal muscle find common interest in talking together. 2014 , 19, 305-11		25
573	Diagnostic criteria for sarcopenia and physical performance. 2014 , 36, 275-85		44
572	Prevalence of site-specific thigh sarcopenia in Japanese men and women. 2014 , 36, 417-26		48
571	Relationship of lean body mass with bone mass and bone mineral density in the general Korean population. 2014 , 47, 234-43		11
570	Sarcopenia and sarcopenic obesity and their association with dyslipidemia in Korean elderly men: the 2008-2010 Korea National Health and Nutrition Examination Survey. 2014 , 37, 247-60		70
569	Interrelationship among muscle, fat, and bone: connecting the dots on cellular, hormonal, and whole body levels. 2014 , 15, 51-60		153
568	[Prevalence of sarcopenia in geriatric outpatients and nursing homes. The ELLI study]. 2014 , 49, 72-6		5
567	Creatine supplementation and resistance training in vulnerable older women: a randomized double-blind placebo-controlled clinical trial. 2014 , 53, 7-15		57
566	Cardiometabolic risk in overweight subjects with or without relative fat-free mass deficiency: the Strong Heart Study. 2014 , 24, 271-6		17
565	The impact of sarcopenia on a physical activity intervention: the Lifestyle Interventions and Independence for Elders Pilot Study (LIFE-P). 2014 , 18, 59-64		48
564	Activation of PPAR- γ inhibits differentiation of rat osteoblasts by reducing expression of connective tissue growth factor. 2014 , 34, 652-656		2
563	Using two different algorithms to determine the prevalence of sarcopenia. <i>Geriatrics and Gerontology International</i> , 2014 , 14 Suppl 1, 46-51	2.9	96
562	Sarcopenia: an independent predictor of mortality in community-dwelling older Korean men. 2014 , 69, 1244-52		116
561	Cardiometabolic implication of sarcopenia: The Korea National Health and Nutrition Examination Study (KNHANES) 2008-2010. 2014 , 4, 63-69		31
560	Body mass index from age 15 years onwards and muscle mass, strength, and quality in early old age: findings from the MRC National Survey of Health and Development. 2014 , 69, 1253-9		37

559	Body composition in adults with newly diagnosed type 2 diabetes: effects of metformin. 2014 , 13, 88	26
558	Identification and treatment of older persons with sarcopenia. 2014 , 17, 199-204	21
557	Age-related site-specific muscle wasting of upper and lower extremities and trunk in Japanese men and women. 2014 , 36, 813-21	60
556	Combined effects of body composition and ageing on joint torque, muscle activation and co-contraction in sedentary women. 2014 , 36, 9652	29
555	Influence of age and gender on fat mass, fat-free mass and skeletal muscle mass among Australian adults: the Australian diabetes, obesity and lifestyle study (AusDiab). 2014 , 18, 540-6	25
554	Sarcopenia according to the european working group on sarcopenia in older people (EWGSOP) versus Dynapenia as a risk factor for disability in the elderly. 2014 , 18, 547-53	69
553	Prevalence of sarcopenia among healthy ambulatory subjects: the sarcopenia begins from 45 years. 2014 , 26, 137-46	59
552	The muscle mass, omega-3, diet, exercise and lifestyle (MODEL) study - a randomised controlled trial for women who have completed breast cancer treatment. 2014 , 14, 264	10
551	The FNIH sarcopenia project: rationale, study description, conference recommendations, and final estimates. 2014 , 69, 547-58	1125
550	Prevalence and associated factors of sarcopenia among elderly in Brazil: findings from the SABE study. 2014 , 18, 284-90	102
549	Age-related and disease-related muscle loss: the effect of diabetes, obesity, and other diseases. 2014 , 2, 819-29	486
548	Sarcopenia in Asia: consensus report of the Asian Working Group for Sarcopenia. 2014 , 15, 95-101	2215
547	Sarcopenic obesity and dynapenic obesity: 5-year associations with falls risk in middle-aged and older adults. 2014 , 22, 1568-74	77
546	Applicability and agreement of different diagnostic criteria for sarcopenia estimation in the elderly. 2014 , 59, 288-94	40
545	Identifying sarcopenia in acute care setting patients. 2014 , 15, 303.e7-12	62
544	Methods, diagnostic criteria, cutoff points, and prevalence of sarcopenia among older people. 2014 , 2014, 231312	58
543	Relationship between swallowing function and the skeletal muscle mass of older adults requiring long-term care. <i>Geriatrics and Gerontology International</i> , 2015 , 15, 1185-92	2.9 40
542	Sarcopenia Defined by Combining Height- and Weight-Adjusted Skeletal Muscle Indices is Closely Associated With Poor Physical Performance. 2015 , 23, 597-606	15

541	Electrical impedance myography in the evaluation of the tongue musculature in amyotrophic lateral sclerosis. 2015 , 52, 584-91		27
540	Effects of protein-rich nutritional supplementation and bisphosphonates on body composition, handgrip strength and health-related quality of life after hip fracture: a 12-month randomized controlled study. 2015 , 15, 149		24
539	The β -adrenoceptor agonist isoproterenol rescues acetaminophen-injured livers: Is it really safe?. 2015 , 61, 1765		
538	Risk of Nonspine Fractures in Older Adults with Sarcopenia, Low Bone Mass, or Both. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 1733-40	5.6	70
537	Evaluation of the Usefulness of Consensus Definitions of Sarcopenia in Older Men: Results from the Observational Osteoporotic Fractures in Men Cohort Study. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 2247-59	5.6	73
536	Reply: To PMID 23996808. 2015 , 61, 1764-5		
535	Exceptional Exercise Capacity in an 80-Year-Old Breast Cancer Survivor and Long-Term Sprint Athlete. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 2641-2643	5.6	
534	. 2015 ,		3
533	Physical frailty and sarcopenia: taking advantage of their commonalities. 2015 , 1,		
532	Prevalence of sarcopenia in Germany and the corresponding effect of osteoarthritis in females 70 years and older living in the community: results of the FORMoSA study. 2015 , 10, 1565-73		34
531	Factors associated with sarcopenia in subjects aged 80 years and over. 2015 , 28, 319-326		5
530	Relationship between Low Muscle Mass and Metabolic Syndrome in Elderly People with Normal Body Mass Index. 2015 , 22, 99-106		14
529	Sarcopenia in COPD: relationship with COPD severity and prognosis. 2015 , 41, 415-21		59
528	Accuracy of the Timed Up and Go test for predicting sarcopenia in elderly hospitalized patients. 2015 , 70, 369-72		29
527	The Relationship between Intramuscular Adipose Tissue, Functional Mobility, and Strength in Postmenopausal Women with and without Type 2 Diabetes. 2015 , 2015, 872726		7
526	Sarcopenia and liver transplant: The relevance of too little muscle mass. 2015 , 21, 10982-93		35
525	Sarcopenia: evaluation of different diagnostic criteria and its association with muscle strength and functional capacity. 2015 , 18, 285-294		4
524	Association of Low Lean Mass With Frailty and Physical Performance: A Comparison Between Two Operational Definitions of Sarcopenia-Data From the Berlin Aging Study II (BASE-II). 2015 , 70, 779-84		48

523	Fall and Fracture Risk in Sarcopenia and Dynapenia With and Without Obesity: the Role of Lifestyle Interventions. 2015 , 13, 235-44	54
522	Comparative performance of current definitions of sarcopenia against the prospective incidence of falls among community-dwelling seniors age 65 and older. <i>Osteoporosis International</i> , 2015 , 26, 2793-802 ⁵³	146
521	Ethnic-specific cut-points for sarcopenia: evidence from black South African women. 2015 , 69, 843-9	13
520	Dynapenic obesity and the effect on long-term physical function and quality of life: data from the osteoarthritis initiative. 2015 , 15, 118	23
519	Sarcopenia and body composition in diabetic Charcot osteoarthropathy. 2015 , 29, 937-42	3
518	Association between sarcopenia and metabolic syndrome in chronic obstructive pulmonary disease: the Korea National Health and Nutrition Examination Survey (KNHANES) from 2008 to 2011. 2015 , 12, 82-9	25
517	Sarcopenia is a risk factor for elevated aminotransferase in men independently of body mass index, dietary habits, and physical activity. 2015 , 47, 303-8	4
516	Osteosarcopenic obesity and fall prevention strategies. 2015 , 80, 126-32	54
515	Sarcopenia and critical illness: a deadly combination in the elderly. 2015 , 39, 273-81	47
514	Comparisons of sarcopenia prevalence based on different diagnostic criteria in Chinese older adults. 2015 , 19, 342-7	17
513	The role of muscle mass and body fat on disability among older adults: A cross-national analysis. 2015 , 69, 27-35	55
512	Lean mass and fat mass have differing associations with bone microarchitecture assessed by high resolution peripheral quantitative computed tomography in men and women from the Hertfordshire Cohort Study. 2015 , 81, 145-151	31
511	Bio-impedance analysis for appendicular skeletal muscle mass assessment in (pre-) frail elderly people. 2015 , 10, e147-e153	7
510	An Overview of Sarcopenic Obesity. 2015 , 18, 499-505	81
509	Association of vegetables and fruits consumption with sarcopenia in older adults: the Fourth Korea National Health and Nutrition Examination Survey. 2015 , 44, 96-102	58
508	The impacts of sarcopenia and obesity on physical performance in the elderly. 2015 , 9, 256-65	31
507	Novel Approaches to the Diagnosis of Sarcopenia. 2015 , 18, 472-7	29
506	Assessment of Lean Mass and Physical Performance in Sarcopenia. 2015 , 18, 467-71	55

505	Optimal cutoffs for low skeletal muscle mass related to cardiovascular risk in adults: The Korea National Health and Nutrition Examination Survey 2009-2010. 2015 , 50, 424-33		23
504	Osteoporosis and sarcopenia in older age. 2015 , 80, 126-130		162
503	Sarcopenia Is Associated With Incident Disability, Institutionalization, and Mortality in Community-Dwelling Older Men: The Concord Health and Ageing in Men Project. 2015 , 16, 607-13		121
502	Decreased muscle mass is not an independent risk factor for metabolic syndrome in Korean population aged 70 or older. 2015 , 82, 509-16		13
501	A Review of Body Composition Measurement in the Assessment of Health. 2015 , 30, 16-32		32
500	Are men at greater risk of lean mass deficits in rheumatoid arthritis?. 2015 , 67, 112-9		31
499	Developing consensus criteria for sarcopenia: an update. <i>Journal of Bone and Mineral Research</i> , 2015 , 30, 588-92	6.3	79
498	Body Composition Assessment. 2015 , 1-24		
497	Habitual Physical Activity, Sedentary Behaviour and Bone Health in Rheumatoid Arthritis. 2015 , 36, 1021-6		10
496	Frequency of sarcopenia and associated factors among hospitalized elderly patients. 2015 , 16, 108		40
495	Influence of combined resistance training and healthy diet on muscle mass in healthy elderly women: a randomized controlled trial. 2015 , 119, 918-25		41
494	Searching for a relevant definition of sarcopenia: results from the cross-sectional EPIDOS study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2015 , 6, 144-54	10.3	42
493	Osteosarcopenic obesity is associated with reduced handgrip strength, walking abilities, and balance in postmenopausal women. <i>Osteoporosis International</i> , 2015 , 26, 2587-95	5.3	59
492	Association between low muscle mass, functional limitations and hospitalisation in heart failure: NHANES 1999-2004. 2015 , 44, 948-54		6
491	Differences in body composition and physical functions associated with sarcopenia in Chinese elderly: reference values and prevalence. 2015 , 60, 118-23		37
490	Hyperinsulinemia is associated with the loss of appendicular skeletal muscle mass at 4.6 year follow-up in older men and women. <i>Clinical Nutrition</i> , 2015 , 34, 931-6	5.9	11
489	Plasma phospholipid PUFAs are associated with greater muscle and knee extension strength but not with changes in muscle parameters in older adults. 2015 , 145, 105-12		35
488	Sarcopenia-related parameters and incident disability in older persons: results from the "invecchiare in Chianti" study. 2015 , 70, 457-63		47

487	Identification of skeletal muscle mass depletion across age and BMI groups in health and disease--there is need for a unified definition. 2015 , 39, 379-86		72
486	Muscle Decline in Aging and Neuromuscular Disorders - Mechanisms and Countermeasures: Terme Euganee, Padova (Italy), April 13-16, 2016. 2016 , 26, 5904		1
485	Existe associa entre massa e for muscular esqueltica em idosos hospitalizados?. 2016 , 19, 257-264		2
484	Sarcopenia and sarcopenic obesity. 2016 , 31, 1054-1060		128
483	Nonlinear Trimodal Regression Analysis of Radiodensitometric Distributions to Quantify Sarcopenic and Sequelae Muscle Degeneration. 2016 , 2016, 8932950		17
482	Osteosarcopenic Obesity Syndrome: What Is It and How Can It Be Identified and Diagnosed?. 2016 , 2016, 7325973		63
481	Prevalence of Sarcopenia in the Korean Woman Based on the Korean National Health and Nutritional Examination Surveys. 2016 , 23, 23-6		16
480	Sarcopenia and Sarcopenic Obesity in Patients Undergoing Orthopedic Surgery. 2016 , 8, 194-202		22
479	Differences among skeletal muscle mass indices derived from height-, weight-, and body mass index-adjusted models in assessing sarcopenia. 2016 , 31, 643-50		142
478	Low Lean Mass Predicts Incident Fractures Independently From FRAX: a Prospective Cohort Study of Recent Retirees. <i>Journal of Bone and Mineral Research</i> , 2016 , 31, 2048-2056	6.3	65
477	Sarcopenia in Orthopedic Surgery. 2016 , 39, e295-300		30
476	Clinical trials in older adults. 2016 , 23-43		
475	Sarcopenia and its associated factors in Iranian older individuals: Results of SARIR study. 2016 , 66, 18-22		23
474	Effects of resistance training on sarcopenic obesity index in older women: A randomized controlled trial. 2016 , 65, 168-73		34
473	Imaging of sarcopenia. 2016 , 85, 1519-24		59
472	Associations of Sarcopenic Obesity and Dynapenic Obesity with Bone Mineral Density and Incident Fractures Over 5-10 Years in Community-Dwelling Older Adults. 2016 , 99, 30-42		72
471	The prevalence of sarcopenia before and after correction for DXA-derived fat-free adipose tissue. 2016 , 70, 1458-1460		12
470	Therapeutic potential of eccentric exercises for age-related muscle atrophy. 2016 , 5, 176-181		11

469 Primer of Geriatric Urology. **2016**,

468 Frailty and sarcopenia: From theory to clinical implementation and public health relevance. **2016**, 35, 1-9 33

467 Influence of Sarcopenic and Dynapenic Obesity on Musculoskeletal Health and Function in Older Adults. **2016**, 35-48

466 The Prevalence and Prognostic Value of Low Muscle Mass in Cancer Patients: A Review of the Literature. **2016**, 21, 1396-1409 104

465 Considerations concerning the definition of sarcopenia: comments. *Osteoporosis International*, **2016**, 27, 3145-3146 5.3 1

464 Accelerometer-determined physical activity, muscle mass, and leg strength in community-dwelling older adults. *Journal of Cachexia, Sarcopenia and Muscle*, **2016**, 7, 275-83 10.3 55

463 Factors associated with skeletal muscle mass, sarcopenia, and sarcopenic obesity in older adults: a multi-continent study. *Journal of Cachexia, Sarcopenia and Muscle*, **2016**, 7, 312-21 10.3 124

462 Sarcopenia: Prevalence and associated factors based on different suggested definitions in community-dwelling older adults. *Geriatrics and Gerontology International*, **2016**, 16 Suppl 1, 110-22 2.9 92

461 Body Composition Remodeling and Mortality: The Health Aging and Body Composition Study. **2017**, 72, 513-519 61

460 Serum myostatin levels are independently associated with skeletal muscle wasting in patients with heart failure. **2016**, 220, 483-7 25

459 Publication trends in cachexia and sarcopenia in elderly heart failure patients. **2016**, 128, 446-454 5

458 Physical activity and sarcopenic obesity: definition, assessment, prevalence and mechanism. **2016**, 2, FSO127 71

457 Understanding Age-Related Changes in Skeletal Muscle Metabolism: Differences Between Females and Males. **2016**, 36, 129-56 38

456 The Muscle-Bone Connection. **2016**, 59-92 1

455 Impacts of High-Protein Oral Nutritional Supplements Among Malnourished Men and Women with Sarcopenia: A Multicenter, Randomized, Double-Blinded, Controlled Trial. **2016**, 17, 1044-1055 81

454 Skeletal muscle mass adjusted by height correlated better with muscular functions than that adjusted by body weight in defining sarcopenia. **2016**, 6, 19457 64

453 BMI history and risk of incident fatty liver: a population-based large-scale cohort study. **2016**, 28, 1188-93 15

452 Letter to the Editor. **2016**, 20, 231-232 1

451	Sarcopenic Obesity and Metabolic Syndrome in Adult Caucasian Subjects. 2016 , 20, 958-963		30
450	The role of DXA in sarcopenia. 2016 , 28, 1047-1060		93
449	Whole-body vibration as a potential countermeasure for dynapenia and arterial stiffness. 2016 , 5, 204-211		7
448	Letter to the Editor: Response to Re: Comments Referring to the Article «Comprehensive Nutritional Status in Sarco-osteoporotic Older Fallers». 2016 , 20, 676		
447	Sex differences of sarcopenia in Asian populations: The implications in diagnosis and management. 2016 , 7, 37-43		14
446	The effects of sarcopenia and obesity on femur neck bone mineral density in elderly Korean men and women. 2016 , 2, 103-109		4
445	Sarcopenia-related features and factors associated with lower muscle strength and physical performance in older Chinese: a cross sectional study. 2016 , 16, 45		20
444	Long-term effects of exercise and amino acid supplementation on muscle mass, physical function and falls in community-dwelling elderly Japanese sarcopenic women: A 4-year follow-up study. <i>Geriatrics and Gerontology International</i> , 2016 , 16, 175-81	2.9	23
443	Cut-off points to identify sarcopenia according to European Working Group on Sarcopenia in Older People (EWGSOP) definition. <i>Clinical Nutrition</i> , 2016 , 35, 1557-1563	5.9	191
442	Muscle Quality is More Impaired in Sarcopenic Patients With Chronic Obstructive Pulmonary Disease. 2016 , 17, 415-20		20
441	Body Composition Assessment. 2016 , 579-599		
440	Sarcopenic obesity. 2016 , 7, 214-219		6
439	Insulin resistance and sarcopenia: mechanistic links between common co-morbidities. 2016 , 229, R67-81		226
438	Prevalence of Sarcopenia and Associated Outcomes in the Clinical Setting. 2016 , 31, 40-8		98
437	Diabetes is associated with increased risks of low lean mass and slow gait speed when peripheral artery disease is present. 2016 , 30, 306-11		4
436	Prevalence of sarcopenic obesity in Germany using established definitions: Baseline data of the FORMOsA study. <i>Osteoporosis International</i> , 2016 , 27, 275-81	5.3	29
435	Impact of preoperative hand grip strength on morbidity following gastric cancer surgery. 2016 , 19, 1008-15		47
434	Leg Muscle Mass and Foot Symptoms, Structure, and Function: The Johnston County Osteoarthritis Project. 2016 , 71, 385-90		2

433	Identifying Sarcopenia in Metabolic Syndrome: Data from the Berlin Aging Study II. 2016 , 71, 265-72		18
432	Associations of Low Muscle Mass and the Metabolic Syndrome in Caucasian and Asian Middle-aged and Older Adults. 2016 , 20, 248-55		43
431	Primary Sarcopenia in Older People with Normal Nutrition. 2016 , 20, 234-8		6
430	Relationship of sarcopenia and body composition with osteoporosis. <i>Osteoporosis International</i> , 2016 , 27, 473-82	5.3	106
429	Association of Dynapenia, Sarcopenia, and Cognitive Impairment Among Community-Dwelling Older Taiwanese. 2016 , 19, 71-8		74
428	The Current Understanding of Sarcopenia: Emerging Tools and Interventional Possibilities. 2017 , 11, 167-181		10
427	[Detection and evaluation of the role of sarcopenia in elderly patients with cancer treated with chemotherapy. ONCOSARCO project]. 2017 , 52, 146-151		2
426	The prediction of total skeletal muscle mass in a Caucasian population - comparison of Magnetic resonance imaging (MRI) and Dual-energy X-ray absorptiometry (DXA). 2017 , 37, 168-172		4
425	Weakness and Low Lean Mass in Women With Hip Fracture: Prevalence According to the FNIH Criteria and Association With the Short-Term Functional Recovery. 2017 , 40, 80-85		11
424	Predicting appendicular lean and fat mass with bioelectrical impedance analysis in older adults with physical function decline - The PROVIDE study. <i>Clinical Nutrition</i> , 2017 , 36, 869-875	5.9	36
423	Relationship between sarcopenic obesity-related phenotypes and inflammatory markers in postmenopausal women. 2017 , 37, 205-210		29
422	Strength measures are better than muscle mass measures in predicting health-related outcomes in older people: time to abandon the term sarcopenia?. <i>Osteoporosis International</i> , 2017 , 28, 59-70	5.3	75
421	Relationship between skeletal muscle mass and swallowing function in patients with Alzheimer's disease. <i>Geriatrics and Gerontology International</i> , 2017 , 17, 402-409	2.9	26
420	Guidelines for screening and management of late and long-term consequences of myeloma and its treatment. 2017 , 176, 888-907		30
419	Sarcopenia, but not excess weight or increased caloric intake, is associated with coronary subclinical atherosclerosis in the very elderly. 2017 , 258, 138-144		31
418	Prevalence of sarcopenia and sarcopenic obesity in older German men using recognized definitions: high accordance but low overlap!. <i>Osteoporosis International</i> , 2017 , 28, 1881-1891	5.3	43
417	Differentiating Sarcopenia and Cachexia Among Patients With Cancer. 2017 , 32, 30-39		76
416	Frailty and sarcopenia: The potential role of an aged immune system. 2017 , 36, 1-10		216

415	Rationale for a preliminary operational definition of physical frailty and sarcopenia in the SPRINTT trial. 2017 , 29, 81-88		50
414	Influence of segmental body composition and adiposity hormones on resting metabolic rate and substrate utilization in overweight and obese adults. 2017 , 40, 635-643		13
413	Prospective Associations of Low Muscle Mass and Function with 10-Year Falls Risk, Incident Fracture and Mortality in Community-Dwelling Older Adults. 2017 , 21, 843-848		59
412	Muscle Ultrasound and Sarcopenia in Older Individuals: A Clinical Perspective. 2017 , 18, 290-300		130
411	Clinical Definitions of Sarcopenia and Risk of Hospitalization in Community-Dwelling Older Men: The Osteoporotic Fractures in Men Study. 2017 , 72, 1383-1389		33
410	Clinically Relevant Cut-off Points for the Diagnosis of Sarcopenia in Older Korean People. 2017 , 72, 1724-1731	4	
409	Effectiveness of nutritional and exercise interventions to improve body composition and muscle strength or function in sarcopenic obese older adults: A systematic review. 2017 , 43, 3-15		36
408	Malnutrition-sarcopenia syndrome predicts mortality in hospitalized older patients. 2017 , 7, 3171		54
407	Effects of elastic resistance exercise on body composition and physical capacity in older women with sarcopenic obesity: A CONSORT-compliant prospective randomized controlled trial. <i>Medicine (United States)</i> , 2017 , 96, e7115	1.8	69
406	Another Impairment in Older Age: What Does Osteosarcopenic Obesity Syndrome Mean for Middle-Aged and Older Women?. 2017 , 18, 648-650		11
405	Increased Myogenic and Protein Turnover Signaling in Skeletal Muscle of Chronic Obstructive Pulmonary Disease Patients With Sarcopenia. 2017 , 18, 637.e1-637.e11		24
404	Associations between high-risk alcohol consumption and sarcopenia among postmenopausal women. 2017 , 24, 1022-1027		14
403	Assessment of muscle mass relative to fat mass and associations with physical functioning in rheumatoid arthritis. 2017 , 56, 981-988		19
402	Clinical relevance of sarcopenia in chronic kidney disease. 2017 , 26, 219-228		116
401	A simple anthropometric tool for the assessment of pre-sarcopenia in postmenopausal women. 2017 , 20, 256-261		1
400	Body Adiposity Index, but not Visceral Adiposity Index, Correlates with Inflammatory Markers in Sarcopenic Obese Elderly Women. 2017 , 43, 291-304		12
399	Sarcopenia and its individual criteria are associated, in part, with mortality among patients on hemodialysis. 2017 , 92, 238-247		105
398	Protein Intake and Mobility Limitation in Community-Dwelling Older Adults: the Health ABC Study. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 1705-1711	5.6	57

397	The Future Prevalence of Sarcopenia in Europe: A Claim for Public Health Action. 2017 , 100, 229-234		99
396	Sarcopenia predicts readmission and mortality in elderly patients in acute care wards: a prospective study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2017 , 8, 251-258	10.3	67
395	Risk of Fracture in Women with Sarcopenia, Low Bone Mass, or Both. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 2673-2678	5.6	46
394	Evaluation of Sarcopenia in Elderly Women of China. 2017 , 11, 149-153		1
393	A review of sarcopenia: Enhancing awareness of an increasingly prevalent disease. 2017 , 105, 276-286		162
392	Considering technique of assessment and method for normalizing skeletal muscle mass. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2017 , 8, 853-854	10.3	3
391	Obesity, body composition and cardiorespiratory fitness in heart failure with preserved ejection fraction. 2017 , 13, 451-463		23
390	Short-term microcurrent electrical neuromuscular stimulation to improve muscle function in the elderly: A randomized, double-blinded, sham-controlled clinical trial. <i>Medicine (United States)</i> , 2017 , 96, e7407	1.8	11
389	Development of a bedside viable ultrasound protocol to quantify appendicular lean tissue mass. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2017 , 8, 713-726	10.3	49
388	A Simple Model to Identify Risk of Sarcopenia and Physical Disability in HIV-Infected Patients. 2017 , 31, 2542-2551		4
387	Comparisons of three different methods for defining sarcopenia: An aspect of cardiometabolic risk. 2017 , 7, 6491		33
386	Muscle adjustment methods may affect the association of muscle mass with novel dietary protein food clusters. 2017 , 106, 702-703		
385	Association between sleep duration and sarcopenia among community-dwelling older adults: A cross-sectional study. <i>Medicine (United States)</i> , 2017 , 96, e6268	1.8	34
384	Sarcopenia in elderly patients with chronic low back pain. 2017 , 3, 195-200		27
383	Testosterone and Physical Function. 2017 , 9, 296-304		0
382	The association between muscle mass deficits and arterial stiffness in middle-aged men. 2017 , 27, 1130-1135		13
381	Body composition analysis by DXA (dual X-ray absorptiometry) in Brazilian men: normative data. 2017 , 35, 554-561		4
380	Sarcopenia among patients receiving hemodialysis: weighing the evidence. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2017 , 8, 57-68	10.3	60

379	Qualitative muscle mass index as a predictor of skeletal muscle function deficit in Asian older adults. <i>Geriatrics and Gerontology International</i> , 2017 , 17, 99-107	2.9	12
378	Predicting Functional Capacity From Measures of Muscle Mass in Postmenopausal Women. 2017 , 9, 596-602		6
377	Sarcopenia and Health Care Utilization in Older Women. 2017 , 72, 95-101		11
376	A study on relationship between elderly sarcopenia and inflammatory factors IL-6 and TNF- α 2017 , 22, 25		92
375	Relationship between Skeletal Muscle Mass and Respiratory Function of Healthy Adults. 2017 , 32, 429-433		2
374	Research in Special Populations. 2017 , 533-553		
373	Prevalence of Sarcopenic Obesity in Adults with Class II/III Obesity Using Different Diagnostic Criteria. 2017 , 2017, 7307618		56
372	Osteosarcopenic obesity in women: impact, prevalence, and management challenges. 2017 , 9, 33-42		36
371	Why Age Matters: Inflammation, Cancer and Hormones in the Development of Sarcopenia. 2017 , 05,		2
370	Body Composition and Physical Function in Older Adults with Various Comorbidities. 2017 , 1, igx008		24
369	Poor Physical Function as a Marker of Sarcopenia in Adults with Class II/III Obesity. 2018 , 2, nzx008		4
368	Interaction Between Diet and Physical Activity in Older People. 2017 , 185-201		1
367	Prevalence of obesity, sarcopenic obesity and associated factors: A FIBRA Network study. 2017 , 30, 161-169		7
366	Baseline characteristics of participants in the VITamin D and Omega-3 Trial (VITAL): Effects on Bone Structure and Architecture. 2018 , 67, 56-67		9
365	Muscle quality is associated with dynamic balance, fear of falling, and falls in older women. 2018 , 104, 1-6		14
364	Association of sarcopenia and fractures in community-dwelling older adults: a systematic review and meta-analysis of cohort studies. <i>Osteoporosis International</i> , 2018 , 29, 1253-1262	5.3	26
363	Sarcopenic Obesity Revisited: Insights From the Mr and Ms Os Cohort. 2018 , 19, 679-684.e2		8
362	Effects of Resistance Training of Peripheral Muscles Versus Respiratory Muscles in Older Adults With Sarcopenia Who are Institutionalized: A Randomized Controlled Trial. 2018 , 26, 637-646		16

361	Differences in muscle adaptation to a 12-week mixed power training in elderly men, depending on usual protein intake. 2018 , 104, 78-85	8
360	Untangling the overlap between frailty and low lean mass: Data from Toulouse frailty day hospital. 2018 , 75, 209-213	4
359	The risks of sarcopenia, falls and fractures in patients with type 2 diabetes mellitus. 2018 , 109, 70-77	28
358	Associations of Sarcopenia Definitions, and Their Components, With the Incidence of Recurrent Falling and Fractures: The Longitudinal Aging Study Amsterdam. 2018 , 73, 1199-1204	154
357	Characteristics of hyperuricemia in older adults in China and possible associations with sarcopenia. 2018 , 1, 23-34	4
356	Severity of sarcopenia is associated with postural balance and risk of falls in community-dwelling older women. 2018 , 44, 258-269	33
355	Low Alanine Aminotransferase Levels in the Elderly Population: Frailty, Disability, Sarcopenia, and Reduced Survival. 2018 , 73, 925-930	32
354	The value of physical performance measurements alongside assessment of sarcopenia in predicting receipt and completion of planned treatment in non-small cell lung cancer: an observational exploratory study. 2018 , 26, 119-127	12
353	Muscle Assessment Using 3D Modeling and Soft Tissue CT Profiling. 2018 , 213-221	1
352	Sarcopenia and Aging. 2018 , 27-33	
351	Estimation of Skeletal Muscle Mass Relative to Adiposity Improves Prediction of Physical Performance and Incident Disability. 2018 , 73, 946-952	19
350	Skeletal muscle mass to visceral fat area ratio is an important determinant affecting hepatic conditions of non-alcoholic fatty liver disease. 2018 , 53, 535-547	38
349	Analysis of 2 Operational Criteria Related to Muscle Loss in Elderly Brazilian Women. 2018 , 34, 155-161	
348	Prevalence and associated factors of sarcopenia, dynapenia, and sarcodynepenia in community-dwelling elderly in São Paulo - SABE Study. 2019 , 21Suppl 02, e180009	17
347	Sarcopenia: uma revisão narrativa das definições. 2018 , 16,	
346	Sarcopenic obesity negatively affects muscle strength, physical function and quality of life in obese elderly women. 2018 , 30, 3023	1
345	An update on methods for sarcopenia diagnosis: from bench to bedside. 2018 , 12, 97	4
344	The impact of sarcopenic obesity on inflammation, lean body mass, and muscle strength in elderly women. 2018 , 11, 443-449	10

343	Computed Tomography Measures of Nutrition in Patients With End-Stage Liver Disease Provide a Novel Approach to Characterize Deficits. 2018 , 50, 3501-3507		3
342	Which Index for Muscle Mass Represents an Aging Process?. 2018 , 25, 219-226		4
341	Calf Circumference as a Simple Screening Marker for Diagnosing Sarcopenia in Older Korean Adults: the Korean Frailty and Aging Cohort Study (KFACS). 2018 , 33, e151		48
340	Defining sarcopenia in terms of skeletal health. 2018 , 13, 100		4
339	Recent Progress in Sarcopenia Research: a Focus on Operationalizing a Definition of Sarcopenia. 2018 , 16, 730-737		17
338	Nutritional Considerations in Preventing Muscle Atrophy. 2018 , 1088, 497-528		8
337	Diagnostic imaging of osteoporosis and sarcopenia: a narrative review. 2018 , 8, 86-99		59
336	Association Between Sarcopenic Obesity and Falls in a Multiethnic Cohort of Postmenopausal Women. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 2314-2320	5.6	30
335	Application of ultrasound for muscle assessment in sarcopenia: towards standardized measurements. 2018 , 9, 739-757		60
334	The prevalence of sarcopenia and relationships between muscle and bone in ageing West-African Gambian men and women. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2018 , 9, 920-928	10.3	23
333	Implications of low muscle mass across the continuum of care: a narrative review. 2018 , 50, 675-693		91
332	Pontos de corte alternativos para massa muscular apendicular para verificaçã da sarcopenia em idosos brasileiros: dados da Rede Fibra - Belo Horizonte/Brasil. 2018 , 25, 166-172		4
331	Constitutive melanin density is associated with higher 25-hydroxyvitamin D and potentially total body BMD in older Caucasian adults via increased sun tolerance and exposure. <i>Osteoporosis International</i> , 2018 , 29, 1887-1895	5.3	5
330	Incidence of sarcopenia and dynapenia according to stage in patients with idiopathic Parkinson's disease. 2018 , 39, 1415-1421		22
329	Body composition and physical function in the Women's Health Initiative Observational Study. 2018 , 11, 15-22		10
328	Body composition as a predictor of physical performance in older age: A ten-year follow-up of the Helsinki Birth Cohort Study. 2018 , 77, 163-168		10
327	Respiratory Muscle Strength as a Discriminator of Sarcopenia in Community-Dwelling Elderly: A Cross-Sectional Study. 2018 , 22, 952-958		40
326	Prevalence of sarcopenia in systemic sclerosis: assessing body composition and functional disability in patients with systemic sclerosis. 2018 , 55-56, 51-55		23

325	The exerkine apelin reverses age-associated sarcopenia. 2018 , 24, 1360-1371	133
324	The impact of sarcopenic obesity on knee and hip osteoarthritis: a scoping review. 2018 , 19, 271	36
323	Sarcopenic obesity in older adults: aetiology, epidemiology and treatment strategies. 2018 , 14, 513-537	325
322	Assessment of lower extremity muscle mass, muscle strength, and exercise therapy in elderly patients with diabetes mellitus. 2018 , 23, 20	22
321	Comparisons of predictive values of sarcopenia with different muscle mass indices in Korean rural older adults: a longitudinal analysis of the Aging Study of PyeongChang Rural Area. 2018 , 13, 91-99	28
320	Sarcopenic obesity and cognitive performance. 2018 , 13, 1111-1119	33
319	Exercise and Nutrition Strategies to Counteract Sarcopenic Obesity. <i>Nutrients</i> , 2018 , 10,	6.7 53
318	Sarcopenia and osteoporosis in older people: a systematic review and meta-analysis. 2018 , 9, 419-434	49
317	The relationship between muscle quality and incidence of falls in older community-dwelling women: An 18-month follow-up study. 2018 , 110, 241-246	24
316	New Skeletal Muscle Mass Index in Diagnosis of Sarcopenia. 2018 , 25, 15-21	12
315	What is the best adjustment of appendicular lean mass for predicting mortality or disability among Japanese community dwellers?. 2018 , 18, 8	9
314	Association between skeletal muscle mass to visceral fat area ratio and arterial stiffness in Chinese patients with type 2 diabetes mellitus. 2018 , 18, 89	6
313	Pathophysiological analyses of skeletal muscle in obese type 2 diabetes SDT fatty rats. 2018 , 31, 113-123	14
312	Resistance training-induced gains in muscle strength, body composition, and functional capacity are attenuated in elderly women with sarcopenic obesity. 2018 , 13, 411-417	16
311	Dynapenia and Sarcopenia as a Risk Factor for Disability in a Falls and Fractures Clinic in Older Persons. 2018 , 6, 344-349	21
310	In Reply. 2018 , 131, 1160-1161	
309	Advanced quantitative methods in correlating sarcopenic muscle degeneration with lower extremity function biometrics and comorbidities. 2018 , 13, e0193241	37
308	Strong Relation Between Muscle Mass Determined by D3-creatine Dilution, Physical Performance, and Incidence of Falls and Mobility Limitations in a Prospective Cohort of Older Men. 2019 , 74, 844-852	83

307	Normative Values of Knee Extensor Isokinetic Strength for Older Women and Implications for Physical Function. 2019 , 42, E25-E31		6
306	Importance of physical evaluation using skeletal muscle mass index and body fat percentage to prevent sarcopenia in elderly Japanese diabetes patients. 2019 , 10, 322-330		40
305	Evaluation of appendicular lean mass using bio impedance in persons aged 80+: A new equation based on the BUTTERFLY-study. <i>Clinical Nutrition</i> , 2019 , 38, 1756-1764	5.9	7
304	Body Composition, IGF1 Status, and Physical Functionality in Nonagenarians: Implications for Osteosarcopenia. 2019 , 20, 70-75.e2		11
303	Risk of Knee Osteoarthritis With Obesity, Sarcopenic Obesity, and Sarcopenia. 2019 , 71, 232-237		44
302	Sarcopenia: The need to establish different cutoff points of fat-free mass for the Chilean population. 2019 , 57, 217-224		6
301	Sarkopene Adipositas und Inflammation. 2019 , 15, 311-317		0
300	Physical function-derived cut-points for the diagnosis of sarcopenia and dynapenia from the Canadian longitudinal study on aging. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019 , 10, 985-999	10.3	18
299	The relationship between non-alcoholic fatty liver and skeletal muscle mass to visceral fat area ratio in women with type 2 diabetes. 2019 , 19, 76		8
298	Circuit Training Improvements in Korean Women with Sarcopenia. 2019 , 126, 828-842		11
297	Associations Between Body Fat, Muscle Mass, and Nonalcoholic Fatty Liver Disease: A Population-Based Study. 2019 , 3, 1061-1072		12
296	Does Use of Androgen Deprivation Therapy (ADT) in Men with Prostate Cancer Increase the Risk of Sarcopenia?. 2019 , 105, 403-411		9
295	Prevalence of sarcopenic obesity in adults with end-stage knee osteoarthritis. 2019 , 27, 1735-1745		12
294	Sarcopenic Obesity: Epidemiologic Evidence, Pathophysiology, and Therapeutic Perspectives. 2019 , 8, 458-471		35
293	Frailty, Sarcopenia, and Malnutrition in Cirrhotic Patients. 2019 , 23, 589-605		9
292	Adipose Tissue Quality in Aging: How Structural and Functional Aspects of Adipose Tissue Impact Skeletal Muscle Quality. <i>Nutrients</i> , 2019 , 11,	6.7	28
291	Efficacy of Nutritional Interventions as Stand-Alone or Synergistic Treatments with Exercise for the Management of Sarcopenia. <i>Nutrients</i> , 2019 , 11,	6.7	18
290	Geographical differences in osteoporosis, obesity, and sarcopenia related traits in white American cohorts. 2019 , 9, 12311		2

289	Sarcopenia and sarcopenic obesity as prognostic predictors in hospitalized elderly patients with acute myocardial infarction. 2019 , 17, eAO4632		12
288	Effects of Hormone Replacement Therapy on Sarcopenia: Is It Real?. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 1297	5.6	
287	Prospective associations of low muscle mass and strength with health-related quality of life over 10-year in community-dwelling older adults. 2019 , 118, 65-71		10
286	Reply to Effects of Hormone Replacement Therapy on Sarcopenia: Is It Real?. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 1298-1299	5.6	
285	Prospective associations of osteosarcopenia and osteodynapenia with incident fracture and mortality over 10 years in community-dwelling older adults. 2019 , 82, 67-73		27
284	Distinct skeletal muscle molecular responses to pulmonary rehabilitation in chronic obstructive pulmonary disease: a cluster analysis. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019 , 10, 311-322	10.3	13
283	Impact of dietary protein intake and obesity on lean mass in middle-aged individuals after a 12-year follow-up: the Korean Genome and Epidemiology Study (KoGES). 2019 , 122, 322-330		5
282	Strength Abilities in Men 50+ as an Effect of Long-Distance Run Training. 2019 , 13, 1557988319859108		1
281	Sarcopenia is common in adults with complex congenital heart disease. 2019 , 296, 57-62		19
280	Prevention and Treatment of Sarcopenic Obesity in Women. <i>Nutrients</i> , 2019 , 11,	6.7	22
279	Evaluation of muscle mass in obesity, prediabetes and diabetes mellitus by different equations used for the measurement of muscle mass. 2019 , 13, 2148-2151		4
278	Body composition indices in Brazilian adults: age-specific and sex-specific percentile curves. 2019 , 63, 358-368		2
277	Factors associated with sarcopenia and undernutrition in older adults. 2019 , 76, 604-612		9
276	Prevalence of sarcopenia and its associated factors: the impact of muscle mass, gait speed, and handgrip strength reference values on reported frequencies. 2019 , 74, e477		21
275	Clinical Manifestations and Factors Associated with Osteosarcopenic Obesity Syndrome: A Cross-Sectional Study in Koreans with Obesity. 2019 , 105, 77-88		10
274	Association of different bioimpedanciometry estimations of muscle mass with functional measures. <i>Geriatrics and Gerontology International</i> , 2019 , 19, 593-597	2.9	14
273	Sarcopenia and its association with falls and fractures in older adults: A systematic review and meta-analysis. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019 , 10, 485-500	10.3	232
272	Nutrition Status and Chronic Obstructive Pulmonary Disease: Can We Move Beyond the Body Mass Index?. 2019 , 34, 330-339		8

271	D-Creatine dilution and the importance of accuracy in the assessment of skeletal muscle mass. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019 , 10, 14-21	10.3	69
270	Association of Appendicular Lean Mass, and Subcutaneous and Visceral Adipose Tissue With Mortality in Older Brazilians: The S \tilde{B} Paulo Ageing & Health Study. <i>Journal of Bone and Mineral Research</i> , 2019 , 34, 1264-1274	6.3	19
269	Body composition, muscle function, and physical performance in fibrotic interstitial lung disease: a prospective cohort study. 2019 , 20, 56		15
268	Skeletal Muscle Fiber Size and Gene Expression in the Oldest-Old With Differing Degrees of Mobility. 2019 , 10, 313		12
267	Acute estradiol treatment reduces skeletal muscle protein breakdown markers in early- but not late-postmenopausal women. 2019 , 146, 43-49		12
266	Osteosarcopenic Obesity: Current Knowledge, Revised Identification Criteria and Treatment Principles. <i>Nutrients</i> , 2019 , 11,	6.7	38
265	Association between non-invasive liver fibrosis scores and occurrence of health adverse outcomes in older people. 2019 , 51, 1330-1336		9
264	Appendicular lean mass and fracture risk assessment: implications for FRAX \square and sarcopenia. <i>Osteoporosis International</i> , 2019 , 30, 537-539	5.3	8
263	Relationship Between Skeletal Muscle Mass Indexes and Muscular Function, Metabolic Profile and Bone Mineral Density in Women with Recommendation for Bariatric Surgery. 2019 , 12, 2645-2654		4
262	Sarcopenia for predicting falls and hospitalization in community-dwelling older adults: EWGSOP versus EWGSOP2. 2019 , 9, 17636		17
261	Prospective Views for Whey Protein and/or Resistance Training Against Age-related Sarcopenia. 2019 , 10, 157-173		23
260	Minimal dose resistance training with elastic tubes promotes functional and cardiovascular benefits to older women. 2019 , 115, 132-138		22
259	Sarcopenia-related features and factors associated with low muscle mass, weak muscle strength, and reduced function in Chinese rural residents: a cross-sectional study. 2018 , 14, 2		16
258	Muscle mass measures and incident osteoporosis in a large cohort of postmenopausal women. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019 , 10, 131-139	10.3	16
257	Prevalance of sarcopenia according to decade. 2019 , 29, 137-141		19
256	Skeletal Muscle Mass Indices in Healthy Adults. 2019 , 3-15		1
255	Pilates vs. muscular training in older women. Effects in functional factors and the cognitive interaction: A randomized controlled trial. 2019 , 201, 157-164		12
254	Skeletal muscle reference for Chinese children and adolescents. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019 , 10, 155-164	10.3	19

253	Associations between muscle mass, physical activity and dietary behaviour in adolescents. 2019 , 14, e12471	10
252	Cut-off points for weight and body mass index adjusted bioimpedance analysis measurements of muscle mass. 2019 , 31, 935-942	11
251	Quality of life and subjective health status according to handgrip strength in the elderly: a cross-sectional study. 2019 , 23, 107-112	15
250	Sarcopenia and hospital-related outcomes in the old people: a systematic review and meta-analysis. 2019 , 31, 5-14	26
249	Body Composition Remodeling and Incident Mobility Limitations in African Ancestry Men. 2019 , 74, 400-405	5
248	Fat percentage cutoff values to define obesity and prevalence of sarcopenic obesity in community-dwelling older adults in Turkey. 2020 , 23, 477-482	18
247	Prevalence and related factors of sarcopenia in newly diagnosed cancer patients. 2020 , 28, 837-843	9
246	Establishing the Link Between Lean Mass and Grip Strength Cut Points With Mobility Disability and Other Health Outcomes: Proceedings of the Sarcopenia Definition and Outcomes Consortium Conference. 2020 , 75, 1317-1323	56
245	On the Definition of Sarcopenia in the Presence of Aging and Obesity-Initial Results from UK Biobank. 2020 , 75, 1309-1316	18
244	Cross-Sectional Study on the Association between Pulmonary Function and Sarcopenia in Brazilian Community-Dwelling Elderly from the Amazon Region. 2020 , 24, 181-187	16
243	Associations of Body Composition Trajectories with Bone Mineral Density, Muscle Function, Falls, and Fractures in Older Men: The Concord Health and Ageing in Men Project. 2020 , 75, 939-945	11
242	Dynapenic abdominal obesity and the incidence of falls in older women: a prospective study. 2020 , 32, 1263-1270	11
241	Identification of the most clinically useful skeletal muscle mass indices pertinent to sarcopenia and physical performance in chronic kidney disease. 2020 , 25, 467-474	6
240	Bioelectrical Impedance Analysis for the Assessment of Sarcopenia in Patients with Cancer: A Systematic Review. 2020 , 25, 170-182	28
239	Aging and Imaging Assessment of Body Composition: From Fat to Facts. 2019 , 10, 861	68
238	Association between serum choline and betaine concentrations and longitudinal changes of body composition in community-dwelling middle-aged and older Chinese adults. 2020 , 45, 737-744	3
237	Paediatric reference values for total psoas muscle area. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020 , 11, 405-414	10.3 25
236	Discriminating sarcopenia in overweight/obese male patients with heart failure: the influence of body mass index. 2020 , 7, 84-91	9

235	Prevalence of sarcopenia as a comorbid disease: A systematic review and meta-analysis. 2020 , 131, 110801		94
234	Intervention with erythropoietin in sarcopenic patients with femoral intertrochanteric fracture and its potential effects on postoperative rehabilitation. <i>Geriatrics and Gerontology International</i> , 2020 , 20, 150-155	2.9	2
233	Sarcopenia and Cardiac Dysfunction. 2020 , 28, 197-202		1
232	Validation of a description of sarcopenic obesity defined as excess adiposity and low lean mass relative to adiposity. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020 , 11, 1580-1589	10.3	10
231	A Critical Appraisal of the Definition of Sarcopenia in Patients with Non-Alcoholic Fatty Liver Disease: Pitfall of Adjusted Muscle Mass by Body Weight. 2020 , 10,		1
230	Adiposity Without Obesity: Associations with Osteoporosis, Sarcopenia, and Falls in the Healthy Ageing Initiative Cohort Study. 2020 , 28, 2232-2241		8
229	Application of Cut-Points for Low Muscle Strength and Lean Mass in Mobility-Limited Older Adults. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 1445-1453	5.6	11
228	Prognostic significance of low pectoralis muscle mass on preoperative chest computed tomography in localized non-small cell lung cancer after curative-intent surgery. 2020 , 147, 71-76		4
227	The impact of disease-related immobilization on thigh muscle mass and strength in older hospitalized patients. 2020 , 20, 500		2
226	Association of major dietary patterns with muscle strength and muscle mass index in middle-aged men and women: Results from a cross-sectional study. 2020 , 39, 215-221		2
225	Methodological Issues and the Impact of Age Stratification on the Proportion of Participants with Low Appendicular Lean Mass When Adjusting for Height and Fat Mass Using Linear Regression: Results from the Canadian Longitudinal Study on Aging. 2020 ,		
224	Diagnostic Criteria and Prevalence of Sarcopenia in the Elderly. 2020 , 10, 228-233		1
223	Epidemiological Study on the Dose-Effect Association between Physical Activity Volume and Body Composition of the Elderly in China. 2020 , 17,		1
222	Diabetes and Sarcopenic Obesity: Pathogenesis, Diagnosis, and Treatments. 2020 , 11, 568		25
221	Diagnosis, prevalence, and clinical impact of sarcopenia in COPD: a systematic review and meta-analysis. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020 , 11, 1164-1176	10.3	23
220	Comparison of the associations between appendicular lean mass adjustment methods and cardiometabolic factors. 2020 , 30, 2271-2278		1
219	Skeletal mass indices are inversely associated with metabolically unhealthy phenotype in overweight/obese and normal-weight men: a population-based cross-sectional study. 2021 , 126, 501-509		
218	Nonalcoholic Fatty Liver Disease and Sarcopenia: Where Do We Stand?. 2020 , 2020, 8859719		3

217	Prevalence of muscle dysfunction concomitant with osteoporosis in a home-dwelling Danish population aged 65-93 years - The Copenhagen Sarcopenia Study. 2020 , 138, 110974		11
216	Identification of sarcopenia and dynapenia in CKD predialysis patients with EGWSOP2 criteria: An observational, cross-sectional study. 2020 , 78, 110815		7
215	Nutrition and Sarcopenia-What Do We Know?. <i>Nutrients</i> , 2020 , 12,	6.7	44
214	Reference Values for Skeletal Muscle Mass - Current Concepts and Methodological Considerations. <i>Nutrients</i> , 2020 , 12,	6.7	42
213	Sarcopenia Definition: The Position Statements of the Sarcopenia Definition and Outcomes Consortium. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 1410-1418	5.6	142
212	The influence of trunk muscle strength on walking velocity in elderly people with sarcopenia. 2020 , 32, 166-172		2
211	Hypovitaminosis D and Aging: Is There a Role in Muscle and Brain Health?. <i>Nutrients</i> , 2020 , 12,	6.7	12
210	Comparison between Appendicular Skeletal Muscle Index DXA Defined by EWGSOP1 and 2 versus BIA Tengvall Criteria among Older People Admitted to the Post-Acute Geriatric Care Unit in Italy. <i>Nutrients</i> , 2020 , 12,	6.7	3
209	Osteosarcopenia in Reproductive-Aged Women with Polycystic Ovary Syndrome: A Multicenter Case-Control Study. 2020 , 105,		9
208	Decline in Muscle Strength and Performance Predicts Fracture Risk in Elderly Women and Men. 2020 , 105,		5
207	Sex Differences in People Aging With HIV. 2020 , 83, 284-291		10
206	Physical Activity Decreases the Risk of Sarcopenia and Sarcopenic Obesity in Older Adults with the Incidence of Clinical Factors: 24-Month Prospective Study. 2020 , 46, 166-177		8
205	The Consumption of Two or Three Meals per Day with Adequate Protein Content Is Associated with Lower Risk of Physical Disability in Mexican Adults Aged 60 Years and Older. 2020 , 5,		9
204	Health Consequences of Sarcopenic Obesity: A Narrative Review. 2020 , 11, 332		49
203	Do Older Adults with Low Muscle Mass or Strength, in the Presence of Obesity, Have an Increased Risk of Joint Replacement Over 13 Years?. 2020 , 107, 10-17		1
202	Constitutive melanin density is associated with prevalent and short-term, but not long-term, incident fracture risk in older Caucasian adults. <i>Osteoporosis International</i> , 2020 , 31, 1517-1524	5.3	1
201	The Impact of Age on the Prevalence of Sarcopenic Obesity in Bariatric Surgery Candidates. 2020 , 30, 2158-2164		11
200	Effect of resistance training on quality of life in older people with sarcopenic obesity living in long-term care institutions: A quasi-experimental study. 2020 , 29, 2544-2556		2

199	The factors related to decreases in masticatory performance and masticatory function until swallowing using gummy jelly in subjects aged 20-79 years. 2020 , 47, 851-861			9
198	Appendicular lean mass is lower in late compared with early perimenopausal women: potential role of FSH. 2020 , 128, 1373-1380			8
197	Reference Data and T-Scores of Lumbar Skeletal Muscle Area and Its Skeletal Muscle Indices Measured by CT Scan in a Healthy Korean Population. 2021 , 76, 265-271			12
196	Variable selection and importance in presence of high collinearity: an application to the prediction of lean body mass from multi-frequency bioelectrical impedance. 2021 , 48, 1644-1658			1
195	Muscle Mass Assessed by the D3-Creatine Dilution Method and Incident Self-reported Disability and Mortality in a Prospective Observational Study of Community-Dwelling Older Men. 2021 , 76, 123-130			24
194	Sex differences in sarcopenia and frailty among community-dwelling Korean older adults with diabetes: The Korean Frailty and Aging Cohort Study. 2021 , 12, 155-164			7
193	Association between Skeletal Mass Indices and Metabolic Syndrome in Brazilian Adults. 2021 , 24, 118-128			1
192	Relationships Between Level and Change in Sarcopenia and Other Body Composition Components and Adverse Health Outcomes: Findings from the Health, Aging, and Body Composition Study. 2021 , 108, 302-313			3
191	Prevalence, diagnostic criteria, and factors associated with sarcopenic obesity in older adults from a low middle income country: A systematic review. 2021 , 41, 94-103			4
190	Validity of measuring psoas muscle mass index for assessing sarcopenia in patients with gynecological cancer. 2021 , 51, 393-399			2
189	Effects of adequate dietary protein with whey protein, leucine, and vitamin D supplementation on sarcopenia in older adults: An open-label, parallel-group study. <i>Clinical Nutrition</i> , 2021 , 40, 1323-1329	5.9		10
188	Do Different Ascertainment Techniques Identify the Same Individuals as Sarcopenic in the Canadian Longitudinal Study on Aging?. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 164-172	5.6		1
187	Sarcopenia, Currently a Hot Topic: A Narrative Review. 2021 , 23, 20-26			
186	Relationship between Obesity, Sarcopenia, Sarcopenic Obesity, and Dynapenia in the Elderly. 2021 , 6,			
185	Encyclopedia of Gerontology and Population Aging. 2021 , 1-14			
184	Sarcopenic Obesity. 2021 , 145-151			0
183	Prevalence of Sarcopenic Obesity Using Different Definitions and the Relationship With Strength and Physical Performance in the Canadian Longitudinal Study of Aging. 2020 , 11, 583825			9
182	Association of the triglyceride and glucose index with low muscle mass: KNHANES 2008-2011. 2021 , 11, 450			1

181	Low muscle mass assessed by psoas muscle area is associated with clinical adverse events in elderly patients with heart failure. 2021 , 16, e0247140		2
180	Prevalence of sarcopenia and associated factors in older adults attending a day hospital service in Ireland. 2021 , 12, 851-862		3
179	Current Evidence and Possible Future Applications of Creatine Supplementation for Older Adults. <i>Nutrients</i> , 2021 , 13,	6.7	10
178	Sarcopenia in Patients With Parkinson's Disease: A Systematic Review and Meta-Analysis. 2021 , 12, 598035		5
177	Quantitative Computed Tomography Assessment of Pectoralis and Erector Spinae Muscle Area and Disease Severity in Chronic Obstructive Pulmonary Disease Referred for Lung Volume Reduction. 2021 , 18, 191-200		2
176	Frequency and functional translation of low muscle mass in overweight and obese patients with COPD. 2021 , 22, 93		5
175	Sarcopenia prevalence and associated factors among older Chinese population: Findings from the China Health and Retirement Longitudinal Study. 2021 , 16, e0247617		14
174	Associations between different measurements of sarcopenic obesity and health outcomes among non-frail community-dwelling older adults in Taiwan. 2021 , 126, 1749-1757		1
173	A Novel Technique for Radiographic Diagnosis of Sarcopenia that Accurately Predicts Postoperative Complications in Lower Extremity Free Flap Patients. 2021 , 37, 744-752		
172	Measurements of Muscle Mass, Equations and Cut-off Points. 2021 , 199-226		
171	Associations of sarcopenic obesity versus sarcopenia alone with functionality. <i>Clinical Nutrition</i> , 2021 , 40, 2851-2859	5.9	8
170	Endurance Exercise to Improve Physical Function in Adult and Older Mice: High Intensity Interval Training (HIIT) versus Voluntary Wheel Running (VWR).		
169	Prevalence of sarcopenic obesity and association with metabolic syndrome in an adult Iranian cohort: The Fasa PERSIAN cohort study. 2021 , 11, e12459		0
168	Associations of Skeletal Muscle Mass and Fat Mass With Incident Cardiovascular Disease and All-Cause Mortality: A Prospective Cohort Study of UK Biobank Participants. <i>Journal of the American Heart Association</i> , 2021 , 10, e019337	6	9
167	Cut-off values of skeletal muscle index and psoas muscle index at L3 vertebra level by computerized tomography to assess low muscle mass. <i>Clinical Nutrition</i> , 2021 , 40, 4360-4365	5.9	14
166	Sinhalese Version of the Global Physical Activity Questionnaire for Community-Dwelling Older Adults: Reliability and Validity. 2021 , 1, 100016		1
165	CARDIAC AUTONOMIC MODULATION RESPONSE AND FUNCTIONAL CAPACITY IN OLDER WOMEN. 2021 , 27, 129-133		0
164	Prevalence of Sarcopenia and its Association with Antirheumatic Drugs in Middle-Aged and Older Adults with Rheumatoid Arthritis: A Systematic Review and Meta-analysis. 2021 , 109, 475-489		3

163	Sarcopenia in patients following stroke: an overlooked problem. 2021 , 44, 269-275		1
162	Testing soft tissue radiodensity parameters interplay with age and self-reported physical activity. 2021 , 31,		4
161	Validity of skeletal muscle mass index measurements for assessing sarcopenia in patients with gynecological cancer. 2021 , 51, 1534-1540		
160	Effects of exercise on muscle mass, strength, and physical performance in older adults with sarcopenia: A systematic review and meta-analysis according to the EWGSOP criteria. 2021 , 151, 111420		7
159	Science-based policy: targeted nutrition for all ages and the role of bioactives. 2021 , 60, 1-17		3
158	Sarcopenia in Chronic Kidney Disease: A Scoping Review of Prevalence, Risk Factors, Association with Outcomes, and Treatment. 2021 , 1		5
157	Using accelerometers in the assessment of sarcopenia in older adults attending a day hospital service in Ireland. 2021 , 6, 98-110		
156	Transcriptomic analysis of elderly women with low muscle mass: association with immune system pathway. 2021 , 13, 20992-21008		0
155	Effects of different definitions of low muscle mass on its association with metabolic syndrome in older adults: A Korean nationwide study. <i>Geriatrics and Gerontology International</i> , 2021 , 21, 1003-1009	2.9	2
154	Combined evaluation of aminotransferases improves risk stratification for overall and cause-specific mortality in older patients. 2021 , 1		3
153	Low Skeletal Muscle Mass Is Associated With the Presence, Incidence, and Progression of Coronary Artery Calcification. 2021 , 37, 1480-1488		1
152	Prospective associations of chronic and intrusive pain with sarcopenia and physical disability amongst older Australian men: The Concord Health and Ageing in Men Project. 2021 , 153, 111501		1
151	Bone, muscle, and sarcopenia. 2021 , 847-873		
150	Optimal body size adjustment of L3 CT skeletal muscle area for sarcopenia assessment. 2021 , 11, 279		6
149	Measurements of Muscle Mass, Equations and Cut-off Points. 205-225		1
148	Skeletal Muscle Effects on the Skeleton. 978-985		1
147	Definition-specific prevalence estimates for sarcopenia in an Australian population: the Geelong Osteoporosis Study. <i>JCSM Clinical Reports</i> , 2020 , 5, 89-98	1.5	13
146	Sarcopenia. 2009 , 183-205		1

145	Redefining Nutritional Frailty: Interventions for Weight Loss Due to Undernutrition. 2009 , 157-182	1
144	Body Composition and Aging. 2012 , 275-292	5
143	Quantifying Muscle Mass by Adjusting for Body Mass Index Is the Best for Discriminating Low Strength and Function in Japanese Older Outpatients. 2021 , 25, 501-506	3
142	Validation of the Thai version of SARC-F, MSRA-7, and MSRA-5 questionnaires compared to AWGS 2019 and sarcopenia risks in older patients at a medical outpatient clinic. 2020 , 6, 205-211	2
141	The role of body composition assessment in obesity and eating disorders. 2020 , 131, 109227	3
140	Assessing cardiovascular risks from a mid-thigh CT image: a tree-based machine learning approach using radiodensitometric distributions. 2020 , 10, 2863	34
139	KLOTHO polymorphisms and age-related outcomes in community-dwelling older subjects: The 'Sb Paulo Ageing & Health (SPAHL) Study. 2020 , 10, 8574	1
138	A study on the characteristics of standing posture of elderly women with sarcopenia in Korea. 2018 , 14, 481-488	3
137	Creatine monohydrate and conjugated linoleic acid improve strength and body composition following resistance exercise in older adults. 2007 , 2, e991	100
136	Sarcopenia is independently associated with cardiovascular disease in older Korean adults: the Korea National Health and Nutrition Examination Survey (KNHANES) from 2009. 2013 , 8, e60119	153
135	Sarcopenia as an Independent Risk Factor for Decreased BMD in COPD Patients: Korean National Health and Nutrition Examination Surveys IV and V (2008-2011). 2016 , 11, e0164303	16
134	Development of Novel Methods to Define Deficits in Appendicular Lean Mass Relative to Fat Mass. 2016 , 11, e0164385	27
133	Sarcopenia: prevalence and prognostic implications in elderly patients with cardiovascular disease. <i>JCSM Clinical Reports</i> , 2017 , 2,	1.5 12
132	Sarcopenia, Relative Sarcopenia and Excess Adiposity in Chronic Kidney Disease. <i>JCSM Clinical Reports</i> , 2018 , 3,	1.5 4
131	Associations Between Skeletal Muscle Mass, Grip Strength, and Physical and Cognitive Functions in Elderly Women: Effect of Exercise with Resistive Theraband. 2019 , 23, 50-55	8
130	Interaction between bone and muscle in older persons with mobility limitations. 2014 , 20, 3178-97	63
129	Effects of Changes in Frequency of Low Intensity Aerobic and Resistance Exercise on Inflammation Factors in Sarcopenic Obesity Elderly Women. 2018 , 57, 307-319	1
128	Sarcopenia and neurosurgery. 2014 , 56, 79-85	4

127	Relation between cigarette smoking and sarcopenia: meta-analysis. 2015 , 64, 419-26	71
126	Sarcopenia of the Old Age. 2007 , 22, 1	4
125	Clinical and Physiopathological Mechanism of Sarcopenia. 2012 , 83, 444	24
124	Androgen effects on skeletal muscle: implications for the development and management of frailty. 2014 , 16, 203-12	39
123	Appendicular Skeletal Muscle Mass Reference Values and the Peak Muscle Mass to Identify Sarcopenia among Iranian Healthy Population. 2018 , 9, 25	13
122	Relationship between diet quality and sarcopenia in elderly Koreans: 2008-2011 Korea National Health and Nutrition Examination Survey. 2020 , 14, 352-364	3
121	How to Diagnose Sarcopenia in Korean Older Adults?. 2018 , 22, 73-79	19
120	Investigation of Sarcopenia and Its Association with Cardiometabolic Risk Factors in Elderly Subjects. 2010 , 14, 121-130	25
119	Recent Progression in Sarcopenia and Sarcopenic Obesity. 2011 , 15, 1-7	15
118	Sarcopenia in Korea: Prevalence and Clinical Aspects. 2015 , 19, 1-8	11
117	Muscle and Bone Mass Loss in the Elderly Population: Advances in diagnosis and treatment. 2018 , 3, 40-49	39
116	The Risk Factors of Sarcopenia among Korean Elderly Men : Based on 2009 Korean National Health and Nutrition Examination Survey Data. 2014 , 23, 23	8
115	Reference values and prediction of sarcopenia in Japanese men and women. 2012 , 1, 637-643	1
114	Sarcopenia: Its definition, prevalence, functional outcomes and prevention. 2013 , 2, 439-449	1
113	Pilates versus resistance training on trunk strength and balance adaptations in older women: a randomized controlled trial. 2019 , 7, e7948	5
112	Is there a relationship between ACTN3 R577X gene polymorphism and sarcopenia?. 2021 , 1	
111	Soft tissue radiodensity parameters mediate the relationship between self-reported physical activity and lower extremity function in AGES-Reykjavík participants. 2021 , 11, 20173	0
110	High-velocity resistance training as a tool to improve functional performance and muscle power in older adults. 2021 , 156, 111593	2

- 109 Muscle Atrophy During Aging. **2006**, 305-335 0
- 108 Muscle Hypertrophy. **2006**, 355-388
- 107 Is Sarcopenia a Geriatric Syndrome?. 104-113
- 106 Perioperative Care of the Geriatric Urology Patient. **2013**, 43-63
- 105 Effects of Exercise on Cardiovascular Disease Risk Factors in Sarcopenic Obesity Elderly Women. **2012**, 13, 3962-3972 0
- 104 Metabolic. **2013**, 53-81 1
- 103 Response: What is the Most Reliable Obesity Index in Korean Elderly Population? (Korean J Obes Vol.21 No.3, 2012). **2013**, 22, 120
- 102 DESIGNING DRUG TRIALS FOR SARCOPENIA IN OLDER ADULTS WITH HIP FRACTURE - A TASK FORCE FROM THE INTERNATIONAL CONFERENCE ON FRAILTY AND SARCOPENIA RESEARCH (ICFSR). **2014**, 3, 199-204 10
- 101 Letter: The Risk Factors of Sarcopenia among Korean Elderly Men: Based on 2009 Korean National Health and Nutrition Examination Survey Data (Korean J Obes 2014;23:23-31). **2014**, 23, 136 1
- 100 The Effects of 12-Weeks of Vitamin D Supplementation and Circuit Training on Skeletal Muscle Mass in Elderly Women with Type-2 Diabetes Mellitus and Vitamin D Deficiency. **2014**, 25, 202-214
- 99 Preoperative Evaluation of Body Muscle Mass is Useful for Risk Assessment for Male Patients with Gastric Cancer. **2015**, 48, 291-296 1
- 98 Sarcopenia: The Concept and Its Definitions. **2016**, 3-11 1
- 97 Perioperative Care of the Geriatric Urology Patient. **2016**, 43-63
- 96 The Effect of Combined Exercise on Body Composition, Functional Fitness and Muscle Protein Synthesis Related Hormone in Sarcopenic Obesity Elderly Women. **2016**, 7, 185-193 0
- 95 Musculoskeletal Aging, Sarcopenia, and Cancer. **2018**, 1-18
- 94 Development of a Sizing System of Women's Fitness Wear for the Senior Population in South Korea. **2018**, 20, 464-473
- 93 Female Sarcopenic Obesity. **2019**, 405-422
- 92 Encyclopedia of Gerontology and Population Aging. **2019**, 1-11

91	Association between sarcopenic obesity, muscle strength and risk of cardiovascular and cardiometabolic diseases in the elderly: A systematic review. 32,	0
90	Neurogeriatrie. 2020 , 445-459	
89	Aging Health Behind an Image: Quantifying Sarcopenia and Associated Risk Factors from Advanced CT Analysis and Machine Learning Technologies. 2020 , 188-197	1
88	Cut-off points of appendicular lean soft tissue for identifying sarcopenia in older adults in Brazil: a cross-sectional study. 2020 , 37, 306-312	0
87	Encyclopedia of Gerontology and Population Aging. 2020 , 1-11	
86	An Objective and Reliable Method for Identifying Sarcopenia in Lumbar Spine Surgery Patients: Using Morphometric Measurements on Computed Tomography Imaging. 2020 , 14, 814-820	1
85	Differences in Electromyographic Activities and Spatiotemporal Gait Parameters between General and Developed Insoles with a Toe-Grip Bar. 2020 , 2020, 6690343	
84	Musculoskeletal Aging, Sarcopenia, and Cancer. 2020 , 269-285	
83	Correlation Analysis between the Factors Associated with Osteoporosis and the Fat Infiltration Rate of the Multifidus and Erector Spinae Muscles in Osteoporotic Vertebral Compression Fracture Patients. 2020 , 55, 318	0
82	Sarcopenia is Associated With Decreased Brain Volume in the General Population: A Longitudinal Cohort Study.	
81	Sarcopenia. 2020 , 1781-1803.e19	
80	Methodological Issues and the Impact of Age Stratification on the Proportion of Participants with Low Appendicular Lean Mass When Adjusting for Height and Fat Mass Using Linear Regression: Results from the Canadian Longitudinal Study on Aging. 2021 , 10, 150-155	
79	THE FREQUENCY OF SARCOPENIA IN OLDER AGE GROUPS: EVALUATION OF DIAGNOSTIC CRITERIA. 2020 , 58, 147-153	0
78	Sarcopenia is associated with decreased gray matter volume in the parietal lobe: a longitudinal cohort study. 2021 , 21, 622	1
77	Letter to the editor: RE: Comments Referring to the Article «Comprehensive Nutritional Status in Sarco-Osteoporotic Older Fallers». 2016 , 20, 231-2	1
76	Inflamm-Aging. 2009 , 893-918	
75	Musculoskeletal Health in Premature Ovarian Insufficiency. Part One: Muscle. 2020 , 38, 277-288	2
74	Techniques for the diagnosis of sarcopenia. 2014 , 11, 181-4	64

73	Physical exercise and sarcopenia in older people: position paper of the Italian Society of Orthopaedics and Medicine (OrtoMed). 2014 , 11, 215-21		33
72	Skeletal Muscle Function Deficits in the Elderly: Current Perspectives on Resistance Training. 2017 , 3,		12
71	Sarcopenia and the New ICD-10-CM Code: Screening, Staging, and Diagnosis Considerations. 2017 , 34, 24-32		24
70	Mechanography performance tests and their association with sarcopenia, falls and impairment in the activities of daily living - a pilot cross-sectional study in 293 older adults. 2015 , 15, 249-56		15
69	Relationship of body anthropometric measures with skeletal muscle mass and strength in a reference cohort of young Finnish women. 2017 , 17, 192-196		2
68	Application of current sarcopenia definitions in spinal cord injury. 2019 , 19, 21-29		3
67	Skeletal Muscle Mass Index cut-offs by bioelectrical impedance analysis to determine Sarcopenia Based on healthy young or old Populations: A Comparative Study. 2021 , 2008, 012012		0
66	Twelve-year sarcopenia trajectories in older adults: results from a population-based study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021 ,	10.3	3
65	Global prevalence of sarcopenia and severe sarcopenia: a systematic review and meta-analysis. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021 ,	10.3	21
64	Prevalence of Sarcopenia According to the Method Used to Determine Physical Performance.		
63	Associaçã entre sarcopenia e qualidade de vida relacionada à saúde em idosos comunitários. 2021 , 34,		
62	Encyclopedia of Gerontology and Population Aging. 2021 , 4360-4373		
61	From the Bench to the Bedside: Branched Amino Acid and Micronutrient Strategies to Improve Mitochondrial Dysfunction Leading to Sarcopenia.. <i>Nutrients</i> , 2022 , 14,	6.7	0
60	Prevalence of depression in patients with sarcopenia and correlation between the two diseases: systematic review and meta-analysis.. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022 ,	10.3	4
59	Diagnosis, prevalence, and mortality of sarcopenia in dialysis patients: a systematic review and meta-analysis.. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022 ,	10.3	5
58	Paving the way for applying GLIM criteria in clinical practice and research: how to define mild to moderate and severe reduced muscle mass.. 2022 , 1		0
57	Body Composition and Incident Heart Failure in Older Adults: Results From 2 Prospective Cohorts.. <i>Journal of the American Heart Association</i> , 2021 , e023707	6	2
56	Nutrition and the Assessment of Sarcopenia. 2022 , 269-281		

55	Thresholds of visceral fat area and percent of body fat to define sarcopenic obesity and its clinical consequences in Chinese cancer patients.. <i>Clinical Nutrition</i> , 2022 , 41, 737-745	5.9	0
54	Development of a screening formula for sarcopenia using ground reaction force during sit-to-stand motion.. <i>Gait and Posture</i> , 2022 , 93, 177-182	2.6	0
53	Long-Term Changes in Sarcopenia and Body Composition in Diabetes Patients with and without Charcot Osteoarthropathy.. <i>Journal of Diabetes Research</i> , 2022 , 2022, 3142307	3.9	
52	Association Between Muscle Mass Determined by D -Creatine Dilution and Incident Fractures in a Prospective Cohort Study of Older Men.. <i>Journal of Bone and Mineral Research</i> , 2022 ,	6.3	1
51	Sex-specific associations of fat mass and muscle mass with cardiovascular disease risk factors in adults with type 2 diabetes living with overweight and obesity: secondary analysis of the Look AHEAD trial.. <i>Cardiovascular Diabetology</i> , 2022 , 21, 40	8.7	0
50	Official Position of the Brazilian Association of Bone Assessment and Metabolism (ABRASSO) on the evaluation of body composition by densitometry-part II (clinical aspects): interpretation, reporting, and special situations.. <i>Advances in Rheumatology</i> , 2022 , 62, 11	3	
49	Associations of components of sarcopenia with risk of fracture in the Osteoporotic Fractures in Men (MrOS) study.. <i>Osteoporosis International</i> , 2022 , 1	5.3	0
48	Comparison of appendicular lean mass indices for predicting physical performance in Korean hemodialysis patients: A cross-sectional study. <i>Medicine (United States)</i> , 2021 , 100, e28168	1.8	0
47	Anthropometric and Body Composition Measurements Related to Osteoporosis in Geriatric Population.. <i>Medeniyet Medical Journal</i> , 2021 , 36, 294-301	0.5	
46	DXA-Derived Indices in the Characterisation of Sarcopenia.. <i>Nutrients</i> , 2021 , 14,	6.7	1
45	Effects of a lifestyle intervention on body composition in prostate cancer patients on androgen deprivation therapy. <i>JCSM Clinical Reports</i> , 2020 , 5, 52-60	1.5	1
44	Association between cognitive performance and sarcopenic obesity in older adults with Alzheimer's disease. <i>Dementia E Neuropsychologia</i> , 2022 , 16, 28-32	2.1	0
43	Sarcopenia and catastrophic health expenditure by socio-economic groups in China: an analysis of household-based panel data.. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022 ,	10.3	1
42	Sarcopenic Obesity: An Emerging Public Health Problem.. 2022 , 13, 379-388		0
41	Accuracy of Tools to Differentiate Single From Recurrent Fallers Pre-Frail Older Women. <i>Frontiers in Public Health</i> , 2022 , 10,	6	
40	Effects of Developmental Failure of Swallowing Threshold on Obesity and Eating Behaviors in Children Aged 5-5 Years. <i>Nutrients</i> , 2022 , 14, 2614	6.7	
39	Sarcopenia in the Cirrhotic Patient: Current Knowledge and Future Directions. <i>Journal of Clinical and Experimental Hepatology</i> , 2022 ,	4.1	
38	Optimal Cutoffs for the Diagnosis of Sarcopenia in Older Chinese Adults. <i>Frontiers in Nutrition</i> , 9,	6.2	0

37	Sarcopenic obesity diagnosis by different criteria mid-to long-term post-bariatric surgery. <i>Clinical Nutrition</i> , 2022 ,	5.9	0
36	Implication of diet and exercise on the management of age-related sarcopenic obesity in Asians. <i>Geriatrics and Gerontology International</i> ,	2.9	
35	Associations of Dynapenic Obesity and Sarcopenic Obesity with the Risk of Complications in COVID-19. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 8277	6.3	1
34	Serum Retinol Binding Protein 4 as a Potential Biomarker for Sarcopenia in Older Adults.		
33	Progress in Research on Antitumor Drugs and Dynamic Changes in Skeletal Muscles. 13,		0
32	Diagnostic and prognostic value of the Creatinine/Cystatin C ratio for low muscle mass evaluation among US adults. 9,		
31	Comparison of various indices for predicting sarcopenia and its components in patients receiving peritoneal dialysis. 2022 , 12,		
30	Obesity, inflammation and muscle weakness. 2023 , 153-174		0
29	An analysis study of sarcopenia and locomotive syndrome in the old people using evaluation tool. 2022 , 18, 256-263		0
28	Increased Carcinoembryonic Antigen (CEA) Level Is Highly Associated with Low Skeletal Muscle Mass in Asymptomatic Adults: A Population-Based Study. 2022 , 11, 5009		0
27	Effects of three modes of physical activity on physical fitness and hematological parameters in older people with sarcopenic obesity: A systematic review and meta-analysis. 13,		0
26	The Positive Association between Muscle Mass and Bone Status Is Conserved in Men with Diabetes: A Retrospective Cross-Sectional and Longitudinal Study. 2022 , 11, 5370		0
25	Diagnostic significance of calf circumference in sarcopenia of healthy korean adult males. 13,		0
24	Sarcopenia: modern approaches to solving diagnosis problems.		0
23	Evaluation of sarcopenia biomarkers in older patients undergoing major surgery for digestive cancer. SAXO prospective cohort study. 2022 ,		0
22	Definition of an adapted cut-off for determining low lean tissue mass in older women with obesity: a comparison to current cut-offs. 2022 , 12,		1
21	A diagnostic proposal for sarcopenic obesity in adults based on body composition phenotypes. 2022 ,		0
20	p62/Sqstm1 rescue in muscle retards the progression of steatohepatitis in p62/Sqstm1-null mice fed a high-fat diet. 13,		0

- 19 Musculoskeletal effects of obesity and bariatric surgery narrative review. **2022**, 66, 621-632
- 18 Understanding sarcopenic obesity in young adults in clinical practice: a review of three unsolved questions. **2022**, 64,
- 17 How to adjust muscle mass while defining sarcopenia component of sarcopenic obesity: is body weight sufficient enough to represent body size?.
- 16 A systematic literature review on the effects of physical functions on braking ability of elderly drivers. **2022**, 29, 43-53
- 15 Normal values for body composition in adults are better represented by continuous reference ranges dependent on age and BMI. **2023**, 42, 644-652
- 14 Muscle strength and physical performance contribute to and improve fracture risk prediction in older people: A narrative review. **2023**, 172, 116755
- 13 Effect of 12-Week-Zumba Training on Postural Balance, Lower Limb Strength, Mood and Quality of Life in Postmenopausal Women. 1-19
- 12 Usefulness of skeletal muscle measurement by computed tomography in patients with esophageal cancer: changes in skeletal muscle mass due to neoadjuvant therapy and the effect on the prognosis.
- 11 An elusive consensus definition of sarcopenia impedes research and clinical treatment: A narrative review. **2023**, 86, 101883
- 10 Prevalence of sarcopenia in patients with COPD through different musculature measurements: An updated meta-analysis and meta-regression. 10,
- 9 Capacidad física de trabajo y composición corporal. **2023**, 32, 61-70
- 8 Impact of skeletal muscle mass evaluating methods on severity of metabolic associated fatty liver disease in non-elderly adults. 1-12
- 7 Epidemiology of sarcopenia: Prevalence, risk factors, and consequences. **2023**, 155533
- 6 A Nomogram for Optimizing Sarcopenia Screening in Community-dwelling Older Adults: AB3C Model. **2023**, 24, 497-503
- 5 Concordance and Discrepancies Among 5 Creatinine-Based Equations for Assessing Estimated Glomerular Filtration Rate in Older Adults. **2023**, 6, e234211
- 4 Sarcopenia as a potential risk factor for senile blepharoptosis: Nationwide Surveys (KNHANES 2008-2011). **2023**, 13,
- 3 Sarcopenia and cardiovascular diseases: A systematic review and meta-analysis.
- 2 Sarcopenia and Cognitive Decline in Older Adults: Targeting the Muscle-Brain Axis. **2023**, 15, 1853

- 1 Osteosarcopenia in NAFLD/MAFLD: An Underappreciated Clinical Problem in Chronic Liver Disease. o
2023, 24, 7517