

CITATION REPORT

List of articles citing

Expression of NMDA receptor NR1, NR2A and NR2B subunit mRNAs during development of the human hippocampal formation

DOI: 10.1046/j.1460-9568.2003.02850.x

European Journal of Neuroscience, 2003, 18, 1197-205.

Source: <https://exaly.com/paper-pdf/35240221/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
112	Action of isoflurane on the substantia gelatinosa neurons of the adult rat spinal cord. 2005 , 102, 379-86		17
111	The NMDA receptor NR2B subunit contributes to epileptogenesis in human cortical dysplasia. 2005 , 1046, 10-23		68
110	Development of human visual cortex: a balance between excitatory and inhibitory plasticity mechanisms. 2005 , 46, 209-21		66
109	Subunit assembly of N-methyl-d-aspartate receptors analyzed by fluorescence resonance energy transfer. 2005 , 280, 24923-30		54
108	Coupling between NMDA receptor and acid-sensing ion channel contributes to ischemic neuronal death. 2005 , 48, 635-46		264
107	Tissue preparation and banking. 2006 , 158, 3-14		54
106	Neuroprotection associated with alternative splicing of NMDA receptors in rat cortical neurons. 2006 , 147, 622-33		12
105	BDNF and trkB mRNA expression in the hippocampus and temporal cortex during the human lifespan. 2006 , 6, 941-51		168
104	Synaptophysin protein and mRNA expression in the human hippocampal formation from birth to old age. 2006 , 16, 645-54		32
103	Genetic inactivation of the NMDA receptor NR2A subunit has anxiolytic- and antidepressant-like effects in mice. 2006 , 31, 2405-14		174
102	Tonic facilitation of glutamate release by presynaptic NR2B-containing NMDA receptors is increased in the entorhinal cortex of chronically epileptic rats. 2006 , 26, 406-10		93
101	One-trial associative odor learning in neonatal mice. 2006 , 31, 343-9		44
100	AMPA receptor downscaling at the onset of Alzheimer's disease pathology in double knockin mice. 2006 , 103, 3410-5		175
99	Estradiol-induced increase in the magnitude of long-term potentiation is prevented by blocking NR2B-containing receptors. 2006 , 26, 8517-22		158
98	The NMDA receptor/ion channel complex: a drug target for modulating synaptic plasticity and excitotoxicity. 2007 , 13, 3185-94		42
97	Age-related differences in glucocorticoid receptor mRNA levels in the human brain. 2007 , 28, 447-58		111
96	Postmortem Brain Studies: Focus on Susceptibility Genes in Schizophrenia. 2007 ,		

95	Maintenance of superior learning and memory function in NR2B transgenic mice during ageing. <i>European Journal of Neuroscience</i> , 2007 , 25, 1815-22	3.5	133
94	Early brain development disruption from NMDA receptor hypofunction: relevance to schizophrenia. 2007 , 53, 260-70		95
93	Adult retinal neuronal cell culture. 2007 , 26, 379-97		16
92	Spermine induces cell death in cultured human embryonic cerebral cortical neurons through N-methyl-D-aspartate receptor activation. 2008 , 86, 861-72		20
91	Expression of prostaglandin E2 synthases in mouse postnatal cortical neurons. 2005 , 1053, 460-71		7
90	Sub-acute administration of benzo[a]pyrene (B[a]P) reduces anxiety-related behaviour in adult mice and modulates regional expression of N-methyl-D-aspartate (NMDA) receptors genes in relevant brain regions. 2008 , 73, S295-302		36
89	Developmental regulation of the NMDA receptor subunits, NR3A and NR1, in human prefrontal cortex. 2008 , 18, 2560-73		70
88	Expression of neuronal nitric oxide synthase in the hippocampal formation in affective disorders. 2008 , 41, 333-41		90
87	Gene expression in the anterior cingulate cortex and amygdala of adolescent marmoset monkeys following parental separations in infancy. 2009 , 12, 761-72		33
86	Early parental deprivation in the marmoset monkey produces long-term changes in hippocampal expression of genes involved in synaptic plasticity and implicated in mood disorder. 2009 , 34, 1381-94		62
85	Hitting a moving target: Basic mechanisms of recovery from acquired developmental brain injury. 2009 , 12, 255-68		57
84	Estradiol and the relationship between dendritic spines, NR2B containing NMDA receptors, and the magnitude of long-term potentiation at hippocampal CA3-CA1 synapses. 2009 , 34 Suppl 1, S130-42		94
83	Developmental changes in GABAergic mechanisms in human visual cortex across the lifespan. 2010 , 4, 16		82
82	Expression of the NR2B-NMDA receptor trafficking complex in prefrontal cortex from a group of elderly patients with schizophrenia. <i>Schizophrenia Research</i> , 2010 , 119, 198-209	3.6	43
81	Selective Vulnerabilities of N-methyl-D-aspartate (NMDA) Receptors During Brain Aging. 2010 , 2, 11		67
80	Domoic acid as a developmental neurotoxin. 2010 , 31, 409-23		89
79	N-methyl-D-aspartate receptor subunit expression in adult and adolescent brain following chronic ethanol exposure. 2010 , 170, 645-54		53
78	Reciprocal signalling between NR2 subunits of the NMDA receptor and neuregulin1 and their role in schizophrenia. 2011 , 35, 896-904		32

77	Prenatal Exposure to Chronic Ethanol on N Methyl D Aspartate Receptor Distribution. 2011 , 6, 124-129		
76	Application of Pharmacogenetics and Pharmacogenomics in Pediatrics: What Makes Children Different?. 249-262		
75	NMDA receptor modulation by the neuropeptide apelin: implications for excitotoxic injury. 2011 , 118, 1113-23		47
74	Effect of marginal vitamin A deficiency during pregnancy on retinoic acid receptors and N-methyl-D-aspartate receptor expression in the offspring of rats. 2011 , 22, 1112-20		15
73	Developmental trajectories during adolescence in males and females: a cross-species understanding of underlying brain changes. 2011 , 35, 1687-703		243
72	Membrane cholesterol modulates {beta}-amyloid-dependent tau cleavage by inducing changes in the membrane content and localization of N-methyl-D-aspartic acid receptors. 2011 , 286, 976-86		13
71	Contributions of the D-serine pathway to schizophrenia. <i>Neuropharmacology</i> , 2012 , 62, 1484-503	5.5	90
70	Vitamin A deficiency impairs postnatal cognitive function via inhibition of neuronal calcium excitability in hippocampus. 2012 , 121, 932-43		45
69	Glutamate signaling in the pathophysiology and therapy of prenatal insults. 2012 , 100, 825-34		12
68	The PSD-95/nNOS complex: new drugs for depression?. 2012 , 133, 218-29		51
67	Estradiol-induced increase in novel object recognition requires hippocampal NR2B-containing NMDA receptors. 2013 , 23, 108-15		62
66	NMDA Receptor Modulators in the Treatment of Drug Addiction. 2013 , 6, 251-68		37
65	Age-related differences in NMDA receptor subunits of prenatally methamphetamine-exposed male rats. 2014 , 39, 2040-6		6
64	D-serine-induced inactivation of NMDA receptors in cultured rat hippocampal neurons expressing NR2A subunits is Ca ²⁺ -dependent. 2014 , 20, 951-60		3
63	GluN2B protein deficits in the left, but not the right, hippocampus in schizophrenia. 2014 , 14, 274		6
62	Estradiol replacement extends the window of opportunity for hippocampal function. 2014 , 35, 2183-92		37
61	Dysfunctional synapse in Alzheimer's disease - A focus on NMDA receptors. <i>Neuropharmacology</i> , 2014 , 76 Pt A, 16-26	5.5	129
60	Neonatal seizures alter NMDA glutamate receptor GluN2A and 3A subunit expression and function in hippocampal CA1 neurons. 2015 , 9, 362		19

59	NMDA Receptor Function During Senescence: Implication on Cognitive Performance. <i>Frontiers in Neuroscience</i> , 2015 , 9, 473	5.1	58
58	Gene Expression Switching of Receptor Subunits in Human Brain Development. 2015 , 11, e1004559		33
57	Differential effects of N-acetyl-aspartyl-glutamate on synaptic and extrasynaptic NMDA receptors are subunit- and pH-dependent in the CA1 region of the mouse hippocampus. 2015 , 82, 580-592		22
56	N-Methyl d-Aspartate Receptor Expression Patterns in the Human Fetal Cerebral Cortex. 2017 , 27, 5041-5053		22
55	Tumor necrosis factor regulates NMDA receptor-mediated airway smooth muscle contractile function and airway responsiveness. 2016 , 311, L467-80		13
54	Mechanistic Insight into NMDA Receptor Dysregulation by Rare Variants in the GluN2A and GluN2B Agonist Binding Domains. 2016 , 99, 1261-1280		98
53	A quantitative review of the postmortem evidence for decreased cortical N-methyl-D-aspartate receptor expression levels in schizophrenia: How can we link molecular abnormalities to mismatch negativity deficits?. 2016 , 116, 57-67		68
52	Proteomic Analysis of Postsynaptic Protein Complexes Underlying Neuronal Plasticity. 2017 , 8, 689-701		8
51	Prenatal stress and depression associated neuronal development in neonates. 2017 , 60, 1-7		40
50	De novo mutations in GRIN1 cause extensive bilateral polymicrogyria. 2018 , 141, 698-712		46
49	Parvalbumin Loss Following Chronic Sub-Anesthetic NMDA Antagonist Treatment is Age-Dependent in the Hippocampus: Implications for Modeling NMDA Hypofunction. 2018 , 393, 73-82		7
48	Expression of NMDA receptor subunits in human blood lymphocytes: A peripheral biomarker in online computer game addiction. 2018 , 7, 260-268		9
47	The interplay between electrical and chemical synaptogenesis. 2018 , 120, 1914-1922		13
46	De novo GRIN variants in NMDA receptor M2 channel pore-forming loop are associated with neurological diseases. 2019 , 40, 2393-2413		22
45	Effect of ceftriaxone on paired-pulse response and long-term potentiation of hippocampal dentate gyrus neurons in rats with Alzheimer-like disease. 2019 , 238, 116969		10
44	Discussion on Safety Early Warning Management in Building Construction. 2019 , 304, 042073		
43	Okadaic acid attenuates short-term and long-term synaptic plasticity of hippocampal dentate gyrus neurons in rats. 2019 , 158, 24-31		13
42	Dentate Gyrus Immaturity in Schizophrenia. 2019 , 25, 528-547		9

41	Correlation between the epigenetic modification of histone H3K9 acetylation of NR2B gene promoter in rat hippocampus and ethanol withdrawal syndrome. 2019 , 46, 2867-2875	7
40	Alteration in NMDA Receptor Mediated Glutamatergic Neurotransmission in the Hippocampus During Senescence. 2019 , 44, 38-48	27
39	In Vivo Modulation of Hippocampal Excitability by M4 Muscarinic Acetylcholine Receptor Activator: Implications for Treatment of Alzheimer's Disease and Schizophrenic Patients. 2019 , 10, 1091-1098	9
38	The ontogeny of memory persistence and specificity. 2019 , 36, 100591	20
37	Region-specific insular volumetric decreases in drug-naive, first-episode schizophrenia and their unaffected siblings. 2020 , 183, 106-112	1
36	Sociability development in mice with cell-specific deletion of the NMDA receptor NR1 subunit gene. 2020 , 19, e12624	5
35	Felbamate for infantile spasms syndrome resistant to first-line treatments. 2020 , 62, 581-586	8
34	Selenium Restores Synaptic Deficits by Modulating NMDA Receptors and Selenoprotein K in an Alzheimer's Disease Model. 2021 , 35, 863-884	12
33	The bioactivity of neuronal-derived nitric oxide in aging and neurodegeneration: Switching signaling to degeneration. 2021 , 162, 500-513	10
32	Possible interplay between the theories of pharmacoresistant epilepsy. <i>European Journal of Neuroscience</i> , 2021 , 53, 1998-2026	3-5 3
31	Use of a physiologically based pharmacokinetic-pharmacodynamic model for initial dose prediction and escalation during a paediatric clinical trial. 2021 , 87, 1378-1389	6
30	A Practical Guide to Sparse Clustering for Studying Molecular Development of the Human Brain.	
29	RNA-sequencing and behavioral testing reveals inherited physical inactivity co-selects for anxiogenic behavior without altering depressive-like behavior in Wistar rats. 2021 , 753, 135854	0
28	Transcriptome analysis provides genome annotation and expression profiles in the central nervous system of <i>Lymnaea stagnalis</i> at different ages.	
27	GRIN2A and GRIN2B and Their Related Phenotypes.	
26	Requirements of Postnatal proBDNF in the Hippocampus for Spatial Memory Consolidation and Neural Function. 2021 , 9, 678182	6
25	NMDARs Containing NR2B Subunit Do Not Contribute to the LTP Form of Hippocampal Plasticity: In Vivo Pharmacological Evidence in Rats. 2021 , 22,	
24	Transcriptome analysis provides genome annotation and expression profiles in the central nervous system of <i>Lymnaea stagnalis</i> at different ages. 2021 , 22, 637	0

23	Regulation of Vulnerability to NMDA Excitotoxicity During Postnatal Maturation. 2009 , 3-24		2
22	Functional assessment of the NMDA receptor variant GluN2AR586K. <i>Wellcome Open Research</i> , 2, 20	4.8	5
21	NMDA receptors in GABAergic synapses during postnatal development. 2012 , 7, e37753		21
20	Neurochemical Changes in the Mouse Hippocampus Underlying the Antidepressant Effect of Genetic Deletion of P2X7 Receptors. 2013 , 8, e66547		66
19	Ferulic acid through mitigation of NMDA receptor pathway exerts anxiolytic-like effect in mouse model of maternal separation stress. 2020 ,		4
18	Functional human promoter polymorphism and variation of mental processing speed in older adults. 2017 , 9, 1293-1306		3
17	The Mechanism of Anti-Epileptogenesis by Levetiracetam Treatment is Similar to the Spontaneous Recovery of Idiopathic Generalized Epilepsy during Adolescence. 2017 , 14, 844-850		4
16	Autism-Like Behavioral Phenotypes in Mice Treated with Systemic N-Methyl-D-Aspartate. 2021 ,		0
15	Molecular Aspects of Drug Actions: From Receptors to Effectors. 2006 , 1659-1677		
14	Transcriptional Regulation in Schizophrenia. 2007 , 103-124		
13	Non-accidental Head Trauma. 2012 , 1126-1148		
12	Functional assessment of the NMDA receptor variant GluN2A. <i>Wellcome Open Research</i> , 2017 , 2, 20	4.8	6
11	Parvalbumin loss following chronic sub-anesthetic NMDA antagonist treatment is age-dependent in the hippocampus: Implications for modeling NMDA hypofunction.		
10	Schizophrenia Genomics: Convergence on Synaptic Development, Adult Synaptic Plasticity, or Both?. <i>Biological Psychiatry</i> , 2021 ,	7.9	4
9	Neonatal NMDA blockade alters the LTP, LTD and cognitive functions in male and female Wistar rats. <i>Neuropharmacology</i> , 2021 , 205, 108896	5.5	2
8	A Practical Guide to Sparse -Means Clustering for Studying Molecular Development of the Human Brain. <i>Frontiers in Neuroscience</i> , 2021 , 15, 668293	5.1	1
7	(R,S)-ketamine and (2R,6R)-hydroxynorketamine differentially affect memory as a function of dosing frequency. <i>Translational Psychiatry</i> , 2021 , 11, 583	8.6	2
6	Neonatal Seizures. 2022 , 83-98		

5 Introduction. **2022**, 1-9

4 N-Methyl-d-Aspartate receptor and inflammation in dorsolateral prefrontal cortex in schizophrenia.. *Schizophrenia Research*, **2021**, 240, 61-70 3.6 ○

3 Adaptations to a hypoxic lifestyle in naked mole-rats.. *Journal of Experimental Biology*, **2022**, 225, 3 2

2 The role of reelin in the pathological mechanism of depression from clinical to rodents. **2022**, 317, 114838 ○

1 Mitochondrial Ca²⁺ Uniporter haploinsufficiency enhances long-term potentiation at hippocampal mossy fibre synapses. ○