

CITATION REPORT

List of articles citing

Predictors and outcomes of frequent emergency department users

DOI: 10.1111/j.1553-2712.2003.tb01344.x
Academic Emergency Medicine, 2003, 10, 320-8.

Source: <https://exaly.com/paper-pdf/35270875/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
203	Discrete event simulation of emergency department activity: a platform for system-level operations research. <i>Academic Emergency Medicine</i> , 2004 , 11, 1177-85	3.4	76
202	¿Qué población utiliza el servicio de urgencias hospitalario?. 2004 , 19, 370-373		1
201	Characteristics of occasional and frequent emergency department users: do insurance coverage and access to care matter?. 2004 , 42, 176-82		187
200	Epidemiology of pediatric emergency department use at an urban medical center. 2005 , 21, 84-9		36
199	Asthma exacerbations in North American adults: who are the "frequent fliers" in the emergency department?. 2005 , 127, 1579-86		115
198	Nonemergent emergency room utilization for an inner-city pediatric population. 2005 , 21, 363-6		20
197	A descriptive study of heavy emergency department users at an academic emergency department reveals heavy ED users have better access to care than average users. 2005 , 31, 139-44		103
196	Patients' perspective on choosing the emergency department for nonurgent medical care: a qualitative study exploring one reason for overcrowding. 2005 , 31, 429-35		91
195	Characteristics of individuals with severe mental illness who use emergency services. 2005 , 41, 159-68		22
194	Integration of the Hospital Emergency Incident Command System (HEICS) into the Design of the Command Center at Bridgeport Hospital. 2005 , 20, s170-s171		
193	Trends in U.S. emergency department visits for mental health conditions, 1992 to 2001. 2005 , 56, 671-7		204
192	Predictors of medication refill-seeking behavior in the ED. 2005 , 23, 423-8		4
191	Frequent users of Massachusetts emergency departments: a statewide analysis. 2006 , 48, 9-16		173
190	Demography of pediatric emergency care in Halifax, Canada. 2006 , 8, 269-74		1
189	Maternal and child factors affecting high-volume pediatric emergency department use. 2006 , 22, 301-8		11
188	Is it really an emergency?. 2006 , 106, 69-72		2
187	Characteristics of frequent users of emergency departments. 2006 , 48, 1-8		343

186	Psychosocial and psychodynamic factors influencing health care utilisation. 2006 , 14, 69-78	5
185	Headache: clinical governance in health care management in the Emergency Department. 2006 , 27 Suppl 2, S203-5	3
184	Pediatric emergency department recidivism: demographic characteristics and diagnostic predictors. 2006 , 32, 131-8	45
183	Defining frequent use of an urban emergency department. 2007 , 24, 398-401	146
182	Seven-year evolution of discharge diagnoses of emergency department users. 2007 , 14, 193-8	10
181	Effectiveness of nonnarcotic protocol for the treatment of acute exacerbations of chronic nonmalignant pain. 2007 , 25, 445-9	24
180	Patient and Physician Factors Contributing to Poor Outcomes in Patients with Asthma and COPD. 2007 , 15, 355-376	4
179	Implementing an HIV and sexually transmitted disease screening program in an emergency department. 2007 , 49, 564-72	105
178	The effects of alcohol consumption, psychological distress and smoking status on emergency department presentations in New South Wales, Australia. 2007 , 7, 46	14
177	Factors associated with emergency department utilization by urban lesbian, gay, and bisexual individuals. 2007 , 32, 149-56	22
176	Factors associated with frequency of emergency department visits for chronic obstructive pulmonary disease exacerbation. 2007 , 22, 799-804	35
175	Characteristics of patients returning to emergency departments in Naples, Italy. 2008 , 8, 97	17
174	Cost-effectiveness of clinical case management for ED frequent users: results of a randomized trial. 2008 , 26, 155-64	163
173	Soziale Ungleichheit und Inanspruchnahme von Gesundheitsdienstleistungen. 2008 , 16, 24-25	1
172	Exploring medical utilization patterns of emergency department users. 2008 , 107, 119-28	25
171	Characteristics of non-urgent patients. Cross-sectional study of emergency department and primary care patients. 2008 , 26, 181-7	23
170	What affects time to care in emergency room appendicitis patients?. 2008 , 46, 417-22	17
169	Case management of patients who frequently present to a Scottish emergency department. 2009 , 26, 103-5	54

168	Characteristics and predictors of frequent utilization of emergency services. 2009 , 35, 191-8; quiz 273	77
167	Unsuspected or unacknowledged depressive symptoms in young adult emergency department patients. <i>Academic Emergency Medicine</i> , 2009 , 16, 288-94	3-4 7
166	Use of the emergency department for severe headache. A population-based study. 2009 , 49, 21-30	74
165	Comparisons of high versus low emergency department utilizers in sickle cell disease. 2009 , 53, 587-93	101
164	Hyper-use of the ED. 2009 , 27, 588-94	9
163	Predictors and outcomes of frequent chest pain unit users. 2009 , 27, 660-7	1
162	The rate of sexually transmitted infections in ED patients with vaginal bleeding. 2009 , 27, 563-9	1
161	Cumulative radiation exposure and cancer risk estimates in emergency department patients undergoing repeat or multiple CT. 2009 , 192, 887-92	168
160	Interventions for educating children who are at risk of asthma-related emergency department attendance. 2009 , CD001290	89
159	Caregiver adherence to follow-up after an emergency department visit for common pediatric illnesses: Impact on future ED use. 2009 , 47, 326-33	22
158	Which health care workers were most affected during the spring 2009 H1N1 pandemic?. 2010 , 4, 47-54	35
157	Patients treated at multiple acute health care facilities: quantifying information fragmentation. 2010 , 170, 1989-95	103
156	Health care utilization following a non-urgent visit in emergency department and primary care. 2010 , 5, 539-46	6
155	Frequent use of the emergency department among persons with systemic lupus erythematosus. 2010 , 62, 401-8	19
154	Frequent users of emergency departments: the myths, the data, and the policy implications. 2010 , 56, 42-8	416
153	Emergency department utilization among HIV-infected patients in a multisite multistate study. 2010 , 11, 74-84	31
152	The revolving door: high ER use among older veterans. 2010 , 20, 365-74	3
151	Emergency department reliance: a discriminatory measure of frequent emergency department users. 2010 , 125, 133-8	59

150	Psychological and self-management factors in near-fatal asthma. 2010 , 68, 175-81		15
149	A comparison of frequent and infrequent visitors to an urban emergency department. 2010 , 38, 115-21		98
148	Emergency department workload increase: dependence on primary care?. 2010 , 38, 279-85		18
147	Deciding to use the emergency room: a qualitative survey of older veterans. 2011 , 54, 292-308		5
146	Demand for hospital emergency departments: a conceptual understanding. 2011 , 2, 253-61		39
145	Review article: People who present on multiple occasions to emergency departments. 2011 , 23, 532-40		8
144	Factors associated with emergency department use among the rural elderly. 2011 , 27, 39-49		42
143	Frequent users of emergency department services: gaps in knowledge and a proposed research agenda. <i>Academic Emergency Medicine</i> , 2011 , 18, e64-9	3-4	149
142	Unmet need and psychological distress predict emergency department visits in community-dwelling elderly women: a prospective cohort study. 2011 , 11, 86		8
141	Older adults who persistently present to the emergency department with severe, non-severe, and indeterminate episode patterns. 2011 , 11, 65		14
140	Older People's Quality of Life (OPQOL) scores and adverse health outcomes at a one-year follow-up. A prospective cohort study on older outpatients living in the community in Italy. 2011 , 9, 72		70
139	Effectiveness of interventions targeting frequent users of emergency departments: a systematic review. 2011 , 58, 41-52.e42		222
138	HIV testing in emergency departments in the United States: a national survey. 2011 , 58, S10-6.e1-8		26
137	Ethnoracial differences in emergency department patients' tobacco use. 2011 , 13, 1037-44		2
136	Characteristics of all, occasional, and frequent emergency department visits due to ambulatory care-sensitive conditions in Florida. 2012 , 35, 149-58		16
135	Disparities in potentially avoidable emergency department (ED) care: ED visits for ambulatory care sensitive conditions. 2012 , 50, 1020-8		80
134	Emergency department visits and use of outpatient physician services by adults with developmental disability and psychiatric disorder. 2012 , 57, 601-7		54
133	Emergency department patients self-report higher patient inertia, hopelessness, and harmful lifestyle choices than community counterparts. 2012 , 14, 828-35		4

132	Time to seeking emergency department care for asthma: self-management, clinical features at presentation, and hospitalization. 2012 , 49, 275-81		6
131	Hospital-level variation in the percentage of admissions originating in the emergency department. 2012 , 30, 1441-6		12
130	Toward understanding the difference between using patients or encounters in the accounting of emergency department utilization. 2012 , 60, 693-8		10
129	The association between serious psychological distress and emergency department utilization among young adults in the USA. 2012 , 47, 939-47		19
128	Social and medical vulnerability factors of emergency department frequent users in a universal health insurance system. <i>Academic Emergency Medicine</i> , 2012 , 19, 63-8	3-4	67
127	Frequent users of emergency departments: developing standard definitions and defining prominent risk factors. 2012 , 60, 24-32		173
126	Satisfaction and emergency department revisits in patients with possible acute coronary syndrome. 2013 , 45, 947-57		8
125	What drives frequent emergency department use in an integrated health system? National data from the Veterans Health Administration. 2013 , 62, 151-9		107
124	Characteristics of Medicaid enrollees with frequent ED use. 2013 , 31, 1333-7		46
123	The most frequent ED patients carry insurance and a significant burden of disease. 2013 , 31, 16-9		13
122	A survey of the prevalence of cell phones capable of receiving health information among patients presenting to an Urban Emergency Department. 2013 , 44, 875-88		13
121	Defining, quantifying, and characterizing adult frequent users of a suburban Canadian emergency department. 2013 , 15, 214-26		38
120	A telephone-based case-management intervention reduces healthcare utilization for frequent emergency department visitors. 2013 , 20, 327-34		48
119	Patient demographic and health factors associated with frequent use of emergency medical services in a midsized city. <i>Academic Emergency Medicine</i> , 2013 , 20, 1101-11	3-4	35
118	Health information exchange improves identification of frequent emergency department users. 2013 , 32, 2193-8		33
117	Advocacy at the end of life: meeting the needs of vulnerable Latino patients. 2013 , 52, 558-77		11
116	The Current Care Delivery Practice for Asthma at the Emergency Department in a Tertiary Hospital in Singapore. 2013 , 4, 15-21		1
115	Effectiveness of a pediatric verbal lead exposure screening protocol in emergency department patients. 2013 , 29, 156-61		

114	When health insurance is not a factor: national comparison of homeless and nonhomeless US veterans who use Veterans Affairs Emergency Departments. 2013 , 103 Suppl 2, S225-31	38
113	Describing and predicting frequent callers to an ambulance service: analysis of 1 year call data. 2014 , 31, 408-14	13
112	Factors associated with emergency department visits for migraine: an observational study. 2014 , 54, 1611-8	19
111	Time intervals and associated factors of emergency treatment: first insight into Pakistani system. 2014 , 7, 41	3
110	Effectiveness of quality improvement strategies for coordination of care to reduce use of health care services: a systematic review and meta-analysis. 2014 , 186, E568-78	91
109	Ten common misconceptions about emergency care. 2014 , 11-20	1
108	Frequent attendance at the emergency department is a symptom but not a disease. 2014 , 31, 524-525	9
107	Repeat emergency room visits for hand and wrist injuries. 2014 , 39, 752-6	10
106	Epidemiology of emergency department visits for opioid overdose: a population-based study. 2014 , 89, 462-71	74
105	An observational study of emergency department utilization among enrollees of Minnesota Health Care Programs: financial and non-financial barriers have different associations. 2014 , 14, 62	14
104	Frequent callers to and users of emergency medical systems: a systematic review. 2014 , 31, 684-91	39
103	Case management for frequent users of the emergency department: study protocol of a randomised controlled trial. 2014 , 14, 264	20
102	Suicide prevention in rural, tribal communities: The intersection of challenge and possibility.. 2014 , 38, 87-97	3
101	Evaluation of factors and approaches affecting emergency department space planning. 2014 , 32, 761-785	5
100	Strengthening quality of acute care through feedback from patients in Ghana. 2015 , 5, 24-30	5
99	Characterizing the vulnerability of frequent emergency department users by applying a conceptual framework: a controlled, cross-sectional study. 2015 , 14, 146	21
98	Systematic review of frequent users of emergency departments in non-US hospitals: state of the art. 2015 , 22, 306-15	36
97	Prevalence of and Predictors for Frequent Utilization of Emergency Department: A Population-Based Study. 2015 , 94, e1205	28

96	The characteristics of patients frequently admitted to academic medical centers in the United States. 2015 , 10, 563-8	27
95	Assessing Challenges in End-of-Life Conversations With Patients Utilizing a Public Safety-Net Health Care System. 2015 , 32, 528-36	10
94	Survey of an Australian general emergency department: estimated prevalence of mental health disorders. 2015 , 22, 30-8	9
93	Factors Associated With Emergency Department Visits: A Multistate Analysis of Adult Fee-for-Service Medicaid Beneficiaries. 2016 , 3,	3
92	Brief case management versus usual care for frequent users of emergency departments: the Coordinated Access to Care from Hospital Emergency Departments (CATCH-ED) randomized controlled trial. 2016 , 16, 432	6
91	Frequent Emergency Department Utilizers Among Children with Cancer. 2016 , 63, 859-64	8
90	Missing the mark: ongoing missed opportunities for HIV diagnosis at an urban medical center despite universal screening recommendations. 2016 , 33, 644-648	12
89	Sex differences in frequent ED use among those with multimorbid chronic diseases. 2016 , 34, 2127-2131	11
88	Factors Affecting Emergency Department Use by a Chronically Homeless Population. 2016 , 67, 1340-1347	19
87	Individual predictors of frequent emergency department use: a scoping review. 2016 , 16, 594	70
86	Characteristics and predictors of mortality among frequent users of an Emergency Department in Switzerland. 2018 , 25, 140-146	4
85	A practical method for predicting frequent use of emergency department care using routinely available electronic registration data. 2016 , 16, 12	16
84	Examining the need profiles of patients with multiple emergency department visits for mental health reasons: a cross-sectional study. 2016 , 51, 777-86	18
83	Targeting frequent users of emergency departments: Prominent risk factors and policy implications. 2016 , 120, 462-70	21
82	The prehospital and hospital costs of emergency care for frequent ED patients. 2016 , 34, 459-63	15
81	Risk Factors for Persistent Frequent Emergency Department Use in Medicare Beneficiaries. 2016 , 67, 721-729	21
80	How Multidimensional Health Locus of Control predicts utilization of emergency and inpatient hospital services. 2017 , 22, 314-323	15
79	Factors Associated With Frequent Emergency Department Use in the Medicare Population. 2017 , 74, 311-327	16

78	Parental Language and Return Visits to the Emergency Department After Discharge. 2017 , 33, 402-404		18
77	An ED paradox: patients who arrive by ambulance and then leave without consulting an ED provider. 2017 , 34, 151-156		2
76	Association Between Maternal Comorbidities and Emergency Department Use Among a National Sample of Commercially Insured Pregnant Women. <i>Academic Emergency Medicine</i> , 2017 , 24, 940-947	3-4	10
75	Repeated Emergency Medical Services Use by Older Adults: Analysis of a Comprehensive Statewide Database. 2017 , 70, 506-515.e3		14
74	Patients' perspectives of emergency care quality and priorities for care improvement. 2017 , 22, 234-245		2
73	An Emergency Medicine-Primary Care Partnership to Improve Rural Population Health: Expanding the Role of Emergency Medicine. 2017 , 70, 640-647		14
72	Predictors of repeat visits to hospital psychiatric emergency departments in Malaga (Spain) and in Lisbon (Portugal). 2017 , 34, 665-671		2
71	Characteristics of Children Enrolled in Medicaid With High-Frequency Emergency Department Use. 2017 , 140,		9
70	A cohort study examining emergency department visits and hospital admissions among people who use drugs in Ottawa, Canada. 2017 , 14, 16		28
69	Frequent emergency department visitors are frequent primary care visitors and report unmet primary care needs. 2017 , 23, 567-573		26
68	How Much Do Mental Health and Substance Use/Addiction Affect Use of General Medical Services? Extent of Use, Reason for Use, and Associated Costs. 2017 , 62, 48-56		24
67	Effectiveness of Interventions to Decrease Emergency Department Visits by Adult Frequent Users: A Systematic Review. <i>Academic Emergency Medicine</i> , 2017 , 24, 40-52	3-4	91
66	Predicting Subsequent High-Frequency, Low-Acuity Utilization of the Pediatric Emergency Department. 2017 , 17, 256-260		12
65	Predicting Frequent Emergency Department Use by Pediatric Medicaid Patients. 2017 , 20, 208-215		11
64	Patients Visiting Multiple Emergency Departments: Patterns, Costs, and Risk Factors. <i>Academic Emergency Medicine</i> , 2017 , 24, 1349-1357	3-4	16
63	Case management in primary care among frequent users of healthcare services with chronic conditions: protocol of a realist synthesis. 2017 , 7, e017701		13
62	Factors associated with chronic frequent emergency department utilization in a population with diabetes living in metropolitan areas: a population-based retrospective cohort study. 2017 , 17, 525		12
61	The relationship between health literacy and quality of life among frequent users of health care services: a cross-sectional study. 2017 , 15, 137		26

60	Frequent attenders at the emergency department: an analysis of characteristics and utilisation trends. 2018 , 27, 12-19	10
59	Why do patients with minor complaints choose emergency departments and does satisfaction with primary care services influence their decisions?. 2018 , 19, 398-406	2
58	Emergency Department Utilization by Native American Children. 2018 , 34, 802-809	6
57	Better safe than sorry? Frequent attendance in a hospital emergency department: an exploratory study. 2018 , 12, 10-19	6
56	Comparing Statewide and Single-center Data to Predict High-frequency Emergency Department Utilization Among Patients With Asthma Exacerbation. <i>Academic Emergency Medicine</i> , 2018 , 25, 657-667 ³⁻⁴	5
55	[Characteristics of hospital emergency departments users. Frequent users]. 2018 , 44, 537-548	2
54	Case management in primary care for frequent users of healthcare services with chronic diseases and complex care needs: an implementation and realist evaluation protocol. 2018 , 8, e026433	8
53	Patterns of emergency department utilization by patients on chronic dialysis: A population-based study. 2018 , 13, e0195323	13
52	The relationship between health literacy and patient activation among frequent users of healthcare services: a cross-sectional study. 2018 , 19, 38	12
51	Predictors of asthma relapse in patients who attended an emergency department. 2018 , 39, 292-298	5
50	The Introduction and Development of the H-index for Imaging Utilizers: A Novel Metric for Quantifying Utilization of Emergency Department Imaging. <i>Academic Emergency Medicine</i> , 2019 , 26, 1125-1134 ³	13 ⁴
49	Frequent emergency department use and mortality in patients with substance and opioid use in Alberta: A population-based retrospective cohort study. 2019 , 21, 482-491	2
48	Differences in hospitalizations, emergency room admissions, and outpatient visits among Mexican-American Medicare beneficiaries. 2019 , 19, 136	8
47	Psychological distress in frequent users of primary health care and emergency departments: a scoping review. 2019 , 172, 1-7	5
46	Recurrent Emergency Department Users: Two Categories with Different Risk Profiles. 2019 , 8,	6
45	What are the social predictors of accident and emergency attendance in disadvantaged neighbourhoods? Results from a cross-sectional household health survey in the north west of England. 2019 , 9, e022820	17
44	Statistical tools used for analyses of frequent users of emergency department: a scoping review. 2019 , 9, e027750	6
43	Here one year, gone the next? Investigating persistence of frequent emergency department attendance: a retrospective study in Australia. 2019 , 9, e027700	14

42	Costs and effects of interventions targeting frequent presenters to the emergency department: a systematic and narrative review. 2019 , 19, 83	11
41	Diagnosis Prevalence and Comorbidity in a Population of Mobile Integrated Community Health Care Patients. 2019 , 34, 46-55	1
40	Discharge to medical home: A new care delivery model to treat non-urgent cases in a rural emergency department. 2019 , 7, 7-12	4
39	Real-Time Emergency Department Electronic Notifications Regarding High-Risk Patients: A Systematic Review. 2019 , 25, 604-618	2
38	Racial/Ethnic Variation in Emergency Department Care for Children With Asthma. 2019 , 35, 209-215	15
37	Chronic pain and frequent use of emergency department: A systematic review. 2020 , 38, 358-363	10
36	The impact of Medicaid expansion on trauma-related emergency department utilization: A national evaluation of policy implications. 2020 , 88, 59-69	6
35	Frequent Attendance to the Emergency Department after Release from Prison: a Prospective Data Linkage Study. 2020 , 47, 544-559	2
34	Predictors of ED attendance in older patients with chronic disease: a data linkage study. 2020 , 44, 550-556	0
33	Can pharmacists reduce inappropriate emergency department utilization?. 2020 , 77, 1153-1157	
32	Frequent use of emergency departments and chronic conditions in ageing societies: a retrospective analysis based in Italy. 2020 , 18, 29	0
31	Frequent users of emergency departments and patient flow in Alberta and Ontario, Canada: an administrative data study. 2020 , 20, 938	3
30	Experience of being a frequent user of primary care and emergency department services: a qualitative systematic review and thematic synthesis. 2020 , 10, e033351	1
29	Characteristics of frequent adult emergency department users: A Korean tertiary hospital observational study. 2020 , 99, e20123	2
28	Case Management in Primary Care for Frequent Users of Health Care Services: A Realist Synthesis. 2020 , 18, 218-226	5
27	Prediction of Recurrent Emergency Department Visits in Patients With Mental Disorders. 2020 , 11, 48	6
26	What is the prevalence of frequent attendance to emergency departments and what is the impact on emergency department utilisation? A systematic review and meta-analysis. 2020 , 15, 1303-1316	1
25	Factors associated with inappropriate use of emergency departments: findings from a cross-sectional national study in France. 2020 , 29, 449-464	17

24	Social and demographic characteristics of frequent or high-charge emergency department users: A quantile regression application. 2021 , 27, 1271-1280	1
23	CONNECT-6: a case-finding tool to identify patients with complex health needs. 2021 , 21, 157	2
22	Predictive Model-Driven Hotspotting to Decrease Emergency Department Visits: a Randomized Controlled Trial. 2021 , 36, 2563-2570	2
21	"I wanted to participate in my own care": Evaluation of a Patient Navigation Program. 2021 , 22, 417-426	0
20	Relapse risk factors for patients with comorbid affective disorders and substance abuse disorders from an intensive treatment unit. 2021 , 30, 461-467	
19	Psychiatric emergency visit trends and characteristics in a mental health epicenter in Istanbul during COVID-19 lockdown. 2021 , 56, 2299-2310	3
18	Comprehensive services delivery and emergency department use among chronically homeless adults. 2017 , 14, 184-192	8
17	What are Patients' Concerns about Medical Errors in an Emergency Department?. 2012 , 12, 86-92	5
16	Personal Characteristics and Experience of Primary Care Predicting Frequent Use of Emergency Department: A Prospective Cohort Study. 2016 , 11, e0157489	20
15	A Comprehensive View of Frequent Emergency Department Users Based on Data from a Regional HIE. 2016 , 109, 434-9	14
14	Perceptions of Community Involvement in the Peruvian Mental Health Reform Process Among Clinicians and Policy-Makers: A Qualitative Study. 2019 , 8, 711-722	4
13	Return visits to the emergency department: what can we learn from older adults' experiences?. 2014 , 40, 32-40; quiz 42-3	7
12	Prescribing practices of migraine-specific pharmacotherapy associated with emergency department use for migraine. 2021 , 61, 455-461	
11	Dispersion in the hospital network of shared patients is associated with less efficient care. 2020 ,	0
10	Use of health information technology to manage frequently presenting emergency department patients. 2010 , 11, 348-53	26
9	Emergency department use: is frequent use associated with a lack of primary care provider?. 2014 , 60, e223-9	30
8	Expect the unexpected: a role for behavioral economics in understanding the impact of cost-sharing on emergency department utilization. 2010 , 3, 248-56	1
7	Data-Driven Approach to Defining the Emergency Department Frequent Attender Using a Cohort of 10 Years. 2018 , 8, 6-16	

6	Understanding the association between frequent emergency department use and jail incarceration: a cross-sectional analysis.. <i>Academic Emergency Medicine</i> , 2022 ,	3.4	○
5	Better understanding care transitions of adults with complex health and social care needs: a study protocol.. 2022 , 22, 206		○
4	Characteristics of frequent emergency department users in Korea: a 4-year retrospective analysis using Korea Health Panel Study data. <i>Clinical and Experimental Emergency Medicine</i> , 2022 , 9, 114-119	1.7	
3	Emergency clinician perceptions of patients who present frequently to the emergency department: a snapshot of current practice. 2022 ,		○
2	Predictors of Frequent Emergency Department Visits among Hospitalized Cancer Patients: A Comparative Cohort Study Using Integrated Clinical and Administrative Data to Improve Care Delivery.		○
1	Social deprivation, the Area Deprivation Index, and emergency department utilization within a community-based primary and preventive care program at a Florida medical school.		○