

# The genome sequence of the filamentous fungus *Neurospora crassa*

Nature

422, 859-868

DOI: [10.1038/nature01554](https://doi.org/10.1038/nature01554)

Citation Report

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Blueprint of a red mould: Unusual and unexpected findings in the <i>Neurospora</i> genome sequence. <i>Journal of Biosciences</i> , 2003, 28, 361-362.  | 0.5  | 0         |
| 2  | Identification and quantitative expression analysis of genes that are differentially expressed during conidial germination in <i>Pyrenophora teres</i> . <i>Molecular Genetics and Genomics</i> , 2003, 270, 147-155.                       | 1.0  | 18        |
| 3  | Genome Sequencing: The Ripping Yarn of The Frozen Genome. <i>Current Biology</i> , 2003, 13, R552-R553.   | 1.8  | 8         |
| 4  | <i>Neurospora Crassa</i> has Twice the Genes of <i>Schizosaccharomyces Pombe</i> . <i>Mycological Research</i> , 2003, 107, 1011.   | 2.5  | 0         |
| 5  | Molecular phylogeny of the kelch-repeat superfamily reveals an expansion of BTB/kelch proteins in animals. <i>BMC Bioinformatics</i> , 2003, 4, 42.   | 1.2  | 142       |
| 6  | Current Awareness on Comparative and Functional Genomics. <i>Comparative and Functional Genomics</i> , 2003, 4, 560-567.  | 2.0  | 0         |
| 7  | Cyclophilin A and calcineurin functions investigated by gene inactivation, cyclosporin A inhibition and cDNA arrays approaches in the phytopathogenic fungus <i>Botrytis cinerea</i> . <i>Molecular Microbiology</i> , 2003, 50, 1451-1465. | 1.2  | 126       |
| 8  | Reactive oxygen species generated by microbial NADPH oxidase NoxA regulate sexual development in <i>Aspergillus nidulans</i> . <i>Molecular Microbiology</i> , 2003, 50, 1241-1255.   | 1.2  | 363       |
| 9  | Ectomycorrhizal development and function " transcriptome analysis. <i>New Phytologist</i> , 2003, 159, 5-7.   | 3.5  | 14        |
| 10 | Functional genomics of plant " pathogen interactions. <i>New Phytologist</i> , 2003, 159, 1-4.  | 3.5  | 69        |
| 11 | Ergosterol and fatty acids for biomass estimation of mycorrhizal fungi. <i>New Phytologist</i> , 2003, 159, 7-10.   | 3.5  | 167       |
| 12 | Cell fusion is the principal source of bone-marrow-derived hepatocytes. <i>Nature</i> , 2003, 422, 897-901.   | 13.7 | 1,537     |
| 13 | The methylated component of the <i>Neurospora crassa</i> genome. <i>Nature</i> , 2003, 422, 893-897.  | 13.7 | 214       |
| 14 | Revelations from a bread mould. <i>Nature</i> , 2003, 422, 821-822.   | 13.7 | 13        |
| 16 | A MULTILOCUS GENEALOGICAL APPROACH TO PHYLOGENETIC SPECIES RECOGNITION IN THE MODEL EUKARYOTE <i>NEUROSPORA</i> . <i>Evolution; International Journal of Organic Evolution</i> , 2003, 57, 2703-2720.                                       | 1.1  | 385       |
| 17 | REPRODUCTIVE ISOLATION AND PHYLOGENETIC DIVERGENCE IN <i>NEUROSPORA</i> : COMPARING METHODS OF SPECIES RECOGNITION IN A MODEL EUKARYOTE. <i>Evolution; International Journal of Organic Evolution</i> , 2003, 57, 2721-2741.                | 1.1  | 215       |
| 18 | The Mycosome Hypothesis. <i>Mycological Research</i> , 2003, 107, 1010-1011.  | 2.5  | 0         |
| 19 | Eukaryotic domain evolution inferred from genome comparisons. <i>Current Opinion in Genetics and Development</i> , 2003, 13, 623-628.   | 1.5  | 33        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 20 | Interaction of mutations affecting tip growth and branching in <i>Neurospora</i> . <i>Fungal Genetics and Biology</i> , 2003, 40, 261-270.  | 0.9  | 7         |
| 21 | Septation and cytokinesis in fungi. <i>Fungal Genetics and Biology</i> , 2003, 40, 187-196.   | 0.9  | 61        |
| 22 | The mitochondrial genome of the thermal dimorphic fungus <i>Penicillium marneffeii</i> is more closely related to those of molds than yeasts. <i>FEBS Letters</i> , 2003, 555, 469-477.   | 1.3  | 56        |
| 23 | Does endocytosis occur in fungal hyphae?. <i>Fungal Genetics and Biology</i> , 2003, 39, 199-203.   | 0.9  | 69        |
| 24 | Nuclear DNA degradation during heterokaryon incompatibility in <i>Neurospora crassa</i> . <i>Fungal Genetics and Biology</i> , 2003, 40, 126-137.   | 0.9  | 59        |
| 25 | Analysis of nutrient-dependent transcript variations in <i>Neurospora crassa</i> . <i>Fungal Genetics and Biology</i> , 2003, 40, 225-233.  | 0.9  | 16        |
| 26 | Diversity of polyketide synthase gene sequences in <i>Aspergillus</i> species. <i>Research in Microbiology</i> , 2003, 154, 593-600.  | 1.0  | 43        |
| 27 | The <i>Neurospora crassa</i> genome opens up the world of filamentous fungi. <i>Genome Biology</i> , 2003, 4, 217.  | 13.9 | 10        |
| 28 | Multiple oscillators regulate circadian gene expression in <i>Neurospora</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 13597-13602.   | 3.3  | 132       |
| 29 | Asexual Development Is Increased in <i>Neurospora crassa</i> cat - 3 -Null Mutant Strains. <i>Eukaryotic Cell</i> , 2003, 2, 798-808.   | 3.4  | 86        |
| 30 | The Genetic Basis of Cellular Morphogenesis in the Filamentous Fungus <i>Neurospora crassa</i> . <i>Molecular Biology of the Cell</i> , 2003, 14, 4352-4364.  | 0.9  | 179       |
| 31 | MOLECULAR BIOLOGY: A Self-Help Guide for a Trim Genome. <i>Science</i> , 2003, 300, 1517-1518.  | 6.0  | 9         |
| 32 | REPRODUCTIVE ISOLATION AND PHYLOGENETIC DIVERGENCE IN NEUROSPORA: COMPARING METHODS OF SPECIES RECOGNITION IN A MODEL EUKARYOTE. <i>Evolution; International Journal of Organic Evolution</i> , 2003, 57, 2721.                                   | 1.1  | 29        |
| 33 | A MULTILOCUS GENEALOGICAL APPROACH TO PHYLOGENETIC SPECIES RECOGNITION IN THE MODEL EUKARYOTE NEUROSPORA. <i>Evolution; International Journal of Organic Evolution</i> , 2003, 57, 2703.  | 1.1  | 25        |
| 34 | An ordered collection of expressed sequences from <i>Cryphonectria parasitica</i> and evidence of genomic microsynteny with <i>Neurospora crassa</i> and <i>Magnaporthe grisea</i> . <i>Microbiology (United Kingdom)</i> , 2003, 149, 2373-2384. | 0.7  | 44        |
| 35 | Whole-Genome Analysis of Two-Component Signal Transduction Genes in Fungal Pathogens. <i>Eukaryotic Cell</i> , 2003, 2, 1151-1161.  | 3.4  | 267       |
| 36 | Environmental Suppression of <i>Neurospora crassa</i> cot-1 Hyperbranching: a Link between COT1 Kinase and Stress Sensing. <i>Eukaryotic Cell</i> , 2003, 2, 699-707.   | 3.4  | 42        |
| 37 | Use of cDNA Microarrays To Monitor Transcriptional Responses of the Chestnut Blight Fungus <i>Cryphonectria parasitica</i> to Infection by Virulence-Attenuating Hypoviruses. <i>Eukaryotic Cell</i> , 2003, 2, 1253-1265.                        | 3.4  | 116       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 38 | Phylogenomic analysis of type I polyketide synthase genes in pathogenic and saprobic ascomycetes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 15670-15675.  | 3.3 | 485       |
| 40 | Fungal Biology and Agriculture: Revisiting the Field. <i>Molecular Plant-Microbe Interactions</i> , 2003, 16, 859-866.  | 1.4 | 12        |
| 42 | RNAi-dependent and RNAi-independent mechanisms contribute to the silencing of RIPed sequences in <i>Neurospora crassa</i> . <i>Nucleic Acids Research</i> , 2004, 32, 4237-4243.  | 6.5 | 54        |
| 43 | Genome-wide prediction of stop codon readthrough during translation in the yeast <i>Saccharomyces cerevisiae</i> . <i>Nucleic Acids Research</i> , 2004, 32, 6605-6616.   | 6.5 | 74        |
| 44 | FoSTUA , Encoding a Basic Helix-Loop-Helix Protein, Differentially Regulates Development of Three Kinds of Asexual Spores, Macroconidia, Microconidia, and Chlamydo spores, in the Fungal Plant Pathogen <i>Fusarium oxysporum</i> . <i>Eukaryotic Cell</i> , 2004, 3, 1412-1422. | 3.4 | 94        |
| 45 | The fluffy Gene of <i>Neurospora crassa</i> Is Necessary and Sufficient to Induce Conidiophore Development. <i>Genetics</i> , 2004, 166, 1741-1749.   | 1.2 | 46        |
| 46 | ESSENTIAL EUKARYOTIC CORE. <i>Evolution; International Journal of Organic Evolution</i> , 2004, 58, 441.  | 1.1 | 0         |
| 47 | The FunCat, a functional annotation scheme for systematic classification of proteins from whole genomes. <i>Nucleic Acids Research</i> , 2004, 32, 5539-5545.   | 6.5 | 988       |
| 48 | Light-regulated asexual reproduction in <i>Paecilomyces fumosoroseus</i> . <i>Microbiology (United Kingdom)</i> , 2004, 150, 311-319.   | 0.7 | 46        |
| 49 | Identification of <i>Serpula lacrymans</i> and other decay fungi in construction timber by sequencing of ribosomal DNA – A practical approach. <i>Holzforschung</i> , 2004, 58, 199-204.  | 0.9 | 19        |
| 50 | ADAM Family Protein Mde10 Is Essential for Development of Spore Envelopes in the Fission Yeast <i>Schizosaccharomyces pombe</i> . <i>Eukaryotic Cell</i> , 2004, 3, 27-39.  | 3.4 | 36        |
| 51 | DNA Methylation Affects Meiotic trans-sensing, Not Meiotic Silencing, in <i>Neurospora</i> . <i>Genetics</i> , 2004, 168, 1925-1935.  | 1.2 | 29        |
| 52 | REN1 Is Required for Development of Microconidia and Macroconidia, but Not of Chlamydo spores, in the Plant Pathogenic Fungus <i>Fusarium oxysporum</i> . <i>Genetics</i> , 2004, 166, 113-124.   | 1.2 | 74        |
| 53 | Role of a Mitogen-Activated Protein Kinase Pathway during Conidial Germination and Hyphal Fusion in <i>Neurospora crassa</i> . <i>Eukaryotic Cell</i> , 2004, 3, 348-358.   | 3.4 | 157       |
| 54 | Merlin, a New Superfamily of DNA Transposons Identified in Diverse Animal Genomes and Related to Bacterial IS1016 Insertion Sequences. <i>Molecular Biology and Evolution</i> , 2004, 21, 1769-1780.  | 3.5 | 58        |
| 55 | Evolution of the MAT locus and its Ho endonuclease in yeast species. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 1632-1637.   | 3.3 | 217       |
| 56 | MIPS: analysis and annotation of proteins from whole genomes. <i>Nucleic Acids Research</i> , 2004, 32, 41D-44.   | 6.5 | 522       |
| 57 | <i>Neurospora</i> in Temperate Forests of Western North America. <i>Mycologia</i> , 2004, 96, 66.   | 0.8 | 34        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 58 | The PEDANT genome database in 2005. <i>Nucleic Acids Research</i> , 2004, 33, D308-D310.  | 6.5 | 50        |
| 59 | MAPping the Eukaryotic Tree of Life: Structure, Function, and Evolution of the MAP215â\$Dis1 Family of Microtubule-Associated Proteins. <i>International Review of Cytology</i> , 2004, 239, 179-272. | 6.2 | 77        |
| 60 | Gap statistics for whole genome shotgun DNA sequencing projects. <i>Bioinformatics</i> , 2004, 20, 1527-1534.   | 1.8 | 12        |
| 61 | Identification of <i>Cryptococcus neoformans</i> Temperature-Regulated Genes with a Genomic-DNA Microarray. <i>Eukaryotic Cell</i> , 2004, 3, 1249-1260.  | 3.4 | 102       |
| 62 | G-Protein Î² Subunit of <i>Cochliobolus heterostrophus</i> Involved in Virulence, Asexual and Sexual Reproductive Ability, and Morphogenesis. <i>Eukaryotic Cell</i> , 2004, 3, 1653-1663.            | 3.4 | 44        |
| 63 | The Complete Genome and Proteome of <i>Mycoplasma mobile</i> . <i>Genome Research</i> , 2004, 14, 1447-1461.  | 2.4 | 224       |
| 64 | Altering a Gene Involved in Nuclear Distribution Increases the Repeat-Induced Point Mutation Process in the Fungus <i>Podospora anserina</i> . <i>Genetics</i> , 2004, 167, 151-159.                  | 1.2 | 29        |
| 65 | Introns and Splicing Elements of Five Diverse Fungi. <i>Eukaryotic Cell</i> , 2004, 3, 1088-1100.   | 3.4 | 246       |
| 67 | GeneWise and Genomewise. <i>Genome Research</i> , 2004, 14, 988-995.  | 2.4 | 2,128     |
| 68 | The <i>Ashbya gossypii</i> Genome as a Tool for Mapping the Ancient <i>Saccharomyces cerevisiae</i> Genome. <i>Science</i> , 2004, 304, 304-307.  | 6.0 | 599       |
| 69 | Phylogenetic Analysis of Sec7-Domainâ€“containing Arf Nucleotide Exchangers. <i>Molecular Biology of the Cell</i> , 2004, 15, 1487-1505.  | 0.9 | 134       |
| 70 | Conservation and Evolution of Cis-Regulatory Systems in Ascomycete Fungi. <i>PLoS Biology</i> , 2004, 2, e398.  | 2.6 | 207       |
| 71 | A phylogenomic approach to reconstructing the diversification of serine proteases in fungi. <i>Journal of Evolutionary Biology</i> , 2004, 17, 1204-1214.   | 0.8 | 71        |
| 72 | Phylogenetic relationships in class I of the superfamily of bacterial, fungal, and plant peroxidases. <i>FEBS Journal</i> , 2004, 271, 3297-3309.   | 0.2 | 37        |
| 73 | Identification of cryptochrome DASH from vertebrates. <i>Genes To Cells</i> , 2004, 9, 479-495.   | 0.5 | 98        |
| 74 | The Nep1-like proteins-a growing family of microbial elicitors of plant necrosis. <i>Molecular Plant Pathology</i> , 2004, 5, 353-359.  | 2.0 | 153       |
| 75 | A putative G protein-coupled receptor negatively controls sexual development in <i>Aspergillus nidulans</i> . <i>Molecular Microbiology</i> , 2004, 51, 1333-1345.                                    | 1.2 | 97        |
| 76 | Calcium measurement in living filamentous fungi expressing codon-optimized aequorin. <i>Molecular Microbiology</i> , 2004, 52, 1437-1450.   | 1.2 | 102       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 77 | Yeast genome sequencing: the power of comparative genomics. <i>Molecular Microbiology</i> , 2004, 53, 381-389.   | 1.2  | 104       |
| 78 | <i>Cladosporium fulvum</i> circumvents the second functional resistance gene homologue at the Cf-4 locus (Hcr9-4E) by secretion of a stable avr4E isoform. <i>Molecular Microbiology</i> , 2004, 54, 533-545.                | 1.2  | 98        |
| 79 | The <i>Neurospora crassa</i> gene responsible for the cut and ovc phenotypes encodes a protein of the haloacid dehalogenase family. <i>Molecular Microbiology</i> , 2004, 55, 828-838.                                       | 1.2  | 22        |
| 80 | <i>Hebeloma cylindrosporium</i> – a model species to study ectomycorrhizal symbiosis from gene to ecosystem. <i>New Phytologist</i> , 2004, 163, 481-498.  | 3.5  | 43        |
| 81 | Large-scale identification of genes in the fungus <i>Hebeloma cylindrosporium</i> paves the way to molecular analyses of ectomycorrhizal symbiosis. <i>New Phytologist</i> , 2004, 164, 505-513.                             | 3.5  | 40        |
| 82 | ESSENTIAL EUKARYOTIC CORE. <i>Evolution; International Journal of Organic Evolution</i> , 2004, 58, 441-446.   | 1.1  | 8         |
| 83 | Genome sequence of the lignocellulose degrading fungus <i>Phanerochaete chrysosporium</i> strain RP78. <i>Nature Biotechnology</i> , 2004, 22, 695-700.  | 9.4  | 805       |
| 84 | The age of model organisms. <i>Nature Reviews Genetics</i> , 2004, 5, 69-76.   | 7.7  | 74        |
| 85 | Genomes beyond compare. <i>Nature Reviews Microbiology</i> , 2004, 2, 616-617.   | 13.6 | 19        |
| 86 | Genome evolution in yeasts. <i>Nature</i> , 2004, 430, 35-44.  | 13.7 | 1,498     |
| 87 | Dissection of the host range of the fungal plant pathogen <i>Alternaria alternata</i> by modification of secondary metabolism. <i>Molecular Microbiology</i> , 2004, 52, 399-411.  | 1.2  | 94        |
| 88 | A pheromone receptor gene, pre-1, is essential for mating type-specific directional growth and fusion of trichogynes and female fertility in <i>Neurospora crassa</i> . <i>Molecular Microbiology</i> , 2004, 52, 1781-1798. | 1.2  | 134       |
| 89 | Survival, surfaces and susceptibility - the sensory biology of pathogens. <i>Plant Pathology</i> , 2004, 53, 679-691.  | 1.2  | 8         |
| 90 | <i>Aspergillus niger</i> Protein EstA Defines a New Class of Fungal Esterases within the $\hat{1}\pm/\hat{1}^2$ Hydrolase Fold Superfamily of Proteins. <i>Structure</i> , 2004, 12, 677-687.                                | 1.6  | 29        |
| 91 | Conservation of protein-protein interactions – lessons from ascomycota. <i>Trends in Genetics</i> , 2004, 20, 72-76.   | 2.9  | 41        |
| 92 | RIP: the evolutionary cost of genome defense. <i>Trends in Genetics</i> , 2004, 20, 417-423.   | 2.9  | 392       |
| 93 | Bioremediation of 60Co from simulated spent decontamination solutions. <i>Science of the Total Environment</i> , 2004, 328, 1-14.  | 3.9  | 21        |
| 94 | Efficient degradation of tannic acid by black <i>Aspergillus</i> species. <i>Mycological Research</i> , 2004, 108, 919-925.  | 2.5  | 43        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 95  | Variation in gene expression in response to stress in two populations of <i>Fundulus heteroclitus</i> . <i>Comparative Biochemistry and Physiology Part A, Molecular &amp; Integrative Physiology</i> , 2004, 137, 205-216.                             | 0.8 | 42        |
| 96  | Effect of 5-Azacytidine on the Light-Sensitive Formation of Sexual and Asexual Reproductive Structures in <i>wc-1</i> and <i>wc-2</i> Mutants of <i>Neurospora crassa</i> . <i>Applied Biochemistry and Microbiology</i> , 2004, 40, 398-403.           | 0.3 | 10        |
| 97  | Glutamic protease distribution is limited to filamentous fungi. <i>FEMS Microbiology Letters</i> , 2004, 239, 95-101.   | 0.7 | 42        |
| 98  | Chromosome rearrangements in isolates that escape from <i>het-c</i> heterokaryon incompatibility in <i>Neurospora crassa</i> . <i>Current Genetics</i> , 2004, 44, 329-338.   | 0.8 | 12        |
| 99  | The <i>Neurospora crassa</i> <i>mus-19</i> gene is identical to the <i>qde-3</i> gene, which encodes a RecQ homologue and is involved in recombination repair and postreplication repair. <i>Current Genetics</i> , 2004, 45, 37-44.                    | 0.8 | 31        |
| 100 | Alternative splicing of transcripts of the transposon <i>Restless</i> is maintained in the foreign host <i>Neurospora crassa</i> and can be modified by introducing mutations at the 5' and 3' splice sites. <i>Current Genetics</i> , 2004, 46, 59-65. | 0.8 | 6         |
| 101 | Single oligonucleotide nested PCR: a rapid method for the isolation of genes and their flanking regions from expressed sequence tags. <i>Current Genetics</i> , 2004, 46, 240-246.  | 0.8 | 73        |
| 102 | Characterization of <i>pco-1</i> , a newly identified gene which regulates purine catabolism in <i>Neurospora</i> . <i>Current Genetics</i> , 2004, 46, 213-227.  | 0.8 | 8         |
| 103 | Repeat-Modulated Population Genetic Effects in Fungal Proteins. <i>Journal of Molecular Evolution</i> , 2004, 59, 97-102.   | 0.8 | 5         |
| 104 | Identification of a type-D feruloyl esterase from <i>Neurospora crassa</i> . <i>Applied Microbiology and Biotechnology</i> , 2004, 63, 567-570.   | 1.7 | 47        |
| 105 | Characterization of the protein processing and secretion pathways in a comprehensive set of expressed sequence tags from <i>Trichoderma reesei</i> . <i>FEMS Microbiology Letters</i> , 2004, 230, 275-282.   | 0.7 | 20        |
| 106 | Proteome analysis of rice blast fungus ( <i>Magnaporthe grisea</i> ) proteome during appressorium formation. <i>Proteomics</i> , 2004, 4, 3579-3587.  | 1.3 | 63        |
| 107 | Fungal rhodopsins and opsin-related proteins: eukaryotic homologues of bacteriorhodopsin with unknown functions. <i>Photochemical and Photobiological Sciences</i> , 2004, 3, 555.  | 1.6 | 86        |
| 108 | DNA Methylation Is Independent of RNA Interference in <i>Neurospora</i> . <i>Science</i> , 2004, 304, 1939-1939.  | 6.0 | 116       |
| 109 | Recent progress, developments, and issues in comparative fungal genomics. <i>Canadian Journal of Plant Pathology</i> , 2004, 26, 19-30.   | 0.8 | 7         |
| 110 | Lessons from the Genome Sequence of <i>Neurospora crassa</i> : Tracing the Path from Genomic Blueprint to Multicellular Organism. <i>Microbiology and Molecular Biology Reviews</i> , 2004, 68, 1-108.  | 2.9 | 572       |
| 111 | Emission of ent-Kaurene, a Diterpenoid Hydrocarbon Precursor for Gibberellins, into the Headspace from Plants. <i>Plant and Cell Physiology</i> , 2004, 45, 1129-1138.  | 1.5 | 56        |
| 112 | From The Cover: Highly efficient gene replacements in <i>Neurospora</i> strains deficient for nonhomologous end-joining. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 12248-12253.               | 3.3 | 531       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 113 | Nucleotide composition in protein-coding and non-coding DNA in the zygomycete <i>Phycomyces blakesleeanus</i> . <i>Mycological Research</i> , 2004, 108, 858-863.   | 2.5 | 3         |
| 114 | 2004 Snapshots of AM Fungi: Still an Endless Tale. <i>Mycological Research</i> , 2004, 108, 338-339.  | 2.5 | 3         |
| 115 | Viruses of the Chestnut Blight Fungus, <i>Cryphonectria parasitica</i> . <i>Advances in Virus Research</i> , 2004, 63, 423-472.   | 0.9 | 169       |
| 116 | Glutathione, Altruistic Metabolite in Fungi. <i>Advances in Microbial Physiology</i> , 2004, 49, 1-76.  | 1.0 | 241       |
| 117 | Advances in Fungal Biotechnology for Industry, Agriculture, and Medicine. , 2004, , .   |     | 40        |
| 118 | Metabolic Highways of <i>Neurospora crassa</i> Revisited. <i>Advances in Genetics</i> , 2004, 52, 165-207.  | 0.8 | 25        |
| 119 | Biochemistry and Molecular Biology. , 2004, , .   |     | 4         |
| 120 | Circadian Rhythms in Microorganisms: New Complexities. <i>Annual Review of Microbiology</i> , 2004, 58, 489-519.  | 2.9 | 82        |
| 121 | AcFKH1, a novel member of the forkhead family, associates with the RFX transcription factor CPC1 in the cephalosporin C-producing fungus <i>Acremonium chrysogenum</i> . <i>Gene</i> , 2004, 342, 269-281.  | 1.0 | 43        |
| 122 | Comparative sequence analysis of <i>Sordaria macrospora</i> and <i>Neurospora crassa</i> as a means to improve genome annotation. <i>Fungal Genetics and Biology</i> , 2004, 41, 285-292.   | 0.9 | 51        |
| 123 | A putative high affinity hexose transporter, <i>hxtA</i> , of <i>Aspergillus nidulans</i> is induced in vegetative hyphae upon starvation and in ascogenous hyphae during cleistothecium formation. <i>Fungal Genetics and Biology</i> , 2004, 41, 148-156. | 0.9 | 60        |
| 124 | Insight into the genome of <i>Aspergillus fumigatus</i> : analysis of a 922kb region encompassing the nitrate assimilation gene cluster. <i>Fungal Genetics and Biology</i> , 2004, 41, 443-453.  | 0.9 | 55        |
| 125 | The influence of genotypic variation on metabolite diversity in populations of two endophytic fungal species. <i>Fungal Genetics and Biology</i> , 2004, 41, 721-734.   | 0.9 | 22        |
| 126 | A comparative genomic analysis of the calcium signaling machinery in <i>Neurospora crassa</i> , <i>Magnaporthe grisea</i> , and <i>Saccharomyces cerevisiae</i> . <i>Fungal Genetics and Biology</i> , 2004, 41, 827-841.                                   | 0.9 | 128       |
| 127 | GFP as a tool to analyze the organization, dynamics and function of nuclei and microtubules in <i>Neurospora crassa</i> . <i>Fungal Genetics and Biology</i> , 2004, 41, 897-910.   | 0.9 | 306       |
| 128 | A comparison of the nature and abundance of microsatellites in 14 fungal genomes. <i>Fungal Genetics and Biology</i> , 2004, 41, 1025-1036.   | 0.9 | 117       |
| 129 | Insight into <i>Trichoderma reesei</i> 's genome content, organization and evolution revealed through BAC library characterization. <i>Fungal Genetics and Biology</i> , 2004, 41, 1077-1087.   | 0.9 | 22        |
| 130 | Transcriptional response to glucose starvation and functional analysis of a glucose transporter of <i>Neurospora crassa</i> . <i>Fungal Genetics and Biology</i> , 2004, 41, 1104-1119.   | 0.9 | 66        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 131 | Hyphal homing, fusion and mycelial interconnectedness. Trends in Microbiology, 2004, 12, 135-141.  | 3.5 | 193       |
| 132 | From genomics to post-genomics in <i>Aspergillus</i> . Current Opinion in Microbiology, 2004, 7, 499-504.  | 2.3 | 56        |
| 133 | A study for minisatellitic markers of <i>Conidiobolus coronatus</i> ™ pathogenicity to <i>Galleria mellonella</i> larvae. Journal of Invertebrate Pathology, 2004, 85, 63-69.            | 1.5 | 7         |
| 134 | Unusual Cys-Tyr Covalent Bond in a Large Catalase. Journal of Molecular Biology, 2004, 342, 971-985.   | 2.0 | 64        |
| 135 | Phylogenomics of Eukaryotes: Impact of Missing Data on Large Alignments. Molecular Biology and Evolution, 2004, 21, 1740-1752.   | 3.5 | 371       |
| 136 | Proteomics and data standardisation. Drug Discovery Today Biosilico, 2004, 2, 91-93.   | 0.7 | 2         |
| 137 | Identification of a novel class of annexin genes. FEBS Letters, 2004, 562, 79-86.  | 1.3 | 15        |
| 138 | New Insights into Type II NAD(P)H:Quinone Oxidoreductases. Microbiology and Molecular Biology Reviews, 2004, 68, 603-616.  | 2.9 | 224       |
| 139 | An aspartic proteinase gene family in the filamentous fungus <i>Botrytis cinerea</i> contains members with novel features. Microbiology (United Kingdom), 2004, 150, 2475-2489.          | 0.7 | 72        |
| 140 | Role of chitin synthase genes in <i>Fusarium oxysporum</i> . Microbiology (United Kingdom), 2004, 150, 3175-3187.  | 0.7 | 70        |
| 141 | Differential Antifungal and Calcium Channel-Blocking Activity among Structurally Related Plant Defensins. Plant Physiology, 2004, 135, 2055-2067.  | 2.3 | 205       |
| 142 | Properties of Unpaired DNA Required For Efficient Silencing in <i>Neurospora crassa</i> . Genetics, 2004, 167, 131-150.  | 1.2 | 42        |
| 143 | Genome Defense and DNA Methylation in <i>Neurospora</i> . Cold Spring Harbor Symposia on Quantitative Biology, 2004, 69, 119-124.  | 2.0 | 25        |
| 144 | Molecular analysis of muskelin identifies a conserved discoidin-like domain that contributes to protein self-association. Biochemical Journal, 2004, 381, 547-559.                       | 1.7 | 18        |
| 145 | Génomique des champignons ophiostomatoïdes : un gène, c'est bien; deux, c'est mieux; deux mille, c'est encore mieux!. Phytoprotection, 2004, 85, 39-43.                                  | 0.3 | 2         |
| 146 | Gene Discovery and Gene Expression in the Rice Blast Fungus, <i>Magnaporthe grisea</i> : Analysis of Expressed Sequence Tags. Molecular Plant-Microbe Interactions, 2004, 17, 1337-1347. | 1.4 | 83        |
| 147 | MAPK Regulation of Sclerotial Development in <i>Sclerotinia sclerotiorum</i> Is Linked with pH and cAMP Sensing. Molecular Plant-Microbe Interactions, 2004, 17, 404-413.                | 1.4 | 100       |
| 149 | Genomics in <i>Neurospora crassa</i> : From One-Gene-One-Enzyme to 10,000 Genes. Applied Mycology and Biotechnology, 2004, , 295-313.  | 0.3 | 0         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 150 | Neurosporain temperate forests of western North America. <i>Mycologia</i> , 2004, 96, 66-74.  | 0.8  | 58        |
| 151 | Fungal Genetics. , 2005, , 35-63.   |      | 0         |
| 152 | The cfp Genes (cfp-1 and cfp-2) of <i>Neurospora crassa</i> : A Tale of a Bunch of Filaments, One Enzyme, and Two Genes. <i>Applied Mycology and Biotechnology</i> , 2005, , 141-168.                             | 0.3  | 0         |
| 153 | A Search for Developmental Gene Sequences in the Genomes of Filamentous Fungi. <i>Applied Mycology and Biotechnology</i> , 2005, , 169-188.   | 0.3  | 1         |
| 154 | <i>Sordaria macrospora</i> . , 2005, , 215-231.   |      | 1         |
| 155 | Gene Silencing as a Tool for the Identification of Gene Function in Fungi. <i>Applied Mycology and Biotechnology</i> , 2005, , 93-116.  | 0.3  | 0         |
| 156 | <i>Phanerochaete chrysosporium</i> Genomics. <i>Applied Mycology and Biotechnology</i> , 2005, 5, 315-352.  | 0.3  | 10        |
| 157 | Nonribosomal peptide synthetase genes in the genome of <i>Fusarium graminearum</i> , causative agent of wheat head blight. <i>Acta Biologica Hungarica</i> , 2005, 56, 375-388.                                   | 0.7  | 22        |
| 158 | Changes in Protein Kinase A Activity Accompany Sclerotial Development in <i>Sclerotinia sclerotiorum</i> . <i>Phytopathology</i> , 2005, 95, 397-404.   | 1.1  | 27        |
| 159 | Large-Scale Gene Discovery in the Oomycete <i>Phytophthora infestans</i> Reveals Likely Components of Phytopathogenicity Shared with True Fungi. <i>Molecular Plant-Microbe Interactions</i> , 2005, 18, 229-243. | 1.4  | 160       |
| 160 | Development of a sample preparation method for fungal proteomics. <i>FEMS Microbiology Letters</i> , 2005, 247, 17-22.  | 0.7  | 35        |
| 161 | An Iterative Type I Polyketide Synthase PKS <sub>N</sub> Catalyzes Synthesis of the Decaketide Alternapyrone with Regio-Specific Octa-Methylation. <i>Chemistry and Biology</i> , 2005, 12, 1301-1309.            | 6.2  | 100       |
| 162 | Cross-talk between cAMP and calcium signalling in <i>Aspergillus niger</i> . <i>Molecular Microbiology</i> , 2005, 56, 268-281.   | 1.2  | 35        |
| 163 | Fluffy, the major regulator of conidiation in <i>Neurospora crassa</i> , directly activates a developmentally regulated hydrophobin gene. <i>Molecular Microbiology</i> , 2005, 56, 282-297.                      | 1.2  | 31        |
| 164 | Synergy between sequence and size in Large-scale genomics. <i>Nature Reviews Genetics</i> , 2005, 6, 699-708.   | 7.7  | 281       |
| 165 | Deciphering the Model Pathogenic Fungus <i>Cryptococcus Neoformans</i> . <i>Nature Reviews Microbiology</i> , 2005, 3, 753-764.   | 13.6 | 308       |
| 166 | Fungi behaving badly. <i>Nature Reviews Microbiology</i> , 2005, 3, 832-833.  | 13.6 | 0         |
| 167 | The genome sequence of the rice blast fungus <i>Magnaporthe grisea</i> . <i>Nature</i> , 2005, 434, 980-986.  | 13.7 | 1,447     |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 168 | Temporal and spatial expression of ostreolysin during development of the oyster mushroom ( <i>Pleurotus ostreatus</i> ). <i>Mycological Research</i> , 2005, 109, 377-382.  | 2.5 | 31        |
| 169 | Manifestations of multicellularity: <i>Dictyostelium</i> reports in. <i>Trends in Genetics</i> , 2005, 21, 392-398.   | 2.9 | 34        |
| 170 | Evolutionary sequence analysis of complete eukaryote genomes. <i>BMC Bioinformatics</i> , 2005, 6, 53.  | 1.2 | 48        |
| 171 | The gene for a lectin-like protein is transcriptionally activated during sexual development, but is not essential for fruiting body formation in the filamentous fungus <i>Sordaria macrospora</i> . <i>BMC Microbiology</i> , 2005, 5, 64. | 1.3 | 61        |
| 172 | The Impact of Bacterial Genomics on Natural Product Research. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 6828-6846.   | 7.2 | 221       |
| 174 | <i>Neurospora</i> Photoreceptors. , 2005, , 371-389.  |     | 14        |
| 175 | Comparison of the Yeast Proteome to Other Fungal Genomes to Find Core Fungal Genes. <i>Journal of Molecular Evolution</i> , 2005, 60, 475-483.  | 0.8 | 53        |
| 176 | Diversity of the exoproteome of <i>Fusarium graminearum</i> grown on plant cell wall. <i>Current Genetics</i> , 2005, 48, 366-379.  | 0.8 | 128       |
| 177 | <i>Agrobacterium</i> -mediated gene transfer and enhanced green fluorescent protein visualization in the mycorrhizal ascomycete <i>Tuber borchii</i> : a first step towards truffle genetics. <i>Current Genetics</i> , 2005, 48, 69-74.    | 0.8 | 51        |
| 178 | Electrophoretic karyotype and gene mapping of the vascular wilt fungus <i>Verticillium dahliae</i> . <i>FEMS Microbiology Letters</i> , 2005, 245, 213-220.   | 0.7 | 22        |
| 179 | Identification of novel <i>Trichoderma hamatum</i> genes expressed during mycoparasitism using subtractive hybridisation. <i>FEMS Microbiology Letters</i> , 2005, 251, 105-112.  | 0.7 | 52        |
| 180 | Diversity of type I polyketide synthase genes in the wood-decay fungus <i>Xylariasp. BCC 1067</i> . <i>FEMS Microbiology Letters</i> , 2005, 251, 125-136.  | 0.7 | 61        |
| 181 | Identification and functional characterisation of <i>ctr1</i> , a <i>Pleurotus ostreatus</i> gene coding for a copper transporter. <i>Molecular Genetics and Genomics</i> , 2005, 274, 402-409.   | 1.0 | 10        |
| 182 | Cross-species microarray hybridization to identify developmentally regulated genes in the filamentous fungus <i>Sordaria macrospora</i> . <i>Molecular Genetics and Genomics</i> , 2005, 273, 137-149.                                      | 1.0 | 94        |
| 183 | Molecular cloning of a novel $G\hat{1}\pm$ subunit gene and a $G\hat{1}^2$ subunit gene from the gray mold fungus <i>Botrytis cinerea</i> . <i>Journal of General Plant Pathology</i> , 2005, 71, 408-413.                                  | 0.6 | 2         |
| 184 | Collateral damage: Spread of repeat-induced point mutation from a duplicated DNA sequence into an adjoining single-copy gene in <i>Neurospora crassa</i> . <i>Journal of Biosciences</i> , 2005, 30, 15-20.                                 | 0.5 | 4         |
| 185 | Expressed sequence tags from the phytopathogenic fungus <i>Botrytis cinerea</i> . <i>European Journal of Plant Pathology</i> , 2005, 111, 139-146.  | 0.8 | 20        |
| 186 | Impaired purine biosynthesis affects pathogenicity of <i>Fusarium oxysporum</i> f. sp. <i>melonis</i> . <i>European Journal of Plant Pathology</i> , 2005, 112, 293-297.  | 0.8 | 8         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 187 | Photoreceptor Apparatus of the Fungus <i>Neurospora crassa</i> . <i>Molecular Biology</i> , 2005, 39, 514-528.  | 0.4 | 11        |
| 188 | The anti-HIV cyanovirin-N domain is evolutionarily conserved and occurs as a protein module in eukaryotes. <i>Proteins: Structure, Function and Bioinformatics</i> , 2005, 60, 670-678.   | 1.5 | 62        |
| 189 | A systematic nomenclature of chromosomal elements for hemiascomycete yeasts. <i>Yeast</i> , 2005, 22, 337-342.  | 0.8 | 15        |
| 190 | Two new fungal inteins. <i>Yeast</i> , 2005, 22, 493-501.   | 0.8 | 12        |
| 191 | Mass spectrometry and database search in the analysis of proteins from the fungus <i>Pleurotus ostreatus</i> . <i>Proteomics</i> , 2005, 5, 67-75.  | 1.3 | 14        |
| 192 | Evolutionary change - patterns and processes. <i>Anais Da Academia Brasileira De Ciencias</i> , 2005, 77, 627-650.  | 0.3 | 5         |
| 194 | Eukaryotic genomics. , 2005, , .  |     | 0         |
| 195 | Guanylyl cyclases across the tree of life. <i>Frontiers in Bioscience - Landmark</i> , 2005, 10, 1485.  | 3.0 | 68        |
| 196 | Modellorganismen. , 2005, , 1-87.   |     | 0         |
| 197 | A Mitogen-Activated Protein Kinase Pathway Essential for Mating and Contributing to Vegetative Growth in <i>Neurospora crassa</i> . <i>Genetics</i> , 2005, 170, 1091-1104.   | 1.2 | 158       |
| 198 | Comparative Genomics and Disorder Prediction Identify Biologically Relevant SH3 Protein Interactions. <i>PLoS Computational Biology</i> , 2005, 1, e26.   | 1.5 | 40        |
| 199 | A Human-Curated Annotation of the <i>Candida albicans</i> Genome. <i>PLoS Genetics</i> , 2005, 1, e1.   | 1.5 | 293       |
| 200 | Functions of the Small Proteins in the TOM Complex of <i>Neurospora crassa</i> . <i>Molecular Biology of the Cell</i> , 2005, 16, 4172-4182.  | 0.9 | 59        |
| 201 | Optimization of cDNA-AFLP experiments using genomic sequence data. <i>Bioinformatics</i> , 2005, 21, 2573-2579.   | 1.8 | 17        |
| 202 | The Heterotrimeric G-Protein Subunits GNG-1 and GNB-1 Form a G $\beta\gamma$ Dimer Required for Normal Female Fertility, Asexual Development, and G $\beta\gamma$ Protein Levels in <i>Neurospora crassa</i> . <i>Eukaryotic Cell</i> , 2005, 4, 365-378. | 3.4 | 78        |
| 203 | Sequence and Comparative Genomic Analysis of Actin-related Proteins. <i>Molecular Biology of the Cell</i> , 2005, 16, 5736-5748.  | 0.9 | 99        |
| 204 | mRNA-Mediated Intron Losses: Evidence from Extraordinarily Large Exons. <i>Molecular Biology and Evolution</i> , 2005, 22, 1475-1481.   | 3.5 | 44        |
| 205 | Biology and Detection of Fungal Pathogens of Humans and Plants. , 2005, , 109-130.  |     | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 206 | Deletion and Allelic Exchange of the <i>Aspergillus fumigatus</i> veA Locus via a Novel Recyclable Marker Module. <i>Eukaryotic Cell</i> , 2005, 4, 1298-1307.   | 3.4 | 118       |
| 207 | Group III Histidine Kinase Is a Positive Regulator of Hog1-Type Mitogen-Activated Protein Kinase in Filamentous Fungi. <i>Eukaryotic Cell</i> , 2005, 4, 1820-1828.  | 3.4 | 118       |
| 208 | Sequence Finishing and Gene Mapping for <i>Candida albicans</i> Chromosome 7 and Syntenic Analysis Against the <i>Saccharomyces cerevisiae</i> GenomeThe entire chromosome 7 sequence has been deposited at DDBJ/EMBL/GenBank under the project accession no. AP006852.. <i>Genetics</i> , 2005, 170, 1525-1537. | 1.2 | 23        |
| 209 | Evolutionary Diversification of DNA Methyltransferases in Eukaryotic Genomes. <i>Molecular Biology and Evolution</i> , 2005, 22, 1119-1128.  | 3.5 | 153       |
| 210 | Long-oligomer microarray profiling in <i>Neurospora crassa</i> reveals the transcriptional program underlying biochemical and physiological events of conidial germination. <i>Nucleic Acids Research</i> , 2005, 33, 6469-6485.   | 6.5 | 95        |
| 211 | Moving Toward a Systems Biology Approach to the Study of Fungal Pathogenesis in the Rice Blast Fungus <i>Magnaporthe grisea</i> . <i>Advances in Applied Microbiology</i> , 2005, 57, 177-215.   | 1.3 | 18        |
| 212 | Measuring fungal growth forces with optical tweezers. , 2005, , .  |     | 1         |
| 213 | Genomics of the fungal kingdom: Insights into eukaryotic biology. <i>Genome Research</i> , 2005, 15, 1620-1631.  | 2.4 | 269       |
| 215 | Light Signal Transduction Coupled with Reactive Oxygen Species in <i>Neurospora crassa</i> . , 2005, , 315-321.  |     | 0         |
| 216 | Contribution of Horizontal Gene Transfer to the Evolution of <i>Saccharomyces cerevisiae</i> . <i>Eukaryotic Cell</i> , 2005, 4, 1102-1115.  | 3.4 | 224       |
| 217 | Gene Discovery and Expression Profile Analysis through Sequencing of Expressed Sequence Tags from Different Developmental Stages of the Chytridiomycete <i>Blastocladiella emersonii</i> . <i>Eukaryotic Cell</i> , 2005, 4, 455-464.  | 3.4 | 21        |
| 218 | Heterologous Expression, Purification, and Characterization of a Highly Active Xylose Reductase from <i>Neurospora crassa</i> . <i>Applied and Environmental Microbiology</i> , 2005, 71, 1642-1647.   | 1.4 | 81        |
| 219 | Role of Unc104/KIF1-related Motor Proteins in Mitochondrial Transport in <i>Neurospora crassa</i> . <i>Molecular Biology of the Cell</i> , 2005, 16, 153-161.  | 0.9 | 34        |
| 220 | Echoes from the past “ are we still in an RNP world?. <i>Cytogenetic and Genome Research</i> , 2005, 110, 8-24.  | 0.6 | 44        |
| 221 | RNA Silencing in <i>Aspergillus nidulans</i> Is Independent of RNA-Dependent RNA Polymerases. <i>Genetics</i> , 2005, 169, 607-617.  | 1.2 | 111       |
| 222 | Cell Biology of Conidial Anastomosis Tubes in <i>Neurospora crassa</i> . <i>Eukaryotic Cell</i> , 2005, 4, 911-919.  | 3.4 | 157       |
| 223 | Recombination in Filamentous Fungi. <i>Applied Mycology and Biotechnology</i> , 2005, , 1-32.  | 0.3 | 1         |
| 224 | The post-transcriptional gene silencing machinery functions independently of DNA methylation to repress a LINE1-like retrotransposon in <i>Neurospora crassa</i> . <i>Nucleic Acids Research</i> , 2005, 33, 1564-1573.  | 6.5 | 97        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 225 | Srs2 and RecQ homologs cooperate in mei-3-mediated homologous recombination repair of <i>Neurospora crassa</i> . <i>Nucleic Acids Research</i> , 2005, 33, 1848-1858.   | 6.5 | 13        |
| 226 | Open reading frames provide a rich pool of potential natural antisense transcripts in fungal genomes. <i>Nucleic Acids Research</i> , 2005, 33, 5034-5044.  | 6.5 | 22        |
| 227 | EST Data Mining and Applications in Fungal Genomics. <i>Applied Mycology and Biotechnology</i> , 2005, 5, 33-70.  | 0.3 | 0         |
| 228 | Genetic and Molecular Analysis of Phytochromes from the Filamentous Fungus <i>Neurospora crassa</i> . <i>Eukaryotic Cell</i> , 2005, 4, 2140-2152.  | 3.4 | 142       |
| 229 | EUKARYOTIC CYTOSINE METHYLTRANSFERASES. <i>Annual Review of Biochemistry</i> , 2005, 74, 481-514.   | 5.0 | 1,846     |
| 230 | Comparative Analyses of Fundamental Differences in Membrane Transport Capabilities in Prokaryotes and Eukaryotes. <i>PLoS Computational Biology</i> , 2005, 1, e27.   | 1.5 | 141       |
| 231 | Neutral glycolipids of the filamentous fungus <i>Neurospora crassa</i> : altered expression in plant defensin-resistant mutants. <i>Journal of Lipid Research</i> , 2005, 46, 759-768.  | 2.0 | 27        |
| 232 | Analysis of Circadian Rhythms in <i>Neurospora</i> : Overview of Assays and Genetic and Molecular Biological Manipulation. <i>Methods in Enzymology</i> , 2005, 393, 3-22.  | 0.4 | 30        |
| 233 | Multiple non-ribosomal peptide synthetase genes determine peptaibol synthesis in <i>Trichoderma virens</i> . <i>Canadian Journal of Microbiology</i> , 2005, 51, 423-429.   | 0.8 | 34        |
| 234 | The DNA Damage Response of Filamentous Fungi: Novel Features Associated with a Multicellular Lifestyle. <i>Applied Mycology and Biotechnology</i> , 2005, 5, 117-139.   | 0.3 | 1         |
| 235 | Fungal Intervening Sequences. <i>Applied Mycology and Biotechnology</i> , 2005, , 71-92.  | 0.3 | 3         |
| 236 | Protein Interactions and Fluctuations in a Proteomic Network using an Elastic Network Model. <i>Journal of Biomolecular Structure and Dynamics</i> , 2005, 22, 381-386.   | 2.0 | 18        |
| 237 | Probable Proterozoic fungi. <i>Paleobiology</i> , 2005, 31, 165-182.  | 1.3 | 193       |
| 238 | Effect of pH on the Pore Forming Activity and Conformational Stability of Ostreolysin, a Lipid Raft-Binding Protein from the Edible Mushroom <i>Pleurotus ostreatus</i> . <i>Biochemistry</i> , 2005, 44, 11137-11147.          | 1.2 | 56        |
| 239 | Mitochondrial trans-2-Enoyl-CoA Reductase of Wax Ester Fermentation from <i>Euglena gracilis</i> Defines a New Family of Enzymes Involved in Lipid Synthesis. <i>Journal of Biological Chemistry</i> , 2005, 280, 4329-4338.    | 1.6 | 80        |
| 240 | Economy, Speed and Size Matter: Evolutionary Forces Driving Nuclear Genome Miniaturization and Expansion. <i>Annals of Botany</i> , 2005, 95, 147-175.  | 1.4 | 335       |
| 241 | Domain Graph of <i>Arabidopsis</i> Proteome by Comparative Analysis. <i>Journal of Proteome Research</i> , 2005, 4, 435-444.  | 1.8 | 10        |
| 242 | The Three-dimensional Structure of the Bifunctional 6-Hydroxymethyl-7,8-Dihydropterin Pyrophosphokinase/Dihydropteroate Synthase of <i>Saccharomyces cerevisiae</i> . <i>Journal of Molecular Biology</i> , 2005, 348, 655-670. | 2.0 | 56        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 243 | How genomics has affected the concept of microbiology. <i>Current Opinion in Microbiology</i> , 2005, 8, 564-571.  | 2.3  | 40        |
| 244 | Genes of the thymidine salvage pathway: Thymine-7-hydroxylase from a <i>Rhodotorula glutinis</i> cDNA library and iso-urotate decarboxylase from <i>Neurospora crassa</i> . <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2005, 1723, 256-264. | 1.1  | 54        |
| 245 | RNA silencing in fungi: Mechanisms and applications. <i>FEBS Letters</i> , 2005, 579, 5950-5957.   | 1.3  | 167       |
| 246 | Truncated and RIP-degenerated copies of the LTR retrotransposon are clustered in a pericentromeric region of the genome. <i>Fungal Genetics and Biology</i> , 2005, 42, 30-41.   | 0.9  | 26        |
| 247 | Genetics and kinetics. <i>Fungal Genetics and Biology</i> , 2005, 42, 81-96.   | 0.9  | 1         |
| 248 | Expression of <i>agsA</i> , one of five 1,3- $\beta$ -D-glucan synthase-encoding genes in <i>Aspergillus niger</i> , is induced in response to cell wall stress. <i>Fungal Genetics and Biology</i> , 2005, 42, 165-177.                                   | 0.9  | 81        |
| 249 | RNA silencing as a tool for exploring gene function in ascomycete fungi. <i>Fungal Genetics and Biology</i> , 2005, 42, 275-283.   | 0.9  | 287       |
| 250 | A dual selection based, targeted gene replacement tool for <i>Magnaporthe grisea</i> and <i>Fusarium oxysporum</i> . <i>Fungal Genetics and Biology</i> , 2005, 42, 483-492.   | 0.9  | 129       |
| 251 | Tracing the endocytic pathway of <i>Aspergillus nidulans</i> with FM4-64. <i>Fungal Genetics and Biology</i> , 2005, 42, 963-975.  | 0.9  | 194       |
| 252 | Phosphatidylinositol-dependent phospholipases C Plc2 and Plc3 of <i>Candida albicans</i> are dispensable for morphogenesis and host-pathogen interaction. <i>Research in Microbiology</i> , 2005, 156, 822-829.  | 1.0  | 10        |
| 253 | Comparative Genomics in Eukaryotes. , 2005, , 521-583.   |      | 9         |
| 254 | Composition of complex I from <i>Neurospora crassa</i> and disruption of two "accessory" subunits. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2005, 1707, 211-220.   | 0.5  | 49        |
| 255 | BioCloneDB. <i>Applied Bioinformatics</i> , 2005, 4, 277-280.  | 1.7  | 2         |
| 256 | Transposable Elements. , 2005, , 165-221.  |      | 45        |
| 257 | The rarity of gene shuffling in conserved genes. <i>Genome Biology</i> , 2005, 6, R50.   | 13.9 | 16        |
| 258 | Novel G-protein-coupled receptor-like proteins in the plant pathogenic fungus <i>Magnaporthe grisea</i> . <i>Genome Biology</i> , 2005, 6, R24.  | 13.9 | 182       |
| 259 | Mining the <i>Arabidopsis thaliana</i> genome for highly-divergent seven transmembrane receptors. <i>Genome Biology</i> , 2006, 7, R96.  | 13.9 | 80        |
| 260 | The role of transposable element clusters in genome evolution and loss of synteny in the rice blast fungus <i>Magnaporthe oryzae</i> . <i>Genome Biology</i> , 2006, 7, R16.   | 13.9 | 81        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 263 | Investigating the Evolution of Fungal Virulence by Functional Genomics. , 2006, , 35-49.  |     | 2         |
| 264 | Genomics of Protein Secretion and Hyphal Growth in <i>Aspergillus</i> . , 2006, , 75-96.  |     | 8         |
| 265 | Biochemical and Molecular Analyses of Gibberellin Biosynthesis in Fungi. <i>Bioscience, Biotechnology and Biochemistry</i> , 2006, 70, 583-590.   | 0.6 | 126       |
| 266 | Fruiting-Body Development in Ascomycetes. , 2006, , 325-355.  |     | 67        |
| 267 | Entrainment of the <i>Neurospora</i> Circadian Clock. <i>Chronobiology International</i> , 2006, 23, 71-80.   | 0.9 | 24        |
| 268 | Oxygen- and Glucose-Dependent Expression of <i>Trhxt1</i> , a Putative Glucose Transporter Gene of <i>Trichoderma reesei</i> . <i>Biochemistry</i> , 2006, 45, 8184-8192.   | 1.2 | 22        |
| 269 | Advances in cloning, functional analysis and heterologous expression of fungal polyketide synthase genes. <i>Journal of Biotechnology</i> , 2006, 124, 690-703.   | 1.9 | 156       |
| 270 | Photomorphogenesis and Gravitropism in Fungi. , 2006, , 233-259.  |     | 19        |
| 271 | An analysis of mobile genetic elements in three <i>Plasmodium</i> species and their potential impact on the nucleotide composition of the <i>P. falciparum</i> genome. <i>BMC Genomics</i> , 2006, 7, 282.                  | 1.2 | 16        |
| 272 | The xylanolytic enzyme system from the genus <i>Penicillium</i> . <i>Journal of Biotechnology</i> , 2006, 123, 413-433.   | 1.9 | 150       |
| 273 | Structural features of fungal genomes. , 0, , 47-77.  |     | 2         |
| 274 | The Dawn of Fungal Pathogen Genomics. <i>Annual Review of Phytopathology</i> , 2006, 44, 337-366.   | 3.5 | 95        |
| 275 | Rapid identification of <i>Trichophyton tonsurans</i> by specific PCR based on DNA sequences of nuclear ribosomal internal transcribed spacer (ITS) 1 region. <i>Journal of Dermatological Science</i> , 2006, 42, 225-230. | 1.0 | 21        |
| 276 | The transition metal chelator nicotianamine is synthesized by filamentous fungi. <i>FEBS Letters</i> , 2006, 580, 3173-3178.  | 1.3 | 25        |
| 277 | Transcriptome analysis of <i>Neotyphodium</i> and <i>Epichloa</i> grass endophytes. <i>Fungal Genetics and Biology</i> , 2006, 43, 465-475.   | 0.9 | 33        |
| 278 | G-protein and cAMP-mediated signaling in aspergilli: A genomic perspective. <i>Fungal Genetics and Biology</i> , 2006, 43, 490-502.   | 0.9 | 131       |
| 279 | Phase-specific gene expression underlying morphological adaptations of the dimorphic human pathogenic fungus, <i>Coccidioides posadasii</i> . <i>Fungal Genetics and Biology</i> , 2006, 43, 545-559.                       | 0.9 | 26        |
| 280 | Gene expression profiling of the nitrogen starvation stress response in the mycorrhizal ascomycete <i>Tuber borchii</i> . <i>Fungal Genetics and Biology</i> , 2006, 43, 630-641.   | 0.9 | 28        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 281 | Effect of Cryphonectria hypovirus 1 (CHV1) infection on Cpkk1, a mitogen-activated protein kinase kinase of the filamentous fungus Cryphonectria parasitica. Fungal Genetics and Biology, 2006, 43, 764-774. | 0.9 | 33        |
| 282 | The presence of GC-AG introns in Neurospora crassa and other euascomycetes determined from analyses of complete genomes: implications for automated gene prediction. Genomics, 2006, 87, 338-347.            | 1.3 | 23        |
| 283 | Conflicting phylogenetic position of Schizosaccharomyces pombe. Genomics, 2006, 88, 387-393.   | 1.3 | 22        |
| 284 | The genome of the filamentous fungus Ashbya gossypii: annotation and evolutionary implications. , 0, , 197-232.  |     | 2         |
| 285 | Generation and analysis of expressed sequence tags from Botrytis cinerea. Biological Research, 2006, 39, 367-76.   | 1.5 | 14        |
| 286 | A High Throughput Targeted Gene Disruption Method for Alternaria brassicicola Functional Genomics Using Linear Minimal Element (LME) Constructs. Molecular Plant-Microbe Interactions, 2006, 19, 7-15.       | 1.4 | 67        |
| 287 | The Pathogen-Host Interactions Database (PHI-base) Provides Insights into Generic and Novel Themes of Pathogenicity. Molecular Plant-Microbe Interactions, 2006, 19, 1451-1462.                              | 1.4 | 68        |
| 288 | Genome Project and Post Genomics of Aspergillus oryzae. Journal of the Brewing Society of Japan, 2006, 101, 536-548.   | 0.1 | 0         |
| 290 | Proteome analysis of mitochondrial outer membrane from Neurospora crassa. Proteomics, 2006, 6, 72-80.  | 1.3 | 74        |
| 291 | Identification and comparative analysis of the large subunit mitochondrial ribosomal proteins of Neurospora crassa. FEMS Microbiology Letters, 2006, 254, 157-164.   | 0.7 | 9         |
| 292 | Homology effects in Neurospora crassa. FEMS Microbiology Letters, 2006, 254, 182-189.  | 0.7 | 34        |
| 293 | Comparative gene expression analysis of fruiting body development in two filamentous fungi. FEMS Microbiology Letters, 2006, 257, 328-335.   | 0.7 | 22        |
| 294 | Biochemical properties of a thermostable phytase from Neurospora crassa. FEMS Microbiology Letters, 2006, 258, 61-66.  | 0.7 | 9         |
| 295 | Comparative genomic analysis of phytopathogenic fungi using expressed sequence tag (EST) collections. Molecular Plant Pathology, 2006, 7, 61-70.   | 2.0 | 36        |
| 296 | Kinase Cak1 functionally interacts with the PAF1 complex and phosphatase Ssu72 via kinases Ctk1 and Bur1. Molecular Genetics and Genomics, 2006, 275, 136-147.   | 1.0 | 8         |
| 297 | Accelerated Evolutionary Rate May Be Responsible for the Emergence of Lineage-Specific Genes in Ascomycota. Journal of Molecular Evolution, 2006, 63, 1-11.  | 0.8 | 64        |
| 298 | Evolution and Diversification of RNA Silencing Proteins in Fungi. Journal of Molecular Evolution, 2006, 63, 127-135.   | 0.8 | 141       |
| 299 | Comparative genomics of the HOG-signalling system in fungi. Current Genetics, 2006, 49, 137-151.   | 0.8 | 73        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 300 | The laccase multi-gene family in <i>Coprinopsis cinerea</i> has seventeen different members that divide into two distinct subfamilies. <i>Current Genetics</i> , 2006, 50, 45-60.  | 0.8 | 125       |
| 301 | Genetic basis of the ovc phenotype of <i>Neurospora</i> : identification and analysis of a 77Åkb deletion. <i>Current Genetics</i> , 2006, 51, 19-30.  | 0.8 | 12        |
| 302 | Occupancy Modeling of Coverage Distribution for Whole Genome Shotgun Dna Sequencing. <i>Bulletin of Mathematical Biology</i> , 2006, 68, 179-196.  | 0.9 | 12        |
| 303 | Translesion DNA polymerases Pol $\eta$ , Pol $\theta$ , Pol $\beta$ , Pol $\delta$ and Rev1 are not essential for repeat-induced point mutation in <i>Neurospora crassa</i> . <i>Journal of Biosciences</i> , 2006, 31, 557-564. | 0.5 | 6         |
| 304 | The <i>Dictyostelium</i> repertoire of seven transmembrane domain receptors. <i>European Journal of Cell Biology</i> , 2006, 85, 937-946.  | 1.6 | 81        |
| 305 | Yeast and filamentous fungi as model organisms in microbody research. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2006, 1763, 1364-1373.  | 1.9 | 55        |
| 306 | Intron-rich ancestors. <i>Trends in Genetics</i> , 2006, 22, 468-471.  | 2.9 | 58        |
| 307 | Genomics of the filamentous fungi “ moving from the shadow of the bakers yeast. <i>The Mycologist</i> , 2006, 20, 10-14.   | 0.5 | 7         |
| 308 | Comparative assessment of performance and genome dependence among phylogenetic profiling methods. <i>BMC Bioinformatics</i> , 2006, 7, 420.  | 1.2 | 43        |
| 309 | A fungal phylogeny based on 42 complete genomes derived from supertree and combined gene analysis. <i>BMC Evolutionary Biology</i> , 2006, 6, 99.  | 3.2 | 428       |
| 310 | Comparative EST analysis provides insights into the basal aquatic fungus <i>Blastocladiella emersonii</i> . <i>BMC Genomics</i> , 2006, 7, 177.  | 1.2 | 10        |
| 311 | Identification and comparative analysis of sixteen fungal peptidyl-prolyl cis/trans isomerase repertoires. <i>BMC Genomics</i> , 2006, 7, 244.   | 1.2 | 41        |
| 312 | Analysis of the dermatophyte <i>Trichophyton rubrum</i> expressed sequence tags. <i>BMC Genomics</i> , 2006, 7, 255.   | 1.2 | 43        |
| 313 | Common features and interesting differences in transcriptional responses to secretion stress in the fungi <i>Trichoderma reesei</i> and <i>Saccharomyces cerevisiae</i> . <i>BMC Genomics</i> , 2006, 7, 32.                     | 1.2 | 80        |
| 314 | Gene connectivity, function, and sequence conservation: predictions from modular yeast co-expression networks. <i>BMC Genomics</i> , 2006, 7, 40.  | 1.2 | 327       |
| 315 | Generation, annotation, and analysis of an extensive <i>Aspergillus niger</i> EST collection. <i>BMC Microbiology</i> , 2006, 6, 7.  | 1.3 | 34        |
| 316 | Relative reactivity of <i>Aspergillus</i> allergens used in serological tests. <i>Medical Mycology</i> , 2006, 44, 23-28.  | 0.3 | 18        |
| 317 | Fungal Genomic Annotation. <i>Applied Mycology and Biotechnology</i> , 2006, , 123-142.  | 0.3 | 21        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 318 | Structure and Function of Cholinesterases. , 2006, , 161-186.   |     | 23        |
| 319 | Issues in Comparative Fungal Genomics. Applied Mycology and Biotechnology, 2006, , 99-122.  | 0.3 | 0         |
| 320 | Macronuclear Genome Sequence of the Ciliate Tetrahymena thermophila, a Model Eukaryote. PLoS Biology, 2006, 4, e286.  | 2.6 | 657       |
| 321 | Chromosome Segment Duplications in Neurospora crassa and Their Effects on Repeat-Induced Point Mutation and Meiotic Silencing by Unpaired DNA. Genetics, 2006, 172, 1511-1519.  | 1.2 | 14        |
| 322 | Comparative genomics and genome evolution in yeasts. Philosophical Transactions of the Royal Society B: Biological Sciences, 2006, 361, 403-412.  | 1.8 | 60        |
| 323 | The Predicted G-Protein-Coupled Receptor GPR-1 Is Required for Female Sexual Development in the Multicellular Fungus Neurospora crassa. Eukaryotic Cell, 2006, 5, 1503-1516.  | 3.4 | 37        |
| 324 | Analysis of Strains with Mutations in Six Genes Encoding Subunits of the V-ATPase. Journal of Biological Chemistry, 2006, 281, 27052-27062.   | 1.6 | 17        |
| 325 | The STE20/Germinal Center Kinase POD6 Interacts with the NDR Kinase COT1 and Is Involved in Polar Tip Extension in Neurospora crassa. Molecular Biology of the Cell, 2006, 17, 4080-4092.                               | 0.9 | 65        |
| 326 | The Neurospora Checkpoint Kinase 2: A Regulatory Link Between the Circadian and Cell Cycles. Science, 2006, 313, 644-649.   | 6.0 | 132       |
| 327 | A Nonself Recognition Gene Complex in Neurospora crassa. Genetics, 2006, 173, 1991-2004.  | 1.2 | 30        |
| 328 | Telomeres in fungi. , 0, , 101-130.   |     | 10        |
| 329 | GPR-4 Is a Predicted G-Protein-Coupled Receptor Required for Carbon Source-Dependent Asexual Growth and Development in Neurospora crassa. Eukaryotic Cell, 2006, 5, 1287-1300.  | 3.4 | 81        |
| 330 | The RNA polymerase III-dependent family of genes in hemiascomycetes: comparative RNomics, decoding strategies, transcription and evolutionary implications. Nucleic Acids Research, 2006, 34, 1816-1835.                | 6.5 | 86        |
| 331 | A Eukaryote without Catalase-Containing Microbodies: Neurospora crassa Exhibits a Unique Cellular Distribution of Its Four Catalases. Eukaryotic Cell, 2006, 5, 1490-1502.  | 3.4 | 44        |
| 332 | MPact: the MIPS protein interaction resource on yeast. Nucleic Acids Research, 2006, 34, D436-D441.   | 6.5 | 305       |
| 334 | Duplication of genes and genomes in yeasts. , 0, , 79-99.   |     | 4         |
| 335 | Machine learning methods for transcription data integration. IBM Journal of Research and Development, 2006, 50, 631-643.  | 3.2 | 9         |
| 336 | A high-throughput gene knockout procedure for Neurospora reveals functions for multiple transcription factors. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 10352-10357. | 3.3 | 1,060     |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 337 | Re-Wiring the Network: Understanding the Mechanism and Function of Anastomosis in Filamentous Ascomycete Fungi. , 2006, , 123-139.   |     | 19        |
| 338 | Kinetic and Mechanistic Basis of the Nonprocessive Kinesin-3 Motor NcKin3. Journal of Biological Chemistry, 2006, 281, 37782-37793.  | 1.6 | 27        |
| 339 | Genomic analysis of hostâ€“pathogen interaction between <i>Fusarium graminearum</i> and wheat during early stages of disease development. Microbiology (United Kingdom), 2006, 152, 1877-1890.   | 0.7 | 44        |
| 341 | Codon Signature Extremes In Eukaryote genomes. Israel Journal of Ecology and Evolution, 2006, 52, 281-297.   | 0.2 | 2         |
| 342 | Two Circadian Timing Circuits in <i>Neurospora crassa</i> Cells Share Components and Regulate Distinct Rhythmic Processes. Journal of Biological Rhythms, 2006, 21, 159-168.   | 1.4 | 53        |
| 343 | The <i>Neurospora crassa</i> White Collar-1 dependent Blue Light Response Requires Acetylation of Histone H3 Lysine 14 by NGF-1. Molecular Biology of the Cell, 2006, 17, 4576-4583.   | 0.9 | 85        |
| 344 | G Protein-coupled Receptor Gpr4 Senses Amino Acids and Activates the cAMP-PKA Pathway in <i>Cryptococcus neoformans</i> . Molecular Biology of the Cell, 2006, 17, 667-679.  | 0.9 | 144       |
| 345 | Analysis of the <i>Trypanosoma</i> cruzi cyclophilin gene family and identification of Cyclosporin A binding proteins. Parasitology, 2006, 132, 867-882.   | 0.7 | 21        |
| 346 | The <i>Cryptococcus neoformans</i> Catalase Gene Family and Its Role in Antioxidant Defense. Eukaryotic Cell, 2006, 5, 1447-1459.  | 3.4 | 85        |
| 347 | Emergence of Species-Specific Transporters During Evolution of the Hemiascomycete Phylum. Genetics, 2006, 172, 771-781.  | 1.2 | 42        |
| 348 | Mutational Analysis of the Glycosylphosphatidylinositol (GPI) Anchor Pathway Demonstrates that GPI-Anchored Proteins Are Required for Cell Wall Biogenesis and Normal Hyphal Growth in <i>Neurospora crassa</i> . Eukaryotic Cell, 2006, 5, 587-600. | 3.4 | 70        |
| 349 | The Fungus-Specific HET Domain Mediates Programmed Cell Death in <i>Podospira anserina</i> . Eukaryotic Cell, 2007, 6, 2001-2008.  | 3.4 | 74        |
| 350 | Silencing of the Aflatoxin Gene Cluster in a Diploid Strain of <i>Aspergillus flavus</i> Is Suppressed by Ectopic aflR Expression. Genetics, 2007, 176, 2077-2086.   | 1.2 | 27        |
| 351 | Molecular and Functional Analyses of a Novel Class I Secretory Nuclease from the Human Pathogen, <i>Leishmania donovani</i> . Journal of Biological Chemistry, 2007, 282, 10079-10095.   | 1.6 | 22        |
| 352 | Biochemical Characterization of an L-Xylulose Reductase from <i>Neurospora crassa</i> . Applied and Environmental Microbiology, 2007, 73, 2001-2004.   | 1.4 | 11        |
| 353 | Recurrent Locus-Specific Mutation Resulting From a Cryptic Ectopic Insertion in <i>Neurospora</i> . Genetics, 2007, 175, 527-544.  | 1.2 | 11        |
| 354 | Two Zinc-Cluster Transcription Factors Control Induction of Alternative Oxidase in <i>Neurospora crassa</i> . Genetics, 2007, 177, 1997-2006.  | 1.2 | 19        |
| 355 | <i>Trichoderma atroviride</i> PHR1, a Fungal Photolyase Responsible for DNA Repair, Autoregulates Its Own Photoinduction. Eukaryotic Cell, 2007, 6, 1682-1692.   | 3.4 | 79        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 356 | Quantitative Trait Loci for the Circadian Clock in <i>Neurospora crassa</i> . <i>Genetics</i> , 2007, 177, 2335-2347.  | 1.2 | 13        |
| 357 | Assessment of phylogenomic and orthology approaches for phylogenetic inference. <i>Bioinformatics</i> , 2007, 23, 815-824.   | 1.8 | 87        |
| 358 | MIPS: analysis and annotation of genome information in 2007. <i>Nucleic Acids Research</i> , 2007, 36, D196-D201.  | 6.5 | 156       |
| 359 | The Response Regulator RRC-1 Functions Upstream of a Mitogen-activated Protein Kinase Pathway Impacting Asexual Development, Female Fertility, Osmotic Stress, and Fungicide Resistance in <i>Neurospora crassa</i> . <i>Molecular Biology of the Cell</i> , 2007, 18, 2123-2136.  | 0.9 | 103       |
| 360 | The transcription of the gene for iso-orotate decarboxylase (IDCase), an enzyme of the thymidine salvage pathway, is downregulated in the <i>preg&lt;sup&gt;c&lt;/sup&gt;</i> mutant strain of <i>Neurospora crassa</i> grown under phosphate starvation. <i>Canadian Journal of Microbiology</i> , 2007, 53, 1011-1015. | 0.8 | 12        |
| 361 | Genomics of <i>Aspergillus oryzae</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2007, 71, 646-670.   | 0.6 | 163       |
| 362 | Holographic and single beam optical manipulation of hyphal growth in filamentous fungi. <i>Journal of Optics</i> , 2007, 9, S172-S179.   | 1.5 | 13        |
| 363 | Enabling a Community to Dissect an Organism: Overview of the <i>Neurospora</i> Functional Genomics Project. <i>Advances in Genetics</i> , 2007, 57, 49-96.   | 0.8 | 191       |
| 364 | Pentaketide Resorcylic Acid Synthesis by Type III Polyketide Synthase from <i>Neurospora crassa</i> . <i>Journal of Biological Chemistry</i> , 2007, 282, 14476-14481.   | 1.6 | 128       |
| 365 | The band mutation in <i>Neurospora crassa</i> is a dominant allele of <i>ras-1</i> implicating RAS signaling in circadian output. <i>Genes and Development</i> , 2007, 21, 1494-1505.  | 2.7 | 158       |
| 366 | Identification of an Alternative Oxidase Induction Motif in the Promoter Region of the <i>aod-1</i> Gene in <i>Neurospora crassa</i> . <i>Genetics</i> , 2007, 175, 1597-1606.   | 1.2 | 15        |
| 367 | Insights from Sequencing Fungal and Oomycete Genomes: What Can We Learn about Plant Disease and the Evolution of Pathogenicity?. <i>Plant Cell</i> , 2007, 19, 3318-3326.  | 3.1 | 110       |
| 368 | From Genes to Genomes: A New Paradigm for Studying Fungal Pathogenesis in <i>Magnaporthe oryzae</i> . <i>Advances in Genetics</i> , 2007, 57, 175-218.   | 0.8 | 47        |
| 369 | Transposition of a Fungal Miniature Inverted-Repeat Transposable Element Through the Action of a Tc1-Like Transposase. <i>Genetics</i> , 2007, 175, 441-452.   | 1.2 | 47        |
| 370 | Alternative Splicing Gives Rise to Different Isoforms of the <i>Neurospora crassa</i> Tob55 Protein That Vary in Their Ability to Insert $\beta$ -Barrel Proteins Into the Outer Mitochondrial Membrane. <i>Genetics</i> , 2007, 177, 137-149.   | 1.2 | 18        |
| 371 | Electrophoretic and cytological karyotyping of the foliar wheat pathogen <i>Mycosphaerella graminicola</i> reveals many chromosomes with a large size range. <i>Mycologia</i> , 2007, 99, 868-876.   | 0.8 | 36        |
| 372 | Supramolecular Organization of the Respiratory Chain in <i>Neurospora crassa</i> Mitochondria. <i>Eukaryotic Cell</i> , 2007, 6, 2391-2405.  | 3.4 | 88        |
| 373 | Endocytosis in the Shiitake Mushroom <i>Lentinula edodes</i> and Involvement of GTPase LeRAB7. <i>Eukaryotic Cell</i> , 2007, 6, 2406-2418.  | 3.4 | 7         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 374 | Involvement of OS-2 MAP kinase in regulation of the large-subunit catalases CAT-1 and CAT-3 in <i>Neurospora crassa</i> . <i>Genes and Genetic Systems</i> , 2007, 82, 301-310.  | 0.2 | 26        |
| 375 | Electrophoretic and cytological karyotyping of the foliar wheat pathogen <i>Mycosphaerella graminicola</i> reveals many chromosomes with a large size range. <i>Mycologia</i> , 2007, 99, 868-876.   | 0.8 | 32        |
| 376 | Fungicides Acting on Signal Transduction. , 0, , 561-580.  |     | 0         |
| 377 | Tending <i>Neurospora</i> : David Perkins, 1919â€“2007, and Dorothy Newmeyer Perkins, 1922â€“2007. <i>Genetics</i> , 2007, 175, 1543-1548.   | 1.2 | 6         |
| 378 | Circadian Entrainment of <i>Neurospora crassa</i> . <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 2007, 72, 279-285.  | 2.0 | 12        |
| 379 | Comparative genomics and evolution of eukaryotic phospholipid biosynthesis. <i>Progress in Lipid Research</i> , 2007, 46, 171-199.   | 5.3 | 83        |
| 380 | H <sup>+</sup> -mediated coupling of transmembrane Ca <sup>2+</sup> fluxes in vegetative <i>Trichoderma viride</i> mycelia suggested by the study of ageing and adaptation to extreme Ca <sup>2+</sup> concentrations. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2007, 1770, 99-105. | 1.1 | 2         |
| 381 | Construction of a contig of BAC clones spanning the region of the apple scab avirulence gene <i>AvrVg</i> . <i>Fungal Genetics and Biology</i> , 2007, 44, 44-51.  | 0.9 | 17        |
| 382 | Optical tweezer micromanipulation of filamentous fungi. <i>Fungal Genetics and Biology</i> , 2007, 44, 1-13.   | 0.9 | 38        |
| 383 | Positive selection in phytotoxic protein-encoding genes of <i>Botrytis</i> species. <i>Fungal Genetics and Biology</i> , 2007, 44, 52-63.  | 0.9 | 104       |
| 384 | A critical assessment of <i>Agrobacterium tumefaciens</i> -mediated transformation as a tool for pathogenicity gene discovery in the phytopathogenic fungus <i>Leptosphaeria maculans</i> . <i>Fungal Genetics and Biology</i> , 2007, 44, 123-138.  | 0.9 | 77        |
| 385 | Hexose uptake in the plant symbiotic ascomycete <i>Tuber borchii</i> Vittadini: biochemical features and expression pattern of the transporter <i>TBHXT1</i> . <i>Fungal Genetics and Biology</i> , 2007, 44, 187-198.   | 0.9 | 51        |
| 386 | Rapid genetic mapping in <i>Neurospora crassa</i> . <i>Fungal Genetics and Biology</i> , 2007, 44, 455-465.  | 0.9 | 15        |
| 387 | A mutation in the gene encoding cytochrome <i>c1</i> leads to a decreased ROS content and to a long-lived phenotype in the filamentous fungus <i>Podospora anserina</i> . <i>Fungal Genetics and Biology</i> , 2007, 44, 648-658.  | 0.9 | 63        |
| 388 | Multiple layers of temporal and spatial control regulate accumulation of the fruiting body-specific protein APP in <i>Sordaria macrospora</i> and <i>Neurospora crassa</i> . <i>Fungal Genetics and Biology</i> , 2007, 44, 602-614.   | 0.9 | 33        |
| 389 | Mutation and divergence of the phospholipase C gene in <i>Neurospora crassa</i> . <i>Fungal Genetics and Biology</i> , 2007, 44, 242-249.  | 0.9 | 25        |
| 390 | Separation of sequences from hostâ€“pathogen interface using triplet nucleotide frequencies. <i>Fungal Genetics and Biology</i> , 2007, 44, 231-241.   | 0.9 | 16        |
| 391 | Proteome map of <i>Aspergillus nidulans</i> during osmoadaptation. <i>Fungal Genetics and Biology</i> , 2007, 44, 886-895.   | 0.9 | 51        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 392 | Cyclosporin A-resistance based gene placement system for <i>Neurospora crassa</i> . <i>Fungal Genetics and Biology</i> , 2007, 44, 307-314.   | 0.9  | 76        |
| 393 | Arginine catabolism in <i>Aspergillus nidulans</i> is regulated by the <i>rrmA</i> gene coding for the RNA-binding protein. <i>Fungal Genetics and Biology</i> , 2007, 44, 1285-1297.   | 0.9  | 11        |
| 394 | Mighty Piwis Defend the Germline against Genome Intruders. <i>Cell</i> , 2007, 129, 37-44.  | 13.5 | 265       |
| 395 | <i>Neurospora crassa</i> FKBP22 Is a Novel ER Chaperone and Functionally Cooperates with BiP. <i>Journal of Molecular Biology</i> , 2007, 369, 55-68.   | 2.0  | 14        |
| 396 | Structural Basis for the Carbohydrate Recognition of the <i>Sclerotium rolfsii</i> Lectin. <i>Journal of Molecular Biology</i> , 2007, 368, 1145-1161.  | 2.0  | 40        |
| 397 | Quelling: post-transcriptional gene silencing guided by small RNAs in <i>Neurospora crassa</i> . <i>Current Opinion in Microbiology</i> , 2007, 10, 199-203.  | 2.3  | 119       |
| 398 | FKBP22 is part of chaperone/folding catalyst complexes in the endoplasmic reticulum of <i>Neurospora crassa</i> . <i>FEBS Letters</i> , 2007, 581, 2036-2040.   | 1.3  | 13        |
| 399 | Genomics of the Plant Pathogenic Oomycete <i>Phytophthora</i> : Insights into Biology and Evolution. <i>Advances in Genetics</i> , 2007, 57, 97-141.  | 0.8  | 17        |
| 400 | Systems biology of the <i>Neurospora</i> biological clock. <i>IET Systems Biology</i> , 2007, 1, 257-265.   | 0.8  | 6         |
| 401 | The <i>Neurospora crassa</i> Circadian Clock. <i>Advances in Genetics</i> , 2007, 58, 25-66.  | 0.8  | 129       |
| 402 | Comparative genomic analysis of fungal genomes reveals intron-rich ancestors. <i>Genome Biology</i> , 2007, 8, R223.  | 13.9 | 115       |
| 403 | Mitochondria. <i>Methods in Molecular Biology</i> , 2007, , .   | 0.4  | 5         |
| 404 | Malic enzyme: the controlling activity for lipid production? Overexpression of malic enzyme in <i>Mucor circinelloides</i> leads to a 2.5-fold increase in lipid accumulation. <i>Microbiology (United Kingdom)</i> , 2007, 153, 2013-2025.                     | 0.7  | 248       |
| 405 | Dothideomycete "Plant Interactions Illuminated by Genome Sequencing and EST Analysis of the Wheat Pathogen <i>Stagonospora nodorum</i> . <i>Plant Cell</i> , 2007, 19, 3347-3368.   | 3.1  | 235       |
| 406 | The SskA and SrrA Response Regulators Are Implicated in Oxidative Stress Responses of Hyphae and Asexual Spores in the Phosphorelay Signaling Network of <i>Aspergillus nidulans</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2007, 71, 1003-1014. | 0.6  | 75        |
| 407 | Genome Assembly, Rearrangement, and Repeats. <i>Chemical Reviews</i> , 2007, 107, 3391-3406.  | 23.0 | 23        |
| 408 | High-Density Detection of Restriction-Site-Associated DNA Markers for Rapid Mapping of Mutated Loci in <i>Neurospora</i> . <i>Genetics</i> , 2007, 177, 1163-1171.  | 1.2  | 42        |
| 409 | Evidence that RNA silencing functions as an antiviral defense mechanism in fungi. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 12902-12906.  | 3.3  | 276       |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 410 | Sexual and vegetative compatibility genes in the aspergilli. <i>Studies in Mycology</i> , 2007, 59, 19-30.   | 4.5 | 33        |
| 411 | Heterotrimeric G Protein Signaling in Filamentous Fungi. <i>Annual Review of Microbiology</i> , 2007, 61, 423-452.   | 2.9 | 317       |
| 412 | Functional genomics of plant infection by the rice blast fungus <i>Magnaporthe grisea</i> . , 0, , 227-254.  |     | 0         |
| 413 | Environmental sensing and the filamentous fungal lifestyle. , 2007, , 38-57.   |     | 6         |
| 414 | The rice blast story: from genome sequence to function. , 0, , 10-22.  |     | 0         |
| 415 | What can genomics tell us about secondary metabolism in <i>Aspergillus</i> ?. , 0, , 78-92.  |     | 0         |
| 416 | Comparative analysis of structured RNAs in <i>S. cerevisiae</i> indicates a multitude of different functions. <i>BMC Biology</i> , 2007, 5, 25.  | 1.7 | 32        |
| 417 | Classification and functional annotation of eukaryotic protein kinases. <i>Proteins: Structure, Function and Bioinformatics</i> , 2007, 68, 893-914.   | 1.5 | 154       |
| 418 | Proteorhodopsin photosystem gene clusters exhibit co-evolutionary trends and shared ancestry among diverse marine microbial phyla. <i>Environmental Microbiology</i> , 2007, 9, 846-858.                                   | 1.8 | 87        |
| 419 | The novel ER membrane protein PRO41 is essential for sexual development in the filamentous fungus <i>Sordaria macrospora</i> . <i>Molecular Microbiology</i> , 2007, 64, 923-937.  | 1.2 | 81        |
| 420 | Transcriptional control of <i>nmrA</i> by the bZIP transcription factor MeaB reveals a new level of nitrogen regulation in <i>Aspergillus nidulans</i> . <i>Molecular Microbiology</i> , 2007, 66, 534-551.                | 1.2 | 86        |
| 421 | Functional analysis of the <i>Alternaria brassicicola</i> non-ribosomal peptide synthetase gene AbNPS2 reveals a role in conidial cell wall construction. <i>Molecular Plant Pathology</i> , 2007, 8, 23-39.               | 2.0 | 46        |
| 422 | The Slr2-type MAP kinase Bmp3 of <i>Botrytis cinerea</i> is required for normal saprotrophic growth, conidiation, plant surface sensing and host tissue colonization. <i>Molecular Plant Pathology</i> , 2007, 8, 173-184. | 2.0 | 146       |
| 423 | IDENTIFICATION AND COMPARATIVE GENOMIC ANALYSIS OF SIGNALING AND REGULATORY COMPONENTS IN THE DIATOM THALASSIOSIRA PSEUDONANA. <i>Journal of Phycology</i> , 2007, 43, 585-604.  | 1.0 | 87        |
| 424 | The Peroxin PEX14 of <i>Neurospora crassa</i> is Essential for the Biogenesis of Both Glyoxysomes and Woronin Bodies. <i>Traffic</i> , 2007, 8, 687-701.   | 1.3 | 50        |
| 425 | Evolution of the carboxylate Jen transporters in fungi. <i>FEMS Yeast Research</i> , 2007, 7, 646-656.   | 1.1 | 22        |
| 426 | Identification of genes displaying differential expression in the nuc-2 mutant strain of the mold <i>Neurospora crassa</i> grown under phosphate starvation. <i>FEMS Microbiology Letters</i> , 2007, 269, 196-200.        | 0.7 | 22        |
| 427 | Detecting microsatellites within genomes: significant variation among algorithms. <i>BMC Bioinformatics</i> , 2007, 8, 125.  | 1.2 | 81        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 428 | Origin and distribution of epipolythiodioxopiperazine (ETP) gene clusters in filamentous ascomycetes. <i>BMC Evolutionary Biology</i> , 2007, 7, 174.   | 3.2 | 151       |
| 429 | The evolutionary history of Cytochrome P450 genes in four filamentous Ascomycetes. <i>BMC Evolutionary Biology</i> , 2007, 7, 30.   | 3.2 | 75        |
| 430 | Comparison of protein coding gene contents of the fungal phyla Pezizomycotina and Saccharomycotina. <i>BMC Genomics</i> , 2007, 8, 325.   | 1.2 | 44        |
| 431 | Proteomics of filamentous fungi. <i>Trends in Biotechnology</i> , 2007, 25, 395-400.  | 4.9 | 133       |
| 432 | Characterization of necrosis and ethylene-inducing proteins (NEP) in the basidiomycete <i>Moniliophthora perniciosa</i> , the causal agent of witches' broom in <i>Theobroma cacao</i> . <i>Mycological Research</i> , 2007, 111, 443-455.                                    | 2.5 | 86        |
| 433 | Molecular cloning and expression analysis of two distinct Î²-glucosidase genes, <i>bg1</i> and <i>aven1</i> , with very different biological roles from the thermophilic, saprophytic fungus <i>Talaromyces emersonii</i> . <i>Mycological Research</i> , 2007, 111, 840-849. | 2.5 | 34        |
| 434 | Model systems for studying the biology of filamentous fungi: Rumors of their death should be postponed. <i>Phytoparasitica</i> , 2007, 35, 111-115.   | 0.6 | 1         |
| 435 | A synchrotron FTIR microspectroscopy investigation of fungal hyphae grown under optimal and stressed conditions. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 387, 1779-1789.  | 1.9 | 92        |
| 436 | Genomic Evolution of the Proteasome System Among Hemiascomycetous Yeasts. <i>Journal of Molecular Evolution</i> , 2007, 65, 529-540.  | 0.8 | 19        |
| 437 | Strategies to unravel the function of orphan biosynthesis pathways: recent examples and future prospects. <i>Applied Microbiology and Biotechnology</i> , 2007, 75, 267-277.  | 1.7 | 129       |
| 438 | Characterization of alcohol dehydrogenase 1 and 3 from <i>Neurospora crassa</i> FGSC2489. <i>Applied Microbiology and Biotechnology</i> , 2007, 76, 349-356.  | 1.7 | 18        |
| 439 | Cloning, characterization, and mutational analysis of a highly active and stable l-arabinitol 4-dehydrogenase from <i>Neurospora crassa</i> . <i>Applied Microbiology and Biotechnology</i> , 2007, 77, 845-852.  | 1.7 | 19        |
| 440 | tRNase Z: the end is not in sight. <i>Cellular and Molecular Life Sciences</i> , 2007, 64, 2404-2412.   | 2.4 | 37        |
| 441 | Meiotic silencing and the epigenetics of sex. <i>Chromosome Research</i> , 2007, 15, 633-651.   | 1.0 | 92        |
| 442 | Small RNAs and RNAi pathways in meiotic prophase I. <i>Chromosome Research</i> , 2007, 15, 653-665.   | 1.0 | 11        |
| 443 | Activity-based identification of secreted serine proteases of the filamentous fungus, <i>Ophiostoma</i> . <i>Biotechnology Letters</i> , 2007, 29, 937-943.   | 1.1 | 1         |
| 444 | Identification of two novel xylanase-encoding genes ( <i>xyn5</i> and <i>xyn6</i> ) from <i>Acrophialophora nainiana</i> and heterologous expression of <i>xyn6</i> in <i>Trichoderma reesei</i> . <i>Biotechnology Letters</i> , 2007, 29, 1195-1201.                        | 1.1 | 25        |
| 445 | The Genome Strikes Back: The Evolutionary Importance of Defence Against Mobile Elements. <i>Evolutionary Biology</i> , 2007, 34, 121-129.   | 0.5 | 26        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 446 | Machine learning for regulatory analysis and transcription factor target prediction in yeast. <i>Systems and Synthetic Biology</i> , 2007, 1, 25-46.  | 1.0  | 21        |
| 447 | Comparison between gene expression of conidia and germinating phase in <i>Trichophyton rubrum</i> . <i>Science in China Series C: Life Sciences</i> , 2007, 50, 377-384.  | 1.3  | 5         |
| 448 | Functional analysis of a fungal endophyte stress-activated MAP kinase. <i>Current Genetics</i> , 2008, 53, 163-174.   | 0.8  | 61        |
| 449 | Repeat induced point mutation in two asexual fungi, <i>Aspergillus niger</i> and <i>Penicillium chrysogenum</i> . <i>Current Genetics</i> , 2008, 53, 287-297.  | 0.8  | 59        |
| 450 | <i>Trichoderma</i> G protein-coupled receptors: functional characterisation of a cAMP receptor-like protein from <i>Trichoderma atroviride</i> . <i>Current Genetics</i> , 2008, 54, 283-299.   | 0.8  | 64        |
| 451 | A systematic approach to identify STRE-binding proteins of the <i>gsn</i> glycogen synthase gene promoter in <i>Neurospora crassa</i> . <i>Proteomics</i> , 2008, 8, 2052-2061.   | 1.3  | 12        |
| 452 | Sclerotial development in <i>Sclerotinia sclerotiorum</i> : awakening molecular analysis of a "Dormant" structure. <i>Fungal Biology Reviews</i> , 2008, 22, 6-16.  | 1.9  | 94        |
| 453 | Fungal genome sequencing and bioenergy. <i>Fungal Biology Reviews</i> , 2008, 22, 1-5.  | 1.9  | 27        |
| 454 | Advances in understanding hyphal morphogenesis: Ontogeny, phylogeny and cellular localization of chitin synthases. <i>Fungal Biology Reviews</i> , 2008, 22, 56-70.   | 1.9  | 38        |
| 455 | The Ypt/Rab Family and the Evolution of Trafficking in Fungi. <i>Traffic</i> , 2008, 9, 27-38.  | 1.3  | 67        |
| 456 | Fungal symbiosis unearthed. <i>Nature</i> , 2008, 452, 42-43.   | 13.7 | 11        |
| 457 | How does your quasicrystal grow?. <i>Nature</i> , 2008, 452, 43-44.   | 13.7 | 33        |
| 458 | Genome sequencing and analysis of the biomass-degrading fungus <i>Trichoderma reesei</i> (syn. <i>Hypocrea</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 T<br>1,116  | 9.4  | 1,116     |
| 459 | Genomic adaptation: a fungal perspective. <i>Nature Reviews Microbiology</i> , 2008, 6, 572-573.  | 13.6 | 6         |
| 460 | Evolutionary history of the ancient cutinase family in five filamentous Ascomycetes reveals differential gene duplications and losses and in <i>Magnaporthe grisea</i> shows evidence of sub- and neo-functionalization. <i>New Phytologist</i> , 2008, 180, 711-721. | 3.5  | 41        |
| 461 | Effect of sundiversifolide on microbial germination and its distribution and occurrence in the achenes of sunflower ( <i>Helianthus annuus</i> ). <i>Weed Biology and Management</i> , 2008, 8, 124-128.  | 0.6  | 4         |
| 462 | The G $\alpha$ subunit BCG1, the phospholipase C (BcPLC1) and the calcineurin phosphatase co-ordinately regulate gene expression in the grey mould fungus <i>Botrytis cinerea</i> . <i>Molecular Microbiology</i> , 2008, 67, 1027-1050.                              | 1.2  | 99        |
| 463 | Efficient computation of absent words in genomic sequences. <i>BMC Bioinformatics</i> , 2008, 9, 167.   | 1.2  | 62        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 464 | RIPCAL: a tool for alignment-based analysis of repeat-induced point mutations in fungal genomic sequences. <i>BMC Bioinformatics</i> , 2008, 9, 478.   | 1.2  | 151       |
| 465 | Evolution of SET-domain protein families in the unicellular and multicellular Ascomycota fungi. <i>BMC Evolutionary Biology</i> , 2008, 8, 190.  | 3.2  | 39        |
| 466 | Altered patterns of gene duplication and differential gene gain and loss in fungal pathogens. <i>BMC Genomics</i> , 2008, 9, 147.  | 1.2  | 59        |
| 467 | Simple sequence repeats in <i>Neurospora crassa</i> : distribution, polymorphism and evolutionary inference. <i>BMC Genomics</i> , 2008, 9, 31.  | 1.2  | 74        |
| 468 | The information highways of a biotechnological workhorse – signal transduction in <i>Hypocrea jecorina</i> . <i>BMC Genomics</i> , 2008, 9, 430.   | 1.2  | 82        |
| 469 | SNUGB: a versatile genome browser supporting comparative and functional fungal genomics. <i>BMC Genomics</i> , 2008, 9, 586.   | 1.2  | 17        |
| 470 | The use of secondary metabolite profiling in chemotaxonomy of filamentous fungi. <i>Mycological Research</i> , 2008, 112, 231-240.   | 2.5  | 294       |
| 471 | Creating and screening <i>Cochliobolus heterostrophus</i> non-ribosomal peptide synthetase mutants. <i>Mycological Research</i> , 2008, 112, 200-206.  | 2.5  | 37        |
| 472 | The genome sequence of <i>Podospora anserina</i> , a classic model fungus. <i>Genome Biology</i> , 2008, 9, 223.   | 13.9 | 9         |
| 473 | The genome sequence of the model ascomycete fungus <i>Podospora anserina</i> . <i>Genome Biology</i> , 2008, 9, R77.   | 13.9 | 301       |
| 474 | Cross-kingdom patterns of alternative splicing and splice recognition. <i>Genome Biology</i> , 2008, 9, R50.   | 13.9 | 126       |
| 475 | The Nuclear Dbf2-Related Kinase COT1 and the Mitogen-Activated Protein Kinases MAK1 and MAK2 Genetically Interact to Regulate Filamentous Growth, Hyphal Fusion and Sexual Development in <i>Neurospora crassa</i> . <i>Genetics</i> , 2008, 179, 1313-1325. | 1.2  | 91        |
| 476 | Epigenetic remodeling of the fungal secondary metabolome. <i>Organic and Biomolecular Chemistry</i> , 2008, 6, 1895.   | 1.5  | 319       |
| 477 | Distinct and Combined Roles of the MAP Kinases of <i>Cochliobolus heterostrophus</i> in Virulence and Stress Responses. <i>Molecular Plant-Microbe Interactions</i> , 2008, 21, 769-780.   | 1.4  | 64        |
| 478 | Structural insights into biosynthesis of resorcinolic lipids by a type III polyketide synthase in <i>Neurospora crassa</i> . <i>Journal of Structural Biology</i> , 2008, 162, 411-421.  | 1.3  | 37        |
| 479 | <i>Neurospora crassa</i> <i>ve-1</i> affects asexual conidiation. <i>Fungal Genetics and Biology</i> , 2008, 45, 127-138.  | 0.9  | 107       |
| 480 | Transient disruption of non-homologous end-joining facilitates targeted genome manipulations in the filamentous fungus <i>Aspergillus nidulans</i> . <i>Fungal Genetics and Biology</i> , 2008, 45, 165-170.   | 0.9  | 64        |
| 481 | Characterisation of Aft1 a Fot1/Pogo type transposon of <i>Aspergillus fumigatus</i> . <i>Fungal Genetics and Biology</i> , 2008, 45, 117-126.   | 0.9  | 24        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 482 | Large-scale expressed sequence tag analysis for the chestnut blight fungus <i>Cryphonectria parasitica</i> . <i>Fungal Genetics and Biology</i> , 2008, 45, 319-327.  | 0.9 | 27        |
| 483 | DNA-binding specificity of the CYS3 transcription factor of <i>Neurospora crassa</i> defined by binding-site selection. <i>Fungal Genetics and Biology</i> , 2008, 45, 1166-1171.                                   | 0.9 | 11        |
| 485 | Random Covering of Multiple One-Dimensional Domains with an Application to DNA Sequencing. <i>SIAM Journal on Applied Mathematics</i> , 2008, 68, 890-905.  | 0.8 | 3         |
| 486 | Cell Fusion in the Filamentous Fungus, <i>Neurospora crassa</i> . <i>Methods in Molecular Biology</i> , 2008, 475, 21-38.   | 0.4 | 64        |
| 487 | Functional Drift of Sequence Attributes in the FK506-Binding Proteins (FKBPs). <i>Journal of Chemical Information and Modeling</i> , 2008, 48, 1118-1130.   | 2.5 | 39        |
| 488 | Large-Scale Gene Discovery in the Septoria Tritici Blotch Fungus <i>Mycosphaerella graminicola</i> with a Focus on In Planta Expression. <i>Molecular Plant-Microbe Interactions</i> , 2008, 21, 1249-1260.         | 1.4 | 50        |
| 489 | RNA Silencing Gene Truncation in the Filamentous Fungus <i>Aspergillus nidulans</i> . <i>Eukaryotic Cell</i> , 2008, 7, 339-349.  | 3.4 | 52        |
| 490 | LIKELIHOOD OF A PARTICULAR ORDER OF GENETIC MARKERS AND THE CONSTRUCTION OF GENETIC MAPS. <i>Journal of Bioinformatics and Computational Biology</i> , 2008, 06, 125-162.   | 0.3 | 1         |
| 491 | Dominant Suppression of Repeat-Induced Point Mutation in <i>Neurospora crassa</i> by a Variant Catalytic Subunit of DNA Polymerase- $\eta$ . <i>Genetics</i> , 2008, 178, 1169-1176.                                | 1.2 | 6         |
| 492 | NADPH Oxidases NOX-1 and NOX-2 Require the Regulatory Subunit NOR-1 To Control Cell Differentiation and Growth in <i>Neurospora crassa</i> . <i>Eukaryotic Cell</i> , 2008, 7, 1352-1361.                           | 3.4 | 193       |
| 493 | Genomics of industrial <i>Aspergilli</i> and comparison with toxigenic relatives. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2008, 25, 1147-1151. | 1.1 | 13        |
| 494 | Dissecting Colony Development of <i>Neurospora crassa</i> Using mRNA Profiling and Comparative Genomics Approaches. <i>Eukaryotic Cell</i> , 2008, 7, 1549-1564.  | 3.4 | 62        |
| 495 | Impact of non-homologous end-joining deficiency on random and targeted DNA integration: implications for gene targeting. <i>Nucleic Acids Research</i> , 2008, 36, 6333-6342.                                       | 6.5 | 53        |
| 496 | The function of two closely related Rho proteins is determined by an atypical switch I region. <i>Journal of Cell Science</i> , 2008, 121, 1065-1075.   | 1.2 | 21        |
| 497 | Protein phosphatase PP1 is required for normal DNA methylation in <i>Neurospora</i> . <i>Genes and Development</i> , 2008, 22, 3391-3396.   | 2.7 | 32        |
| 498 | Transcriptional Control and Protein Specialization Have Roles in the Functional Diversification of Two Dicer-Like Proteins in <i>Magnaporthe oryzae</i> . <i>Genetics</i> , 2008, 180, 1245-1249.                   | 1.2 | 11        |
| 499 | Increased Resistance of Complex I Mutants to Phytosphingosine-induced Programmed Cell Death. <i>Journal of Biological Chemistry</i> , 2008, 283, 19314-19321.   | 1.6 | 38        |
| 500 | Scientific Advances with <i>Aspergillus</i> Species that Are Used for Food and Biotech Applications. <i>Microbes and Environments</i> , 2008, 23, 177-181.  | 0.7 | 11        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 501 | Genetic analysis of the <i>Neurospora crassa</i> RAD14 homolog mus-43 and the RAD10 homolog mus-44 reveals that they belong to the mus-38 pathway of two nucleotide excision repair systems. <i>Genes and Genetic Systems</i> , 2008, 83, 1-11.        | 0.2 | 5         |
| 502 | Comparative Evolutionary Histories of the Fungal Chitinase Gene Family Reveal Non-Random Size Expansions and Contractions due to Adaptive Natural Selection. <i>Evolutionary Bioinformatics</i> , 2008, 4, EBO.S604.                                   | 0.6 | 67        |
| 504 | Fusion and Fission of Genes Define a Metric between Fungal Genomes. <i>PLoS Computational Biology</i> , 2008, 4, e1000200.   | 1.5 | 22        |
| 505 | Relationship between Phylogenetic Distribution and Genomic Features in <i>Neurospora crassa</i> . <i>PLoS ONE</i> , 2009, 4, e5286.  | 1.1 | 42        |
| 506 | Molecular Cloning and Expression in <i>Pichia pastoris</i> of a <i>Irpex lacteus</i> Exo- $\beta$ -(1 $\rightarrow$ 3)-galactanase Gene. <i>Bioscience, Biotechnology and Biochemistry</i> , 2009, 73, 2303-2309.                                      | 0.6 | 33        |
| 507 | Fungal Functional Genomics: Tunable Knockout-Knock-in Expression and Tagging Strategies. <i>Eukaryotic Cell</i> , 2009, 8, 800-804.  | 3.4 | 31        |
| 508 | A High-Density Single Nucleotide Polymorphism Map for <i>Neurospora crassa</i> . <i>Genetics</i> , 2009, 181, 767-781.   | 1.2 | 54        |
| 509 | <i>Neurospora</i> sees the light: Light signaling components in a model system. <i>Communicative and Integrative Biology</i> , 2009, 2, 448-451.   | 0.6 | 38        |
| 510 | Comparative genomic analyses of the human fungal pathogens <i>Coccidioides</i> and their relatives. <i>Genome Research</i> , 2009, 19, 1722-1731.  | 2.4 | 295       |
| 511 | Characterization of Chromosome Ends in the Filamentous Fungus <i>Neurospora crassa</i> . <i>Genetics</i> , 2009, 181, 1129-1145.   | 1.2 | 52        |
| 512 | The Genome of <i>Nectria haematococca</i> : Contribution of Supernumerary Chromosomes to Gene Expansion. <i>PLoS Genetics</i> , 2009, 5, e1000618.   | 1.5 | 402       |
| 513 | Kinomer v. 1.0: a database of systematically classified eukaryotic protein kinases. <i>Nucleic Acids Research</i> , 2009, 37, D244-D250.   | 6.5 | 83        |
| 514 | TmpL, a Transmembrane Protein Required for Intracellular Redox Homeostasis and Virulence in a Plant and an Animal Fungal Pathogen. <i>PLoS Pathogens</i> , 2009, 5, e1000653.  | 2.1 | 62        |
| 515 | TB database: an integrated platform for tuberculosis research. <i>Nucleic Acids Research</i> , 2009, 37, D499-D508.  | 6.5 | 201       |
| 516 | Transcriptional analysis of the response of <i>Neurospora crassa</i> to phytosphingosine reveals links to mitochondrial function. <i>Microbiology (United Kingdom)</i> , 2009, 155, 3134-3141.   | 0.7 | 23        |
| 517 | Transcriptional changes in the nuc-2A mutant strain of <i>Neurospora crassa</i> cultivated under conditions of phosphate shortage. <i>Microbiological Research</i> , 2009, 164, 658-664.   | 2.5 | 11        |
| 518 | Identification of a second family of genes in <i>Moniliophthora perniciosa</i> , the causal agent of witches' broom disease in cacao, encoding necrosis-inducing proteins similar to cerato-platanins. <i>Mycological Research</i> , 2009, 113, 61-72. | 2.5 | 41        |
| 519 | Identification, expression and functional analysis of U3 snoRNA genes from <i>Neurospora crassa</i> . <i>Progress in Natural Science: Materials International</i> , 2009, 19, 167-172.   | 1.8 | 2         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 520 | Phylogenetic diversity of stress signalling pathways in fungi. <i>BMC Evolutionary Biology</i> , 2009, 9, 44.  | 3.2 | 177       |
| 521 | SnoRNAs from the filamentous fungus <i>Neurospora crassa</i> : structural, functional and evolutionary insights. <i>BMC Genomics</i> , 2009, 10, 515.  | 1.2 | 15        |
| 522 | Exploring and dissecting genome-wide gene expression responses of <i>Penicillium chrysogenum</i> to phenylacetic acid consumption and penicillinG production. <i>BMC Genomics</i> , 2009, 10, 75.                        | 1.2 | 70        |
| 523 | Environmental stresses inhibit splicing in the aquatic fungus <i>Blastocladiella emersonii</i> . <i>BMC Microbiology</i> , 2009, 9, 231.   | 1.3 | 13        |
| 524 | Quelling targets the rDNA locus and functions in rDNA copy number control. <i>BMC Microbiology</i> , 2009, 9, 44.  | 1.3 | 25        |
| 525 | Fungal nitrilases as biocatalysts: Recent developments. <i>Biotechnology Advances</i> , 2009, 27, 661-670.   | 6.0 | 55        |
| 526 | A splice variant of the <i>Neurospora crassa</i> hexA transcript, which encodes the major protein of the Woronin body, is modulated by extracellular phosphate and pH changes. <i>FEBS Letters</i> , 2009, 583, 180-184. | 1.3 | 37        |
| 527 | Enzymatic characteristics of a Ser/Thr protein kinase, SpkA, from <i>Myxococcus xanthus</i> . <i>Journal of Bioscience and Bioengineering</i> , 2009, 107, 10-15.  | 1.1 | 1         |
| 528 | Structure-function relationships in telomerase genes. <i>Biology of the Cell</i> , 2009, 101, 375-406.   | 0.7 | 51        |
| 529 | Transposable elements: powerful facilitators of evolution. <i>BioEssays</i> , 2009, 31, 703-714.   | 1.2 | 242       |
| 530 | Chemical induction of silent biosynthetic pathway transcription in <i>Aspergillus niger</i> . <i>Journal of Industrial Microbiology and Biotechnology</i> , 2009, 36, 1199-1213.   | 1.4 | 148       |
| 531 | Functional characterization of tzn1 and tzn2-zinc transporter genes in <i>Neurospora crassa</i> . <i>BioMetals</i> , 2009, 22, 411-420.  | 1.8 | 13        |
| 532 | Fungal glycoside hydrolases for saccharification of lignocellulose: outlook for new discoveries fueled by genomics and functional studies. <i>Cellulose</i> , 2009, 16, 687-697.   | 2.4 | 32        |
| 533 | <i>Neurospora</i> as a model fungus for studies in cytogenetics and sexual biology at Stanford. <i>Journal of Biosciences</i> , 2009, 34, 139-159.   | 0.5 | 26        |
| 534 | <i>Neurospora crassa</i> fmf-1 encodes the homologue of the <i>Schizosaccharomyces pombe</i> Ste11p regulator of sexual development. <i>Journal of Genetics</i> , 2009, 88, 33-39.                                       | 0.4 | 15        |
| 535 | Genome-wide analysis of microsatellite sequence in seven filamentous fungi. <i>Interdisciplinary Sciences, Computational Life Sciences</i> , 2009, 1, 141-150.   | 2.2 | 26        |
| 536 | The BEM46-like protein appears to be essential for hyphal development upon ascospore germination in <i>Neurospora crassa</i> and is targeted to the endoplasmic reticulum. <i>Current Genetics</i> , 2009, 55, 151-161.  | 0.8 | 18        |
| 537 | A novel polyketide biosynthesis gene cluster is involved in fruiting body morphogenesis in the filamentous fungi <i>Sordaria macrospora</i> and <i>Neurospora crassa</i> . <i>Current Genetics</i> , 2009, 55, 185-198.  | 0.8 | 26        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 538 | Aegerolysins: Structure, function, and putative biological role. <i>Protein Science</i> , 2009, 18, 694-706.  | 3.1  | 70        |
| 539 | The <i>Magnaporthe grisea</i> class VII chitin synthase is required for normal appressorial development and function. <i>Molecular Plant Pathology</i> , 2009, 10, 81-94.   | 2.0  | 29        |
| 540 | Two NDR kinase-MOB complexes function as distinct modules during septum formation and tip extension in <i>Neurospora crassa</i> . <i>Molecular Microbiology</i> , 2009, 74, 707-723.  | 1.2  | 56        |
| 541 | Genome-wide analysis of light-inducible responses reveals hierarchical light signalling in <i>Neurospora</i> . <i>EMBO Journal</i> , 2009, 28, 1029-1042.   | 3.5  | 249       |
| 542 | Dancing genomes: fungal nuclear positioning. <i>Nature Reviews Microbiology</i> , 2009, 7, 875-886.   | 13.6 | 65        |
| 543 | Study of mRNA Expression by Real Time PCR of Cpkk1, Cpkk2 and Cpkk3, three MEKs of <i>Cryphonectria parasitica</i> , in Virus-free and Virus-infected Isogenic Isolates. <i>Journal of Phytopathology</i> , 2010, 158, 409-416. | 0.5  | 10        |
| 544 | Investigation of regulatory factors required for alternative oxidase production in <i>Neurospora crassa</i> . <i>Physiologia Plantarum</i> , 2009, 137, 407-418.  | 2.6  | 15        |
| 545 | A culture-independent study of free-living fungi in biological soil crusts of the Colorado Plateau: their diversity and relative contribution to microbial biomass. <i>Environmental Microbiology</i> , 2009, 11, 56-67.        | 1.8  | 113       |
| 546 | Dynamic carbon transfer during pathogenesis of sunflower by the necrotrophic fungus <i>Botrytis cinerea</i> : from plant hexoses to mannitol. <i>New Phytologist</i> , 2009, 183, 1149-1162.                                    | 3.5  | 61        |
| 547 | Diversity, regulation, and evolution of the gibberellin biosynthetic pathway in fungi compared to plants and bacteria. <i>Phytochemistry</i> , 2009, 70, 1876-1893.   | 1.4  | 285       |
| 548 | Tools for Fungal Proteomics: Multifunctional <i>Neurospora</i> Vectors for Gene Replacement, Protein Expression and Protein Purification. <i>Genetics</i> , 2009, 182, 11-23.   | 1.2  | 114       |
| 549 | Cloning and Characterization of <i>Rhodotorula glutinis</i> Thymine Hydroxylase. <i>Chemical Research in Toxicology</i> , 2009, 22, 885-893.  | 1.7  | 15        |
| 550 | Current status of systems biology in Aspergilli. <i>Fungal Genetics and Biology</i> , 2009, 46, S180-S190.  | 0.9  | 43        |
| 551 | Annotation of stress-response proteins in the aspergilli. <i>Fungal Genetics and Biology</i> , 2009, 46, S105-S120.   | 0.9  | 76        |
| 552 | A comparative genomic analysis of calcium and proton signaling/homeostasis in <i>Aspergillus</i> species. <i>Fungal Genetics and Biology</i> , 2009, 46, S93-S104.  | 0.9  | 36        |
| 553 | Structure-Function Relationships in Fungal Large-Subunit Catalases. <i>Journal of Molecular Biology</i> , 2009, 386, 218-232.   | 2.0  | 34        |
| 554 | Chapter 3 Genome Evolution in Plant Pathogenic and Symbiotic Fungi. <i>Advances in Botanical Research</i> , 2009, , 151-193.  | 0.5  | 21        |
| 556 | ALLPATHS 2: small genomes assembled accurately and with high continuity from short paired reads. <i>Genome Biology</i> , 2009, 10, R103.  | 13.9 | 151       |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 557 | De novo genome sequence assembly of a filamentous fungus using Sanger, 454 and Illumina sequence data. <i>Genome Biology</i> , 2009, 10, R94.  | 13.9 | 130       |
| 558 | The <i>Saccharomyces cerevisiae</i> PRM1 Homolog in <i>Neurospora crassa</i> Is Involved in Vegetative and Sexual Cell Fusion Events but Also Has Postfertilization Functions. <i>Genetics</i> , 2009, 181, 497-510.                       | 1.2  | 62        |
| 560 | Repeat-Induced Point Mutation (RIP) as an Alternative Mechanism of Evolution Toward Virulence in <i>Leptosphaeria maculans</i> . <i>Molecular Plant-Microbe Interactions</i> , 2009, 22, 932-941.  | 1.4  | 153       |
| 561 | Phylogenetic Analyses Reveal Monophyletic Origin of the Ergot Alkaloid Gene <i>dmaW</i> in Fungi. <i>Evolutionary Bioinformatics</i> , 2009, 5, EBO.S2633.   | 0.6  | 18        |
| 562 | DNA Slippage Occurs at Microsatellite Loci without Minimal Threshold Length in Humans: A Comparative Genomic Approach. <i>Genome Biology and Evolution</i> , 2010, 2, 325-335.   | 1.1  | 68        |
| 563 | Temporal and spatial in vivo optical analysis of microtubules in <i>Neurospora crassa</i> . , 2010, , .  |      | 6         |
| 564 | Potassium and sodium transport in non-animal cells: the Trk/Ktr/HKT transporter family. <i>Cellular and Molecular Life Sciences</i> , 2010, 67, 2511-2532.   | 2.4  | 215       |
| 565 | RNA interference pathways in filamentous fungi. <i>Cellular and Molecular Life Sciences</i> , 2010, 67, 3849-3863.   | 2.4  | 86        |
| 566 | Molecular characterization and isolation of cytochrome P450 genes from the filamentous fungus <i>Aspergillus oryzae</i> . <i>Archives of Microbiology</i> , 2010, 192, 395-408.  | 1.0  | 41        |
| 567 | Expression of ribonuclease A and ribonuclease N1 in the filamentous fungus <i>Neurospora crassa</i> . <i>Applied Microbiology and Biotechnology</i> , 2010, 85, 1041-1049.   | 1.7  | 9         |
| 568 | Geranylgeranyl diphosphate synthase genes in entomopathogenic fungi. <i>Applied Microbiology and Biotechnology</i> , 2010, 85, 1463-1472.  | 1.7  | 15        |
| 569 | Characterization of the family GH54 $\beta$ -L-arabinofuranosidases in <i>Penicillium funiculosum</i> , including a novel protein bearing a cellulose-binding domain. <i>Applied Microbiology and Biotechnology</i> , 2010, 87, 1007-1021. | 1.7  | 25        |
| 570 | Genome research profile of two <i>Cordyceps sinensis</i> cDNA libraries. <i>Science Bulletin</i> , 2010, 55, 1403-1411.  | 1.7  | 5         |
| 571 | Purification and Characterization of a Low Molecular Weight Endo-xylanase from Mushroom <i>Termitomyces clypeatus</i> . <i>Applied Biochemistry and Biotechnology</i> , 2010, 162, 373-389.  | 1.4  | 7         |
| 572 | The Fungal Genetics Stock Center: a repository for 50 years of fungal genetics research. <i>Journal of Biosciences</i> , 2010, 35, 119-126.  | 0.5  | 312       |
| 573 | Transcription of the <i>Neurospora crassa</i> 70-kDa class heat shock protein genes is modulated in response to extracellular pH changes. <i>Cell Stress and Chaperones</i> , 2010, 15, 225-231.   | 1.2  | 15        |
| 574 | Phylogenomics reveals subfamilies of fungal nonribosomal peptide synthetases and their evolutionary relationships. <i>BMC Evolutionary Biology</i> , 2010, 10, 26.   | 3.2  | 184       |
| 575 | Fungal Secretome Database: Integrated platform for annotation of fungal secretomes. <i>BMC Genomics</i> , 2010, 11, 105.   | 1.2  | 160       |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 576 | Comparative analysis of fungal protein kinases and associated domains. BMC Genomics, 2010, 11, 133.   | 1.2  | 43        |
| 577 | Multi-targeted priming for genome-wide gene expression assays. BMC Genomics, 2010, 11, 477.   | 1.2  | 14        |
| 578 | In silico reversal of repeat-induced point mutation (RIP) identifies the origins of repeat families and uncovers obscured duplicated genes. BMC Genomics, 2010, 11, 655.  | 1.2  | 41        |
| 579 | Systematic overrepresentation of DNA termini and underrepresentation of subterminal regions among sequencing templates prepared from hydrodynamically sheared linear DNA molecules. BMC Genomics, 2010, 11, 87. | 1.2  | 5         |
| 580 | Sordaria macrospora, a model organism to study fungal cellular development. European Journal of Cell Biology, 2010, 89, 864-872.  | 1.6  | 51        |
| 581 | Characterization of two different acyl carrier proteins in complex I from Yarrowia lipolytica. Biochimica Et Biophysica Acta - Bioenergetics, 2010, 1797, 152-159.  | 0.5  | 31        |
| 582 | Model organisms – A historical perspective. Journal of Proteomics, 2010, 73, 2054-2063.   | 1.2  | 76        |
| 583 | Characterization and reconstitution of a new fungal type III polyketide synthase from Aspergillus oryzae. Enzyme and Microbial Technology, 2010, 46, 575-580.   | 1.6  | 34        |
| 584 | Degradation of carbohydrate moieties of arabinogalactan-proteins by glycoside hydrolases from Neurospora crassa. Carbohydrate Research, 2010, 345, 2516-2522.   | 1.1  | 36        |
| 585 | Neurospora, a potential fungal organism for experimental and evolutionary ecology. Fungal Biology Reviews, 2010, 24, 85-89.   | 1.9  | 6         |
| 586 | Detection and response of the Neurospora crassa circadian clock to light and temperature. Fungal Biology Reviews, 2010, 24, 114-122.  | 1.9  | 7         |
| 587 | Conserved components, but distinct mechanisms for the placement and assembly of the cell division machinery in unicellular and filamentous ascomycetes. Molecular Microbiology, 2010, 78, 1058-1076.            | 1.2  | 51        |
| 588 | Epigenomic plasticity within populations: its evolutionary significance and potential. Heredity, 2010, 105, 113-121.  | 1.2  | 101       |
| 589 | DNA methylation and the formation of heterochromatin in Neurospora crassa. Heredity, 2010, 105, 38-44.  | 1.2  | 81        |
| 590 | Comparative genomics reveals mobile pathogenicity chromosomes in Fusarium. Nature, 2010, 464, 367-373.  | 13.7 | 1,442     |
| 591 | Genome sequence of the model mushroom Schizophyllum commune. Nature Biotechnology, 2010, 28, 957-963.   | 9.4  | 490       |
| 592 | Mapping of genes abundantly expressed during fruiting body formation of Lentinula edodes. Breeding Science, 2010, 60, 81-86.  | 0.9  | 2         |
| 593 | Characterization of the Temperature-Sensitive Mutations un-7 and png-1 in Neurospora crassa. PLoS ONE, 2010, 5, e10703.   | 1.1  | 11        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 594 | Evolution and Diversity of a Fungal Self/Nonself Recognition Locus. <i>PLoS ONE</i> , 2010, 5, e14055.  | 1.1 | 52        |
| 595 | Transcription Factors in Light and Circadian Clock Signaling Networks Revealed by Genomewide Mapping of Direct Targets for <i>Neurospora</i> White Collar Complex. <i>Eukaryotic Cell</i> , 2010, 9, 1549-1556.           | 3.4 | 187       |
| 596 | Genetic and Molecular Characterization of a Cryptochrome from the Filamentous Fungus <i>Neurospora crassa</i> . <i>Eukaryotic Cell</i> , 2010, 9, 738-750.  | 3.4 | 69        |
| 597 | Deletion of a Novel F-Box Protein, MUS-10, in <i>Neurospora crassa</i> Leads to Altered Mitochondrial Morphology, Instability of mtDNA and Senescence. <i>Genetics</i> , 2010, 185, 1257-1269.                            | 1.2 | 19        |
| 598 | Heptahelical Receptors GprC and GprD of <i>Aspergillus fumigatus</i> Are Essential Regulators of Colony Growth, Hyphal Morphogenesis, and Virulence. <i>Applied and Environmental Microbiology</i> , 2010, 76, 3989-3998. | 1.4 | 46        |
| 599 | QIP, a Component of the Vegetative RNA Silencing Pathway, Is Essential for Meiosis and Suppresses Meiotic Silencing in <i>Neurospora crassa</i> . <i>Genetics</i> , 2010, 186, 127-133.                                   | 1.2 | 21        |
| 600 | Confining euchromatin/heterochromatin territory: <i>jumonji</i> crosses the line. <i>Genes and Development</i> , 2010, 24, 1465-1478.   | 2.7 | 82        |
| 601 | GPR11, a Putative Seven-Transmembrane G Protein-Coupled Receptor, Controls Zoospore Development and Virulence of <i>Phytophthora sojae</i> . <i>Eukaryotic Cell</i> , 2010, 9, 242-250.                                   | 3.4 | 28        |
| 602 | Accidental Amplification and Inactivation of a Methyltransferase Gene Eliminates Cytosine Methylation in <i>Mycosphaerella graminicola</i> . <i>Genetics</i> , 2010, 186, 67-77.  | 1.2 | 34        |
| 603 | The Fungal Genome Initiative and Lessons Learned from Genome Sequencing. <i>Methods in Enzymology</i> , 2010, 470, 833-855.   | 0.4 | 58        |
| 604 | Mushrooms: Morphological complexity in the fungi. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 11655-11656.  | 3.3 | 27        |
| 605 | Roles of the Mdm10, Tom7, Mdm12, and Mmm1 Proteins in the Assembly of Mitochondrial Outer Membrane Proteins in <i>Neurospora crassa</i> . <i>Molecular Biology of the Cell</i> , 2010, 21, 1725-1736.                     | 0.9 | 57        |
| 606 | CUCU Modification of mRNA Promotes Decapping and Transcript Degradation in <i>Aspergillus nidulans</i> . <i>Molecular and Cellular Biology</i> , 2010, 30, 460-469.   | 1.1 | 48        |
| 607 | Rotenone Enhances the Antifungal Properties of Staurosporine. <i>Eukaryotic Cell</i> , 2010, 9, 906-914.  | 3.4 | 28        |
| 608 | The Next Generation Becomes the Now Generation. <i>PLoS Genetics</i> , 2010, 6, e1000906.   | 1.5 | 30        |
| 609 | De novo Assembly of a 40 Mb Eukaryotic Genome from Short Sequence Reads: <i>Sordaria macrospora</i> , a Model Organism for Fungal Morphogenesis. <i>PLoS Genetics</i> , 2010, 6, e1000891.                                | 1.5 | 169       |
| 610 | The NDR Kinase DBF-2 Is Involved in Regulation of Mitosis, Conidial Development, and Glycogen Metabolism in <i>Neurospora crassa</i> . <i>Eukaryotic Cell</i> , 2010, 9, 502-513.   | 3.4 | 22        |
| 611 | Analysis of Mitogen-Activated Protein Kinase Phosphorylation in Response to Stimulation of Histidine Kinase Signaling Pathways in <i>Neurospora</i> . <i>Methods in Enzymology</i> , 2010, 471, 319-334.                  | 0.4 | 4         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 612 | Interaction of Nerve Agent Antidotes with Cholinergic Systems. <i>Current Medicinal Chemistry</i> , 2010, 17, 1708-1718.  | 1.2  | 28        |
| 614 | Species concepts in <i>Calonectria</i> ( <i>Cylindrocladium</i> ). <i>Studies in Mycology</i> , 2010, 66, 1-13.   | 4.5  | 96        |
| 615 | Systems Biology of Industrial Microorganisms. , 2010, 120, 51-99.   |      | 14        |
| 616 | Insights into evolution of multicellular fungi from the assembled chromosomes of the mushroom <i>Coprinopsis cinerea</i> ( <i>Coprinus cinereus</i> ). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 11889-11894. | 3.3  | 389       |
| 617 | China's fungal genomics initiative: a whitepaper. <i>Mycology</i> , 2010, 1, 1-8.   | 2.0  | 14        |
| 618 | Fungal communities of lichen-dominated biological soil crusts: Diversity, relative microbial biomass, and their relationship to disturbance and crust cover. <i>Journal of Arid Environments</i> , 2010, 74, 1192-1199.   | 1.2  | 99        |
| 619 | Genome-wide prediction of G protein-coupled receptors in <i>Verticillium</i> spp.. <i>Fungal Biology</i> , 2010, 114, 359-368.  | 1.1  | 21        |
| 620 | A complex photoreceptor system mediates the regulation by light of the conidiation genes <i>con-10</i> and <i>con-6</i> in <i>Neurospora crassa</i> . <i>Fungal Genetics and Biology</i> , 2010, 47, 352-363.   | 0.9  | 75        |
| 621 | The filamentous fungal gene expression database (FFGED). <i>Fungal Genetics and Biology</i> , 2010, 47, 199-204.  | 0.9  | 32        |
| 622 | SMURF: Genomic mapping of fungal secondary metabolite clusters. <i>Fungal Genetics and Biology</i> , 2010, 47, 736-741.   | 0.9  | 698       |
| 623 | High density analysis of randomly selected <i>Neurospora</i> octads reveals conversion associated with crossovers located between <i>cog</i> and <i>his-3</i> . <i>Fungal Genetics and Biology</i> , 2010, 47, 847-854.   | 0.9  | 6         |
| 624 | <i>Neurospora</i> illuminates fungal photoreception. <i>Fungal Genetics and Biology</i> , 2010, 47, 922-929.  | 0.9  | 101       |
| 625 | A role in the regulation of transcription by light for <i>RCO-1</i> and <i>RCM-1</i> , the <i>Neurospora</i> homologs of the yeast Tup1-Ssn6 repressor. <i>Fungal Genetics and Biology</i> , 2010, 47, 939-952.   | 0.9  | 30        |
| 626 | Fungal secondary metabolite biosynthesis – a chemical defence strategy against antagonistic animals?. <i>Fungal Ecology</i> , 2010, 3, 107-114.   | 0.7  | 35        |
| 627 | Epigenome manipulation as a pathway to new natural product scaffolds and their congeners. <i>Natural Product Reports</i> , 2010, 27, 11-22.   | 5.2  | 266       |
| 628 | Genome sequence of the necrotrophic plant pathogen <i>Pythium ultimum</i> reveals original pathogenicity mechanisms and effector repertoire. <i>Genome Biology</i> , 2010, 11, R73.   | 13.9 | 391       |
| 631 | Mapping of Lysine Methylation and Acetylation in Core Histones of <i>Neurospora crassa</i> . <i>Biochemistry</i> , 2010, 49, 5236-5243.   | 1.2  | 21        |
| 632 | A predicted protein-protein interaction network of the filamentous fungus <i>Neurospora crassa</i> . <i>Molecular BioSystems</i> , 2011, 7, 2278.   | 2.9  | 29        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 633 | Neurosporaside, a Tetraglycosylated Sphingolipid from <i>Neurospora crassa</i> . Journal of Natural Products, 2011, 74, 554-558.  | 1.5  | 9         |
| 634 | Yeast water channels: an overview of orthodox aquaporins. Biology of the Cell, 2011, 103, 35-54.  | 0.7  | 29        |
| 635 | 6 Mating Type in Basidiomycetes: Unipolar, Bipolar, and Tetrapolar Patterns of Sexuality. , 2011, , 97-160.   |      | 81        |
| 636 | Sex in Fungi. Annual Review of Genetics, 2011, 45, 405-430.   | 3.2  | 257       |
| 637 | 9 Genomic and Comparative Analysis of the Class Dothideomycetes. , 2011, , 205-229.   |      | 5         |
| 638 | 10 Evolution of Genes for Secondary Metabolism in Fungi. , 2011, , 231-255.   |      | 6         |
| 639 | Enzymatic hydrolysis of cellulosic biomass. Biofuels, 2011, 2, 421-449.   | 1.4  | 450       |
| 640 | Identification and Annotation of Repetitive Sequences in Fungal Genomes. Methods in Molecular Biology, 2011, 722, 33-50.  | 0.4  | 2         |
| 641 | Poly(ADP-ribose) Polymerase. Methods in Molecular Biology, 2011, , .  | 0.4  | 1         |
| 642 | Genome sequence of the insect pathogenic fungus <i>Cordyceps militaris</i> , a valued traditional chinese medicine. Genome Biology, 2011, 12, R116.                                   | 13.9 | 359       |
| 643 | Cellobiose Dehydrogenase and a Copper-Dependent Polysaccharide Monooxygenase Potentiate Cellulose Degradation by <i>Neurospora crassa</i> . ACS Chemical Biology, 2011, 6, 1399-1406. | 1.6  | 568       |
| 644 | Industrial Applications. , 2011, , .  |      | 9         |
| 646 | Insight into Structure and Assembly of the Nuclear Pore Complex by Utilizing the Genome of a Eukaryotic Thermophile. Cell, 2011, 146, 277-289.  | 13.5 | 232       |
| 647 | Architecture and development of the <i>Neurospora crassa</i> hypha "a model cell for polarized growth. Fungal Biology, 2011, 115, 446-474.  | 1.1  | 124       |
| 648 | Meiotic silencing in the homothallic fungus <i>Gibberella zeae</i> . Fungal Biology, 2011, 115, 1290-1302.  | 1.1  | 61        |
| 649 | Genomic evidence of repeat-induced point mutation (RIP) in filamentous ascomycetes. Fungal Genetics and Biology, 2011, 48, 306-326.   | 0.9  | 115       |
| 650 | Gel-based mass spectrometric and computational approaches to the mitochondrial proteome of <i>Neurospora</i> . Fungal Genetics and Biology, 2011, 48, 526-536.                        | 0.9  | 18        |
| 651 | Differential roles of the phospholipase C genes in fungal development and pathogenicity of <i>Magnaporthe oryzae</i> . Fungal Genetics and Biology, 2011, 48, 445-455.                | 0.9  | 37        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 652 | Identification and characterization of putative osmosensors, HwSho1A and HwSho1B, from the extremely halotolerant black yeast <i>Hortaea werneckii</i> . <i>Fungal Genetics and Biology</i> , 2011, 48, 475-484.                | 0.9 | 14        |
| 653 | Carrefour Mme. Gras: A wild-isolated <i>Neurospora crassa</i> strain that suppresses meiotic silencing by unpaired DNA and uncovers a novel ascospore stability defect. <i>Fungal Genetics and Biology</i> , 2011, 48, 612-620. | 0.9 | 7         |
| 654 | Modulation of fungal sensitivity to staurosporine by targeting proteins identified by transcriptional profiling. <i>Fungal Genetics and Biology</i> , 2011, 48, 1130-1138.  | 0.9 | 19        |
| 656 | Expression of cellobiose dehydrogenase from <i>Neurospora crassa</i> in <i>Pichia pastoris</i> and its purification and characterization. <i>Protein Expression and Purification</i> , 2011, 75, 63-69.                         | 0.6 | 38        |
| 657 | Genome-wide analysis of fungal manganese transporters, with an emphasis on <i>Phanerochaete chrysosporium</i> . <i>Environmental Microbiology Reports</i> , 2011, 3, 367-382.   | 1.0 | 12        |
| 658 | The Genetics of Circadian Rhythms in <i>Neurospora</i> . <i>Advances in Genetics</i> , 2011, 74, 55-103.  | 0.8 | 30        |
| 659 | Basidiomycetes Telomeres – A Bioinformatics Approach. , 0, , .  |     | 4         |
| 660 | Methodology Identification of 18 genes encoding necrosis-inducing proteins from the plant pathogen <i>Phytophthora capsici</i> (Pythiaceae: Oomycetes). <i>Genetics and Molecular Research</i> , 2011, 10, 910-922.             | 0.3 | 16        |
| 661 | Epigenetics of Eukaryotic Microbes. , 2011, , 185-201.  |     | 1         |
| 662 | Genome Characterization of the Oleaginous Fungus <i>Mortierella alpina</i> . <i>PLoS ONE</i> , 2011, 6, e28319.   | 1.1 | 133       |
| 663 | Functional Characterization and Cellular Dynamics of the CDC-42 – RAC – CDC-24 Module in <i>Neurospora crassa</i> . <i>PLoS ONE</i> , 2011, 6, e27148.  | 1.1 | 58        |
| 664 | Evolution of Multicopper Oxidase Genes in Coprophilous and Non-Coprophilous Members of the Order Sordariales. <i>Current Genomics</i> , 2011, 12, 95-103.   | 0.7 | 23        |
| 666 | Strategies for DNA methylation analysis in developmental studies. <i>Development Growth and Differentiation</i> , 2011, 53, 287-299.  | 0.6 | 4         |
| 667 | Role of cell wall bound calcium in <i>Neurospora crassa</i> . <i>Microbiological Research</i> , 2011, 166, 419-429.   | 2.5 | 7         |
| 668 | Exploring the processes of DNA repair and homologous integration in <i>Neurospora</i> . <i>Mutation Research - Reviews in Mutation Research</i> , 2011, 728, 1-11.  | 2.4 | 14        |
| 669 | Functional categorization of unique expressed sequence tags obtained from the yeast-like growth phase of the elm pathogen <i>Ophiostoma novo-ulmi</i> . <i>BMC Genomics</i> , 2011, 12, 431.                                    | 1.2 | 11        |
| 670 | <i>Neurospora</i> . <i>Current Biology</i> , 2011, 21, R139-R140.   | 1.8 | 15        |
| 671 | Light input and processing in the circadian clock of <i>Neurospora</i> . <i>FEBS Letters</i> , 2011, 585, 1467-1473.  | 1.3 | 56        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 672 | Exploring the bZIP transcription factor regulatory network in <i>Neurospora crassa</i> . <i>Microbiology (United Kingdom)</i> , 2011, 157, 747-759.  | 0.7 | 58        |
| 673 | A factor in a wild isolated <i>Neurospora crassa</i> strain enables a chromosome segment duplication to suppress repeat-induced point mutation. <i>Journal of Biosciences</i> , 2011, 36, 817-821.       | 0.5 | 2         |
| 674 | Dynamics of mitochondria during the <i>Neurospora crassa</i> tip growth. <i>Biochemistry (Moscow) Supplement Series A: Membrane and Cell Biology</i> , 2011, 5, 316-323.                                 | 0.3 | 0         |
| 675 | Cloning and characterization of a type III polyketide synthase from <i>Aspergillus niger</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 6085-6089.                                  | 1.0 | 42        |
| 676 | <i>Neurospora crassa</i> homologue of Neuronal Calcium Sensor-1 has a role in growth, calcium stress tolerance, and ultraviolet survival. <i>Genetica</i> , 2011, 139, 885-894.                          | 0.5 | 19        |
| 677 | Survey and analysis of simple sequence repeats in the <i>Laccaria bicolor</i> genome, with development of microsatellite markers. <i>Current Genetics</i> , 2011, 57, 75-88.                             | 0.8 | 38        |
| 678 | Exo-metabolome of some fungal isolates growing on cork-based medium. <i>European Food Research and Technology</i> , 2011, 232, 575-582.  | 1.6 | 6         |
| 679 | Genome-Wide Comparative Analysis of pogo-Like Transposable Elements in Different <i>Fusarium</i> Species. <i>Journal of Molecular Evolution</i> , 2011, 73, 230-243.                                     | 0.8 | 20        |
| 680 | Fungal enzyme sets for plant polysaccharide degradation. <i>Applied Microbiology and Biotechnology</i> , 2011, 91, 1477-1492.  | 1.7 | 563       |
| 681 | The struggle for life of the genome's selfish architects. <i>Biology Direct</i> , 2011, 6, 19.   | 1.9 | 198       |
| 682 | OmniMapFree: A unified tool to visualise and explore sequenced genomes. <i>BMC Bioinformatics</i> , 2011, 12, 447.   | 1.2 | 11        |
| 683 | Array Comparative Genomic Hybridizations: Assessing the ability to recapture evolutionary relationships using an in silico approach. <i>BMC Genomics</i> , 2011, 12, 456.                                | 1.2 | 4         |
| 684 | Characterization and mode of action of two acetyl xylan esterases from <i>Chrysosporium lucknowense</i> C1 active towards acetylated xylans. <i>Enzyme and Microbial Technology</i> , 2011, 49, 312-320. | 1.6 | 39        |
| 685 | Expression of Fungal <i>diacylglycerol acyltransferase2</i> Genes to Increase Kernel Oil in Maize. <i>Plant Physiology</i> , 2011, 155, 1146-1157.   | 2.3 | 55        |
| 686 | Catalytic Properties and Classification of Cellobiose Dehydrogenases from Ascomycetes. <i>Applied and Environmental Microbiology</i> , 2011, 77, 1804-1815.  | 1.4 | 122       |
| 687 | Global Analysis of Serine-Threonine Protein Kinase Genes in <i>Neurospora crassa</i> . <i>Eukaryotic Cell</i> , 2011, 10, 1553-1564.   | 3.4 | 89        |
| 688 | A Pmk1-Interacting Gene Is Involved in Appressorium Differentiation and Plant Infection in <i>Magnaporthe oryzae</i> . <i>Eukaryotic Cell</i> , 2011, 10, 1062-1070.                                     | 3.4 | 31        |
| 689 | Curation of characterized glycoside hydrolases of Fungal origin. <i>Database: the Journal of Biological Databases and Curation</i> , 2011, 2011, bar020-bar020.  | 1.4 | 97        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 690 | A new diet for yeast to improve biofuel production. <i>Bioengineered Bugs</i> , 2011, 2, 199-202.  | 2.0 | 3         |
| 691 | Post-genomic approaches to understanding interactions between fungi and their environment. <i>IMA Fungus</i> , 2011, 2, 81-86.   | 1.7 | 11        |
| 692 | Heterochromatin Is Required for Normal Distribution of <i>Neurospora crassa</i> CenH3. <i>Molecular and Cellular Biology</i> , 2011, 31, 2528-2542.  | 1.1 | 107       |
| 693 | Myosin concentration underlies cell size-dependent scalability of actomyosin ring constriction. <i>Journal of Cell Biology</i> , 2011, 195, 799-813.   | 2.3 | 50        |
| 694 | Bulk Segregant Analysis Followed by High-Throughput Sequencing Reveals the <i>Neurospora</i> Cell Cycle Gene, <i>ndc-1</i> , To Be Allelic with the Gene for Ornithine Decarboxylase, <i>spe-1</i> . <i>Eukaryotic Cell</i> , 2011, 10, 724-733. | 3.4 | 67        |
| 695 | RIC8 Is a Guanine-Nucleotide Exchange Factor for G $\alpha$ Subunits That Regulates Growth and Development in <i>Neurospora crassa</i> . <i>Genetics</i> , 2011, 189, 165-176.   | 1.2 | 34        |
| 696 | Traffic of Chitin Synthase 1 (CHS-1) to the Spitzenkörper and Developing Septa in Hyphae of <i>Neurospora crassa</i> : Actin Dependence and Evidence of Distinct Microvesicle Populations. <i>Eukaryotic Cell</i> , 2011, 10, 683-695.           | 3.4 | 85        |
| 697 | Fungal photobiology: a synopsis. <i>IMA Fungus</i> , 2011, 2, 25-28.   | 1.7 | 26        |
| 698 | Evolutionary Origins of the Fumonisin Secondary Metabolite Gene Cluster in <i>Fusarium verticillioides</i> and <i>Aspergillus niger</i> . <i>International Journal of Evolutionary Biology</i> , 2011, 1-7.                                      | 1.0 | 80        |
| 699 | Evolution of the Insect Yellow Gene Family. <i>Molecular Biology and Evolution</i> , 2011, 28, 257-272.  | 3.5 | 114       |
| 700 | A Genome-wide Screen for <i>Neurospora crassa</i> Transcription Factors Regulating Glycogen Metabolism. <i>Molecular and Cellular Proteomics</i> , 2011, 10, M111.007963.  | 2.5 | 27        |
| 701 | Population genomics and local adaptation in wild isolates of a model microbial eukaryote. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 2831-2836.   | 3.3 | 238       |
| 702 | Genome Sequencing and Comparative Transcriptomics of the Model Entomopathogenic Fungi <i>Metarhizium anisopliae</i> and <i>M. acridum</i> . <i>PLoS Genetics</i> , 2011, 7, e1001264.  | 1.5 | 542       |
| 703 | Dehydrogenase GRD1 Represents a Novel Component of the Cellulase Regulon in <i>Trichoderma reesei</i> ( <i>Hypocrea jecorina</i> ). <i>Applied and Environmental Microbiology</i> , 2011, 77, 4553-4563.   | 1.4 | 28        |
| 704 | Genomic and Proteomic Analyses of the Fungus <i>Arthrobotrys oligospora</i> Provide Insights into Nematode-Trap Formation. <i>PLoS Pathogens</i> , 2011, 7, e1002179.  | 2.1 | 239       |
| 705 | Rediscovery by Whole Genome Sequencing: Classical Mutations and Genome Polymorphisms in <i>Neurospora crassa</i> . <i>G3: Genes, Genomes, Genetics</i> , 2011, 1, 303-316.   | 0.8 | 68        |
| 706 | Phylogenomic analysis of polyketide synthase-encoding genes in <i>Trichoderma</i> . <i>Microbiology (United Kingdom)</i> , 2011, 157, 1071-1081.   | 0.7 | 71        |
| 707 | Large-Scale Introgression Shapes the Evolution of the Mating-Type Chromosomes of the Filamentous Ascomycete <i>Neurospora tetrasperma</i> . <i>PLoS Genetics</i> , 2012, 8, e1002820.  | 1.5 | 41        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 708 | Diverse Lifestyles and Strategies of Plant Pathogenesis Encoded in the Genomes of Eighteen Dothideomycetes Fungi. <i>PLoS Pathogens</i> , 2012, 8, e1003037.  | 2.1  | 595       |
| 709 | Cooperation among germinating spores facilitates the growth of the fungus, <i>Neurospora crassa</i> . <i>Biology Letters</i> , 2012, 8, 419-422.  | 1.0  | 48        |
| 710 | FungiDB: an integrated functional genomics database for fungi. <i>Nucleic Acids Research</i> , 2012, 40, D675-D681.   | 6.5  | 321       |
| 711 | Genome-Wide Selection on Codon Usage at the Population Level in the Fungal Model Organism <i>Neurospora crassa</i> . <i>Molecular Biology and Evolution</i> , 2012, 29, 1975-1986.  | 3.5  | 21        |
| 712 | The translinâ€“TRAX complex (C3PO) is a ribonuclease in tRNA processing. <i>Nature Structural and Molecular Biology</i> , 2012, 19, 824-830.  | 3.6  | 30        |
| 713 | Electrical Phenotypes of Calcium Transport Mutant Strains of a Filamentous Fungus, <i>Neurospora crassa</i> . <i>Eukaryotic Cell</i> , 2012, 11, 694-702.   | 3.4  | 8         |
| 714 | Quantitative Secretomic Analysis of <i>Trichoderma reesei</i> Strains Reveals Enzymatic Composition for Lignocellulosic Biomass Degradation. <i>Molecular and Cellular Proteomics</i> , 2012, 11, M111.012419-1-M111.012419-15.                                 | 2.5  | 126       |
| 715 | <i>Neurospora crassa</i> Light Signal Transduction Is Affected by ROS. <i>Journal of Signal Transduction</i> , 2012, 2012, 1-13.  | 2.0  | 28        |
| 716 | Role of the AFRD1-encoded fumarate reductase in hypoxia and osmotolerance in <i>Arxula adenivorans</i> . <i>FEMS Yeast Research</i> , 2012, 12, 924-937.  | 1.1  | 4         |
| 717 | Genomic tillage and the harvest of fungal phytopathogens. <i>New Phytologist</i> , 2012, 196, 1015-1023.  | 3.5  | 34        |
| 718 | The Plant Host <i>Brassica napus</i> Induces in the Pathogen <i>Verticillium longisporum</i> the Expression of Functional Catalase Peroxidase Which Is Required for the Late Phase of Disease. <i>Molecular Plant-Microbe Interactions</i> , 2012, 25, 569-581. | 1.4  | 55        |
| 719 | Genome evolution in filamentous plant pathogens: why bigger can be better. <i>Nature Reviews Microbiology</i> , 2012, 10, 417-430.  | 13.6 | 735       |
| 720 | The <i>Neurospora crassa</i> chr-1 gene is up-regulated by chromate and its encoded CHR-1 protein causes chromate sensitivity and chromium accumulation. <i>Current Genetics</i> , 2012, 58, 281-290.   | 0.8  | 23        |
| 721 | Centromeres of filamentous fungi. <i>Chromosome Research</i> , 2012, 20, 635-656.   | 1.0  | 79        |
| 722 | The mechanistic basis of self-fusion between conidial anastomosis tubes during fungal colony initiation. <i>Fungal Biology Reviews</i> , 2012, 26, 1-11.  | 1.9  | 71        |
| 723 | Functional analysis of glycoside hydrolase family 18 and 20 genes in <i>Neurospora crassa</i> . <i>Fungal Genetics and Biology</i> , 2012, 49, 717-730.   | 0.9  | 73        |
| 724 | SKIP Is a Component of the Spliceosome Linking Alternative Splicing and the Circadian Clock in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2012, 24, 3278-3295.  | 3.1  | 198       |
| 725 | The <i>Botrytis cinerea</i> type III polyketide synthase shows unprecedented high catalytic efficiency toward long chain acyl-CoAs. <i>Molecular BioSystems</i> , 2012, 8, 2864.  | 2.9  | 40        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 726 | Genomic perspectives on the evolution of fungal entomopathogenicity in <i>Beauveria bassiana</i> . <i>Scientific Reports</i> , 2012, 2, 483.   | 1.6  | 512       |
| 727 | On-Target Labeling of Intracellular Metabolites Combined with Chemical Mapping of Individual Hyphae Revealing Cytoplasmic Relocation of Isotopologues. <i>Analytical Chemistry</i> , 2012, 84, 5110-5116.                    | 3.2  | 14        |
| 728 | A Role for Small RNAs in DNA Double-Strand Break Repair. <i>Cell</i> , 2012, 149, 101-112.   | 13.5 | 537       |
| 729 | GiFRD encodes a protein involved in anaerobic growth in the arbuscular mycorrhizal fungus <i>Glomus intraradices</i> . <i>Fungal Genetics and Biology</i> , 2012, 49, 313-321.   | 0.9  | 1         |
| 730 | Use of fluorescent protein to analyse recombination at three loci in <i>Neurospora crassa</i> . <i>Fungal Genetics and Biology</i> , 2012, 49, 619-625.  | 0.9  | 5         |
| 731 | Self/nonself recognition in <i>Tuber melanosporum</i> is not mediated by a heterokaryon incompatibility system. <i>Fungal Biology</i> , 2012, 116, 261-275.  | 1.1  | 34        |
| 732 | <i>Neurospora</i> as a model to empirically test central hypotheses in eukaryotic genome evolution. <i>BioEssays</i> , 2012, 34, 934-937.  | 1.2  | 3         |
| 733 | Cloning, purification, and characterization of galactomannan-degrading enzymes from <i>Myceliophthora thermophila</i> . <i>Biochemistry (Moscow)</i> , 2012, 77, 1303-1311.  | 0.7  | 21        |
| 734 | Transcriptome analysis of the honey bee fungal pathogen, <i>Ascospaera apis</i> : implications for host pathogenesis. <i>BMC Genomics</i> , 2012, 13, 285.   | 1.2  | 36        |
| 735 | The adjacent positioning of co-regulated gene pairs is widely conserved across eukaryotes. <i>BMC Genomics</i> , 2012, 13, 546.  | 1.2  | 42        |
| 736 | Post-genomic analyses of fungal lignocellulosic biomass degradation reveal the unexpected potential of the plant pathogen <i>Ustilago maydis</i> . <i>BMC Genomics</i> , 2012, 13, 57.                                       | 1.2  | 135       |
| 738 | Regulation of expression, activity and localization of fungal chitin synthases. <i>Medical Mycology</i> , 2012, 50, 2-17.  | 0.3  | 41        |
| 739 | Graphite electrodes modified with <i>Neurospora crassa</i> cellobiose dehydrogenase: Comparative electrochemical characterization under direct and mediated electron transfer. <i>Bioelectrochemistry</i> , 2012, 88, 84-91. | 2.4  | 15        |
| 740 | Production of recombinant proteins by filamentous fungi. <i>Biotechnology Advances</i> , 2012, 30, 1119-1139.  | 6.0  | 198       |
| 741 | Isolation and functional characterization of <i>Sporothrix schenckii</i> ROT2, the encoding gene for the endoplasmic reticulum glucosidase II. <i>Fungal Biology</i> , 2012, 116, 910-918.                                   | 1.1  | 23        |
| 742 | RNA Interference and Functional Genomics in Fungi. , 2012, , 773-792.  |      | 1         |
| 743 | Molecular analysis of mutants of the <i>Neurospora adenylsuccinate</i> synthetase locus. <i>Journal of Genetics</i> , 2012, 91, 199-204.   | 0.4  | 6         |
| 744 | Mapping N-Linked Glycosylation Sites in the Secretome and Whole Cells of <i>Aspergillus niger</i> Using Hydrazide Chemistry and Mass Spectrometry. <i>Journal of Proteome Research</i> , 2012, 11, 143-156.                  | 1.8  | 62        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 745 | Neurofibromatosis Type 1. , 2012, , .   |     | 23        |
| 746 | Signaling and Communication in Plant Symbiosis. Signaling and Communication in Plants, 2012, , .  | 0.5 | 20        |
| 747 | RNA Abundance Analysis. Methods in Molecular Biology, 2012, , .   | 0.4 | 3         |
| 748 | Biocommunication of Fungi. , 2012, , .  |     | 22        |
| 749 | WSC-1 and HAM-7 Are MAK-1 MAP Kinase Pathway Sensors Required for Cell Wall Integrity and Hyphal Fusion in <i>Neurospora crassa</i> . PLoS ONE, 2012, 7, e42374.  | 1.1 | 60        |
| 750 | Ambient pH Controls Glycogen Levels by Regulating Glycogen Synthase Gene Expression in <i>Neurospora crassa</i> . New Insights into the pH Signaling Pathway. PLoS ONE, 2012, 7, e44258.                      | 1.1 | 29        |
| 751 | The Essential Phosphoinositide Kinase MSS-4 Is Required for Polar Hyphal Morphogenesis, Localizing to Sites of Growth and Cell Fusion in <i>Neurospora crassa</i> . PLoS ONE, 2012, 7, e51454.                | 1.1 | 30        |
| 752 | Activation of the Dormant Secondary Metabolite Production by Introducing Gentamicin-Resistance in a Marine-Derived <i>Penicillium purpurogenum</i> G59. Marine Drugs, 2012, 10, 559-582.                      | 2.2 | 69        |
| 753 | Effect of Environmental Change on Secondary Metabolite Production in Lichen-Forming Fungi. , 0, , .   |     | 18        |
| 754 | Evolutionary Analysis of Sequence Divergence and Diversity of Duplicate Genes in <i>Aspergillus fumigatus</i> . Evolutionary Bioinformatics, 2012, 8, EBO.S10372.   | 0.6 | 10        |
| 755 | Unidirectional Evolutionary Transitions in Fungal Mating Systems and the Role of Transposable Elements. Molecular Biology and Evolution, 2012, 29, 3215-3226.   | 3.5 | 96        |
| 756 | In Silico Characterization and Molecular Evolutionary Analysis of a Novel Superfamily of Fungal Effector Proteins. Molecular Biology and Evolution, 2012, 29, 3371-3384.                                      | 3.5 | 90        |
| 757 | Conserved and essential transcription factors for cellulase gene expression in ascomycete fungi. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 7397-7402.       | 3.3 | 326       |
| 758 | Expression of mitochondrial malate dehydrogenase in <i>Escherichia coli</i> improves phosphate solubilization. Annals of Microbiology, 2012, 62, 607-614.   | 1.1 | 14        |
| 759 | Overexpression and characterization of recombinant glutamate decarboxylase from <i>Thermococcus kodakaraensis</i> KOD1. Journal of the Korean Society for Applied Biological Chemistry, 2012, 55, 213-218.    | 0.9 | 7         |
| 760 | Using a model filamentous fungus to unravel mechanisms of lignocellulose deconstruction. Biotechnology for Biofuels, 2013, 6, 6.  | 6.2 | 70        |
| 761 | Toward genome-enabled mycology. Mycologia, 2013, 105, 1339-1349.  | 0.8 | 38        |
| 762 | Increased production of fatty acids and triglycerides in <i>Aspergillus oryzae</i> by enhancing expressions of fatty acid synthesis-related genes. Applied Microbiology and Biotechnology, 2013, 97, 269-281. | 1.7 | 67        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 763 | Recent Advances in Septum Biogenesis in <i>Neurospora crassa</i> . <i>Advances in Genetics</i> , 2013, 83, 99-134.  | 0.8 | 36        |
| 764 | The genome and transcriptome of the pine saprophyte <i>Ophiostoma piceae</i> , and a comparison with the bark beetle-associated pine pathogen <i>Grosmannia clavigera</i> . <i>BMC Genomics</i> , 2013, 14, 373.    | 1.2 | 72        |
| 765 | Global analyses of <i>Ceratocystis cacaofunesta</i> mitochondria: from genome to proteome. <i>BMC Genomics</i> , 2013, 14, 91.  | 1.2 | 17        |
| 766 | Genomics of Soil- and Plant-Associated Fungi. <i>Soil Biology</i> , 2013, , .   | 0.6 | 8         |
| 767 | Characterizations and functions of regulator of G protein signaling (RGS) in fungi. <i>Applied Microbiology and Biotechnology</i> , 2013, 97, 7977-7987.  | 1.7 | 32        |
| 768 | Coprophilous fungi: antibiotic discovery and functions in an underexplored arena of microbial defensive mutualism. <i>Current Opinion in Microbiology</i> , 2013, 16, 549-565.                                      | 2.3 | 65        |
| 769 | Regulation of transcription by light in <i>Neurospora crassa</i> : A model for fungal photobiology?. <i>Fungal Biology Reviews</i> , 2013, 27, 10-18.   | 1.9 | 25        |
| 770 | Polygalacturonases from <i>Moniliophthora perniciosa</i> are regulated by fermentable carbon sources and possible post-translational modifications. <i>Fungal Genetics and Biology</i> , 2013, 60, 110-121.         | 0.9 | 7         |
| 771 | Direct cellobiose production from cellulose using sextuple beta-glucosidase gene deletion <i>Neurospora crassa</i> mutants. <i>Enzyme and Microbial Technology</i> , 2013, 52, 184-189.                             | 1.6 | 23        |
| 772 | <i>Neurospora crassa</i> , a Model System for Epigenetics Research. <i>Cold Spring Harbor Perspectives in Biology</i> , 2013, 5, a017921-a017921.   | 2.3 | 131       |
| 773 | <i>Neurospora crassa</i> ncs-1, mid-1 and nca-2 double-mutant phenotypes suggest diverse interaction among three Ca <sup>2+</sup> -regulating gene products. <i>Journal of Genetics</i> , 2013, 92, 559-563.        | 0.4 | 16        |
| 774 | Return of the Fungi. <i>Industrial Biotechnology</i> , 2013, 9, 328-330.  | 0.5 | 0         |
| 775 | Overexpression of <i>Neurospora crassa</i> OR74A glutamate decarboxylase in <i>Escherichia coli</i> for efficient GABA production. <i>Biotechnology and Bioprocess Engineering</i> , 2013, 18, 1062-1066.           | 1.4 | 12        |
| 776 | Analysis of a conserved cellulase transcriptional regulator reveals inducer-independent production of cellulolytic enzymes in <i>Neurospora crassa</i> . <i>MicrobiologyOpen</i> , 2013, 2, 595-609.                | 1.2 | 125       |
| 777 | Transcriptional, biochemical and histochemical investigation on laccase expression during <i>Tuber melanosporum</i> Vittad. development. <i>Phytochemistry</i> , 2013, 87, 23-29.                                   | 1.4 | 13        |
| 779 | Regulated gene silencing in the fungal pathogen <i>Ophiostoma novo-ulmi</i> . <i>Physiological and Molecular Plant Pathology</i> , 2013, 82, 28-34.   | 1.3 | 4         |
| 780 | Crystal structure of the N-terminal domain of a glycoside hydrolase family 131 protein from <i>Coprinopsis cinerea</i> . <i>FEBS Letters</i> , 2013, 587, 2193-2198.  | 1.3 | 6         |
| 781 | Characterization of two cellobiose dehydrogenases and comparison of their contributions to total activity in <i>Neurospora crassa</i> . <i>International Biodeterioration and Biodegradation</i> , 2013, 82, 24-32. | 1.9 | 9         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 782 | Consistent mutational paths predict eukaryotic thermostability. <i>BMC Evolutionary Biology</i> , 2013, 13, 7.  | 3.2 | 60        |
| 783 | Sequencing and annotation of the <i>Ophiostoma ulmigenome</i> . <i>BMC Genomics</i> , 2013, 14, 162.  | 1.2 | 40        |
| 784 | Bioremediation and Genetically Modified Organisms. <i>Soil Biology</i> , 2013, , 433-451.   | 0.6 | 11        |
| 785 | Biotechnological production of ethanol from renewable resources by <i>Neurospora crassa</i> : an alternative to conventional yeast fermentations?. <i>Applied Microbiology and Biotechnology</i> , 2013, 97, 1457-1473.           | 1.7 | 46        |
| 786 | Staining Techniques and Biochemical Methods for the Identification of Fungi. , 2013, , 237-257.   |     | 5         |
| 787 | Toward systems metabolic engineering of <i>Aspergillus</i> and <i>Pichia</i> species for the production of chemicals and biofuels. <i>Biotechnology Journal</i> , 2013, 8, 534-544.   | 1.8 | 18        |
| 788 | The bacterial secondary metabolite 2,4-diacetylphloroglucinol impairs mitochondrial function and affects calcium homeostasis in <i>Neurospora crassa</i> . <i>Fungal Genetics and Biology</i> , 2013, 56, 135-146.                | 0.9 | 22        |
| 789 | Genetics of <i>Cordyceps</i> and related fungi. <i>Applied Microbiology and Biotechnology</i> , 2013, 97, 2797-2804.  | 1.7 | 54        |
| 790 | Transcriptional profiling of <i>Neurospora crassa</i> $\Delta$ mak-2 reveals that mitogen-activated protein kinase MAK-2 participates in the phosphate signaling pathway. <i>Fungal Genetics and Biology</i> , 2013, 60, 140-149. | 0.9 | 33        |
| 791 | Plant Cell Wall Deconstruction by Ascomycete Fungi. <i>Annual Review of Microbiology</i> , 2013, 67, 477-498.   | 2.9 | 328       |
| 793 | Biochemical Characterization of Molybdenum Cofactor-free Nitrate Reductase from <i>Neurospora crassa</i> . <i>Journal of Biological Chemistry</i> , 2013, 288, 14657-14671.   | 1.6 | 20        |
| 794 | Location and contribution of individual $\beta$ -glucosidase from <i>Neurospora crassa</i> to total $\beta$ -glucosidase activity. <i>Archives of Microbiology</i> , 2013, 195, 823-829.  | 1.0 | 13        |
| 795 | Suppression subtractive hybridization and comparative expression analysis to identify developmentally regulated genes in filamentous fungi. <i>Journal of Basic Microbiology</i> , 2013, 53, 742-751.                             | 1.8 | 10        |
| 796 | A <i>uvs-5</i> Strain Is Deficient for a Mitofusin Gene Homologue, <i>fzo1</i> , Involved in Maintenance of Long Life Span in <i>Neurospora crassa</i> . <i>Eukaryotic Cell</i> , 2013, 12, 233-243.                              | 3.4 | 14        |
| 797 | Do TE activity and counteracting genome defenses, RNAi and methylation, shape the sex lives of smut fungi?. <i>Plant Signaling and Behavior</i> , 2013, 8, e23853.  | 1.2 | 9         |
| 798 | <i>Fungal Genetics</i> . , 2013, , 129-130.   |     | 0         |
| 799 | A Network of HMG-box Transcription Factors Regulates Sexual Cycle in the Fungus <i>Podospira anserina</i> . <i>PLoS Genetics</i> , 2013, 9, e1003642.   | 1.5 | 58        |
| 800 | Genomic Mechanisms Accounting for the Adaptation to Parasitism in Nematode-Trapping Fungi. <i>PLoS Genetics</i> , 2013, 9, e1003909.  | 1.5 | 97        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 801 | Evolutionary Dynamics of Sex-Biased Genes in a Hermaphrodite Fungus. <i>Molecular Biology and Evolution</i> , 2013, 30, 2435-2446.   | 3.5 | 27        |
| 802 | The Repertoires of Ubiquitinating and Deubiquitinating Enzymes in Eukaryotic Genomes. <i>Molecular Biology and Evolution</i> , 2013, 30, 1172-1187.  | 3.5 | 70        |
| 803 | Draft nuclear genome sequence for the plant pathogen, <i>Ceratocystis fimbriata</i> . <i>IMA Fungus</i> , 2013, 4, 357-358.  | 1.7 | 42        |
| 804 | The Genome and Development-Dependent Transcriptomes of <i>Pyronema confluens</i> : A Window into Fungal Evolution. <i>PLoS Genetics</i> , 2013, 9, e1003820.                                 | 1.5 | 85        |
| 805 | Genome Wide Association Identifies Novel Loci Involved in Fungal Communication. <i>PLoS Genetics</i> , 2013, 9, e1003669.  | 1.5 | 92        |
| 806 | Reconstruction and Validation of a Genome-Scale Metabolic Model for the Filamentous Fungus <i>Neurospora crassa</i> Using FARM. <i>PLoS Computational Biology</i> , 2013, 9, e1003126.       | 1.5 | 70        |
| 807 | Regulation of Gene Expression in <i>Neurospora crassa</i> with a Copper Responsive Promoter. <i>G3: Genes, Genomes, Genetics</i> , 2013, 3, 2273-2280.                                       | 0.8 | 34        |
| 808 | Novel Proteins Required for Meiotic Silencing by Unpaired DNA and siRNA Generation in <i>Neurospora crassa</i> . <i>Genetics</i> , 2013, 194, 91-100.  | 1.2 | 34        |
| 809 | Systems biology methods and developments of filamentous fungi in relation to the production of food ingredients. , 2013, , 19-41.  |     | 0         |
| 810 | Coordination of K <sup>+</sup> Transporters in <i>Neurospora</i> : TRK1 Is Scarce and Constitutive, while HAK1 Is Abundant and Highly Regulated. <i>Eukaryotic Cell</i> , 2013, 12, 684-696. | 3.4 | 17        |
| 811 | Genomic Contributions to the Study of Soil and Plant-Interacting Fungi. <i>Soil Biology</i> , 2013, , 1-9.   | 0.6 | 0         |
| 812 | Sex-Induced Silencing Operates During Opposite-Sex and Unisexual Reproduction in <i>Cryptococcus neoformans</i> . <i>Genetics</i> , 2013, 193, 1163-1174.                                    | 1.2 | 28        |
| 813 | Eukaryotic TPP riboswitch regulation of alternative splicing involving long-distance base pairing. <i>Nucleic Acids Research</i> , 2013, 41, 3022-3031.                                      | 6.5 | 96        |
| 814 | Integrated Approaches for Assessment of Cellular Performance in Industrially Relevant Filamentous Fungi. <i>Industrial Biotechnology</i> , 2013, 9, 337-344.                                 | 0.5 | 15        |
| 815 | Regional control of histone H3 lysine 27 methylation in <i>Neurospora</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 6027-6032.   | 3.3 | 147       |
| 816 | Gambogic Acid: A Caged Prenylated Garcinia Xanthone: Potent Anticancer Agent of Pharmaceutical Promise. , 2013, , 415-438.   |     | 1         |
| 817 | <i>NEUROSPORA</i> AND THE DEAD-END HYPOTHESIS: GENOMIC CONSEQUENCES OF SELFING IN THE MODEL GENUS. <i>Evolution; International Journal of Organic Evolution</i> , 2013, 67, 3600-3616.       | 1.1 | 30        |
| 819 | <i>Neurospora crassa</i> . , 2013, , 61-63.  |     | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 820 | Splicing-Related Features of Introns Serve to Propel Evolution. PLoS ONE, 2013, 8, e58547.   | 1.1 | 4         |
| 821 | Composition and Expression of Genes Encoding Carbohydrate-Active Enzymes in the Straw-Degrading Mushroom <i>Volvariella volvacea</i> . PLoS ONE, 2013, 8, e58780.  | 1.1 | 24        |
| 822 | Phospho-Regulation of the <i>Neurospora crassa</i> Septation Initiation Network. PLoS ONE, 2013, 8, e79464.  | 1.1 | 36        |
| 823 | Repeat Induced Point Mutation. , 2013, , 148-149.  |     | 0         |
| 824 | Maintenance of Sex-Related Genes and the Co-Occurrence of Both Mating Types in <i>Verticillium dahliae</i> . PLoS ONE, 2014, 9, e112145.   | 1.1 | 62        |
| 825 | Whole Genome and Global Gene Expression Analyses of the Model Mushroom <i>Flammulina velutipes</i> Reveal a High Capacity for Lignocellulose Degradation. PLoS ONE, 2014, 9, e93560.                               | 1.1 | 107       |
| 826 | De novo Genome Assembly of the Fungal Plant Pathogen <i>Pyrenophora semeniperda</i> . PLoS ONE, 2014, 9, e87045.   | 1.1 | 25        |
| 827 | Natural Antisense Transcripts and Long Non-Coding RNA in <i>Neurospora crassa</i> . PLoS ONE, 2014, 9, e91353.   | 1.1 | 42        |
| 828 | Gene Expression Differences among Three <i>Neurospora</i> Species Reveal Genes Required for Sexual Reproduction in <i>Neurospora crassa</i> . PLoS ONE, 2014, 9, e110398.  | 1.1 | 39        |
| 829 | <i>Neurospora crassa</i> Female Development Requires the PACC and Other Signal Transduction Pathways, Transcription Factors, Chromatin Remodeling, Cell-To-Cell Fusion, and Autophagy. PLoS ONE, 2014, 9, e110603. | 1.1 | 52        |
| 830 | Programmed Cell Death in <i>Neurospora crassa</i> . New Journal of Science, 2014, 2014, 1-7.   | 1.0 | 6         |
| 831 | Sensitivity of <i>Neurospora crassa</i> to a Marine-Derived <i>Aspergillus tubingensis</i> Anhydride Exhibiting Antifungal Activity That Is Mediated by the MAS1 Protein. Marine Drugs, 2014, 12, 4713-4731.       | 2.2 | 30        |
| 832 | Strategies for Accessing Microbial Secondary Metabolites from Silent Biosynthetic Pathways. , 0, , 78-95.  |     | 1         |
| 833 | Signal Transduction Pathways. , 2014, , 50-59.   |     | 11        |
| 834 | Mitotic Cell Cycle Control. , 0, , 61-80.  |     | 2         |
| 835 | DNA Repair and Recombination. , 2014, , 96-112.  |     | 0         |
| 837 | A 2-component system is involved in the early stages of the <i>Pisolithus tinctorius</i> - <i>Pinus greggii</i> symbiosis. Plant Signaling and Behavior, 2014, 9, e28604.  | 1.2 | 6         |
| 838 | Fungal Genomics. Advances in Botanical Research, 2014, , 1-52.   | 0.5 | 25        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 839 | Evolutionary and Adaptive Role of Transposable Elements in Fungal Genomes. <i>Advances in Botanical Research</i> , 2014, , 79-107.  | 0.5 | 17        |
| 840 | Genome-Wide Characterization of Light-Regulated Genes in <i>Neurospora crassa</i> . <i>G3: Genes, Genomes, Genetics</i> , 2014, 4, 1731-1745.   | 0.8 | 82        |
| 841 | Circadian rhythms synchronize mitosis in <i>Neurospora crassa</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 1397-1402.  | 3.3 | 63        |
| 842 | Transposable element-assisted evolution and adaptation to host plant within the <i>Leptosphaeria maculans</i> - <i>Leptosphaeria biglobosa</i> species complex of fungal pathogens. <i>BMC Genomics</i> , 2014, 15, 891.  | 1.2 | 189       |
| 843 | CZT-1 Is a Novel Transcription Factor Controlling Cell Death and Natural Drug Resistance in <i>Neurospora crassa</i> . <i>G3: Genes, Genomes, Genetics</i> , 2014, 4, 1091-1102.  | 0.8 | 16        |
| 844 | Fungal Communication Requires the MAK-2 Pathway Elements STE-20 and RAS-2, the NRC-1 Adapter STE-50 and the MAP Kinase Scaffold HAM-5. <i>PLoS Genetics</i> , 2014, 10, e1004762.   | 1.5 | 68        |
| 845 | Long-read, whole-genome shotgun sequence data for five model organisms. <i>Scientific Data</i> , 2014, 1, 140045.   | 2.4 | 138       |
| 846 | Gene Expansion Shapes Genome Architecture in the Human Pathogen <i>Lichtheimia corymbifera</i> : An Evolutionary Genomics Analysis in the Ancient Terrestrial Mucorales (Mucoromycotina). <i>PLoS Genetics</i> , 2014, 10, e1004496.                                  | 1.5 | 80        |
| 847 | PRO40 Is a Scaffold Protein of the Cell Wall Integrity Pathway, Linking the MAP Kinase Module to the Upstream Activator Protein Kinase C. <i>PLoS Genetics</i> , 2014, 10, e1004582.  | 1.5 | 64        |
| 848 | Single Nucleus Genome Sequencing Reveals High Similarity among Nuclei of an Endomycorrhizal Fungus. <i>PLoS Genetics</i> , 2014, 10, e1004078.  | 1.5 | 238       |
| 849 | VIB1, a Link between Glucose Signaling and Carbon Catabolite Repression, Is Essential for Plant Cell Wall Degradation by <i>Neurospora crassa</i> . <i>PLoS Genetics</i> , 2014, 10, e1004500.  | 1.5 | 109       |
| 850 | Global Analysis of Serine/Threonine and Tyrosine Protein Phosphatase Catalytic Subunit Genes in <i>Neurospora crassa</i> Reveals Interplay Between Phosphatases and the p38 Mitogen-Activated Protein Kinase. <i>G3: Genes, Genomes, Genetics</i> , 2014, 4, 349-365. | 0.8 | 39        |
| 851 | On the current status of <i>Phakopsora pachyrhizi</i> genome sequencing. <i>Frontiers in Plant Science</i> , 2014, 5, 377.  | 1.7 | 21        |
| 852 | Extracellular calcium triggers unique transcriptional programs and modulates staurosporine-induced cell death in <i>Neurospora crassa</i> . <i>Microbial Cell</i> , 2014, 1, 289-302.   | 1.4 | 8         |
| 853 | Genome sequencing of four <i>Aureobasidium pullulans</i> varieties: biotechnological potential, stress tolerance, and description of new species. <i>BMC Genomics</i> , 2014, 15, 549.  | 1.2 | 262       |
| 854 | A comparative systems analysis of polysaccharide-elicited responses in <i>Neurospora crassa</i> reveals carbon source-specific cellular adaptations. <i>Molecular Microbiology</i> , 2014, 91, 275-299.   | 1.2 | 95        |
| 855 | The Filamentous Fungus <i>Sordaria macrospora</i> as a Genetic Model to Study Fruiting Body Development. <i>Advances in Genetics</i> , 2014, 87, 199-244.   | 0.8 | 54        |
| 856 | 11 Application of Genomics to the Study of Pathogenicity and Development in <i>Fusarium</i> . , 2014, , 267-300.  |     | 9         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 857 | Molecular Mechanism of Nematophagous Fungi Infection of Nematodes. Fungal Diversity Research Series, 2014, , 263-311.  | 0.6 | 1         |
| 858 | A Critical Component of Meiotic Drive in <i>Neurospora</i> Is Located Near a Chromosome Rearrangement. Genetics, 2014, 197, 1165-1174.   | 1.2 | 37        |
| 859 | Comparative genomics of the major fungal agents of human and animal Sporotrichosis: <i>Sporothrix schenckii</i> and <i>Sporothrix brasiliensis</i> . BMC Genomics, 2014, 15, 943.  | 1.2 | 121       |
| 860 | The <i>Neurospora crassa</i> exocyst complex tethers Spitzenkörper vesicles to the apical plasma membrane during polarized growth. Molecular Biology of the Cell, 2014, 25, 1312-1326.   | 0.9 | 80        |
| 861 | A protein kinase screen of <i>Neurospora crassa</i> mutant strains reveals that the SNF1 protein kinase promotes glycogen synthase phosphorylation. Biochemical Journal, 2014, 464, 323-334.   | 1.7 | 3         |
| 862 | Global Gene Expression and Focused Knockout Analysis Reveals Genes Associated with Fungal Fruiting Body Development in <i>Neurospora crassa</i> . Eukaryotic Cell, 2014, 13, 154-169.  | 3.4 | 66        |
| 863 | Facilitating the Fungus: Insights from the Genome of the Rice Blast Fungus, <i>Magnaporthe Oryzae</i> . , 2014, , 141-160.   |     | 6         |
| 865 | Discovering Functions of Unannotated Genes from a Transcriptome Survey of Wild Fungal Isolates. MBio, 2014, 5, e01046-13.  | 1.8 | 25        |
| 866 | 8 Degradation and Modification of Plant Biomass by Fungi. , 2014, , 175-208.   |     | 26        |
| 867 | <i>Neurospora crassa</i> : Looking back and looking forward at a model microbe. American Journal of Botany, 2014, 101, 2022-2035.  | 0.8 | 68        |
| 868 | Involvement of hydrophobic amino acid residues in C7â€“C8 loop of <i>Aspergillus oryzae</i> hydrophobin RolA in hydrophobic interaction between RolA and a polyester. Bioscience, Biotechnology and Biochemistry, 2014, 78, 1693-1699. | 0.6 | 6         |
| 869 | Gene cloning, expression and biochemical characterization of a glucose- and xylose-stimulated Î²-glucosidase from <i>Humicola insolens</i> RP86. Journal of Molecular Catalysis B: Enzymatic, 2014, 106, 1-10.                         | 1.8 | 33        |
| 870 | Genetic characterization of the <i>Neurospora crassa</i> molybdenum cofactor biosynthesis. Fungal Genetics and Biology, 2014, 66, 69-78.   | 0.9 | 16        |
| 871 | Physical methods for genetic transformation of fungi and yeast. Physics of Life Reviews, 2014, 11, 184-203.  | 1.5 | 50        |
| 872 | Fungal Genomics. , 2014, , .   |     | 2         |
| 873 | Identification and characterization of a galacturonic acid transporter from <i>Neurospora crassa</i> and its application for <i>Saccharomyces cerevisiae</i> fermentation processes. Biotechnology for Biofuels, 2014, 7, 20.          | 6.2 | 54        |
| 874 | The evolving fungal genome. Fungal Biology Reviews, 2014, 28, 1-12.  | 1.9 | 81        |
| 875 | Nematode-Trapping Fungi. Fungal Diversity Research Series, 2014, , .   | 0.6 | 42        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 877 | Discovery of LPMO activity on hemicelluloses shows the importance of oxidative processes in plant cell wall degradation. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 6287-6292.        | 3.3  | 358       |
| 878 | Identification and characterization of <sc>LFD</sc>1, a novel protein involved in membrane merger during cell fusion in <sc><i>Neurospora crassa</i></sc>. Molecular Microbiology, 2014, 92, 164-182.                                  | 1.2  | 24        |
| 879 | Solution structure and interface-driven self-assembly of NC2, a new member of the Class II hydrophobin proteins. Proteins: Structure, Function and Bioinformatics, 2014, 82, 990-1003.   | 1.5  | 24        |
| 880 | Analysis of clock-regulated genes in <i>Neurospora</i> reveals widespread posttranscriptional control of metabolic potential. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 16995-17002. | 3.3  | 131       |
| 881 | Verticillium alfalfae and V. dahliae, Agents of Verticillium Wilt Diseases. , 2014, , 65-97.   |      | 7         |
| 882 | Epigenetic manipulation of a filamentous fungus by the proteasome-inhibitor bortezomib induces the production of an additional secondary metabolite. RSC Advances, 2014, 4, 18329-18335.   | 1.7  | 25        |
| 883 | Neurospora crassa as a model organism to explore the interconnected network of the cell cycle and the circadian clock. Fungal Genetics and Biology, 2014, 71, 52-57.   | 0.9  | 18        |
| 884 | Bioinformatic and Biochemical Characterizations of C-S Bond Formation and Cleavage Enzymes in the Fungus <i>Neurospora crassa</i> Ergothioneine Biosynthetic Pathway. Organic Letters, 2014, 16, 5382-5385.                            | 2.4  | 74        |
| 885 | Neurospora crassa 1,3-β-glucan synthase, AGS-1, is required for cell wall biosynthesis during macroconidia development. Microbiology (United Kingdom), 2014, 160, 1618-1627.   | 0.7  | 17        |
| 886 | Fungal aquaporins: cellular functions and ecophysiological perspectives. Applied Microbiology and Biotechnology, 2014, 98, 8835-8851.  | 1.7  | 55        |
| 887 | Genomics of Plant-Associated Fungi: Monocot Pathogens. , 2014, , .   |      | 3         |
| 889 | Investigating the Path of Plastid Genome Degradation in an Early-Transitional Clade of Heterotrophic Orchids, and Implications for Heterotrophic Angiosperms. Molecular Biology and Evolution, 2014, 31, 3095-3112.                    | 3.5  | 156       |
| 890 | Fungal type III polyketide synthases. Natural Product Reports, 2014, 31, 1306-1317.  | 5.2  | 72        |
| 891 | SnowyOwl: accurate prediction of fungal genes by using RNA-Seq and homology information to select among ab initio models. BMC Bioinformatics, 2014, 15, 229.   | 1.2  | 30        |
| 892 | Structural and functional organization of growing tips of Neurospora crassa hyphae. Biochemistry (Moscow), 2014, 79, 593-607.  | 0.7  | 6         |
| 893 | Determination and Inference of Eukaryotic Transcription Factor Sequence Specificity. Cell, 2014, 158, 1431-1443.   | 13.5 | 1,515     |
| 894 | Heterochromatin Controls H2A Localization in Neurospora crassa. Eukaryotic Cell, 2014, 13, 990-1000.   | 3.4  | 26        |
| 895 | Study of <i>Phanerochaete chrysosporium</i> Secretome Revealed Protein Glycosylation as a Substrate-Dependent Post-Translational Modification. Journal of Proteome Research, 2014, 13, 4272-4280.                                      | 1.8  | 16        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 896 | Prevalence of transcription factors in ascomycete and basidiomycete fungi. BMC Genomics, 2014, 15, 214.  | 1.2 | 114       |
| 897 | Genome sequence and transcriptome analyses of the thermophilic zygomycete fungus <i>Rhizomucor miehei</i> . BMC Genomics, 2014, 15, 294.   | 1.2 | 39        |
| 898 | Transcriptional comparison of the filamentous fungus <i>Neurospora crassa</i> growing on three major monosaccharides D-glucose, D-xylose and L-arabinose. Biotechnology for Biofuels, 2014, 7, 31.   | 6.2 | 80        |
| 899 | Hyphal Fusion. , 0, , 260-273.   |     | 42        |
| 900 | Transposable Elements and Repeat-Induced Point Mutation. , 0, , 124-131.   |     | 0         |
| 901 | Meiotic trans-Sensing and Silencing in <i>Neurospora</i> . , 2014, , 132-144.  |     | 4         |
| 902 | Epichloa Endophytes: Models of an Ecological Strategy. , 2014, , 660-675.  |     | 1         |
| 903 | Mitochondria and Respiration. , 2014, , 153-178.   |     | 4         |
| 904 | Mycoparasitism. , 0, , 676-693.  |     | 38        |
| 906 | Light Sensing. , 0, , 415-441.   |     | 9         |
| 908 | Draft Whole-Genome Sequence of the Biocontrol Agent <i>Trichoderma harzianum</i> T6776. Genome Announcements, 2015, 3, .   | 0.8 | 47        |
| 909 | The exosome controls alternative splicing by mediating the gene expression and assembly of the spliceosome complex. Scientific Reports, 2015, 5, 13403.  | 1.6 | 18        |
| 911 | Sequence Analysis and Heterologous Expression of Two Rhamnogalacturonan Acetyltransferase Genes ( <i>Asrgae1</i> and <i>Asrgae2</i> ) from a <i>Shoyu Koji</i> Mold, <i>Aspergillus sojae</i> KBN1340. Food Science and Technology Research, 2015, 21, 665-670.                                    | 0.3 | 1         |
| 912 | Draft genome sequences of <i>Chrysosporthe austroafricana</i> , <i>Diplodia scrobiculata</i> , <i>Fusarium nygamai</i> , <i>Leptographium lundbergii</i> , <i>Limonomyces culmigenus</i> , <i>Stagonosporopsis tanacetii</i> , and <i>Thielaviopsis punctulata</i> . IMA Fungus, 2015, 6, 233-248. | 1.7 | 46        |
| 913 | Genome analysis of <i>Daldinia eschscholtzii</i> strains UM 1400 and UM 1020, wood-decaying fungi isolated from human hosts. BMC Genomics, 2015, 16, 966.  | 1.2 | 16        |
| 914 | Cnidaria: fast, reference-free clustering of raw and assembled genome and transcriptome NGS data. BMC Bioinformatics, 2015, 16, 352.   | 1.2 | 11        |
| 915 | Whole genome annotation and comparative genomic analyses of bio-control fungus <i>Purpureocillium lilacinum</i> . BMC Genomics, 2015, 16, 1004.  | 1.2 | 47        |
| 916 | Genome sequence of <i>Valsa</i> canker pathogens uncovers a potential adaptation of colonization of woody bark. New Phytologist, 2015, 208, 1202-1216.   | 3.5 | 158       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 917 | Gα <sub>q</sub> protein coupled receptor-mediated nutrient sensing and developmental control in <i>Aspergillus nidulans</i> . <i>Molecular Microbiology</i> , 2015, 98, 420-439.  | 1.2 | 31        |
| 918 | Epigenetic and Posttranslational Modifications in Light Signal Transduction and the Circadian Clock in <i>Neurospora crassa</i> . <i>International Journal of Molecular Sciences</i> , 2015, 16, 15347-15383.   | 1.8 | 19        |
| 919 | Evaluation of Secretion Prediction Highlights Differing Approaches Needed for Oomycete and Fungal Effectors. <i>Frontiers in Plant Science</i> , 2015, 6, 1168.   | 1.7 | 85        |
| 921 | A Metagenomics Analysis on B-Carotene Synthesis in <i>Neurospora Crassa</i> . <i>International Journal of Applied Sciences and Biotechnology</i> , 2015, 3, 490-503.  | 0.4 | 1         |
| 922 | The Putative Cellodextrin Transporter-like Protein CLP1 Is Involved in Cellulase Induction in <i>Neurospora crassa</i> . <i>Journal of Biological Chemistry</i> , 2015, 290, 788-796.   | 1.6 | 33        |
| 923 | Repeat-Induced Point Mutation: A Fungal-Specific, Endogenous Mutagenesis Process. <i>Fungal Biology</i> , 2015, , 55-68.  | 0.3 | 49        |
| 924 | Enhanced lignocellulosic biomass hydrolysis by oxidative lytic polysaccharide monoxygenases (LPMOs) GH61 from <i>Gloeophyllum trabeum</i> . <i>Enzyme and Microbial Technology</i> , 2015, 77, 38-45.   | 1.6 | 53        |
| 925 | Inferring bona fide transfrags in RNA-Seq derived-transcriptome assemblies of non-model organisms. <i>BMC Bioinformatics</i> , 2015, 16, 58.  | 1.2 | 7         |
| 926 | Draft Genome Sequence of the Cellulolytic Fungus <i>Chaetomium globosum</i> . <i>Genome Announcements</i> , 2015, 3, .  | 0.8 | 47        |
| 927 | Endogenous Small RNA Mediates Meiotic Silencing of a Novel DNA Transposon. <i>G3: Genes, Genomes, Genetics</i> , 2015, 5, 1949-1960.  | 0.8 | 34        |
| 928 | A Tool Set for the Genome-Wide Analysis of <i>Neurospora crassa</i> by RT-PCR. <i>G3: Genes, Genomes, Genetics</i> , 2015, 5, 2043-2049.  | 0.8 | 14        |
| 929 | <i>Tricholoma vaccinum</i> host communication during ectomycorrhiza formation. <i>FEMS Microbiology Ecology</i> , 2015, 91, fiv120.   | 1.3 | 15        |
| 930 | Draft genome sequences of <i>Ceratocystis eucalypticola</i> , <i>Chrysosporthe cubensis</i> , <i>C. deuterocubensis</i> , <i>Davidsoniella virescens</i> , <i>Fusarium temperatum</i> , <i>Graphilbum fragrans</i> , <i>Penicillium nordicum</i> , and <i>Thielaviopsis musarum</i> . <i>IMA Fungus</i> , 2015, 6, 493-506. | 1.7 | 57        |
| 931 | Around the Fungal Clock. <i>Advances in Genetics</i> , 2015, 92, 107-184.   | 0.8 | 45        |
| 932 | Global Analysis of Predicted G Protein-Coupled Receptor Genes in the Filamentous Fungus, <i>Neurospora crassa</i> . <i>G3: Genes, Genomes, Genetics</i> , 2015, 5, 2729-2743.   | 0.8 | 44        |
| 933 | <i>period-1</i> encodes an ATP-dependent RNA helicase that influences nutritional compensation of the <i>Neurospora</i> circadian clock. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 15707-15712.   | 3.3 | 37        |
| 935 | Dissecting the Mechanisms of the Clock in <i>Neurospora</i> . <i>Methods in Enzymology</i> , 2015, 551, 29-52.  | 0.4 | 38        |
| 936 | Multiple cellular roles of <i>Neurospora crassa</i> <i>plc-1</i> , <i>splA2</i> , and <i>cpe-1</i> in regulation of cytosolic free calcium, carotenoid accumulation, stress responses, and acquisition of thermotolerance. <i>Journal of Microbiology</i> , 2015, 53, 226-235.  | 1.3 | 22        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 937 | Functional Characterization and Low-Resolution Structure of an Endoglucanase Cel45A from the Filamentous Fungus <i>Neurospora crassa</i> OR74A: Thermostable Enzyme with High Activity Toward Lichenan and $\beta$ -D-Glucan. <i>Molecular Biotechnology</i> , 2015, 57, 574-588. | 1.3 | 12        |
| 938 | Current state of genome-scale modeling in filamentous fungi. <i>Biotechnology Letters</i> , 2015, 37, 1131-1139.  | 1.1 | 25        |
| 939 | Genome-wide profiling of DNA methylation provides insights into epigenetic regulation of fungal development in a plant pathogenic fungus, <i>Magnaporthe oryzae</i> . <i>Scientific Reports</i> , 2015, 5, 8567.  | 1.6 | 115       |
| 940 | MpSaci is a widespread gypsy-Ty3 retrotransposon highly represented by non-autonomous copies in the <i>Moniliophthora perniciosa</i> genome. <i>Current Genetics</i> , 2015, 61, 185-202.   | 0.8 | 5         |
| 941 | Functional Annotation of the <i>Ophiostoma novo-ulmi</i> Genome: Insights into the Phytopathogenicity of the Fungal Agent of Dutch Elm Disease. <i>Genome Biology and Evolution</i> , 2015, 7, 410-430.   | 1.1 | 56        |
| 942 | Chromosome-level genome map provides insights into diverse defense mechanisms in the medicinal fungus <i>Ganoderma sinense</i> . <i>Scientific Reports</i> , 2015, 5, 11087.  | 1.6 | 76        |
| 943 | Unisexual reproduction in <i>Huntia moniliformis</i> . <i>Fungal Genetics and Biology</i> , 2015, 80, 1-9.  | 0.9 | 46        |
| 944 | Linear Discriminant Analysis Identifies Mitochondrially Localized Proteins in <i>Neurospora crassa</i> . <i>Journal of Proteome Research</i> , 2015, 14, 3900-3911.   | 1.8 | 6         |
| 945 | Genomic and transcriptomic analysis of the endophytic fungus <i>Pestalotiopsis fici</i> reveals its lifestyle and high potential for synthesis of natural products. <i>BMC Genomics</i> , 2015, 16, 28.   | 1.2 | 102       |
| 946 | A transcriptomic analysis of <i>Neurospora crassa</i> using five major crop residues and the novel role of the sporulation regulator <i>rca-1</i> in lignocellulase production. <i>Biotechnology for Biofuels</i> , 2015, 8, 21.  | 6.2 | 25        |
| 947 | Genome-wide analysis of the endoplasmic reticulum stress response during lignocellulase production in <i>Neurospora crassa</i> . <i>Biotechnology for Biofuels</i> , 2015, 8, 66.   | 6.2 | 60        |
| 948 | Fungal Transposable Elements. <i>Fungal Biology</i> , 2015, , 79-96.  | 0.3 | 1         |
| 949 | 3 Pezizomycotina: Sordariomycetes and Leotiomycetes. , 2015, , 57-88.   |     | 19        |
| 950 | Genome Sequence, Comparative Analysis, and Evolutionary Insights into Chitinases of Entomopathogenic Fungus <i>Hirsutella thompsonii</i> . <i>Genome Biology and Evolution</i> , 2015, 7, 916-930.  | 1.1 | 39        |
| 951 | Motif-independent de novo detection of secondary metabolite gene clusters toward identification from filamentous fungi. <i>Frontiers in Microbiology</i> , 2015, 6, 371.  | 1.5 | 24        |
| 952 | The <i>SrkA</i> Kinase Is Part of the <i>SakA</i> Mitogen-Activated Protein Kinase Interactome and Regulates Stress Responses and Development in <i>Aspergillus nidulans</i> . <i>Eukaryotic Cell</i> , 2015, 14, 495-510.  | 3.4 | 66        |
| 953 | Genome-wide redistribution of H3K27me3 is linked to genotoxic stress and defective growth. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E6339-48.  | 3.3 | 84        |
| 954 | Genome-wide transcriptomic analysis of a superior biomass-degrading strain of <i>A. fumigatus</i> revealed active lignocellulose-degrading genes. <i>BMC Genomics</i> , 2015, 16, 459.  | 1.2 | 52        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 955 | Genome and physiology of the ascomycete filamentous fungus <i>Xeromyces bisporus</i> , the most xerophilic organism isolated to date. <i>Environmental Microbiology</i> , 2015, 17, 496-513. | 1.8 | 34        |
| 956 | <i>Basidioascus undulatus</i> : genome, origins, and sexuality. <i>IMA Fungus</i> , 2015, 6, 215-231.  | 1.7 | 9         |
| 957 | Identification of Allorecognition Loci in <i>Neurospora crassa</i> by Genomics and Evolutionary Approaches. <i>Molecular Biology and Evolution</i> , 2015, 32, 2417-2432.                    | 3.5 | 52        |
| 958 | Draft Genome Sequence of <i>Neurospora crassa</i> Strain FGSC 73. <i>Genome Announcements</i> , 2015, 3, .   | 0.8 | 17        |
| 959 | Gene expression during zombie ant biting behavior reflects the complexity underlying fungal parasitic behavioral manipulation. <i>BMC Genomics</i> , 2015, 16, 620.                          | 1.2 | 107       |
| 960 | Two microtubule-plus-end binding proteins LIS1-1 and LIS1-2, homologues of human LIS1 in <i>Neurospora crassa</i> . <i>Fungal Genetics and Biology</i> , 2015, 82, 213-227.                  | 0.9 | 9         |
| 961 | Intron evolution in <i>Neurospora</i> : the role of mutational bias and selection. <i>Genome Research</i> , 2015, 25, 100-110.   | 2.4 | 9         |
| 963 | The Cullin-4 Complex DCDC Does Not Require E3 Ubiquitin Ligase Elements To Control Heterochromatin in <i>Neurospora crassa</i> . <i>Eukaryotic Cell</i> , 2015, 14, 25-28.                   | 3.4 | 11        |
| 964 | Genetic Transformation Systems in Fungi, Volume 2. <i>Fungal Biology</i> , 2015, , .   | 0.3 | 7         |
| 965 | Engineering <i>Neurospora crassa</i> for Improved Cellobiose and Cellobionate Production. <i>Applied and Environmental Microbiology</i> , 2015, 81, 597-603.                                 | 1.4 | 35        |
| 966 | The chestnut blight fungus for studies on virus/host and virus/virus interactions: From a natural to a model host. <i>Virology</i> , 2015, 477, 164-175.                                     | 1.1 | 75        |
| 967 | Enzymatic systems involved in decomposition reflects the ecology and taxonomy of saprotrophic fungi. <i>Fungal Ecology</i> , 2015, 13, 10-22.  | 0.7 | 108       |
| 968 | Deciphering the uniqueness of <i>Mucoromycotina</i> cell walls by combining biochemical and phylogenomic approaches. <i>Environmental Microbiology</i> , 2015, 17, 1649-1662.                | 1.8 | 51        |
| 969 | Hyphal ontogeny in <i>Neurospora crassa</i> : a model organism for all seasons. <i>F1000Research</i> , 2016, 5, 2801.  | 0.8 | 22        |
| 970 | Roles of Rack1 Proteins in Fungal Pathogenesis. <i>BioMed Research International</i> , 2016, 2016, 1-8.  | 0.9 | 12        |
| 971 | Gene family expansions and contractions are associated with host range in plant pathogens of the genus <i>Colletotrichum</i> . <i>BMC Genomics</i> , 2016, 17, 555.                          | 1.2 | 151       |
| 972 | A Survey of the Gene Repertoire of <i>Gigaspora rosea</i> Unravels Conserved Features among Glomeromycota for Obligate Biotrophy. <i>Frontiers in Microbiology</i> , 2016, 7, 233.           | 1.5 | 113       |
| 973 | Genome and Transcriptome Sequences Reveal the Specific Parasitism of the Nematophagous <i>Purpureocillium lilacinum</i> 36-1. <i>Frontiers in Microbiology</i> , 2016, 7, 1084.              | 1.5 | 33        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 974 | RNAseq reveals hydrophobins that are involved in the adaptation of <i>Aspergillus nidulans</i> to lignocellulose. <i>Biotechnology for Biofuels</i> , 2016, 9, 145.  | 6.2 | 43        |
| 975 | Catalytic Subunit 1 of Protein Phosphatase 2A Is a Subunit of the STRIPAK Complex and Governs Fungal Sexual Development. <i>MBio</i> , 2016, 7, .  | 1.8 | 26        |
| 976 | Mildew-Omics: How Global Analyses Aid the Understanding of Life and Evolution of Powdery Mildews. <i>Frontiers in Plant Science</i> , 2016, 7, 123.  | 1.7 | 77        |
| 977 | Analysis of <i>Magnaporthe oryzae</i> Genome Reveals a Fungal Effector, Which Is Able to Induce Resistance Response in Transgenic Rice Line Containing Resistance Gene, Pi54. <i>Frontiers in Plant Science</i> , 2016, 7, 1140.           | 1.7 | 90        |
| 978 | OcculterCut: A Comprehensive Survey of AT-Rich Regions in Fungal Genomes. <i>Genome Biology and Evolution</i> , 2016, 8, 2044-2064.  | 1.1 | 123       |
| 979 | Draft Whole-Genome Sequence of <i>Trichoderma gamsii</i> T6085, a Promising Biocontrol Agent of <i>Fusarium</i> Head Blight on Wheat. <i>Genome Announcements</i> , 2016, 4, .   | 0.8 | 34        |
| 980 | Experimental evolution in fungi: An untapped resource. <i>Fungal Genetics and Biology</i> , 2016, 94, 88-94.   | 0.9 | 29        |
| 981 | The Post-genomic Era of <i>Trichoderma reesei</i> : What's Next?. <i>Trends in Biotechnology</i> , 2016, 34, 970-982.  | 4.9 | 106       |
| 982 | Pre-mRNA splicing is modulated by antifungal drugs in the filamentous fungus <i>Neurospora crassa</i> . <i>FEBS Open Bio</i> , 2016, 6, 358-368.   | 1.0 | 18        |
| 983 | Nematicidal spore-forming Bacilli share similar virulence factors and mechanisms. <i>Scientific Reports</i> , 2016, 6, 31341.  | 1.6 | 32        |
| 984 | Draft whole-genome sequence of the <i>Diaporthe helianthi</i> 7/96 strain, causal agent of sunflower stem canker. <i>Genomics Data</i> , 2016, 10, 151-152.  | 1.3 | 16        |
| 985 | <i>Molecular Mycology: An Introduction.</i> , 2016, , 1-13.  |     | 0         |
| 986 | The Renaissance of <i>Neurospora crassa</i> : How a Classical Model System is Used for Applied Research. <i>Fungal Biology</i> , 2016, , 59-96.  | 0.3 | 11        |
| 988 | Seeing the world differently: variability in the photosensory mechanisms of two model fungi. <i>Environmental Microbiology</i> , 2016, 18, 5-20.   | 1.8 | 56        |
| 989 | Genome mining of the sordarin biosynthetic gene cluster from <i>Sordaria araneosa</i> Cain ATCC 36386: characterization of cycloaraneosene synthase and GDP-6-deoxyaltrose transferase. <i>Journal of Antibiotics</i> , 2016, 69, 541-548. | 1.0 | 46        |
| 990 | Boosting Research and Industry by Providing Extensive Resources for Fungal Research. <i>Fungal Biology</i> , 2016, , 361-384.  | 0.3 | 0         |
| 991 | High-Throughput Construction of Genetically Modified Fungi. <i>Fungal Biology</i> , 2016, , 241-252.   | 0.3 | 1         |
| 992 | Molecular cloning and comparative sequence analysis of fungal $\beta$ -Xylosidases. <i>AMB Express</i> , 2016, 6, 30.  | 1.4 | 10        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 993  | Extracellular electron transfer systems fuel cellulose oxidative degradation. <i>Science</i> , 2016, 352, 1098-1101.  | 6.0 | 368       |
| 994  | A phylum-level phylogenetic classification of zygomycete fungi based on genome-scale data. <i>Mycologia</i> , 2016, 108, 1028-1046.   | 0.8 | 1,092     |
| 995  | CAZyme content of <i>Pochonia chlamydosporia</i> reflects that chitin and chitosan modification are involved in nematode parasitism. <i>Environmental Microbiology</i> , 2016, 18, 4200-4215.   | 1.8 | 41        |
| 996  | Advances in Genomics of Entomopathogenic Fungi. <i>Advances in Genetics</i> , 2016, 94, 67-105.   | 0.8 | 78        |
| 997  | Compression tests of <i>Fusarium graminearum</i> ascocarps provide insights into the strength of the perithecial wall and the quantity of ascospores. <i>Fungal Genetics and Biology</i> , 2016, 96, 25-32.   | 0.9 | 0         |
| 998  | True Truffle ( <i>Tuber</i> spp.) in the World. <i>Soil Biology</i> , 2016, , .   | 0.6 | 42        |
| 999  | Truffle Genomics: Investigating an Early Diverging Lineage of Pezizomycotina. <i>Soil Biology</i> , 2016, , 137-149.  | 0.6 | 2         |
| 1000 | Living apart together: crosstalk between the core and supernumerary genomes in a fungal plant pathogen. <i>BMC Genomics</i> , 2016, 17, 670.  | 1.2 | 53        |
| 1001 | Histone H1 Limits DNA Methylation in <i>Neurospora crassa</i> . <i>G3: Genes, Genomes, Genetics</i> , 2016, 6, 1879-1889.   | 0.8 | 19        |
| 1002 | Fungal Sex: The <i>Ascomycota</i> . <i>Microbiology Spectrum</i> , 2016, 4, .   | 1.2 | 50        |
| 1003 | Metaproteomic analysis of atmospheric aerosol samples. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 6337-6348.  | 1.9 | 16        |
| 1004 | Marine Fungi. , 2016, , 99-153.   |     | 8         |
| 1005 | De novo genome assembly and annotation of rice sheath rot fungus <i>Sarocladium oryzae</i> reveals genes involved in Helvolic acid and Cerulenin biosynthesis pathways. <i>BMC Genomics</i> , 2016, 17, 271.  | 1.2 | 33        |
| 1006 | Involvement of MAK-1 and MAK-2 MAP kinases in cell wall integrity in <i>Neurospora crassa</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2016, 80, 1843-1852.  | 0.6 | 10        |
| 1007 | Sugar exchanges in arbuscular mycorrhiza: RiMST5 and RiMST6, two novel <i>Rhizophagus irregularis</i> monosaccharide transporters, are involved in both sugar uptake from the soil and from the plant partner. <i>Plant Physiology and Biochemistry</i> , 2016, 107, 354-363. | 2.8 | 36        |
| 1008 | <i>Neurospora</i> chromosomes are organized by blocks of importin alpha-dependent heterochromatin that are largely independent of H3K9me3. <i>Genome Research</i> , 2016, 26, 1069-1080.  | 2.4 | 64        |
| 1009 | Comparative Phylogenomics of Pathogenic and Nonpathogenic Species. <i>G3: Genes, Genomes, Genetics</i> , 2016, 6, 235-244.  | 0.8 | 38        |
| 1010 | E <sub>scf</sub> ffector <sub>scf</sub> P: predicting fungal effector proteins from secretomes using machine learning. <i>New Phytologist</i> , 2016, 210, 743-761.   | 3.5 | 438       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1011 | Fungal genome sequencing: basic biology to biotechnology. <i>Critical Reviews in Biotechnology</i> , 2016, 36, 743-759.   | 5.1 | 47        |
| 1012 | Localization and role of MYO-1, an endocytic protein in hyphae of <i>Neurospora crassa</i> . <i>Fungal Genetics and Biology</i> , 2016, 88, 24-34.  | 0.9 | 12        |
| 1013 | 16 Sexual Development in Fungi. , 2016, , 407-455.  |     | 12        |
| 1014 | The soil food web revisited: Diverse and widespread mycophagous soil protists. <i>Soil Biology and Biochemistry</i> , 2016, 94, 10-18.  | 4.2 | 175       |
| 1015 | Small genome of the fungus <i>Escovopsis weberi</i> , a specialized disease agent of ant agriculture. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 3567-3572.                                    | 3.3 | 71        |
| 1016 | 7 Heterotrimeric G Proteins. , 2016, , 119-144.   |     | 2         |
| 1017 | Transport Systems in Halophilic Fungi. <i>Advances in Experimental Medicine and Biology</i> , 2016, 892, 307-325.   | 0.8 | 21        |
| 1018 | Yeast Membrane Transport. <i>Advances in Experimental Medicine and Biology</i> , 2016, , .  | 0.8 | 11        |
| 1019 | Reverse transcriptase genes are highly abundant and transcriptionally active in marine plankton assemblages. <i>ISME Journal</i> , 2016, 10, 1134-1146.   | 4.4 | 35        |
| 1020 | The circadian system as an organizer of metabolism. <i>Fungal Genetics and Biology</i> , 2016, 90, 39-43.   | 0.9 | 45        |
| 1021 | Mind the gap; seven reasons to close fragmented genome assemblies. <i>Fungal Genetics and Biology</i> , 2016, 90, 24-30.  | 0.9 | 108       |
| 1022 | Characterization of four endophytic fungi as potential consolidated bioprocessing hosts for conversion of lignocellulose into advanced biofuels. <i>Applied Microbiology and Biotechnology</i> , 2017, 101, 2603-2618.                                  | 1.7 | 53        |
| 1023 | Exploring the genomic diversity of black yeasts and relatives ( <i>Chaetothyriales</i> , <i>Ascomycota</i> ). <i>Studies in Mycology</i> , 2017, 86, 1-28.  | 4.5 | 144       |
| 1024 | Comparative genomics reveals high biological diversity and specific adaptations in the industrially and medically important fungal genus <i>Aspergillus</i> . <i>Genome Biology</i> , 2017, 18, 28.   | 3.8 | 417       |
| 1025 | Diverse data supports the transition of filamentous fungal model organisms into the post-genomics era. <i>Mycology</i> , 2017, 8, 67-83.  | 2.0 | 13        |
| 1026 | Genomic signatures of adaptation to wine biological ageing conditions in biofilm-forming flor yeasts. <i>Molecular Ecology</i> , 2017, 26, 2150-2166.   | 2.0 | 68        |
| 1027 | Identification and characterization of the glucose dual-affinity transport system in <i>Neurospora crassa</i> : pleiotropic roles in nutrient transport, signaling, and carbon catabolite repression. <i>Biotechnology for Biofuels</i> , 2017, 10, 17. | 6.2 | 73        |
| 1028 | The <i>Neurospora</i> Transcription Factor ADV-1 Transduces Light Signals and Temporal Information to Control Rhythmic Expression of Genes Involved in Cell Fusion. <i>G3: Genes, Genomes, Genetics</i> , 2017, 7, 129-142.                             | 0.8 | 47        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1029 | The pleiotropic vegetative and sexual development phenotypes of <i>Neurospora crassa</i> arise from double mutants of the calcium signaling genes <i>plc-1</i> , <i>splA2</i> , and <i>cpe-1</i> . <i>Current Genetics</i> , 2017, 63, 861-875.            | 0.8 | 15        |
| 1030 | Future insights in fungal metabolic engineering. <i>Bioresource Technology</i> , 2017, 245, 1314-1326.   | 4.8 | 54        |
| 1031 | Fungal Genetic Resources for Biotechnology. , 2017, , 219-235.   |     | 0         |
| 1032 | The next generation fungal diversity researcher. <i>Fungal Biology Reviews</i> , 2017, 31, 124-130.  | 1.9 | 10        |
| 1033 | Phylogenomic evolutionary surveys of subtilase superfamily genes in fungi. <i>Scientific Reports</i> , 2017, 7, 45456.   | 1.6 | 48        |
| 1034 | Large-scale suppression of recombination predates genomic rearrangements in <i>Neurospora tetrasperma</i> . <i>Nature Communications</i> , 2017, 8, 1140.  | 5.8 | 50        |
| 1035 | The importance of sourcing enzymes from non-conventional fungi for metabolic engineering and biomass breakdown. <i>Metabolic Engineering</i> , 2017, 44, 45-59.  | 3.6 | 43        |
| 1036 | Fungal Genomes and Insights into the Evolution of the Kingdom. <i>Microbiology Spectrum</i> , 2017, 5, .   | 1.2 | 76        |
| 1037 | <i>Aspergilli</i> : Models for systems biology in filamentous fungi. <i>Current Opinion in Systems Biology</i> , 2017, 6, 67-73.   | 1.3 | 20        |
| 1038 | Ant-infecting <i>Ophiocordyceps</i> genomes reveal a high diversity of potential behavioral manipulation genes and a possible major role for enterotoxins. <i>Scientific Reports</i> , 2017, 7, 12508.   | 1.6 | 52        |
| 1039 | Sources of Fungal Genetic Variation and Associating It with Phenotypic Diversity. <i>Microbiology Spectrum</i> , 2017, 5, .  | 1.2 | 33        |
| 1040 | Network of nutrient-sensing pathways and a conserved kinase cascade integrate osmolarity and carbon sensing in <i>Neurospora crassa</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E8665-E8674. | 3.3 | 58        |
| 1041 | Taxonomic Resolution of the Nematophagous Fungal Isolate ARF18 via Genome Sequencing. <i>Genome Announcements</i> , 2017, 5, .   | 0.8 | 1         |
| 1042 | Centrochromatin of Fungi. <i>Progress in Molecular and Subcellular Biology</i> , 2017, 56, 85-109.   | 0.9 | 13        |
| 1043 | Comparative genomics of maize ear rot pathogens reveals expansion of carbohydrate-active enzymes and secondary metabolism backbone genes in <i>Stenocarpella maydis</i> . <i>Fungal Biology</i> , 2017, 121, 966-983.                                      | 1.1 | 8         |
| 1044 | Sixteen Years of Meiotic Silencing by Unpaired DNA. <i>Advances in Genetics</i> , 2017, 97, 1-42.  | 0.8 | 41        |
| 1045 | A Matter of Scale and Dimensions: Chromatin of Chromosome Landmarks in the Fungi. , 2017, 5, 571-597.  |     | 18        |
| 1046 | Bacterial endosymbionts influence host sexuality and reveal reproductive genes of early divergent fungi. <i>Nature Communications</i> , 2017, 8, 1843.   | 5.8 | 85        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1047 | Multiple Approaches to Phylogenomic Reconstruction of the Fungal Kingdom. <i>Advances in Genetics</i> , 2017, 100, 211-266.  | 0.8 | 19        |
| 1048 | Functional Profiling of Transcription Factor Genes in <i>Neurospora crassa</i> . <i>G3: Genes, Genomes, Genetics</i> , 2017, 7, 2945-2956.   | 0.8 | 60        |
| 1049 | rRNA Pseudogenes in Filamentous Ascomycetes as Revealed by Genome Data. <i>G3: Genes, Genomes, Genetics</i> , 2017, 7, 2695-2703.  | 0.8 | 17        |
| 1050 | An RNA Recognition Motif-Containing Protein Functions in Meiotic Silencing by Unpaired DNA. <i>G3: Genes, Genomes, Genetics</i> , 2017, 7, 2871-2882.  | 0.8 | 13        |
| 1051 | Discovery of McrA, a master regulator of <i>Aspergillus</i> secondary metabolism. <i>Molecular Microbiology</i> , 2017, 103, 347-365.  | 1.2 | 73        |
| 1052 | Advances in Fungal Phylogenomics and Their Impact on Fungal Systematics. <i>Advances in Genetics</i> , 2017, 100, 309-328.   | 0.8 | 21        |
| 1053 | <i>Fusarium oxysporum</i> : Genomics, Diversity and Plant-Host Interaction. , 2017, , 159-199.   |     | 22        |
| 1054 | Comparative Genomics of Pathogenic and Nonpathogenic Beetle-Vectored Fungi in the Genus <i>Geosmithia</i> . <i>Genome Biology and Evolution</i> , 2017, 9, 3312-3327.                                      | 1.1 | 18        |
| 1055 | The coding and noncoding transcriptome of <i>Neurospora crassa</i> . <i>BMC Genomics</i> , 2017, 18, 978.  | 1.2 | 26        |
| 1056 | Comparative Genome Analysis Reveals Adaptation to the Ectophytic Lifestyle of Sooty Blotch and Flyspeck Fungi. <i>Genome Biology and Evolution</i> , 2017, 9, 3137-3151.                                   | 1.1 | 11        |
| 1057 | Fungal Sex: The <i>Ascomycota</i> . , 0, , 115-145.  |     | 4         |
| 1058 | Fungal Genomes and Insights into the Evolution of the Kingdom. , 0, , 619-633.   |     | 29        |
| 1059 | Sources of Fungal Genetic Variation and Associating It with Phenotypic Diversity. , 0, , 635-655.  |     | 3         |
| 1060 | The <i>Neurospora crassa</i> PP2A Regulatory Subunits RGB1 and B56 Are Required for Proper Growth and Development and Interact with the NDR Kinase COT1. <i>Frontiers in Microbiology</i> , 2017, 8, 1694. | 1.5 | 9         |
| 1061 | <i>Neurospora crassa</i> . , 2017, , .   |     | 1         |
| 1062 | Deletion of pH Regulator <i>pac-3</i> Affects Cellulase and Xylanase Activity during Sugarcane Bagasse Degradation by <i>Neurospora crassa</i> . <i>PLoS ONE</i> , 2017, 12, e0169796.                     | 1.1 | 20        |
| 1063 | Genome sequencing and comparative genomics reveal a repertoire of putative pathogenicity genes in chilli anthracnose fungus <i>Colletotrichum truncatum</i> . <i>PLoS ONE</i> , 2017, 12, e0183567.        | 1.1 | 54        |
| 1064 | Daily rhythms and enrichment patterns in the transcriptome of the behavior-manipulating parasite <i>Ophiocordyceps kimflamingiae</i> . <i>PLoS ONE</i> , 2017, 12, e0187170.                               | 1.1 | 24        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1065 | Rapid turnover of effectors in grass powdery mildew ( <i>Blumeria graminis</i> ). <i>BMC Evolutionary Biology</i> , 2017, 17, 223.   | 3.2 | 52        |
| 1066 | Establishment of <i>Neurospora crassa</i> as a host for heterologous protein production using a human antibody fragment as a model product. <i>Microbial Cell Factories</i> , 2017, 16, 128.   | 1.9 | 23        |
| 1067 | <i>Trichoderma reesei</i> complete genome sequence, repeat-induced point mutation, and partitioning of CAZyme gene clusters. <i>Biotechnology for Biofuels</i> , 2017, 10, 170.  | 6.2 | 88        |
| 1068 | Network reconstruction and systems analysis of plant cell wall deconstruction by <i>Neurospora crassa</i> . <i>Biotechnology for Biofuels</i> , 2017, 10, 225.   | 6.2 | 42        |
| 1069 | Reconstructing the Evolutionary History of Powdery Mildew Lineages ( <i>Blumeria graminis</i> ) at Different Evolutionary Time Scales with NGS Data. <i>Genome Biology and Evolution</i> , 2017, 9, 446-456.                                 | 1.1 | 34        |
| 1070 | The genomic study of an environmental isolate of <i>Scedosporium apiospermum</i> shows its metabolic potential to degrade hydrocarbons. <i>Standards in Genomic Sciences</i> , 2017, 12, 71.   | 1.5 | 25        |
| 1071 | Unique molecular mechanisms for maintenance and alteration of genetic information in the budding yeast <i>Saccharomyces cerevisiae</i> . <i>Genes and Environment</i> , 2017, 39, 28.  | 0.9 | 8         |
| 1072 | Evolutionary dynamics in the fungal polarization network, a mechanistic perspective. <i>Biophysical Reviews</i> , 2017, 9, 375-387.  | 1.5 | 4         |
| 1073 | Solid State Fermentation of <i>Carinata</i> ( <i>Brassica carinata</i> ) Meal Using Various Fungal Strains to Produce a Protein-Rich Product for Feed Application. <i>Journal of Microbial &amp; Biochemical Technology</i> , 2017, 09, .    | 0.2 | 3         |
| 1074 | Identification of 15 candidate structured noncoding RNA motifs in fungi by comparative genomics. <i>BMC Genomics</i> , 2017, 18, 785.  | 1.2 | 16        |
| 1075 | Massive Expansion of Gypsy-Like Retrotransposons in <i>Microbotryum</i> Fungi. <i>Genome Biology and Evolution</i> , 2017, 9, 363-371.   | 1.1 | 17        |
| 1076 | Chromosome level assembly and secondary metabolite potential of the parasitic fungus <i>Cordyceps militaris</i> . <i>BMC Genomics</i> , 2017, 18, 912.   | 1.2 | 25        |
| 1077 | Repeat Induced Point Mutation $\hat{t}$ . , 2017, , .  |     | 0         |
| 1078 | NLR surveillance of essential SEC-9 SNARE proteins induces programmed cell death upon allorecognition in filamentous fungi. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E2292-E2301. | 3.3 | 69        |
| 1079 | Genome-reconstruction for eukaryotes from complex natural microbial communities. <i>Genome Research</i> , 2018, 28, 569-580.   | 2.4 | 163       |
| 1080 | Using evolutionary genomics, transcriptomics, and systems biology to reveal gene networks underlying fungal development. <i>Fungal Biology Reviews</i> , 2018, 32, 249-264.  | 1.9 | 22        |
| 1081 | Phospholipases play multiple cellular roles including growth, stress tolerance, sexual development, and virulence in fungi. <i>Microbiological Research</i> , 2018, 209, 55-69.  | 2.5 | 54        |
| 1082 | The mycoparasitic fungus <i>Clonostachys rosea</i> responds with both common and specific gene expression during interspecific interactions with fungal prey. <i>Evolutionary Applications</i> , 2018, 11, 931-949.                          | 1.5 | 96        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1083 | Molecular characterization of two alkylresorcylic acid synthases from Sordariomycetes fungi. Enzyme and Microbial Technology, 2018, 115, 16-22.   | 1.6 | 18        |
| 1084 | Improved prediction of fungal effector proteins from secretomes with EffectorP 2.0. Molecular Plant Pathology, 2018, 19, 2094-2110.   | 2.0 | 350       |
| 1085 | Biosynthesis of Fungal Polyketides. , 2018, , 385-412.  |     | 12        |
| 1086 | Efficient computation of shortest absent words in complete genomes. Information Sciences, 2018, 435, 59-68.   | 4.0 | 2         |
| 1087 | Comparative genome and transcriptome analyses reveal adaptations to opportunistic infections in woody plant degrading pathogens of Botryosphaeriaceae. DNA Research, 2018, 25, 87-102.                              | 1.5 | 60        |
| 1088 | Structure, kinetics, molecular and redox properties of a cytosolic and developmentally regulated fungal catalase-peroxidase. Archives of Biochemistry and Biophysics, 2018, 640, 17-26.                             | 1.4 | 8         |
| 1089 | Inter-genome comparison of the Quorn fungus <i>Fusarium venenatum</i> and the closely related plant infecting pathogen <i>Fusarium graminearum</i> . BMC Genomics, 2018, 19, 269.                                   | 1.2 | 28        |
| 1090 | Transcriptome and secretome analysis of <i>Aspergillus fumigatus</i> in the presence of sugarcane bagasse. BMC Genomics, 2018, 19, 232.   | 1.2 | 60        |
| 1091 | Horizons of Systems Biocatalysis and Renaissance of Metabolite Synthesis. Biotechnology Journal, 2018, 13, 1700620.   | 1.8 | 19        |
| 1092 | Comparative study of genome-wide plant biomass-degrading CAZymes in white rot, brown rot and soft rot fungi. Mycology, 2018, 9, 93-105.   | 2.0 | 116       |
| 1094 | Reference Assembly and Annotation of the <i>Pyrenophora teres</i> f. <i>teres</i> Isolate O-1. G3: Genes, Genomes, Genetics, 2018, 8, 1-8.  | 0.8 | 32        |
| 1095 | Functional diversity in the pH signaling pathway: an overview of the pathway regulation in <i>Neurospora crassa</i> . Current Genetics, 2018, 64, 529-534.  | 0.8 | 7         |
| 1096 | Molecular evolution and transcriptional profile of GH3 and GH20 $\beta$ -N-acetylglucosaminidases in the entomopathogenic fungus <i>Metarhizium anisopliae</i> . Genetics and Molecular Biology, 2018, 41, 843-857. | 0.6 | 7         |
| 1098 | The gold-standard genome of <i>Aspergillus niger</i> NRRL 3 enables a detailed view of the diversity of sugar catabolism in fungi. Studies in Mycology, 2018, 91, 61-78.  | 4.5 | 62        |
| 1099 | Evolution and functional characterization of pectate lyase PEL12, a member of a highly expanded <i>Clonostachys rosea</i> polysaccharide lyase 1 family. BMC Microbiology, 2018, 18, 178.                           | 1.3 | 29        |
| 1100 | Repeat elements organise 3D genome structure and mediate transcription in the filamentous fungus <i>Epichloa festucae</i> . PLoS Genetics, 2018, 14, e1007467.  | 1.5 | 79        |
| 1101 | Comparative evolutionary histories of fungal proteases reveal gene gains in the mycoparasitic and nematode-parasitic fungus <i>Clonostachys rosea</i> . BMC Evolutionary Biology, 2018, 18, 171.                    | 3.2 | 31        |
| 1102 | Fungi between extremotolerance and opportunistic pathogenicity on humans. Fungal Diversity, 2018, 93, 195-213.  | 4.7 | 73        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1103 | Genome-Wide Comparison of Carbohydrate-Active Enzymes (CAZymes) Repertoire of <i>Flammulina ononidis</i> . <i>Mycobiology</i> , 2018, 46, 349-360.   | 0.6 | 14        |
| 1104 | Circadian Proteomic Analysis Uncovers Mechanisms of Post-Transcriptional Regulation in Metabolic Pathways. <i>Cell Systems</i> , 2018, 7, 613-626.e5.  | 2.9 | 93        |
| 1105 | Comparative genomic analysis revealed rapid differentiation in the pathogenicity-related gene repertoires between <i>Pyricularia oryzae</i> and <i>Pyricularia penniseti</i> isolated from a <i>Pennisetum</i> grass. <i>BMC Genomics</i> , 2018, 19, 927. | 1.2 | 14        |
| 1106 | Cellulose-binding activity of a 21-kDa endo- $\beta$ -1,4-glucanase lacking cellulose-binding domain and its synergy with other cellulases in the digestive fluid of <i>Aplysia kuroda</i> . <i>PLoS ONE</i> , 2018, 13, e0205915.                         | 1.1 | 0         |
| 1107 | Kinome Expansion in the <i>Fusarium oxysporum</i> Species Complex Driven by Accessory Chromosomes. <i>MSphere</i> , 2018, 3, .   | 1.3 | 29        |
| 1108 | Characterizing Time-of-Day Conformational Changes in the Intrinsically Disordered Proteins of the Circadian Clock. <i>Methods in Enzymology</i> , 2018, 611, 503-529.  | 0.4 | 10        |
| 1109 | Environmental pH modulates transcriptomic responses in the fungus <i>Fusarium</i> sp. associated with <i>KSHB Euwallacea</i> sp. near <i>forficatus</i> . <i>BMC Genomics</i> , 2018, 19, 721.   | 1.2 | 15        |
| 1110 | Genomic overview of closely related fungi with different <i>Protea</i> host ranges. <i>Fungal Biology</i> , 2018, 122, 1201-1214.  | 1.1 | 1         |
| 1111 | New Genomic Approaches to Enhance Biomass Degradation by the Industrial Fungus <i>Trichoderma reesei</i> . <i>International Journal of Genomics</i> , 2018, 2018, 1-17.  | 0.8 | 30        |
| 1112 | Convergent evolution of complex genomic rearrangements in two fungal meiotic drive elements. <i>Nature Communications</i> , 2018, 9, 4242.   | 5.8 | 40        |
| 1113 | The Landscape of Repetitive Elements in the Refined Genome of Chilli Anthracnose Fungus <i>Colletotrichum truncatum</i> . <i>Frontiers in Microbiology</i> , 2018, 9, 2367.  | 1.5 | 19        |
| 1115 | Small RNAs from cereal powdery mildew pathogens may target host plant genes. <i>Fungal Biology</i> , 2018, 122, 1050-1063.   | 1.1 | 41        |
| 1116 | <i>mus-52</i> disruption and metabolic regulation in <i>Neurospora crassa</i> : Transcriptional responses to extracellular phosphate availability. <i>PLoS ONE</i> , 2018, 13, e0195871.   | 1.1 | 3         |
| 1117 | The evolution of genomic and epigenomic features in two <i>Pleurotus</i> fungi. <i>Scientific Reports</i> , 2018, 8, 8313.   | 1.6 | 30        |
| 1118 | Massive lateral transfer of genes encoding plant cell wall-degrading enzymes to the mycoparasitic fungus <i>Trichoderma</i> from its plant-associated hosts. <i>PLoS Genetics</i> , 2018, 14, e1007322.  | 1.5 | 143       |
| 1119 | How a fungus shapes biotechnology: 100 years of <i>Aspergillus niger</i> research. <i>Fungal Biology and Biotechnology</i> , 2018, 5, 13.  | 2.5 | 179       |
| 1120 | The genome of <i>Rhizophagus clarus</i> HR1 reveals a common genetic basis for auxotrophy among arbuscular mycorrhizal fungi. <i>BMC Genomics</i> , 2018, 19, 465.   | 1.2 | 91        |
| 1121 | Disruption of <i>gul-1</i> decreased the culture viscosity and improved protein secretion in the filamentous fungus <i>Neurospora crassa</i> . <i>Microbial Cell Factories</i> , 2018, 17, 96.   | 1.9 | 22        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1122 | Ensemble methods for stochastic networks with special reference to the biological clock of <i>Neurospora crassa</i> . PLoS ONE, 2018, 13, e0196435.   | 1.1 | 9         |
| 1123 | Identification of Key Residues for Enzymatic Carboxylate Reduction. <i>Frontiers in Microbiology</i> , 2018, 9, 250.  | 1.5 | 29        |
| 1124 | An Overview of the Function and Maintenance of Sexual Reproduction in Dikaryotic Fungi. <i>Frontiers in Microbiology</i> , 2018, 9, 503.  | 1.5 | 60        |
| 1125 | Understanding photoreception in fungi and its role in fungal development with focus on phytopathogenic fungi. <i>Indian Phytopathology</i> , 2018, 71, 169-182.   | 0.7 | 8         |
| 1126 | Annotation resource of tandem repeat-containing secretory proteins in sixty fungi. <i>Fungal Genetics and Biology</i> , 2018, 119, 7-19.  | 0.9 | 2         |
| 1127 | Polyketide synthases of <i>Diaporthe helianthi</i> and involvement of DhPKS1 in virulence on sunflower. <i>BMC Genomics</i> , 2018, 19, 27.   | 1.2 | 15        |
| 1128 | Genome Sequencing and Carbohydrate-Active Enzyme (CAZyme) Repertoire of the White Rot Fungus <i>Flammulina elastica</i> . <i>International Journal of Molecular Sciences</i> , 2018, 19, 2379.  | 1.8 | 47        |
| 1129 | Purification of Fungal High Molecular Weight Genomic DNA from Environmental Samples. <i>Methods in Molecular Biology</i> , 2018, 1775, 21-35.   | 0.4 | 7         |
| 1130 | Introduction: Overview of Fungal Genomics. <i>Methods in Molecular Biology</i> , 2018, 1775, 1-7.   | 0.4 | 0         |
| 1131 | Fungal Genomes and Genotyping. <i>Advances in Applied Microbiology</i> , 2018, 102, 37-81.  | 1.3 | 14        |
| 1132 | Global distribution of mating types shows limited opportunities for mating across populations of fungi causing boxwood blight disease. <i>Fungal Genetics and Biology</i> , 2019, 131, 103246.  | 0.9 | 16        |
| 1133 | Genome sequencing and comparison of five <i>Tilletia</i> species to identify candidate genes for the detection of regulated species infecting wheat. <i>IMA Fungus</i> , 2019, 10, 11.  | 1.7 | 21        |
| 1134 | The pH Signaling Transcription Factor PAC-3 Regulates Metabolic and Developmental Processes in Pathogenic Fungi. <i>Frontiers in Microbiology</i> , 2019, 10, 2076.   | 1.5 | 9         |
| 1135 | Design Principles of Branching Morphogenesis in Filamentous Organisms. <i>Current Biology</i> , 2019, 29, R1149-R1162.  | 1.8 | 22        |
| 1136 | Optimized sequencing depth and de novo assembler for deeply reconstructing the transcriptome of the tea plant, an economically important plant species. <i>BMC Bioinformatics</i> , 2019, 20, 553.  | 1.2 | 7         |
| 1137 | Two genes in a pathogenicity gene cluster encoding secreted proteins are required for appressorial penetration and infection of the maize anthracnose fungus <i>Colletotrichum graminicola</i> . <i>Environmental Microbiology</i> , 2019, 21, 4773-4791. | 1.8 | 9         |
| 1138 | Genomic Insights into the Fungal Lignocellulolytic Machinery of <i>Flammulina rossica</i> . <i>Microorganisms</i> , 2019, 7, 421.   | 1.6 | 5         |
| 1139 | Light in the Fungal World: From Photoreception to Gene Transcription and Beyond. <i>Annual Review of Genetics</i> , 2019, 53, 149-170.  | 3.2 | 83        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1140 | Structural insights into the hydrolysis pattern and molecular dynamics simulations of GH45 subfamily a endoglucanase from <i>Neurospora crassa</i> OR74A. <i>Biochimie</i> , 2019, 165, 275-284.   | 1.3 | 3         |
| 1141 | Loss of copy number and expression of transgene during meiosis in <i>Pyropia tenera</i> . <i>Plant Biotechnology Reports</i> , 2019, 13, 653-661.  | 0.9 | 5         |
| 1142 | The Formaldehyde Dehydrogenase <i>SsFdh1</i> Is Regulated by and Functionally Cooperates with the GATA Transcription Factor <i>SsNsd1</i> in <i>Sclerotinia sclerotiorum</i> . <i>MSystems</i> , 2019, 4, .                                  | 1.7 | 16        |
| 1143 | Identification and manipulation of <i>Neurospora crassa</i> genes involved in sensitivity to furfural. <i>Biotechnology for Biofuels</i> , 2019, 12, 210.  | 6.2 | 14        |
| 1144 | Carbon sources and XlnR-dependent transcriptional landscape of CAZymes in the industrial fungus <i>Talaromyces versatilis</i> : when exception seems to be the rule. <i>Microbial Cell Factories</i> , 2019, 18, 14.                         | 1.9 | 10        |
| 1145 | Draft Genome Sequence of an Onion Basal Rot Isolate of <i>Fusarium proliferatum</i> . <i>Microbiology Resource Announcements</i> , 2019, 8, .  | 0.3 | 10        |
| 1147 | Suppressors of Meiotic Silencing by Unpaired DNA. <i>Non-coding RNA</i> , 2019, 5, 14.   | 1.3 | 6         |
| 1148 | RNA interference core components identified and characterised in <i>Verticillium nonalfalfae</i> , a vascular wilt pathogenic plant fungi of hops. <i>Scientific Reports</i> , 2019, 9, 8651.  | 1.6 | 16        |
| 1149 | Control of Development, Secondary Metabolism and Light-Dependent Carotenoid Biosynthesis by the Velvet Complex of <i>Neurospora crassa</i> . <i>Genetics</i> , 2019, 212, 691-710.   | 1.2 | 28        |
| 1150 | Histone H3 lysine 4 methyltransferase is required for facultative heterochromatin at specific loci. <i>BMC Genomics</i> , 2019, 20, 350.   | 1.2 | 10        |
| 1151 | Sensing and transduction of nutritional and chemical signals in filamentous fungi: Impact on cell development and secondary metabolites biosynthesis. <i>Biotechnology Advances</i> , 2019, 37, 107392.                                      | 6.0 | 34        |
| 1152 | Cloning and analysis of <i>Ophiocordyceps xuefengensis</i> mating type ( <i>MAT</i> ) loci. <i>FEMS Microbiology Letters</i> , 2019, 366, .  | 0.7 | 3         |
| 1153 | The role of GYP-3 in cellular morphogenesis of <i>Neurospora crassa</i> : Analyzing its relationship with the polarisome. <i>Fungal Genetics and Biology</i> , 2019, 128, 49-59.   | 0.9 | 5         |
| 1154 | Functional Genomics Approach Towards Dissecting Out Abiotic Stress Tolerance Trait in Plants. <i>Sustainable Development and Biodiversity</i> , 2019, , 1-24.  | 1.4 | 3         |
| 1155 | Genome Mining Reveals <i>Neurospora crassa</i> Can Produce the Salicylaldehyde Sordarial. <i>Journal of Natural Products</i> , 2019, 82, 1029-1033.  | 1.5 | 27        |
| 1156 | Communicate and Fuse: How Filamentous Fungi Establish and Maintain an Interconnected Mycelial Network. <i>Frontiers in Microbiology</i> , 2019, 10, 619.   | 1.5 | 98        |
| 1157 | AYbRAH: a curated ortholog database for yeasts and fungi spanning 600 million years of evolution. <i>Database: the Journal of Biological Databases and Curation</i> , 2019, 2019, .  | 1.4 | 9         |
| 1158 | Decrease of citric acid produced by <i>Aspergillus niger</i> through disruption of the gene encoding a putative mitochondrial citrate-oxoglutarate shuttle protein. <i>Bioscience, Biotechnology and Biochemistry</i> , 2019, 83, 1538-1546. | 0.6 | 13        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1159 | Heterologous expression of <i>Neurospora crassa</i> <i>cbh1</i> gene in <i>Pichia pastoris</i> resulted in production of a neutral cellobiohydrolase I. <i>Biotechnology Progress</i> , 2019, 35, e2795. | 1.3 | 7         |
| 1160 | Diversity of cytosine methylation across the fungal tree of life. <i>Nature Ecology and Evolution</i> , 2019, 3, 479-490.  | 3.4 | 98        |
| 1161 | In silico characterization of microRNAs-like sequences in the genome of <i>Paracoccidioides brasiliensis</i> . <i>Genetics and Molecular Biology</i> , 2019, 42, 95-107.                                 | 0.6 | 6         |
| 1162 | Combination of Proteogenomics with Peptide De Novo Sequencing Identifies New Genes and Hidden Posttranscriptional Modifications. <i>MBio</i> , 2019, 10, .   | 1.8 | 40        |
| 1163 | Broad Substrate-Specific Phosphorylation Events Are Associated With the Initial Stage of Plant Cell Wall Recognition in <i>Neurospora crassa</i> . <i>Frontiers in Microbiology</i> , 2019, 10, 2317.    | 1.5 | 25        |
| 1164 | ENCORE. , 2019, 2019, 5-14.  |     | 8         |
| 1165 | Repeat-Induced Point Mutations Drive Divergence between <i>Fusarium circinatum</i> and Its Close Relatives. <i>Pathogens</i> , 2019, 8, 298.   | 1.2 | 11        |
| 1166 | STK-12 acts as a transcriptional brake to control the expression of cellulase-encoding genes in <i>Neurospora crassa</i> . <i>PLoS Genetics</i> , 2019, 15, e1008510.                                    | 1.5 | 19        |
| 1167 | The Use of Whole Genome and Next-Generation Sequencing in the Diagnosis of Invasive Fungal Disease. <i>Current Fungal Infection Reports</i> , 2019, 13, 284-291.   | 0.9 | 4         |
| 1168 | The Genetics and Biochemistry of Cell Wall Structure and Synthesis in <i>Neurospora crassa</i> , a Model Filamentous Fungus. <i>Frontiers in Microbiology</i> , 2019, 10, 2294.                          | 1.5 | 45        |
| 1169 | Taxonomic Features of Specific Ca <sup>2+</sup> Transport Mechanisms in Mitochondria. <i>Biochemistry (Moscow) Supplement Series A: Membrane and Cell Biology</i> , 2019, 13, 194-204.                   | 0.3 | 1         |
| 1170 | Network analysis exposes core functions in major lifestyles of fungal and oomycete plant pathogens. <i>BMC Genomics</i> , 2019, 20, 1020.  | 1.2 | 26        |
| 1171 | Comparative Genomics and Transcriptomics To Analyze Fruiting Body Development in Filamentous Ascomycetes. <i>Genetics</i> , 2019, 213, 1545-1563.  | 1.2 | 14        |
| 1172 | Programmed Cell Death in <i>Neurospora crassa</i> Is Controlled by the Allorecognition Determinant <i>rcd-1</i> . <i>Genetics</i> , 2019, 213, 1387-1400.  | 1.2 | 32        |
| 1173 | Analysis of Repeat Induced Point (RIP) Mutations in <i>Leptosphaeria maculans</i> Indicates Variability in the RIP Process Between Fungal Species. <i>Genetics</i> , 2019, 211, 89-104.                  | 1.2 | 20        |
| 1174 | CLR4, a novel conserved transcription factor for cellulase gene expression in ascomycete fungi. <i>Molecular Microbiology</i> , 2019, 111, 373-394.  | 1.2 | 38        |
| 1175 | Structural dynamics of lytic polysaccharide monooxygenases reveals a highly flexible substrate binding region. <i>Journal of Molecular Graphics and Modelling</i> , 2019, 88, 1-10.                      | 1.3 | 11        |
| 1176 | Asexual reproduction and growth rate: independent and plastic life history traits in <i>Neurospora crassa</i> . <i>ISME Journal</i> , 2019, 13, 780-788.   | 4.4 | 8         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1177 | Whole genome sequencing and genome annotation of the wild edible mushroom, <i>Russula griseocarnosa</i> . <i>Genomics</i> , 2020, 112, 603-614.   | 1.3 | 30        |
| 1178 | Transcriptome analysis and whole genome re-sequencing provide insights on rice kernel smut ( <i>Tilletia</i> ) Tj ETQq1 1 0,784314 0,6 19 BT /Over  | 0.6 | 19        |
| 1179 | Pentaerythritol encapsulated with boric acid: An efficient composite crosslinker for guar gum fracturing fluid. <i>Journal of Applied Polymer Science</i> , 2020, 137, 48528.                                   | 1.3 | 7         |
| 1180 | Evaluating the circadian rhythm and response to glucose addition in dispersed growth cultures of <i>Neurospora crassa</i> . <i>Fungal Biology</i> , 2020, 124, 398-406.   | 1.1 | 10        |
| 1181 | Comparative genome and transcriptome analysis of the nematode-trapping fungus <i>Duddingtonia flagrans</i> reveals high pathogenicity during nematode infection. <i>Biological Control</i> , 2020, 143, 104159. | 1.4 | 6         |
| 1182 | The Composition and the Structure of MCC/Eisosomes in <i>Neurospora crassa</i> . <i>Frontiers in Microbiology</i> , 2020, 11, 2115.   | 1.5 | 3         |
| 1183 | Comparative Proteomic Analysis of Wild Type and Mutant Lacking an SCF E3 Ligase F-Box Protein in <i>Magnaporthe oryzae</i> . <i>Journal of Proteome Research</i> , 2020, 19, 3761-3768.                         | 1.8 | 1         |
| 1184 | Expansion of Adhesion Genes Drives Pathogenic Adaptation of Nematode-Trapping Fungi. <i>IScience</i> , 2020, 23, 101057.  | 1.9 | 31        |
| 1185 | Wild Isolates of <i>Neurospora crassa</i> Reveal Three Conidiophore Architectural Phenotypes. <i>Microorganisms</i> , 2020, 8, 1760.  | 1.6 | 2         |
| 1186 | Clustering analysis of large-scale phenotypic data in the model filamentous fungus <i>Neurospora crassa</i> . <i>BMC Genomics</i> , 2020, 21, 755.  | 1.2 | 6         |
| 1187 | MOB: Pivotal Conserved Proteins in Cytokinesis, Cell Architecture and Tissue Homeostasis. <i>Biology</i> , 2020, 9, 413.  | 1.3 | 10        |
| 1188 | New Opportunities for Modern Fungal Biology. <i>Frontiers in Fungal Biology</i> , 2020, 1, .  | 0.9 | 1         |
| 1189 | Sphingolipid-enriched domains in fungi. <i>FEBS Letters</i> , 2020, 594, 3698-3718.   | 1.3 | 19        |
| 1190 | Mining whole genome sequence data to efficiently attribute individuals to source populations. <i>Scientific Reports</i> , 2020, 10, 12124.  | 1.6 | 10        |
| 1191 | The occurrence and function of alternative splicing in fungi. <i>Fungal Biology Reviews</i> , 2020, 34, 178-188.  | 1.9 | 16        |
| 1192 | Genome Sequencing of <i>Paecilomyces Penicillatus</i> Provides Insights into Its Phylogenetic Placement and Mycoparasitism Mechanisms on Morel Mushrooms. <i>Pathogens</i> , 2020, 9, 834.                      | 1.2 | 19        |
| 1193 | The Absence of C-5 DNA Methylation in <i>Leishmania donovani</i> Allows DNA Enrichment from Complex Samples. <i>Microorganisms</i> , 2020, 8, 1252.   | 1.6 | 9         |
| 1194 | Studies on sugar transporter CRT1 reveal new characteristics that are critical for cellulase induction in <i>Trichoderma reesei</i> . <i>Biotechnology for Biofuels</i> , 2020, 13, 158.                        | 6.2 | 32        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1195 | Effect of Oligosaccharide Degree of Polymerization on the Induction of Xylan-Degrading Enzymes by <i>Fusarium oxysporum</i> f. sp. <i>Lycopersici</i> . <i>Molecules</i> , 2020, 25, 5849.                      | 1.7 | 8         |
| 1196 | Establishment of <i>Neurospora crassa</i> as a model organism for fungal virology. <i>Nature Communications</i> , 2020, 11, 5627.   | 5.8 | 26        |
| 1197 | Repeat-induced point mutation in <i>Neurospora crassa</i> causes the highest known mutation rate and mutational burden of any cellular life. <i>Genome Biology</i> , 2020, 21, 142.                             | 3.8 | 24        |
| 1198 | Genome Sequence of the Chestnut Blight Fungus <i>Cryphonectria parasitica</i> EP155: A Fundamental Resource for an Archetypical Invasive Plant Pathogen. <i>Phytopathology</i> , 2020, 110, 1180-1188.          | 1.1 | 34        |
| 1199 | Enabling community-based metrology for wood-degrading fungi. <i>Fungal Biology and Biotechnology</i> , 2020, 7, 2.  | 2.5 | 8         |
| 1200 | Comparative analysis of genome-wide DNA methylation in <i>Neurospora</i> . <i>Epigenetics</i> , 2020, 15, 972-987.  | 1.3 | 10        |
| 1201 | Sugar transporters from industrial fungi: Key to improving second-generation ethanol production. <i>Renewable and Sustainable Energy Reviews</i> , 2020, 131, 109991.   | 8.2 | 35        |
| 1202 | In silico detection of DNA methylation in fungi <i>Neurospora crassa</i> genes, <i>rid-1</i> and <i>dim-2</i> . <i>AIP Conference Proceedings</i> , 2020, . .   | 0.3 | 2         |
| 1203 | Whole Genome Sequencing and Comparative Genomics of Two Nematicidal <i>Bacillus</i> Strains Reveals a Wide Range of Possible Virulence Factors. <i>G3: Genes, Genomes, Genetics</i> , 2020, 10, 881-890.        | 0.8 | 12        |
| 1204 | Pathogenicity and Virulence Factors of <i>Fusarium graminearum</i> Including Factors Discovered Using Next Generation Sequencing Technologies and Proteomics. <i>Microorganisms</i> , 2020, 8, 305.             | 1.6 | 33        |
| 1205 | A comparative genomics study of 23 <i>Aspergillus</i> species from section <i>Flavi</i> . <i>Nature Communications</i> , 2020, 11, 1106.  | 5.8 | 125       |
| 1206 | Exploring the resistome, virulome and microbiome of drinking water in environmental and clinical settings. <i>Water Research</i> , 2020, 174, 115630.   | 5.3 | 44        |
| 1207 | Three challenges to contemporaneous taxonomy from a lichen-mycological perspective. <i>Megataxa</i> , 2020, 1, .  | 1.5 | 20        |
| 1208 | WHI-2 Regulates Intercellular Communication via a MAP Kinase Signaling Complex. <i>Frontiers in Microbiology</i> , 2020, 10, 3162.  | 1.5 | 4         |
| 1209 | Mucoromycota: going to the roots of plant-interacting fungi. <i>Fungal Biology Reviews</i> , 2020, 34, 100-113.   | 1.9 | 75        |
| 1210 | Genomic Features of <i>Cladobotryum dendroides</i> , Which Causes Cobweb Disease in Edible Mushrooms, and Identification of Genes Related to Pathogenicity and Mycoparasitism. <i>Pathogens</i> , 2020, 9, 232. | 1.2 | 15        |
| 1211 | Quantification of <i>Neurospora crassa</i> mitochondrial DNA using quantitative real-time PCR. <i>Letters in Applied Microbiology</i> , 2020, 71, 171-178.  | 1.0 | 2         |
| 1212 | Prediction of the secretomes of endophytic and nonendophytic fungi reveals similarities in host plant infection and colonization strategies. <i>Mycologia</i> , 2020, 112, 491-503.                             | 0.8 | 14        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1213 | RNA Abundance Analysis. <i>Methods in Molecular Biology</i> , 2021, , .   | 0.4 | 1         |
| 1215 | Functional analyses of xylanolytic enzymes involved in xylan degradation and utilization in <i>Neurospora crassa</i> . <i>International Journal of Biological Macromolecules</i> , 2021, 169, 302-310.  | 3.6 | 7         |
| 1216 | Comparative genomics highlights the importance of drug efflux transporters during evolution of mycoparasitism in <i>Clonostachys</i> subgenus <i>Bionectria</i> (Fungi, Ascomycota, Hypocreales). <i>Evolutionary Applications</i> , 2021, 14, 476-497.             | 1.5 | 19        |
| 1217 | The rise and shine of yeast optogenetics. <i>Yeast</i> , 2021, 38, 131-146.   | 0.8 | 21        |
| 1218 | Calcium signaling is involved in diverse cellular processes in fungi. <i>Mycology</i> , 2021, 12, 10-24.  | 2.0 | 29        |
| 1219 | Whole-Genome Comparisons of Ergot Fungi Reveals the Divergence and Evolution of Species within the Genus <i>Claviceps</i> Are the Result of Varying Mechanisms Driving Genome Evolution and Host Range Expansion. <i>Genome Biology and Evolution</i> , 2021, 13, . | 1.1 | 17        |
| 1220 | RCO-3 and COL-26 form an external-to-internal module that regulates the dual-affinity glucose transport system in <i>Neurospora crassa</i> . <i>Biotechnology for Biofuels</i> , 2021, 14, 33.  | 6.2 | 14        |
| 1221 | Bioinformatics Approaches for Fungal Biotechnology. , 2021, , 536-554.  |     | 0         |
| 1222 | The two-component signal transduction system and its regulation in <i>Candida albicans</i> . <i>Virulence</i> , 2021, 12, 1884-1899.  | 1.8 | 13        |
| 1223 | Metagenomics survey unravels diversity of biogas microbiomes with potential to enhance productivity in Kenya. <i>PLoS ONE</i> , 2021, 16, e0244755.   | 1.1 | 8         |
| 1225 | Proteome-wide analyses reveal diverse functions of acetylation proteins in <i>Neurospora crassa</i> . <i>Proteomics</i> , 2021, 21, e2000212.   | 1.3 | 1         |
| 1227 | Genome-Wide Analyses of Repeat-Induced Point Mutations in the Ascomycota. <i>Frontiers in Microbiology</i> , 2020, 11, 622368.  | 1.5 | 35        |
| 1228 | Shannon entropy as a metric for conditional gene expression in <i>Neurospora crassa</i> . <i>G3: Genes, Genomes, Genetics</i> , 2021, 11, .   | 0.8 | 1         |
| 1229 | Proteomic Analysis of Mycelial Exudates of <i>Ustilaginoidea virens</i> . <i>Pathogens</i> , 2021, 10, 364.   | 1.2 | 4         |
| 1230 | An introgressed gene causes meiotic drive in <i>Neurospora sitophila</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .  | 3.3 | 26        |
| 1231 | Evaluation of multi-color genetically encoded Ca <sup>2+</sup> indicators in filamentous fungi. <i>Fungal Genetics and Biology</i> , 2021, 149, 103540.   | 0.9 | 2         |
| 1232 | Distribution of methionine sulfoxide reductases in fungi and conservation of the free-methionine-R-sulfoxide reductase in multicellular eukaryotes. <i>Free Radical Biology and Medicine</i> , 2021, 169, 187-215.  | 1.3 | 9         |
| 1233 | Ago1 Affects the Virulence of the Fungal Plant Pathogen <i>Zymoseptoria tritici</i> . <i>Genes</i> , 2021, 12, 1011.  | 1.0 | 8         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1234 | Secondary metabolite biosynthetic diversity in the fungal family <i>Hypoxylaceae</i> and <i>Xylaria hypoxylon</i> . <i>Studies in Mycology</i> , 2021, 99, 100118-100118.  | 4.5 | 27        |
| 1235 | Rapid and inexpensive preparation of genome-wide nucleosome footprints from model and non-model organisms. <i>STAR Protocols</i> , 2021, 2, 100486.  | 0.5 | 7         |
| 1237 | Coregulation of gene expression by White collar 1 and phytochrome in <i>Ustilago maydis</i> . <i>Fungal Genetics and Biology</i> , 2021, 152, 103570.  | 0.9 | 3         |
| 1238 | Sugar oxidoreductases and LPMOs – two sides of the same polysaccharide degradation story?. <i>Carbohydrate Research</i> , 2021, 505, 108350.   | 1.1 | 17        |
| 1239 | Genome-Wide Analysis of Nutrient Signaling Pathways Conserved in Arbuscular Mycorrhizal Fungi. <i>Microorganisms</i> , 2021, 9, 1557.  | 1.6 | 9         |
| 1240 | Revisiting the <i>Neurospora crassa</i> mitochondrial genome. <i>Letters in Applied Microbiology</i> , 2021, 73, 495-505.  | 1.0 | 0         |
| 1241 | A novel plant-fungal association reveals fundamental sRNA and gene expression reprogramming at the onset of symbiosis. <i>BMC Biology</i> , 2021, 19, 171.   | 1.7 | 10        |
| 1242 | Sensitivity of <i>Colletotrichum nymphaeae</i> to Six Fungicides and Characterization of Fludioxonil-Resistant Isolates in China. <i>Plant Disease</i> , 2022, 106, 165-173.   | 0.7 | 9         |
| 1243 | Action and inertia in the study of hyphal growth. <i>Fungal Biology Reviews</i> , 2022, 41, 24-30.   | 1.9 | 3         |
| 1244 | FunOrder: A robust and semi-automated method for the identification of essential biosynthetic genes through computational molecular co-evolution. <i>PLoS Computational Biology</i> , 2021, 17, e1009372.  | 1.5 | 9         |
| 1245 | An APSES Transcription Factor Xbp1 Is Required for Sclerotial Development, Appressoria Formation, and Pathogenicity in <i>Ciboria shiraiana</i> . <i>Frontiers in Microbiology</i> , 2021, 12, 739686.   | 1.5 | 4         |
| 1246 | Phylogenetic and phylogenomic analyses reveal two new genera and three new species of ophiostomatalean fungi from termite fungus combs. <i>Mycologia</i> , 2021, 113, 1-19.  | 0.8 | 2         |
| 1247 | Insights into the Lignocellulose-Degrading Enzyme System of <i>Humicola grisea</i> var. <i>thermoidea</i> Based on Genome and Transcriptome Analysis. <i>Microbiology Spectrum</i> , 2021, 9, e0108821.  | 1.2 | 12        |
| 1248 | Cell surface display of <i>Neurospora crassa</i> glutamate decarboxylase on <i>Escherichia coli</i> for extracellular Gamma-aminobutyric acid production from high cell density culture. <i>Biochemical Engineering Journal</i> , 2021, 176, 108196. | 1.8 | 1         |
| 1249 | Lytic polysaccharide monooxygenases (LPMOs) producing microbes: A novel approach for rapid recycling of agricultural wastes. <i>Science of the Total Environment</i> , 2022, 806, 150451.  | 3.9 | 16        |
| 1250 | Impacts of fludioxonil resistance on global gene expression in the necrotrophic fungal plant pathogen <i>Sclerotinia sclerotiorum</i> . <i>BMC Genomics</i> , 2021, 22, 91.  | 1.2 | 8         |
| 1251 | Role of the endogenous fungal metabolites in the plant growth improvement and stress tolerance. , 2021, , 381-401.   |     | 8         |
| 1252 | Functional genomics approaches for combating the effect of abiotic stresses. , 2021, , 119-135.  |     | 1         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1254 | Circadian Rhythms, Photobiology and Functional Genomics in Neurospora. , 2006, , 53-74.   |     | 3         |
| 1255 | Approaches for Identification of Fungal Genes Essential for Plant Disease. , 2004, 26, 85-103.  |     | 3         |
| 1256 | Neurospora from Natural Populations: Population Genomics Insights into the Life History of a Model Microbial Eukaryote. Methods in Molecular Biology, 2020, 2090, 313-336.  | 0.4 | 16        |
| 1257 | Small RNA Isolation and Library Construction for Expression Profiling of Small RNAs from Neurospora crassa and Fusarium oxysporum and Analysis of Small RNAs in Fusarium oxysporum-Infected Plant Root Tissue. Methods in Molecular Biology, 2021, 2170, 199-212. | 0.4 | 1         |
| 1258 | Biophysical Analysis of Lipid Domains in Mammalian and Yeast Membranes by Fluorescence Spectroscopy. Methods in Molecular Biology, 2021, 2187, 247-269.   | 0.4 | 2         |
| 1259 | Signalling in Botrytis cinerea. , 2007, , 85-97.  |     | 5         |
| 1260 | Genome Defense: The Neurospora Paradigm. , 2009, , 321-341.   |     | 6         |
| 1261 | Function Annotation in Gene Networks. , 2012, , 49-67.  |     | 2         |
| 1262 | Neurospora crassa as a Model Organism for Mitochondrial Biogenesis. Methods in Molecular Biology, 2007, 372, 107-123.   | 0.4 | 14        |
| 1263 | Gene Silencing for Functional Analysis: Assessing RNAi as a Tool for Manipulation of Gene Expression. Methods in Molecular Biology, 2010, 638, 77-100.  | 0.4 | 14        |
| 1264 | High-Throughput Production of Gene Replacement Mutants in Neurospora crassa. Methods in Molecular Biology, 2011, 722, 179-189.  | 0.4 | 55        |
| 1265 | Small RNA Isolation and Library Construction for Expression Profiling of Small RNAs from Neurospora and Fusarium Using Illumina High-Throughput Deep Sequencing. Methods in Molecular Biology, 2012, 883, 155-164.  | 0.4 | 9         |
| 1266 | 4 From Genetics to Molecular Oscillations: The Circadian Clock in Neurospora crassa. , 2020, , 77-103.  |     | 2         |
| 1267 | Small RNA-Mediated Gene Silencing in Neurospora. , 2014, , 269-289.   |     | 5         |
| 1268 | Pochonia chlamydosporia: Multitrophic Lifestyles Explained by a Versatile Genome. , 2017, , 197-207.  |     | 7         |
| 1269 | Sordaria macrospora, a Model System for Fungal Development. , 2009, , 17-39.  |     | 28        |
| 1270 | Comparative Evolutionary Histories of Fungal Chitinases. , 2009, , 323-337.   |     | 1         |
| 1271 | Signalling in the Epichloa festucae: Perennial Ryegrass Mutualistic Symbiotic Interaction. Signaling and Communication in Plants, 2012, , 143-181.  | 0.5 | 5         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1272 | Neurofibromin: Protein Domains and Functional Characteristics. , 2012, , 305-326.   |     | 8         |
| 1273 | Podospora anserina: From Laboratory to Biotechnology. Soil Biology, 2013, , 283-309.  | 0.6 | 24        |
| 1274 | Fungal Genomics for Energy and Environment. Soil Biology, 2013, , 11-27.  | 0.6 | 4         |
| 1275 | Advancement of Functional Genomics of a Model Species of Neurospora and Its Use for Ecological Genomics of Soil Fungi. Soil Biology, 2013, , 29-44. | 0.6 | 3         |
| 1276 | 4 Genome Data Drives Change at Culture Collections. , 2014, , 81-96.  |     | 8         |
| 1277 | 6 Photobiology and Circadian Clocks in Neurospora. , 2014, , 121-148.   |     | 8         |
| 1278 | 7 Genomics and Transcriptomics to Analyze Fruiting Body Development. , 2014, , 149-172.   |     | 13        |
| 1279 | Signal Transduction Pathways Mediated by Heterotrimeric G Proteins. , 2004, , 175-207.  |     | 13        |
| 1280 | Genetics and Molecular Biology of Circadian Rhythms. , 2004, , 209-229.   |     | 10        |
| 1281 | Polysaccharidases. , 2004, , 233-247.   |     | 1         |
| 1282 | Enzymology and Molecular Biology of Lignin Degradation. , 2004, , 249-273.  |     | 77        |
| 1283 | Regulation of Mitochondrial Gene Expression. , 2004, , 129-140.   |     | 1         |
| 1285 | G Protein Signaling Components in Filamentous Fungal Genomes. , 2012, , 21-38.  |     | 5         |
| 1286 | Glycogen Metabolism Regulation in Neurospora crassa. , 2012, , 39-55.   |     | 5         |
| 1287 | Exploring Fungi-Associated Lignocellulose Degradation: Secretomic and Proteomic Approaches. , 2019, , 251-277.                                      |     | 5         |
| 1288 | The C- and G-value paradox with polyploidy, repeatomes, introns, phenomes and cell economy. Genes and Genomics, 2020, 42, 699-714.                  | 0.5 | 21        |
| 1290 | Elements, biochemicals, and structures of microbes. , 2011, , 19-34.  |     | 1         |
| 1291 | Microbial primary production and phototrophy. , 2011, , 55-78.  |     | 2         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1292 | Degradation of organic material. , 2011, , 79-98.  |     | 3         |
| 1293 | Microbial growth, biomass production, and controls. , 2011, , 99-116.  |     | 3         |
| 1294 | Ecology of viruses. , 2011, , 137-156.   |     | 1         |
| 1295 | An Argonaute-Like Protein Is Required for Meiotic Silencing. <i>Genetics</i> , 2003, 164, 821-828.   | 1.2 | 120       |
| 1296 | The PHOA and PHOB Cyclin-Dependent Kinases Perform an Essential Function in <i>Aspergillus nidulans</i> . <i>Genetics</i> , 2003, 165, 1105-1115.                      | 1.2 | 24        |
| 1297 | The <i>fluffy</i> Gene of <i>Neurospora crassa</i> Is Necessary and Sufficient to Induce Conidiophore Development. <i>Genetics</i> , 2004, 166, 1741-1749.             | 1.2 | 16        |
| 1306 | MAT and Its Role in the Homothallic Ascomycete <i>Sordaria macrospora</i> . , 0, , 171-188.  |     | 6         |
| 1308 | Comparison of <i>Neurospora crassa</i> and <i>Neurospora sitophila</i> for phytase production at various fermentation temperatures. <i>Biodiversitas</i> , 2016, 17, . | 0.2 | 4         |
| 1309 | Characterization of Greenbeard Genes Involved in Long-Distance Kind Discrimination in a Microbial Eukaryote. <i>PLoS Biology</i> , 2016, 14, e1002431.                 | 2.6 | 49        |
| 1310 | The STRIPAK signaling complex regulates dephosphorylation of GUL1, an RNA-binding protein that shuttles on endosomes. <i>PLoS Genetics</i> , 2020, 16, e1008819.       | 1.5 | 13        |
| 1311 | Genesis of a Fungal Non-Self Recognition Repertoire. <i>PLoS ONE</i> , 2007, 2, e283.  | 1.1 | 74        |
| 1312 | Comparative Genome Analysis of Filamentous Fungi Reveals Gene Family Expansions Associated with Fungal Pathogenesis. <i>PLoS ONE</i> , 2008, 3, e2300.                 | 1.1 | 169       |
| 1313 | Systems Biology of the Clock in <i>Neurospora crassa</i> . <i>PLoS ONE</i> , 2008, 3, e3105.   | 1.1 | 86        |
| 1314 | Systems Biology of the qa Gene Cluster in <i>Neurospora crassa</i> . <i>PLoS ONE</i> , 2011, 6, e20671.  | 1.1 | 24        |
| 1315 | Bisulfite Sequencing Reveals That <i>Aspergillus flavus</i> Holds a Hollow in DNA Methylation. <i>PLoS ONE</i> , 2012, 7, e30349.                                      | 1.1 | 74        |
| 1316 | Importance of MAP Kinases during Protoperithecial Morphogenesis in <i>Neurospora crassa</i> . <i>PLoS ONE</i> , 2012, 7, e42565.                                       | 1.1 | 42        |
| 1317 | Identification of a Transcription Factor Controlling pH-Dependent Organic Acid Response in <i>Aspergillus niger</i> . <i>PLoS ONE</i> , 2012, 7, e50596.               | 1.1 | 22        |
| 1318 | Functional Analysis of the <i>Aspergillus nidulans</i> Kinome. <i>PLoS ONE</i> , 2013, 8, e58008.  | 1.1 | 120       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1319 | A Sensing Role of the Glutamine Synthetase in the Nitrogen Regulation Network in <i>Fusarium fujikuroi</i> . PLoS ONE, 2013, 8, e80740.  | 1.1 | 26        |
| 1320 | The Genome Sequence of the Fungal Pathogen <i>Fusarium virguliforme</i> That Causes Sudden Death Syndrome in Soybean. PLoS ONE, 2014, 9, e81832.   | 1.1 | 50        |
| 1321 | Structure of Importin- $\beta$ from a Filamentous Fungus in Complex with a Classical Nuclear Localization Signal. PLoS ONE, 2015, 10, e0128687.  | 1.1 | 12        |
| 1322 | Glucose Starvation Alters Heat Shock Response, Leading to Death of Wild Type Cells and Survival of MAP Kinase Signaling Mutant. PLoS ONE, 2016, 11, e0165980.  | 1.1 | 5         |
| 1323 | Identification of new molecular hallmarks for YSAPK MAPKs: application for cloning strategies in different fungal filamentous species. Acta Phytopathologica Et Entomologica Hungarica, 2005, 40, 233-249. | 0.1 | 1         |
| 1324 | Principles of Mushroom Developmental Biology. International Journal of Medicinal Mushrooms, 2005, 7, 79-102.   | 0.9 | 25        |
| 1325 | Transposable Elements in Fungi: A Genomic Approach. , 0, , 012-016.  |     | 14        |
| 1326 | Overview of gene structure. WormBook, 2006, , 1-10.  | 5.3 | 26        |
| 1327 | Overview of gene structure in <i>C. elegans</i> . WormBook, 2014, , 1-18.  | 5.3 | 21        |
| 1328 | Regulation of Cellulase and Hemicellulase Gene Expression in Fungi. Current Genomics, 2013, 14, 230-249.   | 0.7 | 212       |
| 1329 | Perspectives in Genomics The Future of Fungi in "omics"™ era. Current Genomics, 2016, 17, 82-84.   | 0.7 | 4         |
| 1330 | Chemoattractive Mechanisms in Filamentous Fungi. The Open Mycology Journal, 2014, 8, 28-57.  | 0.8 | 24        |
| 1331 | Calcium homeostasis and signaling in fungi and their relevance for pathogenicity of yeasts and filamentous fungi. AIMS Molecular Science, 2016, 3, 505-549.  | 0.3 | 23        |
| 1332 | Phylogenetic analysis of additional <i>Neurospora crassa</i> isolates. Fungal Genetics Reports, 2012, 59, 13-20.   | 0.6 | 1         |
| 1333 | Analysis of the DNA sequence of the putative ABC transporter NCU09975 in <i>Neurospora crassa</i> strains carrying acriflavin resistance markers.. Fungal Genetics Reports, 2012, 59, 26-29.               | 0.6 | 1         |
| 1334 | Evaluation of automated cell disruptor methods for oomycetous and ascomycetous model organisms. Fungal Genetics Reports, 2011, 58, 4-13.   | 0.6 | 2         |
| 1335 | Identification of the <i>Neurospora crassa</i> mutation un-10 as a point mutation in a gene encoding eukaryotic translation initiation factor 3, subunit B.. Fungal Genetics Reports, 2009, 56, 6-7.       | 0.6 | 2         |
| 1336 | RNA extraction, probe preparation, and competitive hybridization for transcriptional profiling using <i>Neurospora crassa</i> long-oligomer DNA microarrays. Fungal Genetics Reports, 2008, 55, 18-28.     | 0.6 | 14        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1337 | Detection of physical interactions by immunoprecipitation of FLAG- and HA-tagged proteins expressed at the his-3 locus in <i>Neurospora crassa</i> . <i>Fungal Genetics Reports</i> , 2007, 54, 5-8.             | 0.6 | 9         |
| 1338 | Complementation of un-16 and the development of a selectable marker for transformation of <i>Neurospora crassa</i> . <i>Fungal Genetics Reports</i> , 2007, 54, 9-11.  | 0.6 | 4         |
| 1339 | Wild type <i>Neurospora crassa</i> strains preferred for use as standards. <i>Fungal Genetics Reports</i> , 2004, 51, 7-8.   | 0.6 | 3         |
| 1340 | RNAi technology targeting <i>Pb</i> and <i>P</i> in <i>Paracoccidioides brasiliensis</i> . <i>Open Journal of Genetics</i> , 2013, 03, 1-8.  | 0.1 | 2         |
| 1341 | <i>Neurospora crassa</i> cmd, trm-9, and nca-2 Genes Play a Role in Growth, Development, and Survival in Stress conditions. <i>Genomics and Applied Biology</i> , 0, , .   | 0.0 | 4         |
| 1342 | Phylogenetics and Gene Structure Dynamics of Polygalacturonase Genes in <i>Aspergillus</i> and <i>Neurospora crassa</i> . <i>Plant Pathology Journal</i> , 2013, 29, 234-241.                                    | 0.7 | 3         |
| 1343 | Fungal Secretome for Biorefinery: Recent Advances in Proteomic Technology. <i>Mass Spectrometry Letters</i> , 2013, 4, 1-9.  | 0.5 | 8         |
| 1344 | Novel Approaches to Improve Cellulase Biosynthesis for Biofuel Production – Adjusting Signal Transduction Pathways in the Biotechnological Workhorse <i>Trichoderma reesei</i> . , 0, , .                        |     | 7         |
| 1345 | Genome-wide expression analysis of genetic networks in <i>Neurospora crassa</i> . <i>Bioinformatics</i> , 2007, 1, 390-395.  | 0.2 | 4         |
| 1346 | Evidence for suppression of immunity as a driver for genomic introgressions and host range expansion in races of <i>Albugo candida</i> , a generalist parasite. <i>ELife</i> , 2015, 4, .                        | 2.8 | 71        |
| 1347 | Identification and analyses of the chemical composition of a naturally occurring albino mutant chanterelle. <i>Scientific Reports</i> , 2021, 11, 20590.   | 1.6 | 5         |
| 1348 | Comparative Genomics and Transcriptomics Depict Marine Algicolous <i>Arthrinium</i> Species as Endosymbionts That Help Regulate Oxidative Stress in Brown Algae. <i>Frontiers in Marine Science</i> , 2021, 8, . | 1.2 | 4         |
| 1349 | CRISPR/Cas9-mediated genome editing directed by a 5S rRNA-tRNA hybrid promoter in the thermophilic filamentous fungus <i>Humicola insolens</i> . <i>Biotechnology for Biofuels</i> , 2021, 14, 206.              | 6.2 | 4         |
| 1350 | Assessing the Biodegradation of Vulcanised Rubber Particles by Fungi Using Genetic, Molecular and Surface Analysis. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 761510.                      | 2.0 | 3         |
| 1351 | Trends in biological data integration for the selection of enzymes and transcription factors related to cellulose and hemicellulose degradation in fungi. <i>3 Biotech</i> , 2021, 11, 475.                      | 1.1 | 3         |
| 1353 | Genome Comparisons of the Fission Yeasts Reveal Ancient Collinear Loci Maintained by Natural Selection. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 7, 864.   | 1.5 | 1         |
| 1354 | Quantifying Oxidation of Cellulose-Associated Glucuronoxylan by Two Lytic Polysaccharide Monoxygenases from <i>Neurospora crassa</i> . <i>Applied and Environmental Microbiology</i> , 2021, 87, e0165221.       | 1.4 | 15        |
| 1355 | Functional Genomics in Fungi. , 2004, , 115-128.   |     | 0         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1356 | Genome Defense and DNA Methylation in Neurospora. Cold Spring Harbor Symposia on Quantitative Biology, 2004, 69, 1-6.                                  | 2.0 | 0         |
| 1357 | Genomics of Filamentous Fungi. , 2004, , 15-29.  |     | 0         |
| 1358 | Another inconsistency in the pedigree of the Oak Ridge wild types of Neurospora crassa. Fungal Genetics Reports, 2004, 51, 9-11.                       | 0.6 | 1         |
| 1359 | Comparative genomics and disorder prediction identify biologically relevant SH3 protein interactions. PLoS Computational Biology, 2005, preprint, e26. | 1.5 | 0         |
| 1360 | Genomics of Plant Pathogenic Microbes.. Journal of the Japanese Forest Society, 2005, 87, 251-260.   | 0.1 | 0         |
| 1361 | Genomic analyses and their applications in Fusarium graminearum. Mycotoxins, 2005, 55, 65-71.  | 0.2 | 1         |
| 1362 | High throughput mating tests in Neurospora crassa. Fungal Genetics Reports, 2006, 53, 20-22.   | 0.6 | 0         |
| 1363 | Prospecting for Novel Enzyme Activities and Their Genes in Filamentous Fungi from Extreme Environments. , 2009, , 219-241.                             |     | 0         |
| 1364 | Bioinformatics of Seven-Transmembrane Receptors in Plant Genomes. Signaling and Communication in Plants, 2010, , 251-277.                              | 0.5 | 0         |
| 1366 | Genomic Approaches for Identification of the Biopolymer Degrading Enzyme Network of Aspergillus niger. , 2011, , 407-424.                              |     | 0         |
| 1367 | Genetic Dissection of PARylation in the Filamentous Fungus Neurospora crassa. Methods in Molecular Biology, 2011, 780, 427-441.                        | 0.4 | 0         |
| 1368 | Genomes and metagenomes of microbes and viruses. , 2011, , 177-194.  |     | 0         |
| 1369 | Symbiosis and microbes. , 2011, , 257-276.   |     | 0         |
| 1370 | Community structure of microbes in natural environments. , 2011, , 157-176.  |     | 0         |
| 1371 | Physical-chemical environment of microbes. , 2011, , 35-54.  |     | 0         |
| 1372 | Introduction to geomicrobiology. , 2011, , 237-256.  |     | 0         |
| 1373 | Predation and protists. , 2011, , 117-136.   |     | 0         |
| 1375 | Processes in anoxic environments. , 2011, , 195-216.   |     | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1376 | The nitrogen cycle. , 2011, , 217-236.  |     | 0         |
| 1377 | Modelling spatio-temporal dynamics of circadian rythms in <i>Neurospora crassa</i> . <i>Computer Research and Modeling</i> , 2011, 3, 191-213.  | 0.2 | 9         |
| 1378 | Methods in Fungal Genetics. <i>Soil Biology</i> , 2013, , 351-380.  | 0.6 | 0         |
| 1379 | Energy Efficient Systems of Artificial Lighting in Technologies of Edible and Medicinal Mushroom Cultivation. <i>Nauka Ta Innovacii</i> , 2013, 9, 46-56.   | 0.2 | 4         |
| 1380 | <i>Alternaria</i> Comparative Genomics: The Secret Life of Rots. , 2014, , 45-63.   |     | 3         |
| 1381 | Genomic Perspectives on the Fungal Kingdom. , 0, , 657-666.   |     | 0         |
| 1382 | Studying Fungal Virulence by Using Genomics. , 0, , 589-P1.   |     | 1         |
| 1384 | Recombination and Gene Targeting in <i>Neurospora</i> . <i>Fungal Biology</i> , 2015, , 255-262.  | 0.3 | 1         |
| 1385 | Quantitative Analyses Using Video Bioinformatics and Image Analysis Tools During Growth and Development in the Multicellular Fungus <i>Neurospora crassa</i> . <i>Computational Biology</i> , 2015, , 237-250.                  | 0.1 | 0         |
| 1386 | A Carbohydrate Hydrolysis Enzymes encoding Genes in <i>Neurospora crassa</i> . <i>Journal of Advances in Biotechnology</i> , 2016, 5, 711-727.  | 0.1 | 0         |
| 1387 | A Role of Calcium Signaling Genes in Heterokaryon Incompatibility in <i>Neurospora crassa</i> . <i>International Journal of Applied Sciences and Biotechnology</i> , 2015, 3, 668-679.  | 0.4 | 1         |
| 1389 | <i>Aspergillus nidulans</i> : A Model for Study of Form and Asexual Reproduction. , 2016, , 227-236.  |     | 0         |
| 1390 | Whole Genome Analysis of Fungi. <i>Journal of Bacteriology &amp; Mycology Open Access</i> , 2016, 2, .  | 0.2 | 0         |
| 1394 | A Matter of Scale and Dimensions: Chromatin of Chromosome Landmarks in the Fungi. , 0, , 571-597.   |     | 0         |
| 1398 | Protesta en Patzic'Áa. Los pueblos de indios y la <em>vacatio regis</em> en el reino de Guatemala. <i>Revista De Indias</i> , 2018, 78, 147.  | 0.2 | 0         |
| 1402 | <i>Neurospora</i> Genetic Backgrounds Differ in Meiotic Silencing by Unpaired DNA (MSUD) Strength: Implications for Dp-Mediated Suppression of Repeat-Induced Point Mutation (RIP). , 2019, , 215-226.                          |     | 0         |
| 1406 | 1 Chromatin Structure and Function in <i>Neurospora crassa</i> . , 2020, , 3-24.  |     | 1         |
| 1411 | A partial photoreactivation defect phenotype is not due to unrepaired ultraviolet-induced pyrimidine dimers in ultraviolet-sensitive mutants of <i>Neurospora crassa</i>. <i>Genes and Genetic Systems</i> , 2020, 95, 281-289. | 0.2 | 0         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1412 | Transcriptome analysis implicates secondary metabolite production, redox reactions, and programmed cell death during allorecognition in <i>Cryphonectria parasitica</i> . G3: Genes, Genomes, Genetics, 2021, 11, 1-13.             | 0.8 | 4         |
| 1413 | Growth, cultural and morphological characteristics of strains of <i>Laetiporus sulphureus</i> (Polyporales, Basidiomycota) under the influence of laser irradiation. Ukrainian Botanical Journal, 2020, 77, 472-479.                | 0.1 | 0         |
| 1414 | Comparative Analysis of Carbohydrate Active Enzymes in the <i>Flammulina velutipes</i> var. <i>lupinicola</i> Genome. Microorganisms, 2021, 9, 20.  | 1.6 | 3         |
| 1415 | Genome Mining in Fungi. , 2020, , 34-49.  |     | 0         |
| 1416 | Meeting a Challenge: A View on Studying Transcriptional Control of Genes Involved in Plant Biomass Degradation in <i>Aspergillus niger</i> . Grand Challenges in Biology and Biotechnology, 2020, , 211-235.                        | 2.4 | 1         |
| 1417 | 12 Exploiting Fungal Photobiology as a Source of Novel Bio-blocks for Optogenetic Systems. , 2020, , 297-318.   |     | 0         |
| 1418 | G-protein-coupled Receptors in Fungi. Fungal Biology, 2020, , 37-126.   | 0.3 | 7         |
| 1419 | 9 Fungal Genomics. , 2020, , 207-224.   |     | 0         |
| 1424 | Advances in Microbial Applications in Safeguarding of Plant Health: Challenges and Future Perspective. , 2021, , 547-562.   |     | 1         |
| 1425 | Ca <sup>2+</sup> Signalling Differentially Regulates Germ-Tube Formation and Cell Fusion in <i>Fusarium oxysporum</i> . Journal of Fungi (Basel, Switzerland), 2022, 8, 90.   | 1.5 | 4         |
| 1426 | A large accessory genome and high recombination rates may influence global distribution and broad host range of the fungal plant pathogen <i>Claviceps purpurea</i> . PLoS ONE, 2022, 17, e0263496.                                 | 1.1 | 8         |
| 1427 | Characterizing the gene-environment interaction underlying natural morphological variation in <i>Neurospora crassa</i> conidiophores using high-throughput phenomics and transcriptomics. G3: Genes, Genomes, Genetics, 2022, 12, . | 0.8 | 2         |
| 1428 | Gene age shapes the transcriptional landscape of sexual morphogenesis in mushroom-forming fungi (Agaricomycetes). ELife, 2022, 11, .  | 2.8 | 18        |
| 1429 | The genome organization of <i>Neurospora crassa</i> at high resolution uncovers principles of fungal chromosome topology. G3: Genes, Genomes, Genetics, 2022, , .   | 0.8 | 11        |
| 1430 | Molecular basis of cycloheximide resistance in the Ophiostomatales revealed. Current Genetics, 2022, 68, 505-514.   | 0.8 | 3         |
| 1432 | Wavelengths and irradiances modulate the circadian rhythm of <i>Neurospora crassa</i> . PLoS ONE, 2022, 17, e0266266.   | 1.1 | 1         |
| 1433 | Diversity of biologically active secondary metabolites in the ascomycete order Sordariales. Mycological Progress, 2022, 21, 1.  | 0.5 | 8         |
| 1434 | Analysis of carbohydrate-active enzymes and sugar transporters in <i>Penicillium echinulatum</i> : A genome-wide comparative study of the fungal lignocellulolytic system. Gene, 2022, 822, 146345.                                 | 1.0 | 6         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1435 | Exploring the resistome, virulome, mobilome and microbiome along pork production chain using metagenomics. <i>International Journal of Food Microbiology</i> , 2022, 371, 109674.   | 2.1 | 4         |
| 1436 | Marine Fungi. <i>The Microbiomes of Humans, Animals, Plants, and the Environment</i> , 2022, , 243-295.   | 0.2 | 4         |
| 1437 | Differential Gene Expression of <i>Mucor lusitanicus</i> under Aerobic and Anaerobic Conditions. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 404.   | 1.5 | 4         |
| 1438 | BLUE LIGHT PHOTORECEPTORS -BEYOND PHOTOTROPINS AND CRYPTOCHROMES. , 2006, , 253-277.  |     | 0         |
| 1459 | Ergothioneine, Ovothiol A, and Selenoneine—Histidine-Derived, Biologically Significant, Trace Global Alkaloids. <i>Molecules</i> , 2022, 27, 2673.  | 1.7 | 9         |
| 1460 | Post-Translational Modifications of Histones Are Versatile Regulators of Fungal Development and Secondary Metabolism. <i>Toxins</i> , 2022, 14, 317.  | 1.5 | 7         |
| 1461 | Uncovering in vivo biochemical patterns from time-series metabolic dynamics. <i>PLoS ONE</i> , 2022, 17, e0268394.  | 1.1 | 3         |
| 1462 | Transcriptional Divergence Underpinning Sexual Development in the Fungal Class Sordariomycetes. <i>MBio</i> , 2022, 13, .   | 1.8 | 4         |
| 1464 | Secondary Metabolism Gene Clusters Exhibit Increasingly Dynamic and Differential Expression during Asexual Growth, Conidiation, and Sexual Development in <i>Neurospora crassa</i> . <i>MSystems</i> , 2022, 7, .                             | 1.7 | 2         |
| 1470 | Cytokinin production and sensing in fungi. <i>Microbiological Research</i> , 2022, 262, 127103.   | 2.5 | 6         |
| 1472 | <i>Neurospora crassa</i> is a potential source of anti-cancer agents against breast cancer. <i>Breast Cancer</i> , 2022, 29, 1032-1041.   | 1.3 | 2         |
| 1473 | Nuclear-specific gene expression in heterokaryons of the filamentous ascomycete <i>Neurospora tetrasperma</i> . <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2022, 289, .   | 1.2 | 1         |
| 1475 | Safety evaluation of <i>Neurospora crassa</i> mycoprotein for use as a novel meat alternative and enhancer. <i>Food and Chemical Toxicology</i> , 2022, 168, 113342.  | 1.8 | 6         |
| 1476 | Glucuronoyl esterase facilitates biomass degradation in <i>Neurospora crassa</i> by upregulating the expression of plant biomass-degrading enzymes. <i>Journal of General and Applied Microbiology</i> , 2022, 68, 278-286.                   | 0.4 | 0         |
| 1477 | Meiotic crossover interference: Methods of analysis and mechanisms of action. <i>Current Topics in Developmental Biology</i> , 2023, , 217-244.   | 1.0 | 2         |
| 1478 | Regulation of Hsp80 involved in the acquisition of induced thermotolerance, and NCA-2 involved in calcium stress tolerance by the calcineurin-CRZ-1 signaling pathway in <i>Neurospora crassa</i> . <i>Mycological Progress</i> , 2022, 21, . | 0.5 | 1         |
| 1479 | Biodegradation methods and product analysis of zearalenone and its future development trend: A review. <i>Food Control</i> , 2023, 145, 109469.   | 2.8 | 9         |
| 1480 | Genotoxicity, acute, and subchronic toxicity evaluation of dried <i>Neurospora crassa</i> protein-rich biomass. <i>Toxicology Research</i> , 2022, 11, 1003-1017.   | 0.9 | 1         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1481 | Epigenetic Regulation of Fungal Genes Involved in Plant Colonization. , 2023, , 255-281.  |     | 0         |
| 1482 | Chitosan-modified fluorescent dye for simple, fast, and in-situ measurement of fungal cell growth in the presence of insoluble compounds. FEMS Microbiology Letters, 0, , .               | 0.7 | 0         |
| 1483 | Flavofun: Exploration of fungal flavoproteomes. Frontiers in Catalysis, 0, 2, .   | 1.8 | 0         |
| 1484 | The Botrytis cinerea Gene Expression Browser. Journal of Fungi (Basel, Switzerland), 2023, 9, 84.   | 1.5 | 0         |
| 1485 | The genome of <i>Lyophyllum shimeji</i> provides insight into the initial evolution of ectomycorrhizal fungal genomes. DNA Research, 2023, 30, .  | 1.5 | 1         |
| 1486 | Do mitochondria use efflux pumps to protect their ribosomes from antibiotics?. Microbiology (United Tj ETQq1 1 0.784314 rgBT /Overl   | 0.7 | 1         |
| 1487 | Stepwise recombination suppression around the mating-type locus in an ascomycete fungus with self-fertile spores. PLoS Genetics, 2023, 19, e1010347.                                      | 1.5 | 3         |
| 1489 | Conservation and Expansion of Transcriptional Factor Repertoire in the Fusarium oxysporum Species Complex. Journal of Fungi (Basel, Switzerland), 2023, 9, 359.                           | 1.5 | 1         |
| 1490 | Divergent Evolution of Early Terrestrial Fungi Reveals the Evolution of Mucormycosis Pathogenicity Factors. Genome Biology and Evolution, 2023, 15, .                                     | 1.1 | 7         |
| 1491 | Characterization and Genome Analysis of Cladobotryum mycophilum, the Causal Agent of Cobweb Disease of Morchella sextelata in China. Journal of Fungi (Basel, Switzerland), 2023, 9, 411. | 1.5 | 1         |
| 1493 | An in Silico Approach to Identifying TF Binding Sites: Analysis of the Regulatory Regions of BUSCO Genes from Fungal Species in the Ceratocystidaceae Family. Genes, 2023, 14, 848.       | 1.0 | 0         |
| 1494 | Sclerotinia sclerotiorum (Lib.) de Bary: Insights into the Pathogenomic Features of a Global Pathogen. Cells, 2023, 12, 1063.   | 1.8 | 21        |
| 1495 | Epigenetic Approaches to Natural Product Synthesis in Fungi. , 2012, , 198-217.   |     | 0         |
| 1528 | Neurospora crassa. , 2024, , .  |     | 0         |