

# CITATION REPORT

List of articles citing

## Global analysis of protein localization in budding yeast

DOI: 10.1038/nature02026  
Nature, 2003, 425, 686-91.

**Source:** <https://exaly.com/paper-pdf/35276805/citation-report.pdf>

**Version:** 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2299	15. Fe-S cluster assembly and regulation in yeast.		
2298	Measurement of In Vivo Protein Binding Affinities in a Signaling Network with Mass Spectrometry.		
2297	Sdo1p, the yeast orthologue of Shwachman-Bodian-Diamond syndrome protein, binds RNA and interacts with nuclear rRNA-processing factors. <b>2009</b> , 26, 287-98		18
2296	Invariant scaling relations across tree-dominated communities. <i>Nature</i> , <b>2001</b> , 410, 655-60	50.4	490
2295	Global analysis of protein expression in yeast. <i>Nature</i> , <b>2003</b> , 425, 737-41	50.4	3045
2294	Optimization of specificity in a cellular protein interaction network by negative selection. <i>Nature</i> , <b>2003</b> , 426, 676-80	50.4	209
2293	Proteomics: where's Waldo in yeast?. <i>Nature</i> , <b>2003</b> , 425, 671-2	50.4	22
2292	Solar physics: heat exposure. <i>Nature</i> , <b>2003</b> , 425, 672-3	50.4	10
2291	Playing tag with the yeast proteome. <b>2003</b> , 21, 1297-9		4
2290	How to see the big picture. <b>2003</b> , 4, 909-909		
2289	Assigning function to yeast proteins by integration of technologies. <b>2003</b> , 12, 1353-65		236
2288	A Snf2 family ATPase complex required for recruitment of the histone H2A variant Htz1. <b>2003</b> , 12, 1565-76		471
2287	Functional Genomics: all the king's horses and all the king's men can put Humpty together again. <b>2003</b> , 12, 1343-4		4
2286	Localizing the proteome. <b>2003</b> , 4, 240		24
2285	Finding partners: emerging protein interaction technologies applied to signaling networks. <b>2003</b> , 2003, pe56		10
2284	Regulation of exocytotic events by centrosome-analogous structures. <b>2004</b> , 193-207		4
2283	Discovering temporal relations in molecular pathways using protein-protein interactions. <b>2004</b> ,		0

2282	The phox homology (PX) domain protein interaction network in yeast. <b>2004</b> , 3, 1053-64	43
2281	Membrane trafficking of yeast transporters: mechanisms and physiological control of downregulation. <b>2004</b> , 273-323	20
2280	Increased nuclear NAD biosynthesis and SIRT1 activation prevent axonal degeneration. <b>2004</b> , 305, 1010-3	876
2279	A first version of the <i>Caenorhabditis elegans</i> Promoterome. <b>2004</b> , 14, 2169-75	133
2278	Hph1p and Hph2p, novel components of calcineurin-mediated stress responses in <i>Saccharomyces cerevisiae</i> . <b>2004</b> , 3, 695-704	64
2277	Predicting subcellular localization via protein motif co-occurrence. <b>2004</b> , 14, 1957-66	80
2276	The plant hormone indoleacetic acid induces invasive growth in <i>Saccharomyces cerevisiae</i> . <b>2004</b> , 101, 4153-7	155
2275	Protein networks, pleiotropy and the evolution of senescence. <b>2004</b> , 271, 1225-34	119
2274	Rot1p of <i>Saccharomyces cerevisiae</i> is a putative membrane protein required for normal levels of the cell wall 1,6-beta-glucan. <b>2004</b> , 150, 3163-73	30
2273	Yeast Mn <sup>2+</sup> transporter, Smf1p, is regulated by ubiquitin-dependent vacuolar protein sorting. <b>2004</b> , 167, 107-17	31
2272	Changes in the localization of the <i>Saccharomyces cerevisiae</i> anaphase-promoting complex upon microtubule depolymerization and spindle checkpoint activation. <b>2004</b> , 167, 1079-94	14
2271	Integrative analysis of cell cycle control in budding yeast. <b>2004</b> , 15, 3841-62	478
2270	Short tetracysteine tags to beta-tubulin demonstrate the significance of small labels for live cell imaging. <b>2004</b> , 15, 5616-22	115
2269	ESF1 is required for 18S rRNA synthesis in <i>Saccharomyces cerevisiae</i> . <b>2004</b> , 32, 1993-9	14
2268	TOR complex 1 includes a novel component, Tco89p (YPL180w), and cooperates with Ssd1p to maintain cellular integrity in <i>Saccharomyces cerevisiae</i> . <b>2004</b> , 279, 14752-62	186
2267	Global protein function annotation through mining genome-scale data in yeast <i>Saccharomyces cerevisiae</i> . <b>2004</b> , 32, 6414-24	87
2266	The NEF4 complex regulates Rad4 levels and utilizes Snf2/Swi2-related ATPase activity for nucleotide excision repair. <b>2004</b> , 24, 6362-78	48
2265	Golgi inheritance in small buds of <i>Saccharomyces cerevisiae</i> is linked to endoplasmic reticulum inheritance. <b>2004</b> , 101, 18018-23	44

2264	Saccharomyces cerevisiae multidrug transporter Qdr2p (Yil121wp): localization and function as a quinidine resistance determinant. <b>2004</b> , 48, 2531-7	33
2263	Combining different 'omics' technologies to map and validate protein-protein interactions in humans. <b>2004</b> , 2, 357-65	26
2262	A cotranscriptional model for 3'-end processing of the Saccharomyces cerevisiae pre-ribosomal RNA precursor. <b>2004</b> , 10, 1572-85	21
2261	Neuropathy target esterase and its yeast homologue degrade phosphatidylcholine to glycerophosphocholine in living cells. <b>2004</b> , 279, 24024-33	163
2260	Rea1, a dynein-related nuclear AAA-ATPase, is involved in late rRNA processing and nuclear export of 60 S subunits. <b>2004</b> , 279, 55411-8	57
2259	Division of labor among the yeast Sol proteins implicated in tRNA nuclear export and carbohydrate metabolism. <b>2004</b> , 168, 117-27	29
2258	Uncovering novel cell cycle players through the inactivation of securin in budding yeast. <b>2004</b> , 168, 1763-71	22
2257	Mobilization of intracellular copper stores by the ctr2 vacuolar copper transporter. <b>2004</b> , 279, 54221-9	153
2256	Pheromone signaling mechanisms in yeast: a prototypical sex machine. <b>2004</b> , 306, 1508-9	80
2255	Peroxioredoxin-null yeast cells are hypersensitive to oxidative stress and are genomically unstable. <b>2004</b> , 279, 23207-13	97
2254	ORFeome cloning and systems biology: standardized mass production of the parts from the parts-list. <b>2004</b> , 14, 2001-9	63
2253	AtSGP1, AtSGP2 and MAP4K alpha are nucleolar plant proteins that can complement fission yeast mutants lacking a functional SIN pathway. <b>2004</b> , 117, 4265-75	14
2252	Gyp5p and Gyl1p are involved in the control of polarized exocytosis in budding yeast. <b>2004</b> , 117, 4757-67	19
2251	Npa1p, a component of very early pre-60S ribosomal particles, associates with a subset of small nucleolar RNPs required for peptidyl transferase center modification. <b>2004</b> , 24, 6324-37	63
2250	The Swi/Snf chromatin remodeling complex is required for ribosomal DNA and telomeric silencing in Saccharomyces cerevisiae. <b>2004</b> , 24, 8227-35	42
2249	Yeast chromatin assembly complex 1 protein excludes nonacetylatable forms of histone H4 from chromatin and the nucleus. <b>2004</b> , 24, 10180-92	36
2248	Mutagenesis of the putative sterol-sensing domain of yeast Niemann Pick C-related protein reveals a primordial role in subcellular sphingolipid distribution. <b>2004</b> , 164, 547-56	109
2247	The fission yeast kinetochore component Spc7 associates with the EB1 family member Mal3 and is required for kinetochore-spindle association. <b>2004</b> , 15, 5255-67	35

2246	A genome-wide screen identifies genes required for centromeric cohesion. <b>2004</b> , 303, 1367-70	226
2245	Morphogenetic pathway of spore wall assembly in <i>Saccharomyces cerevisiae</i> . <b>2004</b> , 3, 1464-75	90
2244	Stochastic model of protein-protein interaction: why signaling proteins need to be colocalized. <b>2004</b> , 101, 6445-9	54
2243	Global analysis of protein sumoylation in <i>Saccharomyces cerevisiae</i> . <b>2004</b> , 279, 45662-8	266
2242	Distinct intracellular localization of Gpd1p and Gpd2p, the two yeast isoforms of NAD <sup>+</sup> -dependent glycerol-3-phosphate dehydrogenase, explains their different contributions to redox-driven glycerol production. <b>2004</b> , 279, 39677-85	65
2241	Challenges and prospects in the analysis of large-scale gene expression data. <b>2004</b> , 5, 313-27	16
2240	Multidimensional drug profiling by automated microscopy. <b>2004</b> , 306, 1194-8	534
2239	Cdc14p/FEAR pathway controls segregation of nucleolus in <i>S. cerevisiae</i> by facilitating condensin targeting to rDNA chromatin in anaphase. <b>2004</b> , 3, 960-7	61
2238	MITOPRED: a web server for the prediction of mitochondrial proteins. <b>2004</b> , 32, W372-4	66
2237	Vacuole membrane topography of the DPP1-encoded diacylglycerol pyrophosphate phosphatase catalytic site from <i>Saccharomyces cerevisiae</i> . <b>2004</b> , 279, 5338-45	30
2236	Organelle DB: a cross-species database of protein localization and function. <b>2005</b> , 33, D598-604	29
2235	Sfp1 is a stress- and nutrient-sensitive regulator of ribosomal protein gene expression. <b>2004</b> , 101, 14315-22	278
2234	HOR7, a multicopy suppressor of the Ca <sup>2+</sup> -induced growth defect in sphingolipid mannosyltransferase-deficient yeast. <b>2004</b> , 279, 36390-6	7
2233	The small-subunit processome is a ribosome assembly intermediate. <b>2004</b> , 3, 1619-26	134
2232	RPAP1, a novel human RNA polymerase II-associated protein affinity purified with recombinant wild-type and mutated polymerase subunits. <b>2004</b> , 24, 7043-58	63
2231	Stm1p, a G4 quadruplex and purine motif triplex nucleic acid-binding protein, interacts with ribosomes and subtelomeric Y' DNA in <i>Saccharomyces cerevisiae</i> . <b>2004</b> , 279, 24323-33	29
2230	Cox17 is functional when tethered to the mitochondrial inner membrane. <b>2004</b> , 279, 5072-80	80
2229	Biography of Erin K. O'Shea. <b>2004</b> , 101, 14312-4	

2228	Cns1 is an activator of the Ssa1 ATPase activity. <b>2004</b> , 279, 23267-73	42
2227	YBP1 and its homologue YBP2/YBH1 influence oxidative-stress tolerance by nonidentical mechanisms in <i>Saccharomyces cerevisiae</i> . <b>2004</b> , 3, 318-30	26
2226	High-content screening microscopy identifies novel proteins with a putative role in secretory membrane traffic. <b>2004</b> , 14, 1948-56	53
2225	Npa1p is an essential trans-acting factor required for an early step in the assembly of 60S ribosomal subunits in <i>Saccharomyces cerevisiae</i> . <b>2004</b> , 10, 1073-83	20
2224	Automatic identification of subcellular phenotypes on human cell arrays. <b>2004</b> , 14, 1130-6	166
2223	High-throughput fluorescent tagging of full-length <i>Arabidopsis</i> gene products in planta. <b>2004</b> , 135, 25-38	204
2222	Understanding the yeast proteome: a bioinformatics perspective. <b>2004</b> , 1, 193-205	3
2221	Protein network inference from multiple genomic data: a supervised approach. <b>2004</b> , 20 Suppl 1, i363-70	138
2220	Gid8p (Dcr1p) and Dcr2p function in a common pathway to promote START completion in <i>Saccharomyces cerevisiae</i> . <b>2004</b> , 3, 1627-38	15
2219	Parallel chemical genetic and genome-wide RNAi screens identify cytokinesis inhibitors and targets. <b>2004</b> , 2, e379	252
2218	MITOPRED: a genome-scale method for prediction of nucleus-encoded mitochondrial proteins. <b>2004</b> , 20, 1785-94	119
2217	The stress-induced Tfs1p requires NatB-mediated acetylation to inhibit carboxypeptidase Y and to regulate the protein kinase A pathway. <b>2004</b> , 279, 38532-43	57
2216	Integrative analysis of the mitochondrial proteome in yeast. <b>2004</b> , 2, e160	165
2215	Modeling the function of bacterial virulence factors in <i>Saccharomyces cerevisiae</i> . <b>2004</b> , 3, 827-34	39
2214	Enhanced peptide secretion by gene disruption of CYM1, a novel protease in <i>Saccharomyces cerevisiae</i> . <b>2004</b> , 271, 4788-97	26
2213	High-throughput protein localization in <i>Arabidopsis</i> using <i>Agrobacterium</i> -mediated transient expression of GFP-ORF fusions. <b>2005</b> , 41, 162-74	169
2212	Physiological characterization of <i>Saccharomyces cerevisiae</i> kha1 deletion mutants. <b>2005</b> , 55, 588-600	73
2211	Analysis of genomic context: prediction of functional associations from conserved bidirectionally transcribed gene pairs. <b>2004</b> , 22, 911-7	142

2210	Golgi targeting of ARF-like GTPase Arl3p requires its Nalpha-acetylation and the integral membrane protein Sys1p. <b>2004</b> , 6, 414-9		139
2209	Pygopus and Legless target Armadillo/beta-catenin to the nucleus to enable its transcriptional co-activator function. <b>2004</b> , 6, 626-33		178
2208	Systematic genome-wide screens of gene function. <b>2004</b> , 5, 11-22		261
2207	Endosymbiotic gene transfer: organelle genomes forge eukaryotic chromosomes. <b>2004</b> , 5, 123-35		1028
2206	The ABC's (and XYZ's) of peptide sequencing. <b>2004</b> , 5, 699-711		829
2205	The J-protein family: modulating protein assembly, disassembly and translocation. <b>2004</b> , 5, 567-71		389
2204	Tob38, a novel essential component in the biogenesis of beta-barrel proteins of mitochondria. <b>2004</b> , 5, 704-9		115
2203	On the mechanism of protein palmitoylation. <b>2004</b> , 5, 1053-7		107
2202	Evidence for dynamically organized modularity in the yeast protein-protein interaction network. <i>Nature</i> , <b>2004</b> , 430, 88-93	50.4	1381
2201	A membrane protein required for dislocation of misfolded proteins from the ER. <i>Nature</i> , <b>2004</b> , 429, 834-40	50.4	566
2200	PTK7/CCK-4 is a novel regulator of planar cell polarity in vertebrates. <i>Nature</i> , <b>2004</b> , 430, 93-8	50.4	383
2199	Adaptable adaptors for coated vesicles. <b>2004</b> , 14, 167-74		541
2198	Mitochondrial building blocks. <b>2004</b> , 14, 215-8		17
2197	Computational approaches for modeling regulatory cellular networks. <b>2004</b> , 14, 661-9		52
2196	Comparative genomics for reliable protein-function prediction from genomic data. <b>2004</b> , 20, 340-4		19
2195	Mitochondriomics or what makes us breathe. <b>2004</b> , 20, 555-62		116
2194	Protein interaction networks from yeast to human. <b>2004</b> , 14, 292-9		278
2193	Novel conserved domains in proteins with predicted roles in eukaryotic cell-cycle regulation, decapping and RNA stability. <b>2004</b> , 5, 45		66

2192	Structure and function of poly(A) binding proteins. <b>2004</b> , 1678, 67-84	229
2191	Cell cycle goes global. <b>2004</b> , 16, 602-13	25
2190	Rice Na <sup>+</sup> /H <sup>+</sup> -antiporter Nhx1 partially complements the alkali-metal-cation sensitivity of yeast strains lacking three sodium transporters. <b>2004</b> , 49, 519-25	17
2189	Der1p, a protein required for degradation of malformed soluble proteins of the endoplasmic reticulum: topology and Der1-like proteins. <b>2004</b> , 4, 721-9	64
2188	A new enrichment approach identifies genes that alter cell cycle progression in <i>Saccharomyces cerevisiae</i> . <b>2004</b> , 45, 350-9	16
2187	Annotating proteins from endoplasmic reticulum and Golgi apparatus in eukaryotic proteomes. <b>2004</b> , 61, 1341-53	23
2186	Low virulent strains of <i>Candida albicans</i> : unravelling the antigens for a future vaccine. <b>2004</b> , 4, 3007-20	57
2185	Localization of proteins that are coordinately expressed with Cln2 during the cell cycle. <b>2004</b> , 21, 793-800	25
2184	Mild detergent treatment of <i>Candida tropicalis</i> reveals a NADPH-dependent reductase in the crude membrane fraction, which enables the production of pure bicyclic exo-alcohol. <b>2004</b> , 21, 1253-67	9
2183	Genome-based proteomics. <b>2004</b> , 25, 1280-8	22
2182	Investigation into the use of C- and N-terminal GFP fusion proteins for subcellular localization studies using reverse transfection microarrays. <b>2004</b> , 5, 342-53	60
2181	Technical aspects of functional proteomics in plants. <b>2004</b> , 65, 1487-98	44
2180	Protein localization in proteomics. <b>2004</b> , 8, 49-53	50
2179	Protein sequence databases. <b>2004</b> , 8, 76-80	173
2178	From large networks to small molecules. <b>2004</b> , 8, 81-90	91
2177	Messenger RNA turnover in eukaryotes: pathways and enzymes. <b>2004</b> , 39, 197-216	271
2176	Prediction of protein-protein interactions using support vector machines.	5
2175	Proteomics and disease--the challenges for technology and discovery. <b>2004</b> , 3, 167-78	67



2174	Preferred in vivo ubiquitination sites. <b>2004</b> , 20, 3302-7	64
2173	A systems view of mRNP biology. <b>2004</b> , 18, 2845-60	128
2172	Characterization of mammalian sulfiredoxin and its reactivation of hyperoxidized peroxiredoxin through reduction of cysteine sulfinic acid in the active site to cysteine. <b>2004</b> , 279, 50994-1001	286
2171	Identification of the proteins required for biosynthesis of diphthamide, the target of bacterial ADP-ribosylating toxins on translation elongation factor 2. <b>2004</b> , 24, 9487-97	122
2170	Functional and physical interactions of Faf1p, a <i>Saccharomyces cerevisiae</i> nucleolar protein*1. <b>2004</b> , 319, 349-349	
2169	Yeast as a budding technology in target validation. <b>2004</b> , 1, 157-62	2
2168	Shaping the mitochondrial proteome. <b>2004</b> , 1659, 212-20	101
2167	Yeast sphingolipid metabolism: clues and connections. <b>2004</b> , 82, 45-61	55
2166	Proteomics. <b>2004</b> , 5, 267-93	159
2165	A probabilistic functional network of yeast genes. <b>2004</b> , 306, 1555-8	563
2164	Development of a method for screening short-lived proteins using green fluorescent protein. <b>2004</b> , 5, R81	14
2163	The uses of genome-wide yeast mutant collections. <b>2004</b> , 5, 229	83
2162	Protein interaction networks from yeast to human. <b>2004</b> ,	2
2161	Exploration of essential gene functions via titratable promoter alleles. <b>2004</b> , 118, 31-44	475
2160	Development through the eyes of functional genomics. <b>2004</b> , 14, 336-42	12
2159	Selectivity and promiscuity in the interaction network mediated by protein recognition modules. <b>2004</b> , 567, 74-9	60
2158	The selective utilization of substrates in vivo by the phosphatidylethanolamine and phosphatidylcholine biosynthetic enzymes Ept1p and Cpt1p in yeast. <b>2004</b> , 569, 173-7	25
2157	Intracellular trafficking of Niemann-Pick C proteins 1 and 2: obligate components of subcellular lipid transport. <b>2004</b> , 1685, 22-7	92

2156	Metazoan and microbial models of Niemann-Pick Type C disease. <b>2004</b> , 1685, 38-47	17
2155	Sequence analysis of twin ATP binding cassette proteins involved in translational control, antibiotic resistance, and ribonuclease L inhibition. <b>2004</b> , 315, 166-73	113
2154	Functional and physical interactions of Faf1p, a <i>Saccharomyces cerevisiae</i> nucleolar protein. <b>2004</b> , 319, 349-57	8
2153	Yeast cytochrome c is a sequence-specific DNA-binding protein. <b>2004</b> , 321, 900-4	4
2152	Predicting 22 protein localizations in budding yeast. <b>2004</b> , 323, 425-8	43
2151	Analyzing protein function on a genomic scale: the importance of gold-standard positives and negatives for network prediction. <b>2004</b> , 7, 535-45	139
2150	The promise of functional genomics: completing the encyclopedia of a cell. <b>2004</b> , 7, 546-54	39
2149	Integrative studies put cell wall synthesis on the yeast functional map. <b>2004</b> , 7, 617-23	20
2148	Targeted proteomic study of the cyclin-Cdk module. <b>2004</b> , 14, 699-711	100
2147	Targeted mRNA degradation by deadenylation-independent decapping. <b>2004</b> , 15, 5-15	117
2146	Hot spots for modulating toxicity identified by genomic phenotyping and localization mapping. <b>2004</b> , 16, 117-25	82
2145	Proteasome involvement in the repair of DNA double-strand breaks. <b>2004</b> , 16, 1027-34	178
2144	<i>Neurospora crassa</i> CyPBP37: a cytosolic stress protein that is able to replace yeast Thi4p function in the synthesis of vitamin B1. <b>2004</b> , 344, 1147-57	22
2143	Glutathione and thioredoxin peroxidases mediate susceptibility of yeast mitochondria to Ca(2+)-induced damage. <b>2004</b> , 425, 14-24	29
2142	Genome-wide analysis of membrane targeting by <i>S. cerevisiae</i> pleckstrin homology domains. <b>2004</b> , 13, 677-88	280
2141	Identification of a human endonuclease complex reveals a link between tRNA splicing and pre-mRNA 3' end formation. <b>2004</b> , 117, 311-21	165
2140	Proof and evolutionary analysis of ancient genome duplication in the yeast <i>Saccharomyces cerevisiae</i> . <i>Nature</i> , <b>2004</b> , 428, 617-24	50.4 1158
2139	An aspartic proteinase gene family in the filamentous fungus <i>Botrytis cinerea</i> contains members with novel features. <b>2004</b> , 150, 2475-2489	67

2138	Computational analysis of membrane proteins: genomic occurrence, structure prediction and helix interactions. <b>2004</b> , 37, 121-46	55
2137	PRELI (protein of relevant evolutionary and lymphoid interest) is located within an evolutionarily conserved gene cluster on chromosome 5q34-q35 and encodes a novel mitochondrial protein. <b>2004</b> , 378, 817-25	24
2136	Location, location, location: surveying the intracellular real estate through proteomics in plants. <b>2004</b> , 31, 563-572	25
2135	15 Systems biology, cell specificity, and physiology. <b>2005</b> , 3, 265-279	
2134	Introduction. <b>2005</b> , 1-5	1
2133	Hormones and Signals: Identification and Description of Signalling Molecules. <b>2005</b> , 6-41	
2132	Expression and localization of proteins in mammalian cells. <b>2005</b> ,	
2131	Gene CATCHR--gene cloning and tagging for <i>Caenorhabditis elegans</i> using yeast homologous recombination: a novel approach for the analysis of gene expression. <b>2005</b> , 33, e163	15
2130	Manganese toxicity and <i>Saccharomyces cerevisiae</i> Mam3p, a member of the ACDP (ancient conserved domain protein) family. <b>2005</b> , 386, 479-87	31
2129	Image informatics in systems biology applications. <b>2005</b> ,	
2128	Chemical Proteomics in Drug Development. <b>2005</b> , 109-122	2
2127	Pantothenate biosynthesis in higher plants. <b>2005</b> , 33, 743-6	32
2126	Lsb5p interacts with actin regulators Sla1p and Las17p, ubiquitin and Arf3p to couple actin dynamics to membrane trafficking processes. <b>2005</b> , 387, 649-58	23
2125	Identification and assessment of the role of a nominal phospholipid binding region of ORP1S (oxysterol-binding-protein-related protein 1 short) in the regulation of vesicular transport. <b>2005</b> , 387, 889-96	30
2124	Mutations in the yeast kinesin-like Cin8p are alleviated by osmotic support. <b>2005</b> , 244, 379-83	7
2123	Metabolic-flux and network analysis in fourteen hemiascomycetous yeasts. <b>2005</b> , 5, 545-58	167
2122	Bat2p is essential in <i>Saccharomyces cerevisiae</i> for fusel alcohol production on the non-fermentable carbon source ethanol. <b>2005</b> , 5, 757-66	41
2121	Effects of inactivation of the PPN1 gene on exopolyphosphatases, inorganic polyphosphates and function of mitochondria in the yeast <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 5, 823-8	23

2120	Protein localization studies in the age of 'Omics'. <b>2005</b> , 9, 82-7	30
2119	Dissecting innate immune responses with the tools of systems biology. <b>2005</b> , 17, 49-54	14
2118	All systems go: launching cell simulation fueled by integrated experimental biology data. <b>2005</b> , 16, 344-9	27
2117	The Yeast Systems Biology Network: mating communities. <b>2005</b> , 16, 356-60	18
2116	Germ-cell specific protein gametogenetin protein 2 (GGN2), expression in the testis, and association with intracellular membrane. <b>2005</b> , 72, 31-9	13
2115	Supervised enzyme network inference from the integration of genomic data and chemical information. <b>2005</b> , 21 Suppl 1, i468-77	60
2114	A family of basic amino acid transporters of the vacuolar membrane from <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 280, 4851-7	75
2113	Qri2/Nse4, a component of the essential Smc5/6 DNA repair complex. <b>2005</b> , 55, 1735-50	32
2112	Regulation of azole drug susceptibility by <i>Candida albicans</i> protein kinase CK2. <b>2005</b> , 56, 559-73	41
2111	The Rad4 homologue YDR314C is essential for strand-specific repair of RNA polymerase I-transcribed rDNA in <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 56, 1518-26	11
2110	Process or perish: quality control in mRNA biogenesis. <b>2005</b> , 12, 482-8	104
2109	Transcription control reprogramming in genetic backup circuits. <b>2005</b> , 37, 295-9	157
2108	Cell microarrays and RNA interference chip away at gene function. <b>2005</b> , 37 Suppl, S25-30	193
2107	The synthetic genetic interaction spectrum of essential genes. <b>2005</b> , 37, 1147-52	185
2106	Miniaturization in functional genomics and proteomics. <b>2005</b> , 6, 465-76	108
2105	Reconstruction of cellular signalling networks and analysis of their properties. <b>2005</b> , 6, 99-111	408
2104	Proteomics of organelles and large cellular structures. <b>2005</b> , 6, 702-14	351
2103	Sec17p and HOPS, in distinct SNARE complexes, mediate SNARE complex disruption or assembly for fusion. <b>2005</b> , 24, 1775-86	93

2102	INSIG: a broadly conserved transmembrane chaperone for sterol-sensing domain proteins. <b>2005</b> , 24, 3917-26		58
2101	Vitamin C degradation in plant cells via enzymatic hydrolysis of 4-O-oxalyl-L-threonate. <i>Nature</i> , <b>2005</b> , 433, 83-7	50.4	208
2100	Nucleolar proteome dynamics. <i>Nature</i> , <b>2005</b> , 433, 77-83	50.4	946
2099	Global analysis of protein phosphorylation in yeast. <i>Nature</i> , <b>2005</b> , 438, 679-84	50.4	818
2098	Nop53p, an essential nucleolar protein that interacts with Nop17p and Nip7p, is required for pre-rRNA processing in <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 272, 4450-63		31
2097	Brl1p -- a novel nuclear envelope protein required for nuclear transport. <b>2005</b> , 6, 502-17		19
2096	Cotranscriptional mRNP assembly: from the DNA to the nuclear pore. <b>2005</b> , 17, 242-50		140
2095	Control of mitochondrial shape. <b>2005</b> , 17, 384-8		32
2094	Sec16 is a determinant of transitional ER organization. <b>2005</b> , 15, 1439-47		132
2093	RNA turnover: unexpected consequences of being tailed. <b>2005</b> , 15, R635-8		43
2092	Golgi tethering factors. <b>2005</b> , 1744, 325-39		89
2091	Evolutionary relationships between <i>Saccharomyces cerevisiae</i> and other fungal species as determined from genome comparisons. <b>2005</b> , 22, 217-22		15
2090	Methods to reveal domain networks. <b>2005</b> , 10, 1111-7		26
2089	RNA localization in yeast: moving towards a mechanism. <b>2005</b> , 97, 75-86		98
2088	Structural characterization of assemblies from overall shape and subcomplex compositions. <b>2005</b> , 13, 435-45		25
2087	Proceedings of a workshop on DNA adducts: biological significance and applications to risk assessment Washington, DC, April 13-14, 2004. <b>2005</b> , 208, 1-20		22
2086	Differentiating mechanisms of toxicity using global gene expression analysis in <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 575, 34-46		41
2085	Protein complexes: structure prediction challenges for the 21st century. <b>2005</b> , 15, 15-22		73

2084	Filtering high-throughput protein-protein interaction data using a combination of genomic features. <b>2005</b> , 6, 100	115
2083	AVID: an integrative framework for discovering functional relationships among proteins. <b>2005</b> , 6, 136	32
2082	Discover protein sequence signatures from protein-protein interaction data. <b>2005</b> , 6, 277	15
2081	Improved tagging strategy for protein identification in mammalian cells. <b>2005</b> , 6, 113	7
2080	The role of the p33:p33/p92 interaction domain in RNA replication and intracellular localization of p33 and p92 proteins of Cucumber necrosis tomosvirus. <b>2005</b> , 338, 81-95	155
2079	Cytomics and location proteomics: automated interpretation of subcellular patterns in fluorescence microscope images. <b>2005</b> , 67, 1-3	19
2078	Distributed robustness versus redundancy as causes of mutational robustness. <b>2005</b> , 27, 176-88	216
2077	Activity-based high-throughput screening of enzymes by using a DNA microarray. <b>2005</b> , 44, 1048-1053	19
2076	Activity-Based High-Throughput Screening of Enzymes by Using a DNA Microarray. <b>2005</b> , 117, 1072-1077	7
2075	Construction, verification and experimental use of two epitope-tagged collections of budding yeast strains. <b>2005</b> , 6, 2-16	64
2074	Identification and comparative analysis of the peptidyl-prolyl cis/trans isomerase repertoires of H. sapiens, D. melanogaster, C. elegans, S. cerevisiae and Sz. pombe. <b>2005</b> , 6, 277-300	43
2073	The YJR127C/ZMS1 gene product is involved in glycerol-based respiratory growth of the yeast Saccharomyces cerevisiae. <b>2005</b> , 48, 235-46	17
2072	Snf1 kinase complexes with different beta subunits display stress-dependent preferences for the three Snf1-activating kinases. <b>2005</b> , 47, 335-44	40
2071	Identification of growth phenotype-related genes in Aspergillus oryzae by heterologous macroarray and suppression subtractive hybridization. <b>2005</b> , 273, 33-42	19
2070	Cooperative function of the CHD5-like protein Mdm39p with a P-type ATPase Spf1p in the maintenance of ER homeostasis in Saccharomyces cerevisiae. <b>2005</b> , 273, 497-506	18
2069	A global view of CK2 function and regulation. <b>2005</b> , 274, 163-70	61
2068	Post-transcriptional operons and regulons co-ordinating gene expression. <b>2005</b> , 13, 327-37	96
2067	An interactional network of genes involved in chitin synthesis in Saccharomyces cerevisiae. <b>2005</b> , 6, 8	89

2066	Characterization of TRZ1, a yeast homolog of the human candidate prostate cancer susceptibility gene ELAC2 encoding tRNase Z. <b>2005</b> , 6, 12	46
2065	Human Lsg1 defines a family of essential GTPases that correlates with the evolution of compartmentalization. <b>2005</b> , 3, 21	44
2064	YPL.db2: the Yeast Protein Localization database, version 2.0. <b>2005</b> , 22, 213-8	26
2063	SKG1, a suppressor gene of synthetic lethality of <i>kex2Delta</i> <i>gas1Delta</i> mutations, encodes a novel membrane protein that affects cell wall composition. <b>2005</b> , 22, 141-55	5
2062	Characterization of GPI14/YJR013w mutation that induces the cell wall integrity signalling pathway and results in increased protein production in <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 22, 993-1009	14
2061	The cyclophilin repertoire of the fission yeast <i>Schizosaccharomyces pombe</i> . <b>2005</b> , 22, 927-45	13
2060	The YIG1 (YPL201c) encoded protein is involved in regulating anaerobic glycerol metabolism in <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 22, 1257-68	2
2059	A subcellular prefractionation protocol for minute amounts of mammalian cell cultures and tissue. <b>2005</b> , 5, 35-45	88
2058	Bridging proteomics and systems biology: what are the roads to be traveled?. <b>2005</b> , 5, 4123-37	44
2057	Reactive oxygen species in tumor progression. <b>2005</b> , 10, 1881-96	713
2056	High-throughput isolation of <i>Saccharomyces cerevisiae</i> RNA. <b>2005</b> , 38, 868, 870	6
2055	Preface. <b>2005</b> , xi-xii	
2054	Cell-to-Cell Signalling: Short and Long Distance. <b>2005</b> , 42-75	
2053	Population Diversity of Cell Types and Target Identification in Higher Plants. <b>2005</b> , 76-97	
2052	Flexibility of Cell Types and the Target Cell Status. <b>2005</b> , 98-116	
2051	Terminally Committed Cell Types and the Target Status. <b>2005</b> , 117-145	
2050	The Mechanisms of Target Cell Perception and Response to Specific Signals. <b>2005</b> , 146-178	
2049	Hormone Action and the Relief of Repression. <b>2005</b> , 179-197	

2048 The Phenomenon of Hormonal Cross-Talk. **2005**, 198-204

2047 References. **2005**, 205-248

2046 The novel fission yeast protein Pal1p interacts with Hip1-related Sla2p/End4p and is involved in cellular morphogenesis. **2005**, 16, 4124-38 31

2045 Refining protein subcellular localization. **2005**, 1, e66 68

2044 The end of "naive reductionism": rise of systems biology or renaissance of physiology?. **2005**, 288, C968-74 95

2043 Predicting gene function through systematic analysis and quality assessment of high-throughput data. **2005**, 21, 1644-52 21

2042 Genome-wide requirements for resistance to functionally distinct DNA-damaging agents. **2005**, 1, e24 136

2041 Genome-wide screen for inner nuclear membrane protein targeting in *Saccharomyces cerevisiae*: roles for N-acetylation and an integral membrane protein. **2005**, 170, 1553-60 47

2040 Comparative gene expression analysis by differential clustering approach: application to the *Candida albicans* transcription program. **2005**, 1, e39 113

2039 Pelota controls self-renewal of germline stem cells by repressing a Bam-independent differentiation pathway. **2005**, 132, 5365-74 59

2038 The aftiphilin/p200/gamma-synergin complex. **2005**, 16, 2554-65 42

2037 Predicting protein localization in budding yeast. **2005**, 21, 944-50 92

2036 Constitutive signal transduction by mutant Ssy5p and Ptr3p components of the SPS amino acid sensor system in *Saccharomyces cerevisiae*. **2005**, 4, 1116-24 12

2035 Phosphoproteomics in analyzing signaling pathways. **2005**, 2, 117-28 28

2034 pTARGET [corrected] a new method for predicting protein subcellular localization in eukaryotes. **2005**, 21, 3963-9 95

2033 Trs85 (Gsg1), a component of the TRAPP complexes, is required for the organization of the preautophagosomal structure during selective autophagy via the Cvt pathway. **2005**, 280, 33669-78 75

2032 The deubiquitinating enzyme Ubp1 affects sorting of the ATP-binding cassette-transporter Ste6 in the endocytic pathway. **2005**, 16, 1319-29 27

2031 Genome-wide transcription profiling of the early phase of biofilm formation by *Candida albicans*. **2005**, 4, 1562-73 127



2030	The splicing ATPase prp43p is a component of multiple preribosomal particles. <b>2005</b> , 25, 9269-82	102
2029	Yeast phosphatidylinositol 4-kinase, Pik1, has essential roles at the Golgi and in the nucleus. <b>2005</b> , 171, 967-79	103
2028	Reconstitution of Nup157 and Nup145N into the Nup84 complex. <b>2005</b> , 280, 18442-51	42
2027	Esf2p, a U3-associated factor required for small-subunit processome assembly and compaction. <b>2005</b> , 25, 5523-34	30
2026	The spatial organization of lipid synthesis in the yeast <i>Saccharomyces cerevisiae</i> derived from large scale green fluorescent protein tagging and high resolution microscopy. <b>2005</b> , 4, 662-72	134
2025	The putative NTPase Fap7 mediates cytoplasmic 20S pre-rRNA processing through a direct interaction with Rps14. <b>2005</b> , 25, 10352-64	81
2024	A novel SET domain methyltransferase modifies ribosomal protein Rpl23ab in yeast. <b>2005</b> , 280, 34590-8	41
2023	Fzf1p regulates an inducible response to nitrosative stress in <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 16, 4781-91	55
2022	Cyclophilin A is localized to the nucleus and controls meiosis in <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 4, 17-29	52
2021	Multiple bromodomain genes are involved in restricting the spread of heterochromatic silencing at the <i>Saccharomyces cerevisiae</i> HMR-tRNA boundary. <b>2005</b> , 171, 913-22	46
2020	An emerging role for comprehensive proteome analysis in human pregnancy research. <b>2005</b> , 129, 685-96	35
2019	Unsupervised pattern recognition: an introduction to the whys and wherefores of clustering microarray data. <b>2005</b> , 6, 331-43	82
2018	<i>Saccharomyces cerevisiae</i> Npc2p is a functionally conserved homologue of the human Niemann-Pick disease type C 2 protein, hNPC2. <b>2005</b> , 4, 1851-62	35
2017	Mammalian WDR12 is a novel member of the Pes1-Bop1 complex and is required for ribosome biogenesis and cell proliferation. <b>2005</b> , 170, 367-78	146
2016	Glycerophosphocholine catabolism as a new route for choline formation for phosphatidylcholine synthesis by the Kennedy pathway. <b>2005</b> , 280, 38290-6	59
2015	Large-scale identification of yeast integral membrane protein interactions. <b>2005</b> , 102, 12123-8	224
2014	Novel specificities emerge by stepwise duplication of functional modules. <b>2005</b> , 15, 552-9	70
2013	The sphingoid long chain base phytosphingosine activates AGC-type protein kinases in <i>Saccharomyces cerevisiae</i> including Ypk1, Ypk2, and Sch9. <b>2005</b> , 280, 22679-87	93

2012	Ypt31/32 GTPases and their novel F-box effector protein Rcy1 regulate protein recycling. <b>2005</b> , 16, 178-92	84
2011	Identification of sumoylated proteins by systematic immunoprecipitation of the budding yeast proteome. <b>2005</b> , 4, 73-83	86
2010	The WD40 protein Caf4p is a component of the mitochondrial fission machinery and recruits Dnm1p to mitochondria. <b>2005</b> , 170, 237-48	202
2009	Combining chemical genetics and proteomics to identify protein kinase substrates. <b>2005</b> , 102, 17940-5	104
2008	The vacuolar DHHC-CRD protein Pfa3p is a protein acyltransferase for Vac8p. <b>2005</b> , 170, 1091-9	66
2007	The Snf1 protein kinase and Sit4 protein phosphatase have opposing functions in regulating TATA-binding protein association with the <i>Saccharomyces cerevisiae</i> INO1 promoter. <b>2005</b> , 169, 1957-72	38
2006	Gpi19, the <i>Saccharomyces cerevisiae</i> homologue of mammalian PIG-P, is a subunit of the initial enzyme for glycosylphosphatidylinositol anchor biosynthesis. <b>2005</b> , 4, 1801-7	23
2005	Glycerophosphocholine-dependent growth requires Gde1p (YPL110c) and Git1p in <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 280, 36110-7	58
2004	RNA interference rescue by bacterial artificial chromosome transgenesis in mammalian tissue culture cells. <b>2005</b> , 102, 2396-401	85
2003	Raf60, a novel component of the Rpd3 histone deacetylase complex required for Rpd3 activity in <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 280, 42552-6	12
2002	A combined approach for the localization and tandem affinity purification of protein complexes from metazoans. <b>2005</b> , 2005, pl1	182
2001	Biochemical and genetic analysis of the yeast proteome with a movable ORF collection. <b>2005</b> , 19, 2816-26	387
2000	Understanding the behaviour of pathogenic cells: proteome and metabolome analyses. <b>2005</b> , 3-52	
1999	Research in Computational Molecular Biology. <b>2005</b> ,	2
1998	The <i>Saccharomyces cerevisiae</i> YLL012/YEH1, YLR020/YEH2, and TGL1 genes encode a novel family of membrane-anchored lipases that are required for sterol ester hydrolysis. <b>2005</b> , 25, 1655-68	111
1997	Tgl4p and Tgl5p, two triacylglycerol lipases of the yeast <i>Saccharomyces cerevisiae</i> are localized to lipid particles. <b>2005</b> , 280, 37301-9	158
1996	Targeting quantum dots to surface proteins in living cells with biotin ligase. <b>2005</b> , 102, 7583-8	449
1995	Processing bodies require RNA for assembly and contain nontranslating mRNAs. <b>2005</b> , 11, 371-82	504

1994	Integration of metabolic and signaling networks. 235-256	1
1993	Transfer RNA modifications and modifying enzymes in <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 87-120	23
1992	Systematic yeast synthetic lethal and synthetic dosage lethal screens identify genes required for chromosome segregation. <b>2005</b> , 102, 13956-61	114
1991	Retrograde movement of tRNAs from the cytoplasm to the nucleus in <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 102, 11290-5	140
1990	Cyclophilin A-deficient mice are resistant to immunosuppression by cyclosporine. <b>2005</b> , 174, 6030-8	85
1989	Structural and mutational analysis of the SBDS protein family. Insight into the leukemia-associated Shwachman-Diamond Syndrome. <b>2005</b> , 280, 19221-9	89
1988	An early step in wobble uridine tRNA modification requires the Elongator complex. <b>2005</b> , 11, 424-36	320
1987	Transmembrane topology of the protein palmitoyl transferase Akr1. <b>2005</b> , 280, 10156-63	69
1986	Inp1p is a peroxisomal membrane protein required for peroxisome inheritance in <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 169, 765-75	86
1985	Identification and characterization of Elf1, a conserved transcription elongation factor in <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 25, 10122-35	54
1984	p125 is localized in endoplasmic reticulum exit sites and involved in their organization. <b>2005</b> , 280, 10141-8	82
1983	Loss of dispensable genes is not adaptive in yeast. <b>2005</b> , 102, 17670-4	23
1982	Accelerated discovery of novel protein function in cultured human cells. <b>2005</b> , 4, 1319-27	20
1981	Changing perspectives in yeast research nearly a decade after the genome sequence. <b>2005</b> , 15, 1611-9	32
1980	Metabolic functions of duplicate genes in <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 15, 1421-30	184
1979	Rpm2p, a component of yeast mitochondrial RNase P, acts as a transcriptional activator in the nucleus. <b>2005</b> , 25, 6546-58	22
1978	The phosphoinositide-3-phosphatase MTMR2 associates with MTMR13, a membrane-associated pseudophosphatase also mutated in type 4B Charcot-Marie-Tooth disease. <b>2005</b> , 280, 31699-707	85
1977	Depletion of <i>Saccharomyces cerevisiae</i> tRNA(His) guanylyltransferase Thg1p leads to uncharged tRNA <sup>His</sup> with additional m(5)C. <b>2005</b> , 25, 8191-201	78

1976	ABG1, a novel and essential <i>Candida albicans</i> gene encoding a vacuolar protein involved in cytokinesis and hyphal branching. <b>2005</b> , 4, 1088-101	20
1975	Fluorescent proteins as proteomic probes. <b>2005</b> , 4, 1933-41	202
1974	Cell cycle: proteomics gives it a spin. <b>2005</b> , 2, 615-25	6
1973	A data integration methodology for systems biology: experimental verification. <b>2005</b> , 102, 17302-7	111
1972	Separation of the <i>Saccharomyces cerevisiae</i> Paf1 complex from RNA polymerase II results in changes in its subnuclear localization. <b>2005</b> , 4, 209-20	23
1971	Ice2p is important for the distribution and structure of the cortical ER network in <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 118, 65-77	42
1970	Vertebrate GLD2 poly(A) polymerases in the germline and the brain. <b>2005</b> , 11, 1117-30	84
1969	Rrp15p, a novel component of pre-ribosomal particles required for 60S ribosome subunit maturation. <b>2005</b> , 11, 495-502	22
1968	Condensin binding at distinct and specific chromosomal sites in the <i>Saccharomyces cerevisiae</i> genome. <b>2005</b> , 25, 7216-25	83
1967	The essential WD40 protein Cia1 is involved in a late step of cytosolic and nuclear iron-sulfur protein assembly. <b>2005</b> , 25, 10833-41	106
1966	Ascospore formation in the yeast <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 69, 565-84	162
1965	Genome-wide synthetic lethal screens identify an interaction between the nuclear envelope protein, Apq12p, and the kinetochore in <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 171, 489-501	14
1964	GYF domain proteomics reveals interaction sites in known and novel target proteins. <b>2005</b> , 4, 1797-811	33
1963	Pml39, a novel protein of the nuclear periphery required for nuclear retention of improper messenger ribonucleoparticles. <b>2005</b> , 16, 5258-68	61
1962	Nuclear import of TFIIB is mediated by Kap114p, a karyopherin with multiple cargo-binding domains. <b>2005</b> , 16, 3200-10	14
1961	Role of the novel metallopeptidase Mop112 and saccharolysin for the complete degradation of proteins residing in different subcompartments of mitochondria. <b>2005</b> , 280, 20132-9	71
1960	Forcing interactions as a genetic screen to identify proteins that exert a defined activity. <b>2005</b> , 15, 560-5	6
1959	Functional Proteomics Using Direct Protein Inactivation. <b>2005</b> , 2, 103-107	

1958	Trf4 and Trf5 proteins of <i>Saccharomyces cerevisiae</i> exhibit poly(A) RNA polymerase activity but no DNA polymerase activity. <b>2005</b> , 25, 10183-9	49
1957	Energy constraints on the evolution of gene expression. <b>2005</b> , 22, 1365-74	300
1956	Heteromeric protein complexes mediate zinc transport into the secretory pathway of eukaryotic cells. <b>2005</b> , 280, 28811-8	90
1955	Selective integration of multiple biological data for supervised network inference. <b>2005</b> , 21, 2488-95	51
1954	The eukaryotic P loop NTPase Nbp35: an essential component of the cytosolic and nuclear iron-sulfur protein assembly machinery. <b>2005</b> , 102, 3266-71	142
1953	High-dimensional and large-scale phenotyping of yeast mutants. <b>2005</b> , 102, 19015-20	223
1952	Role for Gcs1p in regulation of Arl1p at trans-Golgi compartments. <b>2005</b> , 16, 4024-33	37
1951	Dsl1p, Tip20p, and the novel Dsl3(Sec39) protein are required for the stability of the Q/t-SNARE complex at the endoplasmic reticulum in yeast. <b>2005</b> , 16, 3963-77	86
1950	Interaction of the <i>Saccharomyces cerevisiae</i> cortical actin patch protein Rvs167p with proteins involved in ER to Golgi vesicle trafficking. <b>2005</b> , 170, 555-68	18
1949	goCluster integrates statistical analysis and functional interpretation of microarray expression data. <b>2005</b> , 21, 3575-7	22
1948	Global analysis of yeast RNA processing identifies new targets of RNase III and uncovers a link between tRNA 5' end processing and tRNA splicing. <b>2005</b> , 33, 3048-56	25
1947	A high-throughput screening of genes that encode proteins transported into the endoplasmic reticulum in mammalian cells. <b>2005</b> , 33, e34	110
1946	A systematic high-throughput screen of a yeast deletion collection for mutants defective in PHO5 regulation. <b>2005</b> , 169, 1859-71	54
1945	Spindle checkpoint maintenance requires Ame1 and Okp1. <b>2005</b> , 4, 1448-56	21
1944	A case of selfish nucleolar segregation. <b>2005</b> , 4, 113-7	13
1943	Subcellular localization of the cyclin dependent kinase inhibitor Sic1 is modulated by the carbon source in budding yeast. <b>2005</b> , 4, 1798-807	24
1942	Comprehensive proteomic analysis of <i>Saccharomyces cerevisiae</i> cell walls: identification of proteins covalently attached via glycosylphosphatidylinositol remnants or mild alkali-sensitive linkages. <b>2005</b> , 280, 20894-901	150
1941	Synthesis and characterization of dimaleimide fluorogens designed for specific labeling of proteins. <b>2005</b> , 127, 559-66	134

1940	Grape and wine biotechnology: Challenges, opportunities and potential benefits. <b>2005</b> , 11, 83-108	83
1939	Functional characterization of fidgetin, an AAA-family protein mutated in fidget mice. <b>2005</b> , 304, 50-8	28
1938	Heterologous Gene Expression in Filamentous Fungi: A Holistic View. <b>2005</b> , 5, 211-237	6
1937	A protein interaction verification system based on a neural network algorithm.	
1936	Role of mitochondria in the pheromone- and amiodarone-induced programmed death of yeast. <b>2005</b> , 168, 257-69	218
1935	Disease gene discovery through integrative genomics. <b>2005</b> , 6, 381-406	62
1934	Metabolic engineering in the -omics era: elucidating and modulating regulatory networks. <b>2005</b> , 69, 197-216	89
1933	Cell wall integrity signaling in <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 69, 262-91	852
1932	The tRNase Z family of proteins: physiological functions, substrate specificity and structural properties. <b>2005</b> , 386, 1253-64	80
1931	Characterization of <i>Saccharomyces cerevisiae</i> Nop17p, a novel Nop58p-interacting protein that is involved in Pre-rRNA processing. <b>2005</b> , 346, 437-55	66
1930	Mimicking cellular sorting improves prediction of subcellular localization. <b>2005</b> , 348, 85-100	253
1929	Lessons from DNA microarray analysis: the gene expression profile of biofilms. <b>2005</b> , 8, 222-7	117
1928	Fungal evolution: the case of the vanishing mitochondrion. <b>2005</b> , 8, 362-9	90
1927	Chemical activation of Sir2-dependent silencing by relief of nicotinamide inhibition. <b>2005</b> , 17, 595-601	131
1926	Exploration of the topological requirements of ERAD identifies Yos9p as a lectin sensor of misfolded glycoproteins in the ER lumen. <b>2005</b> , 19, 741-51	186
1925	The lipid droplet enzyme Tgl1p hydrolyzes both sterol esters and triglycerides in the yeast, <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 1735, 50-8	52
1924	Gpi17p does not stably interact with other subunits of glycosylphosphatidylinositol transamidase in <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 1735, 79-88	15
1923	Flux of sterol intermediates in a yeast strain deleted of the lanosterol C-14 demethylase Erg11p. <b>2005</b> , 1735, 111-8	18

1922	Differential effect of phosphatidylethanolamine depletion on raft proteins: further evidence for diversity of rafts in <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 1711, 87-95	29
1921	The yeast multidrug transporter Qdr3 (Ybr043c): localization and role as a determinant of resistance to quinidine, barban, cisplatin, and bleomycin. <b>2005</b> , 327, 952-9	32
1920	Identification of NOM1, a nucleolar, eIF4A binding protein encoded within the chromosome 7q36 breakpoint region targeted in cases of pediatric acute myeloid leukemia. <b>2005</b> , 347, 137-45	14
1919	Retrograde regulation of multidrug resistance in <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 354, 15-21	57
1918	Navigating the chaperone network: an integrative map of physical and genetic interactions mediated by the hsp90 chaperone. <b>2005</b> , 120, 715-27	642
1917	Degradation-mediated protein quality control in the nucleus. <b>2005</b> , 120, 803-15	212
1916	RNA degradation by the exosome is promoted by a nuclear polyadenylation complex. <b>2005</b> , 121, 713-24	700
1915	Cryptic pol II transcripts are degraded by a nuclear quality control pathway involving a new poly(A) polymerase. <b>2005</b> , 121, 725-37	678
1914	Exploration of the function and organization of the yeast early secretory pathway through an epistatic miniarray profile. <b>2005</b> , 123, 507-19	706
1913	In vivo dynamics of clathrin and its adaptor-dependent recruitment to the actin-based endocytic machinery in yeast. <b>2005</b> , 9, 87-98	150
1912	Yeast two-hybrid screens imply that GGNBP1, GGNBP2 and OAZ3 are potential interaction partners of testicular germ cell-specific protein GGN1. <b>2005</b> , 579, 559-66	43
1911	Building and breeding molecules to spy on cells and tumors. <b>2005</b> , 579, 927-32	232
1910	Re-analysis of data and its integration. <b>2005</b> , 579, 1802-7	7
1909	Structure-based systems biology: a zoom lens for the cell. <b>2005</b> , 579, 1854-8	23
1908	Proteasome plasticity. <b>2005</b> , 579, 3214-23	88
1907	Yeast as a model for medical and medicinal research. <b>2005</b> , 26, 265-73	152
1906	Genome-wide responses to DNA-damaging agents. <b>2005</b> , 59, 357-77	68
1905	Import of Proteins into Peroxisomes. <b>2005</b> , 125-134	3

1904	Logic of the yeast metabolic cycle: temporal compartmentalization of cellular processes. <b>2005</b> , 310, 1152-8	668
1903	The uses of green fluorescent protein in yeasts. <b>2006</b> , 47, 179-201	6
1902	Discovery of biological networks from diverse functional genomic data. <b>2005</b> , 6, R114	162
1901	Ulysses - an application for the projection of molecular interactions across species. <b>2005</b> , 6, R106	20
1900	A catalog of stability-associated sequence elements in 3' UTRs of yeast mRNAs. <b>2005</b> , 6, R86	57
1899	Characterization of the yeast ionome: a genome-wide analysis of nutrient mineral and trace element homeostasis in <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 6, R77	168
1898	The cyclophilins. <b>2005</b> , 6, 226	448
1897	Analysis of the <i>Saccharomyces cerevisiae</i> proteome with PeptideAtlas. <b>2006</b> , 7, R106	51
1896	An inventory of yeast proteins associated with nucleolar and ribosomal components. <b>2006</b> , 7, R98	6
1895	The subcellular localization of the mammalian proteome comes a fraction closer. <b>2006</b> , 7, 222	11
1894	Status of complete proteome analysis by mass spectrometry: SILAC labeled yeast as a model system. <b>2006</b> , 7, R50	224
1893	Systematic profiling of cellular phenotypes with spotted cell microarrays reveals mating-pheromone response genes. <b>2006</b> , 7, R6	35
1892	RNA Towards Medicine. <b>2006</b> ,	
1891	Evolution of the molecular machines for protein import into mitochondria. <b>2006</b> , 313, 314-8	459
1890	Proteome-scale analysis of biochemical activity. <b>2006</b> , 41, 315-27	13
1889	The <i>Saccharomyces cerevisiae</i> Lipin homolog is a Mg <sup>2+</sup> -dependent phosphatidate phosphatase enzyme. <b>2006</b> , 281, 9210-8	420
1888	Diffusion kernel-based logistic regression models for protein function prediction. <b>2006</b> , 10, 40-55	77
1887	A Novel Graphical Model Approach to Segmenting Cell Images. <b>2006</b> ,	18



1886	Quantification of protein half-lives in the budding yeast proteome. <b>2006</b> , 103, 13004-9	535
1885	Identification of the genes GPD1 and GPD2 of <i>Pichia jadinii</i> . <b>2006</b> , 17, 452-7	0
1884	PredSL: a tool for the N-terminal sequence-based prediction of protein subcellular localization. <b>2006</b> , 4, 48-55	98
1883	Predicting the subcellular localization of human proteins using machine learning and exploratory data analysis. <b>2006</b> , 4, 120-33	7
1882	Analysis of the influence of subcellular localization of the HIV Rev protein on Rev-dependent gene expression by multi-fluorescence live-cell imaging. <b>2006</b> , 312, 443-56	23
1881	Molecular cloning and characterization of Nop25, a novel nucleolar RNA binding protein, highly conserved in vertebrate species. <b>2006</b> , 312, 1031-41	6
1880	Alpha-complementation as a probe for dual localization of mitochondrial proteins. <b>2006</b> , 312, 3835-46	19
1879	Differential protein distributions define two sub-compartments of the mitochondrial inner membrane in yeast. <b>2006</b> , 580, 5628-34	92
1878	The cytostat: A new way to study cell physiology in a precisely defined environment. <b>2006</b> , 126, 163-72	29
1877	MMI1 (YKL056c, TMA19), the yeast orthologue of the translationally controlled tumor protein (TCTP) has apoptotic functions and interacts with both microtubules and mitochondria. <b>2006</b> , 1757, 631-8	81
1876	Localizome: a server for identifying transmembrane topologies and TM helices of eukaryotic proteins utilizing domain information. <b>2006</b> , 34, W99-103	26
1875	Informatics challenges of high-throughput microscopy. <b>2006</b> , 23, 63-72	72
1874	Linking microscopy and high content screening in large-scale biomedical research. <b>2007</b> , 356, 33-8	10
1873	Toward the complete yeast mitochondrial proteome: multidimensional separation techniques for mitochondrial proteomics. <b>2006</b> , 5, 1543-54	311
1872	An entropic characterization of protein interaction networks and cellular robustness. <b>2006</b> , 3, 843-50	30
1871	New insights into nucleolar architecture and activity. <b>2006</b> , 255, 177-235	136
1870	The dawn of fungal pathogen genomics. <b>2006</b> , 44, 337-66	86
1869	Identification of mitochondrial carriers in <i>Saccharomyces cerevisiae</i> by transport assay of reconstituted recombinant proteins. <b>2006</b> , 1757, 1249-62	127

1868	A Graph-Theoretic Method for Mining Functional Modules in Large Sparse Protein Interaction Networks. <b>2006</b> ,	6
1867	Mapping the Arabidopsis organelle proteome. <b>2006</b> , 103, 6518-23	464
1866	Does the proteome encode organellar pH?. <b>2006</b> , 580, 717-9	26
1865	Mapping nucleolar localization sequences of 1A6/DRIM. <b>2006</b> , 580, 1405-10	13
1864	YIL042c and YOR090c encode the kinase and phosphatase of the Saccharomyces cerevisiae pyruvate dehydrogenase complex. <b>2006</b> , 580, 2553-60	35
1863	A phosphoglucose isomerase mutant in Aspergillus nidulans is defective in hyphal polarity and conidiation. <b>2006</b> , 43, 739-51	29
1862	A DNA integrity network in the yeast Saccharomyces cerevisiae. <b>2006</b> , 124, 1069-81	456
1861	A mammalian organelle map by protein correlation profiling. <b>2006</b> , 125, 187-99	477
1860	Activation of the phosphatidylinositol 3-kinase Vps34 by a G protein alpha subunit at the endosome. <b>2006</b> , 126, 191-203	179
1859	Characterizing pathogenic processes in Batten disease: use of small eukaryotic model systems. <b>2006</b> , 1762, 906-19	24
1858	Yeast protein kinase Ptk2 localizes at the plasma membrane and phosphorylates in vitro the C-terminal peptide of the H <sup>+</sup> -ATPase. <b>2006</b> , 1758, 164-70	45
1857	Integrated analysis of multiple data sources reveals modular structure of biological networks. <b>2006</b> , 345, 302-9	25
1856	Fcf1p and Fcf2p are novel nucleolar Saccharomyces cerevisiae proteins involved in pre-rRNA processing. <b>2006</b> , 346, 546-54	18
1855	Aovps24, a homologue of VPS24, is required for vacuolar formation which could maintain proper growth and development in the filamentous fungus Aspergillus oryzae. <b>2006</b> , 347, 970-8	11
1854	Visual screening for localized RNAs in yeast revealed novel RNAs at the bud-tip. <b>2006</b> , 351, 999-1004	15
1853	The emergence of regulated histone proteolysis. <b>2006</b> , 16, 112-8	38
1852	The peroxisomal membrane protein Inp2p is the peroxisome-specific receptor for the myosin V motor Myo2p of Saccharomyces cerevisiae. <b>2006</b> , 10, 587-600	117
1851	Rad33, a new factor involved in nucleotide excision repair in Saccharomyces cerevisiae. <b>2006</b> , 5, 683-92	17

1850	Esc4/Rtt107 and the control of recombination during replication. <b>2006</b> , 5, 618-28	36
1849	Epitope tagging of proteins at the native chromosomal loci of genes in mice and in cultured vertebrate cells. <b>2006</b> , 361, 412-9	10
1848	Ddi1, a eukaryotic protein with the retroviral protease fold. <b>2006</b> , 364, 376-87	62
1847	A wiring of the human nucleolus. <b>2006</b> , 22, 285-95	52
1846	Engineering controllable protein degradation. <b>2006</b> , 22, 701-7	156
1845	Nucleocytosolic acetyl-coenzyme a synthetase is required for histone acetylation and global transcription. <b>2006</b> , 23, 207-17	324
1844	Elevated levels of two tRNA species bypass the requirement for elongator complex in transcription and exocytosis. <b>2006</b> , 24, 139-48	217
1843	Stm1p, a ribosome-associated protein, is important for protein synthesis in <i>Saccharomyces cerevisiae</i> under nutritional stress conditions. <b>2006</b> , 358, 1023-31	39
1842	Analysis of in vivo targets of transcriptional activators by fluorescence resonance energy transfer. <b>2006</b> , 40, 353-9	5
1841	Quantitative genetic analysis in <i>Saccharomyces cerevisiae</i> using epistatic miniarray profiles (E-MAPs) and its application to chromatin functions. <b>2006</b> , 40, 344-52	67
1840	Conserved family of glycerol kinase loci in <i>Drosophila melanogaster</i> . <b>2006</b> , 88, 334-45	24
1839	Functions and metabolism of sphingolipids in <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 45, 447-65	203
1838	Cloned sequence repertoires for small- and large-scale biology. <b>2006</b> , 11, 133-41	30
1837	Yeast-based functional genomics and proteomics technologies: the first 15 years and beyond. <b>2006</b> , 40, 625-44	69
1836	Engineering RNA-based circuits. <b>2006</b> , 423-45	
1835	Isolation and proteomic analysis of rice Golgi membranes: cis-Golgi membranes labeled with GFP-SYP31. <b>2006</b> , 23, 475-485	9
1834	The use of Proteomics in the Study of Metabolic Control. 24-59	1
1833	Functional partitioning of yeast co-expression networks after genome duplication. <b>2006</b> , 4, e109	106

1832	A Bayesian network driven approach to model the transcriptional response to nitric oxide in <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 1, e94	7
1831	. <b>2006</b> ,	5
1830	. <b>2006</b> ,	
1829	Bibliography. 299-316	
1828	Low virulent strains of <i>Candida albicans</i> : Unravelling the antigens for a future vaccine. 181-201	
1827	<i>Saccharomyces cerevisiae</i> cells have three Omega class glutathione S-transferases acting as 1-Cys thiol transferases. <b>2006</b> , 398, 187-96	76
1826	Grape and Wine Biotechnology. 453-489	6
1825	Transcriptional activators in yeast. <b>2006</b> , 34, 955-67	77
1824	Revealing hidden relationships among yeast genes involved in chromosome segregation using systematic synthetic lethal and synthetic dosage lethal screens. <b>2006</b> , 5, 592-5	14
1823	Motion as a phenotype: the use of live-cell imaging and machine visual screening to characterize transcription-dependent chromosome dynamics. <b>2006</b> , 7, 19	35
1822	Bringing metabolic networks to life: integration of kinetic, metabolic, and proteomic data. <b>2006</b> , 3, 42	53
1821	Comprehensive curation and analysis of global interaction networks in <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 5, 11	246
1820	Proteome analysis of mitochondrial outer membrane from <i>Neurospora crassa</i> . <b>2006</b> , 6, 72-80	71
1819	Lipid particle composition of the yeast <i>Yarrowia lipolytica</i> depends on the carbon source. <b>2006</b> , 6, 1450-9	135
1818	Systematic localisation of proteins fused to the green fluorescent protein in <i>Bacillus subtilis</i> : identification of new proteins at the DNA replication factory. <b>2006</b> , 6, 2135-46	77
1817	Integrating forward and reverse proteomics to unravel protein function. <b>2006</b> , 6, 5467-80	16
1816	Characterisation of organellar proteomes: a guide to subcellular proteomic fractionation and analysis. <b>2006</b> , 6, 5746-57	32
1815	Phenotypes of yeast mutants lacking the mitochondrial protein Pet20p. <b>2006</b> , 23, 127-39	7

1814	An engineered nonsense URA3 allele provides a versatile system to detect the presence, absence and appearance of the [PSI <sup>+</sup> ] prion in <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 23, 141-7	16
1813	Yeast systems biology to unravel the network of life. <b>2006</b> , 23, 227-38	57
1812	PCR-mediated seamless gene deletion and marker recycling in <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 23, 399-405	101
1811	Annotation of unknown yeast ORFs by correlation analysis of microarray data and extensive literature searches. <b>2006</b> , 23, 553-71	8
1810	Inorganic polyphosphate and exopolyphosphatase in the nuclei of <i>Saccharomyces cerevisiae</i> : dependence on the growth phase and inactivation of the PPX1 and PPN1 genes. <b>2006</b> , 23, 735-40	15
1809	Microfluidics device for single cell gene expression analysis in <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 23, 1065-73	78
1808	Pantothenate biosynthesis in higher plants: advances and challenges. <b>2006</b> , 126, 319-329	23
1807	Integral membrane proteins in the mitochondrial outer membrane of <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 273, 1507-15	40
1806	Specific membrane binding of the carboxypeptidase Y inhibitor I(C), a phosphatidylethanolamine-binding protein family member. <b>2006</b> , 273, 5374-83	14
1805	Partial rescue of pos5 mutants by YEF1 and UTR1 genes in <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 38, 293-8	5
1804	Coordinated nuclear import of RNA polymerase III subunits. <b>2006</b> , 7, 465-73	17
1803	Toward the systems biology of vesicle transport. <b>2006</b> , 7, 761-8	7
1802	Vac8p, an armadillo repeat protein, coordinates vacuole inheritance with multiple vacuolar processes. <b>2006</b> , 7, 1368-77	41
1801	Sel1p/Ubx2p participates in a distinct Cdc48p-dependent endoplasmic reticulum-associated degradation pathway. <b>2006</b> , 7, 1213-23	17
1800	Laser autofocusing system for high-resolution cell biological imaging. <b>2006</b> , 221, 145-51	51
1799	Multifunctional analysis of Chlamydia-specific genes in a yeast expression system. <b>2006</b> , 60, 51-66	85
1798	New 'omics tools for fission yeast. <b>2006</b> , 24, 789-90	
1797	Putting proteins on the map. <b>2006</b> , 24, 1223-4	35

1796	Complementary therapies for inflammation. <b>2006</b> , 24, 1224-6	7
1795	ORFeome cloning and global analysis of protein localization in the fission yeast <i>Schizosaccharomyces pombe</i> . <b>2006</b> , 24, 841-7	443
1794	Analyzing proteome topology and function by automated multidimensional fluorescence microscopy. <b>2006</b> , 24, 1270-8	328
1793	TRAPP II subunits are required for the specificity switch of a Ypt-Rab GEF. <b>2006</b> , 8, 1263-9	125
1792	Noise in protein expression scales with natural protein abundance. <b>2006</b> , 38, 636-43	623
1791	Fluorescence protease protection of GFP chimeras to reveal protein topology and subcellular localization. <b>2006</b> , 3, 205-10	115
1790	Dynamic proteomics in individual human cells uncovers widespread cell-cycle dependence of nuclear proteins. <b>2006</b> , 3, 525-31	117
1789	A recombineering pipeline for functional genomics applied to <i>Caenorhabditis elegans</i> . <b>2006</b> , 3, 839-44	149
1788	Towards multidimensional genome annotation. <b>2006</b> , 7, 130-41	285
1787	The model organism as a system: integrating 'omics' data sets. <b>2006</b> , 7, 198-210	572
1786	A visual approach to proteomics. <b>2006</b> , 7, 225-30	196
1785	Applied systems biology and malaria. <b>2006</b> , 4, 145-51	31
1784	Signalling and oxidant adaptation in <i>Candida albicans</i> and <i>Aspergillus fumigatus</i> . <b>2006</b> , 4, 435-44	158
1783	Inorganic polyphosphates and exopolyphosphatases in different cell compartments of <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 71, 1171-5	12
1782	PUF proteins bind Pop2p to regulate messenger RNAs. <b>2006</b> , 13, 533-9	247
1781	Lighting up nucleosome spacing. <b>2006</b> , 13, 1047-9	3
1780	Rhomboid intramembrane protease structures galore!. <b>2006</b> , 13, 1049-51	10
1779	A phosphatase complex that dephosphorylates gammaH2AX regulates DNA damage checkpoint recovery. <i>Nature</i> , <b>2006</b> , 439, 497-501	50.4 387

1778	Eisosomes mark static sites of endocytosis. <i>Nature</i> , <b>2006</b> , 439, 998-1003	50.4	255
1777	Proteome survey reveals modularity of the yeast cell machinery. <i>Nature</i> , <b>2006</b> , 440, 631-6	50.4	2096
1776	Multiple rounds of speciation associated with reciprocal gene loss in polyploid yeasts. <i>Nature</i> , <b>2006</b> , 440, 341-5	50.4	336
1775	Global landscape of protein complexes in the yeast <i>Saccharomyces cerevisiae</i> . <i>Nature</i> , <b>2006</b> , 440, 637-43	50.4	2327
1774	Golgi maturation visualized in living yeast. <i>Nature</i> , <b>2006</b> , 441, 1002-6	50.4	288
1773	Single-cell proteomic analysis of <i>S. cerevisiae</i> reveals the architecture of biological noise. <i>Nature</i> , <b>2006</b> , 441, 840-6	50.4	1193
1772	The Nfs1 interacting protein Isd11 has an essential role in Fe/S cluster biogenesis in mitochondria. <b>2006</b> , 25, 174-83		180
1771	Essential role of Isd11 in mitochondrial iron-sulfur cluster synthesis on Isu scaffold proteins. <b>2006</b> , 25, 184-95		181
1770	Biosynthesis of wybutosine, a hyper-modified nucleoside in eukaryotic phenylalanine tRNA. <b>2006</b> , 25, 2142-54		160
1769	TOR regulates late steps of ribosome maturation in the nucleoplasm via Nog1 in response to nutrients. <b>2006</b> , 25, 3832-42		46
1768	Yeast Trf5p is a nuclear poly(A) polymerase. <b>2006</b> , 7, 205-11		136
1767	Organellar proteomics: turning inventories into insights. <b>2006</b> , 7, 874-9		175
1766	Nuclear export modulates the cytoplasmic Sir2 homologue Hst2. <b>2006</b> , 7, 1247-51		42
1765	A biological approach to computational models of proteomic networks. <b>2006</b> , 10, 73-80		100
1764	The value of high quality protein-protein interaction networks for systems biology. <b>2006</b> , 10, 551-8		80
1763	Metabolomics and Systems Biology in <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 3-18		6
1762	Cellular dynamics of small RNAs. <b>2006</b> , 41, 3-19		27
1761	Obese yeast: triglyceride lipolysis is functionally conserved from mammals to yeast. <b>2006</b> , 281, 491-500		229

1760	The Potential of Confocal Imaging for Measuring Physiological Changes in Brewer's Yeast. <b>2006</b> , 112, 134-147	12
1759	GammaH2AX and its role in DNA double-strand break repair. <b>2006</b> , 84, 568-77	151
1758	Detecting and imaging protein-protein interactions during G protein-mediated signal transduction in vivo and in situ by using fluorescence-based techniques. <b>2006</b> , 45, 85-109	59
1757	Application of <sup>13</sup> C-[2] - and <sup>13</sup> C-[1,2] acetate in metabolic labelling studies of yeast and insect cells. <b>2006</b> , 89, 443-57	1
1756	The 'interactome' of the Knr4/Smi1, a protein implicated in coordinating cell wall synthesis with bud emergence in <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 275, 217-30	28
1755	Pdc2 coordinates expression of the THI regulon in the yeast <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 276, 147-61	53
1754	Loc1p is required for efficient assembly and nuclear export of the 60S ribosomal subunit. <b>2006</b> , 276, 369-77	19
1753	Sequences in the N-terminal cytoplasmic domain of <i>Saccharomyces cerevisiae</i> maltose permease are required for vacuolar degradation but not glucose-induced internalization. <b>2006</b> , 50, 101-14	14
1752	Deletion of RNQ1 gene reveals novel functional relationship between divergently transcribed Bik1p/CLIP-170 and Sfi1p in spindle pole body separation. <b>2006</b> , 50, 347-66	11
1751	Toward a molecular interpretation of the surface stress theory for yeast morphogenesis. <b>2006</b> , 18, 47-53	11
1750	High resolution imaging of live mitochondria. <b>2006</b> , 1763, 561-75	99
1749	Sharing the wealth: peroxisome inheritance in budding yeast. <b>2006</b> , 1763, 1669-77	20
1748	Proteomics of the peroxisome. <b>2006</b> , 1763, 1541-51	38
1747	Yeast and filamentous fungi as model organisms in microbody research. <b>2006</b> , 1763, 1364-73	45
1746	Protease accessibility laddering: a proteomic tool for probing protein structure. <b>2006</b> , 14, 653-60	30
1745	The PHD finger, a nuclear protein-interaction domain. <b>2006</b> , 31, 35-40	300
1744	Roles of phosphatidate phosphatase enzymes in lipid metabolism. <b>2006</b> , 31, 694-9	219
1743	Genome wide prediction of protein function via a generic knowledge discovery approach based on evidence integration. <b>2006</b> , 7, 268	22



1742	Finding function: evaluation methods for functional genomic data. <b>2006</b> , 7, 187	154
1741	Identification and comparative analysis of sixteen fungal peptidyl-prolyl cis/trans isomerase repertoires. <b>2006</b> , 7, 244	35
1740	Towards the identification of essential genes using targeted genome sequencing and comparative analysis. <b>2006</b> , 7, 265	96
1739	Approaches to defining the ancestral eukaryotic protein complexome. <b>2006</b> , 28, 316-24	6
1738	Mitochondrial one-carbon metabolism is adapted to the specific needs of yeast, plants and mammals. <b>2006</b> , 28, 595-605	104
1737	Deciphering the human nucleolar proteome. <b>2006</b> , 25, 215-34	82
1736	Taking it off: regulation of H3 K56 acetylation by Hst3 and Hst4. <b>2006</b> , 5, 2561-5	25
1735	Classification of Segmented Regions in Brightfield Microscope Images. <b>2006</b> ,	7
1734	A systems biology approach to learning autophagy. <b>2006</b> , 2, 12-23	5
1733	Condensin function in mitotic nucleolar segregation is regulated by rDNA transcription. <b>2006</b> , 5, 2260-7	39
1732	Virus-like particles of the Ty3 retrotransposon assemble in association with P-body components. <b>2006</b> , 12, 94-101	82
1731	Phenotypic effects of membrane protein overexpression in <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 103, 11148-53	30
1730	BaCellLo: a balanced subcellular localization predictor. <b>2006</b> , 22, e408-16	249
1729	Meisetz and the birth of the KRAB motif. <b>2006</b> , 22, 2841-5	67
1728	NOPdb: Nucleolar Proteome Database. <b>2006</b> , 34, D218-20	85
1727	MitoP2: the mitochondrial proteome database--now including mouse data. <b>2006</b> , 34, D705-11	86
1726	Structural stabilization of GTP-binding domains in circularly permuted GTPases: implications for RNA binding. <b>2006</b> , 34, 2196-205	47
1725	Prediction of yeast protein-protein interaction network: insights from the Gene Ontology and annotations. <b>2006</b> , 34, 2137-50	159

1724	The WD40-repeat protein Pwp1p associates in vivo with 25S ribosomal chromatin in a histone H4 tail-dependent manner. <b>2006</b> , 34, 3555-67	8
1723	PLPD: reliable protein localization prediction from imbalanced and overlapped datasets. <b>2006</b> , 34, 4655-66	43
1722	Spatial organization of transcription by RNA polymerase III. <b>2006</b> , 34, 4826-36	69
1721	Systematic identification and functional screens of uncharacterized proteins associated with eukaryotic ribosomal complexes. <b>2006</b> , 20, 1294-307	216
1720	Mining Protein-Protein Interaction Data. <b>2006</b> , 1, 197-205	
1719	Development and application of automatic high-resolution light microscopy for cell-based screens. <b>2006</b> , 414, 228-47	26
1718	Assessing systems properties of yeast mitochondria through an interaction map of the organelle. <b>2006</b> , 2, e170	63
1717	Computational approaches for the prediction of protein function in the mitochondrion. <b>2006</b> , 291, C1121-8	15
1716	The conserved ATPase Get3/Arr4 modulates the activity of membrane-associated proteins in <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 174, 215-27	42
1715	Laa1p, a conserved AP-1 accessory protein important for AP-1 localization in yeast. <b>2006</b> , 17, 3304-17	22
1714	A scalable method for integration and functional analysis of multiple microarray datasets. <b>2006</b> , 22, 2890-7	101
1713	The use of biotin tagging in <i>Saccharomyces cerevisiae</i> improves the sensitivity of chromatin immunoprecipitation. <b>2006</b> , 34, e33	44
1712	Conservation of expression and sequence of metabolic genes is reflected by activity across metabolic states. <b>2006</b> , 2, e106	30
1711	Hierarchical multi-label prediction of gene function. <b>2006</b> , 22, 830-6	341
1710	The unfolded protein response transducer Ire1p contains a nuclear localization sequence recognized by multiple beta importins. <b>2006</b> , 17, 5309-23	20
1709	The PINc domain protein Utp24, a putative nuclease, is required for the early cleavage steps in 18S rRNA maturation. <b>2006</b> , 103, 9464-9	72
1708	Protein function, connectivity, and duplicability in yeast. <b>2006</b> , 23, 30-9	69
1707	Sumoylation of the budding yeast kinetochore protein Ndc10 is required for Ndc10 spindle localization and regulation of anaphase spindle elongation. <b>2006</b> , 174, 653-63	66

1706	Distinct roles for TGN/endosome epsin-like adaptors Ent3p and Ent5p. <b>2006</b> , 17, 3907-20	41
1705	Role of cell cycle-regulated expression in the localized incorporation of cell wall proteins in yeast. <b>2006</b> , 17, 3267-80	28
1704	Carbon catabolite repression regulates amino acid permeases in <i>Saccharomyces cerevisiae</i> via the TOR signaling pathway. <b>2006</b> , 281, 5546-52	27
1703	Cell cycle-dependent regulation of <i>Saccharomyces cerevisiae</i> donor preference during mating-type switching by SBF (Swi4/Swi6) and Fkh1. <b>2006</b> , 26, 5470-80	18
1702	Glc7/protein phosphatase 1 regulatory subunits can oppose the Ipl1/aurora protein kinase by redistributing Glc7. <b>2006</b> , 26, 2648-60	88
1701	A survey of essential gene function in the yeast cell division cycle. <b>2006</b> , 17, 4736-47	74
1700	The yeast lgl family member Sro7p is an effector of the secretory Rab GTPase Sec4p. <b>2006</b> , 172, 55-66	74
1699	SIZ1/SIZ2 control of chromosome transmission fidelity is mediated by the sumoylation of topoisomerase II. <b>2006</b> , 172, 783-94	76
1698	Nuclear recycling of the pre-60S ribosomal subunit-associated factor Arx1 depends on Rei1 in <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 26, 3718-27	56
1697	Four novel suppressors of <i>gic1 gic2</i> and their roles in cytokinesis and polarized cell growth in <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 174, 665-78	14
1696	Actin-based motility during endocytosis in budding yeast. <b>2006</b> , 17, 1354-63	56
1695	Requirement of fission yeast Cid14 in polyadenylation of rRNAs. <b>2006</b> , 26, 1710-21	66
1694	Plasma membrane localization of Ras requires class C Vps proteins and functional mitochondria in <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 26, 3243-55	41
1693	Tpa1p is part of an mRNP complex that influences translation termination, mRNA deadenylation, and mRNA turnover in <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 26, 5237-48	43
1692	Characterization and prediction of protein-protein interactions within and between complexes. <b>2006</b> , 103, 14718-23	72
1691	Nature's Versatile Engine: Insect Flight Muscle Inside and Out. <b>2006</b> ,	0
1690	Specific SNARE complex binding mode of the Sec1/Munc-18 protein, Sec1p. <b>2006</b> , 103, 17730-5	55
1689	Nonredundant roles of mitochondria-associated F-box proteins Mfb1 and Mdm30 in maintenance of mitochondrial morphology in yeast. <b>2006</b> , 17, 3745-55	59

1688	Functional genomics of genes with small open reading frames (sORFs) in <i>S. cerevisiae</i> . <b>2006</b> , 16, 365-73	150
1687	Phosphorylation of the chromosomal passenger protein Bir1 is required for localization of Ndc10 to the spindle during anaphase and full spindle elongation. <b>2006</b> , 17, 1065-74	37
1686	Activated signal transduction kinases frequently occupy target genes. <b>2006</b> , 313, 533-6	208
1685	Casein kinase II phosphorylation of the yeast phospholipid synthesis transcription factor Opi1p. <b>2006</b> , 281, 4754-61	21
1684	Gis4, a new component of the ion homeostasis system in the yeast <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 5, 1611-21	19
1683	Dissection of Swa2p/auxilin domain requirements for cochaperoning Hsp70 clathrin-uncoating activity in vivo. <b>2006</b> , 17, 3281-90	26
1682	Control of ribonucleotide reductase localization through an anchoring mechanism involving Wtm1. <b>2006</b> , 20, 334-44	60
1681	Control of Bro1-domain protein Rim20 localization by external pH, ESCRT machinery, and the <i>Saccharomyces cerevisiae</i> Rim101 pathway. <b>2006</b> , 17, 1344-53	72
1680	ELM1 is required for multidrug resistance in <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 173, 1919-37	14
1679	Sbp1p affects translational repression and decapping in <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 26, 5120-30	49
1678	An intimate collaboration between peroxisomes and lipid bodies. <b>2006</b> , 173, 719-31	277
1677	Proteomic analysis of the yeast mitochondrial outer membrane reveals accumulation of a subclass of preproteins. <b>2006</b> , 17, 1436-50	174
1676	Assortment of phosphatidylinositol 3-kinase complexes--Atg14p directs association of complex I to the pre-autophagosomal structure in <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 17, 1527-39	175
1675	Domains within the GARP subunit Vps54 confer separate functions in complex assembly and early endosome recognition. <b>2006</b> , 17, 1859-70	38
1674	A global topology map of the <i>Saccharomyces cerevisiae</i> membrane proteome. <b>2006</b> , 103, 11142-7	113
1673	The dynamin-like protein Vps1p of the yeast <i>Saccharomyces cerevisiae</i> associates with peroxisomes in a Pex19p-dependent manner. <b>2006</b> , 281, 12817-23	35
1672	Localization of the phosphoethanolamine methyltransferase of the human malaria parasite <i>Plasmodium falciparum</i> to the Golgi apparatus. <b>2006</b> , 281, 21305-21311	31
1671	Expression and functional profiling reveal distinct gene classes involved in fatty acid metabolism. <b>2006</b> , 2, 2006.0009	39

1670	Random insertion of a TetR-inducing peptide tag into Escherichia coli proteins allows analysis of protein levels by induction of reporter gene expression. <b>2006</b> , 72, 5637-42	12
1669	Role of Doa1 in the Saccharomyces cerevisiae DNA damage response. <b>2006</b> , 26, 4122-33	31
1668	Physiological importance and identification of novel targets for the N-terminal acetyltransferase NatB. <b>2006</b> , 5, 368-78	31
1667	The spindle assembly checkpoint regulates the phosphorylation state of a subset of DNA checkpoint proteins in Saccharomyces cerevisiae. <b>2006</b> , 26, 9149-61	13
1666	Systems-level analyses identify extensive coupling among gene expression machines. <b>2006</b> , 2, 2006.0003	32
1665	Distinct roles for the essential MYST family HAT Esa1p in transcriptional silencing. <b>2006</b> , 17, 1744-57	47
1664	The Saccharomyces cerevisiae spindle pole body (SPB) component Nbp1p is required for SPB membrane insertion and interacts with the integral membrane proteins Ndc1p and Mps2p. <b>2006</b> , 17, 1959-70	37
1663	In vivo targeting of the yeast Pop2 deadenylase subunit to reporter transcripts induces their rapid degradation and generates new decay intermediates. <b>2006</b> , 281, 25940-7	24
1662	Towards an integrated protein-protein interaction network: a relational Markov network approach. <b>2006</b> , 13, 145-64	33
1661	Systematic analysis of Arabidopsis organelles and a protein localization database for facilitating fluorescent tagging of full-length Arabidopsis proteins. <b>2006</b> , 141, 527-39	39
1660	Connectivity and expression in protein networks: proteins in a complex are uniformly expressed. <b>2006</b> , 73, 031909	11
1659	Encyclopedic Reference of Genomics and Proteomics in Molecular Medicine. <b>2005</b> , 587-587	
1658	Extension of chronological life span in yeast by decreased TOR pathway signaling. <b>2006</b> , 20, 174-84	711
1657	Kap120 functions as a nuclear import receptor for ribosome assembly factor Rpf1 in yeast. <b>2006</b> , 26, 3170-80	13
1656	Identification of the major spliceosomal RNAs in Dictyostelium discoideum reveals developmentally regulated U2 variants and polyadenylated snRNAs. <b>2006</b> , 5, 924-34	33
1655	Small open reading frames: not so small anymore. <b>2006</b> , 16, 314-5	7
1654	Ltv1 is required for efficient nuclear export of the ribosomal small subunit in Saccharomyces cerevisiae. <b>2006</b> , 174, 679-91	63
1653	Epsin N-terminal homology domains perform an essential function regulating Cdc42 through binding Cdc42 GTPase-activating proteins. <b>2006</b> , 103, 4116-21	83

1652	Identification of the mitochondrial NAD <sup>+</sup> transporter in <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 281, 1524-31	173
1651	Encyclopedic Reference of Genomics and Proteomics in Molecular Medicine. <b>2005</b> , 576-578	1
1650	Vhr1p, a new transcription factor from budding yeast, regulates biotin-dependent expression of VHT1 and BIO5. <b>2006</b> , 281, 13513-13524	20
1649	The yeast translation release factors Mrf1p and Sup45p (eRF1) are methylated, respectively, by the methyltransferases Mtq1p and Mtq2p. <b>2006</b> , 281, 2562-71	43
1648	A fungal family of transcriptional regulators: the zinc cluster proteins. <b>2006</b> , 70, 583-604	369
1647	Prp43p is a DEAH-box spliceosome disassembly factor essential for ribosome biogenesis. <b>2006</b> , 26, 523-34	88
1646	Actin bodies in yeast quiescent cells: an immediately available actin reserve?. <b>2006</b> , 17, 4645-55	68
1645	Advances in Information Systems. <b>2006</b> ,	
1644	Comparative genomics of transcriptional regulation in yeasts and its application to identification of a candidate alpha-isopropylmalate transporter. <b>2006</b> , 4, 981-98	7
1643	Discovery of regulatory molecular events and biomarkers using 2D capillary chromatography and mass spectrometry. <b>2006</b> , 3, 63-74	18
1642	Muscle Development in <i>Drosophila</i> . <b>2006</b> ,	13
1641	Whole Genome Approaches to Studying <i>Drosophila</i> Muscle Development. <b>2006</b> , 157-168	
1640	The splicing factor Prp43p, a DEAH box ATPase, functions in ribosome biogenesis. <b>2006</b> , 26, 513-22	86
1639	A network of protein interactions determines polyglutamine toxicity. <b>2006</b> , 103, 11051-6	125
1638	Inhibition of homologous recombination by a cohesin-associated clamp complex recruited to the rDNA recombination enhancer. <b>2006</b> , 20, 2887-901	129
1637	Cytoplasmic IRE1 $\alpha$ -mediated XBP1 mRNA splicing in the absence of nuclear processing and endoplasmic reticulum stress. <b>2006</b> , 281, 18691-706	102
1636	Bioinformatic and comparative localization of Rab proteins reveals functional insights into the uncharacterized GTPases Ypt10p and Ypt11p. <b>2006</b> , 26, 7299-317	63
1635	The novel F-box protein Mfb1p regulates mitochondrial connectivity and exhibits asymmetric localization in yeast. <b>2006</b> , 17, 3756-67	31

1634	The La protein functions redundantly with tRNA modification enzymes to ensure tRNA structural stability. <b>2006</b> , 12, 644-54	49
1633	The return of the peroxisome. <b>2006</b> , 119, 989-94	29
1632	A large-scale full-length cDNA analysis to explore the budding yeast transcriptome. <b>2006</b> , 103, 17846-51	198
1631	Functional genomics of wine yeast <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 53, 65-121	25
1630	Defense against <i>Sclerotinia sclerotiorum</i> in <i>Arabidopsis</i> is dependent on jasmonic acid, salicylic acid, and ethylene signaling. <b>2007</b> , 20, 1384-95	96
1629	Increased glycolytic flux as an outcome of whole-genome duplication in yeast. <b>2007</b> , 3, 129	168
1628	Recent advances in understanding the unfolded protein response. <b>2007</b> , 9, 2241-4	9
1627	Regulation of the stringent response is the essential function of the conserved bacterial G protein CgtA in <i>Vibrio cholerae</i> . <b>2007</b> , 104, 4636-41	82
1626	Cytoplasmic decay of intergenic transcripts in <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 27, 92-101	82
1625	Automated data integration for developmental biological research. <b>2007</b> , 134, 3227-38	6
1624	Novel interaction of the 60S ribosomal subunit export adapter Nmd3 at the nuclear pore complex. <b>2007</b> , 282, 14028-37	8
1623	Regulation of iron homeostasis mediated by the heme-binding protein Dap1 (damage resistance protein 1) via the P450 protein Erg11/Cyp51. <b>2007</b> , 282, 36543-51	44
1622	Inner nuclear membrane proteins Asi1, Asi2, and Asi3 function in concert to maintain the latent properties of transcription factors Stp1 and Stp2. <b>2007</b> , 282, 594-605	47
1621	Vps75, a new yeast member of the NAP histone chaperone family. <b>2007</b> , 282, 12358-62	60
1620	A chemogenomic screen in <i>Saccharomyces cerevisiae</i> uncovers a primary role for the mitochondria in farnesol toxicity and its regulation by the Pkc1 pathway. <b>2007</b> , 282, 4868-4874	51
1619	Evidence for a pro-oxidant intermediate in the assembly of cytochrome oxidase. <b>2007</b> , 282, 17442-9	94
1618	The cellular functions of the yeast lipin homolog PAH1p are dependent on its phosphatidate phosphatase activity. <b>2007</b> , 282, 37026-35	133
1617	Identification of a novel lysophospholipid acyltransferase in <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 282, 30562-9	88

1616	Identification of yeast proteins necessary for cell-surface function of a potassium channel. <b>2007</b> , 104, 18079-84	44
1615	The alternative pathway of glutathione degradation is mediated by a novel protein complex involving three new genes in <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 175, 1137-51	58
1614	The p21-activated protein kinase inhibitor Skb15 and its budding yeast homologue are 60S ribosome assembly factors. <b>2007</b> , 27, 2897-909	24
1613	Puf3p, a Pumilio family RNA binding protein, localizes to mitochondria and regulates mitochondrial biogenesis and motility in budding yeast. <b>2007</b> , 176, 197-207	136
1612	Global phenotype screening and transcript analysis outlines the inhibitory mode(s) of action of two amphibian-derived, alpha-helical, cationic peptides on <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 51, 3948-59	30
1611	DNA sequence- and conformation-directed positioning of nucleosomes by chromatin-remodeling complexes. <b>2007</b> , 104, 15635-40	102
1610	Modeling complex genetic interactions in a simple eukaryotic genome: actin displays a rich spectrum of complex haploinsufficiencies. <b>2007</b> , 21, 148-59	73
1609	Overview of Proteomics. 1-61	1
1608	Genome-wide analysis of Rad52 foci reveals diverse mechanisms impacting recombination. <b>2007</b> , 3, e228	141
1607	Organelle turnover by autophagy. <b>2007</b> , 28, 67	
1606	Mvb12 is a novel member of ESCRT-I involved in cargo selection by the multivesicular body pathway. <b>2007</b> , 18, 646-57	37
1605	Rmd9p controls the processing/stability of mitochondrial mRNAs and its overexpression compensates for a partial deficiency of oxa1p in <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 175, 1105-15	31
1604	Network of general and specialty J protein chaperones of the yeast cytosol. <b>2007</b> , 104, 7163-8	123
1603	In search of the biological significance of modular structures in protein networks. <b>2007</b> , 3, e107	84
1602	A screen for suppressors of gross chromosomal rearrangements identifies a conserved role for PLP in preventing DNA lesions. <b>2007</b> , 3, e134	47
1601	Novel roles for selected genes in meiotic DNA processing. <b>2007</b> , 3, e222	29
1600	4 A Guided Tour to PCR-based Genomic Manipulations of (PCR-targeting). <b>2007</b> , 55-78	5
1599	The carnegie protein trap library: a versatile tool for <i>Drosophila</i> developmental studies. <b>2007</b> , 175, 1505-31	405



1598	Identification and characterization of Vnx1p, a novel type of vacuolar monovalent cation/H <sup>+</sup> antiporter of <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 282, 24284-93	67
1597	Organelle DB: an updated resource of eukaryotic protein localization and function. <b>2007</b> , 35, D810-4	26
1596	eSLDB: eukaryotic subcellular localization database. <b>2007</b> , 35, D208-12	50
1595	The sensitivity of yeast mutants to oleic acid implicates the peroxisome and other processes in membrane function. <b>2007</b> , 175, 77-91	81
1594	Glucose-responsive regulators of gene expression in <i>Saccharomyces cerevisiae</i> function at the nuclear periphery via a reverse recruitment mechanism. <b>2007</b> , 175, 1127-35	48
1593	8 Reporter Genes and Their Uses in Studying Yeast Gene Expression. <b>2007</b> , 36, 165-188	1
1592	Characterization of proteins associated with polyglutamine aggregates: a novel approach towards isolation of aggregates from protein conformation disorders. <b>2007</b> , 1, 128-35	46
1591	Molecular tools for cell and systems biology. <b>2007</b> , 1, 230-48	11
1590	Lipid phosphate phosphatases from <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 434, 305-15	4
1589	Genetic analysis of SUMOylation in <i>Arabidopsis</i> : conjugation of SUMO1 and SUMO2 to nuclear proteins is essential. <b>2007</b> , 145, 119-34	208
1588	Systems biology approach to integrative comparative genomics. <b>2007</b> , 4, 107-19	22
1587	A chemogenomic screening of sulfanilamide-hypersensitive <i>Saccharomyces cerevisiae</i> mutants uncovers ABZ2, the gene encoding a fungal aminodeoxychorismate lyase. <b>2007</b> , 6, 2102-11	22
1586	Interaction of the endocytic scaffold protein Pan1 with the type I myosins contributes to the late stages of endocytosis. <b>2007</b> , 18, 2893-903	30
1585	Accumulation of polyadenylated mRNA, Pab1p, eIF4E, and eIF4G with P-bodies in <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 18, 2592-602	117
1584	Yeast mitochondrial initiator tRNA is methylated at guanosine 37 by the Trm5-encoded tRNA (guanine-N1-)-methyltransferase. <b>2007</b> , 282, 27744-53	42
1583	Pho91 Is a vacuolar phosphate transporter that regulates phosphate and polyphosphate metabolism in <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 18, 4438-45	76
1582	Why are there still over 1000 uncharacterized yeast genes?. <b>2007</b> , 176, 7-14	109
1581	Two yeast PUF proteins negatively regulate a single mRNA. <b>2007</b> , 282, 15430-8	73

1580	Cdc37 has distinct roles in protein kinase quality control that protect nascent chains from degradation and promote posttranslational maturation. <b>2007</b> , 176, 319-28	81
1579	Inorganic phosphate deprivation causes tRNA nuclear accumulation via retrograde transport in <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 176, 841-52	40
1578	Alternative modes of organellar segregation during sporulation in <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 6, 2009-17	38
1577	Endocytosis machinery is involved in aggregation of proteins with expanded polyglutamine domains. <b>2007</b> , 21, 1915-25	61
1576	Interactions between brome mosaic virus RNAs and cytoplasmic processing bodies. <b>2007</b> , 81, 9759-68	63
1575	Identification of Rkr1, a nuclear RING domain protein with functional connections to chromatin modification in <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 27, 2800-11	22
1574	A novel approach for generating full-length, high coverage allele libraries for the analysis of protein interactions. <b>2007</b> , 6, 514-26	11
1573	Cytoplasmic recycling of 60S preribosomal factors depends on the AAA protein Drg1. <b>2007</b> , 27, 6581-92	77
1572	Toward a comprehensive atlas of the physical interactome of <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 6, 439-50	610
1571	Quantitative profiling of ubiquitylated proteins reveals proteasome substrates and the substrate repertoire influenced by the Rpn10 receptor pathway. <b>2007</b> , 6, 1885-95	85
1570	Probing the membrane environment of the TOR kinases reveals functional interactions between TORC1, actin, and membrane trafficking in <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 18, 2779-94	84
1569	The specialized cytosolic J-protein, Jjj1, functions in 60S ribosomal subunit biogenesis. <b>2007</b> , 104, 1558-63	71
1568	Exploring strategies for protein trapping in <i>Drosophila</i> . <b>2007</b> , 175, 1089-104	125
1567	Translation initiation in <i>Saccharomyces cerevisiae</i> mitochondria: functional interactions among mitochondrial ribosomal protein Rsm28p, initiation factor 2, methionyl-tRNA-formyltransferase and novel protein Rmd9p. <b>2007</b> , 175, 1117-26	31
1566	Quantitative proteomics and transcriptomics of anaerobic and aerobic yeast cultures reveals post-transcriptional regulation of key cellular processes. <b>2007</b> , 153, 3864-3878	99
1565	The Hsp40 chaperone Jjj1 is required for the nucleo-cytoplasmic recycling of preribosomal factors in <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 13, 1570-81	45
1564	Sus1, Sac3, and Thp1 mediate post-transcriptional tethering of active genes to the nuclear rim as well as to non-nascent mRNP. <b>2008</b> , 14, 66-77	47
1563	Identification and characterization of the major lysophosphatidylethanolamine acyltransferase in <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 282, 28344-28352	129

1562	Contribution of Trf4/5 and the nuclear exosome to genome stability through regulation of histone mRNA levels in <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 175, 993-1010	50
1561	A genomic screen in yeast reveals novel aspects of nonstop mRNA metabolism. <b>2007</b> , 177, 773-84	57
1560	Supervised reconstruction of biological networks with local models. <b>2007</b> , 23, i57-65	70
1559	Binding specificities of the GYF domains from two <i>Saccharomyces cerevisiae</i> paralogs. <b>2007</b> , 20, 443-52	10
1558	Identification of a vacuole-associated metalloreductase and its role in Ctr2-mediated intracellular copper mobilization. <b>2007</b> , 282, 21629-38	83
1557	Gene Ontology annotations at SGD: new data sources and annotation methods. <b>2008</b> , 36, D577-81	196
1556	Visualizing the proteome of <i>Escherichia coli</i> : an efficient and versatile method for labeling chromosomal coding DNA sequences (CDSs) with fluorescent protein genes. <b>2007</b> , 35, e37	10
1555	Transcriptional responses to fatty acid are coordinated by combinatorial control. <b>2007</b> , 3, 115	53
1554	A synthetic gene network for tuning protein degradation in <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 3, 127	84
1553	Automated image analysis of protein localization in budding yeast. <b>2007</b> , 23, i66-71	62
1552	Utp8p is a nucleolar tRNA-binding protein that forms a complex with components of the nuclear tRNA export machinery in <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 18, 3845-59	27
1551	Yct1p, a novel, high-affinity, cysteine-specific transporter from the yeast <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 176, 877-90	47
1550	Examining protein protein interactions using endogenously tagged yeast arrays: the cross-and-capture system. <b>2007</b> , 17, 1774-82	19
1549	Correlation between transcript profiles and fitness of deletion mutants in anaerobic chemostat cultures of <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 153, 877-886	23
1548	1 Introduction to Functional Analysis in Yeast. <b>2007</b> , 36, 1-21	1
1547	24 Bioinformatic Prediction of Yeast Gene Function. <b>2007</b> , 597-628	3
1546	Context-sensitive data integration and prediction of biological networks. <b>2007</b> , 23, 2322-30	91
1545	A protein interaction map of the mitotic spindle. <b>2007</b> , 18, 3800-9	81

1544	A large number of novel coding small open reading frames in the intergenic regions of the <i>Arabidopsis thaliana</i> genome are transcribed and/or under purifying selection. <b>2007</b> , 17, 632-40	120
1543	Effect of 21 different nitrogen sources on global gene expression in the yeast <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 27, 3065-86	171
1542	Characterization of <i>Saccharomyces cerevisiae</i> Npa2p (Urb2p) reveals a low-molecular-mass complex containing Dbp6p, Npa1p (Urb1p), Nop8p, and Rsa3p involved in early steps of 60S ribosomal subunit biogenesis. <b>2007</b> , 27, 1207-21	46
1541	Sir2p-dependent protein segregation gives rise to a superior reactive oxygen species management in the progeny of <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 104, 10877-81	107
1540	Skp1-Cullin-F-box-dependent degradation of Aah1p requires its interaction with the F-box protein Saf1p. <b>2007</b> , 282, 20097-103	11
1539	YGR198w (YPP1) targets A30P alpha-synuclein to the vacuole for degradation. <b>2007</b> , 177, 1091-104	54
1538	The yeast integral membrane protein Apq12 potentially links membrane dynamics to assembly of nuclear pore complexes. <b>2007</b> , 178, 799-812	79
1537	Efficient cargo sorting by ESCRT-I and the subsequent release of ESCRT-I from multivesicular bodies requires the subunit Mvb12. <b>2007</b> , 18, 636-45	55
1536	Two mammalian Sec16 homologues have nonredundant functions in endoplasmic reticulum (ER) export and transitional ER organization. <b>2007</b> , 18, 839-49	104
1535	SCEPTRANS: an online tool for analyzing periodic transcription in yeast. <b>2007</b> , 23, 1559-61	28
1534	Accelerated aging and failure to segregate damaged proteins in Sir2 mutants can be suppressed by overproducing the protein aggregation-remodeling factor Hsp104p. <b>2007</b> , 21, 2410-21	270
1533	DNA Microarrays in Glycobiology. <b>2007</b> , 427-448	1
1532	14 Yeast Protein Microarrays. <b>2007</b> , 36, 303-705	1
1531	10 GFP-based Microscopic Approaches for Whole Chromosome Analysis in Yeasts. <b>2007</b> , 221-240	
1530	13 Identification, Characterization, and Phenotypic Analysis of Covalently Linked Cell Wall Proteins. <b>2007</b> , 36, 281-301	1
1529	26 Yeast Gene Analysis: The Remaining Challenges. <b>2007</b> , 36, 667-683	
1528	Analyzing Protein Interaction Networks. 1121-1177	4
1527	Development of automatic image analysis algorithms for protein localization studies in budding yeast. <b>2007</b> ,	

1526	Metabolite transport across the peroxisomal membrane. <b>2007</b> , 401, 365-75	125
1525	Analysis of kinetochore assembly and function in <i>Caenorhabditis elegans</i> embryos and human cells. <b>2007</b> , 41, 177-89	4
1524	Sir2 and calorie restriction in yeast: a skeptical perspective. <b>2007</b> , 6, 128-40	89
1523	Yeast acyl-CoA synthetases at the crossroads of fatty acid metabolism and regulation. <b>2007</b> , 1771, 286-98	146
1522	Biosynthesis and function of GPI proteins in the yeast <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 1771, 405-20	159
1521	The emergence of yeast lipidomics. <b>2007</b> , 1771, 241-54	58
1520	Fatty acid synthesis and elongation in yeast. <b>2007</b> , 1771, 255-70	302
1519	Metabolism of phosphatidylcholine and its implications for lipid acyl chain composition in <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 1771, 343-52	72
1518	Sec14 related proteins in yeast. <b>2007</b> , 1771, 737-45	21
1517	Impaired tRNA nuclear export links DNA damage and cell-cycle checkpoint. <b>2007</b> , 131, 915-26	77
1516	Automated subcellular location determination and high-throughput microscopy. <b>2007</b> , 12, 7-16	231
1515	Plant pre-tRNA splicing enzymes are targeted to multiple cellular compartments. <b>2007</b> , 89, 1351-65	48
1514	Characteristics affecting expression and solubilization of yeast membrane proteins. <b>2007</b> , 365, 621-36	39
1513	Novel mitochondrial intermembrane space proteins as substrates of the MIA import pathway. <b>2007</b> , 365, 612-20	132
1512	Chz1, a nuclear chaperone for histone H2AZ. <b>2007</b> , 25, 357-68	130
1511	YRA1 autoregulation requires nuclear export and cytoplasmic Edc3p-mediated degradation of its pre-mRNA. <b>2007</b> , 25, 559-73	72
1510	Regulation of glucose partitioning by PAS kinase and Ugp1 phosphorylation. <b>2007</b> , 26, 491-9	42
1509	The N terminus of <i>Saccharomyces cerevisiae</i> Msh6 is an unstructured tether to PCNA. <b>2007</b> , 26, 565-78	96

1508	Local activation of yeast ASH1 mRNA translation through phosphorylation of Khd1p by the casein kinase Yck1p. <b>2007</b> , 26, 795-809	103
1507	A mitochondrial exopolyphosphatase activity modulated by phosphate demand in <i>Rhipicephalus (Boophilus) microplus</i> embryo. <b>2007</b> , 37, 1103-7	14
1506	Phytochelatins are synthesized by two vacuolar serine carboxypeptidases in <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 581, 1681-7	31
1505	The hard cell: from proteomics to a whole cell model. <b>2007</b> , 581, 2870-6	14
1504	Classical nuclear localization signals: definition, function, and interaction with importin alpha. <b>2007</b> , 282, 5101-5	824
1503	Analysis of protein-protein interactions in mitochondria. <b>2007</b> , 80, 743-59	2
1502	Biogenesis and function of multivesicular bodies. <b>2007</b> , 23, 519-47	519
1501	Single-cell quantification of molecules and rates using open-source microscope-based cytometry. <b>2007</b> , 4, 175-81	176
1500	A new pairwise kernel for biological network inference with support vector machines. <b>2007</b> , 8 Suppl 10, S8	50
1499	Proteomic analysis of <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 4, 793-813	14
1498	Experimental and computational procedures for the assessment of protein complexes on a genome-wide scale. <b>2007</b> , 107, 3585-600	15
1497	Protein Targeting Protocols. <b>2007</b> ,	1
1496	Using protein complexes to predict phenotypic effects of gene mutation. <b>2007</b> , 8, R252	80
1495	Spore germination in <i>Saccharomyces cerevisiae</i> : global gene expression patterns and cell cycle landmarks. <b>2007</b> , 8, R241	40
1494	Network motif analysis of a multi-mode genetic-interaction network. <b>2007</b> , 8, R160	10
1493	Unequal evolutionary conservation of human protein interactions in interologous networks. <b>2007</b> , 8, R95	244
1492	Maturation of the mammalian secretome. <b>2007</b> , 8, 211	14
1491	Expanding the mitochondrial interactome. <b>2007</b> , 8, 203	11

1490	Mitochondria. <b>2007</b> ,	5
1489	Convergent preparation and photophysical characterization of dimaleimide dansyl fluorogens: elucidation of the maleimide fluorescence quenching mechanism. <b>2007</b> , 129, 11969-77	149
1488	Toward whole cell modeling and simulation: comprehensive functional genomics through the constraint-based approach. <b>2007</b> , 64, 265, 267-309	22
1487	Subcellular Proteomics. <b>2007</b> ,	1
1486	Density-induced support vector data description. <b>2007</b> , 18, 284-9	78
1485	Central roles of small GTPases in the development of cell polarity in yeast and beyond. <b>2007</b> , 71, 48-96	338
1484	Rival-model penalized self-organizing map. <b>2007</b> , 18, 289-95	31
1483	High-throughput fluorescent-based optimization of eukaryotic membrane protein overexpression and purification in <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 104, 13936-41	190
1482	Achieving in-depth proteomics profiling by mass spectrometry. <b>2007</b> , 2, 39-52	50
1481	WoLF PSORT: protein localization predictor. <b>2007</b> , 35, W585-7	2146
1480	Recognition of Unstained Live <i>Drosophila</i> Cells in Microscope Images. <b>2007</b> ,	4
1479	25 Yeast Genetic Strain and Plasmid Collections. <b>2007</b> , 36, 629-666	172
1478	Bioinformatics Research and Development. <b>2007</b> ,	3
1477	Probing the membrane interface-interacting proteome using photoactivatable lipid cross-linkers. <b>2007</b> , 6, 1951-62	14
1476	Exploring the intermembrane space. <b>2007</b> , 2, 213-6	2
1475	Post-transcriptional control of the <i>Saccharomyces cerevisiae</i> proteome by 14-3-3 proteins. <b>2007</b> , 6, 1689-99	24
1474	Modelling the checkpoint response to telomere uncapping in budding yeast. <b>2007</b> , 4, 73-90	6
1473	Protein degradation within mitochondria: versatile activities of AAA proteases and other peptidases. <b>2007</b> , 42, 221-42	201

1472	Chromophore-assisted laser inactivation. <b>2007</b> , 82, 335-54	21
1471	Living with noisy genes: how cells function reliably with inherent variability in gene expression. <b>2007</b> , 36, 413-34	261
1470	Optimized protein extraction for quantitative proteomics of yeasts. <b>2007</b> , 2, e1078	108
1469	Network-based prediction of protein function. <b>2007</b> , 3, 88	743
1468	<i>Saccharomyces cerevisiae</i> as a model organism to study mitochondrial biology: general considerations and basic procedures. <b>2007</b> , 372, 81-90	30
1467	Integrative Analysis of Yeast Protein Translation Networks. 251-266	
1466	Screen for ISG15-crossreactive deubiquitinases. <b>2007</b> , 2, e679	71
1465	An improved, bias-reduced probabilistic functional gene network of baker's yeast, <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 2, e988	152
1464	Systems Level Modeling of the Cell Cycle Using Budding Yeast. <b>2007</b> , 3, 117693510700300	4
1463	Genomics. <b>2007</b> , 1-25	
1462	Eclipsed distribution: a phenomenon of dual targeting of protein and its significance. <b>2007</b> , 29, 772-82	57
1461	Understanding signaling in yeast: Insights from network analysis. <b>2007</b> , 97, 1246-58	23
1460	Energy costs constrain the evolution of gene expression. <b>2007</b> , 308, 322-4	39
1459	Quantifying literature citations, index terms, and Gene Ontology annotations in the <i>Saccharomyces Genome Database</i> to assess results-set clustering utility. <b>2007</b> , 43, 1-17	
1458	A coupled chemical-genetic and bioinformatic approach to Polo-like kinase pathway exploration. <b>2007</b> , 14, 1261-72	67
1457	Immobility, inheritance and plasticity of shape of the yeast nucleus. <b>2007</b> , 8, 47	27
1456	Global protein expression profiling of budding yeast in response to DNA damage. <b>2007</b> , 24, 145-54	39
1455	Peroxisomal metabolism is regulated by an oxygen-recognition system through organelle crosstalk between the mitochondria and peroxisomes. <b>2007</b> , 24, 491-8	9



1454	Bimolecular fluorescence complementation analysis system for in vivo detection of protein-protein interaction in <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 24, 767-75	147
1453	WI-PHI: a weighted yeast interactome enriched for direct physical interactions. <b>2007</b> , 7, 932-43	72
1452	Identifying functional modules in the physical interactome of <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 7, 944-60	112
1451	Dihydroxyacetone-induced death is accompanied by advanced glycation endproduct formation in selected proteins of <i>Saccharomyces cerevisiae</i> and <i>Caenorhabditis elegans</i> . <b>2007</b> , 7, 3764-74	15
1450	Immuno-qPCR detection of the tandem affinity purification (TAP)-tag as a sensitive and accurate tool suitable for large-scale protein quantification. <b>2007</b> , 7, 4414-23	6
1449	Systems biology analysis of G protein and MAP kinase signaling in yeast. <b>2007</b> , 26, 3254-66	29
1448	A proteomic screen reveals SCFGrr1 targets that regulate the glycolytic-gluconeogenic switch. <b>2007</b> , 9, 1184-91	69
1447	A high-resolution atlas of nucleosome occupancy in yeast. <b>2007</b> , 39, 1235-44	672
1446	A genomic integration method to visualize localization of endogenous mRNAs in living yeast. <b>2007</b> , 4, 409-12	102
1445	Generation of a fluorescently labeled endogenous protein library in living human cells. <b>2007</b> , 2, 1515-27	58
1444	When all's zed and done: the structure and function of RNase Z in prokaryotes. <b>2007</b> , 5, 278-86	56
1443	Beyond toothpicks: new methods for isolating mutant bacteria. <b>2007</b> , 5, 680-8	39
1442	Cex1p is a novel cytoplasmic component of the <i>Saccharomyces cerevisiae</i> nuclear tRNA export machinery. <b>2007</b> , 26, 288-300	39
1441	Structural insight into the ESCRT-I/-II link and its role in MVB trafficking. <b>2007</b> , 26, 600-12	90
1440	Activation of the Cdc42p GTPase by cyclin-dependent protein kinases in budding yeast. <b>2007</b> , 26, 4487-500	72
1439	The potential of high-content high-throughput microscopy in drug discovery. <b>2007</b> , 152, 62-71	92
1438	Enteropathogenic <i>Escherichia coli</i> effector EspF interacts with host protein Abcf2. <b>2007</b> , 9, 680-93	52
1437	Condensin function at centromere chromatin facilitates proper kinetochore tension and ensures correct mitotic segregation of sister chromatids. <b>2007</b> , 12, 1075-90	38

1436	Phenotypic heterogeneity can enhance rare-cell survival in 'stress-sensitive' yeast populations. <b>2007</b> , 63, 507-20	79
1435	<i>Saccharomyces cerevisiae</i> SSD1 orthologues are essential for host infection by the ascomycete plant pathogens <i>Colletotrichum lagenarium</i> and <i>Magnaporthe grisea</i> . <b>2007</b> , 64, 1332-49	57
1434	CWH43 is required for the introduction of ceramides into GPI anchors in <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 65, 1493-502	47
1433	The SUN41 and SUN42 genes are essential for cell separation in <i>Candida albicans</i> . <b>2007</b> , 66, 1256-75	45
1432	On the evolutionary origin of aging. <b>2007</b> , 6, 235-44	111
1431	Location-specific depletion of a dual-localized protein. <b>2007</b> , 8, 169-76	14
1430	CVAK104 is a novel regulator of clathrin-mediated SNARE sorting. <b>2007</b> , 8, 893-903	25
1429	Trafficking of siderophore transporters in <i>Saccharomyces cerevisiae</i> and intracellular fate of ferrioxamine B conjugates. <b>2007</b> , 8, 1601-16	30
1428	The role of FLO11 in <i>Saccharomyces cerevisiae</i> biofilm development in a laboratory based flow-cell system. <b>2007</b> , 7, 372-9	30
1427	Identification and characterization of a functional <i>Candida albicans</i> homolog of the <i>Saccharomyces cerevisiae</i> TCO89 gene. <b>2007</b> , 7, 558-68	10
1426	Dosage suppression of the <i>Kluyveromyces lactis</i> zymocin by <i>Saccharomyces cerevisiae</i> ISR1 and UGP1. <b>2007</b> , 7, 722-30	6
1425	Transcriptional responses of <i>Saccharomyces cerevisiae</i> to preferred and nonpreferred nitrogen sources in glucose-limited chemostat cultures. <b>2007</b> , 7, 604-20	64
1424	Mutations in the nucleolar proteins Tma23 and Nop6 suppress the malfunction of the Nep1 protein. <b>2007</b> , 7, 771-81	12
1423	Specific transcriptional responses induced by 8-methoxypsoralen and UVA in yeast. <b>2007</b> , 7, 866-78	13
1422	Commonly used <i>Saccharomyces cerevisiae</i> strains (e.g. BY4741, W303) are growth sensitive on synthetic complete medium due to poor leucine uptake. <b>2007</b> , 273, 239-43	29
1421	Lot6p from <i>Saccharomyces cerevisiae</i> is a FMN-dependent reductase with a potential role in quinone detoxification. <b>2007</b> , 274, 1328-39	41
1420	Fast automated cell phenotype image classification. <b>2007</b> , 8, 110	105
1419	Constructing gene co-expression networks and predicting functions of unknown genes by random matrix theory. <b>2007</b> , 8, 299	172

1418	PathFinder: mining signal transduction pathway segments from protein-protein interaction networks. <b>2007</b> , 8, 335	85
1417	Inferring biological networks with output kernel trees. <b>2007</b> , 8 Suppl 2, S4	18
1416	The limits of subfunctionalization. <b>2007</b> , 7, 213	33
1415	Ashbya Genome Database 3.0: a cross-species genome and transcriptome browser for yeast biologists. <b>2007</b> , 8, 9	40
1414	The ins and outs of ATP-dependent chromatin remodeling in budding yeast: biophysical and proteomic perspectives. <b>2007</b> , 1769, 153-71	34
1413	The <i>Saccharomyces cerevisiae</i> YFR041C/ERJ5 gene encoding a type I membrane protein with a J domain is required to preserve the folding capacity of the endoplasmic reticulum. <b>2007</b> , 1773, 232-42	23
1412	Human 1A6/DRIM, the homolog of yeast Utp20, functions in the 18S rRNA processing. <b>2007</b> , 1773, 863-8	20
1411	The Bre5/Ubp3 ubiquitin protease complex from budding yeast contributes to the cellular response to DNA damage. <b>2007</b> , 6, 1471-84	24
1410	Exploiting alternative subcellular location for replication: tombusvirus replication switches to the endoplasmic reticulum in the absence of peroxisomes. <b>2007</b> , 362, 320-30	99
1409	The arginine methyltransferase Rmt2 is enriched in the nucleus and co-purifies with the nuclear porins Nup49, Nup57 and Nup100. <b>2007</b> , 313, 1778-89	6
1408	Molecular determinants of nucleolar translocation of RNA helicase A. <b>2007</b> , 313, 3743-54	6
1407	Protein microarray technology. <b>2007</b> , 128, 161-7	237
1406	Protein function space: viewing the limits or limited by our view?. <b>2007</b> , 17, 362-9	34
1405	19 Analysis of Gene Function of Mitochondria. <b>2007</b> , 36, 445-489	
1404	Unconventional splicing of XBP-1 mRNA in the unfolded protein response. <b>2007</b> , 9, 2323-33	77
1403	Functional and evolutionary implications of enhanced genomic analysis of rhomboid intramembrane proteases. <b>2007</b> , 17, 1634-46	179
1402	N-Acetyltransferase Mpr1 confers ethanol tolerance on <i>Saccharomyces cerevisiae</i> by reducing reactive oxygen species. <b>2007</b> , 75, 1343-51	93
1401	Treasure hunt in an amoeba: non-coding RNAs in <i>Dictyostelium discoideum</i> . <b>2007</b> , 51, 141-59	20

1400	Cytokinesis in development and disease: variations on a common theme. <b>2007</b> , 64, 3044-58	30
1399	Localization of telomeres and telomere-associated proteins in telomerase-negative <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 15, 1033-50	17
1398	Large-scale automated analysis of location patterns in randomly tagged 3T3 cells. <b>2007</b> , 35, 1081-7	24
1397	In vivo functional characterization of the <i>Saccharomyces cerevisiae</i> 60S biogenesis GTPase Nog1. <b>2007</b> , 278, 105-23	25
1396	Coiled coil structures and transcription: an analysis of the <i>S. cerevisiae</i> coilome. <b>2007</b> , 278, 135-47	10
1395	Electron paramagnetic resonance and Mössbauer spectroscopy of intact mitochondria from respiring <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 12, 1029-53	33
1394	Approaches for systematic proteome exploration. <b>2007</b> , 24, 155-68	22
1393	A novel immunodetection screen for vacuolar defects identifies a unique allele of VPS35 in <i>S. cerevisiae</i> . <b>2008</b> , 311, 121-36	5
1392	The post-transcriptional steps of eukaryotic ribosome biogenesis. <b>2008</b> , 65, 2334-59	437
1391	The evolutionary conserved BER1 gene is involved in microtubule stability in yeast. <b>2008</b> , 53, 107-15	4
1390	MitoP2: an integrative tool for the analysis of the mitochondrial proteome. <b>2008</b> , 40, 306-15	65
1389	Inositol polyphosphates: a new frontier for regulating gene expression. <b>2008</b> , 117, 1-13	83
1388	In vivo modeling of polysumoylation uncovers targeting of Topoisomerase II to the nucleolus via optimal level of SUMO modification. <b>2008</b> , 117, 189-98	27
1387	The peroxisome: still a mysterious organelle. <b>2008</b> , 129, 421-40	137
1386	Identification of cellular pathways affected by Sortin2, a synthetic compound that affects protein targeting to the vacuole in <i>Saccharomyces cerevisiae</i> . <b>2008</b> , 8, 1	17
1385	Characterisation of the plasma membrane subproteome of bloodstream form <i>Trypanosoma brucei</i> . <b>2008</b> , 8, 83-99	57
1384	Fluorescence and bioluminescence procedures for functional proteomics. <b>2008</b> , 8, 1179-96	28
1383	Incorporating high-throughput proteomics experiments into structural biology pipelines: identification of the low-hanging fruits. <b>2008</b> , 8, 1959-64	12

1382	Sub-cellular localization of membrane proteins. <b>2008</b> , 8, 3991-4011	61
1381	A vector system for efficient and economical switching of C-terminal epitope tags in <i>Saccharomyces cerevisiae</i> . <b>2008</b> , 25, 301-11	33
1380	Photoactivatable GFP tagging cassettes for protein-tracking studies in the budding yeast <i>Saccharomyces cerevisiae</i> . <b>2008</b> , 25, 651-9	22
1379	New interacting partners of the F-box protein Ufo1 of yeast. <b>2008</b> , 25, 733-43	6
1378	Effects of the S288c genetic background and common auxotrophic markers on mitochondrial DNA function in <i>Saccharomyces cerevisiae</i> . <b>2008</b> , 25, 903-12	24
1377	Analysis of environmental stress response on the proteome level. <b>2008</b> , 27, 556-74	40
1376	Chemical biology approaches to probe the proteome. <b>2008</b> , 9, 2913-9	11
1375	CD8- dendritic cells preferentially cross-present <i>Saccharomyces cerevisiae</i> antigens. <b>2008</b> , 38, 370-80	44
1374	A bilevel optimization algorithm to identify enzymatic capacity constraints in metabolic networks. <b>2008</b> , 32, 2072-2085	13
1373	Implementation of alternating excitation schemes in a biochip-reader for quasi-simultaneous multi-color single-molecule detection. <b>2008</b> , 23, 1891-5	5
1372	Chemical-genetic approaches for exploring the mode of action of natural products. <b>2008</b> , 66, 237, 239-71	17
1371	Dynamic proteomics of individual cancer cells in response to a drug. <b>2008</b> , 322, 1511-6	467
1370	Application of proteomics in biotechnology--microbial proteomics. <b>2008</b> , 3, 496-509	25
1369	The <i>Saccharomyces cerevisiae</i> Wss1 protein is only present in mother cells. <b>2008</b> , 282, 100-4	5
1368	Interdependence of the Ypt/RabGAP Gyp5p and Gyl1p for recruitment to the sites of polarized growth. <b>2008</b> , 9, 608-22	3
1367	Yeast Arf3p modulates plasma membrane PtdIns(4,5)P2 levels to facilitate endocytosis. <b>2008</b> , 9, 559-73	27
1366	A cryosectioning procedure for the ultrastructural analysis and the immunogold labelling of yeast <i>Saccharomyces cerevisiae</i> . <b>2008</b> , 9, 1060-72	75
1365	Nuclear export signal consensus sequences defined using a localization-based yeast selection system. <b>2008</b> , 9, 2053-62	101

1364	Impact of systems biology on metabolic engineering of <i>Saccharomyces cerevisiae</i> . <b>2008</b> , 8, 122-31	110
1363	Single-gene deletions that restore mating competence to diploid yeast. <b>2008</b> , 8, 276-86	10
1362	The alcohol dehydrogenases of <i>Saccharomyces cerevisiae</i> : a comprehensive review. <b>2008</b> , 8, 967-78	152
1361	Mapping the human protein interactome. <b>2008</b> , 18, 716-24	40
1360	Heat shock response relieves ER stress. <b>2008</b> , 27, 1049-59	114
1359	A mechanism for asymmetric segregation of age during yeast budding. <i>Nature</i> , <b>2008</b> , 454, 728-34	50.4 259
1358	Frequency-modulated nuclear localization bursts coordinate gene regulation. <i>Nature</i> , <b>2008</b> , 455, 485-90	50.4 379
1357	Comprehensive mass-spectrometry-based proteome quantification of haploid versus diploid yeast. <i>Nature</i> , <b>2008</b> , 455, 1251-4	50.4 745
1356	Activity motifs reveal principles of timing in transcriptional control of the yeast metabolic network. <b>2008</b> , 26, 1251-9	131
1355	MaxQuant enables high peptide identification rates, individualized p.p.b.-range mass accuracies and proteome-wide protein quantification. <b>2008</b> , 26, 1367-72	9012
1354	Exposing the fitness contribution of duplicated genes. <b>2008</b> , 40, 676-81	131
1353	BAC TransgeneOmics: a high-throughput method for exploration of protein function in mammals. <b>2008</b> , 5, 409-15	484
1352	BAC to the future: functional genomics in mammals. <b>2008</b> , 5, 383-4	2
1351	GFP-based optimization scheme for the overexpression and purification of eukaryotic membrane proteins in <i>Saccharomyces cerevisiae</i> . <b>2008</b> , 3, 784-98	242
1350	<i>Plasmodium falciparum</i> Sec24 marks transitional ER that exports a model cargo via a diacidic motif. <b>2008</b> , 68, 1535-46	34
1349	Systematic analysis of protein subcellular localization and interaction using high-throughput transient transformation of <i>Arabidopsis</i> seedlings. <b>2008</b> , 56, 169-79	171
1348	XML-based data model and architecture for a knowledge-based grid-enabled problem-solving environment for high-throughput biological imaging. <b>2008</b> , 12, 226-40	7
1347	Fuzzy association rules for biological data analysis: a case study on yeast. <b>2008</b> , 9, 107	25

1346	DBMLoc: a Database of proteins with multiple subcellular localizations. <b>2008</b> , 9, 127	43
1345	Predicting cancer involvement of genes from heterogeneous data. <b>2008</b> , 9, 172	56
1344	An incremental approach to automated protein localisation. <b>2008</b> , 9, 445	11
1343	Visualizing and clustering high throughput sub-cellular localization imaging. <b>2008</b> , 9, 81	14
1342	A reliable method for cell phenotype image classification. <b>2008</b> , 43, 87-97	56
1341	A molecular interpretation of genetic interactions in yeast. <b>2008</b> , 582, 1245-50	9
1340	Cytokinesis: keeping ring and membrane together. <b>2008</b> , 18, R479-80	
1339	The N- and C-termini of Elg1 contribute to the maintenance of genome stability. <b>2008</b> , 7, 1221-32	16
1338	A decade of surprises for tRNA nuclear-cytoplasmic dynamics. <b>2008</b> , 18, 98-104	55
1337	Can yeast systems biology contribute to the understanding of human disease?. <b>2008</b> , 26, 584-90	70
1336	The Arabidopsis Localizome: Subcellular Protein Localization and Interactions in ARABIDOPSIS. 61-81	
1335	Integrating Prediction of Structure, Function, and Interactions. <b>2008</b> , 259-279	1
1334	Microscopic analysis of lipid droplet metabolism and dynamics in yeast. <b>2008</b> , 457, 151-63	30
1333	Yeast as a model host to explore plant virus-host interactions. <b>2008</b> , 46, 217-42	134
1332	Practical and theoretical advances in predicting the function of a protein by its phylogenetic distribution. <b>2008</b> , 5, 151-70	80
1331	Membrane trafficking. Preface. <b>2008</b> , 457, v-vi	3
1330	Transactions on Computational Systems Biology X. <b>2008</b> ,	
1329	Microbial Gene Essentiality: Protocols and Bioinformatics. <b>2008</b> ,	4

1328	Chromatin Central: towards the comparative proteome by accurate mapping of the yeast proteomic environment. <b>2008</b> , 9, R167	96
1327	Sequence-based prediction of protein-protein interactions by means of codon usage. <b>2008</b> , 9, R87	54
1326	Functional diversification of duplicate genes through subcellular adaptation of encoded proteins. <b>2008</b> , 9, R54	72
1325	Proteomic view of mitochondrial function. <b>2008</b> , 9, 209	17
1324	Towards defining the nuclear proteome. <b>2008</b> , 9, R15	27
1323	Predicting gene function in a hierarchical context with an ensemble of classifiers. <b>2008</b> , 9 Suppl 1, S3	98
1322	Combining guilt-by-association and guilt-by-profiling to predict <i>Saccharomyces cerevisiae</i> gene function. <b>2008</b> , 9 Suppl 1, S7	68
1321	Predicting gene essentiality using genome-scale in silico models. <b>2008</b> , 416, 433-57	63
1320	Fluorescence in Living Systems: Applications in Chemical Biology. <b>2008</b> , 1	
1319	Cell cycle-dependent kinetochore localization of condensin complex in <i>Saccharomyces cerevisiae</i> . <b>2008</b> , 162, 248-59	23
1318	The utility of affinity-tags for detection of a streptococcal protein from a variety of streptococcal species. <b>2008</b> , 72, 249-56	19
1317	A genetic interaction map of RNA-processing factors reveals links between Sem1/Dss1-containing complexes and mRNA export and splicing. <b>2008</b> , 32, 735-46	205
1316	A single SR-like protein, Npl3, promotes pre-mRNA splicing in budding yeast. <b>2008</b> , 32, 727-34	78
1315	Interacting proteins Rtt109 and Vps75 affect the efficiency of non-homologous end-joining in <i>Saccharomyces cerevisiae</i> . <b>2008</b> , 469, 157-64	30
1314	Synthesis and turnover of non-polar lipids in yeast. <b>2008</b> , 47, 157-71	113
1313	Genomic, evolutionary, and expression analyses of <i>cee</i> , an ancient gene involved in normal growth and development. <b>2008</b> , 91, 315-25	10
1312	Identification of mitochondrial disease genes through integrative analysis of multiple datasets. <b>2008</b> , 46, 248-55	9
1311	Yeast chemical genomics and drug discovery: an update. <b>2008</b> , 29, 499-504	77



1310	Image analysis algorithms for cell contour recognition in budding yeast. <b>2008</b> , 16, 12943-57	37
1309	TOR regulation of AGC kinases in yeast and mammals. <b>2008</b> , 410, 19-37	166
1308	NapA and NapB are the <i>Aspergillus nidulans</i> Nap/SET family members and NapB is a nuclear protein specifically interacting with importin alpha. <b>2008</b> , 45, 278-91	13
1307	Cytoplasmic localization of sterol transcription factors Upc2p and Ecm22p in <i>S. cerevisiae</i> . <b>2008</b> , 45, 1430-8	30
1306	Redox control and oxidative stress in yeast cells. <b>2008</b> , 1780, 1217-35	313
1305	Incapacitating the evolutionary capacitor: Hsp90 modulation of disease. <b>2008</b> , 18, 264-72	29
1304	Dissecting the ER-associated degradation of a misfolded polytopic membrane protein. <b>2008</b> , 132, 101-12	217
1303	A mitochondrial protein compendium elucidates complex I disease biology. <b>2008</b> , 134, 112-23	1507
1302	The GET complex mediates insertion of tail-anchored proteins into the ER membrane. <b>2008</b> , 134, 634-45	351
1301	Arrestin-related ubiquitin-ligase adaptors regulate endocytosis and protein turnover at the cell surface. <b>2008</b> , 135, 714-25	376
1300	Tomato bushy stunt virus co-opts the RNA-binding function of a host metabolic enzyme for viral genomic RNA synthesis. <b>2008</b> , 3, 178-87	140
1299	The Yeast <i>Saccharomyces cerevisiae</i> : a versatile model system for the identification and characterization of bacterial virulence proteins. <b>2008</b> , 4, 8-15	67
1298	Golgi localization of glycosyltransferases requires a Vps74p oligomer. <b>2008</b> , 14, 523-34	146
1297	P bodies promote stress granule assembly in <i>Saccharomyces cerevisiae</i> . <b>2008</b> , 183, 441-55	372
1296	The Alpha Project: a model system for systems biology research. <b>2008</b> , 2, 222-33	10
1295	Interactive three-dimensional visualization and contextual analysis of protein interaction networks. <b>2008</b> , 7, 104-12	32
1294	Systematic screens for human disease genes, from yeast to human and back. <b>2008</b> , 4, 18-29	35
1293	Simple but effective methods for combining kernels in computational biology. <b>2008</b> ,	13

1292	Discovering novel interactions at the nuclear pore complex using bead halo: a rapid method for detecting molecular interactions of high and low affinity at equilibrium. <b>2008</b> , 7, 121-31	65
1291	Quantitative protein network monitoring in response to DNA damage. <b>2008</b> , 7, 803-8	16
1290	Mass spectrometry analysis of proteome-wide proteolytic post-translational degradation of proteins. <b>2008</b> , 80, 5819-28	12
1289	Proteome-wide identification of proteins and their modifications with decreased ambiguities and improved false discovery rates using unique sequence tags. <b>2008</b> , 80, 1871-82	45
1288	Structure and function of NAD kinase and NADP phosphatase: key enzymes that regulate the intracellular balance of NAD(H) and NADP(H). <b>2008</b> , 72, 919-30	69
1287	Similarities between UDP-glucose and adenine nucleotide release in yeast: involvement of the secretory pathway. <b>2008</b> , 47, 9269-78	17
1286	A distinct endosomal Ca <sup>2+</sup> /Mn <sup>2+</sup> pump affects root growth through the secretory process. <b>2008</b> , 147, 1675-89	87
1285	Automated Proteome-Wide Determination of Subcellular Location Using High Throughput Microscopy. <b>2008</b> , 2008, 308-311	2
1284	Evolutionarily conserved gene family important for fat storage. <b>2008</b> , 105, 94-9	177
1283	The SBF- and MBF-associated protein Msa1 is required for proper timing of G1-specific transcription in <i>Saccharomyces cerevisiae</i> . <b>2008</b> , 283, 6040-9	24
1282	The membrane-bound GTPase Guf1 promotes mitochondrial protein synthesis under suboptimal conditions. <b>2008</b> , 283, 17139-46	48
1281	Novel Ist1-Did2 complex functions at a late step in multivesicular body sorting. <b>2008</b> , 19, 475-84	96
1280	A Mep2-dependent transcriptional profile links permease function to gene expression during pseudohyphal growth in <i>Saccharomyces cerevisiae</i> . <b>2008</b> , 19, 3028-39	40
1279	A proteomics analysis of yeast Mot1p protein-protein associations: insights into mechanism. <b>2008</b> , 7, 2090-106	15
1278	Enhancing drug accumulation in <i>Saccharomyces cerevisiae</i> by repression of pleiotropic drug resistance genes with chimeric transcription repressors. <b>2008</b> , 74, 423-31	27
1277	The <i>Saccharomyces cerevisiae</i> actin cytoskeletal component Bsp1p has an auxiliary role in actomyosin ring function and in the maintenance of bud-neck structure. <b>2008</b> , 178, 1903-14	4
1276	Intersection of RNA processing and the type II fatty acid synthesis pathway in yeast mitochondria. <b>2008</b> , 28, 6646-57	42
1275	Slx5 promotes transcriptional silencing and is required for robust growth in the absence of Sir2. <b>2008</b> , 28, 1361-72	26

1274	Some assembly required: dedicated chaperones in eukaryotic proteasome biogenesis. <b>2008</b> , 389, 1143-51	36
1273	Cdc1p is an endoplasmic reticulum-localized putative lipid phosphatase that affects Golgi inheritance and actin polarization by activating Ca <sup>2+</sup> signaling. <b>2008</b> , 28, 3336-43	20
1272	Is Subcellular Localization Informative for Modeling Protein-Protein Interaction Signal?. <b>2008</b> , 2008, 1-5	
1271	Assessing the functional structure of genomic data. <b>2008</b> , 24, i330-8	10
1270	Dissecting the localization and function of Atg18, Atg21 and Ygr223c. <b>2008</b> , 4, 896-910	71
1269	Prion proteostasis: Hsp104 meets its supporting cast. <b>2008</b> , 2, 135-40	39
1268	Protein networks markedly improve prediction of subcellular localization in multiple eukaryotic species. <b>2008</b> , 36, e136	60
1267	Unconventional genomic architecture in the budding yeast <i>saccharomyces cerevisiae</i> masks the nested antisense gene NAG1. <b>2008</b> , 7, 1289-98	14
1266	Localization of autophagy-related proteins in yeast using a versatile plasmid-based resource of fluorescent protein fusions. <b>2008</b> , 4, 792-800	11
1265	Systems biology of mammalian cell division. <b>2008</b> , 7, 2123-8	12
1264	Beer and bread to brains and beyond: can yeast cells teach us about neurodegenerative disease?. <b>2008</b> , 16, 52-62	37
1263	Functional fusion proteins by random transposon-based GFP insertion. <b>2008</b> , 85, 23-44	7
1262	Genome-wide analysis of signaling networks regulating fatty acid-induced gene expression and organelle biogenesis. <b>2008</b> , 181, 281-92	48
1261	Bud23 methylates G1575 of 18S rRNA and is required for efficient nuclear export of pre-40S subunits. <b>2008</b> , 28, 3151-61	79
1260	Real-time luminescence monitoring of cell-cycle and respiratory oscillations in yeast. <b>2008</b> , 105, 17988-93	46
1259	Dif1 controls subcellular localization of ribonucleotide reductase by mediating nuclear import of the R2 subunit. <b>2008</b> , 28, 7156-67	55
1258	Rtr1 is the <i>Saccharomyces cerevisiae</i> homolog of a novel family of RNA polymerase II-binding proteins. <b>2008</b> , 7, 938-48	32
1257	The structure of YqeH. An AtNOS1/AtNOA1 ortholog that couples GTP hydrolysis to molecular recognition. <b>2008</b> , 283, 32968-76	51

1256	Yeast pyruvate dehydrogenase complex is regulated by a concerted activity of two kinases and two phosphatases. <b>2008</b> , 283, 9759-67	66
1255	Identifying key residues of sphinganine-1-phosphate lyase for function in vivo and in vitro. <b>2008</b> , 283, 20159-69	15
1254	Yeast Pgc1p (YPL206c) controls the amount of phosphatidylglycerol via a phospholipase C-type degradation mechanism. <b>2008</b> , 283, 17107-15	33
1253	A PY-NLS nuclear targeting signal is required for nuclear localization and function of the <i>Saccharomyces cerevisiae</i> mRNA-binding protein Hrp1. <b>2008</b> , 283, 12926-34	34
1252	The Sur7 protein regulates plasma membrane organization and prevents intracellular cell wall growth in <i>Candida albicans</i> . <b>2008</b> , 19, 5214-25	62
1251	Counting kinetochore protein numbers in budding yeast using genetically encoded fluorescent proteins. <b>2008</b> , 85, 127-51	48
1250	Identification of FRA1 and FRA2 as genes involved in regulating the yeast iron regulon in response to decreased mitochondrial iron-sulfur cluster synthesis. <b>2008</b> , 283, 10276-86	178
1249	In vivo and in vitro examination of stability of primary hyperoxaluria-associated human alanine:glyoxylate aminotransferase. <b>2008</b> , 283, 30493-502	38
1248	Application of a YHB1-GFP reporter to detect nitrosative stress in yeast. <b>2008</b> , 13, 161-71	7
1247	Genome-wide screen of three herpesviruses for protein subcellular localization and alteration of PML nuclear bodies. <b>2008</b> , 4, e1000100	78
1246	Mechanisms of cell cycle control revealed by a systematic and quantitative overexpression screen in <i>S. cerevisiae</i> . <b>2008</b> , 4, e1000120	50
1245	Plasma membrane microdomains regulate turnover of transport proteins in yeast. <b>2008</b> , 183, 1075-88	171
1244	Predicting co-complexed protein pairs from heterogeneous data. <b>2008</b> , 4, e1000054	56
1243	The PRA1 gene family in <i>Arabidopsis</i> . <b>2008</b> , 147, 1735-49	36
1242	Different domains of the UBL-UBA ubiquitin receptor, Ddi1/Vsm1, are involved in its multiple cellular roles. <b>2008</b> , 19, 3625-37	46
1241	Chloride homeostasis in <i>Saccharomyces cerevisiae</i> : high affinity influx, V-ATPase-dependent sequestration, and identification of a candidate Cl <sup>-</sup> sensor. <b>2008</b> , 131, 379-91	21
1240	Afi1p functions as an Arf3p polarization-specific docking factor for development of polarity. <b>2008</b> , 283, 16915-27	12
1239	The histidine phosphatase superfamily: structure and function. <b>2008</b> , 409, 333-48	142

1238	Ear1p and Ssh4p are new adaptors of the ubiquitin ligase Rsp5p for cargo ubiquitylation and sorting at multivesicular bodies. <b>2008</b> , 19, 2379-88	69
1237	Intracellular localization map of human herpesvirus 8 proteins. <b>2008</b> , 82, 1908-22	47
1236	Analysis of the yeast kinome reveals a network of regulated protein localization during filamentous growth. <b>2008</b> , 19, 2708-17	43
1235	Intrinsic and cyclin-dependent kinase-dependent control of spindle pole body duplication in budding yeast. <b>2008</b> , 19, 3243-53	6
1234	Annotating proteins with generalized functional linkages. <b>2008</b> , 105, 17700-5	11
1233	Evidence for core exosome independent function of the nuclear exoribonuclease Rrp6p. <b>2008</b> , 36, 6645-55	84
1232	Ist1 regulates Vps4 localization and assembly. <b>2008</b> , 19, 465-74	104
1231	Revisiting the <i>Saccharomyces cerevisiae</i> predicted ORFeome. <b>2008</b> , 18, 1294-303	22
1230	DOA1/UFD3 plays a role in sorting ubiquitinated membrane proteins into multivesicular bodies. <b>2008</b> , 283, 21599-611	39
1229	Identification of a novel N-terminal hydrophobic sequence that targets proteins to lipid droplets. <b>2008</b> , 121, 1852-60	79
1228	Localization and interaction of the proteins constituting the GAL genetic switch in <i>Saccharomyces cerevisiae</i> . <b>2008</b> , 7, 2061-8	23
1227	<i>Aspergillus nidulans</i> ArfB plays a role in endocytosis and polarized growth. <b>2008</b> , 7, 1278-88	42
1226	Global analysis of yeast endosomal transport identifies the vps55/68 sorting complex. <b>2008</b> , 19, 1282-94	26
1225	Ypi1, a positive regulator of nuclear protein phosphatase type 1 activity in <i>Saccharomyces cerevisiae</i> . <b>2008</b> , 19, 1032-45	35
1224	Mgr3p and Mgr1p are adaptors for the mitochondrial i-AAA protease complex. <b>2008</b> , 19, 5387-97	43
1223	A BBP-Mud2p heterodimer mediates branchpoint recognition and influences splicing substrate abundance in budding yeast. <b>2008</b> , 36, 2787-98	34
1222	Identification and verification of Sro7p as an effector of the Sec4p Rab GTPase. <b>2008</b> , 438, 95-108	
1221	Regulated deadenylation in vitro. <b>2008</b> , 448, 77-106	13

1220	Analyzing P-bodies in <i>Saccharomyces cerevisiae</i> . <b>2008</b> , 448, 507-20	35
1219	A survey of the <i>Pseudomonas syringae</i> pv. tomato DC3000 type III secretion system effector repertoire reveals several effectors that are deleterious when expressed in <i>Saccharomyces cerevisiae</i> . <b>2008</b> , 21, 490-502	44
1218	Chaperone ligand-discrimination by the TPR-domain protein Tah1. <b>2008</b> , 413, 261-8	43
1217	Ypp1/YGR198w plays an essential role in phosphoinositide signalling at the plasma membrane. <b>2008</b> , 415, 455-66	17
1216	A map of human protein interactions derived from co-expression of human mRNAs and their orthologs. <b>2008</b> , 4, 180	68
1215	Constraints imposed by non-functional protein-protein interactions on gene expression and proteome size. <b>2008</b> , 4, 210	78
1214	Computational analyses of TBC protein family in eukaryotes. <b>2008</b> , 15, 505-9	8
1213	. <b>2008</b> ,	2
1212	. <b>2008</b> ,	6
1211	Yeast Cells as a Discovery Platform for Parkinson's Disease and other Protein Misfolding Diseases. <b>2008</b> , 505-536	
1210	A microfluidic device for temporally controlled gene expression and long-term fluorescent imaging in unperturbed dividing yeast cells. <b>2008</b> , 3, e1468	100
1209	Hsf1 activation inhibits rapamycin resistance and TOR signaling in yeast revealed by combined proteomic and genetic analysis. <b>2008</b> , 3, e1598	37
1208	SAM domain-based protein oligomerization observed by live-cell fluorescence fluctuation spectroscopy. <b>2008</b> , 3, e1931	27
1207	Yeast Features: Identifying Significant Features Shared Among Yeast Proteins for Functional Genomics. <b>2008</b> ,	
1206	BlAsHProtein Labeling. 73-88	1
1205	Molecular Interaction Networks: Topological and Functional Characterizations. 145-174	4
1204	. <b>2009</b> ,	90
1203	. <b>2009</b> ,	2

1202	. 2009,	7
1201	. 2009,	7
1200	Evidence for Avt6 as a vacuolar exporter of acidic amino acids in <i>Saccharomyces cerevisiae</i> cells. <b>2009</b> , 55, 409-17	21
1199	The KM-Algorithm Identifies Regulated Genes in Time Series Expression Data. <b>2009</b> , 284251	1
1198	Defects in tRNA modification associated with neurological and developmental dysfunctions in <i>Caenorhabditis elegans</i> elongator mutants. <b>2009</b> , 5, e1000561	106
1197	A newly identified essential complex, Dre2-Tah18, controls mitochondria integrity and cell death after oxidative stress in yeast. <b>2009</b> , 4, e4376	62
1196	Multiple aspects of ATP-dependent nucleosome translocation by RSC and Mi-2 are directed by the underlying DNA sequence. <b>2009</b> , 4, e6345	34
1195	Multisite phosphorylation of the guanine nucleotide exchange factor Cdc24 during yeast cell polarization. <b>2009</b> , 4, e6563	27
1194	Bootstrapping the interactome: unsupervised identification of protein complexes in yeast. <b>2009</b> , 16, 971-87	68
1193	The mitochondrial proteome database: MitoP2. <b>2009</b> , 457, 3-20	67
1192	Using a Fuzzy Support Vector Machine Classifier to Predict Interactions of Membrane Protein. <b>2009</b> , ,	1
1191	From Modules to Models: Advanced Analysis Methods for Large-Scale Data. <b>2009</b> , 59-83	
1190	Tritium suicide selection identifies proteins involved in the uptake and intracellular transport of sterols in <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 8, 161-9	25
1189	The chemotherapeutic agents XK469 (2-{4-[(7-chloro-2-quinoxalinyloxy)phenoxy]propionic acid) and SH80 (2-{4-[(7-bromo-2-quinolinyloxy)phenoxy]propionic acid) inhibit cytokinesis and promote polyploidy and induce senescence. <b>2009</b> , 328, 796-806	9
1188	Yeast mitochondrial Gln-tRNA(Gln) is generated by a GatFAB-mediated transamidation pathway involving Arc1p-controlled subcellular sorting of cytosolic GluRS. <b>2009</b> , 23, 1119-30	76
1187	The anaphase promoting complex targeting subunit Ama1 links meiotic exit to cytokinesis during sporulation in <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 20, 134-45	43
1186	The glucanosyltransferase Gas1 functions in transcriptional silencing. <b>2009</b> , 106, 11224-9	28
1185	Proteome-wide prediction of acetylation substrates. <b>2009</b> , 106, 13785-90	99

1184	A key role for heat shock protein 70 in the localization and insertion of tombusvirus replication proteins to intracellular membranes. <b>2009</b> , 83, 3276-87	119
1183	Widespread reorganization of metabolic enzymes into reversible assemblies upon nutrient starvation. <b>2009</b> , 106, 10147-52	262
1182	Exploring the roles of noise in the eukaryotic cell cycle. <b>2009</b> , 106, 6471-6	110
1181	Lessons from fungal F-box proteins. <b>2009</b> , 8, 677-95	67
1180	Gga2 mediates sequential ubiquitin-independent and ubiquitin-dependent steps in the trafficking of ARN1 from the trans-Golgi network to the vacuole. <b>2009</b> , 284, 23830-41	31
1179	Spp382p interacts with multiple yeast splicing factors, including possible regulators of Prp43 DExD/H-Box protein function. <b>2009</b> , 183, 195-206	23
1178	Fueling transcriptional silencing with Gas1. <b>2009</b> , 106, 10879-80	2
1177	Mitochondrial function is an inducible determinant of osmotic stress adaptation in yeast. <b>2009</b> , 284, 30307-17	56
1176	Lipoic acid synthesis and attachment in yeast mitochondria. <b>2009</b> , 284, 23234-42	84
1175	Cardiolipin molecular species with shorter acyl chains accumulate in <i>Saccharomyces cerevisiae</i> mutants lacking the acyl coenzyme A-binding protein Acb1p: new insights into acyl chain remodeling of cardiolipin. <b>2009</b> , 284, 27609-19	18
1174	Nuclear RNA surveillance: no sign of substrates tailing off. <b>2009</b> , 44, 16-24	43
1173	<i>Saccharomyces cerevisiae</i> Rbg1 protein and its binding partner Gir2 interact on Polyribosomes with Gcn1. <b>2009</b> , 8, 1061-71	21
1172	Deregulation of DSE1 gene expression results in aberrant budding within the birth scar and cell wall integrity pathway activation in <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 8, 586-94	9
1171	Writing DNA with GenoCAD. <b>2009</b> , 37, W40-7	115
1170	ER membrane-bending proteins are necessary for de novo nuclear pore formation. <b>2009</b> , 184, 659-75	119
1169	The anaphase-promoting complex promotes actomyosin-ring disassembly during cytokinesis in yeast. <b>2009</b> , 20, 1201-12	30
1168	Reciprocal efficiency of RNQ1 and polyglutamine detoxification in the cytosol and nucleus. <b>2009</b> , 20, 4162-73	33
1167	Utp9p facilitates Msn5p-mediated nuclear reexport of retrograded tRNAs in <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 20, 5007-25	27



1166	Systematic identification of cell cycle-dependent yeast nucleocytoplasmic shuttling proteins by prediction of composite motifs. <b>2009</b> , 106, 10171-6	770
1165	Phospholipid transfer protein Sec14 is required for trafficking from endosomes and regulates distinct trans-Golgi export pathways. <b>2009</b> , 284, 7364-75	52
1164	Hydrolase regulates NAD <sup>+</sup> metabolites and modulates cellular redox. <b>2009</b> , 284, 11256-66	51
1163	A complex-based reconstruction of the <i>Saccharomyces cerevisiae</i> interactome. <b>2009</b> , 8, 1361-81	71
1162	Environment-specific combinatorial cis-regulation in synthetic promoters. <b>2009</b> , 5, 244	40
1161	Global analysis of the glycoproteome in <i>Saccharomyces cerevisiae</i> reveals new roles for protein glycosylation in eukaryotes. <b>2009</b> , 5, 308	71
1160	A mutant plasma membrane protein is stabilized upon loss of Yvh1, a novel ribosome assembly factor. <b>2009</b> , 181, 907-15	14
1159	RNA sequence and two-dimensional structure features required for efficient substrate modification by the <i>Saccharomyces cerevisiae</i> RNA:{Psi}-synthase Pus7p. <b>2009</b> , 284, 5845-58	24
1158	The N-terminal PIN domain of the exosome subunit Rrp44 harbors endonuclease activity and tethers Rrp44 to the yeast core exosome. <b>2009</b> , 37, 1127-40	182
1157	Regulators of yeast endocytosis identified by systematic quantitative analysis. <b>2009</b> , 185, 1097-110	86
1156	Molecular recognition of the palmitoylation substrate Vac8 by its palmitoyltransferase Pfa3. <b>2009</b> , 284, 17720-30	44
1155	Role and dynamics of the ribosomal protein P0 and its related trans-acting factor Mrt4 during ribosome assembly in <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 37, 7519-32	59
1154	Yeast Proteome Analysis. <b>2009</b> , 459-471	
1153	The WASP homologue Las17 activates the novel actin-regulatory activity of Ysc84 to promote endocytosis in yeast. <b>2009</b> , 20, 1618-28	26
1152	Sec6p anchors the assembled exocyst complex at sites of secretion. <b>2009</b> , 20, 973-82	36
1151	A targeted bypass screen identifies Ynl187p, Prp42p, Snu71p, and Cbp80p for stable U1 snRNP/Pre-mRNA interaction. <b>2009</b> , 29, 3941-52	26
1150	The classical nuclear localization signal receptor, importin-alpha, is required for efficient transition through the G1/S stage of the cell cycle in <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 181, 105-18	11
1149	Demonstrated and inferred metabolism associated with cytosolic lipid droplets. <b>2009</b> , 50, 2148-56	87

1148	Unconventional splicing of XBP1 mRNA occurs in the cytoplasm during the mammalian unfolded protein response. <b>2009</b> , 122, 2877-86	110
1147	MitoMiner, an integrated database for the storage and analysis of mitochondrial proteomics data. <b>2009</b> , 8, 1324-37	65
1146	How perfect can protein interactomes be?. <b>2009</b> , 2, pe11	60
1145	p21-activated kinases Cla4 and Ste20 regulate vacuole inheritance in <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 8, 560-72	23
1144	Interaction of yeast eIF4G with spliceosome components: implications in pre-mRNA processing events. <b>2009</b> , 6, 563-74	11
1143	Biogenesis of glutamyl-mt tRNAGln in human mitochondria. <b>2009</b> , 106, 16209-14	76
1142	A Research on Bioinformatics Prediction of Protein Subcellular Localization. <b>2009</b> , 4, 177-182	1
1141	Identifying functional modules using expression profiles and confidence-scored protein interactions. <b>2009</b> , 25, 1158-64	93
1140	Quantitative genome-scale analysis of protein localization in an asymmetric bacterium. <b>2009</b> , 106, 7858-63	141
1139	A genome-wide screen for regulators of TORC1 in response to amino acid starvation reveals a conserved Npr2/3 complex. <b>2009</b> , 5, e1000515	112
1138	Endoplasmic reticulum-associated secretory proteins Sec20p, Sec39p, and Dsl1p are involved in peroxisome biogenesis. <b>2009</b> , 8, 830-43	62
1137	TORC1 controls degradation of the transcription factor Stp1, a key effector of the SPS amino-acid-sensing pathway in <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 122, 2089-99	27
1136	Qri7/OSGEPL, the mitochondrial version of the universal Kae1/YgjD protein, is essential for mitochondrial genome maintenance. <b>2009</b> , 37, 5343-52	48
1135	A unique role for the host ESCRT proteins in replication of Tomato bushy stunt virus. <b>2009</b> , 5, e1000705	157
1134	Challenges and rewards of interaction proteomics. <b>2009</b> , 8, 3-18	72
1133	Protein subcellular relocalization in the evolution of yeast singleton and duplicate genes. <b>2009</b> , 1, 198-204	21
1132	The universal YrdC/Sua5 family is required for the formation of threonylcarbamoyladenosine in tRNA. <b>2009</b> , 37, 2894-909	118
1131	Computationally driven, quantitative experiments discover genes required for mitochondrial biogenesis. <b>2009</b> , 5, e1000407	113

1130	Network-based prediction of metabolic enzymes' subcellular localization. <b>2009</b> , 25, i247-52	40
1129	Training set expansion: an approach to improving the reconstruction of biological networks from limited and uneven reliable interactions. <b>2009</b> , 25, 243-50	18
1128	Mechanistic characterization of the sulfur-relay system for eukaryotic 2-thiouridine biogenesis at tRNA wobble positions. <b>2009</b> , 37, 1335-52	160
1127	A genomic screen for yeast mutants defective in selective mitochondria autophagy. <b>2009</b> , 20, 4730-8	198
1126	Learning a prior on regulatory potential from eQTL data. <b>2009</b> , 5, e1000358	151
1125	Mutations in the <i>Saccharomyces cerevisiae</i> kinase Cbk1p lead to a fertility defect that can be suppressed by the absence of Brr1p or Mpt5p (Puf5p), proteins involved in RNA metabolism. <b>2009</b> , 183, 161-73	11
1124	New insights into $\gamma$ -aminobutyric acid catabolism: Evidence for $\gamma$ -hydroxybutyric acid and polyhydroxybutyrate synthesis in <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 75, 4231-9	53
1123	A novel proteomics approach for the discovery of chromatin-associated protein networks. <b>2009</b> , 8, 870-82	86
1122	Repression of sulfate assimilation is an adaptive response of yeast to the oxidative stress of zinc deficiency. <b>2009</b> , 284, 27544-56	40
1121	Functional redundancy of yeast proteins Reh1 and Rei1 in cytoplasmic 60S subunit maturation. <b>2009</b> , 29, 4014-23	21
1120	Detection of protein-protein interactions through vesicle targeting. <b>2009</b> , 182, 33-9	11
1119	The yeast vacuolar membrane proteome. <b>2009</b> , 8, 380-92	66
1118	Robust heat shock induces eIF2 $\alpha$ -phosphorylation-independent assembly of stress granules containing eIF3 and 40S ribosomal subunits in budding yeast, <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 122, 2078-88	175
1117	Regulation of cell polarity through phosphorylation of Bni4 by Pho85 G1 cyclin-dependent kinases in <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 20, 3239-50	27
1116	Methionine sulphoxide reductases protect iron-sulphur clusters from oxidative inactivation in yeast. <b>2009</b> , 155, 612-623	19
1115	Unifying fluorescence microscopy and mass spectrometry for studying protein complexes in cells. <b>2009</b> , 8, 1413-23	39
1114	Multicopy suppressor analysis of thermosensitive YIP1 alleles implicates GOT1 in transport from the ER. <b>2009</b> , 122, 1540-50	21
1113	TORC2 plasma membrane localization is essential for cell viability and restricted to a distinct domain. <b>2009</b> , 20, 1565-75	156

1112	Reengineering ribosome export. <b>2009</b> , 20, 1545-54	15
1111	Clustering algorithms for detecting functional modules in protein interaction networks. <b>2009</b> , 7, 217-42	22
1110	PTC1 is required for vacuole inheritance and promotes the association of the myosin-V vacuole-specific receptor complex. <b>2009</b> , 20, 1312-23	36
1109	A genome-wide screen for genes affecting eisosomes reveals Nce102 function in sphingolipid signaling. <b>2009</b> , 185, 1227-42	99
1108	Ups1p and Ups2p antagonistically regulate cardiolipin metabolism in mitochondria. <b>2009</b> , 185, 1029-45	127
1107	A novel approach for organelle-specific DNA damage targeting reveals different susceptibility of mitochondrial DNA to the anticancer drugs camptothecin and topotecan. <b>2009</b> , 37, e26	21
1106	Multi-level learning: improving the prediction of protein, domain and residue interactions by allowing information flow between levels. <b>2009</b> , 10, 241	7
1105	Towards the prediction of essential genes by integration of network topology, cellular localization and biological process information. <b>2009</b> , 10, 290	127
1104	Statistical and visual differentiation of subcellular imaging. <b>2009</b> , 10, 94	20
1103	A method to improve protein subcellular localization prediction by integrating various biological data sources. <b>2009</b> , 10 Suppl 1, S43	15
1102	Biases in <i>Drosophila melanogaster</i> protein trap screens. <b>2009</b> , 10, 249	16
1101	<sup>13</sup> C-metabolic flux ratio and novel carbon path analyses confirmed that <i>Trichoderma reesei</i> uses primarily the respirative pathway also on the preferred carbon source glucose. <b>2009</b> , 3, 104	18
1100	Efficiency of complex production in changing environment. <b>2009</b> , 3, 3	8
1099	Calculation of the relative metastabilities of proteins in subcellular compartments of <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 3, 75	4
1098	Evidence for a role of FEN1 in maintaining mitochondrial DNA integrity. <b>2009</b> , 8, 1242-9	54
1097	The yeast lysosome-like vacuole: endpoint and crossroads. <b>2009</b> , 1793, 650-63	262
1096	A picture is worth a thousand words: genomics to phenomics in the yeast <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 583, 1656-61	29
1095	Jid1 is a J-protein functioning in the mitochondrial matrix, unable to directly participate in endoplasmic reticulum associated protein degradation. <b>2009</b> , 583, 2954-8	6

1094	Systems biology from a yeast omics perspective. <b>2009</b> , 583, 3895-9	39
1093	Thioredoxin-related protein 14, a new member of the thioredoxin family with disulfide reductase activity: implication in the redox regulation of TNF-alpha signaling. <b>2009</b> , 47, 1294-303	38
1092	MDR quinone oxidoreductases: the human and yeast zeta-crystallins. <b>2009</b> , 178, 288-94	13
1091	In Silico Genome-Scale Metabolic Models: The Constraint-Based Approach and Its Applications. 193-233	
1090	Yeast as a Prototype for Systems Biology. 287-353	
1089	Chemical Genomics Based on Yeast Genetics. 223-238	
1088	Efficient framework for automated classification of subcellular patterns in budding yeast. <b>2009</b> , 75, 934-40	19
1087	Discovering new cell populations. <b>2009</b> , 75, 891-2	0
1086	Hares and tortoises: the high- versus low-throughput proteomic race. <b>2009</b> , 30 Suppl 1, S150-5	12
1085	Prp45 affects Prp22 partition in spliceosomal complexes and splicing efficiency of non-consensus substrates. <b>2009</b> , 106, 139-51	25
1084	Requirement of the <i>Saccharomyces cerevisiae</i> APN1 gene for the repair of mitochondrial DNA alkylation damage. <b>2009</b> , 50, 317-27	16
1083	CARS microscopy of lipid stores in yeast: the impact of nutritional state and genetic background. <b>2009</b> , 40, 748-756	25
1082	Sample preparation and fractionation for proteome analysis and cancer biomarker discovery by mass spectrometry. <b>2009</b> , 32, 771-98	42
1081	Differential subcellular localization of ribosomal protein L7 paralogs in <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 27, 539-46	13
1080	Functional characterization of ribosomal protein L15 from <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 55, 111-25	9
1079	Suppression of a DNA polymerase delta mutation by the absence of the high mobility group protein Hmo1 in <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 55, 127-38	6
1078	Ccm1p/Ygr150cp, a pentatricopeptide repeat protein, is essential to remove the fourth intron of both COB and COX1 pre-mRNAs in <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 55, 475-84	18
1077	Dse1 may control cross talk between the pheromone and filamentation pathways in yeast. <b>2009</b> , 55, 611-21	4

1076	A QPCR-based reporter system to study post-transcriptional regulation via the 3' untranslated region of mRNA in <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 26, 407-13	3
1075	A computational approach to inferring cellular protein-binding affinities from quantitative fluorescence resonance energy transfer imaging. <b>2009</b> , 9, 5371-83	10
1074	High-accuracy identification and bioinformatic analysis of in vivo protein phosphorylation sites in yeast. <b>2009</b> , 9, 4642-52	103
1073	Interaction networks: lessons from large-scale studies in yeast. <b>2009</b> , 9, 4799-811	7
1072	The Interactorium: visualising proteins, complexes and interaction networks in a virtual 3-D cell. <b>2009</b> , 9, 5309-15	7
1071	Development of a high-throughput method for the systematic identification of human proteins nuclear translocation potential. <b>2009</b> , 10, 69	5
1070	Conformational flexibility and molecular interactions of an archaeal homologue of the Shwachman-Bodian-Diamond syndrome protein. <b>2009</b> , 9, 32	23
1069	Identification of novel proteins in isolated polyphosphate vacuoles in the primitive red alga <i>Cyanidioschyzon merolae</i> . <b>2009</b> , 60, 882-93	60
1068	Enhancer of decapping proteins 1 and 2 are important for translation during heat stress in <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 73, 1032-42	16
1067	Localization of gene products using a chromosomally tagged GFP-fusion library in the fission yeast <i>Schizosaccharomyces pombe</i> . <b>2009</b> , 14, 217-25	45
1066	Comparative profiling identifies C13orf3 as a component of the Ska complex required for mammalian cell division. <b>2009</b> , 28, 1453-65	82
1065	Cotranslational assembly of the yeast SET1C histone methyltransferase complex. <b>2009</b> , 28, 2959-70	51
1064	A mechanism for chromosome segregation sensing by the NoCut checkpoint. <b>2009</b> , 11, 477-83	103
1063	Protein interaction platforms: visualization of interacting proteins in yeast. <b>2009</b> , 6, 500-2	32
1062	m-TAG: a PCR-based genomic integration method to visualize the localization of specific endogenous mRNAs in vivo in yeast. <b>2009</b> , 4, 1274-84	34
1061	Reconstruction of biochemical networks in microorganisms. <b>2009</b> , 7, 129-43	699
1060	Dynamic proteomics in modeling of the living cell. Protein-protein interactions. <b>2009</b> , 74, 1586-607	21
1059	Interdependent nucleocytoplasmic trafficking and interactions of Dis3 with Rrp6, the core exosome and importin-alpha3. <b>2009</b> , 10, 499-513	19

1058	Quantification and its applications in fluorescent microscopy imaging. <b>2009</b> , 10, 951-61	88
1057	Mechanism and a peptide motif for targeting peripheral proteins to the yeast inner nuclear membrane. <b>2009</b> , 10, 1243-56	10
1056	PSI1 is responsible for the stearic acid enrichment that is characteristic of phosphatidylinositol in yeast. <b>2009</b> , 276, 6412-24	35
1055	In silico evidence for functional specialization after genome duplication in yeast. <b>2009</b> , 9, 16-31	14
1054	The YTA7 gene is involved in the regulation of the isoprenoid pathway in the yeast <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 9, 381-90	6
1053	Rapid detection of yeast rRNA genes with primed in situ (PRINS) labeling. <b>2009</b> , 9, 634-40	5
1052	Differential roles played by the native cysteine residues of the yeast glutathione transporter, Hgt1p. <b>2009</b> , 9, 849-66	13
1051	Investigations on light-induced stress in fluorescence microscopy using nuclear localization of the transcription factor Msn2p as a reporter. <b>2009</b> , 9, 875-84	25
1050	Live cell fluorescence microscopy to study microbial pathogenesis. <b>2009</b> , 11, 540-50	21
1049	Multidimensional quantification of subcellular morphology of <i>Saccharomyces cerevisiae</i> using CalMorph, the high-throughput image-processing program. <b>2009</b> , 141, 109-17	28
1048	Slk2 (Mpk1) MAP kinase is involved in the response of <i>Saccharomyces cerevisiae</i> to 8-methoxypsoralen plus UVA. <b>2009</b> , 95, 148-55	5
1047	A label free quantitative proteomic analysis of the <i>Saccharomyces cerevisiae</i> nucleus. <b>2009</b> , 72, 110-20	53
1046	Evolution of organelle-associated protein profiling. <b>2009</b> , 72, 4-11	35
1045	Chemical dissection of an essential redox switch in yeast. <b>2009</b> , 16, 217-25	64
1044	Understanding epigenetic regulation: Tracking protein levels across multiple generations of cells. <b>2009</b> , 178, 71-80	1
1043	Prediction and integration of regulatory and protein-protein interactions. <b>2009</b> , 541, 101-43	9
1042	SubCellProt: Predicting Protein Subcellular Localization Using Machine Learning Approaches. <b>2009</b> , 9, 35-44	11
1041	Structure and function of Vps15 in the endosomal G protein signaling pathway. <b>2009</b> , 48, 6390-401	29

1040	Systematic definition of protein constituents along the major polarization axis reveals an adaptive reuse of the polarization machinery in pheromone-treated budding yeast. <b>2009</b> , 8, 6-19	25
1039	Imaging-based live cell yeast screen identifies novel factors involved in peroxisome assembly. <b>2009</b> , 8, 20-7	32
1038	Fast algorithms for detecting overlapping functional modules in protein-protein interaction networks. <b>2009</b> ,	
1037	A link between ER tethering and COP-I vesicle uncoating. <b>2009</b> , 17, 403-16	69
1036	A plasmid collection for PCR-based gene targeting in the filamentous ascomycete <i>Ashbya gossypii</i> . <b>2009</b> , 46, 595-603	26
1035	An inhibitor of a deubiquitinating enzyme regulates ubiquitin homeostasis. <b>2009</b> , 137, 549-59	72
1034	Mitochondrial proteome evolution and genetic disease. <b>2009</b> , 1792, 1122-9	25
1033	Linking phospholipid flippases to vesicle-mediated protein transport. <b>2009</b> , 1791, 612-9	76
1032	Cd <sup>2+</sup> , Mn <sup>2+</sup> , Ni <sup>2+</sup> and Se <sup>2+</sup> toxicity to <i>Saccharomyces cerevisiae</i> lacking YPK9p the orthologue of human ATP13A2. <b>2009</b> , 383, 198-202	98
1031	Reliable fusion PCR mediated by GC-rich overlap sequences. <b>2009</b> , 434, 43-9	37
1030	Functional annotations for the <i>Saccharomyces cerevisiae</i> genome: the knowns and the known unknowns. <b>2009</b> , 17, 286-94	42
1029	Screening the secretion machinery: High throughput imaging approaches to elucidate the secretory pathway. <b>2009</b> , 20, 903-9	6
1028	Technical considerations in using DNA microarrays to define regulons. <b>2009</b> , 47, 63-72	12
1027	Comprehensive genetic analysis of transcription factor pathways using a dual reporter gene system in budding yeast. <b>2009</b> , 48, 258-64	21
1026	Comparative multiplexed mass spectrometric analyses of endogenously expressed yeast nuclear and cytoplasmic exosomes. <b>2009</b> , 385, 1300-13	46
1025	Selecting optimum eukaryotic integral membrane proteins for structure determination by rapid expression and solubilization screening. <b>2009</b> , 385, 820-30	51
1024	New fluorescence microscopy methods for microbiology: sharper, faster, and quantitative. <b>2009</b> , 12, 341-6	41
1023	Spatial regulation in <i>Caulobacter crescentus</i> . <b>2009</b> , 12, 715-21	28



1022	Rrp17p is a eukaryotic exonuclease required for 5' end processing of Pre-60S ribosomal RNA. <b>2009</b> , 36, 768-81	64
1021	Genetically encoded biosensors based on engineered fluorescent proteins. <b>2009</b> , 38, 2833-41	261
1020	Basidiomycetous Yeasts: Current Status. <b>2009</b> , 19-46	4
1019	Biochemical characterization of dithiol glutaredoxin 8 from <i>Saccharomyces cerevisiae</i> : the catalytic redox mechanism redux. <b>2009</b> , 48, 1410-23	42
1018	2004 Irving Sigal Young Investigator Award. <b>2004</b> , 13, 3333-5	
1017	Sugar metabolism, redox balance and oxidative stress response in the respiratory yeast <i>Kluyveromyces lactis</i> . <b>2009</b> , 8, 46	61
1016	Amiodarone induces stress responses and calcium flux mediated by the cell wall in <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 55, 288-303	19
1015	Systematic mapping of genetic interaction networks. <b>2009</b> , 43, 601-25	206
1014	Comprehensive characterization of genes required for protein folding in the endoplasmic reticulum. <b>2009</b> , 323, 1693-7	517
1013	Protein networks and pathway analysis. Preface. <b>2009</b> , 563, v-vii	21
1012	Computational Systems Biology. <b>2009</b> ,	3
1011	Orthogonal separation techniques for the characterization of the yeast nuclear proteome. <b>2009</b> , 8, 3451-63	15
1010	Bioinformatics and Computational Biology. <b>2009</b> ,	
1009	Yeast Biotechnology: Diversity and Applications. <b>2009</b> ,	33
1008	Antioxidant-based lead discovery for cancer chemoprevention: the case of resveratrol. <b>2009</b> , 52, 1963-74	37
1007	Towards accurate imputation of quantitative genetic interactions. <b>2009</b> , 10, R140	19
1006	Genome-wide deletion mutant analysis reveals genes required for respiratory growth, mitochondrial genome maintenance and mitochondrial protein synthesis in <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 10, R95	136
1005	Reconstructing the ubiquitin network: cross-talk with other systems and identification of novel functions. <b>2009</b> , 10, R33	29

1004	Trafficking Inside Cells. <b>2009</b> ,	8
1003	Tracking lineages of single cells in lines using a microfluidic device. <b>2009</b> , 106, 18149-54	101
1002	Transcriptional activation in yeast in response to copper deficiency involves copper-zinc superoxide dismutase. <b>2009</b> , 284, 404-413	40
1001	Construction of functional interaction networks through consensus localization predictions of the human proteome. <b>2009</b> , 8, 3367-76	17
1000	Algorithms Based on Density and Shared Neighbors for Functional Modules Identification in PPI Networks. <b>2009</b> ,	
999	Cell-type-specific isolation of ribosome-associated mRNA from complex tissues. <b>2009</b> , 106, 13939-44	523
998	Applying fuzzy support vector machine to predict membrane protein interactions with different representations. <b>2009</b> ,	
997	The yeast global transcriptional co-repressor protein Cyc8 can propagate as a prion. <b>2009</b> , 11, 344-9	220
996	Rational extension of the ribosome biogenesis pathway using network-guided genetics. <b>2009</b> , 7, e1000213	130
995	Efficient protein depletion by genetically controlled deprotection of a dormant N-degron. <b>2009</b> , 5, 267	78
994	Discovering biological networks from diverse functional genomic data. <b>2009</b> , 563, 157-75	16
993	A novel motif at the C-terminus of palmitoyltransferases is essential for Swf1 and Pfa3 function in vivo. <b>2009</b> , 419, 301-8	34
992	References. <b>2009</b> , 295-327	
991	References. 353-380	
990	The arrestin fold: variations on a theme. <b>2009</b> , 10, 133-42	65
989	Beyond clinical phenotype: the biologic integratome. <b>2009</b> , 37, S38-49	6
988	CytoIQ: an adaptive cytometer for extracting the noisy dynamics of molecular interactions in live cells. <b>2010</b> ,	
987	A general lack of compensation for gene dosage in yeast. <b>2010</b> , 6, 368	99

986	The ins and outs of nuclear re-export of retrogradely transported tRNAs in <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 1, 224-30	13
985	Insights into the Structure and Function of Acyl-CoA: Diacylglycerol Acyltransferase. <b>2010</b> , 1-30	0
984	RANKING RELATIONS USING ANALOGIES IN BIOLOGICAL AND INFORMATION NETWORKS. <b>2010</b> , 4, 615-644	2
983	Sphingolipids mediate formation of mRNA processing bodies during the heat-stress response of <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 431, 31-8	29
982	Deciphering protein kinase specificity through large-scale analysis of yeast phosphorylation site motifs. <b>2010</b> , 3, ra12	262
981	Sphingolipid metabolism in trans-golgi/endosomal membranes and the regulation of intracellular homeostatic processes in eukaryotic cells. <b>2010</b> , 50, 339-48	3
980	Visualization of subcellular NAD pools and intra-organellar protein localization by poly-ADP-ribose formation. <b>2010</b> , 67, 433-43	57
979	Tubulin chaperone E binds microtubules and proteasomes and protects against misfolded protein stress. <b>2010</b> , 67, 2025-38	19
978	Comparative analysis of nonaspanin protein sequences and expression studies in zebrafish. <b>2010</b> , 62, 681-99	8
977	Toward understanding the informatics and statistical aspects of micro-RNA profiling. <b>2010</b> , 3, 204-11	19
976	Acetyl-coenzyme A synthetase 2 is a nuclear protein required for replicative longevity in <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 333, 99-108	25
975	The V-ATPase: small cargo, large effects. <b>2010</b> , 13, 724-30	116
974	Structural role of the Vps4-Vta1 interface in ESCRT-III recycling. <b>2010</b> , 18, 976-84	43
973	Conserved beta-hairpin recognition by the GYF domains of Smy2 and GIGYF2 in mRNA surveillance and vesicular transport complexes. <b>2010</b> , 18, 944-54	26
972	Evaluation of methods for detection of fluorescence labeled subcellular objects in microscope images. <b>2010</b> , 11, 248	53
971	The Yeast Resource Center Public Image Repository: A large database of fluorescence microscopy images. <b>2010</b> , 11, 263	29
970	Discover protein complexes in protein-protein interaction networks using parametric local modularity. <b>2010</b> , 11, 521	11
969	TESTLoc: protein subcellular localization prediction from EST data. <b>2010</b> , 11, 563	8

968	Computational approaches for detecting protein complexes from protein interaction networks: a survey. <b>2010</b> , 11 Suppl 1, S3	227
967	Inferring modules from human protein interactome classes. <b>2010</b> , 4, 102	7
966	Targeted protein depletion in <i>Saccharomyces cerevisiae</i> by activation of a bidirectional degenon. <b>2010</b> , 4, 176	46
965	Improving the IMM904 <i>S. cerevisiae</i> metabolic model using essentiality and synthetic lethality data. <b>2010</b> , 4, 178	81
964	Differential localization to cytoplasm, nucleus or P-bodies of yeast PKA subunits under different growth conditions. <b>2010</b> , 89, 339-48	57
963	Maintenance and expression of the <i>S. cerevisiae</i> mitochondrial genome--from genetics to evolution and systems biology. <b>2010</b> , 1797, 1086-98	59
962	Cellular dynamics of tRNAs and their genes. <b>2010</b> , 584, 310-7	68
961	The trypanosome Pumilio-domain protein PUF7 associates with a nuclear cyclophilin and is involved in ribosomal RNA maturation. <b>2010</b> , 584, 1156-62	43
960	Tricks of the trade used to accelerate high-resolution structure determination of membrane proteins. <b>2010</b> , 584, 2539-47	40
959	Deletion of Swm2p selectively impairs trimethylation of snRNAs by trimethylguanosine synthase (Tgs1p). <b>2010</b> , 584, 3299-304	7
958	Toxicogenomics using yeast DNA microarrays. <b>2010</b> , 110, 511-22	30
957	A generative model of microtubule distributions, and indirect estimation of its parameters from fluorescence microscopy images. <b>2010</b> , 77, 457-66	24
956	The juggernauts of biology. <b>2010</b> , 32, 314-21	3
955	Quantitative proteomic analysis of ribosomal protein L35b mutant of <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 1804, 676-83	2
954	2-DE based proteomic analysis of <i>Saccharomyces cerevisiae</i> wild and K <sup>+</sup> transport-affected mutant (trk1,2) strains at the growth exponential and stationary phases. <b>2010</b> , 73, 2316-35	12
953	It's the machine that matters: Predicting gene function and phenotype from protein networks. <b>2010</b> , 73, 2277-89	101
952	Phospholipid demixing and the birth of a lipid droplet. <b>2010</b> , 264, 952-61	53
951	Transcriptional regulation of respiration in yeast metabolizing differently repressive carbon substrates. <b>2010</b> , 4, 12	72

950	Global analysis of the rat and human platelet proteome - the molecular blueprint for illustrating multi-functional platelets and cross-species function evolution. <b>2010</b> , 10, 2444-57	29
949	Protein subcellular localization profiling of breast cancer cells by dissociable antibody microarray staining. <b>2010</b> , 10, 1536-44	3
948	Creation of an antibody-based subcellular protein atlas. <b>2010</b> , 10, 3984-96	30
947	Organelle proteomics experimental designs and analysis. <b>2010</b> , 10, 3957-69	44
946	Prediction of subcellular locations of proteins: where to proceed?. <b>2010</b> , 10, 3970-83	66
945	Subcellular fractionation methods and strategies for proteomics. <b>2010</b> , 10, 3935-56	70
944	Improved sub-cellular resolution via simultaneous analysis of organelle proteomics data across varied experimental conditions. <b>2010</b> , 10, 4213-9	36
943	The Yap family and its role in stress response. <b>2010</b> , 27, 245-58	109
942	Expanding the definition of the classical bipartite nuclear localization signal. <b>2010</b> , 11, 311-23	83
941	Efficient ER exit and vacuole targeting of yeast Sna2p require two tyrosine-based sorting motifs. <b>2010</b> , 11, 931-46	17
940	Truncated isoforms of Kap60 facilitate trafficking of Heh2 to the nuclear envelope. <b>2010</b> , 11, 1506-18	14
939	Simple is good: yeast models of neurodegeneration. <b>2010</b> , 10, 970-9	65
938	Prospects of yeast systems biology for human health: integrating lipid, protein and energy metabolism. <b>2010</b> , 10, 1046-59	49
937	Regulation of glycogen metabolism in yeast and bacteria. <b>2010</b> , 34, 952-85	243
936	Minor capsid proteins of mouse polyomavirus are inducers of apoptosis when produced individually but are only moderate contributors to cell death during the late phase of viral infection. <b>2010</b> , 277, 1270-83	9
935	Measurement of single-cell dynamics. <i>Nature</i> , <b>2010</b> , 465, 736-45	50.4 362
934	Analysis of a genome-wide set of gene deletions in the fission yeast <i>Schizosaccharomyces pombe</i> . <b>2010</b> , 28, 617-623	510
933	Proteome analysis of chloroplasts from the moss <i>Physcomitrella patens</i> (Hedw.) B.S.G. <b>2010</b> , 75, 1470-83	8

932	Asymmetrically inherited multidrug resistance transporters are recessive determinants in cellular replicative ageing. <b>2010</b> , 12, 799-805	36
931	A protocol for generating a high-quality genome-scale metabolic reconstruction. <b>2010</b> , 5, 93-121	1156
930	Decoding signalling networks by mass spectrometry-based proteomics. <b>2010</b> , 11, 427-39	484
929	. <b>2010</b> ,	4
928	Characterization of substrate preference for Slc1p and Cst26p in <i>Saccharomyces cerevisiae</i> using lipidomic approaches and an LPAAT activity assay. <b>2010</b> , 5, e11956	32
927	Condensed mitotic chromosome structure at nanometer resolution using PALM and EGFP-histones. <b>2010</b> , 5, e12768	69
926	The TOR pathway modulates the structure of cell walls in <i>Arabidopsis</i> . <b>2010</b> , 22, 1898-908	85
925	DMR1 (CCM1/YGR150C) of <i>Saccharomyces cerevisiae</i> encodes an RNA-binding protein from the pentatricopeptide repeat family required for the maintenance of the mitochondrial 15S ribosomal RNA. <b>2010</b> , 184, 959-73	19
924	A novel mechanism for SUMO system control: regulated Ulp1 nucleolar sequestration. <b>2010</b> , 30, 4452-62	33
923	Interaction between Sdo1p and Btn1p in the <i>Saccharomyces cerevisiae</i> model for Batten disease. <b>2010</b> , 19, 931-42	24
922	5' to 3' mRNA decay factors colocalize with Ty1 gag and human APOBEC3G and promote Ty1 retrotransposition. <b>2010</b> , 84, 5052-66	49
921	Interlaboratory study characterizing a yeast performance standard for benchmarking LC-MS platform performance. <b>2010</b> , 9, 242-54	130
920	Rad4 regulates protein turnover at a postubiquitylation step. <b>2010</b> , 21, 177-85	15
919	Characterization of substrates that have a differential effect on <i>Saccharomyces cerevisiae</i> protein kinase A holoenzyme activation. <b>2010</b> , 285, 29770-9	21
918	Mdm36 is a mitochondrial fission-promoting protein in <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 21, 2443-52	38
917	Scyl1 facilitates nuclear tRNA export in mammalian cells by acting at the nuclear pore complex. <b>2010</b> , 21, 2483-99	28
916	Expression of the <i>Salmonella</i> spp. virulence factor SifA in yeast alters Rho1 activity on peroxisomes. <b>2010</b> , 21, 3567-77	6
915	Phosphatidylinositol 3-phosphate, an essential lipid in <i>Plasmodium</i> , localizes to the food vacuole membrane and the apicoplast. <b>2010</b> , 9, 1519-30	87

914	Quantifying the distribution of probes between subcellular locations using unsupervised pattern unmixing. <b>2010</b> , 26, i7-12	35
913	Peroxisome diversity and evolution. <b>2010</b> , 365, 765-73	133
912	The ribonucleotide reductase inhibitor, Sml1, is sequentially phosphorylated, ubiquitylated and degraded in response to DNA damage. <b>2010</b> , 38, 6490-501	55
911	Zds2p regulates Swe1p-dependent polarized cell growth in <i>Saccharomyces cerevisiae</i> via a novel Cdc55p interaction domain. <b>2010</b> , 21, 4373-86	24
910	Yeast exonuclease 5 is essential for mitochondrial genome maintenance. <b>2010</b> , 30, 1457-66	18
909	Defining the budding yeast chromatin-associated interactome. <b>2010</b> , 6, 448	51
908	Human ISWI chromatin-remodeling complexes sample nucleosomes via transient binding reactions and become immobilized at active sites. <b>2010</b> , 107, 19873-8	66
907	DNA sequence encoded repression of rRNA gene transcription in chromatin. <b>2010</b> , 38, 5304-14	17
906	A ribosome-anchored chaperone network that facilitates eukaryotic ribosome biogenesis. <b>2010</b> , 189, 69-81	75
905	A novel role of the yeast CaaX protease Ste24 in chitin synthesis. <b>2010</b> , 21, 2425-33	22
904	Sequential counteracting kinases restrict an asymmetric gene expression program to early G1. <b>2010</b> , 21, 2809-20	26
903	CYSTM, a novel cysteine-rich transmembrane module with a role in stress tolerance across eukaryotes. <b>2010</b> , 26, 149-52	33
902	A role for the dynamin-like protein Vps1 during endocytosis in yeast. <b>2010</b> , 123, 3496-506	84
901	Control of cholesterol synthesis through regulated ER-associated degradation of HMG CoA reductase. <b>2010</b> , 45, 185-98	108
900	BiP availability distinguishes states of homeostasis and stress in the endoplasmic reticulum of living cells. <b>2010</b> , 21, 1909-21	54
899	Comparative analyses of time-course gene expression profiles of the long-lived sch9Delta mutant. <b>2010</b> , 38, 143-58	16
898	Thioredoxin regulates multiple hydrogen peroxide-induced signaling pathways in <i>Candida albicans</i> . <b>2010</b> , 30, 4550-63	84
897	<i>Coxiella burnetii</i> expresses a functional $\Delta 24$ sterol reductase. <b>2010</b> , 192, 6154-9	29

896	Marker fusion tagging, a new method for production of chromosomally encoded fusion proteins. <b>2010</b> , 9, 827-30	12
895	Identification of the MNN3 gene of <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 20, 1336-40	5
894	High-throughput profiling of amino acids in strains of the <i>Saccharomyces cerevisiae</i> deletion collection. <b>2010</b> , 20, 1288-96	26
893	Identification of novel filament-forming proteins in <i>Saccharomyces cerevisiae</i> and <i>Drosophila melanogaster</i> . <b>2010</b> , 190, 541-51	199
892	Principles of Bioimage Informatics: Focus on Machine Learning of Cell Patterns. <b>2010</b> , 8-18	6
891	Light microscopic analysis of mitochondrial heterogeneity in cell populations and within single cells. <b>2011</b> , 124, 1-19	7
890	Activity-based proteomics of enzyme superfamilies: serine hydrolases as a case study. <b>2010</b> , 285, 11051-5	221
889	sORF finder: a program package to identify small open reading frames with high coding potential. <b>2010</b> , 26, 399-400	130
888	The activity of yeast Hog1 MAPK is required during endoplasmic reticulum stress induced by tunicamycin exposure. <b>2010</b> , 285, 20088-96	44
887	Iron regulation through the back door: iron-dependent metabolite levels contribute to transcriptional adaptation to iron deprivation in <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 9, 460-71	38
886	Dynamic changes in the subcellular distribution of Gpd1p in response to cell stress. <b>2010</b> , 285, 6739-49	67
885	Protein arginine methylation facilitates cotranscriptional recruitment of pre-mRNA splicing factors. <b>2010</b> , 30, 5245-56	38
884	Regulation of tRNA bidirectional nuclear-cytoplasmic trafficking in <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 21, 639-49	72
883	Reconstruction of Biological Networks by Supervised Machine Learning Approaches. <b>2010</b> , 163-188	10
882	Analysis of microtubules in budding yeast. <b>2010</b> , 97, 277-306	4
881	Protein subcellular multi-localization prediction using a min-max modular support vector machine. <b>2010</b> , 20, 13-28	27
880	Yet1p and Yet3p, the yeast homologs of BAP29 and BAP31, interact with the endoplasmic reticulum translocation apparatus and are required for inositol prototrophy. <b>2010</b> , 285, 18252-61	22
879	Triacylglycerol homeostasis: insights from yeast. <b>2010</b> , 285, 15663-7	104



878	Homocysteine methyltransferases Mht1 and Sam4 prevent the accumulation of age-damaged (R,S)-AdoMet in the yeast <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 285, 20526-31	21
877	Vacuolar cation/H <sup>+</sup> antiporters of <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 285, 33914-22	30
876	Phosphatidylserine is involved in the ferrichrome-induced plasma membrane trafficking of Arn1 in <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 285, 39564-73	13
875	The forkhead transcription factor Hcm1 promotes mitochondrial biogenesis and stress resistance in yeast. <b>2010</b> , 285, 37092-101	25
874	The DEAD-box RNA helicase-like Utp25 is an SSU processome component. <b>2010</b> , 16, 2156-69	34
873	Compartment-specific synthesis of phosphatidylethanolamine is required for normal heavy metal resistance. <b>2010</b> , 21, 443-55	59
872	Identification of Ypk1 as a novel selective substrate for nitrogen starvation-triggered proteolysis requiring autophagy system and endosomal sorting complex required for transport (ESCRT) machinery components. <b>2010</b> , 285, 36984-94	11
871	The JmjN domain of Jhd2 is important for its protein stability, and the plant homeodomain (PHD) finger mediates its chromatin association independent of H3K4 methylation. <b>2010</b> , 285, 24548-61	45
870	Structural characterization of the Get4/Get5 complex and its interaction with Get3. <b>2010</b> , 107, 12127-32	65
869	tRNA biology charges to the front. <b>2010</b> , 24, 1832-60	546
868	Mapping of protein- and chromatin-interactions at the nuclear lamina. <b>2010</b> , 1, 460-71	27
867	Need-based up-regulation of protein levels in response to deletion of their duplicate genes. <b>2010</b> , 8, e1000347	59
866	PhosphoGRID: a database of experimentally verified in vivo protein phosphorylation sites from the budding yeast <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 2010, bap026	78
865	The budding yeast nucleus. <b>2010</b> , 2, a000612	95
864	Subtle alterations in PCNA-partner interactions severely impair DNA replication and repair. <b>2010</b> , 8, e1000507	32
863	Simultaneous genome-wide inference of physical, genetic, regulatory, and functional pathway components. <b>2010</b> , 6, e1001009	17
862	Tinkering evolution of post-transcriptional RNA regulons: puf3p in fungi as an example. <b>2010</b> , 6, e1001030	27
861	The role of PAS kinase in PASSing the glucose signal. <b>2010</b> , 10, 5668-82	15

860	Computational prediction and experimental assessment of secreted/surface proteins from <i>Mycobacterium tuberculosis</i> H37Rv. <b>2010</b> , 6, e1000824	38
859	Hsp90 nuclear accumulation in quiescence is linked to chaperone function and spore development in yeast. <b>2010</b> , 21, 63-72	29
858	iRefWeb: interactive analysis of consolidated protein interaction data and their supporting evidence. <b>2010</b> , 2010, baq023	160
857	Roles of <i>Pichia pastoris</i> Uvrag in vacuolar protein sorting and the phosphatidylinositol 3-kinase complex in phagophore elongation in autophagy pathways. <b>2010</b> , 6, 86-99	24
856	The ins and outs of nuclear re-export of retrogradely transported tRNAs in <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 1, 224-230	16
855	Cooperation between the septins and the actomyosin ring and role of a cell-integrity pathway during cell division in fission yeast. <b>2010</b> , 186, 897-915	32
854	Alpha-arrestins Aly1 and Aly2 regulate intracellular trafficking in response to nutrient signaling. <b>2010</b> , 21, 3552-66	79
853	Combining machine learning and homology-based approaches to accurately predict subcellular localization in <i>Arabidopsis</i> . <b>2010</b> , 154, 36-54	57
852	The final step in 5.8S rRNA processing is cytoplasmic in <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 30, 976-84	56
851	Pom33, a novel transmembrane nucleoporin required for proper nuclear pore complex distribution. <b>2010</b> , 189, 795-811	78
850	Value of using multiple proteases for large-scale mass spectrometry-based proteomics. <b>2010</b> , 9, 1323-9	323
849	Spinning-disk confocal microscopy of yeast. <b>2010</b> , 470, 581-602	10
848	Advanced microscopy of microbial cells. <b>2011</b> , 124, 21-54	7
847	The mitochondrial proteome and human disease. <b>2010</b> , 11, 25-44	414
846	Supervised Inference of Metabolic Networks from the Integration of Genomic Data and Chemical Information. <b>2010</b> , 189-211	5
845	Function of protein phosphatase-1, Glc7, in <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 73, 27-59	28
844	Reverse genetics in eukaryotes. <b>2010</b> , 102, 561-80	51
843	The rubella virus capsid protein inhibits mitochondrial import. <b>2010</b> , 84, 119-30	28

842	Nucleolus as an oxidative stress sensor in the yeast <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 15, 87-96	19
841	Spontaneous intermolecular amide bond formation between side chains for irreversible peptide targeting. <b>2010</b> , 132, 4526-7	115
840	High-throughput screening of bacterial protein localization. <b>2010</b> , 471, 185-204	4
839	Parameter balancing in kinetic models of cell metabolism. <b>2010</b> , 114, 16298-303	31
838	Yeast expression proteomics by high-resolution mass spectrometry. <b>2010</b> , 470, 259-80	8
837	Correlative GFP-immunoelectron microscopy in yeast. <b>2010</b> , 470, 603-18	11
836	Analyzing P-bodies and stress granules in <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 470, 619-40	57
835	In vivo quantification of protein-protein interactions in <i>Saccharomyces cerevisiae</i> using bimolecular fluorescence complementation assay. <b>2010</b> , 83, 194-201	9
834	Hsp12 is an intrinsically unstructured stress protein that folds upon membrane association and modulates membrane function. <b>2010</b> , 39, 507-20	123
833	A simple definition of structural regions in proteins and its use in analyzing interface evolution. <b>2010</b> , 403, 660-70	150
832	Bulky high-mannose-type N-glycan blocks the taste-modifying activity of miraculin. <b>2010</b> , 1800, 986-92	17
831	YTPdb: a wiki database of yeast membrane transporters. <b>2010</b> , 1798, 1908-12	27
830	Ctf4p facilitates Mcm10p to promote DNA replication in budding yeast. <b>2010</b> , 395, 336-41	20
829	CK2 activity is modulated by growth rate in <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 398, 44-50	11
828	The functions of steryl glycosides come to those who wait: Recent advances in plants, fungi, bacteria and animals. <b>2010</b> , 49, 262-88	113
827	Proteomics of total membranes and subcellular membranes. <b>2010</b> , 7, 867-78	12
826	Mass spectrometry-based proteomics in cell biology. <b>2010</b> , 190, 491-500	310
825	A systematic screen for protein-lipid interactions in <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 6, 430	132

824	Systematic analysis of human protein complexes identifies chromosome segregation proteins. <b>2010</b> , 328, 593-9	419
823	Quantifying E. coli proteome and transcriptome with single-molecule sensitivity in single cells. <b>2010</b> , 329, 533-8	1446
822	Orm1 and Orm2 are conserved endoplasmic reticulum membrane proteins regulating lipid homeostasis and protein quality control. <b>2010</b> , 107, 5851-6	202
821	Bioinformatics predictions of localization and targeting. <b>2010</b> , 619, 285-305	6
820	Microfluidic perfusion system for culturing and imaging yeast cell microarrays and rapidly exchanging media. <b>2010</b> , 10, 2449-57	14
819	Protein Secretion. <b>2010</b> ,	1
818	Classification of subcellular location patterns in fluorescence microscope images based on modified threshold adjacency statistics. <b>2010</b> ,	
817	Context-dependent effects of asparagine glycosylation on Pin WW folding kinetics and thermodynamics. <b>2010</b> , 132, 15359-67	55
816	NetLoc: Network based protein localization prediction using protein-protein interaction and co-expression networks. <b>2010</b> ,	2
815	. <b>2010</b> ,	
814	The subcellular localization of yeast glycogen synthase is dependent upon glycogen content. <b>2010</b> , 56, 408-20	12
813	De novo helical peptides as target sequences for a specific, fluorogenic protein labelling strategy. <b>2010</b> , 6, 976-87	29
812	Detecting protein complexes in PPI networks: The roles of interactions. <b>2011</b> ,	2
811	Secretory pathway genes assessed by high-throughput microscopy and synthetic genetic array analysis. <b>2011</b> , 7, 2589-98	30
810	Sugar Utilization Influences Yeast Glutathione Synthetases and Transferases: in Silico Analysis. <b>2011</b> , 25, 125-132	1
809	Construction of multidrug-sensitive yeast with high sporulation efficiency. <b>2011</b> , 75, 1588-93	19
808	Incorporating cellular sorting structure for better prediction of protein subcellular locations. <b>2011</b> , 23, 79-95	2
807	Network based subcellular localization prediction for multi-label proteins. <b>2011</b> ,	6

806	Signals and pathways regulating nucleolar retention of novel putative nucleolar GTPase NGP-1(GNL-2). <b>2011</b> , 50, 4521-36	6
805	Mapping the subcellular protein distribution in three human cell lines. <b>2011</b> , 10, 3766-77	34
804	Distinguishing the roles of Topoisomerases I and II in relief of transcription-induced torsional stress in yeast rRNA genes. <b>2011</b> , 31, 482-94	75
803	Deep and highly sensitive proteome coverage by LC-MS/MS without prefractionation. <b>2011</b> , 10, M110.003699	264
802	Identification of a <i>Saccharomyces cerevisiae</i> glucosidase that hydrolyzes flavonoid glucosides. <b>2011</b> , 77, 1751-7	44
801	Advanced methods for high-throughput microscopy screening of genetically modified yeast libraries. <b>2011</b> , 781, 127-59	64
800	Proteome-wide mapping of the <i>Drosophila</i> acetylome demonstrates a high degree of conservation of lysine acetylation. <b>2011</b> , 4, ra48	204
799	Small molecule fluorescent probe: Illuminating and monitoring foreign proteins based on high fidelity imaging in living cells. <b>2020</b> , 304, 127322	2
798	Metabolism of phospholipids in the yeast <i>Schizosaccharomyces pombe</i> . <b>2020</b> , 37, 73-92	5
797	HSP90 Can Be Found in the Cell Surface and Is a Target for Antibodies with Therapeutic Potential. <b>2020</b> , 6,	1
796	A novel assay provides insight into tRNAPhe retrograde nuclear import and re-export in <i>S. cerevisiae</i> . <b>2020</b> , 48, 11577-11588	5
795	Characterization and functional analysis of ERAD-related AAA+ ATPase Cdc48 in <i>Aspergillus oryzae</i> . <b>2020</b> , 124, 801-813	1
794	Yeast homologs of human MCUR1 regulate mitochondrial proline metabolism. <b>2020</b> , 11, 4866	9
793	The yeast cell wall protein Pry3 inhibits mating through highly conserved residues within the CAP domain. <b>2020</b> , 9,	2
792	In vivo mRNA display enables large-scale proteomics by next generation sequencing. <b>2020</b> , 117, 26710-26718	5
791	The Dihydroquinolizinone Compound RG7834 Inhibits the Polyadenylase Function of PAPD5 and PAPD7 and Accelerates the Degradation of Matured Hepatitis B Virus Surface Protein mRNA. <b>2020</b> , 65,	6
790	The Sur7/Pal1 family transmembrane protein Tos7 (Yol019w) plays a role in secretion in budding yeast. <b>2020</b> , 144, 103467	
789	A novel two-layer-integrated microfluidic device for high-throughput yeast proteomic dynamics analysis at the single-cell level. <b>2020</b> , 12, 241-249	3

788	Origin, conservation, and loss of alternative splicing events that diversify the proteome in <i>Saccharomycotina</i> budding yeasts. <b>2020</b> , 26, 1464-1480	1
787	Systematic Humanization of the Yeast Cytoskeleton Discerns Functionally Replaceable from Divergent Human Genes. <b>2020</b> , 215, 1153-1169	3
786	Phosphate Homeostasis - A Vital Metabolic Equilibrium Maintained Through the INPHORS Signaling Pathway. <b>2020</b> , 11, 1367	11
785	Cytosolic Events in the Biogenesis of Mitochondrial Proteins. <b>2020</b> , 45, 650-667	39
784	Impact of Hurricane Maria on Drinking Water Quality in Puerto Rico. <b>2020</b> , 54, 9495-9509	11
783	An Erg11 lanosterol 14- $\alpha$ -demethylase-Arv1 complex is required for <i>Candida albicans</i> virulence. <b>2020</b> , 15, e0235746	4
782	Pooled protein tagging, cellular imaging, and in situ sequencing for monitoring drug action in real time. <b>2020</b> , 30, 1846-1855	3
781	Biochemical and genetic analysis of Ecm14, a conserved fungal pseudopeptidase. <b>2020</b> , 21, 86	1
780	Bringing New Methods to the Seed Proteomics Platform: Challenges and Perspectives. <b>2020</b> , 21,	11
779	DIA-based systems biology approach unveils E3 ubiquitin ligase-dependent responses to a metabolic shift. <b>2020</b> , 117, 32806-32815	11
778	A piggybacking mechanism enables peroxisomal localization of the glyoxylate cycle enzyme Mdh2 in yeast. <b>2020</b> , 133,	8
777	Over-expression of Caj1, a plasma membrane associated J-domain protein in <i>Saccharomyces cerevisiae</i> , stabilizes amino acid permeases. <b>2020</b> , 1862, 183435	3
776	Nuclear proteome of virus-infected and healthy potato leaves. <b>2020</b> , 20, 355	7
775	Life span extension by glucose restriction is abrogated by methionine supplementation: Cross-talk between glucose and methionine and implication of methionine as a key regulator of life span. <b>2020</b> , 6, eaba1306	17
774	Solid-phase inclusion as a mechanism for regulating unfolded proteins in the mitochondrial matrix. <b>2020</b> , 6, eabc7288	2
773	Protein Homeostasis Networks and the Use of Yeast to Guide Interventions in Alzheimer's Disease. <b>2020</b> , 21,	4
772	Impact of the Continuous Evolution of Gene Ontology on the Performance of Similarity Measures for Scoring Confidence of Protein Interactions. <b>2020</b> , 1, 1	0
771	Multi-scale 3D Cryo-Correlative Microscopy for Vitrified Cells. <b>2020</b> , 28, 1231-1237.e3	25

770	Template Stripping Method-Based Au Nanoarray for Surface-Enhanced Raman Scattering Detection of Antiepileptic Drug. <b>2020</b> , 11,	1
769	Oxidative Stress Responses and Nutrient Starvation in MCHM Treated. <b>2020</b> , 10, 4665-4678	2
768	Potassium starvation induces autophagy in yeast. <b>2020</b> , 295, 14189-14202	3
767	Tubular ER Associates With Diacylglycerol-Rich Structures During Lipid Droplet Consumption. <b>2020</b> , 8, 700	4
766	Determining the interaction status and evolutionary fate of duplicated homomeric proteins. <b>2020</b> , 16, e1008145	2
765	The cruciform DNA-binding protein Crp1 stimulates the endonuclease activity of Mus81-Mms4 in <i>Saccharomyces cerevisiae</i> . <b>2020</b> , 594, 4320-4337	1
764	TheCellVision.org: A Database for Visualizing and Mining High-Content Cell Imaging Projects. <b>2020</b> , 10, 3969-3976	
763	Records of RNA locations in living yeast revealed through covalent marks. <b>2020</b> , 117, 23539-23547	4
762	The Capture of a Disabled Proteasome Identifies Erg25 as a Substrate for Endoplasmic Reticulum Associated Degradation. <b>2020</b> , 19, 1896-1909	3
761	Diffusion rather than intraflagellar transport likely provides most of the tubulin required for axonemal assembly in. <b>2020</b> , 133,	13
760	Uncovering targeting priority to yeast peroxisomes using an in-cell competition assay. <b>2020</b> , 117, 21432-214408	
759	Polo kinase recruitment via the constitutive centromere-associated network at the kinetochore elevates centromeric RNA. <b>2020</b> , 16, e1008990	5
758	A complex genetic interaction implicates that phospholipid asymmetry and phosphate homeostasis regulate Golgi functions. <b>2020</b> , 15, e0236520	2
757	An original infection model identifies host lipoprotein import as a route for blood-brain barrier crossing. <b>2020</b> , 11, 6106	6
756	Autoregulation of yeast ribosomal proteins discovered by efficient search for feedback regulation. <b>2020</b> , 3, 761	4
755	Collaborative subcellular compartmentalization to improve GPP utilization and boost sabinene accumulation in <i>Saccharomyces cerevisiae</i> . <b>2020</b> , 164, 107768	4
754	A septin-Hof1 scaffold at the yeast bud neck binds and organizes actin cables. <b>2020</b> , 31, 1988-2001	6
753	Activation of a Mitogen-Activated Protein Kinase Hog1 by DNA Damaging Agent Methyl Methanesulfonate in Yeast. <b>2020</b> , 7, 581095	2

752	The Path towards Predicting Evolution as Illustrated in Yeast Cell Polarity. <b>2020</b> , 9,	0
751	Low costs of adaptation to dietary restriction. <b>2020</b> , 16, 20200008	1
750	The binding of the APT1 domains to phosphoinositides is regulated by metal ions in vitro. <b>2020</b> , 1862, 183349	9
749	Organelle Maps Through Proteomic Profiling - A Conceptual Guide. <b>2020</b> , 19, 1076-1087	15
748	Functional characteristics of Svl3 and Pam1 that are required for proper cell wall formation in yeast cells. <b>2020</b> , 37, 359-371	
747	Targeting Signal 3 Extracellularly and Intracellularly in Graft-Versus-Host Disease. <b>2020</b> , 11, 722	2
746	Yeast mismatch repair components are required for stable inheritance of gene silencing. <b>2020</b> , 16, e1008798	0
745	Double the Fun, Double the Trouble: Paralogs and Homologs Functioning in the Endoplasmic Reticulum. <b>2020</b> , 89, 637-666	5
744	Crystal structures of Uso1 membrane tether reveal an alternative conformation in the globular head domain. <b>2020</b> , 10, 9544	1
743	Proteomic analysis reveals the direct recruitment of intrinsically disordered regions to stress granules in. <b>2020</b> , 133,	4
742	Nucleolar localization of the yeast RNA exosome subunit Rrp44 hints at early pre-rRNA processing as its main function. <b>2020</b> , 295, 11195-11213	3
741	Comparative analysis of the human serine hydrolase OVCA2 to the model serine hydrolase homolog FSH1 from <i>S. cerevisiae</i> . <b>2020</b> , 15, e0230166	4
740	Categorical Matrix Completion With Active Learning for High-Throughput Screening. <b>2021</b> , 18, 2261-2270	2
739	CATS: Cas9-assisted tag switching. A high-throughput method for exchanging genomic peptide tags in yeast. <b>2020</b> , 21, 221	2
738	Yeast as a Model to Understand Actin-Mediated Cellular Functions in Mammals-Illustrated with Four Actin Cytoskeleton Proteins. <b>2020</b> , 9,	2
737	Robotic Cell Printing for Constructing Living Yeast Cell Microarrays in Microfluidic Chips. <b>2020</b> , 6, 26	1
736	Harnessing sub-organelle metabolism for biosynthesis of isoprenoids in yeast. <b>2020</b> , 5, 179-186	15
735	Three proline rotamases involved in calcium homeostasis play differential roles in stress tolerance, virulence and calcineurin regulation of <i>Beauveria bassiana</i> . <b>2020</b> , 22, e13239	3



734	Predicting protein subcellular location with network embedding and enrichment features. <b>2020</b> , 1868, 140477	6
733	Direct protein-protein interaction network for insecticide resistance based on subcellular localization analysis in. <b>2020</b> , 55, 732-748	2
732	The InsP phosphatase Siw14 regulates inositol pyrophosphate levels to control localization of the general stress response transcription factor Msn2. <b>2020</b> , 295, 2043-2056	3
731	Phenethylamine@Pillar[5]arene Biointerface for Highly Enantioselective Adsorption of Protein. <b>2020</b> , 15, 1025-1029	3
730	A novel graph clustering method with a greedy heuristic search algorithm for mining protein complexes from dynamic and static PPI networks. <b>2020</b> , 522, 275-298	9
729	Interaction between the yeast RAVE complex and Vph1-containing V sectors is a central glucose-sensitive interaction required for V-ATPase reassembly. <b>2020</b> , 295, 2259-2269	5
728	WHI-2 Regulates Intercellular Communication via a MAP Kinase Signaling Complex. <b>2019</b> , 10, 3162	2
727	Three members of the yeast N-BAR proteins family form heterogeneous lattices in vivo and interact differentially with two RabGAP proteins. <b>2020</b> , 10, 1698	1
726	A subcellular proteome atlas of the yeast <i>Komagataella phaffii</i> . <b>2020</b> , 20,	8
725	Loss of vacuolar acidity results in iron-sulfur cluster defects and divergent homeostatic responses during aging in <i>Saccharomyces cerevisiae</i> . <b>2020</b> , 42, 749-764	14
724	Cysteine Toxicity Drives Age-Related Mitochondrial Decline by Altering Iron Homeostasis. <b>2020</b> , 180, 296-310.e18	55
723	TORC1 ensures membrane trafficking of Tat2 tryptophan permease via a novel transcriptional activator Vhr2 in budding yeast. <b>2020</b> , 68, 109542	1
722	Deletion of the Golgi Ca <sup>2+</sup> -ATPase PMR1 gene potentiates antifungal effects of dodecanol that depend on intracellular Ca <sup>2+</sup> accumulation in budding yeast. <b>2020</b> , 20,	2
721	Toxicity of Single-Walled Carbon Nanotubes (SWCNTs): Effect of Lengths, Functional Groups and Electronic Structures Revealed by a Quantitative Toxicogenomics Assay. <b>2020</b> , 7, 1348-1364	16
720	Breast Cancer Candidate Gene Detection Through Integration of Subcellular Localization Data With Protein-Protein Interaction Networks. <b>2020</b> , 19, 556-561	6
719	Transcriptomics unravels the adaptive molecular mechanisms of <i>Brettanomyces bruxellensis</i> under SO stress in wine condition. <b>2020</b> , 90, 103483	6
718	Identification and evolutionary analysis of the nucleolar proteome of <i>Giardia lamblia</i> . <b>2020</b> , 21, 269	1
717	A Genome-Wide Screen for Genes Affecting Spontaneous Direct-Repeat Recombination in. <b>2020</b> , 10, 1853-1867	1

716	Non-histone protein acetylation by the evolutionarily conserved GCN5 and PCAF acetyltransferases. <b>2021</b> , 1864, 194608	9
715	YMR152W from <i>Saccharomyces cerevisiae</i> encoding a novel aldehyde reductase for detoxification of aldehydes derived from lignocellulosic biomass. <b>2021</b> , 131, 39-46	4
714	Cell-cycle phospho-regulation of the kinetochore. <b>2021</b> , 67, 177-193	5
713	ATP Impedes the Inhibitory Effect of Hsp90 on A $\beta$ Fibrillation. <b>2021</b> , 433, 166717	2
712	Modulation of green to red photoconversion of GFP during fluorescent microscopy by carbon source and oxygen availability. <b>2021</b> , 38, 295-301	0
711	Pseudouridine-mediated translation control of mRNA by methionine aminoacyl tRNA synthetase. <b>2021</b> , 49, 432-443	7
710	Iron-sulfur proteins in plant mitochondria: roles and maturation. <b>2021</b> , 72, 2014-2044	8
709	Yeast Protocols. <b>2021</b> ,	
708	tRNA-modifying enzyme mutations induce codon-specific mistranslation and protein aggregation in yeast. <b>2021</b> , 18, 563-575	4
707	Transfer RNAs: diversity in form and function. <b>2021</b> , 18, 316-339	9
706	Mitochondrial Origin of Cytosolic Protein Aggregation.	
705	Multi-parametric characterization of drug effects on cells. <b>2020</b> , 9,	2
704	Mutants libraries reveal negative design shielding proteins from mis-assembly and re-localization in cells.	0
703	Cell-penetrating peptide-conjugated lipid/polymer hybrid nanovesicles for endoplasmic reticulum-targeting intracellular delivery. <b>2021</b> , 9, 464-470	6
702	Stress granules display bistable dynamics modulated by Cdk. <b>2021</b> , 220,	3
701	Using GBP Nanotrap to Restore Autophagy in the Rab5/Vps21 Mutant by Forcing Snf7 and Atg17 Interaction. <b>2021</b> , 2293, 181-188	
700	Model systems for studying polyphosphate biology: a focus on microorganisms. <b>2021</b> , 67, 331-346	10
699	Systematic High-Content Screening of Fluorescently Tagged Yeast Double Mutant Strains. <b>2021</b> , 2381, 57-78	

- 698 Molecular modeling, docking and dynamics analysis of lipid droplet associated enzyme Ypr147cp from *Saccharomyces cerevisiae*. **2021**, 17, 132-138
- 697 Mass-Spectrometry-Based Near-Complete Draft of the Proteome. **2021**, 20, 1328-1340 3
- 696 2nSILAC for Quantitative Proteomics of Prototrophic Baker's Yeast. **2021**, 2228, 253-270
- 695 Regulation of COX Assembly and Function by Twin CXC Proteins-Implications for Human Disease. **2021**, 10, 2
- 694 Intron-mediated induction of phenotypic heterogeneity.
- 693 The kinetic landscape and interplay of protein networks in cytokinesis. **2021**, 24, 101917 4
- 692 High-Throughput Imaging of Arrays of Fluorescently Tagged Yeast Mutant Strains. **2021**, 2304, 221-242 0
- 691 A standard knockout procedure alters expression of adjacent loci at the translational level. **2021**, 49, 11134-11144 2
- 690 Nutrient transceptors physically interact with the yeast S6/protein kinase B homolog, Sch9, a TOR kinase target. **2021**, 478, 357-375 3
- 689 Comparison of endogenously expressed fluorescent protein fusions behaviour for protein quality control and cellular aging research.
- 688 Identifying protein subcellular locations with embeddings-based node2loc. **2021**, PP, 10
- 687 A New Family of Similarity Measures for Scoring Confidence of Protein Interactions using Gene Ontology. **2021**, PP, 0
- 686 Expression attenuation as a mechanism of robustness against gene duplication. **2021**, 118, 3
- 685 Defining the role of the polyasparagine repeat domain of the *S. cerevisiae* transcription factor Azf1p.
- 684 Systematic Comparison of Cell Wall-Related Proteins of Different Yeasts. **2021**, 7, 2
- 683 Imaging-based screens of pool-synthesized cell libraries. **2021**, 18, 358-365 5
- 682 Identifying molecular features that are associated with biological function of intrinsically disordered protein regions. **2021**, 10, 3
- 681 Stage-specific regulation of purine metabolism during infectious growth and sexual reproduction in *Fusarium graminearum*. **2021**, 230, 757-773 1

680	Coordination of genome replication and anaphase entry by rDNA copy number in <i>S. cerevisiae</i> .	1
679	Fresh Molecular Concepts to Extend the Lifetimes of Old Antimicrobial Drugs. <b>2021</b> , 21, 631-645	0
678	Analysing the yeast complexome-the Complex Portal rising to the challenge. <b>2021</b> , 49, 3156-3167	1
677	Proteome plasticity in response to persistent environmental change.	0
676	Comparative parallel analysis of RNA ends identifies mRNA substrates of a tRNA splicing endonuclease-initiated mRNA decay pathway. <b>2021</b> , 118,	5
675	The capacity of origins to load MCM establishes replication timing patterns. <b>2021</b> , 17, e1009467	6
674	Acetyl-CoA synthases are essential for maintaining histone acetylation under metabolic stress during zygotic genome activation in pigs. <b>2021</b> , 236, 6948-6962	3
673	Protein context shapes the specificity of SH3 domain-mediated interactions in vivo. <b>2021</b> , 12, 1597	7
672	SWI/SNF senses carbon starvation with a pH-sensitive low complexity sequence.	1
671	Modeling DNA trapping of anticancer therapeutic targets using missense mutations identifies dominant synthetic lethal interactions. <b>2021</b> , 118,	1
670	Self-Supervised Deep-Learning Encodes High-Resolution Features of Protein Subcellular Localization.	5
669	Applications of Super Resolution Expansion Microscopy in Yeast. <b>2021</b> , 9,	3
668	Human OVCA2 and its homolog FSH3-induced apoptosis in <i>Saccharomyces cerevisiae</i> . <b>2021</b> , 67, 631-640	0
667	The Toxicity of Polystyrene-Based Nanoparticles in Is Associated with Nanoparticle Charge and Uptake Mechanism. <b>2021</b> , 34, 1055-1068	1
666	OpenCell: proteome-scale endogenous tagging enables the cartography of human cellular organization.	4
665	A nuclear-based quality control pathway for non-imported mitochondrial proteins. <b>2021</b> , 10,	14
664	Inner-nuclear-membrane-associated degradation employs Dfm1-independent retrotranslocation and alleviates misfolded transmembrane-protein toxicity. <b>2021</b> , 32, 521-537	0
663	An organelle inheritance pathway during polarized cell growth.	0

662	Biogenesis of RNA Polymerases in Yeast. <b>2021</b> , 8, 669300	4
661	Fluorescence resonance energy transfer in revealing protein-protein interactions in living cells. <b>2021</b> , 5, 49-59	
660	A CRISPRi screen of essential genes reveals that proteasome regulation dictates acetic acid tolerance in <i>Saccharomyces cerevisiae</i> .	
659	A Genome-Wide Screen in Reveals a Critical Role for Oxidative Phosphorylation in Cellular Tolerance to Lithium Hexafluorophosphate. <b>2021</b> , 10,	1
658	Exceptional stability of a perilipin on lipid droplets depends on its polar residues, suggesting multimeric assembly. <b>2021</b> , 10,	4
657	Cprp $\Delta$ An Unusual, Repetitive Protein Which Impacts Pleuromutilin Biosynthesis in the Basidiomycete <i>Clitopilus passeckerianus</i> . <b>2021</b> , 2,	1
656	Selective functional inhibition of a tumor-derived p53 mutant by cytosolic chaperones identified using split-YFP in budding yeast.	
655	Unraveling the stepwise maturation of the yeast telomerase.	
654	The occurrence order and cross-talk of different tRNA modifications. <b>2021</b> , 64, 1423-1436	3
653	Vps501, a novel vacuolar SNX-BAR protein cooperates with the SEA complex to induce autophagy.	0
652	Small-scale hypoxic cultures for monitoring the spatial reorganization of glycolytic enzymes in <i>Saccharomyces cerevisiae</i> . <b>2021</b> , 45, 1776-1783	1
651	Arf1 directly recruits the Pik1-Frq1 PI4K complex to regulate the final stages of Golgi maturation. <b>2021</b> , 32, 1064-1080	7
650	Defining the role of the polyasparagine repeat domain of the <i>S. cerevisiae</i> transcription factor Azf1p. <b>2021</b> , 16, e0247285	1
649	Fur4 mediated uracil-scavenging to screen for surface protein regulators.	3
648	The Impact of Endoplasmic Reticulum-Associated Protein Modifications, Folding and Degradation on Lung Structure and Function. <b>2021</b> , 12, 665622	1
647	High-Throughput Screening of an Octanoic Acid Producer Strain Library Enables Detection of New Targets for Increasing Titrers in. <b>2021</b> , 10, 1077-1086	3
646	Environmental robustness of the global yeast genetic interaction network. <b>2021</b> , 372,	9
645	Simple-to-use CRISPR-SpCas9/SaCas9/AsCas12a vector series for genome editing in <i>Saccharomyces cerevisiae</i> .	

644	A broadly active fucosyltransferase LmjFUT1 whose mitochondrial localization and catalytic activity is essential in the parasitic protozoan Leishmania.	1
643	Natural variants suppress mutations in hundreds of essential genes. <b>2021</b> , 17, e10138	2
642	Genome Evolutionary Dynamics Meets Functional Genomics: A Case Story on the Identification of SLC25A44. <b>2021</b> , 22,	0
641	Optimising the use of gene expression data to predict plant metabolic pathway memberships. <b>2021</b> , 231, 475-489	2
640	A deep dive into the RecQ interactome: something old and something new. <b>2021</b> , 67, 761-767	0
639	Multiple causal DNA variants in a single gene affect gene expression in trans.	
638	Shugoshin: From the Perspective of Clinical Disorders. <b>2021</b> , 1, 51-59	
637	Co-translational assembly and localized translation of nucleoporins in nuclear pore complex biogenesis. <b>2021</b> , 81, 2417-2427.e5	9
636	Xrn1 is a deNADding Enzyme Modulating Mitochondrial NAD Levels.	1
635	Single-cell image analysis to explore cell-to-cell heterogeneity in isogenic populations. <b>2021</b> , 12, 608-621	0
634	The ribosome assembly factor Nop53 has a structural role in the formation of nuclear pre-60S intermediates, affecting late maturation events. <b>2021</b> , 49, 7053-7074	1
633	Cell-type-specific, multicolor labeling of endogenous proteins with split fluorescent protein tags in. <b>2021</b> , 118,	1
632	Dynamic Phosphorylation of RGS Provides Spatial Regulation of MAP Kinase and Promotes Completion of Cytokinesis during the Yeast Pheromone Response.	
631	Comprehensive characterization of mRNAs associated with yeast cytosolic aminoacyl-tRNA synthetases. <b>2021</b> , 18, 2605-2616	2
630	Antagonistic fungal enterotoxins intersect at multiple levels with host innate immune defences. <b>2021</b> , 17, e1009600	4
629	Genetic Dissection of Vps13 Regulation in Yeast Using Disease Mutations from Human Orthologs. <b>2021</b> , 22,	0
628	Comparison of endogenously expressed fluorescent protein fusions behaviour for protein quality control and cellular ageing research. <b>2021</b> , 11, 12819	2
627	Yeast cells under glucose-limitation environment need increased response cost for osmostress defense.	1

- 626 Short homology-directed repair using optimized Cas9 in the pathogen *Cryptococcus neoformans* enables rapid gene deletion and tagging.
- 625 The dynein light chain protein Tda2 functions as a dimerization engine to regulate actin capping protein during endocytosis. **2021**, 32, 1459-1473 2
- 624 Is mRNA decapping by ApaH like phosphatases present in eukaryotes beyond the Kinetoplastida?. **2021**, 21, 131 1
- 623 The nucleolus as a polarized coaxial cable in which the rDNA axis is surrounded by dynamic subunit-specific phases. **2021**, 31, 2507-2519.e4 5
- 622 A nuclear proteome localization screen reveals the exquisite specificity of Gpn2 in RNA polymerase biogenesis. **2021**, 20, 1361-1373 1
- 621 Timer-based proteomic profiling of the ubiquitin-proteasome system reveals a substrate receptor of the GID ubiquitin ligase. **2021**, 81, 2460-2476.e11 15
- 620 Quantitative characterisation of low abundant yeast mitochondrial proteins reveals compensation for haplo-insufficiency in different environments.
- 619 Barcoded RH-seq illuminates the complex genetic basis of yeast thermotolerance. 0
- 618 RiboNT: A Noise-Tolerant Predictor of Open Reading Frames from Ribosome-Protected Footprints. **2021**, 11, 3
- 617 Spectrum of Protein Location in Proteomes Captures Evolutionary Relationship Between Species. **2021**, 89, 544-553 1
- 616 DogCatcher allows loop-friendly protein-protein ligation. **2021**, 6
- 615 Neuroserpin Inclusion Bodies in a FENIB Yeast Model. **2021**, 9, 1
- 614 Localization, proteomics, and metabolite profiling reveal a putative vesicular transporter for UDP-glucose. **2021**, 10, 0
- 613 Topoisomerase II deficiency leads to a postreplicative structural shift in all *Saccharomyces cerevisiae* chromosomes. **2021**, 11, 14940 0
- 612 GFP-fused yeast cells as whole-cell biosensors for genotoxicity evaluation of nitrosamines. **2021**, 105, 5607-5616 3
- 611 Co-culturing experiments reveal the uptake of myo-inositol phosphate synthase (EC 5.5.1.4) in an inositol auxotroph of *Saccharomyces cerevisiae*. **2021**, 20, 138
- 610 Genome-wide genotype-phenotype associations in microbes. **2021**, 132, 1-8 1
- 609 Gds1 interacts with NuA4 to promote H4 acetylation at ribosomal protein genes.

608	Selective functional inhibition of a tumor-derived p53 mutant by cytosolic chaperones identified using split-YFP in budding yeast. <b>2021</b> , 11,	0
607	Nuclear envelope budding is a response to cellular stress. <b>2021</b> , 118,	6
606	Cdc7-mediated phosphorylation of Cse4 regulates high-fidelity chromosome segregation in budding yeast. <b>2021</b> , 32, ar15	0
605	UbiB proteins regulate cellular CoQ distribution in <i>Saccharomyces cerevisiae</i> . <b>2021</b> , 12, 4769	7
604	Correction: Glutamate dehydrogenase (Gdh2)-dependent alkalization is dispensable for escape from macrophages and virulence of <i>Candida albicans</i> . <b>2021</b> , 17, e1009877	0
603	Simple-to-use CRISPR-SpCas9/SaCas9/AsCas12a vector series for genome editing in <i>Saccharomyces cerevisiae</i> . <b>2021</b> , 11,	0
602	The C-terminal region of yeast ubiquitin-protein ligase Not4 mediates its cellular localization and stress response. <b>2021</b> , 368,	
601	Large organellar changes occur during mild heat shock in yeast. <b>2022</b> , 135,	4
600	Role of Calcium/Calcineurin Signalling in Regulating Intracellular Reactive Oxygen Species Homeostasis in. <b>2021</b> , 12,	2
599	Puf6 primes 60S pre-ribosome nuclear export at low temperature. <b>2021</b> , 12, 4696	5
598	A standard knockout procedure alters expression of adjacent loci at the translational level.	
597	A CRISPR Interference Screen of Essential Genes Reveals that Proteasome Regulation Dictates Acetic Acid Tolerance in <i>Saccharomyces cerevisiae</i> . <b>2021</b> , 6, e0041821	3
596	Surveying the global landscape of post-transcriptional regulators.	
595	A broadly active fucosyltransferase LmjFUT1 whose mitochondrial localization and activity are essential in parasitic. <b>2021</b> , 118,	3
594	Proteome plasticity in response to persistent environmental change. <b>2021</b> , 81, 3294-3309.e12	4
593	, the conserved mitochondrial YihA GTPase family member, is required for de novo Cox1 synthesis at suboptimal temperatures in. <b>2021</b> , 32, ar16	0
592	Fur4-mediated uracil-scavenging to screen for surface protein regulators. <b>2021</b> , 22, 397-408	4
591	ER-SURF: Riding the Endoplasmic Reticulum Surface to Mitochondria. <b>2021</b> , 22,	1



590	Dependence of Graphene Oxide (GO) Toxicity on Oxidation Level, Elemental Composition, and Size. <b>2021</b> , 22,	1
589	A prion accelerates proliferation at the expense of lifespan. <b>2021</b> , 10,	3
588	A phosphatase-centric mechanism drives stress signaling response. <b>2021</b> , 22, e52476	3
587	Molecular Characterization of a Tolerant Saline-Alkali Phosphatidate Phosphatase That Confers NaCl and Sorbitol Tolerance. <b>2021</b> , 12, 738282	
586	Comparative and mechanistic toxicity assessment of structure-dependent toxicity of carbon-based nanomaterials. <b>2021</b> , 418, 126282	0
585	High-throughput functionalization of the Toxoplasma kinome uncovers a novel regulator of invasion and egress.	0
584	Analysis of local protein accumulation kinetics by live-cell imaging in yeast systems. <b>2021</b> , 2, 100733	2
583	Engineering yeast subcellular compartments for increased production of the lipophilic natural products ginsenosides. <b>2021</b> , 67, 104-111	10
582	Intrinsic Disorder in Human RNA-Binding Proteins. <b>2021</b> , 433, 167229	4
581	IDM-SPS: Identifying driver module with somatic mutation, PPI network and subcellular localization. <b>2021</b> , 106, 104482	0
580	Machine learning-based biomarkers identification from toxicogenomics - Bridging to regulatory relevant phenotypic endpoints. <b>2022</b> , 423, 127141	1
579	Large Organellar Changes Occur during Mild Heat Shock in Yeast.	1
578	Proteome-wide Systems Genetics to Identify Functional Regulators of Complex Traits. <b>2021</b> , 12, 5-22	6
577	Protein Subcellular Localization Prediction. <b>2021</b> , 2361, 197-212	1
576	Mapping genomes by using bioinformatics data and tools. <b>2021</b> , 245-278	1
575	A high-throughput approach for studying virus replication in yeast. <b>2010</b> , Chapter 16, Unit16J.1	22
574	Mapping Myofibrillar Protein Interactions by Mutational Proteomics. <b>2006</b> , 270-283	1
573	Towards an Integrated Protein-Protein Interaction Network. <b>2005</b> , 14-30	1

572	Comparative Analysis of Classification Methods for Protein Interaction Verification System. <b>2006</b> , 227-236	2
571	Septation and Cytokinesis in Fungi. <b>2006</b> , 105-121	2
570	Clathrin-Mediated Endocytosis. <b>2009</b> , 159-182	5
569	ImageJ for Partially and Fully Automated Analysis of Trypanosome Micrographs. <b>2020</b> , 2116, 385-408	3
568	Automated, systematic determination of protein subcellular location using fluorescence microscopy. <b>2007</b> , 43, 263-76	1
567	The Branchpoint Binding Protein. <b>2010</b> , 123-141	7
566	The Molecular Convergence of Birdsong and Speech. <b>2013</b> , 109-184	1
565	Fluorescence staining of mitochondria for morphology analysis in <i>Saccharomyces cerevisiae</i> . <b>2014</b> , 1163, 131-52	3
564	SILAC labeling of yeast for the study of membrane protein complexes. <b>2014</b> , 1188, 23-46	7
563	Microscopic and spectroscopic techniques to investigate lipid droplet formation and turnover in yeast. <b>2015</b> , 1270, 289-305	10
562	Ypt1 and TRAPP interactions: optimization of multicolor bimolecular fluorescence complementation in yeast. <b>2015</b> , 1298, 107-16	4
561	Rewiring the Budding Yeast Proteome using Synthetic Physical Interactions. <b>2018</b> , 1672, 599-612	4
560	Mapping the <i>Saccharomyces cerevisiae</i> Spatial Proteome with High Resolution Using hyperLOPIT. <b>2019</b> , 2049, 165-190	5
559	Organelle proteomics. <b>2009</b> , 519, 65-82	6
558	Multipurpose transposon insertion libraries for large-scale analysis of gene function in yeast. <b>2008</b> , 416, 117-29	6
557	MitoP2, an integrated database for mitochondrial proteins. <b>2007</b> , 372, 573-86	9
556	Identification of proteins targeted into the endoplasmic reticulum by cDNA library screening. <b>2007</b> , 390, 269-80	2
555	Computational prediction of subcellular localization. <b>2007</b> , 390, 429-66	35

554	A genetic method to identify mitochondrial proteins in living mammalian cells. <b>2007</b> , 390, 119-30	10
553	Location proteomics: systematic determination of protein subcellular location. <b>2009</b> , 500, 313-32	15
552	Location Proteomics. <b>2007</b> , 196-214	1
551	The fidgety yeast: focus on high-resolution live yeast cell microscopy. <b>2009</b> , 548, 75-99	10
550	Visualizing endogenous mRNAs in living yeast using m-TAG, a PCR-based RNA aptamer integration method, and fluorescence microscopy. <b>2011</b> , 714, 237-47	5
549	Linearizer gene circuits with negative feedback regulation. <b>2011</b> , 734, 81-100	4
548	Measuring in vivo signaling kinetics in a mitogen-activated kinase pathway using dynamic input stimulation. <b>2011</b> , 734, 101-19	5
547	Enabling technologies for yeast proteome analysis. <b>2011</b> , 759, 149-78	3
546	High-throughput analyses and curation of protein interactions in yeast. <b>2011</b> , 759, 381-406	5
545	Single molecule approaches for studying spliceosome assembly and catalysis. <b>2014</b> , 1126, 217-41	9
544	Biogenesis and Evolution of Functional tRNAs. <b>2014</b> , 233-267	9
543	p23 and Aha1. <b>2015</b> , 78, 113-31	19
542	Exploration of Plant Virus Replication Inside a Surrogate Host, <i>Saccharomyces cerevisiae</i> , Elucidates Complex and Conserved Mechanisms. <b>2016</b> , 35-65	1
541	Function and Biosynthesis of the Universal tRNA Modification N6-Threonylcarbamoyl-Adenosine. <b>2017</b> , 177-200	2
540	Automatic Segmentation of Unstained Living Cells in Bright-Field Microscope Images. <b>2008</b> , 158-172	20
539	Bootstrapping the Interactome: Unsupervised Identification of Protein Complexes in Yeast. <b>2008</b> , 3-16	27
538	Improving Protein Localization Prediction Using Amino Acid Group Based Physicochemical Encoding. <b>2009</b> , 248-258	6
537	Subjective Colocalization Analysis with Fuzzy Predicates. <b>2010</b> , 373-393	2

536	Metric Labeling and Semi-metric Embedding for Protein Annotation Prediction. <b>2011</b> , 392-407	5
535	Scored Protein-Protein Interaction to Predict Subcellular Localizations for Yeast Using Diffusion Kernel. <b>2013</b> , 647-655	4
534	Anaerobic Carbon Metabolism of <i>Saccharomyces cerevisiae</i> . <b>2014</b> , 57-82	0
533	Anaerobic Carbon Metabolism of <i>Saccharomyces cerevisiae</i> . <b>2014</b> , 57-82	3
532	The Nucleolus of <i>Dictyostelium</i> and Other Lower Eukaryotes. <b>2013</b> , 79-94	1
531	Phospholipid Demixing. <b>2010</b> , 1-28	2
530	Hormones, Signals and Target Cells in Plant Development. <b>2005</b> ,	24
529	CHAPTER 9: Spatial Proteomics: Practical Considerations for Data Acquisition and Analysis in Protein Subcellular Localisation Studies. <b>2014</b> , 185-210	2
528	CRISPR-Cas12a-assisted PCR tagging of mammalian genes. <b>2020</b> , 219,	19
527	Nuclear envelope-vacuole contacts mitigate nuclear pore complex assembly stress. <b>2020</b> , 219,	9
526	Characterization of the transcription factor encoding gene, <i>KLADR1</i> : metabolic role in <i>Kluyveromyces lactis</i> and expression in <i>Saccharomyces cerevisiae</i> . <b>2016</b> , 162, 1933-1944	2
525	<i>Kex2</i> protease converts the endoplasmic reticulum $\alpha$ 1,2-mannosidase of <i>Candida albicans</i> into a soluble cytosolic form. <b>2008</b> , 154, 3782-3794	12
524	<i>Candida albicans</i> <i>SNO1</i> and <i>SNZ1</i> expressed in stationary-phase planktonic yeast cells and base of biofilm. <b>2006</b> , 152, 2031-2038	18
523	Quantification of nuclear transport in single cells.	1
522	Accurate classification of protein subcellular localization from high throughput microscopy images using deep learning.	4
521	In vivo mapping of tissue- and subcellular-specific proteomes in <i>Caenorhabditis elegans</i> .	1
520	Comparative analysis of protein abundance studies to quantify the <i>Saccharomyces cerevisiae</i> proteome.	2
519	The largest <i>SWI/SNF</i> polyglutamine domain is a pH sensor.	6

518	The Na <sup>+</sup> (K <sup>+</sup> )/H <sup>+</sup> exchanger Nhx1 controls multivesicular body-vacuolar lysosome fusion.	2
517	Distributed and dynamic intracellular organization of extracellular information.	0
516	Systematic humanization of the yeast cytoskeleton discerns functionally replaceable from divergent human genes.	1
515	Mapping the nucleolar proteome reveals a spatiotemporal organization related to intrinsic protein disorder.	1
514	Nuclear envelope-vacuole contacts mitigate nuclear pore complex assembly stress.	1
513	A semi-supervised Bayesian approach for simultaneous protein sub-cellular localisation assignment and novelty detection.	0
512	Multi-Scale 3D Cryo-Correlative Microscopy for Vitrified Cells.	2
511	Identifying molecular features that are associated with biological function of intrinsically disordered protein regions.	1
510	The nucleus is a quality control center for non-imported mitochondrial proteins.	4
509	Gene dosage screens in yeast reveal core signalling pathways controlling heat adaptation.	2
508	Size-independent mRNA synthesis and chromatin-based partitioning mechanisms generate and maintain constant amounts of protein per cell.	3
507	Pseudouridine synthases modify human pre-mRNA co-transcriptionally and affect splicing.	1
506	Analysing the Yeast Complexome - The Complex Portal rising to the challenge.	0
505	UbiB proteins regulate cellular CoQ distribution.	1
504	Machine Learning-based Biomarkers Identification and Validation from Toxicogenomics - Bridging to Regulatory Relevant Phenotypic Endpoints.	1
503	A genome-wide resource for high-throughput genomic tagging of yeast ORFs.	1
502	Systematic assessment of GFP tag position on protein localization and growth fitness in yeast.	1
501	Learning unsupervised feature representations for single cell microscopy images with paired cell inpainting.	3

500	Nuclear envelope budding is a response to cellular stress.	2
499	CRISPR-Cas12a-assisted PCR tagging of mammalian genes.	6
498	Experimental evolution reveals a general role for the methyltransferase Hmt1 in noise buffering.	0
497	A molecular switch for Cdc48 activity and localization during oxidative stress and aging.	1
496	Proteomic analysis reveals the recruitment of intrinsically disordered regions to stress granules.	1
495	Records of RNA localization through covalent tagging.	1
494	Historical Evolution of Laboratory Strains of <i>Saccharomyces cerevisiae</i> . <b>2016</b> , 2016,	3
493	Harvesting the genome's bounty: integrative genomics. <b>2003</b> , 68, 431-43	8
492	Functional Genomic Approaches to Fungal Pathogenesis, Drug Target Validation, and Antifungal Drug Discovery. 627-642	1
491	Reversible solidification of fission yeast cytoplasm after prolonged nutrient starvation. <b>2019</b> , 132,	10
490	Intracellular Dynamics of the Ubiquitin-Proteasome-System. <b>2015</b> , 4, 367	28
489	Intracellular Dynamics of the Ubiquitin-Proteasome-System. <b>2015</b> , 4, 367	18
488	single-copy plasmids for auxotrophy compensation, multiple marker selection, and for designing metabolically cooperating communities. <b>2016</b> , 5, 2351	17
487	High-throughput fluorescence microscopy using multi-frame motion deblurring. <b>2020</b> , 11, 281-300	3
486	Extensive association of functionally and cytotopically related mRNAs with Puf family RNA-binding proteins in yeast. <b>2004</b> , 2, E79	510
485	A protein complex containing the conserved Swi2/Snf2-related ATPase Swr1p deposits histone variant H2A.Z into euchromatin. <b>2004</b> , 2, E131	453
484	Stratus not altocumulus: a new view of the yeast protein interaction network. <b>2006</b> , 4, e317	157
483	A semi-supervised Bayesian approach for simultaneous protein sub-cellular localisation assignment and novelty detection. <b>2020</b> , 16, e1008288	6

482	Profiling synaptic proteins identifies regulators of insulin secretion and lifespan. <b>2008</b> , 4, e1000283	61
481	Identification of positive regulators of the yeast <i>fps1</i> glycerol channel. <b>2009</b> , 5, e1000738	62
480	The Evolutionary Potential of Phenotypic Mutations. <b>2015</b> , 11, e1005445	32
479	Exploring the Complexity of Protein-Level Dosage Compensation that Fine-Tunes Stoichiometry of Multiprotein Complexes. <b>2020</b> , 16, e1009091	1
478	Phenomic screen identifies a role for the yeast lysine acetyltransferase NuA4 in the control of Bcy1 subcellular localization, glycogen biosynthesis, and mitochondrial morphology. <b>2020</b> , 16, e1009220	1
477	Hubs with network motifs organize modularity dynamically in the protein-protein interaction network of yeast. <b>2007</b> , 2, e1207	40
476	Dual targeted mitochondrial proteins are characterized by lower MTS parameters and total net charge. <b>2008</b> , 3, e2161	52
475	Polarized growth in the absence of F-actin in <i>Saccharomyces cerevisiae</i> exiting quiescence. <b>2008</b> , 3, e2556	18
474	The yeast spore wall enables spores to survive passage through the digestive tract of <i>Drosophila</i> . <b>2008</b> , 3, e2873	119
473	Localization to, and effects of Pbp1, Pbp4, Lsm12, Dhh1, and Pab1 on stress granules in <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 5, e10006	89
472	Large-scale discovery and characterization of protein regulatory motifs in eukaryotes. <b>2010</b> , 5, e14444	25
471	Integrative identification of <i>Arabidopsis</i> mitochondrial proteome and its function exploitation through protein interaction network. <b>2011</b> , 6, e16022	29
470	Determining the sub-cellular localization of proteins within <i>Caenorhabditis elegans</i> body wall muscle. <b>2011</b> , 6, e19937	31
469	Seamless gene tagging by endonuclease-driven homologous recombination. <b>2011</b> , 6, e23794	50
468	Dithizone staining of intracellular zinc: an unexpected and versatile counterscreen for auxotrophic marker genes in <i>Saccharomyces cerevisiae</i> . <b>2011</b> , 6, e25830	8
467	Overexpression of DNA polymerase zeta reduces the mitochondrial mutability caused by pathological mutations in DNA polymerase gamma in yeast. <b>2012</b> , 7, e34322	17
466	Network compression as a quality measure for protein interaction networks. <b>2012</b> , 7, e35729	13
465	Novel E3 ubiquitin ligases that regulate histone protein levels in the budding yeast <i>Saccharomyces cerevisiae</i> . <b>2012</b> , 7, e36295	39

464	Transfer of Ho endonuclease and Ufo1 to the proteasome by the UbL-UbA shuttle protein, Ddi1, analysed by complex formation in vitro. <b>2012</b> , 7, e39210	11
463	Identification of elongation factor G as the conserved cellular target of argyrisin B. <b>2012</b> , 7, e42657	35
462	The fermentation stress response protein Aaf1p/Yml081Wp regulates acetate production in <i>Saccharomyces cerevisiae</i> . <b>2012</b> , 7, e51551	17
461	Identification of genes affecting vacuole membrane fragmentation in <i>Saccharomyces cerevisiae</i> . <b>2013</b> , 8, e54160	59
460	Heat shock-induced accumulation of translation elongation and termination factors precedes assembly of stress granules in <i>S. cerevisiae</i> . <b>2013</b> , 8, e57083	44
459	N-terminal acetylation by NatC is not a general determinant for substrate subcellular localization in <i>Saccharomyces cerevisiae</i> . <b>2013</b> , 8, e61012	17
458	Lsb1 is a negative regulator of las17 dependent actin polymerization involved in endocytosis. <b>2013</b> , 8, e61147	9
457	Detection and characterization of protein interactions in vivo by a simple live-cell imaging method. <b>2013</b> , 8, e62195	18
456	Agp2, a member of the yeast amino acid permease family, positively regulates polyamine transport at the transcriptional level. <b>2013</b> , 8, e65717	23
455	Mitochondrial aminopeptidase deletion increases chronological lifespan and oxidative stress resistance while decreasing respiratory metabolism in <i>S. cerevisiae</i> . <b>2013</b> , 8, e77234	10
454	Application of a new dual localization-affinity purification tag reveals novel aspects of protein kinase biology in <i>Aspergillus nidulans</i> . <b>2014</b> , 9, e90911	12
453	The ribosomal biogenesis protein Utp21 interacts with Hsp90 and has differing requirements for Hsp90-associated proteins. <b>2014</b> , 9, e92569	4
452	Unidirectional P-body transport during the yeast cell cycle. <b>2014</b> , 9, e99428	13
451	A microfluidic system for studying ageing and dynamic single-cell responses in budding yeast. <b>2014</b> , 9, e100042	85
450	Dual N- and C-terminal helices are required for endoplasmic reticulum and lipid droplet association of alcohol acetyltransferases in <i>Saccharomyces cerevisiae</i> . <b>2014</b> , 9, e104141	20
449	Control of relative timing and stoichiometry by a master regulator. <b>2015</b> , 10, e0127339	3
448	SUB1 Plays a Negative Role during Starvation Induced Sporulation Program in <i>Saccharomyces cerevisiae</i> . <b>2015</b> , 10, e0132350	3
447	PP1-Dependent Formin Bnr1 Dephosphorylation and Delocalization from a Cell Division Site. <b>2016</b> , 11, e0146941	4



446	Stoichiometry and Change of the mRNA Closed-Loop Factors as Translating Ribosomes Transit from Initiation to Elongation. <b>2016</b> , 11, e0150616	8
445	Multiple-Localization and Hub Proteins. <b>2016</b> , 11, e0156455	20
444	Regulation of the Na <sup>+</sup> /K <sup>+</sup> -ATPase Ena1 Expression by Calcineurin/Crz1 under High pH Stress: A Quantitative Study. <b>2016</b> , 11, e0158424	13
443	An Unsupervised kNN Method to Systematically Detect Changes in Protein Localization in High-Throughput Microscopy Images. <b>2016</b> , 11, e0158712	10
442	Yeast as a Heterologous Model System to Uncover Type III Effector Function. <b>2016</b> , 12, e1005360	23
441	Fluorescent foci quantitation for high-throughput analysis. <b>2015</b> , 2,	7
440	Genetic screen of the yeast environmental stress response dynamics uncovers distinct regulatory phases. <b>2019</b> , 15, e8939	9
439	Systematic genetics and single-cell imaging reveal widespread morphological pleiotropy and cell-to-cell variability. <b>2020</b> , 16, e9243	14
438	Mapping the nucleolar proteome reveals a spatiotemporal organization related to intrinsic protein disorder. <b>2020</b> , 16, e9469	27
437	Systematic analysis of bypass suppression of essential genes. <b>2020</b> , 16, e9828	13
436	Asymmetric Transcription Factor Partitioning During Yeast Cell Division Requires the FACT Chromatin Remodeler and Cell Cycle Progression. <b>2020</b> , 216, 701-716	2
435	From the baker to the bedside: yeast models of Parkinson's disease. <b>2015</b> , 2, 262-279	44
434	Differentiated cytoplasmic granule formation in quiescent and non-quiescent cells upon chronological aging. <b>2016</b> , 3, 109-119	15
433	A simple microfluidic platform to study age-dependent protein abundance and localization changes in. <b>2017</b> , 4, 169-174	7
432	Exacerbating and reversing lysosomal storage diseases: from yeast to humans. <b>2017</b> , 4, 278-293	7
431	Fat storage-inducing transmembrane (FIT or FITM) proteins are related to lipid phosphatase/phosphotransferase enzymes. <b>2017</b> , 5, 88-103	34
430	The mitochondrial ribosomal protein of the large subunit, Afo1p, determines cellular longevity through mitochondrial back-signaling via TOR1. <b>2009</b> , 1, 622-36	76
429	Slm35 links mitochondrial stress response and longevity through TOR signaling pathway. <b>2016</b> , 8, 3255-3271	7

428	The roles of RRP15 in nucleolar formation, ribosome biogenesis and checkpoint control in human cells. <b>2017</b> , 8, 13240-13252	15
427	MITOCHONDRIAL PROTEIN PROFILE AND ITS ROLE IN PATHOLOGIC PROCESSES. <b>2013</b> , 12, 5-17	3
426	Prediction of interacting proteins from homology-modeled complex structures using sequence and structure scores. <b>2007</b> , 3, 13-26	6
425	Using Yeast to Define the Regulatory Role of Protein Lysine Methylation. <b>2020</b> , 21, 690-698	1
424	Isolation of <i>Saccharomyces cerevisiae</i> RNase T1 hypersensitive (rns) mutants and genetic analysis of the RNS1/DSL1 gene. <b>2005</b> , 51, 73-82	3
423	Unbiased yeast screens identify cellular pathways affected in Niemann-Pick disease type C. <b>2020</b> , 3,	2
422	Exploiting the Autozygome to Support Previously Published Mendelian Gene-Disease Associations: An Update. <b>2020</b> , 11, 580484	4
421	A plethora of virulence strategies hidden behind nuclear targeting of microbial effectors. <b>2011</b> , 2, 104	25
420	An Integrated Analysis of Lineage-specific Small Proteins Across Eight Eukaryotes Reveals Functional and Evolutionary Significance*. <b>2012</b> , 39, 359-367	1
419	YET1, YET2 and YET3 of <i>Saccharomyces cerevisiae</i> Encode BAP31 Homologs with Partially Overlapping Functions. <b>2006</b> , 6, 446-456	3
418	Ensemble of Neural Networks for Automated Cell Phenotype Image Classification. 234-259	1
417	Systematic Analysis of Yeast Proteome Reveals Peptide Detectability Factors for Mass Spectrometry. <b>2015</b> , 8, 231-239	2
416	Rad7 E3 Ubiquitin Ligase Attenuates Polyubiquitylation of Rpn10 and Dsk2 Following DNA Damage in. <b>2015</b> , 5,	1
415	Image Analysis in Microbiology: A Review. <b>2016</b> , 04, 8-32	17
414	Does copper stress lead to spindle misposition-dependent cell cycle arrest?. <b>2012</b> , 11, 3824-34	2
413	Yeast as a touchstone in post-genomic research: strategies for integrative analysis in functional genomics. <b>2004</b> , 37, 93-106	46
412	Solution structure of YKR049C, a putative redox protein from <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 38, 550-4	14
411	ER-associated mitochondrial division links the distribution of mitochondria and mitochondrial DNA in yeast. <b>2013</b> , 2, e00422	234

410	Aim24 and MICOS modulate respiratory function, tafazzin-related cardiolipin modification and mitochondrial architecture. <b>2014</b> , 3, e01684	54
409	Mechanisms of organelle biogenesis govern stochastic fluctuations in organelle abundance. <b>2014</b> , 3, e02678	37
408	Mother-daughter asymmetry of pH underlies aging and rejuvenation in yeast. <b>2014</b> , 3, e03504	87
407	Structural evidence for Scc4-dependent localization of cohesin loading. <b>2015</b> , 4, e06057	49
406	A pH-driven transition of the cytoplasm from a fluid- to a solid-like state promotes entry into dormancy. <b>2016</b> , 5,	227
405	Synthetic protein interactions reveal a functional map of the cell. <b>2016</b> , 5, e13053	13
404	Selective sorting and destruction of mitochondrial membrane proteins in aged yeast. <b>2016</b> , 5,	75
403	Constitutive turnover of histone H2A.Z at yeast promoters requires the preinitiation complex. <b>2016</b> , 5,	50
402	A conserved quality-control pathway that mediates degradation of unassembled ribosomal proteins. <b>2016</b> , 5,	103
401	Integrating images from multiple microscopy screens reveals diverse patterns of change in the subcellular localization of proteins. <b>2018</b> , 7,	14
400	Fitness effects of altering gene expression noise in. <b>2018</b> , 7,	26
399	Dissociation rate compensation mechanism for budding yeast pioneer transcription factors. <b>2019</b> , 8,	27
398	The structure of the Ctf19c/CCAN from budding yeast. <b>2019</b> , 8,	41
397	The role of structural pleiotropy and regulatory evolution in the retention of heteromers of paralogs. <b>2019</b> , 8,	15
396	Proteome-wide signatures of function in highly diverged intrinsically disordered regions. <b>2019</b> , 8,	53
395	Age-dependent deterioration of nuclear pore assembly in mitotic cells decreases transport dynamics. <b>2019</b> , 8,	35
394	The structure of the yeast Ctf3 complex. <b>2019</b> , 8,	12
393	RNA promotes phase separation of glycolysis enzymes into yeast G bodies in hypoxia. <b>2020</b> , 9,	30

392	DNA damage checkpoint activation impairs chromatin homeostasis and promotes mitotic catastrophe during aging. <b>2019</b> , 8,	16
391	The genetic basis of aneuploidy tolerance in wild yeast. <b>2020</b> , 9,	26
390	A new protocol for single-cell RNA-seq reveals stochastic gene expression during lag phase in budding yeast. <b>2020</b> , 9,	13
389	Complementary E3-ubiquitin ligase complexes control nutrient transporter endocytosis in response to amino acids. <b>2020</b> , 9,	8
388	Simultaneous quantification of mRNA and protein in single cells reveals post-transcriptional effects of genetic variation. <b>2020</b> , 9,	10
387	Crystal structure and functional analysis of human C1ORF123. <b>2018</b> , 6, e5377	3
386	Short homology-directed repair using optimized Cas9 in the pathogen <i>Cryptococcus neoformans</i> enables rapid gene deletion and tagging. <b>2021</b> ,	1
385	YeastMate: Neural network-assisted segmentation of mating and budding events in <i>S. cerevisiae</i> .	0
384	Compartmentalization and metabolic regulation of glycolysis. <b>2021</b> , 134,	2
383	Gds1 interacts with NuA4 to promote H4 acetylation at ribosomal protein genes. <b>2021</b> , MCB0037321	
382	The structural and functional workings of KEOPS. <b>2021</b> , 49, 10818-10834	4
381	Systematic analysis of membrane contact sites in <i>Saccharomyces cerevisiae</i> uncovers modulators of cellular lipid distribution.	1
380	The Rpd3-complex regulates expression of multiple cell surface recycling factors in yeast.	0
379	Proteomic analysis of dietary restriction in yeast reveals a role for Hsp26 in lifespan extension. <b>2021</b> ,	0
378	A preferred sequence for organelle inheritance during polarized cell growth. <b>2021</b> , 134,	2
377	The social architecture of an in-depth cellular protein interactome.	0
376	The Specificity of Topology of the Protein-Protein Interactions in Yeast and Its Biological Characteristics. <b>2005</b> , 53, 137-141	
375	Sulfiredoxin.	

374 A Multi-site Subcellular Localizer for Fungal Proteins. **2007**, 73-85

373 Web-based resources for clinical bioinformatics. **2008**, 141, 309-29

372 Stochastic Calculus Modelling of Multisite Phosphorylation Based Signaling: The PHO Pathway in *Saccharomyces Cerevisiae*. **2008**, 163-196

1

371 Lcmt2.

370 Encyclopedia of Complexity and Systems Science. **2009**, 3964-3985

369 Encyclopedia of Complexity and Systems Science. **2009**, 570-589

368 Reverse engineering a signaling network using alternative inputs. **2009**, 4, e7622

367 Rapamycin-Induced Abundance Changes in the Proteome of Budding Yeast. **2009**, 7, 203-207

366 Genomewide Profiling of Rapamycin Sensitivity in *Saccharomyces cerevisiae* on Synthetic Medium. **2010**, 8, 177-184

365 Genomic and Transcriptomic Analyses of Foodborne Bacterial Pathogens. **2011**, 311-341

364 Learning Cellular Sorting Pathways Using Protein Interactions and Sequence Motifs. **2011**, 204-221

363 Optimizing Filter Processes on Protein Interaction Clustering Results Using Genetic Algorithms. **2011**, 463-470

362 Fungal Genetics: A Post-Genomic Perspective. 95-123

1

361 Ensemble of Neural Networks for Automated Cell Phenotype Image Classification. **2012**, 793-816

360 Genome Mapping and Genomics in *Drosophila*. **2012**, 31-86

1

359 Using a Genetic Algorithm and Markov Clustering on Protein-Protein Interaction Graphs. **2012**, 1, 35-47

358 Molecular cloning and characterization of an ECTO-NOX3 (ENOX3) of *Saccharomyces cerevisiae*. **2013**, 03, 505-511

1

357 [Advances in the study of the nucleolus]. **2012**, 33, 549-56

1

356 3-2 Imaging Analysis of *Saccharomyces cerevisiae*. **2013**, 67, 765-770

355 Analysis of Chaperone Network Throughput. **2014**, 3-23

354 The Biogenesis of the Eukaryotic Proteasome. **2014**, 331-366

353 The Structures and Functions of Intracellular Phospholipase A1 Family Proteins. **2014**, 87-99

352 Multisite Phosphorylation of the Guanine Nucleotide Exchange Factor Cdc24 during Yeast Cell Polarization. **2014**, 79-106

351 Heterologous Gln/Asn-Rich Proteins Impede the Propagation of Yeast Prions by Altering Chaperone Availability. **2014**, 165-206

350 Genetic and Proteomic Analysis of Fungal Virulence. 643-655

349 Genomic Perspectives on the Fungal Kingdom. 657-666

348 Cool Tools 5: The *Candida albicans* ORFeome Project. 505-510

347 Encyclopedia of Complexity and Systems Science. **2015**, 1-25

346 Dominant Epistasis Between Two Quantitative Trait Loci Governing Sporulation Efficiency in Yeast. **2015**, 53, 367-378

345 *Neurospora*: A Gateway to Biology. **2016**, 207-226

344 Structure of the Dimeric N-Glycosylated Form of Fungal N-Acetylhexosaminidase Revealed by Computer Modeling, Vibrational Spectroscopy, and Biochemical Studies. **2016**, 184-210

343 A scalable strategy for high-throughput GFP tagging of endogenous human proteins.

342 An autonomous meiosis-specific region of yeast Nup2 (hNup50) promotes normal meiotic chromosome dynamics in *Saccharomyces cerevisiae*.

341 The FACT complex and cell cycle progression are essential to maintain asymmetric transcription factor partitioning during cell division.

340 Cell-to-cell variability in the yeast pheromone response: Cytoplasmic microtubule function stabilizes signal generation and promotes accurate fate choice. 1

339 Cell-to-cell variability in the yeast pheromone response: high throughput screen identifies genes with different effects on transmitted signal and response. 1

- 338 Predicting Essential Proteins Using a New Method. **2017**, 301-308
- 337 Systems Metabolic Engineering of *Saccharomyces cerevisiae* for Production of Biochemicals from Biomass. **2017**, 31-65
- 336 Clustering PPI Networks. **2017**, 23-58
- 335 Large-scale rewiring in a yeast hybrid.
- 334 Functional Annotation of Chemical Libraries across Diverse Biological Processes. 1
- 333 Morphologically Constrained and Data Informed Cell Segmentation of Budding Yeast. 1
- 332 Genotoxin-induced transcriptional repression regulates selective protein aggregation.
- 331 Systematic gene tagging using CRISPR/Cas9 in human stem cells to illuminate cell organization. 1
- 330 Architecture and dynamics of overlapped RNA regulatory networks.
- 329 Network inference reveals novel connections in pathways regulating growth and defense in the yeast salt response. 1
- 328 Organisation of the transcriptional regulation of genes involved in protein transactions in yeast.
- 327 Decoding the chromatin proteome of a single genomic locus by DNA sequencing.
- 326 High-throughput microcolony growth analysis from suboptimal low-magnification micrographs. 1
- 325 Maturation of tRNAs and their dynamics between the nucleus and the cytoplasm . **2018**, 30, 37-58
- 324 Estimating numbers of fluorescent molecules in single cells by analysing fluctuations in photobleaching. 0
- 323 Lateral plasma membrane compartmentalization links protein function and turnover.
- 322 Exocyst subcomplex functions in autophagosome biogenesis by regulating Atg9 trafficking.
- 321 Fitness effects of altering gene expression noise in *Saccharomyces cerevisiae*. 0

- 320 A cell separation checkpoint that enforces the proper order of late cytokinetic events. 0
- 319 Heavy metal sensitivities of gene deletion strains for ITT1 and RPS1A connect their activities to the expression of URE2, a key gene involved in metal detoxification in yeast. 0
- 318 Yeast replicative aging leads to permanent cell cycle arrest in G1 effectuated by the start repressor Whi5. 1
- 317 Reversible solidification of fission yeast cytoplasm after prolonged nutrient starvation.
- 316 Screening Mycobacterium tuberculosis secreted proteins identifies Mpt64 as eukaryotic membrane-binding virulence factor. 1
- 315 Minor isozymes tailor yeast metabolism to carbon availability.
- 314 Heat Shock Factor 1 Drives Intergenic Association of Its Target Gene Loci Upon Heat Shock. 1
- 313 The N-end Rule Pathway and Ubr1 enforce protein compartmentalization via N-terminally-encoded cellular location signals.
- 312 Nutritional and Meiotic Induction of Heritable Stress Resistant States in Budding Yeast.
- 311 Investigation of putative regulatory acetylation sites in Fas2p of Saccharomyces cerevisiae. 0
- 310 Cex1 is a new component of the COPI Golgi-to-vacuole intracellular trafficking machinery.
- 309 Asi1 regulates the distribution of proteins at the inner nuclear membrane in Saccharomyces cerevisiae.
- 308 A fully-automated, robust, and versatile algorithm for long-term budding yeast segmentation and tracking.
- 307 Dynamics of age-related catastrophic mitotic failures and recovery in yeast. 1
- 306 Pooled clone collections by multiplexed CRISPR-Cas12a-assisted gene tagging in yeast.
- 305 Nutritional and meiotic induction of transiently heritable stress resistant states in budding yeast. **2018, 5, 511-521** 2
- 304 Widespread Prion-Based Control of Growth and Differentiation Strategies in Saccharomyces Cerevisiae. 0
- 303 Multiplexed electron microscopy by fluorescent barcoding allows screening for ultrastructural phenotype.



- 302 A Protocol to Map the Spatial Proteome Using HyperLOPIT in. **2019**, 9, e3303 1
- 301 Comparative analysis of Synthetic Physical Interactions with the yeast centrosome.
- 300 Clueless forms dynamic, insulin-responsive bliss particles sensitive to stress.
- 299 A genetically-encoded toolkit of functionalized nanobodies against fluorescent proteins for visualizing and manipulating intracellular signalling. 0
- 298 Tsr4 is a cytoplasmic chaperone for the ribosomal protein Rps2 in *Saccharomyces cerevisiae*.
- 297 Analysis of novel hyperosmotic shock response suggests Beads in liquid cytosol structure.
- 296 Unintended inhibition of protein function using GFP nanobodies in human cells.
- 295 Proteome-wide signatures of function in highly diverged intrinsically disordered regions. 0
- 294 Genetic dissection of the redundant and divergent functions of histone chaperone paralogs in yeast.
- 293 The role of structural pleiotropy and regulatory evolution in the retention of heteromers of paralogs. 0
- 292 Cell cycle inhibitor Whi5 records environmental information to coordinate growth and division in yeast.
- 291 De novo emergence of adaptive membrane proteins from thymine-rich intergenic sequences. 1
- 290 A high-precision hybrid algorithm for predicting eukaryotic protein subcellular localization. 2
- 289 The structure of the yeast Ctf3 complex.
- 288 Resolving noise-control conflict by gene duplication. 0
- 287 COSPLAY: An expandable toolbox for combinatorial and swift generation of expression plasmids in yeast.
- 286 Exploring the Complexity of Protein-Level Dosage Compensation that Fine-Tunes Stoichiometry of Multiprotein Complexes.
- 285 Proteins required for vacuolar function are targets of lysine polyphosphorylation in yeast. 0

- 284 Exploring endocytic compartment morphology with systematic genetics and single cell image analysis.
- 283 DNA variants affecting the expression of numerous genes intrinsically have diverse mechanisms of action and evolutionary histories.
- 282 Proteins That Interact with the Mucin-Type Glycoprotein Msb2p Include Regulators of the Actin Cytoskeleton.
- 281 Spectrum of protein localization in proteomes captures evolutionary relation between species.
- 280 Mitochondrial localization of *Dictyostelium discoideum* dUTPase mediated by its N-terminus.
- 279 Fluorescent polysome profiling reveals stress-mediated regulation of HSPA14-ribosome interactions. 1
- 278 Low costs of adaptation to dietary restriction.
- 277 Unifying the mechanism of mitotic exit control in a spatio-temporal logical model. 0
- 276 Protein context shapes the specificity of domain-peptide interactions in vivo.
- 275 Autoregulation of Many Yeast Ribosomal Proteins Discovered by Efficient Search for Feedback Regulation.
- 274 The structural basis for kinetochore stabilization by Cnn1/CENP-T. 1
- 273 Mass-spectrometry-based near-complete draft of the *Saccharomyces cerevisiae* proteome.
- 272 Potassium starvation induces autophagy in yeast.
- 271 Simultaneous quantification of mRNA and protein in single cells reveals post-transcriptional effects of genetic variation. 1
- 270 High-Throughput Automated Subcellular Localisation. 1, 103-112
- 269 Oxidized RNA Bodies compartmentalize translation quality control in *Saccharomyces cerevisiae*.
- 268 Oxidative Stress Responses and Nutrient Starvation in MCHM Treated *Saccharomyces cerevisiae*.
- 267 Genome-Wide Imaging-Based Phenomic Screening Using Yeast (*Saccharomyces cerevisiae*) Strain Collections. 2021, 2196, 85-95

266 DIA-based systems biology approach unveils novel E3-dependent responses to a metabolic shift.

265 The Flo Adhesin Family. **2021**, 10,

2

264 Is mRNA decapping activity of ApaH like phosphatases (ALPH $\beta$ ) the reason for the loss of cytoplasmic ALPH $\beta$  in all eukaryotes but Kinetoplastida?.

263 Drs2 regulates TRAPP $\text{III}$  in Atg9 transport: exposing the interplay of P4-ATPases and Multisubunit Tethering Complexes.

262 RNA polymerase II assembly and mRNA decay regulation are mediated and interconnected via CTD Ser5P phosphatase Rtr1 in *Saccharomyces cerevisiae*.

261 Metric Labeling and Semimetric Embedding for Protein Annotation Prediction. **2021**, 28, 514-525

260 Localization, proteomics, and metabolite profiling reveal a putative vesicular transporter for UDP-glucose.

259 Physical, genetic and functional interactions between the eisosome protein Pil1 and the MBOAT O-acyltransferase Gup1. **2021**, 21,

258 Loss of vacuolar acidity results in iron sulfur cluster defects and divergent homeostatic responses during aging in *Saccharomyces cerevisiae*.

257 A genome-wide screen for genes affecting spontaneous direct-repeat recombination in *Saccharomyces cerevisiae*.

256 Determining the interaction status and evolutionary fate of duplicated homomeric proteins.

255 Complementary Arrestin - Rsp5 ubiquitin ligase complexes control selective nutrient transporter endocytosis in response to amino acid availability.

254 Transcriptional and chromatin-based partitioning mechanisms uncouple protein scaling from cell size. **2021**, 81, 4861-4875.e7

6

253 *Paracoccidioides* HSP90 can be found in the cell surface and is a target for antibodies with therapeutic potential.

252 tRNA-modifying enzyme mutations induce codon-specific mistranslation and protein aggregation in yeast.

251 Expression attenuation as a mechanism of robustness to gene duplication in protein complexes.

250 Exceptional stability of a perilipin on lipid droplets depends on its polar residues, suggesting multimeric assembly.

249 A prion accelerates proliferation at the expense of lifespan.

- 248 Using a Genetic Algorithm and Markov Clustering on Protein-Protein Interaction Graphs. 805-816
- 247 Yeast Proteasome Structure and Biogenesis. **2006**, 1-16
- 246 Reliable and Specific Protein Function Prediction by Combining Homology with Genomic(s) Context. **2006**, 13-29
- 245 DBRF-MEGN Method: An Algorithm for Inferring Gene Regulatory Networks from Large-Scale Gene Expression Profiles. **2007**, 435-448
- 244 Representing and Analyzing Biochemical Networks Using BioMaze. **2007**, 484-507
- 243 Inferring Protein-Protein Interactions by Combinatorial Models. **2007**, 183-186 2
- 242 Interpretation of Protein Subcellular Location Patterns in 3D Images Across Cell Types and Resolutions. **2007**, 328-342 1
- 241 Multi-parametric characterization of drug effects on cells. **2020**, 9, 1199 2
- 240 Topoisomerase II deficiency leads to a postreplicative structural shift in all *Saccharomyces cerevisiae* chromosomes.
- 239 Competition for MCM Loading at Origins Establishes Replication Timing Patterns.
- 238 Antagonistic fungal enterotoxins intersect at multiple levels with host innate immune defences.
- 237 Diverse natural variants suppress mutations in hundreds of essential genes.
- 236 Unifying the mechanism of mitotic exit control in a spatiotemporal logical model. **2020**, 18, e3000917 1
- 235 Systems level modeling of the cell cycle using budding yeast. **2007**, 3, 357-70 3
- 234 Protein multifunctionality: principles and mechanisms. **2008**, 3, 99-136 4
- 233 Yeast Still a Beast: Diverse Applications of CRISPR/Cas Editing Technology in. **2017**, 90, 643-651 8
- 232 Glucose concentration does not affect degradation of a protein that aberrantly engages the endoplasmic reticulum translocon. **2020**, 2020,
- 231 YML018C protein localizes to the vacuolar membrane independently of Atg27p. **2021**, 2021,

230	VID22 counteracts G-quadruplex-induced genome instability. <b>2021,</b>	0
229	Multiple epistatic DNA variants in a single gene affect gene expression in trans. <b>2021,</b>	1
228	Localization and Functional Roles of Components of the Translation Apparatus in the Eukaryotic Cell Nucleus. <b>2021,</b> 10,	3
227	The Rpd3-Complex Regulates Expression of Multiple Cell Surface Recycling Factors in Yeast. <b>2021,</b> 22,	3
226	Deepening into Intracellular Signaling Landscape through Integrative Spatial Proteomics and Transcriptomics in a Lymphoma Model.. <b>2021,</b> 11,	2
225	The PI3 kinase complex II-PI3P-Vps27 axis on vacuolar membranes is critical for microautophagy induction and nutrient stress adaptation. <b>2021,</b> 434, 167360	0
224	The VINE complex is a VPS9-domain GEF-containing SNX-BAR coat involved in endosomal sorting.	
223	Multilayered regulation of autophagy by the Atg1 kinase orchestrates spatial and temporal control of autophagosome formation. <b>2021,</b>	3
222	Protein pi and Intracellular Localization.. <b>2021,</b> 8, 775736	5
221	Tom70-based transcriptional regulation of mitochondrial biogenesis and aging.	
220	A functionally divergent transcription elongation factor 1-like protein in <i>Toxoplasma gondii</i> . <b>2021,</b> 596, 112	0
219	Forced association of SARS-CoV-2 proteins with the yeast proteome perturb vesicle trafficking.. <b>2021,</b> 8, 280-296	1
218	Polarization modulation with optical lock-in detection reveals universal fluorescence anisotropy of subcellular structures in live cells.. <b>2022,</b> 11, 4	0
217	Proteomic Dissection of a Giant Cell.	0
216	Ribosome-membrane crosstalk: Co-translational targeting pathways of proteins across membranes in prokaryotes and eukaryotes.. <b>2022,</b> 128, 163-198	
215	Epi-Decoder: Decoding the Local Proteome of a Genomic Locus by Massive Parallel Chromatin Immunoprecipitation Combined with DNA-Barcode Sequencing.. <b>2022,</b> 2458, 123-150	0
214	Synthesis and Evaluation of a Library of Alternating Amphipathic Copolymers to Solubilize and Study Membrane Proteins.. <b>2022,</b>	2
213	High-Throughput Analysis of Protein Turnover with Tandem Fluorescent Protein Timers.. <b>2022,</b> 2378, 85-100	1

212	Nascent peptide-induced translation discontinuation in eukaryotes impacts biased amino acid usage in proteomes.		
211	Condensate Formation by Metabolic Enzymes in .. <b>2022</b> , 10,		0
210	Transcriptome analysis of <i>Leucojum aestivum</i> and identification of genes involved in norbelladine biosynthesis.. <b>2022</b> , 255, 30		0
209	Vps68 cooperates with ESCRT-III in intraluminal vesicle formation.		0
208	Mutant libraries reveal negative design shielding proteins from supramolecular self-assembly and relocalization in cells.. <b>2022</b> , 119,		1
207	Ageing exacerbates ribosome pausing to disrupt cotranslational proteostasis.. <i>Nature</i> , <b>2022</b> ,	50.4	6
206	Interaction of TOR and PKA Signaling in .. <b>2022</b> , 12,		2
205	Pseudouridine synthases modify human pre-mRNA co-transcriptionally and affect pre-mRNA processing.. <b>2022</b> ,		5
204	Impact of Metabolic Regulation in Understanding the Status of Human Health and Diseases: A Review. <b>2022</b> , 12, 19-31		
203	TORC1 inactivation promotes APC/C-dependent mitotic slippage in yeast and human cells.. <b>2022</b> , 25, 103675		1
202	SUBCELLULAR TRANSCRIPTOMICS & PROTEOMICS: A COMPARATIVE METHODS REVIEW.. <b>2021</b> , 100186		2
201	Parameterising Translational Feedback Models of Autoregulatory RNA-Binding Proteins in .. <b>2022</b> , 10,		1
200	SWI/SNF senses carbon starvation with a pH-sensitive low complexity sequence.. <b>2022</b> , 11,		2
199	Yeast Dxo1 is required for 25S rRNA maturation and acts as a transcriptome-wide distributive exonuclease.. <b>2022</b> ,		1
198	Vom Bierbrauen zur Forschung im 21. Jahrhundert. <b>2022</b> , 28, 11-13		
197	ScreenGarden: a shinyR application for fast and easy analysis of plate-based high-throughput screens.. <b>2022</b> , 23, 60		0
196	Cataloguing the proteome: Current developments in single-molecule protein sequencing. <b>2022</b> , 3, 011304		0
195	Lack of evidence for condensin or cohesin sequestration on lipid droplets with packing defects. <b>2021</b> , 2021,		0

194	Subcellular Proteomics as a Unified Approach of Experimental Localizations and Computed Prediction Data for Arabidopsis and Crop Plants.. <b>2021</b> , 1346, 67-89	0
193	SwissBioPics-an interactive library of cell images for the visualization of subcellular location data.. <b>2022</b> , 2022,	0
192	Expanding interactome analyses beyond model eukaryotes.. <b>2022</b> ,	0
191	A single 2E0-methylation of ribosomal RNA gates assembly of a functional ribosome.	1
190	The Association of Rpb4 with RNA Polymerase II Depends on CTD Ser5P Phosphatase Rtr1 and Influences mRNA Decay in .. <b>2022</b> , 23,	1
189	Cloning, Transformation and Localization of Thermotolerance ZmHSP22 Gene in Maize. <b>2022</b> , 21, 264-271	
188	YeastMate: Neural network-assisted segmentation of mating and budding events in <i>S. cerevisiae</i> .. <b>2022</b> ,	0
187	Bur1 functions with TORC1 for vacuole-mediated cell cycle progression.. <b>2022</b> , e53477	1
186	Xrn1 is a deNADding enzyme modulating mitochondrial NAD-capped RNA.. <b>2022</b> , 13, 889	1
185	Nanoprogrammed Cross-Kingdom Communication Between Living Microorganisms.. <b>2022</b> ,	0
184	Inorganic sulfur fixation via a new homocysteine synthase allows yeast cells to cooperatively compensate for methionine auxotrophy.	0
183	2-deoxyglucose inhibits yeast AMPK signaling and triggers glucose transporter endocytosis, potentiating the drug toxicity.	
182	Chaperone Requirements for De Novo Folding of <i>Saccharomyces cerevisiae</i> Septins.	
181	Tom70-based transcriptional regulation of mitochondrial biogenesis and aging.. <b>2022</b> , 11,	4
180	The Function, Structure, and Origins of the ER Membrane Protein Complex.. <b>2022</b> ,	2
179	OpenCell: Endogenous tagging for the cartography of human cellular organization.. <b>2022</b> , 375, eabi6983	9
178	Proximity-Dependent Biotinylation Approaches to Explore the Dynamic Compartmentalized Proteome.. <b>2022</b> , 9, 852911	1
177	Phenomics approaches to understand genetic networks and gene function in yeast.. <b>2022</b> ,	0

176	Artificial Hsp100-mediated systems for re-localizing protein aggregates.	
175	Genome-wide base editor screen identifies regulators of protein abundance in yeast.	
174	Intrinsically disordered signaling proteins: Essential hub players in the control of stress responses in <i>Saccharomyces cerevisiae</i> .. <b>2022</b> , 17, e0265422	0
173	Protein methylation in mitochondria.. <b>2022</b> , 101791	1
172	Microfluidic-Enabled Multi-Cell-Densities-Patterning and Culture Device for Characterization of Yeast Strains Growth Rates under Mating Pheromone. <b>2022</b> , 10, 141	0
171	Phosphorylation-mediated regulation of the Nem1-Spo7/Pah1 phosphatase cascade in yeast lipid synthesis.. <b>2022</b> , 84, 100889	0
170	Cytosolic Quality Control of Mitochondrial Protein Precursors-The Early Stages of the Organelle Biogenesis.. <b>2021</b> , 23,	2
169	Identification of uncharacterized proteins potentially localized to mitochondria (UPMs) in <i>Saccharomyces cerevisiae</i> using a fluorescent protein unstable in the cytoplasm.. <b>2021</b> ,	0
168	Endocytic proteins with prion-like domains form viscoelastic condensates that enable membrane remodeling. <b>2021</b> , 118,	6
167	Barcoded reciprocal hemizyosity analysis via sequencing illuminates the complex genetic basis of yeast thermotolerance. <b>2021</b> ,	0
166	The Effect of Dia2 Protein Deficiency on the Cell Cycle, Cell Size, and Recruitment of Ctf4 Protein in .. <b>2021</b> , 27,	0
165	The MyLo CRISPR-Cas9 Toolkit: A Markerless Yeast Localization and Overexpression CRISPR-Cas9 Toolkit.	0
164	Retromer Complex and PI3K Complex II-Related Genes Mediate the Yeast () Sodium Metabisulfite Resistance Response.. <b>2021</b> , 10,	
163	Differential Requirement for the Cell Wall Integrity Sensor Wsc1p in Diploids Versus Haploids.. <b>2021</b> , 7,	1
162	An Improved Memetic Algorithm for Detecting Protein Complexes in Protein Interaction Networks.. <b>2021</b> , 12, 794354	1
161	Membrane compartmentalisation of the ubiquitin system.. <b>2021</b> ,	1
160	Hormonal Regulatory Patterns of LaKNOXs and LaBEL1 Transcription Factors Reveal Their Potential Role in Stem Bulblet Formation in LA Hybrid Lily.. <b>2021</b> , 22,	1
159	Research on the Computational Prediction of Essential Genes.. <b>2021</b> , 9, 803608	0



- 158 Nucleolar targeting in an early-branching eukaryote suggests a general physicochemical mechanism for ribosome protein sorting.
- 157 Amino Acid Sensing and Assimilation by the Fungal Pathogen in the Human Host.. **2021**, 11, 1
- 156 In Silico Methods for Secretory Production of a Fungal Hydrophobin (HYPAl) in Yeast to Serve as a Promising Target for Drug Delivery. **2022**, 28, 1 0
- 155 Determining protein polarization proteome-wide using physical dissection of individual *Stentor coeruleus* cells.. **2022**, 1
- 154 Snf7 spirals sense and alter membrane curvature.. **2022**, 13, 2174 0
- 153 Vps68 cooperates with ESCRT-III in intraluminal vesicle formation.. **2022**,
- 152 Genome-Wide Identification of Cellular Pathways and Key Genes That Respond to Sodium Bicarbonate Stress in .. **2022**, 13, 831973
- 151 Plant lipid phosphate phosphatases: current advances and future outlooks.. **2022**, 1-9 1
- 150 Intron-mediated induction of phenotypic heterogeneity.. *Nature*, **2022**, 50.4 0
- 149 Image\_1.tif. **2020**,
- 148 Image\_2.tif. **2020**,
- 147 Table\_1.xlsx. **2020**,
- 146 Table\_2.xlsx. **2020**,
- 145 Table\_3.xlsx. **2020**,
- 144 Table\_4.xlsx. **2020**,
- 143 Table\_1.pdf. **2018**,
- 142 Table\_2.XLSX. **2018**,
- 141 Table\_3.XLSX. **2018**,

140 Table\_4.XLSX. 2018,

139 Table\_5.XLSX. 2018,

138 Image\_1.pdf. 2019,

137 Image\_2.pdf. 2019,

136 Image\_3.pdf. 2019,

135 Table\_1.XLSX. 2019,

134 Data\_Sheet\_1.pdf. 2020,

133 Video\_1.MP4. 2020,

132 Video\_2.MP4. 2020,

131 Data\_Sheet\_1.PDF. 2018,

130 Data\_Sheet\_2.docx. 2018,

129 Meiotic cDNA Libraries Reveal Gene Truncations and Mitochondrial Proteins Important for Competitive Fitness in *Saccharomyces cerevisiae*.. 2022,

128 Microscopy analysis of the smallest subunit of the RPA complex, Rfa3p, prompts consideration of how RPA subunits gather at single-stranded DNA sites. 2021, 2021, 0

127 Protein Fluorescent Labeling in Live Yeast Cells Using scFv-Based Probes.

126 From Beginning to End: Expanding the SERINC3 Interactome Through an Analysis.. 2022, 16, 11779322221092944

125 Arrestins and Their Functions: From Yeast to Human Health.. 2022, 23, 2

124 Identification of novel arsenic resistance genes in yeast. 2022, 11,

123 Translational approach to increase phosphate accumulation in two plant species through perturbation of inositol pyrophosphates.

- 122 Srg1, a putative protein phosphatase from the HAD-family, is involved in stress adaptation in *Candida albicans*.. **2022**, 130164
- 121 Screening the *Toxoplasma* kinome with high-throughput tagging identifies a regulator of invasion and egress.. **2022**, ○
- 120 Mitotically heritable, RNA polymerase II-independent H3K4 dimethylation stimulates transcriptional memory.. **2022**, 11, ○
- 119 Nuclear ingresson of cytoplasmic bodies accompanies a boost in autophagy.. **2022**, 5, 1
- 118 ER translocation of suboptimal targeting sequences depends on Sec61/Sbh1 and its phosphorylation. 1
- 117 A label-free method to track individuals and lineages of budding cells. ○
- 116 A Chloroplast Protein Atlas Reveals Novel Structures and Spatial Organization of Biosynthetic Pathways. ○
- 115 The MyLo CRISPR-Cas9 Toolkit: A Markerless Yeast Localization and Overexpression CRISPR-Cas9 Toolkit. ○
- 114 Phenotypic Heterogeneity in the DNA Replication Stress Response Revealed by Quantitative Protein Dynamics Measurements. ○
- 113 Bacterial signal C10-HSL stimulates spore germination of *Galactomyces geotrichum* by transboundary interaction. **2022**,
- 112 Rapid, scalable, combinatorial genome engineering by Marker-less Enrichment and Recombination of Genetically Engineered loci (MERGE).
- 111 Characterization of Cell-to-Cell Variation in Nuclear Transport Rates and Identification of Its Sources. ○
- 110 Lsm7 phase-separated condensates trigger stress granule formation. **2022**, 13, ○
- 109 Use of a ubiquitous gene-editing tool in budding yeast causes off-target repression of neighboring gene protein synthesis.
- 108 Genome-wide subcellular protein localisation in the flagellate parasite *Trypanosoma brucei*. ○
- 107 Third-Generation Covalent TMP-Tag for Fast Labeling and Multiplexed Imaging of Cellular Proteins.
- 106 Third-Generation Covalent TMP-Tag for Fast Labeling and Multiplexed Imaging of Cellular Proteins. 1
- 105 Transboundary intercellular communications between *Penicillium* and bacterial communities during sludge bulking: Inspirations on quenching fungal dominance. **2022**, 221, 118829 ○

104 Genomewide identification of subtelomeric silencing factors in budding yeast.

103 A distinct P-body-like granule is induced in response to the disruption of microtubule integrity in *Saccharomyces cerevisiae*.

102 Implications of the Actin Cytoskeleton on the Multi-Step Process of [PSI<sup>+</sup>] Prion Formation. **2022**, 14, 1581

101 Characterization of norbelladine synthase and noroxomaritidine/norcroagsodine reductase reveals a novel catalytic route for the biosynthesis of Amaryllidaceae alkaloids including the Alzheimer's drug galanthamine.

100 CRI-SPA  $\beta$  mating based CRISPR-Cas9 assisted method for high-throughput genetic modification of yeast strain libraries.

99 Self-supervised deep learning encodes high-resolution features of protein subcellular localization. **2022**, 19, 995-1003

98 Rbp95 binds to 25S rRNA helix H95 and cooperates with the Npa1 complex during early pre-60S particle maturation.

97 A reciprocal translocation involving *Aspergillus nidulans* *snxAHrb1/Gbp2* and *gyfA* uncovers a new regulator of the G2-M transition and reveals a role in transcriptional repression for the *setBSet2* histone H3-lysine-36 methyltransferase.

96 Advances in metabolic engineering of yeasts for the production of fatty acid-derived hydrocarbon fuels. **2022**,

95 Overexpression profiling reveals cellular requirements in context of genetic backgrounds and environments.

94 Profiling of the Candidate Interacting Proteins of SELF-PRUNING 6A (SP6A) in *Solanum tuberosum*. **2022**, 23, 9126

93 The VINE complex is an endosomal VPS9-domain GEF and SNX-BAR coat. 11,

92 Effects of HSP70 chaperones Ssa1 and Ssa2 on Ste5 scaffold and the mating mitogen-activated protein kinase (MAPK) Pathway in *Saccharomyces cerevisiae*.

91 2-deoxyglucose transiently inhibits yeast AMPK signaling and triggers glucose transporter endocytosis, potentiating the drug toxicity. **2022**, 18, e1010169

90 Quantitative Characterisation of Low Abundant Yeast Mitochondrial Proteins Reveals Compensation for Haplo-Insufficiency in Different Environments. **2022**, 23, 8532

89 Phosphorylation of RGS regulates MAP kinase localization and promotes completion of cytokinesis. **2022**, 5, e202101245

88 Chaperone Requirements for De Novo Folding of *Saccharomyces cerevisiae* Septins.

87 How gene duplication diversifies the landscape of protein oligomeric state and function. **2022**, 76, 101966

86	Non-lysine ubiquitylation: Doing things differently. 9,	3
85	Nuclear basket protein ZC3HC1 and its yeast homolog Pml39p feature an evolutionary conserved bimodular construction essential for initial binding to NPC-anchored homologs of scaffold protein TPR.	0
84	Mitochondrial Spermidine Synthase is Essential for Blood-stage growth of the Malaria Parasite. <b>2022</b> , 265, 127181	0
83	A multi-scale multi-model deep neural network via ensemble strategy on high-throughput microscopy image for protein subcellular localization. <b>2023</b> , 212, 118744	0
82	Theoretical and Experimental Assay of Shock Experienced by Yeast Cells during Laser Bioprinting. <b>2022</b> , 23, 9823	0
81	Ribosome-Directed Therapies in Cancer. <b>2022</b> , 10, 2088	0
80	Biocomputational characterisation of MBO_200107 protein of Mycobacterium tuberculosis variant caprae: a molecular docking and simulation study. 1-20	0
79	Peroxisome biogenesis initiated by protein phase separation.	1
78	Bioinformatics and Functional Analysis of a New Nuclear Localization Sequence of the Influenza A Virus Nucleoprotein. <b>2022</b> , 11, 2957	0
77	Three tRNA nuclear exporters in <i>S. cerevisiae</i> : parallel pathways, preferences, and precision. <b>2022</b> , 50, 10140-10152	0
76	Using reporters of different misfolded proteins reveals differential strategies in processing protein aggregates. <b>2022</b> , 102476	0
75	Endogenous GFP tagging in the diatom <i>Thalassiosira pseudonana</i> .	0
74	Nucleolar targeting in an early-branching eukaryote suggests a general mechanism for ribosome protein sorting. <b>2022</b> , 135,	0
73	Rtr1 is required for Rpb1-Rpb2 assembly of RNAPII and prevents their cytoplasmic clump formation. <b>2022</b> , 36,	0
72	Prognostic value of Talin-1 in renal cell carcinoma and its association with B7-H3. <b>2022</b> , 1-24	0
71	Remodeling of yeast vacuole membrane lipidomes from the log (1-phase) to stationary stage (2-phases).	0
70	Nuclear mRNA metabolism drives selective basket assembly on a subset of nuclear pore complexes in budding yeast. <b>2022</b> , 82, 3856-3871.e6	2
69	Efficient and rapid fluorescent protein knock-in with universal donors in mammalian stem cells.	0

- 68 *Saccharomyces cerevisiae* as a Model System for Eukaryotic Cell Biology, from Cell Cycle Control to DNA Damage Response. **2022**, 23, 11665 1
- 67 Development of a yeast whole-cell biocatalyst for MHET conversion into terephthalic acid and ethylene glycol. 0
- 66 A two-tiered system for selective receptor and transporter protein degradation. **2022**, 18, e1010446 0
- 65 GwAAP: A genome-wide amino acid coding-decoding quantitative proteomics system. **2022**, 105471 0
- 64 Genome-wide base editor screen identifies regulators of protein abundance in yeast. 11, 1
- 63 An RNA granule for translation quality control in *Saccharomyces cerevisiae*. 0
- 62 Co-occurrence of essential gene dispensability and bypass suppressor mutations across species. 0
- 61 Application of Machine Learning in Spatial Proteomics. 0
- 60 Identification of Deubiquitinase Substrates in *Saccharomyces cerevisiae* by Systematic Overexpression. **2023**, 237-253 0
- 59 Systematic analysis of membrane contact sites in *Saccharomyces cerevisiae* uncovers modulators of cellular lipid distribution. 11, 1
- 58 Quantitative RNA imaging in single live cells reveals age-dependent asymmetric inheritance. **2022**, 41, 111656 0
- 57 Aim18p and Aim46p are CHI-domain-containing mitochondrial hemoproteins in *Saccharomyces cerevisiae*. 0
- 56 Engineering stringent genetic biocontainment of yeast with a protein stability switch. 0
- 55 Fatty acid uptake in *Trypanosoma brucei*: Host resources and possible mechanisms. 12, 0
- 54 Multiple genes evolved for fungal septal pore plugging identified via large-scale localization and functional screenings. 0
- 53 Yap1-mediated Flr1 expression reveals crosstalk between oxidative stress signaling and caffeine resistance in *Saccharomyces cerevisiae*. 13, 0
- 52 Development of AlissAID system targeting GFP or mCherry fusion protein. 0
- 51 N-Myristoyltransferase, a Potential Antifungal Candidate Drug-Target for *Aspergillus flavus*. 0

- 50 An ESCRT-dependent pathway coordinates Nuclear and Cytoplasmic Spatial Protein Quality Control at Nuclear Vacuolar Junctions. ○
- 49 Inorganic sulfur fixation via a new homocysteine synthase allows yeast cells to cooperatively compensate for methionine auxotrophy. **2022**, 20, e3001912 ○
- 48 Global analysis of the yeast knock-out phenome. ○
- 47 Proteomic discovery of chemical probes that perturb protein complexes in human cells. 1
- 46 A single 2'-O-methylation of ribosomal RNA gates assembly of a functional ribosome. 1
- 45 Protein fluorescent labeling in live yeast cells using scFv-based probes. **2022**, 2, 100357 ○
- 44 Nascent peptide-induced translation discontinuation in eukaryotes impacts biased amino acid usage in proteomes. **2022**, 13, ○
- 43 Labeling of Phospho-Specific Antibodies with oYo-Link<sup>®</sup> Epitope Tags for Multiplex Immunostaining. **2023**, 113-126 ○
- 42 Bidirectional promoter activity from expression cassettes can drive off-target repression of neighboring gene translation. 11, ○
- 41 The regulatory mechanism of the yeast osmoresponse under different glucose concentrations. **2022**, 105809 ○
- 40 Cryo-EM structure of the fully assembled Elongator complex. ○
- 39 Characterization of cell-to-cell variation in nuclear transport rates and identification of its sources. **2023**, 26, 105906 ○
- 38 PHM6 and PHM7 genes are essential for phosphate surplus in the cells of *Saccharomyces cerevisiae*. **2023**, 205, ○
- 37 Remodeling of yeast vacuole membrane lipidomes from the log (1-phase) to stationary stage (2-phases). **2023**, ○
- 36 A Suite of New Strain Construction Vectors for Gene Expression Knockdown in Budding Yeast. ○
- 35 Sec61 channel subunit Sbh1/Sec61<sup>Δ</sup> promotes ER translocation of proteins with suboptimal targeting sequences and is fine-tuned by phosphorylation. **2023**, 102895 ○
- 34 Evidence for a Conserved Function of Eukaryotic Pantothenate Kinases in the Regulation of Mitochondrial Homeostasis and Oxidative Stress. **2023**, 24, 435 1
- 33 Development of a yeast whole-cell biocatalyst for MHET conversion into terephthalic acid and ethylene glycol. **2022**, 21, ○

- 32 A Chloroplast-Localized Glucose-6-Phosphate Dehydrogenase Positively Regulates Stripe Rust Resistance in Wheat. **2023**, 24, 459 ○
- 31 Global analysis of aging-related protein structural changes uncovers enzyme polymerization-based control of longevity. ○
- 30 Biochemical and Genetic Evidence Supports Fyv6 as a Second-Step Splicing Factor in *Saccharomyces cerevisiae*. ○
- 29 The Biotechnology and Molecular Biology of Yeast. **2021**, 191-225 ○
- 28 An evolutionarily conserved bimodular domain anchors ZC3HC1 and its yeast homologue Pml39p to the nuclear basket. **2023**, 34, ○
- 27 TrypTag.org: from images to discoveries using genome-wide protein localisation in *Trypanosoma brucei*. **2023**, 39, 328-331 ○
- 26 The Ycx1 protein encoded by the yeast YDL206W gene plays a role in calcium and calcineurin signaling. **2023**, 299, 104647 ○
- 25 The emerging landscape of eukaryotic polyphosphatases. ○
- 24 Aim18p and Aim46p are chalcone isomerase domain-containing mitochondrial hemoproteins in *Saccharomyces cerevisiae*. **2023**, 299, 102981 ○
- 23 Genomics, Proteomics, and Metabolomics Approaches to Improve Abiotic Stress Tolerance in Tomato Plant. **2023**, 24, 3025 ○
- 22 ThrRS-Mediated Translation Regulation of the RNA Polymerase III Subunit RPC10 Occurs through an Element with Similarity to Cognate tRNA ASL and Affects tRNA Levels. **2023**, 14, 462 1
- 21 Genome-wide subcellular protein map for the flagellate parasite *Trypanosoma brucei*. **2023**, 8, 533-547 ○
- 20 Ribosomal DNA replication time coordinates completion of genome replication and anaphase in yeast. **2023**, 42, 112161 ○
- 19 PIFiA: Self-supervised Approach for Protein Functional Annotation from Single-Cell Imaging Data. ○
- 18 The effect of prions on cellular metabolism: The metabolic impact of the [RNQ+] prion and potential role of native Rnq1p. ○
- 17 Transcriptome profiling for developmental stages *Protocera brevitarsis seulensis* with focus on wing development and metamorphosis. **2023**, 18, e0277815 ○
- 16 Recruitment of the lipid kinase Mss4 to the meiotic spindle pole promotes prospore membrane formation in *Saccharomyces cerevisiae*. **2023**, 34, ○
- 15 A screen for histone mutations that affect quiescence in *S. cerevisiae*. ○



- 14 Nucleolar URB1 ensures 3' ETS rRNA removal to prevent exosome surveillance. **2023**, 615, 526-534 ○
- 13 A nanobody-based strategy for rapid and scalable purification of native human protein complexes. ○
- 12 *Saccharomyces cerevisiae* as a tool for deciphering Hsp90 molecular chaperone function. ○
- 11 The P4-ATPase Drs2 interacts with and stabilizes the multisubunit tethering complex TRAPPIII in yeast. ○
- 10 Large-scale identification of genes involved in septal pore plugging in multicellular fungi. **2023**, 14, ○
- 9 Synthetic cell-cycle regulation identifies Mif2CENP-Cas a CDK phospho-target at the kinetochore. ○
- 8 Modular Pathway Compartmentalization for Agroclavine Overproduction in *Saccharomyces cerevisiae*. **2023**, 12, 1133-1145 ○
- 7 Specificity and mechanism of 1,6 hexanediol-induced disruption of nuclear transport. ○
- 6 Transcription by the Three RNA Polymerases under the Control of the TOR Signaling Pathway in *Saccharomyces cerevisiae*. **2023**, 13, 642 ○
- 5 High-affinity biomolecular interactions are modulated by low-affinity binders. ○
- 4 Foci-forming regions of pyruvate kinase and enolase at the molecular surface incorporate proteins into yeast cytoplasmic metabolic enzymes transiently assembling (META) bodies. **2023**, 18, e0283002 ○
- 3 Caffeine activates HOG-signalling and inhibits pseudohyphal growth in *Saccharomyces cerevisiae*. **2023**, 16, ○
- 2 Proteomic discovery of chemical probes that perturb protein complexes in human cells. **2023**, ○
- 1 Nuclear and cytoplasmic spatial protein quality control is coordinated by nuclear-vacuolar junctions and perinuclear ESCRT. ○