## CITATION REPORT List of articles citing

The axonal chemorepellant semaphorin 3A is increased in the cerebellum in schizophrenia and may contribute to its synaptic pathology

DOI: 10.1038/sj.mp.4001233 Molecular Psychiatry, 2003, 8, 148-55.

**Source:** https://exaly.com/paper-pdf/35280732/citation-report.pdf

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
127	Interstitial white matter neurons express less reelin and are abnormally distributed in schizophrenia: towards an integration of molecular and morphologic aspects of the neurodevelopmental hypothesis. <i>Molecular Psychiatry</i> , <b>2003</b> , 8, 821-831	15.1	166
126	Role of semaphorins in the adult nervous system. <b>2003</b> , 71, 249-67		117
125	Molecular abnormalities of the hippocampus in severe psychiatric illness: postmortem findings from the Stanley Neuropathology Consortium. <i>Molecular Psychiatry</i> , <b>2004</b> , 9, 609-20, 544	15.1	308
124	The role of the extracellular signal-regulated kinase pathway in cerebellar abnormalities in schizophrenia. <b>2004</b> , 3, 94-9		27
123	The hippocampus in schizophrenia: a review of the neuropathological evidence and its pathophysiological implications. <b>2004</b> , 174, 151-62		510
122	Semaphorin 3C preserves survival and induces neuritogenesis of cerebellar granule neurons in culture. <b>2003</b> , 87, 879-90		31
121	Schizophrenia genes, gene expression, and neuropathology: on the matter of their convergence. <i>Molecular Psychiatry</i> , <b>2005</b> , 10, 40-68; image 5	15.1	1654
120	Reelin glycoprotein: structure, biology and roles in health and disease. <i>Molecular Psychiatry</i> , <b>2005</b> , 10, 251-7	15.1	174
119	Guidance of Axons to Targets in Development and in Disease. <b>2005</b> , 447-481		2
118	Neurodevelopment, neuroplasticity, and new genes for schizophrenia. 2005, 147, 319-45		100
117	GABAergic dysfunction in schizophrenia and mood disorders as reflected by decreased levels of glutamic acid decarboxylase 65 and 67 kDa and Reelin proteins in cerebellum. <b>2005</b> , 72, 109-22		249
116	Decreased expression of vesicular glutamate transporter 1 and complexin II mRNAs in schizophrenia: further evidence for a synaptic pathology affecting glutamate neurons. <b>2005</b> , 73, 159-72		154
115	The semaphorins. <b>2006</b> , 7, 211		315
114	Gene regulation by hypoxia and the neurodevelopmental origin of schizophrenia. <b>2006</b> , 84, 253-71		100
113	Proteomic analysis of the anterior cingulate cortex in the major psychiatric disorders: Evidence for disease-associated changes. <b>2006</b> , 6, 3414-25		238
112	Semaphorin3A regulates synaptic function of differentiated hippocampal neurons. <b>2006</b> , 23, 2247-54		62
111	Identification of the semaphorin receptor PLXNA2 as a candidate for susceptibility to schizophrenia. <i>Molecular Psychiatry</i> , <b>2006</b> , 11, 471-8	15.1	119

## (2008-2006)

110	Characterization of KIAA0513, a novel signaling molecule that interacts with modulators of neuroplasticity, apoptosis, and the cytoskeleton. <b>2006</b> , 1121, 1-11		18
109	Semaphorins in axon regeneration: developmental guidance molecules gone wrong?. <b>2006</b> , 361, 1499-5	511	93
108	Axon pruning and synaptic development: how are they per-plexin?. <i>Neuroscientist</i> , <b>2006</b> , 12, 398-409	7.6	30
107	Early Brain Development and Plasticity. 85-105		19
106	The early developmental gene Semaphorin 5c contributes to olfactory behavior in adult Drosophila. <b>2007</b> , 176, 947-56		17
105	Anxiety and comorbid measures associated with PLXNA2. <b>2007</b> , 64, 318-26		45
104	Axon Growth and Guidance. Advances in Experimental Medicine and Biology, 2007,	3.6	4
103	Semaphorins in development and adult brain: Implication for neurological diseases. <b>2007</b> , 82, 57-79		70
102	Failure to confirm an association between the PLXNA2 gene and schizophrenia in a Japanese population. <b>2007</b> , 31, 873-7		22
101	Towards understanding the schizophrenia code: an expanded convergent functional genomics approach. <b>2007</b> , 144B, 129-58		108
100	Increased familial risk and genomewide significant linkage for Alzheimerß disease with psychosis. <b>2007</b> , 144B, 841-8		39
99	Navigating their way to the clinic: emerging roles for axon guidance molecules in neurological disorders and injury. <b>2007</b> , 67, 1216-31		59
98	Developmental vitamin D deficiency alters brain protein expression in the adult rat: implications for neuropsychiatric disorders. <b>2007</b> , 7, 769-80		138
97	d-Amino acid oxidase and serine racemase in human brain: normal distribution and altered expression in schizophrenia. <b>2007</b> , 26, 1657-69		143
96	Proteoglycans as modulators of axon guidance cue function. <i>Advances in Experimental Medicine and Biology</i> , <b>2007</b> , 600, 73-89	3.6	43
95	Neonatal dopamine depletion induces changes in morphogenesis and gene expression in the developing cortex. <b>2007</b> , 11, 107-30		26
94	The role of cerebellar genes in pathology of autism and schizophrenia. 2008, 7, 279-94		43
93	Replication of linkage on chromosome 7q22 and association of the regional Reelin gene with working memory in schizophrenia families. <i>Molecular Psychiatry</i> , <b>2008</b> , 13, 673-84	15.1	81

92	Total number, distribution, and phenotype of cells expressing chondroitin sulfate proteoglycans in the normal human amygdala. <b>2008</b> , 1207, 84-95	27
91	Genetic examination of the PLXNA2 gene in Japanese and Chinese people with schizophrenia. <b>2008</b> , 99, 359-64	17
90	Maternal infection leads to abnormal gene regulation and brain atrophy in mouse offspring: implications for genesis of neurodevelopmental disorders. <b>2008</b> , 99, 56-70	216
89	Modulation of synaptic transmission and plasticity by cell adhesion and repulsion molecules. <b>2008</b> , 4, 197-209	68
88	Reelin Glycoprotein. 2008,	6
87	Altered expression of genes involved in GABAergic transmission and neuromodulation of granule cell activity in the cerebellum of schizophrenia patients. <b>2008</b> , 165, 1594-603	78
86	Aripiprazole treatment of psychosis in a child with posterior fossa retrocerebellar arachnoid cyst. <b>2009</b> , 19, 321-5	3
85	Effects of bisphenol-A and other endocrine disruptors compared with abnormalities of schizophrenia: an endocrine-disruption theory of schizophrenia. <b>2009</b> , 35, 256-78	60
84	The many faces of semaphorins: from development to pathology. <b>2009</b> , 66, 649-66	143
83	Analysis of gene expression in Parkinson <b>ß</b> disease: possible involvement of neurotrophic support and axon guidance in dopaminergic cell death. <b>2009</b> , 19, 91-107	117
82	Semaphorins. <b>2009</b> , 567-573	
81	Matrix-dependent local retention of secretory vesicle cargo in cortical neurons. <b>2009</b> , 29, 23-37	49
80	Clinical perspectives on autoimmune processes in schizophrenia. <b>2009</b> , 32, 795-808	10
79	The neurodevelopmental hypothesis of schizophrenia, revisited. <b>2009</b> , 35, 528-48	560
78	Infragranular gene expression disturbances in the prefrontal cortex in schizophrenia: signature of altered neural development?. <b>2010</b> , 37, 738-46	35
77	Genome wide screen identifies microsatellite markers associated with acute adverse effects following radiotherapy in cancer patients. <b>2010</b> , 11, 123	10
76	Lower number of cerebellar Purkinje neurons in psychosis is associated with reduced reelin expression. <b>2010</b> , 107, 4407-11	71
75	Reelin-mediated signaling in neuropsychiatric and neurodegenerative diseases. <b>2010</b> , 91, 257-74	64

74	Neuropathology of Schizophrenia. <b>2011</b> , 372-392	4
73	Possible association of the semaphorin 3D gene (SEMA3D) with schizophrenia. <i>Journal of Psychiatric Research</i> , <b>2011</b> , 45, 47-53	2 21
7 <sup>2</sup>	Bidirectional remodeling of <b>1</b> -integrin adhesions during chemotropic regulation of nerve growth. <b>2011</b> , 9, 82	15
71	GWAS findings for human iris patterns: associations with variants in genes that influence normal neuronal pattern development. <b>2011</b> , 89, 334-43	47
70	Semaphorin 3A expression in the colon of Hirschsprung disease. <b>2011</b> , 91, 842-7	20
69	Decorin, erythroblastic leukaemia viral oncogene homologue B4 and signal transducer and activator of transcription 3 regulation of semaphorin 3A in central nervous system scar tissue. <b>2011</b> , 134, 1140-55	30
68	Cerebellar-dependent eyeblink conditioning deficits in schizophrenia spectrum disorders. <b>2012</b> , 38, 751-9	35
67	Emerging roles for semaphorins and VEGFs in synaptogenesis and synaptic plasticity. 2012, 6, 541-6	38
66	The cerebellum and neuropsychiatric disorders. <b>2012</b> , 198, 527-32	51
65	Extracellular matrix abnormalities in schizophrenia. <b>2012</b> , 62, 1584-97	116
6 <sub>5</sub>	Extracellular matrix abnormalities in schizophrenia. <b>2012</b> , 62, 1584-97  A balanced t(10;15) translocation in a male patient with developmental language disorder. <b>2012</b> , 55, 128-31	116
	A balanced t(10;15) translocation in a male patient with developmental language disorder. <b>2012</b> ,	
64	A balanced t(10;15) translocation in a male patient with developmental language disorder. <b>2012</b> , 55, 128-31  NMDA receptor hypofunction induces dysfunctions of energy metabolism and semaphorin	14
64	A balanced t(10;15) translocation in a male patient with developmental language disorder. 2012, 55, 128-31  NMDA receptor hypofunction induces dysfunctions of energy metabolism and semaphorin signaling in rats: a synaptic proteome study. 2012, 38, 579-91	14 22
6 <sub>4</sub> 6 <sub>3</sub> 6 <sub>2</sub>	A balanced t(10;15) translocation in a male patient with developmental language disorder. 2012, 55, 128-31  NMDA receptor hypofunction induces dysfunctions of energy metabolism and semaphorin signaling in rats: a synaptic proteome study. 2012, 38, 579-91  The first decade and beyond of transcriptional profiling in schizophrenia. 2012, 45, 23-36  Toxicogenomic studies of human neural cells following exposure to organophosphorus chemical	14 22 59
64 63 62	A balanced t(10;15) translocation in a male patient with developmental language disorder. 2012, 55, 128-31  NMDA receptor hypofunction induces dysfunctions of energy metabolism and semaphorin signaling in rats: a synaptic proteome study. 2012, 38, 579-91  The first decade and beyond of transcriptional profiling in schizophrenia. 2012, 45, 23-36  Toxicogenomic studies of human neural cells following exposure to organophosphorus chemical warfare nerve agent VX. 2013, 38, 916-34  Semaphorins 3A and 7A: potential immune and neuroregenerative targets in multiple sclerosis.	14 22 59 8
<ul><li>64</li><li>63</li><li>62</li><li>61</li><li>60</li></ul>	A balanced t(10;15) translocation in a male patient with developmental language disorder. 2012, 55, 128-31  NMDA receptor hypofunction induces dysfunctions of energy metabolism and semaphorin signaling in rats: a synaptic proteome study. 2012, 38, 579-91  The first decade and beyond of transcriptional profiling in schizophrenia. 2012, 45, 23-36  Toxicogenomic studies of human neural cells following exposure to organophosphorus chemical warfare nerve agent VX. 2013, 38, 916-34  Semaphorins 3A and 7A: potential immune and neuroregenerative targets in multiple sclerosis. 2013, 19, 157-64	14 22 59 8 35

56	Pre-clinical models of neurodevelopmental disorders: focus on the cerebellum. <b>2014</b> , 25, 177-94	28
55	Disorders of Axon Guidance. <b>2015</b> , 155-194	1
54	Glycosaminoglycans and glycomimetics in the central nervous system. <b>2015</b> , 20, 3527-48	22
53	Losing the sugar coating: potential impact of perineuronal net abnormalities on interneurons in schizophrenia. <b>2015</b> , 167, 18-27	102
52	Transcriptome sequencing and genome-wide association analyses reveal lysosomal function and actin cytoskeleton remodeling in schizophrenia and bipolar disorder. <i>Molecular Psychiatry</i> , <b>2015</b> , 20, 563-572	96
51	A novel relationship for schizophrenia, bipolar and major depressive disorder Part 7: A hint from chromosome 7 high density association screen. <b>2015</b> , 293, 241-51	11
50	Semaphorins and Cell Migration in the Central Nervous System. <b>2015</b> , 65-85	
49	Role of leukemia inhibitory factor in the nervous system and its pathology. <b>2015</b> , 26, 443-59	10
48	Semaphorins. 2015,	5
47	Semaphorin and plexin gene expression is altered in the prefrontal cortex of schizophrenia patients with and without auditory hallucinations. <b>2015</b> , 229, 850-7	21
46	Synapsin III acts downstream of semaphorin 3A/CDK5 signaling to regulate radial migration and orientation of pyramidal neurons in vivo. <b>2015</b> , 11, 234-48	14
45	MMP-2 mediates Purkinje cell morphogenesis and spine development in the mouse cerebellum. <b>2015</b> , 220, 1601-17	17
44	In Sickness and in Health: Perineuronal Nets and Synaptic Plasticity in Psychiatric Disorders. <b>2016</b> , 2016, 9847696	67
43	Casting a Wide Net: Role of Perineuronal Nets in Neural Plasticity. <b>2016</b> , 36, 11459-11468	218
42	Weaving a Net of Neurobiological Mechanisms in Schizophrenia and Unraveling the Underlying Pathophysiology. <b>2016</b> , 80, 589-98	24
41	Comparative analysis of MBD-seq and MeDIP-seq and estimation of gene expression changes in a rodent model of schizophrenia. <b>2017</b> , 109, 204-213	14
40	Microvascular anomaly conditions in psychiatric disease. Schizophrenia - angiogenesis connection. <b>2017</b> , 77, 327-339	32
39	Genetic Risk Variants Associated With Comorbid Alcohol Dependence and Major Depression. <b>2017</b> , 74, 1234-1241	47

## (2010-2018)

38	hiPSC-derived neural stem cells from patients with schizophrenia induce an impaired angiogenesis. <b>2018</b> , 8, 48	19
37	Abdominal Vagal Afferents Modulate the Brain Transcriptome and Behaviors Relevant to Schizophrenia. <b>2018</b> , 38, 1634-1647	17
36	The role of neuropathological markers in the interpretation of neuropsychiatric disorders: Focus on fetal and perinatal programming. <b>2018</b> , 669, 75-82	4
35	Functions of Plexins/Neuropilins and Their Ligands during Hippocampal Development and Neurodegeneration. <b>2019</b> , 8,	9
34	Sema3A - mediated modulation of NR1D1 expression may be involved in the regulation of axonal guidance signaling by the microbiota. <b>2019</b> , 223, 54-61	2
33	Expression of the axon-guidance protein receptor Neuropilin 1 is increased in the spinal cord and decreased in muscle of a mouse model of amyotrophic lateral sclerosis. <b>2019</b> , 49, 1529-1543	6
32	Molecular signature of extracellular matrix pathology in schizophrenia. <b>2021</b> , 53, 3960-3987	10
31	Aberrant glycosylation in schizophrenia: a review of 25 years of post-mortem brain studies.  Molecular Psychiatry, <b>2020</b> , 25, 3198-3207	18
30	Semaphorin 3A-hypoxia inducible factor 1 subunit alpha co-overexpression enhances the osteogenic differentiation of induced pluripotent stem cells-derived mesenchymal stem cells in vitro. <b>2020</b> , 133, 301-309	1
29	Genetic factors influencing a neurobiological substrate for psychiatric disorders. <b>2021</b> , 11, 192	O
28	Semaphorins in Adult Nervous System Plasticity and Disease. <b>2021</b> , 13, 672891	9
27	Role of semaphorins during axon growth and guidance. <i>Advances in Experimental Medicine and Biology</i> , <b>2007</b> , 621, 50-64	39
26	The Role of Reelin in Etiology and Treatment of Psychiatric Disorders. 2008, 317-339	1
25	Functions of Neuropilins in Wiring the Nervous System and Their Role in Neurological Disorders. <b>2017</b> , 125-149	1
24	The role of cerebellar genes in pathology of autism and schizophrenia. 2008, 7, 279	2
23	Genetic factors influencing a neurobiological substrate for psychiatric disorders.	2
22	Potential microbial origins of schizophrenia and their treatments. <i>Drugs of Today</i> , <b>2009</b> , 45, 305-18 2.5	2
21	Gene expression profiling in rodent models for schizophrenia. Current Neuropharmacology, <b>2010</b> , 8, 382-936	7

20	The Distribution of the Stress Protein HSP70 in the Cerebellum of Patients with Schizophrenia. <i>Neuroscience and Medicine</i> , <b>2012</b> , 03, 368-373	0.3	2
19	Rap2 and TNIK control Plexin-dependent tiled synaptic innervation in. <i>ELife</i> , <b>2018</b> , 7,	8.9	5
18	Schizophrenia: Biological Mechanisms. 1		
17	Age-dependent Expression of GAP-43, Netrin-1, Collapsin-1, and Neuropilin-1 in Murine Cerebellum*. <i>Progress in Biochemistry and Biophysics</i> , <b>2009</b> , 2009, 750-760		
16	Can Cerebellar Neurodevelopmental Disorders Affect Behavioral Disorders or Vice Versa?. <i>Contemporary Clinical Neuroscience</i> , <b>2017</b> , 353-367	0.1	
15	Rap2 and TNIK control Plexin-dependent synaptic tiling in C. elegans.		
14	Synergy and convergence of pathways controlling functional regeneration in the spinal cord.		
13	Is the cerebellum relevant in the circuitry of neuropsychiatric disorders?. <i>Journal of Psychiatry and Neuroscience</i> , <b>2005</b> , 30, 178-86	4.5	156
12	Study on the Correlation Between Iris Characteristics and Schizophrenia <i>Neuropsychiatric Disease and Treatment</i> , <b>2022</b> , 18, 811-820	3.1	
11	Specificity and overlap in the genetic architectures of functional and structural connectivity within cerebral resting-state networks.		O
10	Analysis of color vision and cognitive function in first-episode schizophrenia before and after antipsychotic treatment. <i>Journal of Psychiatric Research</i> , <b>2022</b> , 152, 278-288	5.2	
9	Perineuronal Nets: Subtle Structures with Large Implications. <i>Neuroscientist</i> , 107385842211063	7.6	O
8	It takes two to tango: Widening our understanding of the onset of schizophrenia from a neuro-angiogenic perspective. 10,		
7	Protein Succinylation and Malonylation as Potential Biomarkers in Schizophrenia. 2022, 12, 1408		O
6	Perineuronal nets: Cruise from a honeycomb to the safety nets. 2022,		0
5	Brain region-specific changes in neurons and glia and dysregulation of dopamine signaling in Grin2a mutant mice.		O
4	An increase in Semaphorin 3A biases the axonal direction and induces an aberrant dendritic arborization in an in vitro model of human neural progenitor differentiation. <b>2022</b> , 12,		0
3	Epigallocatechin-3-gallate alleviates gestational stress-induced postpartum anxiety and depression-like behaviors in mice by downregulating semaphorin3A and promoting GSK3 phosphorylation in the hippocampus. 15,		O

The Genetic Architectures of Functional and Structural Connectivity Properties within Cerebral Resting-State Networks. **2023**, 10, ENEURO.0242-22.2023

О

Can Cerebellar Neurodevelopmental Disorders Affect Behavioral Disorders or Vice Versa?. 2023, 457-475