

CITATION REPORT

List of articles citing

ATM and related protein kinases: safeguarding genome integ

DOI: 10.1038/nrc1011

Nature Reviews Cancer, 2003, 3, 155-68.

Source: <https://exaly.com/paper-pdf/35291486/citation-report.pdf>

Version: 2024-04-17

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2221	Class switch recombination: an emerging mechanism. 2005 , 290, 171-99		29
2220	REVIEWS. 1963 , XVII, 260-262		
2219	Requirement of the MRN complex for ATM activation by DNA damage. 2003 , 22, 5612-21		780
2218	ATM and ATR. 2003 , 13, R468		17
2217	Checkpoint mediators: relaying signals from DNA strand breaks. 2003 , 13, R488-90		28
2216	Ataxia-telangiectasia: diagnosis and treatment. 2003 , 10, 173-82		131
2215	Chk1 and Chk2 kinases in checkpoint control and cancer. 2003 , 3, 421-9		1174
2214	Mutations and aneuploidy: co-conspirators in cancer?. 2003 , 4, 89-94		87
2213	The S-phase checkpoint and its regulation in <i>Saccharomyces cerevisiae</i> . 2003 , 532, 41-58		57
2212	Repair of and checkpoint response to topoisomerase I-mediated DNA damage. 2003 , 532, 173-203		236
2211	G2 and spindle assembly checkpoint adaptation, and tetraploidy arrest: implications for intrinsic and chemically induced genomic instability. 2003 , 532, 245-53		38
2210	Atm and c-Abl cooperate in the response to genotoxic stress during nervous system development. 2003 , 145, 31-8		6
2209	Checkpoint signaling: epigenetic events sound the DNA strand-breaks alarm to the ATM protein kinase. 2003 , 25, 627-30		44
2208	2,6-disubstituted pyran-4-one and thiopyran-4-one inhibitors of DNA-Dependent protein kinase (DNA-PK). 2003 , 13, 3083-6		86
2207	A DNA damage checkpoint response in telomere-initiated senescence. 2003 , 426, 194-8		2025
2206	Regulating mammalian checkpoints through Cdc25 inactivation. 2003 , 4, 671-7		348
2205	The MRN complex: coordinating and mediating the response to broken chromosomes. 2003 , 4, 844-9		205

2204	Radiation-induced DNA damage and delayed induced genomic instability. 2003 , 22, 6988-93	129
2203	Distinct modes of deregulation of the proto-oncogenic Cdc25A phosphatase in human breast cancer cell lines. 2003 , 22, 8063-71	38
2202	DNA damage-induced cell-cycle phase regulation of p53 and p21waf1 in normal and ATM-defective cells. 2003 , 22, 7866-9	30
2201	The 14-3-3 cancer connection. <i>Nature Reviews Cancer</i> , 2003 , 3, 931-43	313 360
2200	Visualization of DNA-induced conformational changes in the DNA repair kinase DNA-PKcs. 2003 , 22, 5875-82	64
2199	The Mre11 complex is required for ATM activation and the G2/M checkpoint. 2003 , 22, 6610-20	393
2198	DNA damage-mediated apoptosis induced by selenium compounds. 2003 , 278, 29532-7	111
2197	The eukaryotic nucleotide excision repair pathway. 2003 , 85, 1083-99	262
2196	Repairing DNA damage in chromatin. 2003 , 85, 1133-47	57
2195	Clinical radiosensitivity in breast cancer patients carrying pathogenic ATM gene mutations: no observation of increased radiation-induced acute or late effects. 2003 , 69, 155-60	52
2194	Checkpoint failure and chromosomal instability without lymphomagenesis in Mre11(ATLD1/ATLD1) mice. 2003 , 12, 1511-23	147
2193	Effect of Atm disruption on spontaneously arising and radiation-induced deletion mutations in mouse liver. 2003 , 160, 549-58	18
2192	SCFbeta-TRCP links Chk1 signaling to degradation of the Cdc25A protein phosphatase. 2003 , 17, 3062-74	271
2191	Histone H2AX in DNA damage and repair. 2003 , 2, 233-5	245
2190	Cyclin-Dependent Kinases and S Phase Control in Mammalian Cells. 2003 , 2, 315-323	129
2189	Characterization of the 5'flanking Region of the Human chk1 Gene: Identification of E2F1 Functional Sites. 2003 , 2, 603-608	31
2188	Subcellular localization of yeast ribonucleotide reductase regulated by the DNA replication and damage checkpoint pathways. 2003 , 100, 6628-33	121
2187	Development of molecular agents for IGF receptor targeting. 2003 , 35, 843-9	26

2186	Cell cycle control, DNA damage checkpoints and cancer. 2003 , 35, 391-7	44
2185	Targeting the type 1 insulin-like growth factor receptor as anti-cancer treatment. 2003 , 14, 669-82	60
2184	No induction of p53 phosphorylation and few focus formation of phosphorylated H2AX suggest efficient repair of DNA damage during chronic low-dose-rate irradiation in human cells. 2004 , 45, 521-5	45
2183	Homeostatic regulation of base excision repair by a p53-induced phosphatase: linking stress response pathways with DNA repair proteins. 2004 , 3, 1363-6	18
2182	Cdc25B as a steroid receptor coactivator. 2004 , 68, 231-56	16
2181	G1 and S-phase checkpoints, chromosome instability, and cancer. 2004 , 280, 3-49	25
2180	Selection-subtraction approach (SSA): a universal genetic screening technique that enables negative selection. 2004 , 101, 9327-32	6
2179	ATR and ATM-dependent movement of BLM helicase during replication stress ensures optimal ATM activation and 53BP1 focus formation. 2004 , 3, 1579-86	53
2178	A bouquet of chromosomes. 2004 , 117, 4025-32	186
2177	Drosophila atm/telomere fusion is required for telomeric localization of HP1 and telomere position effect. 2004 , 18, 1850-61	82
2176	MCM proteins and checkpoint kinases get together at the fork. 2004 , 101, 10845-6	29
2175	Quaternary structure of ATR and effects of ATRIP and replication protein A on its DNA binding and kinase activities. 2004 , 24, 1292-300	88
2174	Immunoassay to measure ataxia-telangiectasia mutated protein in cellular lysates. 2004 , 50, 2302-8	16
2173	ATM is required for the cellular response to thymidine induced replication fork stress. 2004 , 13, 2937-45	78
2172	A Tel1/MRX-dependent checkpoint inhibits the metaphase-to-anaphase transition after UV irradiation in the absence of Mec1. 2004 , 24, 10126-44	37
2171	Human cytomegalovirus causes endothelial injury through the ataxia telangiectasia mutant and p53 DNA damage signaling pathways. 2004 , 94, 1310-7	42
2170	MRE11 mutations and impaired ATM-dependent responses in an Italian family with ataxia-telangiectasia-like disorder. 2004 , 13, 2155-63	92
2169	Differentiation-induced radioresistance in muscle cells. 2004 , 24, 6350-61	58

2168	Collaboration of Brca1 and Chk2 in tumorigenesis. 2004 , 18, 1144-53	54
2167	Chk1 activation requires Rad9 S/TQ-site phosphorylation to promote association with C-terminal BRCT domains of Rad4TOPBP1. 2004 , 18, 1154-64	126
2166	Loss of Geminin induces rereplication in the presence of functional p53. 2004 , 165, 473-82	214
2165	Direct regulation of CREB transcriptional activity by ATM in response to genotoxic stress. 2004 , 101, 5898-903	77
2164	ATM is required for efficient recombination between immunoglobulin switch regions. 2004 , 200, 1103-10	173
2163	5-fluoro-2'-deoxyuridine-induced cdc25A accumulation correlates with premature mitotic entry and clonogenic death in human colon cancer cells. 2004 , 64, 6588-94	23
2162	NIMA-related protein kinase 1 is involved early in the ionizing radiation-induced DNA damage response. 2004 , 64, 8800-3	51
2161	Functional links between telomeres and proteins of the DNA-damage response. 2004 , 18, 1781-99	213
2160	The functions of budding yeast Sae2 in the DNA damage response require Mec1- and Tel1-dependent phosphorylation. 2004 , 24, 4151-65	101
2159	Inhibition of Chk1 by CEP-3891 accelerates mitotic nuclear fragmentation in response to ionizing Radiation. 2004 , 64, 9035-40	91
2158	Immunoglobulin class switch recombination is impaired in Atm-deficient mice. 2004 , 200, 1111-21	139
2157	A role for the RASSF1A tumor suppressor in the regulation of tubulin polymerization and genomic stability. 2004 , 64, 4244-50	125
2156	Identification and characterization of a novel and specific inhibitor of the ataxia-telangiectasia mutated kinase ATM. 2004 , 64, 9152-9	978
2155	Intra-S-phase checkpoint activation by direct CDK2 inhibition. 2004 , 24, 6268-77	55
2154	ATM-mediated stabilization of hMutL DNA mismatch repair proteins augments p53 activation during DNA damage. 2004 , 24, 6430-44	58
2153	Expression of ATM, p53, and the MRE11-Rad50-NBS1 complex in myoepithelial cells from benign and malignant proliferations of the breast. 2004 , 57, 1179-84	19
2152	p53 localization at centrosomes during mitosis and postmitotic checkpoint are ATM-dependent and require serine 15 phosphorylation. 2004 , 15, 3751-7	83
2151	Mismatch repair-dependent G2 checkpoint induced by low doses of SN1 type methylating agents requires the ATR kinase. 2004 , 18, 1331-44	179

2150	Phosphatidyl inositol 3-kinase-like serine/threonine protein kinases (PIKKs) are required for DNA damage-induced phosphorylation of the 32 kDa subunit of replication protein A at threonine 21. 2004 , 32, 997-1005	84
2149	Stress-induced premature senescence in hTERT-expressing ataxia telangiectasia fibroblasts. 2004 , 279, 2030-7	58
2148	Histone H2AX phosphorylation as a predictor of radiosensitivity and target for radiotherapy. 2004 , 279, 2273-80	214
2147	Cds1 phosphorylation by Rad3-Rad26 kinase is mediated by forkhead-associated domain interaction with Mrc1. 2004 , 279, 32079-86	29
2146	Doxorubicin activates ATM-dependent phosphorylation of multiple downstream targets in part through the generation of reactive oxygen species. 2004 , 279, 53272-81	204
2145	A double-strand break repair defect in ATM-deficient cells contributes to radiosensitivity. 2004 , 64, 500-8	293
2144	Arsenite induces prominent mitotic arrest via inhibition of G2 checkpoint activation in CGL-2 cells. 2005 , 26, 53-63	43
2143	Recruitment of the cell cycle checkpoint kinase ATR to chromatin during S-phase. 2004 , 279, 16433-40	93
2142	Why do Neurons Enter the Cell Cycle?. 2004 , 3, 767-771	67
2141	BCR/ABL recruits p53 tumor suppressor protein to induce drug resistance. 2004 , 3, 1463-72	25
2140	H2AX May Function as an Anchor to Hold Broken Chromosomal DNA Ends in Close Proximity. 2004 , 3, 147-148	142
2139	Ataxia telangiectasia mutated expression and activation in the testis. 2004 , 70, 1206-12	57
2138	Human Rif1, ortholog of a yeast telomeric protein, is regulated by ATM and 53BP1 and functions in the S-phase checkpoint. 2004 , 18, 2108-19	152
2137	Dysfunctional telomeres at senescence signal cell cycle arrest via Chk2. 2004 , 3, 1217-20	17
2136	Werner syndrome cells escape hydrogen peroxide-induced cell proliferation arrest. 2004 , 18, 1970-2	62
2135	Evasion of early cellular response mechanisms following low level radiation-induced DNA damage. 2004 , 279, 49624-32	102
2134	Differential mode of regulation of the checkpoint kinases CHK1 and CHK2 by their regulatory domains. 2004 , 279, 8808-19	41
2133	Human PTIP facilitates ATM-mediated activation of p53 and promotes cellular resistance to ionizing radiation. 2004 , 279, 55562-9	58

2132	Direct activation of the ATM protein kinase by the Mre11/Rad50/Nbs1 complex. 2004 , 304, 93-6	587
2131	Rereplication by depletion of geminin is seen regardless of p53 status and activates a G2/M checkpoint. 2004 , 24, 7140-50	204
2130	Failed clearance of aneuploid embryonic neural progenitor cells leads to excess aneuploidy in the Atm-deficient but not the Trp53-deficient adult cerebral cortex. 2004 , 24, 8090-6	53
2129	Requirement of protein phosphatase 5 in DNA-damage-induced ATM activation. 2004 , 18, 249-54	130
2128	Molecular variants of the ATM gene in Hodgkin's disease in children. 2004 , 90, 522-5	15
2127	EXPOSURE OF MAMMALIAN CELLS TO DIOL EPOXIDES FROM BENZO[A]PYRENE AND DIBENZO[A,L]PYRENE AND EFFECTS ON Mdm2 AND P53. 2004 , 24, 537-548	5
2126	Double strand break metabolism and cancer susceptibility: lessons from the mre11 complex. 2004 , 3, 541-2	48
2125	Artemis is a phosphorylation target of ATM and ATR and is involved in the G2/M DNA damage checkpoint response. 2004 , 24, 9207-20	101
2124	The telomeric protein TRF2 binds the ATM kinase and can inhibit the ATM-dependent DNA damage response. 2004 , 2, E240	261
2123	Characterization of the ultraviolet B and X-ray response of primary cultured epidermal cells from patients with disseminated superficial actinic porokeratosis. 2004 , 150, 47-55	9
2122	The impact of an early truncating founder ATM mutation on immunoglobulins, specific antibodies and lymphocyte populations in ataxia-telangiectasia patients and their parents. 2004 , 137, 179-86	28
2121	Accelerating aging by mouse reverse genetics: a rational approach to understanding longevity. 2004 , 3, 55-65	64
2120	Senataxin, the ortholog of a yeast RNA helicase, is mutant in ataxia-ocular apraxia 2. 2004 , 36, 225-7	385
2119	Stem cells bank on ATM machine. 2004 , 10, 1166-8	4
2118	Turning up the heat in the fat cell. 2004 , 10, 1168-9	0
2117	Targeting the checkpoint kinases: chemosensitization versus chemoprotection. <i>Nature Reviews Cancer</i> , 2004 , 4, 216-25	31.3 333
2116	Tumour-suppressor function in the nervous system. <i>Nature Reviews Cancer</i> , 2004 , 4, 184-96	31.3 22
2115	Tracing the network connecting BRCA and Fanconi anaemia proteins. <i>Nature Reviews Cancer</i> , 2004 , 4, 266-76	31.3 168

2114	Apoptosis and genomic instability. 2004 , 5, 752-62	234
2113	Checking on DNA damage in S phase. 2004 , 5, 792-804	579
2112	Radiation-induced apoptosis in developing mouse retina exhibits dose-dependent requirement for ATM phosphorylation of p53. 2004 , 11, 494-502	53
2111	Differential activation of intra-S-phase checkpoint in response to triphchlorolide and its effects on DNA replication. 2004 , 14, 227-33	2
2110	DNA damage induces downregulation of histone gene expression through the G1 checkpoint pathway. 2004 , 23, 1133-43	92
2109	Esc4p, a new target of Mec1p (ATR), promotes resumption of DNA synthesis after DNA damage. 2004 , 23, 1188-97	76
2108	Mdc1 couples DNA double-strand break recognition by Nbs1 with its H2AX-dependent chromatin retention. 2004 , 23, 2674-83	326
2107	ATR functions as a gene dosage-dependent tumor suppressor on a mismatch repair-deficient background. 2004 , 23, 3164-74	80
2106	Centrosome amplification induced by DNA damage occurs during a prolonged G2 phase and involves ATM. 2004 , 23, 3864-73	162
2105	Interaction between human MCM7 and Rad17 proteins is required for replication checkpoint signaling. 2004 , 23, 4660-9	82
2104	ATM and ataxia telangiectasia. 2004 , 5, 772-6	266
2103	ATM gene and lymphoid malignancies. 2004 , 18, 238-42	89
2102	The ATR-p53 pathway is suppressed in noncycling normal and malignant lymphocytes. 2004 , 23, 1911-21	39
2101	Mutations of an intronic repeat induce impaired MRE11 expression in primary human cancer with microsatellite instability. 2004 , 23, 2640-7	88
2100	Distinct functional domains of Nbs1 modulate the timing and magnitude of ATM activation after low doses of ionizing radiation. 2004 , 23, 3122-7	112
2099	Human T-cell leukemia virus type 1 Tax interacts with Chk1 and attenuates DNA-damage induced G2 arrest mediated by Chk1. 2004 , 23, 4966-74	51
2098	Epidemiology and molecular pathology at crossroads to establish causation: molecular mechanisms of malignant transformation. 2004 , 23, 6484-91	18
2097	Aberrations of the Chk2 tumour suppressor in advanced urinary bladder cancer. 2004 , 23, 8545-51	36

2096	Activation of ATM and Chk2 kinases in relation to the amount of DNA strand breaks. 2004 , 23, 7691-700	85
2095	Pathways to motor incoordination: the inherited ataxias. 2004 , 5, 641-55	158
2094	Cellular responses to ionising radiation of AT heterozygotes: differences between missense and truncating mutation carriers. 2004 , 90, 866-73	25
2093	Regulation of oxidative stress by ATM is required for self-renewal of haematopoietic stem cells. 2004 , 431, 997-1002	961
2092	Cell-cycle checkpoints and cancer. 2004 , 432, 316-23	2106
2091	IR-inducible clusterin gene expression: a protein with potential roles in ionizing radiation-induced adaptive responses, genomic instability, and bystander effects. 2004 , 568, 97-110	67
2090	In search of drug treatment for genetic defects in the DNA damage response: the example of ataxia-telangiectasia. 2004 , 14, 295-305	15
2089	ATM is required for telomere maintenance and chromosome stability during <i>Drosophila</i> development. 2004 , 14, 1341-7	90
2088	Treatment with a catalytic antioxidant corrects the neurobehavioral defect in ataxia-telangiectasia mice. 2004 , 36, 938-42	76
2087	Radiation and the cell cycle, revisited. 2004 , 23, 209-25	66
2086	Enhanced radiation response through directed molecular targeting approaches. 2004 , 23, 277-92	11
2085	ATM and genome maintenance: defining its role in breast cancer susceptibility. 2004 , 9, 247-62	24
2084	Phosphorylation of histone H2B at DNA double-strand breaks. 2004 , 199, 1671-7	148
2083	Cell cycle and no end. 2004 , 444, 313-23	18
2082	Allelotype of ampulla of Vater cancer: highly frequent involvement of chromosome 11. 2004 , 130, 339-45	4
2081	MRE11/RAD50/NBS1: complex activities. 2004 , 113, 157-66	97
2080	Genome instability in ataxia telangiectasia (A-T) families: camptothecin-induced damage to replicating DNA discriminates between obligate A-T heterozygotes, A-T homozygotes and controls. 2004 , 24, 617-29	8
2079	[Hereditary tumor syndromes. Cutaneous manifestations and molecular pathogenesis of Gorlin and Cowden syndromes]. 2004 , 55, 942-51	2

2078	Poly(ADP-ribose) polymerase-1 and ionizing radiation: sensor, signaller and therapeutic target. 2004 , 16, 29-39	32
2077	Slow progression of ataxia-telangiectasia with double missense and in frame splice mutations. 2004 , 126A, 272-7	29
2076	Phosphorylation of Artemis following irradiation-induced DNA damage. 2004 , 34, 3146-55	48
2075	Germ-line ATM gene alterations are associated with susceptibility to sporadic T-cell acute lymphoblastic leukemia in children. 2004 , 39, 161-6	42
2074	Effect of TERT and ATM on gene expression profiles in human fibroblasts. 2004 , 39, 298-310	9
2073	Functional consequences of ATM sequence variants for chromosomal radiosensitivity. 2004 , 40, 109-19	69
2072	Calcium sulfate: analysis of MG63 osteoblast-like cell response by means of a microarray technology. 2004 , 71, 260-7	31
2071	Cell cycle checkpoints and their impact on anticancer therapeutic strategies. 2004 , 91, 223-31	130
2070	Electron microscopy studies on DNA recognition by DNA-PK. 2004 , 35, 625-33	14
2069	Focus formation of DNA repair proteins in normal and repair-deficient cells irradiated with high-LET ions. 2004 , 161, 517-27	89
2068	Enhanced production of functional proteins from defective genes. 2004 , 126, 5660-1	14
2067	Poly(ADP-ribose) polymerase-1 inhibits ATM kinase activity in DNA damage response. 2004 ,	
2066	PI 3-kinase related kinases: ?big? players in stress-induced signaling pathways. 2004 ,	
2065	Cell cycle checkpoint control mechanisms that can be disrupted in cancer. 2004 , 280, 99-161	34
2064	Early events in the DNA damage response. 2004 , 63, 1-35	34
2063	Creation of non-human primate neurogenetic disease models by gene targeting and nuclear transfer. 2004 , 2, 40	12
2062	Checkpoint Controls and Cancer. 2004 ,	1
2061	DSB repair: the yeast paradigm. 2004 , 3, 797-797	

2060	Coordination of repair, checkpoint, and cell death responses to DNA damage. 2004 , 69, 101-35	31
2059	Frequency of the ATM IVS10-6T-->G variant in Australian multiple-case breast cancer families. 2004 , 6, R401-7	12
2058	Watching the DNA repair ensemble dance. 2004 , 118, 666-8	22
2057	The isoflavonoids genistein and quercetin activate different stress signaling pathways as shown by analysis of site-specific phosphorylation of ATM, p53 and histone H2AX. 2004 , 3, 235-44	57
2056	Loss of ATM sensitizes against O6-methylguanine triggered apoptosis, SCEs and chromosomal aberrations. 2004 , 3, 359-68	31
2055	DNA damage responses to oxidative stress. 2004 , 3, 1109-15	504
2054	Chromosome damage and progression into and through mitosis in vertebrates. 2004 , 3, 1133-9	30
2053	Mammalian cell cycle checkpoints: signalling pathways and their organization in space and time. 2004 , 3, 997-1007	292
2052	The DNA double-strand break response in the nervous system. 2004 , 3, 1141-7	50
2051	Interplay between chromatin and cell cycle checkpoints in the context of ATR/ATM-dependent checkpoints. 2004 , 3, 969-78	49
2050	The Mre11 complex and the metabolism of chromosome breaks: the importance of communicating and holding things together. 2004 , 3, 845-54	218
2049	The switch from survival responses to apoptosis after chromosomal breaks. 2004 , 3, 989-95	30
2048	53BP1, an activator of ATM in response to DNA damage. 2004 , 3, 945-52	125
2047	Genetic biomarkers of therapeutic radiation sensitivity. 2004 , 3, 1237-43	67
2046	Regulation of DNA replication by ATR: signaling in response to DNA intermediates. 2004 , 3, 901-8	149
2045	Role of DNA-PK in the cellular response to DNA double-strand breaks. 2004 , 3, 909-18	186
2044	H2AX: the histone guardian of the genome. 2004 , 3, 959-67	743
2043	The DNA double-strand break response pathway: becoming more BRCAish than ever. 2004 , 3, 935-44	49

2042	Replication protein A phosphorylation and the cellular response to DNA damage. 2004 , 3, 1015-24	232
2041	DNA damage-induced activation of ATM and ATM-dependent signaling pathways. 2004 , 3, 889-900	366
2040	Dial 9-1-1 for DNA damage: the Rad9-Hus1-Rad1 (9-1-1) clamp complex. 2004 , 3, 1009-14	231
2039	The Chk2 protein kinase. 2004 , 3, 1039-47	188
2038	The role of ATM and ATR in the cellular response to hypoxia and re-oxygenation. 2004 , 3, 1117-22	66
2037	Biochemical characterization of the ataxia-telangiectasia mutated (ATM) protein from human cells. 2004 , 3, 753-67	68
2036	PI 3-kinase related kinases: 'big' players in stress-induced signaling pathways. 2004 , 3, 883-7	362
2035	DSB repair: the yeast paradigm. 2004 , 3, 797-815	129
2034	The rate of extrachromosomal homologous recombination within a novel reporter plasmid is elevated in cells lacking functional ATM protein. 2004 , 3, 1345-53	10
2033	Telomeres and the DNA damage response: why the fox is guarding the henhouse. 2004 , 3, 979-88	53
2032	PARP-1, PARP-2 and ATM in the DNA damage response: functional synergy in mouse development. 2004 , 3, 1103-8	176
2031	The mechanism of non-homologous end-joining: a synopsis of synopsis. 2004 , 3, 1425-35	155
2030	DNA damage tumor suppressor genes and genomic instability. 2004 , 14, 11-6	194
2029	Stable siRNA-mediated silencing of ATM alters the transcriptional profile of HeLa cells. 2004 , 317, 1037-44	25
2028	Mismatch repair-mediated G2/M arrest by 6-thioguanine involves the ATR-Chk1 pathway. 2004 , 318, 297-302	38
2027	Poly(ADP-ribose) polymerase-1 inhibits ATM kinase activity in DNA damage response. 2004 , 319, 596-602	21
2026	ATM protein purified from vaccinia virus expression system: DNA binding requirements for kinase activation. 2004 , 322, 74-81	7
2025	IGF-1 phosphorylates AMPK-alpha subunit in ATM-dependent and LKB1-independent manner. 2004 , 324, 986-92	75

2024	The mRNA surveillance protein hSMG-1 functions in genotoxic stress response pathways in mammalian cells. 2004 , 14, 585-98	176
2023	A pathway of double-strand break rejoining dependent upon ATM, Artemis, and proteins locating to gamma-H2AX foci. 2004 , 16, 715-24	706
2022	DNA damage response pathway uses histone modification to assemble a double-strand break-specific cohesin domain. 2004 , 16, 991-1002	474
2021	Alteration of the ATM gene occurs in gastric cancer cell lines and primary tumors associated with cellular response to DNA damage. 2004 , 557, 41-51	23
2020	Telomere shortening triggers senescence of human cells through a pathway involving ATM, p53, and p21(CIP1), but not p16(INK4a). 2004 , 14, 501-13	949
2019	Telomeres are double-strand DNA breaks hidden from DNA damage responses. 2004 , 14, 420-1	24
2018	Low-dose hyper-radiosensitivity: a consequence of ineffective cell cycle arrest of radiation-damaged G2-phase cells. 2004 , 161, 247-55	197
2017	Oncogenes and tumor suppressor genes in breast cancer: potential diagnostic and therapeutic applications. 2004 , 9, 361-77	150
2016	Breast cancer in female carriers of ATM gene alterations: outcome of adjuvant radiotherapy. 2004 , 72, 319-23	24
2015	Symptomatic and disease-modifying therapy for the progressive ataxias. 2004 , 10, 275-89	29
2014	Mantle cell lymphoma. 2004 , 11, 411-8	26
2013	Chromosomal instability. 2004 , 16, 25-31	39
2012	The establishment and characterization of cell lines stably expressing human Ku80 tagged with enhanced green fluorescent protein. 2004 , 45, 119-25	16
2011	Multiple endocrine neoplasia type 1 with unusual concomitance of various neoplastic disorders. 2004 , 51, 75-81	5
2010	Recent advances in hereditary spinocerebellar ataxias. 2005 , 64, 171-80	33
2009	Stem cell self-renewal and cancer cell proliferation are regulated by common networks that balance the activation of proto-oncogenes and tumor suppressors. 2005 , 70, 177-85	104
2008	Molecular events in kidney ageing. 2005 , 14, 243-8	36
2007	In situ detection of specific DNA double strand breaks using rolling circle amplification. 2005 , 4, 1767-73	9

2006	Richter's syndrome: biology and therapy. 2005 , 11, 161-74	19
2005	Cytotoxic Mechanisms of Topoisomerase 1 Inhibitors. 2005 , 61-107	
2004	Mutations in the ATM gene lead to impaired overall and treatment-free survival that is independent of IGVH mutation status in patients with B-CLL. 2005 , 106, 3175-82	189
2003	Slx4 becomes phosphorylated after DNA damage in a Mec1/Tel1-dependent manner and is required for repair of DNA alkylation damage. 2005 , 391, 325-33	45
2002	Acquired chromosome abnormalities: the cytogenetics of cancer. 2005 ,	
2001	Chapter 3. 2005 , 35, 41-60	
2000	Chapters 6 and 7. 2005 , 35, 93-140	1
1999	ATM sequence variants are predictive of adverse radiotherapy response among patients treated for prostate cancer. 2005 , 61, 196-202	74
1998	DNA damage-induced programmed cell death: potential roles in germ cell development. 2005 , 1049, 9-16	13
1997	Cellular response to DNA damage. 2005 , 1066, 243-58	29
1996	An epigenetic code for DNA damage repair pathways?. 2005 , 83, 270-85	39
1995	Molecular and evolutionary basis of the cellular stress response. 2005 , 67, 225-57	996
1994	DNA repair mechanisms in plants: crucial sensors and effectors for the maintenance of genome integrity. 2005 , 168, 511-28	193
1993	ATM gene founder haplotypes and associated mutations in Polish families with ataxia-telangiectasia. 2005 , 69, 657-64	30
1992	Ataxia-telangiectasia-mutated dependent phosphorylation of Artemis in response to DNA damage. 2005 , 96, 134-41	42
1991	Unique gene expression and clinical characteristics are associated with the 11q23 deletion in chronic lymphocytic leukaemia. 2005 , 128, 460-71	19
1990	Suppression of HIV-1 infection by a small molecule inhibitor of the ATM kinase. 2005 , 7, 493-500	122
1989	Telomere fusion to chromosome breaks reduces oncogenic translocations and tumour formation. 2005 , 7, 706-11	23

1988	An essential function for NBS1 in the prevention of ataxia and cerebellar defects. 2005 , 11, 538-44	133
1987	Silencing of the IGF1R gene enhances sensitivity to DNA-damaging agents in both PTEN wild-type and mutant human prostate cancer. 2005 , 12, 90-100	98
1986	Role of c-Abl in the DNA damage stress response. 2005 , 15, 33-5	72
1985	Nbs1 is required for ATR-dependent phosphorylation events. 2005 , 24, 199-208	150
1984	ATM and Chk2-dependent phosphorylation of MDMX contribute to p53 activation after DNA damage. 2005 , 24, 3411-22	201
1983	Distinct modes of ATR activation after replication stress and DNA double-strand breaks in <i>Caenorhabditis elegans</i> . 2005 , 24, 4345-55	134
1982	Absence of ATM hypermethylation in mantle cell and follicular lymphoma. 2005 , 19, 880-2	12
1981	The life and death of DNA-PK. 2005 , 24, 949-61	372
1980	DNA replication and progression through S phase. 2005 , 24, 2827-43	156
1979	Getting in and out of mitosis with Polo-like kinase-1. 2005 , 24, 2844-59	237
1978	Inactivating intracellular antiviral responses during adenovirus infection. 2005 , 24, 7686-96	86
1977	Alterations of DNA damage-response genes ATM and ATR in pyothorax-associated lymphoma. 2005 , 85, 436-46	23
1976	Conserved modes of recruitment of ATM, ATR and DNA-PKcs to sites of DNA damage. 2005 , 434, 605-11	975
1975	DNA damage response as a candidate anti-cancer barrier in early human tumorigenesis. 2005 , 434, 864-70	2210
1974	Medicine: aborting the birth of cancer. 2005 , 434, 829-30	36
1973	Cell biology: A BID for the pathway. 2005 , 437, 1103	8
1972	Molecular basis of ataxia telangiectasia and related diseases. 2005 , 26, 897-907	38
1971	DNA repair: how to PIKK a partner. 2005 , 15, R473-5	19

1970	Signal transduction: how rad53 kinase is activated. 2005 , 15, R769-71	61
1969	Sensitization of breast carcinoma cells to ionizing radiation by small molecule inhibitors of DNA-dependent protein kinase and ataxia telangiectasia mutated. 2005 , 71, 13-20	54
1968	Human cell senescence as a DNA damage response. 2005 , 126, 111-7	332
1967	Three-dimensional structure and regulation of the DNA-dependent protein kinase catalytic subunit (DNA-PKcs). 2005 , 13, 243-55	90
1966	Nuclear tumor suppressors in space and time. 2005 , 15, 378-85	4
1965	Modeling aging and cancer in the telomerase knockout mouse. 2005 , 576, 39-53	23
1964	Analysis of ionizing radiation-induced foci of DNA damage repair proteins. 2005 , 574, 22-33	57
1963	Activation of DNA damage signaling. 2005 , 577, 203-16	42
1962	Genomic instability and cancer: networks involved in response to DNA damage. 2005 , 592, 18-28	76
1961	Mechanisms leading to chromosomal instability. 2005 , 15, 33-42	92
1960	Functional significance of a deep intronic mutation in the ATM gene and evidence for an alternative exon 28a. 2005 , 25, 118-24	47
1959	ATM mutations, haplotype analysis, and immunological status of Russian patients with ataxia telangiectasia. 2005 , 25, 593	22
1958	Association of common ATM polymorphism with bilateral breast cancer. 2005 , 116, 69-72	34
1957	Assessment of ATM phosphorylation on Ser-1981 induced by DNA topoisomerase I and II inhibitors in relation to Ser-139-histone H2AX phosphorylation, cell cycle phase, and apoptosis. 2005 , 68, 1-9	62
1956	SQ/TQ cluster domains: concentrated ATM/ATR kinase phosphorylation site regions in DNA-damage-response proteins. 2005 , 27, 397-407	151
1955	The role of insulin and IGF-1 signaling in longevity. 2005 , 62, 320-43	134
1954	The mechanism of telomere protection: a comparison between Drosophila and humans. 2005 , 114, 135-45	82
1953	Imaging of protein movement induced by chromosomal breakage: tiny 'local' lesions pose great 'global' challenges. 2005 , 114, 146-54	90

1952	Telomere biology: integrating chromosomal end protection with DNA damage response. 2005 , 114, 275-85	33
1951	ATM haplotypes and associated mutations in Iranian patients with ataxia-telangiectasia: recurring homozygosity without a founder haplotype. 2005 , 117, 101-6	19
1950	Telomeres, cell senescence and human ageing. 2005 , 5, 103-114	14
1949	[Fanconi anemia: genes and function(s) revisited]. 2005 , 21, 730-6	3
1948	Ataxia telangiectasia. 2005 , 738-748	1
1947	p53 and Mouse Aging Models. 2005 , 149-180	1
1946	Cancer. 2005 , 331-357	
1945	Genomic Instability: Signaling Pathways Orchestrating the Response to Ionizing Radiation and Cisplatin. 2005 , 423-452	1
1944	In the end, it's all structure. 2005 , 5, 135-43	12
1943	Telomere induced senescence: end game signaling. 2005 , 5, 145-52	12
1942	Increased tumorigenicity and sensitivity to ionizing radiation upon loss of chromosomal protein HMGN1. 2005 , 65, 6711-8	67
1941	DNA damage and osmotic regulation in the kidney. 2005 , 289, F2-7	22
1940	Impaired hepatocyte survival and liver regeneration in Atm-deficient mice. 2005 , 14, 3019-25	23
1939	Modeling premature aging syndromes with the telomerase knockout mouse. 2005 , 5, 153-8	4
1938	Resveratrol causes Cdc2-tyr15 phosphorylation via ATM/ATR-Chk1/2-Cdc25C pathway as a central mechanism for S phase arrest in human ovarian carcinoma Ovar-3 cells. 2005 , 26, 1978-87	132
1937	Targeting chk2 kinase: molecular interaction maps and therapeutic rationale. 2005 , 11, 2855-72	68
1936	Functional interaction of H2AX, NBS1, and p53 in ATM-dependent DNA damage responses and tumor suppression. 2005 , 25, 661-70	95
1935	p53 C-terminal phosphorylation by CHK1 and CHK2 participates in the regulation of DNA-damage-induced C-terminal acetylation. 2005 , 16, 1684-95	135

1934	Activation of the ATR pathway by human immunodeficiency virus type 1 Vpr involves its direct binding to chromatin in vivo. 2005 , 79, 15443-51	83
1933	PPM1D dephosphorylates Chk1 and p53 and abrogates cell cycle checkpoints. 2005 , 19, 1162-74	287
1932	p53-independent regulation of p21Waf1/Cip1 expression and senescence by Chk2. 2005 , 3, 627-34	133
1931	Epstein-Barr virus lytic replication elicits ATM checkpoint signal transduction while providing an S-phase-like cellular environment. 2005 , 280, 8156-63	144
1930	Inhibition of Aurora-B kinase activity by poly(ADP-ribosyl)ation in response to DNA damage. 2005 , 102, 14244-8	72
1929	Distinct DNA-damage-dependent and -independent responses drive the loss of oocytes in recombination-defective mouse mutants. 2005 , 102, 737-42	183
1928	Depletion of Chk1 leads to premature activation of Cdc2-cyclin B and mitotic catastrophe. 2005 , 280, 39246-52	100
1927	Impaired genomic stability and increased oxidative stress exacerbate different features of Ataxia-telangiectasia. 2005 , 14, 2929-43	23
1926	Mammalian DNA damage response pathway. 2005 , 570, 425-55	11
1925	Arginine methylation of MRE11 by PRMT1 is required for DNA damage checkpoint control. 2005 , 19, 671-6	153
1924	Activation of ataxia telangiectasia mutated by DNA strand break-inducing agents correlates closely with the number of DNA double strand breaks. 2005 , 280, 4649-55	71
1923	RNA silencing of checkpoint regulators sensitizes p53-defective prostate cancer cells to chemotherapy while sparing normal cells. 2005 , 65, 2872-81	49
1922	Camptothecins in Cancer Therapy. 2005 ,	4
1921	Induction and utilization of an ATM signaling pathway by polyomavirus. 2005 , 79, 13007-17	97
1920	The role of base excision repair in the sensitivity and resistance to temozolomide-mediated cell death. 2005 , 65, 6394-400	177
1919	The repair of DNA damages/modifications during the maturation of the immune system: lessons from human primary immunodeficiency disorders and animal models. 2005 , 87, 237-95	52
1918	Drosophila ATM and ATR checkpoint kinases control partially redundant pathways for telomere maintenance. 2005 , 102, 15167-72	72
1917	Rad50 depletion impacts upon ATR-dependent DNA damage responses. 2005 , 14, 2685-93	47

1916	DNA methyltransferase-3a interacts with p53 and represses p53-mediated gene expression. 2005 , 4, 1138-43	64
1915	Artemis-independent functions of DNA-dependent protein kinase in Ig heavy chain class switch recombination and development. 2005 , 102, 2471-5	43
1914	Cell cycle dependence of DNA-dependent protein kinase phosphorylation in response to DNA double strand breaks. 2005 , 280, 14709-15	259
1913	Activation of ataxia telangiectasia-mutated DNA damage checkpoint signal transduction elicited by herpes simplex virus infection. 2005 , 280, 30336-41	112
1912	Ataxia-telangiectasia-mutated (ATM) is a T-antigen kinase that controls SV40 viral replication in vivo. 2005 , 280, 40195-200	78
1911	Phosphorylation of Hdmx mediates its Hdm2- and ATM-dependent degradation in response to DNA damage. 2005 , 102, 5056-61	145
1910	Independent and sequential recruitment of NHEJ and HR factors to DNA damage sites in mammalian cells. 2005 , 170, 341-7	210
1909	Interaction of 14-3-3 protein with Chk1 affects localization and checkpoint function. 2005 , 118, 39-50	36
1908	STAT-1 facilitates the ATM activated checkpoint pathway following DNA damage. 2005 , 118, 1629-39	54
1907	ATM activation and its recruitment to damaged DNA require binding to the C terminus of Nbs1. 2005 , 25, 5363-79	336
1906	More than just strand breaks: the recognition of structural DNA discontinuities by DNA-dependent protein kinase catalytic subunit. 2005 , 19, 704-15	36
1905	Surveillance of different recombination defects in mouse spermatocytes yields distinct responses despite elimination at an identical developmental stage. 2005 , 25, 7203-15	175
1904	DNA damage sensors ATM, ATR, DNA-PKcs, and PARP-1 are dispensable for human immunodeficiency virus type 1 integration. 2005 , 79, 2973-8	99
1903	Full activation of PKB/Akt in response to insulin or ionizing radiation is mediated through ATM. 2005 , 280, 4029-36	201
1902	DNA damage regulates Chk2 association with chromatin. 2005 , 280, 37948-56	45
1901	BRCA2 regulates homologous recombination in response to DNA damage: implications for genome stability and carcinogenesis. 2005 , 65, 4117-25	34
1900	ATM and p21 cooperate to suppress aneuploidy and subsequent tumor development. 2005 , 65, 8747-53	67
1899	Genome Instability in Cancer Development. 2005 ,	1

1898	Chromosomal instability in oral cancer cells. 2005 , 84, 107-17	42
1897	NFBD1/Mdc1 mediates ATR-dependent DNA damage response. 2005 , 65, 1158-63	20
1896	High mobility group A2 potentiates genotoxic stress in part through the modulation of basal and DNA damage-dependent phosphatidylinositol 3-kinase-related protein kinase activation. 2005 , 65, 6622-30	45
1895	Molecular basis for G2 arrest induced by 2'-C-cyano-2'-deoxy-1-beta-D-arabino-pentofuranosylcytosine and consequences of checkpoint abrogation. 2005 , 65, 6874-81	39
1894	Checkpoint abrogation in G2 compromises repair of chromosomal breaks in ataxia telangiectasia cells. 2005 , 65, 11292-6	61
1893	p53-Dependent regulation of Cdc6 protein stability controls cellular proliferation. 2005 , 25, 6937-47	65
1892	Protein phosphatase 5 is required for ATR-mediated checkpoint activation. 2005 , 25, 9910-9	63
1891	Loss of neuronal cell cycle control in ataxia-telangiectasia: a unified disease mechanism. 2005 , 25, 2522-9	111
1890	Dynamic assembly and sustained retention of 53BP1 at the sites of DNA damage are controlled by Mdc1/NFBD1. 2005 , 170, 201-11	221
1889	Regulation of CHK2 by DNA-dependent protein kinase. 2005 , 280, 12041-50	75
1888	The cell cycle-apoptosis connection revisited in the adult brain. 2005 , 171, 641-50	87
1887	Ionizing radiation-dependent gamma-H2AX focus formation requires ataxia telangiectasia mutated and ataxia telangiectasia mutated and Rad3-related. 2005 , 16, 2566-76	171
1886	Identification and functional consequences of a novel MRE11 mutation affecting 10 Saudi Arabian patients with the ataxia telangiectasia-like disorder. 2005 , 14, 307-18	112
1885	ATM and ATR make distinct contributions to chromosome end protection and the maintenance of telomeric DNA in Arabidopsis. 2005 , 19, 2111-5	45
1884	DNA damage-induced association of ATM with its target proteins requires a protein interaction domain in the N terminus of ATM. 2005 , 280, 15158-64	53
1883	Reversal of the ATM/ATR-Mediated DNA Damage Response by the Oncogenic Phosphatase PPM1D. 2005 , 4, 4060-4064	40
1882	The GAR motif of 53BP1 is arginine methylated by PRMT1 and is necessary for 53BP1 DNA binding activity. 2005 , 4, 1834-41	98
1881	Comparisons of substitution, insertion and deletion probes for resequencing and mutational analysis using oligonucleotide microarrays. 2005 , 33, e33	32

1880	ATM activation in normal human tissues and testicular cancer. 2005 , 4, 838-45	129
1879	ATR activation necessary but not sufficient for p53 induction and apoptosis in hydroxyurea-hypersensitive myeloid leukemia cells. 2005 , 4, 1667-74	11
1878	Methylation of MRE11 regulates its nuclear compartmentalization. 2005 , 4, 981-9	63
1877	Discovery of potent chromen-4-one inhibitors of the DNA-dependent protein kinase (DNA-PK) using a small-molecule library approach. 2005 , 48, 7829-46	143
1876	ATM signaling and 53BP1. 2005 , 76, 119-22	73
1875	The two edges of the ATM sword: co-operation between repair and checkpoint functions. 2005 , 76, 112-8	61
1874	Differential impact of diverse anticancer chemotherapeutics on the Cdc25A-degradation checkpoint pathway. 2005 , 302, 162-9	27
1873	The Ku70-binding site of Ku80 is required for the stabilization of Ku70 in the cytoplasm, for the nuclear translocation of Ku80, and for Ku80-dependent DNA repair. 2005 , 305, 266-76	25
1872	DNA damage-induced mitotic catastrophe is mediated by the Chk1-dependent mitotic exit DNA damage checkpoint. 2005 , 102, 1065-70	120
1871	Deficiency in 3'-phosphoglycolate processing in human cells with a hereditary mutation in tyrosyl-DNA phosphodiesterase (TDP1). 2005 , 33, 289-97	123
1870	Cell biology. Guiding ATM to broken DNA. 2005 , 308, 510-1	46
1869	MAPKAP kinase-2: three's company at the G(2) checkpoint. 2005 , 17, 163-4	6
1868	ATM-dependent phosphorylation of ATF2 is required for the DNA damage response. 2005 , 18, 577-87	135
1867	Genotoxic stress targets human Chk1 for degradation by the ubiquitin-proteasome pathway. 2005 , 19, 607-18	233
1866	The putative Drosophila transcription factor woc is required to prevent telomeric fusions. 2005 , 20, 821-31	53
1865	Chk2 regulates transcription-independent p53-mediated apoptosis in response to DNA damage. 2005 , 333, 427-31	15
1864	PP2A: the expected tumor suppressor. 2005 , 15, 34-41	355
1863	DNA repair disorders causing malformations. 2005 , 15, 234-40	24

1862	Proapoptotic BID is an ATM effector in the DNA-damage response. 2005 , 122, 593-603	184
1861	PIDD mediates NF-kappaB activation in response to DNA damage. 2005 , 123, 1079-92	269
1860	Harmonising the response to DSBs: a new string in the ATM bow. 2005 , 4, 749-59	82
1859	Heterogeneity in premature senescence by oxidative stress correlates with differential DNA damage during the cell cycle. 2005 , 4, 1140-8	48
1858	Molecular cloning and functional characterization of zebrafish ATM. 2005 , 37, 1105-16	30
1857	The sunburn cell: regulation of death and survival of the keratinocyte. 2005 , 37, 1547-53	63
1856	Telomeres and DNA damage checkpoints. 2005 , 87, 613-24	24
1855	Ataxia telangiectasia mutated (Atm) knockout mice as a model of osteopenia due to impaired bone formation. 2005 , 37, 497-503	35
1854	Conditional inactivation of the mouse Hus1 cell cycle checkpoint gene. 2005 , 86, 212-24	18
1853	Cancer chemoprevention by the antioxidant tempol acts partially via the p53 tumor suppressor. 2005 , 14, 1699-708	45
1852	Molecular pathology of ataxia telangiectasia. 2005 , 58, 1009-15	164
1851	Tumor suppressor genes in breast cancer: the gatekeepers and the caretakers. 2005 , 124 Suppl, S16-28	57
1850	Involvement of human MOF in ATM function. 2005 , 25, 5292-305	196
1849	Selective benzopyranone and pyrimido[2,1-a]isoquinolin-4-one inhibitors of DNA-dependent protein kinase: synthesis, structure-activity studies, and radiosensitization of a human tumor cell line in vitro. 2005 , 48, 569-85	127
1848	Mutation analysis of the ATR gene in breast and ovarian cancer families. 2005 , 7, R495-501	28
1847	Surviving the breakup: the DNA damage checkpoint. 2006 , 40, 209-35	424
1846	DNA Repair and Human Disease. 2006 ,	
1845	Evaluation of the role of Finnish ataxia-telangiectasia mutations in hereditary predisposition to breast cancer. 2007 , 28, 1040-5	16

1844	Mammalian Rad9 plays a role in telomere stability, S- and G2-phase-specific cell survival, and homologous recombinational repair. 2006 , 26, 1850-64	120
1843	11q22.3 deletion in B-chronic lymphocytic leukemia is specifically associated with bulky lymphadenopathy and ZAP-70 expression but not reduced expression of adhesion/cell surface receptor molecules. 2006 , 47, 231-44	25
1842	Qualitative and quantitative analysis of phosphorylated ATM foci induced by low-dose ionizing radiation. 2006 , 165, 499-504	66
1841	ATM engages autodegradation of the E3 ubiquitin ligase COP1 after DNA damage. 2006 , 313, 1122-6	120
1840	Individual differences in chromosomal aberrations after in vitro irradiation of cells from healthy individuals, cancer and cancer susceptibility syndrome patients. 2006 , 81, 257-63	42
1839	Cell cycle-dependent DNA damage signaling induced by ICRF-193 involves ATM, ATR, CHK2, and BRCA1. 2006 , 312, 1996-2008	39
1838	Structure meets function--centrosomes, genome maintenance and the DNA damage response. 2006 , 312, 2633-40	91
1837	Rad50S alleles of the Mre11 complex: questions answered and questions raised. 2006 , 312, 2694-9	22
1836	Cohesin and DNA damage repair. 2006 , 312, 2687-93	91
1835	Oxidative stress induces H2AX phosphorylation in human spermatozoa. 2006 , 580, 6161-8	86
1834	Recruitment of ataxia-telangiectasia mutated to the p21(waf1) promoter by ZBP-89 plays a role in mucosal protection. 2006 , 131, 841-52	21
1833	Characterization and Purification of Kinase Activities against Arabidopsis COP9 Signalosome Subunit 7. 2006 , 46, 239-246	6
1832	Oxygen free radicals in cell senescence: are they signal transducers?. 2006 , 40, 1277-83	86
1831	Low-dose hyper-radiosensitivity is not caused by a failure to recognize DNA double-strand breaks. 2006 , 165, 516-24	63
1830	Haplotypic variation in MRE11, RAD50 and NBS1 and risk of non-Hodgkin's lymphoma. 2006 , 47, 2567-83	13
1829	The radiomimetic enediyne C-1027 induces unusual DNA damage responses to double-strand breaks. 2006 , 45, 3747-54	19
1828	Arabidopsis TEBICHI, with helicase and DNA polymerase domains, is required for regulated cell division and differentiation in meristems. 2006 , 18, 879-92	81
1827	Methylation of the ATM promoter in glioma cells alters ionizing radiation sensitivity. 2006 , 344, 821-6	53

1826	Single-stranded oligonucleotide-mediated gene repair in mammalian cells has a mechanism distinct from homologous recombination repair. 2006 , 350, 568-73	10
1825	Premeiotic germ cell defect in seminiferous tubules of Atm-null testis. 2006 , 351, 993-8	16
1824	The roles of Chk 1 and Chk 2 in hypoxia and reoxygenation. 2006 , 238, 161-7	23
1823	DNA-PK phosphorylates histone H2AX during apoptotic DNA fragmentation in mammalian cells. 2006 , 5, 575-90	149
1822	Impaired elimination of DNA double-strand break-containing lymphocytes in ataxia telangiectasia and Nijmegen breakage syndrome. 2006 , 5, 904-13	40
1821	Antioxidant N-acetyl cysteine reduces incidence and multiplicity of lymphoma in Atm deficient mice. 2006 , 5, 852-9	81
1820	A novel function of DNA repair molecule Nbs1 in terminal differentiation of the lens fibre cells and cataractogenesis. 2006 , 5, 885-93	27
1819	Pathways that suppress programmed DNA breaks from progressing to chromosomal breaks and translocations. 2006 , 5, 1030-41	75
1818	Iron chelators reduce chromosomal breaks in ataxia-telangiectasia cells. 2006 , 5, 1327-36	16
1817	<i>C. elegans</i> FANCD2 responds to replication stress and functions in interstrand cross-link repair. 2006 , 5, 1398-406	49
1816	Radiation-induced DNA damage responses. 2006 , 122, 124-7	101
1815	The human LINE-1 retrotransposon creates DNA double-strand breaks. 2006 , 357, 1383-93	332
1814	The circadian gene <i>per1</i> plays an important role in cell growth and DNA damage control in human cancer cells. 2006 , 22, 375-82	425
1813	Expression of human ATM cDNA in Atm-deficient mouse brain mediated by HSV-1 amplicon vector. 2006 , 141, 1247-56	14
1812	[Relationship between abnormalities of genes involved in DNA damage responses and malignant tumors/autoimmune diseases]. 2006 , 29, 136-47	1
1811	Mouse Models of Accelerated Aging. 2006 , 601-618	2
1810	Transcriptional response of wild-type and ataxia telangiectasia lymphoblasts following exposure to equitoxic doses of ionizing radiation. 2006 , 47, 259-72	1
1809	Mutagenesis, Malignancy and Genome Instability. 2006 ,	

1808	Changing views on ionising radiation-induced cellular effects. 2006 , 3, 117	12
1807	DNA repair after low doses of ionising radiation. 2006 , 3, 255	3
1806	Hematopoiesis and stem cell renewal in long-term bone marrow cultures containing catalase. 2006 , 107, 1837-46	34
1805	Molecular pathogenesis of Fanconi anemia: recent progress. 2006 , 107, 4223-33	295
1804	Genomic abnormalities in chronic lymphocytic leukemia influence gene expression by a gene dosage effect. 2006 , 17, 769	1
1803	The role of Trp53 in the transcriptional response to ionizing radiation in the developing brain. 2006 , 13, 65-75	12
1802	Expression of DNA double-strand break repair proteins ATM and BRCA1 predicts survival in colorectal cancer. 2006 , 12, 1494-500	58
1801	Molecular Pathogenesis of Human Cancer. 2006 , 349-374	
1800	Apoptosis induced by ultraviolet B in HPV-immortalized human keratinocytes requires caspase-9 and is death receptor independent. 2006 , 15, 23-34	16
1799	ATM-dependent DNA damage surveillance in T-cell development and leukemogenesis: the DSB connection. 2006 , 209, 142-58	58
1798	Enhanced radiation-mediated cell killing of human cervical cancer cells by small interference RNA silencing of ataxia telangiectasia-mutated protein. 2006 , 16, 1620-30	19
1797	Double-strand breaks trigger MRX- and Mec1-dependent, but Tel1-independent, checkpoint activation. 2006 , 6, 836-47	14
1796	ATM activation and histone H2AX phosphorylation as indicators of DNA damage by DNA topoisomerase I inhibitor topotecan and during apoptosis. 2006 , 39, 49-60	51
1795	The cellular response to chromosome breakage. 2006 , 60, 1099-108	37
1794	Impairment of double-strand breaks repair and aberrant splicing of ATM and MRE11 in leukemia-lymphoma cell lines with microsatellite instability. 2006 , 97, 226-34	25
1793	Alterations in ATR in nasal NK/T-cell lymphoma and chronic active Epstein-Barr virus infection. 2006 , 97, 605-10	10
1792	Regulation of mitotic function of Chk1 through phosphorylation at novel sites by cyclin-dependent kinase 1 (Cdk1). 2006 , 11, 477-85	41
1791	53BP1 contributes to survival of cells irradiated with X-ray during G1 without Ku70 or Artemis. 2006 , 11, 935-48	37

1790	ATM- and cell cycle-dependent regulation of ATR in response to DNA double-strand breaks. 2006 , 8, 37-45	859
1789	Chromatin relaxation in response to DNA double-strand breaks is modulated by a novel ATM- and KAP-1 dependent pathway. 2006 , 8, 870-6	554
1788	Small molecule-based reversible reprogramming of cellular lifespan. 2006 , 2, 369-74	54
1787	ATM mutations that cause ataxia-telangiectasia are breast cancer susceptibility alleles. 2006 , 38, 873-5	553
1786	Mapping normal and cancer cell signalling networks: towards single-cell proteomics. <i>Nature Reviews Cancer</i> , 2006 , 6, 146-55	31.3 265
1785	Anticancer activities of histone deacetylase inhibitors. 2006 , 5, 769-84	2286
1784	DNA damage: a trigger of innate immunity but a requirement for adaptive immune homeostasis. 2006 , 6, 261-70	75
1783	Two-step activation of ATM by DNA and the Mre11-Rad50-Nbs1 complex. 2006 , 13, 451-7	178
1782	Expression of DNA damage response proteins and complete remission after radiotherapy of stage IB-IIA of cervical cancer. 2006 , 94, 1683-9	16
1781	ATM stabilizes DNA double-strand-break complexes during V(D)J recombination. 2006 , 442, 466-70	311
1780	Signals from within: the DNA-damage-induced NF-kappaB response. 2006 , 13, 773-84	250
1779	The role of NBS1 in DNA double strand break repair, telomere stability, and cell cycle checkpoint control. 2006 , 16, 45-54	77
1778	A conserved pathway to activate BRCA1-dependent ubiquitylation at DNA damage sites. 2006 , 25, 2178-88	125
1777	Involvement of novel autophosphorylation sites in ATM activation. 2006 , 25, 3504-14	225
1776	Mammalian SWI/SNF complexes facilitate DNA double-strand break repair by promoting gamma-H2AX induction. 2006 , 25, 3986-97	214
1775	Conditional deletion of Nbs1 in murine cells reveals its role in branching repair pathways of DNA double-strand breaks. 2006 , 25, 5527-38	70
1774	ATR-dependent phosphorylation and activation of ATM in response to UV treatment or replication fork stalling. 2006 , 25, 5775-82	291
1773	DNA-damage-responsive acetylation of pRb regulates binding to E2F-1. 2006 , 7, 192-8	49

1772	ERK activity facilitates activation of the S-phase DNA damage checkpoint by modulating ATR function. 2006 , 25, 1153-64	42
1771	Parallel induction of ATM-dependent pro- and antiapoptotic signals in response to ionizing radiation in murine lymphoid tissue. 2006 , 25, 1584-92	62
1770	p21CDKN1A allows the repair of replication-mediated DNA double-strand breaks induced by topoisomerase I and is inactivated by the checkpoint kinase inhibitor 7-hydroxystaurosporine. 2006 , 25, 2839-49	36
1769	E2F1 induces MRN foci formation and a cell cycle checkpoint response in human fibroblasts. 2006 , 25, 3258-66	40
1768	Id3 induces a caspase-3- and -9-dependent apoptosis and mediates UVB sensitization of HPV16 E6/7 immortalized human keratinocytes. 2006 , 25, 3649-60	21
1767	Recruitment of ATR to sites of ionising radiation-induced DNA damage requires ATM and components of the MRN protein complex. 2006 , 25, 3894-904	125
1766	Identification of an ataxia telangiectasia-mutated protein mediated surveillance system to regulate Bcl-2 overexpression. 2006 , 25, 5601-11	4
1765	BRCA1 and BRCA2: the genetic testing and the current management options for mutation carriers. 2006 , 57, 1-23	49
1764	Radiobiology of breast cancer. 2006 , 18, 166-78	20
1763	ATM sequence variants and risk of radiation-induced subcutaneous fibrosis after postmastectomy radiotherapy. 2006 , 64, 776-83	83
1762	Genetic predictors of adverse radiotherapy effects: the Gene-PARE project. 2006 , 65, 646-55	98
1761	Influence of genetic polymorphisms on the risk of developing leukemia and on disease progression. 2006 , 30, 1471-91	84
1760	Variation of ATM protein expression in response to irradiation of lymphocytes in lung cancer patients and controls. 2006 , 224, 138-46	17
1759	Ataxia-telangiectasia-mutated-dependent activation of Ku in human fibroblasts exposed to hydrogen peroxide. 2006 , 1091, 76-82	13
1758	Ataxia-telangiectasia and related diseases. 2006 , 8, 495-511	59
1757	DNA damage checkpoints and cancer. 2006 , 37, 253-60	37
1756	Recent reports on the effect of low doses of ionizing radiation and its dose-effect relationship. 2006 , 44, 245-51	100
1755	Exclusion/confirmation of ataxia-telangiectasia via cell-cycle testing. 2006 , 165, 250-7	11

1754	Aneuploidy in the normal and diseased brain. 2006 , 63, 2626-41	79
1753	Laminopathies: multiple disorders arising from defects in nuclear architecture. 2006 , 31, 405-21	39
1752	Dramatic extension of tumor latency and correction of neurobehavioral phenotype in Atm-mutant mice with a nitroxide antioxidant. 2006 , 41, 992-1000	63
1751	ATM alterations in childhood non-Hodgkin lymphoma. 2006 , 166, 101-11	13
1750	Breakpoint locations within chromosomes 1, 2, and 4 of patients with increased radiosensitivity. 2006 , 168, 1-10	3
1749	BRIT1 regulates early DNA damage response, chromosomal integrity, and cancer. 2006 , 10, 145-57	123
1748	Che-1 phosphorylation by ATM/ATR and Chk2 kinases activates p53 transcription and the G2/M checkpoint. 2006 , 10, 473-86	90
1747	Intact T cell responses in ataxia telangiectasia. 2006 , 120, 156-62	17
1746	ATM activation is accompanied with earlier stages of prostate tumorigenesis. 2006 , 1763, 1090-7	31
1745	NF-kappaB activation by double-strand breaks. 2006 , 72, 1132-41	119
1744	DNA damage checkpoint, damage repair, and genome stability. 2006 , 33, 381-90	10
1743	Posttranslational modifications of NEMO and its partners in NF-kappaB signaling. 2006 , 16, 569-77	81
1742	The ATM-mediated DNA-damage response: taking shape. 2006 , 31, 402-10	460
1741	Regulation of growth arrest in senescence: telomere damage is not the end of the story. 2006 , 127, 16-24	145
1740	Delayed activation of DNA damage checkpoint and radiation-induced genomic instability. 2006 , 597, 73-7	20
1739	ATM variants and cancer risk in breast cancer patients from Southern Finland. 2006 , 6, 209	19
1738	Hypothesis: transcript-templated repair of DNA double-strand breaks. 2006 , 28, 78-83	11
1737	Telomere dysfunction: a new player in radiation sensitivity. 2006 , 28, 1172-80	22

1736	Sequential phosphorylation of Ser-10 on histone H3 and ser-139 on histone H2AX and ATM activation during premature chromosome condensation: relationship to cell-cycle phase and apoptosis. 2006 , 69, 222-9	41
1735	ATM is activated by mitotic stress and suppresses centrosome amplification in primary but not in tumor cells. 2006 , 99, 1267-74	27
1734	Modifications of nuclear architecture and chromatin organization in ataxia telangiectasia cells are coupled to changes of gene transcription. 2006 , 99, 1148-64	3
1733	Tumour-cell apoptosis after cisplatin treatment is not telomere dependent. 2006 , 118, 2727-34	13
1732	Evaluation of RAD50 in familial breast cancer predisposition. 2006 , 118, 2911-6	47
1731	Non-specific detection of the centrosomes by antibodies recognizing phosphorylated ATM at serine 1981. 2006 , 5, 1008-9; author reply 1010	4
1730	Dose effect relationship and estimation of the carcinogenic effects of low doses of ionising radiation: the Joint Report of the Academie des Sciences (Paris) and of the Academie Nationale de Medecine. 2006 , 2, 135	24
1729	DNA damage signaling and repair in Dictyostelium discoideum. 2006 , 5, 702-8	20
1728	BRIT1/MCPH1: a guardian of genome and an enemy of tumors. 2006 , 5, 2579-83	24
1727	E1B55K-deleted adenovirus (ONYX-015) overrides G1/S and G2/M checkpoints and causes mitotic catastrophe and endoreduplication in p53-proficient normal cells. 2006 , 5, 2244-52	40
1726	Lytic replication of EpsteinBarr virus. 2006 , 1, 435-446	7
1725	BID as a double agent in cell life and death. 2006 , 5, 582-4	28
1724	P53 mediates amosite asbestos-induced alveolar epithelial cell mitochondria-regulated apoptosis. 2006 , 34, 443-52	59
1723	The role of the APC tumor suppressor in chromosomal instability. 2006 , 1, 149-170	22
1722	Risk of thyroid cancer after childhood exposure to ionizing radiation for tinea capitis. 2006 , 91, 4798-804	86
1721	Spatial organization of the mammalian genome surveillance machinery in response to DNA strand breaks. 2006 , 173, 195-206	509
1720	ATR-Chk1 axis protects BCR/ABL leukemia cells from the lethal effect of DNA double-strand breaks. 2006 , 5, 994-1000	49
1719	The role of Vpr in HIV-1 disease progression is independent of its G2 arrest induction function. 2006 , 5, 2275-80	11

1718	p53-Independent apoptosis disrupts early organogenesis in embryos lacking both ataxia-telangiectasia mutated and Prkdc. 2006 , 4, 311-8	13
1717	DNA methyltransferase 1 knockdown activates a replication stress checkpoint. 2006 , 26, 7575-86	65
1716	Double-Strand Breaks Repair by Non-Homologous DNA End Joining in Mammalian Cells. 2006 , 7, 311-322	2
1715	gamma-H2AX as a therapeutic target for improving the efficacy of radiation therapy. 2006 , 6, 197-205	53
1714	Senescence of human fibroblasts after psoralen photoactivation is mediated by ATR kinase and persistent DNA damage foci at telomeres. 2006 , 17, 1758-67	22
1713	Intercellular Genomic (Chromosomal) Variations Resulting in Somatic Mosaicism: Mechanisms and Consequences. 2006 , 7, 435-446	44
1712	Atm-haploinsufficiency enhances susceptibility to carcinogen-induced mammary tumors. 2006 , 27, 848-55	23
1711	Epigenetic telomere protection by Drosophila DNA damage response pathways. 2006 , 2, e71	41
1710	Cytoprotective effects of hypoxia against cisplatin-induced tubular cell apoptosis: involvement of mitochondrial inhibition and p53 suppression. 2006 , 17, 1875-85	57
1709	Caspase-mediated cleavage of ATM during cisplatin-induced tubular cell apoptosis: inactivation of its kinase activity toward p53. 2006 , 291, F1300-7	38
1708	The transcriptional histone acetyltransferase cofactor TRRAP associates with the MRN repair complex and plays a role in DNA double-strand break repair. 2006 , 26, 402-12	63
1707	The Drosophila Nbs protein functions in multiple pathways for the maintenance of genome stability. 2006 , 173, 1447-54	42
1706	ATR-dependent phosphorylation of DNA-dependent protein kinase catalytic subunit in response to UV-induced replication stress. 2006 , 26, 7520-8	103
1705	hUPF2 silencing identifies physiologic substrates of mammalian nonsense-mediated mRNA decay. 2006 , 26, 1272-87	187
1704	Genetic polymorphisms of ataxia telangiectasia mutated affect lung cancer risk. 2006 , 15, 1181-6	72
1703	DNA damage-induced cell cycle regulation and function of novel Chk2 phosphoresidues. 2006 , 26, 7832-45	40
1702	DNA damage triggers nucleotide excision repair-dependent monoubiquitylation of histone H2A. 2006 , 20, 1343-52	183
1701	Single nucleotide polymorphisms of RecQ1, RAD54L, and ATM genes are associated with reduced survival of pancreatic cancer. 2006 , 24, 1720-8	113

1700	Fanconi anemia D2 protein confers chemoresistance in response to the anticancer agent, irifolven. 2006 , 5, 3153-61	14
1699	Cell biology. The stress of finding NEMO. 2006 , 311, 1110-1	21
1698	DNA damage-induced BARD1 phosphorylation is critical for the inhibition of messenger RNA processing by BRCA1/BARD1 complex. 2006 , 66, 4561-5	34
1697	DNA damage responses in progeroid syndromes arise from defective maturation of prelamin A. 2006 , 119, 4644-9	173
1696	Regulation of hyphal morphogenesis and the DNA damage response by the <i>Aspergillus nidulans</i> ATM homolog AtmA. 2006 , 173, 99-109	28
1695	Budding Yeast Sae2 is an In Vivo Target of the Mec1 and Tel1 Checkpoint Kinases During Meiosis. 2006 , 5, 1549-59	65
1694	Expression of disease-causing lamin A mutants impairs the formation of DNA repair foci. 2006 , 119, 2704-14	120
1693	Stalled replication induces p53 accumulation through distinct mechanisms from DNA damage checkpoint pathways. 2006 , 66, 2233-41	26
1692	Purification and biochemical characterization of ataxia-telangiectasia mutated and Mre11/Rad50/Nbs1. 2006 , 408, 529-39	34
1691	Nuclear ataxia-telangiectasia mutated (ATM) mediates the cellular response to DNA double strand breaks in human neuron-like cells. 2006 , 281, 17482-17491	61
1690	Ataxia telangiectasia mutated and checkpoint kinase 2 regulate BRCA1 to promote the fidelity of DNA end-joining. 2006 , 66, 1391-400	85
1689	Ataxia-telangiectasia-mutated (ATM) protein can enhance human immunodeficiency virus type 1 replication by stimulating Rev function. 2006 , 80, 2445-52	21
1688	Disparate roles of ATR and ATM in immunoglobulin class switch recombination and somatic hypermutation. 2006 , 203, 99-110	35
1687	Radiation clastogenesis and cell cycle checkpoint function as functional markers of breast cancer risk. 2006 , 27, 2519-27	14
1686	Increased Wnt signaling triggers oncogenic conversion of human breast epithelial cells by a Notch-dependent mechanism. 2006 , 103, 3799-804	237
1685	Defective Mre11-dependent activation of Chk2 by ataxia telangiectasia mutated in colorectal carcinoma cells in response to replication-dependent DNA double strand breaks. 2006 , 281, 30814-23	94
1684	DNA replication stress-induced phosphorylation of cyclic AMP response element-binding protein mediated by ATM. 2006 , 281, 1692-7	28
1683	Cleavage of Cdc6 by caspase-3 promotes ATM/ATR kinase-mediated apoptosis of HeLa cells. 2006 , 174, 77-88	28

1682	DNA repair defect in AT cells and their hypersensitivity to low-dose-rate radiation. 2006 , 165, 277-82	25
1681	Screening of Nijmegen breakage syndrome 1 mutations in four unrelated families by polymerase chain reaction using sequence-specific primers. 2006 , 10, 24-30	2
1680	Selective utilization of nonhomologous end-joining and homologous recombination DNA repair pathways during nervous system development. 2006 , 103, 10017-22	143
1679	Monoubiquitination of proliferating cell nuclear antigen induced by stalled replication requires uncoupling of DNA polymerase and mini-chromosome maintenance helicase activities. 2006 , 281, 32081-8	78
1678	Chk1- and claspin-dependent but ATR/ATM- and Rad17-independent DNA replication checkpoint response in HeLa cells. 2006 , 66, 8672-9	26
1677	Chk1 and p21 cooperate to prevent apoptosis during DNA replication fork stress. 2006 , 17, 402-12	152
1676	Increased level of chromosomal damage after irradiation of lymphocytes from BRCA1 mutation carriers. 2006 , 94, 308-10	24
1675	Ataxia telangiectasia mutated down-regulates phospho-extracellular signal-regulated kinase 1/2 via activation of MKP-1 in response to radiation. 2006 , 66, 11554-9	24
1674	Differential roles of ATM- and Chk2-mediated phosphorylations of Hdmx in response to DNA damage. 2006 , 26, 6819-31	73
1673	Time-dependent cytotoxicity induced by SJG-136 (NSC 694501): influence of the rate of interstrand cross-link formation on DNA damage signaling. 2006 , 5, 1602-9	13
1672	Host cell DNA repair pathways in adeno-associated viral genome processing. 2006 , 80, 10346-56	91
1671	Oncogenic RAS induces accelerated transition through G2/M and promotes defects in the G2 DNA damage and mitotic spindle checkpoints. 2006 , 281, 3800-9	74
1670	Ataxia telangiectasia mutated (Atm) is not required for telomerase-mediated elongation of short telomeres. 2006 , 103, 2249-51	20
1669	Claspin operates downstream of TopBP1 to direct ATR signaling towards Chk1 activation. 2006 , 26, 6056-64	138
1668	Gallic acid causes inactivating phosphorylation of cdc25A/cdc25C-cdc2 via ATM-Chk2 activation, leading to cell cycle arrest, and induces apoptosis in human prostate carcinoma DU145 cells. 2006 , 5, 3294-302	100
1667	Phosphorylation of Chk1 by ATR is antagonized by a Chk1-regulated protein phosphatase 2A circuit. 2006 , 26, 7529-38	133
1666	ATM activation by ionizing radiation requires BRCA1-associated BAAT1. 2006 , 281, 9710-8	37
1665	Spy1 expression prevents normal cellular responses to DNA damage: inhibition of apoptosis and checkpoint activation. 2006 , 281, 35425-35	29

1664	Chk2 molecular interaction map and rationale for Chk2 inhibitors. 2006 , 12, 2657-61	76
1663	Inhibition of transforming growth factor-beta1 signaling attenuates ataxia telangiectasia mutated activity in response to genotoxic stress. 2006 , 66, 10861-9	130
1662	The Genetics of Male Infertility. 2007 ,	3
1661	Chromosome breakage after G2 checkpoint release. 2007 , 176, 749-55	196
1660	The processing of double-strand breaks and binding of single-strand-binding proteins RPA and Rad51 modulate the formation of ATR-kinase foci in yeast. 2007 , 120, 4209-20	46
1659	Splicing regulator SC35 is essential for genomic stability and cell proliferation during mammalian organogenesis. 2007 , 27, 5393-402	125
1658	Decline and fall of the tumor suppressor. 2007 , 104, 18347-8	3
1657	Specific role of Chk1 phosphorylations in cell survival and checkpoint activation. 2007 , 27, 2572-81	141
1656	Xeroderma pigmentosum C is involved in Epstein Barr virus DNA replication. 2007 , 88, 3234-3243	11
1655	Homeodomain-interacting protein kinase 2 is the ionizing radiation-activated p53 serine 46 kinase and is regulated by ATM. 2007 , 67, 2274-9	65
1654	Induction of base damages representing a high risk site for double-strand DNA break formation in genomic DNA by exposure of cells to DNA damaging agents. 2007 , 282, 21913-23	12
1653	Ataxia telangiectasia mutated (ATM) is essential for DNA-PKcs phosphorylations at the Thr-2609 cluster upon DNA double strand break. 2007 , 282, 6582-7	229
1652	Disruption of telomere maintenance by depletion of the MRE11/RAD50/NBS1 complex in cells that use alternative lengthening of telomeres. 2007 , 282, 29314-22	115
1651	S-phase checkpoints regulate Apo2 ligand/TRAIL and CPT-11-induced apoptosis of prostate cancer cells. 2007 , 6, 1368-78	25
1650	Designer enediynes generate DNA breaks, interstrand cross-links, or both, with concomitant changes in the regulation of DNA damage responses. 2007 , 104, 17632-7	48
1649	5-Azacytidine, a DNA methyltransferase inhibitor, induces ATR-mediated DNA double-strand break responses, apoptosis, and synergistic cytotoxicity with doxorubicin and bortezomib against multiple myeloma cells. 2007 , 6, 1718-27	142
1648	Undamaged DNA transmits and enhances DNA damage checkpoint signals in early embryos. 2007 , 27, 6852-62	19
1647	Chlorambucil cytotoxicity in malignant B lymphocytes is synergistically increased by 2-(morpholin-4-yl)-benzo[h]chomen-4-one (NU7026)-mediated inhibition of DNA double-strand break repair via inhibition of DNA-dependent protein kinase. 2007 , 321, 848-55	47

1646	Defects in coding joint formation in vivo in developing ATM-deficient B and T lymphocytes. 2007 , 204, 1371-81	48
1645	Targeting cell cycle kinases for cancer therapy. 2007 , 14, 969-85	115
1644	Zebrafish as a model system to screen radiation modifiers. 2007 , 8, 360-9	20
1643	Proteasome function is required for DNA damage response and fanconi anemia pathway activation. 2007 , 67, 7395-405	169
1642	ATM-NF-kappaB connection as a target for tumor radiosensitization. 2007 , 7, 335-42	51
1641	Effective palliation without normal tissue toxicity using low-dose ultrafractionated re-irradiation for tumor recurrence after radical or adjuvant radiotherapy. 2007 , 46, 1037-41	9
1640	The cell biology of homologous recombination. 2006 , 335-362	
1639	Control of the yeast telomeric senescence survival pathways of recombination by the Mec1 and Mec3 DNA damage sensors and RPA. 2007 , 35, 822-38	23
1638	New Insights into the Roles of XPA and RPA in DNA Repair and Damage Responses. 2007 , 1, 151-160	
1637	Beyond repair foci: subnuclear domains and the cellular response to DNA damage. 2007 , 6, 1864-72	48
1636	DNA damage response as an anti-cancer barrier: damage threshold and the concept of 'conditional haploinsufficiency'. 2007 , 6, 2344-7	115
1635	DNA repair deficiency and neurodegeneration. 2007 , 6, 2360-5	28
1634	Che-1: a new effector of checkpoints signaling. 2007 , 6, 804-6	4
1633	DNA damage-induced accumulation of centrosomal Chk1 contributes to its checkpoint function. 2007 , 6, 2541-8	60
1632	Programs for cell death: apoptosis is only one way to go. 2007 , 6, 686-95	88
1631	BRCA2 function and the central nervous system. 2007 , 6, 2453-7	10
1630	DNA damage in telomeres and mitochondria during cellular senescence: is there a connection?. 2007 , 35, 7505-13	244
1629	In situ analysis of DNA damage response and repair using laser microirradiation. 2007 , 82, 377-407	18

1628	RAP80 targets BRCA1 to specific ubiquitin structures at DNA damage sites. 2007 , 316, 1198-202	547
1627	Evolution of the immunoglobulin heavy chain class switch recombination mechanism. 2007 , 94, 157-214	201
1626	The Mre11/Rad50/Nbs1 complex limits adeno-associated virus transduction and replication. 2007 , 81, 12936-45	85
1625	Nucleophosmin suppresses oncogene-induced apoptosis and senescence and enhances oncogenic cooperation in cells with genomic instability. 2007 , 28, 1163-70	28
1624	Ataxia-telangiectasia mutated is not required for p53 induction and apoptosis in irradiated epithelial tissues. 2007 , 5, 1312-8	17
1623	Cross-talk between Chk1 and Chk2 in double-mutant thymocytes. 2007 , 104, 3805-10	50
1622	Adenovirus-mediated expression of a dominant negative Ku70 fragment radiosensitizes human tumor cells under aerobic and hypoxic conditions. 2007 , 67, 634-42	34
1621	DNA damage-induced acetylation of lysine 3016 of ATM activates ATM kinase activity. 2007 , 27, 8502-9	227
1620	Activation of the kinase activity of ATM by retinoic acid is required for CREB-dependent differentiation of neuroblastoma cells. 2007 , 282, 16577-84	37
1619	Phospho-epitope binding by the BRCT domains of hPTIP controls multiple aspects of the cellular response to DNA damage. 2007 , 35, 5312-22	75
1618	Batracylin (NSC 320846), a dual inhibitor of DNA topoisomerases I and II induces histone gamma-H2AX as a biomarker of DNA damage. 2007 , 67, 9971-9	66
1617	Inflammatory ROS promote and cooperate with the Fanconi anemia mutation for hematopoietic senescence. 2007 , 120, 1572-83	77
1616	The role of DNA damage repair in aging of adult stem cells. 2007 , 35, 7557-65	112
1615	A novel nuclear interactor of ARF and MDM2 (NIAM) that maintains chromosomal stability. 2007 , 282, 1322-33	30
1614	Single chemical modifications of the C-1027 enediyne core, a radiomimetic antitumor drug, affect both drug potency and the role of ataxia-telangiectasia mutated in cellular responses to DNA double-strand breaks. 2007 , 67, 773-81	50
1613	Enhanced phosphorylation of transcription factor sp1 in response to herpes simplex virus type 1 infection is dependent on the ataxia telangiectasia-mutated protein. 2007 , 81, 9653-64	25
1612	ATM deficiency impairs thymocyte maturation because of defective resolution of T cell receptor alpha locus coding end breaks. 2007 , 104, 6323-8	56
1611	Biochemistry of eukaryotic homologous recombination. 2007 , 17, 95-133	19

1610	Regulation of reactive oxygen species by Atm is essential for proper response to DNA double-strand breaks in lymphocytes. 2007 , 178, 103-10	97
1609	Different S/M checkpoint responses of tumor and non tumor cell lines to DNA replication inhibition. 2007 , 67, 11648-56	29
1608	Characterization of an NBS1 C-terminal peptide that can inhibit ataxia telangiectasia mutated (ATM)-mediated DNA damage responses and enhance radiosensitivity. 2007 , 72, 320-6	17
1607	Artemis links ATM to G2/M checkpoint recovery via regulation of Cdk1-cyclin B. 2007 , 27, 2625-35	49
1606	A proteomic analysis of ataxia telangiectasia-mutated (ATM)/ATM-Rad3-related (ATR) substrates identifies the ubiquitin-proteasome system as a regulator for DNA damage checkpoints. 2007 , 282, 17330-4	131
1605	Untangling the relationships between DNA repair pathways by silencing more than 20 DNA repair genes in human stable clones. 2007 , 35, 3535-50	54
1604	Chapter 8 Ataxia-Telangiectasia. 2007 , 202-221	1
1603	Expression of BRCC3, a novel cell cycle regulated molecule, is associated with increased phospho-ERK and cell proliferation. 2007 ,	3
1602	ATM deficiency disrupts Tcr α locus integrity and the maturation of CD4+CD8+ thymocytes. 2007 , 109, 1887-96	44
1601	Enhanced phosphorylation of Nbs1, a member of DNA repair/checkpoint complex Mre11-RAD50-Nbs1, can be targeted to increase the efficacy of imatinib mesylate against BCR/ABL-positive leukemia cells. 2007 , 110, 651-60	22
1600	Non-Hodgkin lymphoma secondary to cancer chemotherapy. 2007 , 16, 377-80	57
1599	Apoptosis, cell cycle progression and gene expression in TP53-depleted HCT116 colon cancer cells in response to short-term 5-fluorouracil treatment. 2007 ,	3
1598	Cross-talks between circadian timing system and cell division cycle determine cancer biology and therapeutics. 2007 , 72, 465-75	68
1597	[Human cytogenetics. From 1956 to 2006]. 2007 , 55, 1-12	1
1596	Responding to DNA double strand breaks in the nervous system. 2007 , 145, 1365-74	86
1595	Bone marrow-derived cells: the influence of aging and cellular senescence. 2007 , 67-88	57
1594	The role of circadian regulation in cancer. 2007 , 72, 459-64	55
1593	Cell division in the CNS: protective response or lethal event in post-mitotic neurons?. 2007 , 1772, 457-66	110

1592	Decreased PARP-1 levels accelerate embryonic lethality but attenuate neuronal apoptosis in DNA polymerase beta-deficient mice. 2007 , 354, 656-61	11
1591	Mec1/Tel1 phosphorylation of the INO80 chromatin remodeling complex influences DNA damage checkpoint responses. 2007 , 130, 499-511	98
1590	RNF8 ubiquitylates histones at DNA double-strand breaks and promotes assembly of repair proteins. 2007 , 131, 887-900	914
1589	Tel2 regulates the stability of PI3K-related protein kinases. 2007 , 131, 1248-59	178
1588	Characterization of the porcine ATM gene: towards the generation of a novel non-murine animal model for Ataxia-Telangiectasia. 2007 , 405, 27-35	8
1587	The enigmatic effects of caffeine in cell cycle and cancer. 2007 , 247, 26-39	125
1586	Partial deficiency of DNA-PKcs increases ionizing radiation-induced mutagenesis and telomere instability in human cells. 2007 , 250, 63-73	36
1585	Jab1 mediates protein degradation of the Rad9-Rad1-Hus1 checkpoint complex. 2007 , 371, 514-27	26
1584	Unraveling the fundamental molecular mechanisms of morphological and cognitive defects in the irradiated brain. 2007 , 53, 312-20	31
1583	Gemcitabine radiosensitizes multiple myeloma cells to low let, but not high let, irradiation. 2007 , 83, 97-101	14
1582	An imperfect G2M checkpoint contributes to chromosome instability following irradiation of S and G2 phase cells. 2007 , 6, 1682-6	86
1581	Chromatin and Disease. 2007 ,	7
1580	Apoptosis, Senescence, and Cancer. 2007 ,	6
1579	DNA strand break repair and human genetic disease. 2007 , 8, 37-55	210
1578	The Myc-evoked DNA damage response accounts for treatment resistance in primary lymphomas in vivo. 2007 , 110, 2996-3004	70
1577	Breast cancer risk is associated with the genes encoding the DNA double-strand break repair Mre11/Rad50/Nbs1 complex. 2007 , 16, 2024-32	71
1576	Genetic immunodeficiency diseases. 2007 , 23, 197-229	3
1575	Functions of Myst Family Histone Acetyltransferases and Their Link to Disease. 2007 , 301-322	4

1574	Cancer pharmacogenomics: role of DNA repair genetic polymorphisms in individualizing cancer therapy. 2007 , 11, 361-80	22
1573	The transcription stress response. 2007 , 6, 2252-7	52
1572	The Wip1 phosphatase PPM1D dephosphorylates SQ/TQ motifs in checkpoint substrates phosphorylated by PI3K-like kinases. 2007 , 46, 12594-603	52
1571	The RASSF1A tumor suppressor. 2007 , 120, 3163-72	335
1570	Heterochromatin is refractory to gamma-H2AX modification in yeast and mammals. 2007 , 178, 209-18	209
1569	Primary immunodeficiencies: a field in its infancy. 2007 , 317, 617-9	236
1568	The effects of NBS1 knockdown by small interfering RNA on the ionizing radiation-induced apoptosis in human lymphoblastoid cells with different p53 status. 2007 , 171, 50-9	14
1567	The role of activation-induced deaminase in antibody diversification and chromosome translocations. 2007 , 94, 75-107	51
1566	Pyranone, thiopyranone, and pyridone inhibitors of phosphatidylinositol 3-kinase related kinases. Structure-activity relationships for DNA-dependent protein kinase inhibition, and identification of the first potent and selective inhibitor of the ataxia telangiectasia mutated kinase. 2007 , 50, 1958-72	71
1565	Antioxidants suppress lymphoma and increase longevity in Atm-deficient mice. 2007 , 137, 229S-232S	51
1564	The p53 tumor suppressor-like protein nvp63 mediates selective germ cell death in the sea anemone <i>Nematostella vectensis</i> . 2007 , 2, e782	55
1563	gammaH2AX foci form preferentially in euchromatin after ionising-radiation. 2007 , 2, e1057	177
1562	Facing Stalled Replication Forks: The Intricacies of Doing the Right Thing. 2005 , 105-152	1
1561	Pathways of DNA Double-Strand Break Repair in Mammalian Cells after Ionizing Radiation. 2005 , 399-421	
1560	Regulation of the self-renewal ability of tissue stem cells by tumor-related genes. 2007 , 3, 193-201	9
1559	The management of DNA double-strand breaks in mitotic G2, and in mammalian meiosis viewed from a mitotic G2 perspective. 2007 , 29, 974-86	35
1558	Ataxia-telangiectasia: mild neurological presentation despite null ATM mutation and severe cellular phenotype. 2007 , 143A, 1827-34	42
1557	Acute apoptosis by cisplatin requires induction of reactive oxygen species but is not associated with damage to nuclear DNA. 2007 , 120, 175-80	169

1556	ATM sequence variants associate with susceptibility to non-small cell lung cancer. 2007 , 121, 2254-9	27
1555	DNA damage and cellular differentiation: more questions than responses. 2007 , 213, 642-8	33
1554	Cytometry of ATM activation and histone H2AX phosphorylation to estimate extent of DNA damage induced by exogenous agents. 2007 , 71, 648-61	158
1553	Loss of distal 11q is associated with DNA repair deficiency and reduced sensitivity to ionizing radiation in head and neck squamous cell carcinoma. 2007 , 46, 761-75	67
1552	Discovery of 1,4-dihydroindeno[1,2-c]pyrazoles as a novel class of potent and selective checkpoint kinase 1 inhibitors. 2007 , 15, 2759-67	33
1551	Cyanopyridyl containing 1,4-dihydroindeno[1,2-c]pyrazoles as potent checkpoint kinase 1 inhibitors: improving oral bioavailability. 2007 , 17, 5665-70	5
1550	DNA-damage sensitizers: potential new therapeutical tools to improve chemotherapy. 2007 , 63, 160-71	19
1549	Parthenolide specifically depletes histone deacetylase 1 protein and induces cell death through ataxia telangiectasia mutated. 2007 , 14, 813-23	87
1548	A genetically determined dose-volume histogram predicts for rectal bleeding among patients treated with prostate brachytherapy. 2007 , 68, 1410-6	48
1547	Possession of ATM sequence variants as predictor for late normal tissue responses in breast cancer patients treated with radiotherapy. 2007 , 69, 677-84	66
1546	The anti-apoptotic factor Che-1/AATF links transcriptional regulation, cell cycle control, and DNA damage response. 2007 , 2, 21	23
1545	NF-kappaB activation by combinations of NEMO SUMOylation and ATM activation stresses in the absence of DNA damage. 2007 , 26, 641-51	67
1544	Homologous recombination repair is regulated by domains at the N- and C-terminus of NBS1 and is dissociated with ATM functions. 2007 , 26, 6002-9	53
1543	DNA damage response mediators MDC1 and 53BP1: constitutive activation and aberrant loss in breast and lung cancer, but not in testicular germ cell tumours. 2007 , 26, 7414-22	95
1542	Orchestration of chromatin-based processes: mind the TRRAP. 2007 , 26, 5358-72	123
1541	The MYST family of histone acetyltransferases and their intimate links to cancer. 2007 , 26, 5395-407	235
1540	DNA double-strand break repair and development. 2007 , 26, 7799-808	43
1539	DNA damage signalling guards against activated oncogenes and tumour progression. 2007 , 26, 7773-9	438

1538	HCLK2 is essential for the mammalian S-phase checkpoint and impacts on Chk1 stability. 2007 , 9, 391-401		101
1537	p53 gain-of-function cancer mutants induce genetic instability by inactivating ATM. 2007 , 9, 573-80		322
1536	Rapid activation of ATM on DNA flanking double-strand breaks. 2007 , 9, 1311-8		84
1535	Antigen receptor diversification and chromosome translocations. 2007 , 8, 801-8		49
1534	Genetic and molecular pathogenesis of mantle cell lymphoma: perspectives for new targeted therapeutics. <i>Nature Reviews Cancer</i> , 2007 , 7, 750-62	31-3	387
1533	The impact of a negligent G2/M checkpoint on genomic instability and cancer induction. <i>Nature Reviews Cancer</i> , 2007 , 7, 861-9	31-3	433
1532	Delayed activation of Bax by DNA damage in embryonic stem cells with knock-in mutations of the Abl nuclear localization signals. 2007 , 14, 1139-48		22
1531	BRCA2 is required for neurogenesis and suppression of medulloblastoma. 2007 , 26, 2732-42		91
1530	ATMIN defines an NBS1-independent pathway of ATM signalling. 2007 , 26, 2933-41		71
1529	Dysfunctional telomeres activate an ATM-ATR-dependent DNA damage response to suppress tumorigenesis. 2007 , 26, 4709-19		187
1528	DNA damage induces Chk1-dependent centrosome amplification. 2007 , 8, 603-9		95
1527	Chromatin modifications and DNA double-strand breaks: the current state of play. 2007 , 21, 195-200		31
1526	Patterns of somatic mutation in human cancer genomes. 2007 , 446, 153-8		2400
1525	The carboxy terminus of NBS1 is required for induction of apoptosis by the MRE11 complex. 2007 , 447, 218-21		97
1524	The ATM repair pathway inhibits RNA polymerase I transcription in response to chromosome breaks. 2007 , 447, 730-4		209
1523	Human CtIP promotes DNA end resection. 2007 , 450, 509-14		1000
1522	Sp1-mediated transcriptional regulation of NFBFD1/MDC1 plays a critical role in DNA damage response pathway. 2008 , 13, 53-66		14
1521	The clinical and histopathological effects of prednisone on acute radiation-induced dermatitis in dogs: a placebo-controlled, randomized, double-blind, prospective clinical trial. 2007 , 18, 217-26		8

1520	Cell cycle arrest by oxaliplatin on cancer cells. 2007 , 21, 165-72	23
1519	Ocular findings in Norwegian patients with ataxia-telangiectasia: a 5 year prospective cohort study. 2007 , 85, 557-62	7
1518	Irofulven induces replication-dependent CHK2 activation related to p53 status. 2007 , 73, 469-80	17
1517	Effects of hydroxyl radical scavenging on cisplatin-induced p53 activation, tubular cell apoptosis and nephrotoxicity. 2007 , 73, 1499-510	120
1516	p53-deficient cells rely on ATM- and ATR-mediated checkpoint signaling through the p38MAPK/MK2 pathway for survival after DNA damage. 2007 , 11, 175-89	471
1515	The Wip1 Phosphatase acts as a gatekeeper in the p53-Mdm2 autoregulatory loop. 2007 , 12, 342-54	207
1514	DNA damage checkpoints: from initiation to recovery or adaptation. 2007 , 19, 238-45	592
1513	Oxygen sensing and the DNA-damage response. 2007 , 19, 680-4	41
1512	Identification of sequences that target BRCA1 to nuclear foci following alkylative DNA damage. 2007 , 19, 1879-92	14
1511	Human USP3 is a chromatin modifier required for S phase progression and genome stability. 2007 , 17, 1972-7	220
1510	ATM-mediated response to DNA double strand breaks in human neurons derived from stem cells. 2007 , 6, 128-34	34
1509	UV-induced apoptosis in XPG-deficient fibroblasts involves activation of CD95 and caspases but not p53. 2007 , 6, 602-14	6
1508	Cell cycle inhibitor, p19INK4d, promotes cell survival and decreases chromosomal aberrations after genotoxic insult due to enhanced DNA repair. 2007 , 6, 626-38	21
1507	The DNA damage response during an unperturbed S-phase. 2007 , 6, 914-22	23
1506	Minding the gap: the underground functions of BRCA1 and BRCA2 at stalled replication forks. 2007 , 6, 1018-31	73
1505	Characterisation of the sites of DNA damage-induced 53BP1 phosphorylation catalysed by ATM and ATR. 2007 , 6, 1536-44	57
1504	Alpha fetoprotein is increasing with age in ataxia-telangiectasia. 2007 , 11, 375-80	63
1503	Function of the ATR N-terminal domain revealed by an ATM/ATR chimera. 2007 , 313, 1667-74	15

1502	Radiation-induced senescence-like phenotype in proliferating and plateau-phase vascular endothelial cells. 2007 , 313, 3326-36	40
1501	Vascular endothelial growth factor in astrogloma stem cell biology and response to therapy. 2008 , 12, 111-25	23
1500	Phosphorylation of p53 at serine 15 in A549 pulmonary epithelial cells exposed to vanadate: involvement of ATM pathway. 2007 , 220, 83-91	14
1499	Effect of ATM heterozygosity on heritable DNA damage in mice following paternal F0 germline irradiation. 2007 , 616, 34-45	15
1498	DNA Damage-Dependent Apoptosis. 2006 , 263-272	1
1497	Many faces of NF-kappaB signaling induced by genotoxic stress. 2007 , 85, 1187-202	112
1496	Human progeroid syndromes, aging and cancer: new genetic and epigenetic insights into old questions. 2007 , 64, 155-70	71
1495	The p53/p21 DNA damage-signaling pathway is defective in most meningioma cells. 2007 , 83, 9-15	15
1494	Screening for ATM sequence alterations in African-American women diagnosed with breast cancer. 2008 , 107, 139-44	8
1493	Regulation of DNA repair in hypoxic cancer cells. 2007 , 26, 249-60	153
1492	Telomere regulation and function during meiosis. 2007 , 15, 667-79	51
1491	Enhanced CD95-mediated apoptosis contributes to radiation hypersensitivity of NBS lymphoblasts. 2007 , 12, 753-67	13
1490	Cell cycle checkpoints: the role and evaluation for early diagnosis of senescence, cardiovascular, cancer, and neurodegenerative diseases. 2007 , 32, 359-71	40
1489	Emerging links between the biological clock and the DNA damage response. 2007 , 116, 331-9	43
1488	Functional analysis of the sbcD (dr1921) gene of the extremely radioresistant bacterium <i>Deinococcus radiodurans</i> . 2007 , 52, 2506-2513	2
1487	The type 2C phosphatase Wip1: an oncogenic regulator of tumor suppressor and DNA damage response pathways. 2008 , 27, 123-35	210
1486	Biomarkers for DNA DSB inhibitors and radiotherapy clinical trials. 2008 , 27, 445-58	31
1485	Mystery of DNA repair: the role of the MRN complex and ATM kinase in DNA damage repair. 2008 , 49, 383-96	58

1484	Chlamydomonas reinhardtii: a convenient model system for the study of DNA repair in photoautotrophic eukaryotes. 2008 , 53, 1-22	26
1483	DNA damage, vascular senescence and atherosclerosis. 2008 , 86, 1033-43	71
1482	Relationship of HepG2 cell sensitivity to continuous low dose-rate irradiation with ATM phosphorylation. 2008 , 7, 435-439	
1481	Single nucleotide polymorphism D1853N of the ATM gene may alter the risk for breast cancer. 2008 , 134, 873-82	33
1480	The many faces of ubiquitinated histone H2A: insights from the DUBs. 2008 , 3, 8	54
1479	Chromatin structure and DNA damage repair. 2008 , 1, 9	73
1478	Genetic changes and DNA damage responses in the prostate. 2008 , 68, 902-18	23
1477	Prognostic significance of ataxia-telangiectasia mutated, DNA-dependent protein kinase catalytic subunit, and Ku heterodimeric regulatory complex 86-kD subunit expression in patients with nonsmall cell lung cancer. 2008 , 112, 2756-64	53
1476	A rapid flow cytometry test based on histone H2AX phosphorylation for the sensitive and specific diagnosis of ataxia telangiectasia. 2008 , 73, 508-16	50
1475	Chromosome instability and tumor lethality suppression in carcinogenesis. 2008 , 105, 1327-41	3
1474	Defective DNA strand break repair causes chromosomal instability and accelerates liver carcinogenesis in mice. 2008 , 47, 2078-88	67
1473	Is defect in phosphorylation of Nbs1 responsible for high radiosensitivity of T-lymphocyte leukemia cells MOLT-4?. 2008 , 32, 1259-67	5
1472	Targeting phosphoinositide 3-kinase: moving towards therapy. 2008 , 1784, 159-85	440
1471	8-Biarylchromen-4-one inhibitors of the DNA-dependent protein kinase (DNA-PK). 2008 , 18, 4885-90	23
1470	Clofarabine acts as radiosensitizer in vitro and in vivo by interfering with DNA damage response. 2008 , 70, 213-20	18
1469	Response to multiple radiation doses of fibroblasts over-expressing dominant negative Ku70. 2008 , 71, 533-41	3
1468	DNA double-strand breaks activate a multi-functional genetic program in developing lymphocytes. 2008 , 456, 819-23	115
1467	Cleavage of phospholipase D1 by caspase promotes apoptosis via modulation of the p53-dependent cell death pathway. 2008 , 15, 1782-93	15

1466	Distinct BRCT domains in Mcph1/Brit1 mediate ionizing radiation-induced focus formation and centrosomal localization. 2008 , 27, 139-44	68
1465	The DNA damage signalling kinase ATM is aberrantly reduced or lost in BRCA1/BRCA2-deficient and ER/PR/ERBB2-triple-negative breast cancer. 2008 , 27, 2501-6	90
1464	Induction of genetic instability by gain-of-function p53 cancer mutants. 2008 , 27, 3501-7	47
1463	Immunodeficiency in ataxia telangiectasia is correlated strongly with the presence of two null mutations in the ataxia telangiectasia mutated gene. 2008 , 153, 214-20	82
1462	Atm heterozygosity does not increase tumor susceptibility to ionizing radiation alone or in a p53 heterozygous background. 2008 , 27, 6596-600	19
1461	Nucleoside analogs: molecular mechanisms signaling cell death. 2008 , 27, 6522-37	163
1460	Loss of Hus1 sensitizes cells to etoposide-induced apoptosis by regulating BH3-only proteins. 2008 , 27, 7248-59	8
1459	Functional interaction between FOXO3a and ATM regulates DNA damage response. 2008 , 10, 460-7	144
1458	A forward chemical genetic screen reveals an inhibitor of the Mre11-Rad50-Nbs1 complex. 2008 , 4, 119-25	285
1457	Induction of linear tracks of DNA double-strand breaks by alpha-particle irradiation of cells. 2008 , 5, 261-6	50
1456	The multiple lives of NMD factors: balancing roles in gene and genome regulation. 2008 , 9, 699-712	235
1455	Regulation of DNA repair throughout the cell cycle. 2008 , 9, 297-308	874
1454	IRF-3-dependent and augmented target genes during viral infection. 2008 , 9, 168-75	77
1453	Caffeine yields aneuploidy through asymmetrical cell division caused by misalignment of chromosomes. 2008 , 99, 1539-45	8
1452	Pathogenic ATM mutations occur rarely in a subset of multiple myeloma patients. 2008 , 142, 925-33	17
1451	Both ATM and ATR promote the efficient and accurate processing of programmed meiotic double-strand breaks. 2008 , 55, 629-38	43
1450	Hepatitis C virus NS3/4A protein interacts with ATM, impairs DNA repair and enhances sensitivity to ionizing radiation. 2008 , 370, 295-309	74
1449	Nbs1-dependent binding of Mre11 to adenovirus E4 mutant viral DNA is important for inhibiting DNA replication. 2008 , 374, 11-22	24

1448	Accumulation of Ku80 proteins at DNA double-strand breaks in living cells. 2008 , 314, 1061-70	33
1447	Detection of ATM gene mutations in young lung cancer patients: a population-based control study. 2008 , 39, 226-31	12
1446	Final checkup of neoplastic DNA replication: evidence for failure in decision-making at the mitotic cell cycle checkpoint G(1)/S. 2008 , 36, 1403-16	8
1445	Redox state and gender differences in vascular smooth muscle cells. 2008 , 582, 635-42	52
1444	GSK-3beta-dependent destabilization of cyclin D1 mediates replicational stress-induced arrest of cell cycle. 2008 , 582, 1111-6	11
1443	Abrogation of G2/M arrest sensitizes curcumin-resistant hepatoma cells to apoptosis. 2008 , 582, 2689-95	47
1442	Accelerated senescence: an emerging role in tumor cell response to chemotherapy and radiation. 2008 , 76, 947-57	218
1441	ssDNA fragments induce cell senescence by telomere uncapping. 2008 , 43, 892-9	15
1440	HEMA reduces cell proliferation and induces apoptosis in vitro. 2008 , 24, 134-40	39
1439	Tissue-specific differences in the accumulation of sequence rearrangements with age. 2008 , 7, 694-703	10
1438	The role of the DNA damage response in neuronal development, organization and maintenance. 2008 , 7, 1010-27	105
1437	The neurological phenotype of ataxia-telangiectasia: solving a persistent puzzle. 2008 , 7, 1028-38	102
1436	Mouse models of DNA double-strand break repair and neurological disease. 2008 , 7, 1051-60	34
1435	The role of the DNA damage response pathways in brain development and microcephaly: insight from human disorders. 2008 , 7, 1039-50	59
1434	Endogenous hSNM1B/Apollo interacts with TRF2 and stimulates ATM in response to ionizing radiation. 2008 , 7, 1192-201	28
1433	Modulation of the DNA-damage response to HZE particles by shielding. 2008 , 7, 1717-30	26
1432	Interaction between PARP-1 and ATR in mouse fibroblasts is blocked by PARP inhibition. 2008 , 7, 1787-98	32
1431	How does suppression of IGF-1 signaling by DNA damage affect aging and longevity?. 2008 , 129, 243-53	29

1430	DNA strand breaks, neurodegeneration and aging in the brain. 2008 , 129, 483-91	71
1429	Ataxia with oculomotor apraxia. 2008 , 15, 216-20	9
1428	Colorectal cancers in patients with the (9A/6A) polymorphism of TGFBR1 exhibit lesser inter-(simple sequence repeat) PCR genomic instability and present clinically at greater age. 2008 , 645, 27-32	
1427	UV but not X rays stimulate homologous recombination between sister chromatids and homologs in a <i>Saccharomyces cerevisiae</i> mec1 (ATR) hypomorphic mutant. 2008 , 648, 73-81	10
1426	Telomeres and Telomerase in Ageing, Disease, and Cancer. 2008 ,	1
1425	Evidence that the Nijmegen breakage syndrome protein, an early sensor of double-strand DNA breaks (DSB), is involved in HIV-1 post-integration repair by recruiting the ataxia telangiectasia-mutated kinase in a process similar to, but distinct from, cellular DSB repair. 2008 , 5, 11	25
1424	Antisense inhibition of ATM gene enhances the radiosensitivity of head and neck squamous cell carcinoma in mice. 2008 , 27, 56	12
1423	Role of nuclear lamins in nuclear organization, cellular signaling, and inherited diseases. 2008 , 266, 157-206	50
1422	Targeted Radionuclide Tumor Therapy. 2008 ,	9
1421	Cell cycle inhibitors in cancer: current status and future directions. 2008 , 253-283	6
1420	The take and give between retrotransposable elements and their hosts. 2008 , 42, 587-617	138
1419	Autophosphorylated residues involved in the regulation of human chk2 in vitro. 2008 , 380, 489-503	9
1418	Supreme EnLIGHTenment: damage recognition and signaling in the mammalian UV response. 2008 , 29, 279-90	76
1417	Chk2 suppresses the oncogenic potential of DNA replication-associated DNA damage. 2008 , 31, 21-32	53
1416	A PP4-phosphatase complex dephosphorylates gamma-H2AX generated during DNA replication. 2008 , 31, 33-46	189
1415	Mitotic checkpoints and the maintenance of the chromosome karyotype. 2008 , 651, 3-13	35
1414	L-carnitine enhances resistance to oxidative stress by reducing DNA damage in Ataxia telangiectasia cells. 2008 , 650, 165-74	32
1413	Stem cell defects in ATM-deficient undifferentiated spermatogonia through DNA damage-induced cell-cycle arrest. 2008 , 2, 170-82	100

1412	How shelterin protects mammalian telomeres. 2008 , 42, 301-34	1366
1411	Two distinctly altered cellular responses to DNA double-strand breaks in human neuroblastoma. 2008 , 90, 1656-66	10
1410	RAP80 and RNF8, key players in the recruitment of repair proteins to DNA damage sites. 2008 , 271, 179-90	68
1409	Presence of dominant negative mutation of TP53 is a risk of early recurrence in oral cancer. 2008 , 270, 108-19	24
1408	MRI evidence of white matter damage in a mouse model of Nijmegen breakage syndrome. 2008 , 209, 181-91	29
1407	Effects of antioxidants on cancer prevention and neuromotor performance in Atm deficient mice. 2008 , 46, 1371-7	28
1406	HMGA1 protein is a novel target of the ATM kinase. 2008 , 44, 2668-79	19
1405	Identification of p32 as a novel substrate for ATM in heart. 2008 , 366, 885-91	6
1404	Essential role of Chk1 in S phase progression through regulation of RNR2 expression. 2008 , 374, 79-83	19
1403	Tissue-specific DNA-PK-dependent H2AX phosphorylation and gamma-H2AX elimination after X-irradiation in vivo. 2008 , 376, 52-5	31
1402	Characterization of a cancer cell line that expresses a splicing variant form of 53BP1: separation of checkpoint and repair functions in 53BP1. 2008 , 376, 509-13	11
1401	L1 mobile element expression causes multiple types of toxicity. 2008 , 419, 75-81	109
1400	Mre11 nuclease activity has essential roles in DNA repair and genomic stability distinct from ATM activation. 2008 , 135, 85-96	238
1399	Mre11 dimers coordinate DNA end bridging and nuclease processing in double-strand-break repair. 2008 , 135, 97-109	358
1398	Control of HIPK2 stability by ubiquitin ligase Siah-1 and checkpoint kinases ATM and ATR. 2008 , 10, 812-24	158
1397	Identification of phosphorylation sites on transcription factor Sp1 in response to DNA damage and its accumulation at damaged sites. 2008 , 20, 1795-803	49
1396	Resveratrol modulates DNA double-strand break repair pathways in an ATM/ATR-p53- and -Nbs1-dependent manner. 2008 , 29, 519-27	44
1395	Regulation of reactive oxygen species and genomic stability in hematopoietic stem cells. 2008 , 10, 1883-94	181

1394	Regulation of TIP60 by ATF2 modulates ATM activation. 2008 , 283, 17605-14	46
1393	Distinct versus overlapping functions of MDC1 and 53BP1 in DNA damage response and tumorigenesis. 2008 , 181, 727-35	72
1392	Multiple autophosphorylation sites are dispensable for murine ATM activation in vivo. 2008 , 183, 777-83	83
1391	Transient inhibition of ATM kinase is sufficient to enhance cellular sensitivity to ionizing radiation. 2008 , 68, 7466-74	191
1390	A polycomb group protein, PHF1, is involved in the response to DNA double-strand breaks in human cell. 2008 , 36, 2939-47	77
1389	The telomeric protein TRF2 is critical for the protection of A549 cells from both telomere erosion and DNA double-strand breaks driven by salivine. 2008 , 73, 824-32	15
1388	Synthetic lethality by lentiviral short hairpin RNA silencing of thymidylate kinase and doxorubicin in colon cancer cells regardless of the p53 status. 2008 , 68, 2831-40	22
1387	Tagging single nucleotide polymorphisms in phosphoinositide-3-kinase-related protein kinase genes involved in DNA damage "checkpoints" and lung cancer susceptibility. 2008 , 14, 2887-91	9
1386	WRN is required for ATM activation and the S-phase checkpoint in response to interstrand cross-link-induced DNA double-strand breaks. 2008 , 19, 3923-33	68
1385	Mdt1/ASCIZ: a new DNA damage response protein family. 2008 , 7, 2654-60	8
1384	Never-in-mitosis related kinase 1 functions in DNA damage response and checkpoint control. 2008 , 7, 3194-201	65
1383	ATMINstrating ATM signalling: regulation of ATM by ATMIN. 2008 , 7, 3483-6	29
1382	Sustained replication in endometrium of women with endometriosis occurs without evoking a DNA damage response. 2009 , 24, 687-96	32
1381	The effects of Atm haploinsufficiency on mutation rate in the mouse germ line and somatic tissue. 2008 , 23, 367-70	2
1380	The Wip1 phosphatase and Mdm2: cracking the "Wip" on p53 stability. 2008 , 7, 164-8	35
1379	Deficiencies of double-strand break repair factors and effects on mutagenesis in directly gamma-irradiated and medium-mediated bystander human lymphoblastoid cells. 2008 , 169, 197-206	37
1378	The 2007 Marie Curie prize: the linear no threshold relationship and advances in our understanding of carcinogenesis. 2008 , 5, 173	14
1377	Oncogene-induced senescence: an essential role for Runx. 2008 , 7, 2333-40	37

1376	A role for E1B-AP5 in ATR signaling pathways during adenovirus infection. 2008 , 82, 7640-52	41
1375	Double-stranded break can be repaired by single-stranded oligonucleotides via the ATM/ATR pathway in mammalian cells. 2008 , 18, 21-32	17
1374	Role for proteasome activator PA200 and postglutamyl proteasome activity in genomic stability. 2008 , 105, 16165-70	77
1373	Cleavage-mediated activation of Chk1 during apoptosis. 2008 , 283, 25485-25491	35
1372	RPA phosphorylation facilitates mitotic exit in response to mitotic DNA damage. 2008 , 105, 12903-8	45
1371	Telomere loss provokes multiple pathways to apoptosis and produces genomic instability in <i>Drosophila melanogaster</i> . 2008 , 180, 1821-32	53
1370	Phosphorylation of SDT repeats in the MDC1 N terminus triggers retention of NBS1 at the DNA damage-modified chromatin. 2008 , 181, 213-26	178
1369	Differential roles for checkpoint kinases in DNA damage-dependent degradation of the Cdc25A protein phosphatase. 2008 , 283, 19322-8	43
1368	Aberrant V(D)J recombination in ataxia telangiectasia mutated-deficient lymphocytes is dependent on nonhomologous DNA end joining. 2008 , 181, 2620-5	35
1367	Single-nucleotide polymorphisms of DNA damage response genes are associated with overall survival in patients with pancreatic cancer. 2008 , 14, 2042-8	45
1366	ATM gene variants in patients with idiopathic perifoveal telangiectasia. 2008 , 49, 3806-11	17
1365	DNA methylation inhibitor 5-Aza-2'-deoxycytidine induces reversible genome-wide DNA damage that is distinctly influenced by DNA methyltransferases 1 and 3B. 2008 , 28, 752-71	278
1364	Role of ATM in the telomere response to the G-quadruplex ligand 360A. 2008 , 36, 1741-54	36
1363	Ataxia-telangiectasia and Rad3-related and DNA-dependent protein kinase cooperate in G2 checkpoint activation by the DNA strand-breaking nucleoside analogue 2'-C-cyano-2'-deoxy-1-beta-D-arabino-pentofuranosylcytosine. 2008 , 7, 133-42	17
1362	Disassembly of MDC1 foci is controlled by ubiquitin-proteasome-dependent degradation. 2008 , 283, 31608-16	50
1361	Mesalazine negatively regulates CDC25A protein expression and promotes accumulation of colon cancer cells in S phase. 2008 , 29, 1258-66	23
1360	Mutation of DNA primase causes extensive apoptosis of retinal neurons through the activation of DNA damage checkpoint and tumor suppressor p53. 2008 , 135, 1247-57	29
1359	ATM promotes the obligate XY crossover and both crossover control and chromosome axis integrity on autosomes. 2008 , 4, e1000076	88

1358	The mammalian ortholog of Drosophila MOF that acetylates histone H4 lysine 16 is essential for embryogenesis and oncogenesis. 2008 , 28, 397-409	173
1357	Maintenance of mitochondrial DNA by the Caenorhabditis elegans ATR checkpoint protein ATL-1. 2008 , 180, 681-6	8
1356	Phosphorylation of the budding yeast 9-1-1 complex is required for Dpb11 function in the full activation of the UV-induced DNA damage checkpoint. 2008 , 28, 4782-93	104
1355	Thymoquinone triggers inactivation of the stress response pathway sensor CHEK1 and contributes to apoptosis in colorectal cancer cells. 2008 , 68, 5609-18	107
1354	Regulation of p53: the next generation. 2008 , 7, 3149-53	11
1353	Mutations in String/CDC25 inhibit cell cycle re-entry and neurodegeneration in a Drosophila model of Ataxia telangiectasia. 2008 , 22, 1205-20	33
1352	Differential requirements of the C terminus of Nbs1 in suppressing adenovirus DNA replication and promoting concatemer formation. 2008 , 82, 8362-72	47
1351	Regulation and pathological role of p53 in cisplatin nephrotoxicity. 2008 , 327, 300-7	110
1350	ATM-mediated serine 72 phosphorylation stabilizes ribonucleotide reductase small subunit p53R2 protein against MDM2 to DNA damage. 2008 , 105, 18519-24	54
1349	p53 and ATM/ATR regulate 7,12-dimethylbenz[a]anthracene-induced immunosuppression. 2008 , 73, 137-46	21
1348	TopBP1 activates ATR through ATRIP and a PIKK regulatory domain. 2008 , 22, 1478-89	244
1347	An essential role for MCL-1 in ATR-mediated CHK1 phosphorylation. 2008 , 19, 3212-20	55
1346	Statins use a novel Nijmegen breakage syndrome-1-dependent pathway to accelerate DNA repair in vascular smooth muscle cells. 2008 , 103, 717-25	92
1345	HTLV-1 Tax oncoprotein subverts the cellular DNA damage response via binding to DNA-dependent protein kinase. 2008 , 283, 36311-20	64
1344	Targeted deletion of Rad9 in mouse skin keratinocytes enhances genotoxin-induced tumor development. 2008 , 68, 5552-61	26
1343	c-MYC protein is degraded in response to UV irradiation. 2008 , 7, 63-70	14
1342	Targeted integration of functional human ATM cDNA into genome mediated by HSV/AAV hybrid amplicon vector. 2008 , 16, 81-8	27
1341	Telomere biology in cardiovascular disease: the TERC ^{-/-} mouse as a model for heart failure and ageing. 2009 , 81, 244-52	59

1340	Processing of recombinant AAV genomes occurs in specific nuclear structures that overlap with foci of DNA-damage-response proteins. 2008 , 121, 349-57	58
1339	Cep164 is a mediator protein required for the maintenance of genomic stability through modulation of MDC1, RPA, and CHK1. 2008 , 22, 587-600	61
1338	Characterization of the activation domain of the Rad53 checkpoint kinase. 2008 , 7, 493-9	34
1337	ATM kinase activity modulates Fas sensitivity through the regulation of FLIP in lymphoid cells. 2008 , 111, 829-37	26
1336	The Molecular Bases of the Self-Renewal and Differentiation of Leukemic Stem Cells. 2008 , 4, 178-187	
1335	Identification and characterization of FUS/TLS as a new target of ATM. 2008 , 415, 297-307	83
1334	Dancing on damaged chromatin: functions of ATM and the RAD50/MRE11/NBS1 complex in cellular responses to DNA damage. 2008 , 49, 451-64	60
1333	DNA damage and repair in white blood cells at occupational exposure. 2008 , 101, 012019	2
1332	hTERT-immortalized cells useful for analyzing effects of low-dose-rate radiation on human cells. 2008 , 49, 9-15	7
1331	Assessing Candidate Gene nsSNPs for Phenotypic Differences in Double-Strand Break Repair Using Radiation-Induced gammaH2A.X Foci. 2008 , 2008, 387423	2
1330	Current topics in DNA double-strand break repair. 2008 , 49, 93-103	78
1329	Epigenetic regulation of the mammalian cell. 2008 , 3, e2290	27
1328	Induction of Stress Granule Assembly is Essential for the Orchestration of DNA Damage Response. 2008 ,	1
1327	Experimental antioxidant therapy in ataxia telangiectasia. 2008 , 2, 431-6	22
1326	Pharmacological countermeasures for the acute radiation syndrome. 2009 , 2, 122-33	66
1325	Ser1778 of 53BP1 Plays a Role in DNA Double-strand Break Repairs. 2009 , 13, 343-8	13
1324	Functional genomic screens identify CINP as a genome maintenance protein. 2009 , 106, 19304-9	48
1323	PTIP regulates 53BP1 and SMC1 at the DNA damage sites. 2009 , 284, 18078-84	33

1322	Checkpoint kinase ATR promotes nucleotide excision repair of UV-induced DNA damage via physical interaction with xeroderma pigmentosum group A. 2009 , 284, 24213-22	59
1321	Comparative analysis of different laser systems to study cellular responses to DNA damage in mammalian cells. 2009 , 37, e68	157
1320	Improved ATM kinase inhibitor KU-60019 radiosensitizes glioma cells, compromises insulin, AKT and ERK prosurvival signaling, and inhibits migration and invasion. 2009 , 8, 2894-902	269
1319	MBD4 and MLH1 are required for apoptotic induction in xDNMT1-depleted embryos. 2009 , 136, 2277-86	27
1318	Kinase-independent functions of TEL1 in telomere maintenance. 2009 , 29, 5193-202	21
1317	Ionizing radiation induces ATM-independent degradation of p21Cip1 in transformed cells. 2009 , 284, 15061-70	23
1316	Death receptor-induced activation of the Chk2- and histone H2AX-associated DNA damage response pathways. 2009 , 29, 68-82	85
1315	A regulatory loop composed of RAP80-HDM2-p53 provides RAP80-enhanced p53 degradation by HDM2 in response to DNA damage. 2009 , 284, 19280-9	15
1314	Inappropriate activation of cyclin-dependent kinases by the phosphatase Cdc25b results in premature mitotic entry and triggers a p53-dependent checkpoint. 2009 , 284, 9475-88	11
1313	Development of an automated gamma-H2AX immunocytochemistry assay. 2009 , 171, 360-7	34
1312	RAD51C facilitates checkpoint signaling by promoting CHK2 phosphorylation. 2009 , 185, 587-600	65
1311	The DNA repair protein NBS1 influences the base excision repair pathway. 2009 , 30, 408-15	10
1310	Pro-survival AKT and ERK signaling from EGFR and mutant EGFRvIII enhances DNA double-strand break repair in human glioma cells. 2009 , 8, 730-8	153
1309	Suppressing the high-level expression and function of ATM in advanced-stage melanomas does not sensitize the cells to ionizing radiation. 2009 , 8, 1815-25	10
1308	14-3-3sigma and p21 synergize to determine DNA damage response following Chk2 inhibition. 2009 , 8, 2238-46	6
1307	Cellular proteins and HIV-1 Rev function. 2009 , 7, 91-100	64
1306	SMG-8 and SMG-9, two novel subunits of the SMG-1 complex, regulate remodeling of the mRNA surveillance complex during nonsense-mediated mRNA decay. 2009 , 23, 1091-105	177
1305	Cell cycle checkpoint defects contribute to genomic instability in PTEN deficient cells independent of DNA DSB repair. 2009 , 8, 2198-210	96

1304	Oxidative stress is linked to ERK1/2-p16 signaling-mediated growth defect in ATM-deficient astrocytes. 2009 , 284, 14396-404	59
1303	Increased sister chromatid cohesion and DNA damage response factor localization at an enzyme-induced DNA double-strand break in vertebrate cells. 2009 , 37, 6054-63	19
1302	UV-dependent interaction between Cep164 and XPA mediates localization of Cep164 at sites of DNA damage and UV sensitivity. 2009 , 8, 655-64	30
1301	ATR and Chk1 suppress a caspase-3-dependent apoptotic response following DNA replication stress. 2009 , 5, e1000324	97
1300	Using mice to examine p53 functions in cancer, aging, and longevity. 2009 , 1, a001081	41
1299	Exploiting synthetic lethal interactions for targeted cancer therapy. 2009 , 8, 3112-9	87
1298	Exploring mammalian target of rapamycin (mTOR) inhibition for treatment of mantle cell lymphoma and other hematologic malignancies. 2009 , 50, 1916-30	38
1297	Small-molecule drugs mimicking DNA damage: a new strategy for sensitizing tumors to radiotherapy. 2009 , 15, 1308-16	69
1296	HDAC inhibitors and ionizing radiation: combinatorial strategy to combat lung cancer. 2009 , 8, 832-4	5
1295	ATM activation and signaling under hypoxic conditions. 2009 , 29, 526-37	165
1294	Radiation carcinogenesis in context: how do irradiated tissues become tumors?. 2009 , 97, 446-57	36
1293	MRN complex function in the repair of chromosomal Rag-mediated DNA double-strand breaks. 2009 , 206, 669-79	74
1292	Reduced ATR or Chk1 expression leads to chromosome instability and chemosensitization of mismatch repair-deficient colorectal cancer cells. 2009 , 20, 3801-9	23
1291	Control of genome stability by SLX protein complexes. 2009 , 37, 495-510	29
1290	Non-homologous end joining in class switch recombination: the beginning of the end. 2009 , 364, 653-65	47
1289	DNA repair gene polymorphisms and risk of pancreatic cancer. 2009 , 15, 740-6	65
1288	Udu deficiency activates DNA damage checkpoint. 2009 , 20, 4183-93	13
1287	Chromatin dynamics coupled to DNA repair. 2009 , 4, 31-42	64

1286	High-throughput screening identifies two classes of antibiotics as radioprotectors: tetracyclines and fluoroquinolones. 2009 , 15, 7238-45	50
1285	Differential DNA damage signaling accounts for distinct neural apoptotic responses in ATLD and NBS. 2009 , 23, 171-80	76
1284	Artemis and nonhomologous end joining-independent influence of DNA-dependent protein kinase catalytic subunit on chromosome stability. 2009 , 29, 503-14	15
1283	Deficiency of the DNA repair enzyme ATM in rheumatoid arthritis. 2009 , 206, 1435-49	115
1282	The iron chelator Dp44mT causes DNA damage and selective inhibition of topoisomerase IIalpha in breast cancer cells. 2009 , 69, 948-57	112
1281	The DNA Damage Response: Implications on Cancer Formation and Treatment. 2009 ,	3
1280	Targeting DNA repair in chronic lymphocytic leukemia cells with a novel acyclic nucleotide analogue, GS-9219. 2009 , 15, 3760-9	10
1279	Genetic variation in normal tissue toxicity induced by ionizing radiation. 2009 , 667, 58-69	74
1278	Therapeutic targets in malignant glioblastoma microenvironment. 2009 , 19, 163-70	55
1277	Ras-association domain family member 1A (RASSF1A)-where the heart and cancer meet. 2009 , 19, 262-7	6
1276	CARF: an emerging regulator of p53 tumor suppressor and senescence pathway. 2009 , 130, 18-23	13
1275	Residues in the alternative reading frame tumor suppressor that influence its stability and p53-independent activities. 2009 , 315, 1326-35	19
1274	Human MutL-complexes monitor homologous recombination independently of mismatch repair. 2009 , 8, 242-52	34
1273	Analysis of the relationships between ATM and the Rad54 paralogs involved in homologous recombination repair. 2009 , 8, 253-61	7
1272	Regulatory ubiquitylation in response to DNA double-strand breaks. 2009 , 8, 436-43	151
1271	Give me a break: how telomeres suppress the DNA damage response. 2009 , 8, 1118-26	43
1270	Human DNA damage response and repair deficiency syndromes: linking genomic instability and cell cycle checkpoint proficiency. 2009 , 8, 1139-52	62
1269	DNA lesions sequestered in micronuclei induce a local defective-damage response. 2009 , 8, 1225-34	76

1268	Protein phosphatase 2A regulatory subunits and cancer. 2009 , 1795, 1-15	274
1267	Inhibition of CHK1 kinase by G8976 converts 8-chloro-adenosine-induced G2/M arrest into S arrest in human myelocytic leukemia K562 cells. 2009 , 77, 770-80	17
1266	Radioprotective effects of manganese-containing superoxide dismutase mimics on ataxia-telangiectasia cells. 2009 , 47, 250-60	59
1265	Rb Regulates DNA damage response and cellular senescence through E2F-dependent suppression of N-ras isoprenylation. 2009 , 15, 255-69	103
1264	Kinases that control the cell cycle in response to DNA damage: Chk1, Chk2, and MK2. 2009 , 21, 245-55	392
1263	Impaired DNA damage response--an Achilles' heel sensitizing cancer to chemotherapy and radiotherapy. 2009 , 625, 143-50	55
1262	Cell intrinsic and extrinsic mechanisms of stem cell aging depend on telomere status. 2009 , 44, 75-82	25
1261	Atypical pathways of NF-kappaB activation and aging. 2009 , 44, 250-5	58
1260	Functional and computational assessment of missense variants in the ataxia-telangiectasia mutated (ATM) gene: mutations with increased cancer risk. 2009 , 30, 12-21	53
1259	E2F1 transcription is induced by genotoxic stress through ATM/ATR activation. 2009 , 61, 537-43	24
1258	Targeting mTOR in renal cell carcinoma. 2009 , 115, 2313-20	97
1257	Cell death in the skin. 2009 , 14, 549-69	104
1256	Assessing the role of stress signalling via p38 MAP kinase in the premature senescence of ataxia telangiectasia and Werner syndrome fibroblasts. 2009 , 10, 253-66	23
1255	Cytotoxic effects of temozolomide and radiation are additive- and schedule-dependent. 2009 , 75, 1511-9	50
1254	Differential expression of small heat shock protein 27 (Hsp27) in Ataxia telangiectasia brains. 2009 , 34, 1658-67	3
1253	A nonsense mutation (E1978X) in the ATM gene is associated with breast cancer. 2009 , 118, 207-11	42
1252	Occurrence of TRGV-BJ hybrid gene in SV40-transformed fibroblast cell lines. 2009 , 136, 471-8	
1251	Phenotypic variations between affected siblings with ataxia-telangiectasia: ataxia-telangiectasia in Japan. 2009 , 90, 455-462	29

1250	DNA damage response pathways in tumor suppression and cancer treatment. 2009 , 33, 661-6	68
1249	Telomere-associated proteins: cross-talk between telomere maintenance and telomere-lengthening mechanisms. 2009 , 217, 327-44	73
1248	Restricting activation-induced cytidine deaminase tumorigenic activity in B lymphocytes. 2009 , 126, 316-28	19
1247	The significance of TP53 in lymphoid malignancies: mutation prevalence, regulation, prognostic impact and potential as a therapeutic target. 2009 , 146, 257-69	46
1246	Senescence and p130/Rbl2: a new beginning to the end. 2009 , 19, 1044-51	30
1245	MicroRNA-mediated gene silencing modulates the UV-induced DNA-damage response. 2009 , 28, 2090-9	211
1244	Emerging common themes in regulation of PIKKs and PI3Ks. 2009 , 28, 3067-73	222
1243	DNA-PK suppresses a p53-independent apoptotic response to DNA damage. 2009 , 10, 87-93	31
1242	Cdc5L interacts with ATR and is required for the S-phase cell-cycle checkpoint. 2009 , 10, 1029-35	62
1241	Rapid diagnosis of ataxia-telangiectasia by flow cytometric monitoring of DNA damage-dependent ATM phosphorylation. 2009 , 23, 409-14	9
1240	The DNA-damage response in human biology and disease. 2009 , 461, 1071-8	3641
1239	How cells switch HIPK2 on and off. 2009 , 16, 187-94	50
1238	DNA-damage response, survival and differentiation in vitro of a human neural stem cell line in relation to ATM expression. 2009 , 16, 795-806	42
1237	Suppression of p53 activity by Siva1. 2009 , 16, 1493-504	28
1236	KRAB-type zinc-finger protein Apak specifically regulates p53-dependent apoptosis. 2009 , 11, 580-91	84
1235	NEK11 regulates CDC25A degradation and the IR-induced G2/M checkpoint. 2009 , 11, 1247-53	99
1234	Assessing cancer risks of low-dose radiation. <i>Nature Reviews Cancer</i> , 2009 , 9, 596-604	31.3 155
1233	Tumour suppression by p53: a role for the DNA damage response?. <i>Nature Reviews Cancer</i> , 2009 , 9, 714-33.3	461

1232	Cell cycle kinases as therapeutic targets for cancer. 2009 , 8, 547-66	681
1231	Oncogenic stress sensed by the immune system: role of natural killer cell receptors. 2009 , 9, 568-80	283
1230	Chromatin remodelling beyond transcription: the INO80 and SWR1 complexes. 2009 , 10, 373-84	219
1229	DNA repair deficiency and neurological disease. 2009 , 10, 100-12	204
1228	Multiple functions of MRN in end-joining pathways during isotype class switching. 2009 , 16, 808-13	142
1227	Analysis of ionizing radiation-induced DNA damage and repair in three-dimensional human skin model system. 2010 , 19, e16-22	26
1226	Apoptosis and autophagy: Regulation of apoptosis by DNA damage signalling - roles of p53, p73 and HIPK2. 2009 , 276, 6074-83	65
1225	Founder effects for ATM gene mutations in Italian Ataxia Telangiectasia families. 2009 , 73, 532-9	12
1224	A novel role for acinus and MCM2 as host-specific signaling enhancers of DNA-damage-induced apoptosis in association with viral protein gp70. 2009 , 33, 1100-7	8
1223	TEGDMA-induced oxidative DNA damage and activation of ATM and MAP kinases. 2009 , 30, 2006-14	81
1222	Receptors, Signaling Pathways, Cell Cycle, and DNA Damage Repair. 2009 , 9-18	
1221	Human RAD50 deficiency in a Nijmegen breakage syndrome-like disorder. 2009 , 84, 605-16	175
1220	Premature aging syndrome in ataxia telangiectasia patients. 2009 , 3, 491-496	3
1219	Gene expression changes in medical workers exposed to radiation. 2009 , 172, 500-8	19
1218	hCCR4/cNOT6 targets DNA-damage response proteins. 2009 , 273, 281-91	8
1217	Cell cycle arrest triggered by conjugated eicosapentaenoic acid occurs through several mechanisms including G1 checkpoint activation by induced RPA and ATR expression. 2009 , 1790, 339-46	5
1216	Complete sequencing of full-length canine ataxia telangiectasia mutated mRNA and characterization of its putative promoter. 2009 , 128, 437-40	3
1215	DNA double-strand break formation upon UV-induced replication stress activates ATM and DNA-PKcs kinases. 2009 , 385, 800-10	96

1214	Essential role for DNA-PKcs in DNA double-strand break repair and apoptosis in ATM-deficient lymphocytes. 2009 , 34, 285-97	147
1213	BBAP monoubiquitylates histone H4 at lysine 91 and selectively modulates the DNA damage response. 2009 , 36, 110-20	109
1212	A nuclear poly(ADP-ribose)-dependent signalosome confers DNA damage-induced I κ B kinase activation. 2009 , 36, 365-78	189
1211	How DNA lesions are turned into powerful killing structures: insights from UV-induced apoptosis. 2009 , 681, 197-208	141
1210	Relation between replicative senescence of human fibroblasts and life history characteristics. 2009 , 8, 237-43	33
1209	Cell Cycle Checkpoints and DNA Damage Repair. 2009 , 201-225	
1208	Chk2 protects against radiation-induced genomic instability. 2009 , 172, 463-72	4
1207	The Fanconi anemia-BRCA Pathway and Cancer. 2009 , 367-414	
1206	Basic Concepts of Molecular Pathology. 2009 ,	1
1205	Cellular Signaling in Health and Disease. 2009 ,	6
1204	The role of the Fanconi anemia network in the response to DNA replication stress. 2009 , 44, 292-325	10
1203	Épidémiologie des cancers de l'enfant. 2009 ,	2
1202	Encyclopedia of Cancer. 2008 , 154-154	
1201	Interaction between viral proteins and hosts and its disturbance in the cellular responses to ionising radiation. 2009 , 85, 587-97	5
1200	Two-tier analysis of histone H2AX phosphorylation allows the identification of Ataxia Telangiectasia heterozygotes. 2009 , 92, 133-7	14
1199	Suppression of the DNA damage response in acute myeloid leukemia versus myelodysplastic syndrome. 2009 , 28, 2205-18	47
1198	Starting and propagating apoptotic signals in UVB irradiated keratinocytes. 2009 , 8, 299-308	33
1197	Hypoxia-induced decrease in p53 protein level and increase in c-jun DNA binding activity results in cancer cell resistance to etoposide. 2009 , 11, 976-86	32

1196	Oxidative DNA damage in the prostate may predispose men to a higher risk of prostate cancer. 2009 , 2, 39-45	12
1195	Donor-derived brain tumor following neural stem cell transplantation in an ataxia telangiectasia patient. 2009 , 6, e1000029	648
1194	High resolution imaging of changes in the structure and spatial organization of chromatin, gamma-H2A.X and the MRN complex within etoposide-induced DNA repair foci. 2009 , 8, 3750-69	55
1193	The DNA-damage response: new molecular insights and new approaches to cancer therapy. 2009 , 37, 483-94	41
1192	The role of recombination in telomere length maintenance. 2009 , 37, 589-95	18
1191	Induction of mitosis delay, apoptosis and aneuploidy in human cells by phenyl hydroquinone, an Ames test-negative carcinogen. 2009 , 84, 73-9	5
1190	3D-QSAR studies on a series of inhibitors docked into a new homology model of the DNA-PK receptor. 2009 , 15, 3796-825	3
1189	Risks from low dose/dose rate radiation: what an understanding of DNA damage response mechanisms can tell us. 2009 , 97, 416-25	22
1188	DNA damage signaling is activated during cancer progression in human colorectal carcinoma. 2010 , 9, 246-52	34
1187	Effects of <i>Saccharomyces cerevisiae</i> mec1, tel1, and mre11 mutations on spontaneous and methylmethane sulfonate-induced genome instability. 2010 , 85, 1-8	3
1186	Dynamics of Ku80 in living hamster cells with DNA double-strand breaks induced by chemotherapeutic drugs. 2010 , 72, 1405-12	5
1185	Enhancement of human cancer cell radiosensitivity by conjugated eicosapentaenoic acid - a mammalian DNA polymerase inhibitor. 2010 , 36, 577-84	5
1184	Phosphorylation of ATM/ATR substrates in eukaryotic cells after infection with <i>Helicobacter pylori</i> . 2010 , 4, 171-176	
1183	Low-dose radiation-induced responses: focusing on epigenetic regulation. 2010 , 86, 517-28	40
1182	DNA damage, neuronal and glial cell death and neurodegeneration. 2010 , 15, 1371-81	37
1181	Extracerebellar MRI-lesions in ataxia telangiectasia go along with deficiency of the GH/IGF-1 axis, markedly reduced body weight, high ataxia scores and advanced age. 2010 , 9, 190-7	31
1180	Effects of combined siRNA-TR and -TERT on telomerase activity and growth of bladder transitional cell cancer BIU-87 cells. 2010 , 30, 391-6	5
1179	ATM germline mutations in women with familial breast cancer and a relative with haematological malignancy. 2010 , 119, 443-52	21

1178	Genetic activities in micronuclei: is the DNA entrapped in micronuclei lost for the cell?. 2010 , 705, 60-7	91
1177	A functional single nucleotide polymorphism in promoter of ATM is associated with longevity. 2010 , 131, 636-40	39
1176	Roles of Werner syndrome protein in protection of genome integrity. 2010 , 9, 331-44	156
1175	The oncogenic phosphatase WIP1 negatively regulates nucleotide excision repair. 2010 , 9, 813-23	35
1174	The interplay between BRCA1 and 53BP1 influences death, aging, senescence and cancer. 2010 , 9, 1112-6	19
1173	The ubiquitous role of ubiquitin in the DNA damage response. 2010 , 9, 1229-40	167
1172	The ATR barrier to replication-born DNA damage. 2010 , 9, 1249-55	106
1171	Interaction between BRCA1/BRCA2 and ATM/ATR associate with breast cancer susceptibility in a Chinese Han population. 2010 , 200, 40-6	14
1170	Loss of ATM/Chk2/p53 pathway components accelerates tumor development and contributes to radiation resistance in gliomas. 2010 , 18, 619-29	183
1169	Both ERK1 and ERK2 kinases promote G2/M arrest in etoposide-treated MCF7 cells by facilitating ATM activation. 2010 , 22, 1783-9	55
1168	Defending the end zone: studying the players involved in protecting chromosome ends. 2010 , 584, 3773-8	19
1167	DNA-dependent protein kinase catalytic subunit mediates T-cell loss in rheumatoid arthritis. 2010 , 2, 415-27	44
1166	11q21.1-11q23.3 Is a site of intrinsic genomic instability triggered by irradiation. 2010 , 49, 831-43	1
1165	ATM is involved in cell-cycle control through the regulation of retinoblastoma protein phosphorylation. 2010 , 110, 210-8	8
1164	Gallic acid induces G2/M phase cell cycle arrest via regulating 14-3-3 σ release from Cdc25C and Chk2 activation in human bladder transitional carcinoma cells. 2010 , 54, 1781-90	32
1163	Importance of DNA damage checkpoints in the pathogenesis of human cancers. 2010 , 206, 591-601	55
1162	ATM polymorphisms are associated with risk of radiation-induced pneumonitis. 2010 , 77, 1360-8	65
1161	Radiation-induced survivin nuclear accumulation is linked to DNA damage repair. 2010 , 77, 226-34	46

1160	Hemizyosity for Atm and Brca1 influence the balance between cell transformation and apoptosis. 2010 , 5, 15	7
1159	DNA double-strand break signaling and human disorders. 2010 , 1, 15	53
1158	Requirement of ATM-dependent pathway for the repair of a subset of DNA double strand breaks created by restriction endonucleases. 2010 , 1, 4	4
1157	The role of nuclear organization in cancer. 2010 , 220, 114-25	68
1156	STAT3 modulates the DNA damage response pathway. 2010 , 91, 506-14	63
1155	The p53-inducible gene 3 (PIG3) contributes to early cellular response to DNA damage. 2010 , 29, 1431-50	58
1154	Wip1 phosphatase is associated with chromatin and dephosphorylates gammaH2AX to promote checkpoint inhibition. 2010 , 29, 2281-91	119
1153	Loss of poly(ADP-ribose) polymerase-2 leads to rapid development of spontaneous T-cell lymphomas in p53-deficient mice. 2010 , 29, 2877-83	42
1152	An HDAC1-binding domain within FATS bridges p21 turnover to radiation-induced tumorigenesis. 2010 , 29, 2659-71	15
1151	Status of p53 in human cancer cells does not predict efficacy of CHK1 kinase inhibitors combined with chemotherapeutic agents. 2010 , 29, 6149-59	45
1150	Serine/threonine phosphatases in the DNA damage response and cancer. 2010 , 29, 5977-88	55
1149	H2AX phosphorylation screen of cells from radiosensitive cancer patients reveals a novel DNA double-strand break repair cellular phenotype. 2010 , 102, 1511-8	45
1148	ATR activation and replication fork restart are defective in FANCM-deficient cells. 2010 , 29, 806-18	124
1147	RNAi-based screening identifies the Mms22L-Nfkbil2 complex as a novel regulator of DNA replication in human cells. 2010 , 29, 4210-22	55
1146	Intrauterine programming of ageing. 2010 , 11, 32-6	27
1145	Antimutagenic activity of mitochondria-targeted plastoquinone derivative. 2010 , 75, 269-73	2
1144	Ubiquitin hydrolase Dub3 promotes oncogenic transformation by stabilizing Cdc25A. 2010 , 12, 400-6	94
1143	. 2010 ,	15

1142	Cellular Responses to DNA Damage. 2010 , 377-402	1
1141	Screening Approaches to Identify Genes Required for DNA Double-Strand Break Damage Signaling in the Yeast <i>Saccharomyces cerevisiae</i> . 2010 , 2145-2158	
1140	Radiation Biology of Targeted Radiotherapy. 2010 , 419-471	2
1139	1.3 Genetische Aspekte. 2010 ,	
1138	Multiple roles of BRIT1/MCPH1 in DNA damage response, DNA repair, and cancer suppression. 2010 , 51, 295-301	30
1137	Molecular mechanisms of ultraviolet radiation-induced DNA damage and repair. 2010 , 2010, 592980	557
1136	AT cells show dissimilar hypersensitivity to heavy-ion and X-rays irradiation. 2010 , 51, 251-5	13
1135	Myc is required for activation of the ATM-dependent checkpoints in response to DNA damage. 2010 , 5, e8924	54
1134	ATM modulates the loading of recombination proteins onto a chromosomal translocation breakpoint hotspot. 2010 , 5, e13554	9
1133	Differential Dynamics of ATR-Mediated Checkpoint Regulators. 2010 , 2010,	6
1132	Controlling the Mdm2-Mdmx-p53 Circuit. 2010 , 3, 1576-1593	19
1131	DNA Repair Mechanisms and Initiation in Carcinogenesis. 2010 , 49-62	
1130	Ataxia Telangiectasia: A Case Report. 2010 , 19, 69-71	1
1129	Requirement for the phospho-H2AX binding module of Crb2 in double-strand break targeting and checkpoint activation. 2010 , 30, 4722-31	14
1128	A variant in the CHEK2 promoter at a methylation site relieves transcriptional repression and confers reduced risk of lung cancer. 2010 , 31, 1251-8	22
1127	Requirement of MTA1 in ATR-mediated DNA damage checkpoint function. 2010 , 285, 19802-12	37
1126	Wild-type p53-induced phosphatase 1 dephosphorylates histone variant gamma-H2AX and suppresses DNA double strand break repair. 2010 , 285, 12935-47	84
1125	Genotoxic stress causes the accumulation of the splicing regulator Sam68 in nuclear foci of transcriptionally active chromatin. 2010 , 38, 3005-18	53

1124	The NuRD chromatin-remodeling complex regulates signaling and repair of DNA damage. 2010 , 190, 741-9	187
1123	The human intra-S checkpoint response to UVC-induced DNA damage. 2010 , 31, 751-65	38
1122	Mammalian TIMELESS is required for ATM-dependent CHK2 activation and G2/M checkpoint control. 2010 , 285, 3030-4	67
1121	ATM is down-regulated by N-Myc-regulated microRNA-421. 2010 , 107, 1506-11	214
1120	Loss of H3 K79 trimethylation leads to suppression of Rtt107-dependent DNA damage sensitivity through the translesion synthesis pathway. 2010 , 285, 35113-22	27
1119	RUNX3 modulates DNA damage-mediated phosphorylation of tumor suppressor p53 at Ser-15 and acts as a co-activator for p53. 2010 , 285, 16693-703	54
1118	Rsf-1, a chromatin remodeling protein, induces DNA damage and promotes genomic instability. 2010 , 285, 38260-9	47
1117	The ATM cofactor ATMIN protects against oxidative stress and accumulation of DNA damage in the aging brain. 2010 , 285, 38534-42	44
1116	Secreted protein acidic and rich in cysteine-induced cellular senescence in colorectal cancers in response to irinotecan is mediated by P53. 2010 , 31, 812-9	13
1115	The Circadian Clock. 2010 ,	5
1114	Tel2 structure and function in the Hsp90-dependent maturation of mTOR and ATR complexes. 2010 , 24, 2019-30	135
1113	A novel and simple micro-irradiation technique for creating localized DNA double-strand breaks. 2010 , 38, e129	7
1112	Ataxia telangiectasia mutated (ATM)-mediated DNA damage response in oxidative stress-induced vascular endothelial cell senescence. 2010 , 285, 29662-70	57
1111	Involvement of Matrin 3 and SFPQ/NONO in the DNA damage response. 2010 , 9, 1568-76	147
1110	Eukaryotic single-stranded DNA binding proteins: central factors in genome stability. 2010 , 50, 143-63	54
1109	Accelerated carcinogenesis following liver regeneration is associated with chronic inflammation-induced double-strand DNA breaks. 2010 , 107, 2207-12	93
1108	A minority of foci or pan-nuclear apoptotic staining of gammaH2AX in the S phase after UV damage contain DNA double-strand breaks. 2010 , 107, 6870-5	141
1107	. 2010 ,	

1106	Histone deacetylase inhibitors activate NF-kappaB in human leukemia cells through an ATM/NEMO-related pathway. 2010 , 285, 10064-10077	52
1105	Genome-wide reinforcement of cohesin binding at pre-existing cohesin sites in response to ionizing radiation in human cells. 2010 , 285, 22784-92	48
1104	Selenium compounds activate early barriers of tumorigenesis. 2010 , 285, 12055-62	51
1103	L3MBTL1 polycomb protein, a candidate tumor suppressor in del(20q12) myeloid disorders, is essential for genome stability. 2010 , 107, 22552-7	64
1102	Fourier analysis and systems identification of the p53 feedback loop. 2010 , 107, 13550-5	73
1101	Functional significance for a heterogenous ribonucleoprotein A18 signature RNA motif in the 3'-untranslated region of ataxia telangiectasia mutated and Rad3-related (ATR) transcript. 2010 , 285, 8887-93	39
1100	ATM limits incorrect end utilization during non-homologous end joining of multiple chromosome breaks. 2010 , 6, e1001194	37
1099	Dual functions of ASCIZ in the DNA base damage response and pulmonary organogenesis. 2010 , 6, e1001170	29
1098	A mitotic phosphorylation feedback network connects Cdk1, Plk1, 53BP1, and Chk2 to inactivate the G(2)/M DNA damage checkpoint. 2010 , 8, e1000287	158
1097	ATM activation in the presence of oxidative stress. 2010 , 9, 4805-11	140
1096	Loss of ATM positively regulates the expression of hypoxia inducible factor 1 (HIF-1) through oxidative stress: Role in the physiopathology of the disease. 2010 , 9, 2886-2894	35
1095	The ZFH3 (ATBF1) transcription factor induces PDGFRB, which activates ATM in the cytoplasm to protect cerebellar neurons from oxidative stress. 2010 , 3, 752-62	44
1094	Dynamics of ionizing radiation-induced DNA damage response in reconstituted three-dimensional human skin tissue. 2010 , 174, 415-23	15
1093	S phase entry causes homocysteine-induced death while ataxia telangiectasia and Rad3 related protein functions anti-apoptotically to protect neurons. 2010 , 133, 2295-312	21
1092	Mechanism of p53 stabilization by ATM after DNA damage. 2010 , 9, 472-8	127
1091	MET Inhibition Results in DNA Breaks and Synergistically Sensitizes Tumor Cells to DNA-Damaging Agents Potentially by Breaching a Damage-Induced Checkpoint Arrest. 2010 , 1, 1053-62	33
1090	Dynamics of the PI3K-like protein kinase members ATM and DNA-PKcs at DNA double strand breaks. 2010 , 9, 2529-36	27
1089	Role of cell cycle regulators in lung carcinogenesis. 2010 , 4, 114-23	63

1088	NEK11: linking CHK1 and CDC25A in DNA damage checkpoint signaling. 2010 , 9, 450-5	26
1087	Radiation Sensitivity and Tumor Susceptibility in ATM Phospho-Mutant ATF2 Mice. 2010 , 1, 316-330	15
1086	Influence of cell cycle checkpoints and p53 function on the toxicity of temozolomide in human pancreatic cancer cells. 2010 , 10, 565-79	9
1085	Primers on molecular pathways - cycling toward pancreatic cancer. 2010 , 10, 6-13	1
1084	Tissue Biology of Proliferation and Cell Death Among Retinal Progenitor Cells. 2010 , 191-230	
1083	Induction of p53 renders ATM-deficient mice refractory to hepatocarcinogenesis. 2010 , 138, 1155-65.e1-2	26
1082	Biological and molecular mechanisms of sulfur mustard analogue-induced toxicity in JB6 and HaCaT cells: possible role of ataxia telangiectasia-mutated/ataxia telangiectasia-Rad3-related cell cycle checkpoint pathway. 2010 , 23, 1034-44	54
1081	Single-nucleotide polymorphisms in the p53 signaling pathway. 2010 , 2, a001032	72
1080	Regulatory Mechanisms of Homologous Recombination in Higher Plants. 2010 , 371-391	
1079	CK2 phospho-dependent binding of R2TP complex to TEL2 is essential for mTOR and SMG1 stability. 2010 , 39, 839-50	145
1078	A cytoplasmic ATM-TRAF6-clAP1 module links nuclear DNA damage signaling to ubiquitin-mediated NF- κ B activation. 2010 , 40, 63-74	213
1077	DNA damage activates a spatially distinct late cytoplasmic cell-cycle checkpoint network controlled by MK2-mediated RNA stabilization. 2010 , 40, 34-49	169
1076	Dealing with DNA damage: relationships between checkpoint and repair pathways. 2010 , 704, 2-11	77
1075	Gambogic acid triggers DNA damage signaling that induces p53/p21(Waf1/CIP1) activation through the ATR-Chk1 pathway. 2010 , 296, 55-64	52
1074	Chk1 inhibitor GB976 enhances the sensitivity of nasopharyngeal carcinoma cells to radiotherapy and chemotherapy in vitro and in vivo. 2010 , 297, 190-7	27
1073	NFBD1/MDC1 participates in the regulation of G2/M transition in mammalian cells. 2010 , 397, 157-62	11
1072	Origin of chromosomal translocations in lymphoid cancer. 2010 , 141, 27-38	226
1071	Modeling disease in human ESCs using an efficient BAC-based homologous recombination system. 2010 , 6, 80-9	154

1070	Genetic Determinants of Cancer Susceptibility. 2010 , 371-400	2
1069	Apoptosis initiation and angiogenesis inhibition: melanoma targets for nanosecond pulsed electric fields. 2010 , 23, 554-63	67
1068	Exploring a minimal two-component p53 model. 2010 , 7, 036008	9
1067	Perspectives of Stem Cells. 2010 ,	
1066	Genome Stability and Human Diseases. 2010 ,	3
1065	ATM activation by oxidative stress. 2010 , 330, 517-21	797
1064	Dose-rate effect on proliferation suppression in human cell lines continuously exposed to γ rays. 2011 , 176, 447-58	6
1063	MicroRNAs: new players in the DNA damage response. 2011 , 3, 151-8	134
1062	Induction of MET by ionizing radiation and its role in radioresistance and invasive growth of cancer. 2011 , 103, 645-61	261
1061	Interrogation of nucleotide excision repair capacity: impact on platinum-based cancer therapy. 2011 , 14, 2465-77	16
1060	Too many breaks (brakes): pancreatic β cell senescence leads to diabetes. 2011 , 10, 2471-84	26
1059	Encyclopedia of Cancer. 2011 , 324-325	
1058	Accumulation of DNA damage and cell death after fractionated irradiation. 2011 , 175, 708-18	12
1057	Cell Cycle Checkpoints. 2011 ,	
1056	Encyclopedia of Cancer. 2011 , 187-187	
1055	Encyclopedia of Cancer. 2011 , 174-178	
1054	Encyclopedia of Cancer. 2011 , 115-115	
1053	Persistence of DNA double-strand breaks in normal human cells induced by radiation-induced bystander effect. 2011 , 175, 90-6	20

1052	Role for p53 in selenium-induced senescence. 2011 , 59, 11882-7	10
1051	Human fibroblasts for large-scale "omics" investigations of ATM gene function. 2011 , 720, 181-90	8
1050	Molecular Determinants of Radiation Response. 2011 ,	1
1049	NEMO and RIP1 control cell fate in response to extensive DNA damage via TNF-feedforward signaling. 2011 , 145, 92-103	215
1048	BRCA1 is required for hMLH1 stabilization following doxorubicin-induced DNA damage. 2011 , 43, 1754-63	12
1047	[Pharmacological modulation of late radio-induced side effects]. 2011 , 15, 383-9	4
1046	ATM-mediated NuSAP phosphorylation induces mitotic arrest. 2011 , 404, 413-8	11
1045	The ATM kinase induces microRNA biogenesis in the DNA damage response. 2011 , 41, 371-83	184
1044	ATM signals miRNA biogenesis through KSRP. 2011 , 41, 367-8	12
1043	Aurora-B mediated ATM serine 1403 phosphorylation is required for mitotic ATM activation and the spindle checkpoint. 2011 , 44, 597-608	85
1042	Mitosis hit with an ATM transaction fee: aurora B-mediated activation of ATM during mitosis. 2011 , 44, 513-4	1
1041	Metabolic regulation of hematopoietic stem cells in the hypoxic niche. 2011 , 9, 298-310	544
1040	DNA repair deficiency in neurodegeneration. 2011 , 94, 166-200	235
1039	A phospho-proteomic screen identifies substrates of the checkpoint kinase Chk1. 2011 , 12, R78	102
1038	Oxygen sensing is impaired in ATM-defective cells. 2011 , 10, 4311-20	14
1037	Rare variants in the ATM gene and risk of breast cancer. 2011 , 13, R73	151
1036	V(D)J recombination: mechanisms of initiation. 2011 , 45, 167-202	353
1035	Functional polymorphism rs189037 in the promoter region of ATM gene is associated with angiographically characterized coronary stenosis. 2011 , 219, 694-7	10

1034	Roles of MicroRNA in DNA Damage and Repair. 2011,	1
1033	Post-Transcriptional Regulation of E2F Transcription Factors: Fine-Tuning DNA Repair, Cell Cycle Progression and Survival in Development & Disease. 2011,	
1032	Integration of the DNA Damage Response with Innate Immune Pathways. 2011,	
1031	Parvovirus B19 nonstructural protein-induced damage of cellular DNA and resultant apoptosis. 2011, 8, 88-96	18
1030	Regulation of DNA Replication Origin Licensing. 2011,	1
1029	DNA Repair in Embryonic Stem Cells. 2011,	
1028	Damage and Replication Stress Responses. 2011,	1
1027	Persistence and dynamics of DNA damage signal amplification determined by microcolony formation and live-cell imaging. 2011, 52, 766-74	3
1026	Investigation of tRNA and ATPase 6/8 gene mutations in Iranian ataxia telangiectasia patients. 2011, 7, 523-7	7
1025	Encyclopedia of Cancer. 2011, 178-184	
1024	Proteomic Characterization of Cerebrospinal Fluid from Ataxia-Telangiectasia (A-T) Patients Using a LC/MS-Based Label-Free Protein Quantification Technology. 2011, 2011, 578903	9
1023	Reduced synchronization persistence in neural networks derived from atm-deficient mice. 2011, 5, 46	11
1022	Molecular targets for radiation oncology in prostate cancer. 2011, 1, 17	11
1021	The biology of the cytolethal distending toxins. 2011, 3, 172-90	89
1020	p53 hypersensitivity is the predominant mechanism of the unique responsiveness of testicular germ cell tumor (TGCT) cells to cisplatin. 2011, 6, e19198	68
1019	Timeless links replication termination to mitotic kinase activation. 2011, 6, e19596	17
1018	Targeting the DNA double strand break repair machinery in prostate cancer. 2011, 6, e20311	43
1017	miR-18a impairs DNA damage response through downregulation of ataxia telangiectasia mutated (ATM) kinase. 2011, 6, e25454	122

1016	Regulation of DNA repair mechanism in human glioma xenograft cells both in vitro and in vivo in nude mice. 2011 , 6, e26191	16
1015	Modeling the basal dynamics of p53 system. 2011 , 6, e27882	30
1014	Lymphome du manteau : un modèle biologique et clinique. 2011 , 6, 1-10	
1013	Telomerase reverse transcriptase protects ATM-deficient hematopoietic stem cells from ROS-induced apoptosis through a telomere-independent mechanism. 2011 , 117, 4169-80	50
1012	Ataxia telangiectasia mutated- and Rad3-related kinase drives both the early and the late DNA-damage response to the monofunctional antitumour alkylator S23906. 2011 , 437, 63-73	10
1011	POLY MVA – a dietary supplement containing lipoic acid palladium complex, enhances cellular DNA repair. 2011 , 8, 42	2
1010	DNA damage signaling in response to 5-fluorouracil in three colorectal cancer cell lines with different mismatch repair and TP53 status. 2011 , 39, 673-82	20
1009	Functional interaction of BRCA1/ATM-associated BAAT1 with the DNA-PK catalytic subunit. 2011 , 2, 443-447	11
1008	Establishment of ku70-deficient lung epithelial cell lines and their hypersensitivity to low-dose x-irradiation. 2011 , 73, 549-54	12
1007	Oncogenic phosphatase Wip1 is a novel prognostic marker for lung adenocarcinoma patient survival. 2011 , 102, 1101-6	34
1006	Small-interfering RNA targeted at antiapoptotic mRNA increases keratinocyte sensitivity to apoptosis. 2011 , 164, 947-56	7
1005	Dyskeratosis congenita and the DNA damage response. 2011 , 153, 634-43	22
1004	SIRT2 down-regulation in HeLa can induce p53 accumulation via p38 MAPK activation-dependent p300 decrease, eventually leading to apoptosis. 2011 , 16, 34-45	101
1003	Do bacterial genotoxins contribute to chronic inflammation, genomic instability and tumor progression?. 2011 , 278, 4577-88	58
1002	Genetic polymorphisms of TP53-binding protein 1 (TP53BP1) gene and association with breast cancer risk. 2011 , 119, 460-7	6
1001	Differential roles for Chk1 and FANCD2 in ATR-mediated signalling for psoralen photoactivation-induced senescence. 2011 , 20, 883-9	9
1000	Are senescence and exhaustion intertwined or unrelated processes that compromise immunity?. 2011 , 11, 289-95	285
999	The effects of low doses of low-intensity ionizing radiation on DNA structure and function. 2011 , 56, 738-746	

998	Chk1 is dispensable for G2 arrest in response to sustained DNA damage when the ATM/p53/p21 pathway is functional. 2011 , 30, 4261-74	58
997	L1CAM regulates DNA damage checkpoint response of glioblastoma stem cells through NBS1. 2011 , 30, 800-13	127
996	A positive role for c-Abl in Atm and Atr activation in DNA damage response. 2011 , 18, 5-15	71
995	Molecular characterization of apoptosis induced by CARF silencing in human cancer cells. 2011 , 18, 589-601	21
994	Inactivation of PTEN is responsible for the survival of Hep G2 cells in response to etoposide-induced damage. 2011 , 715, 42-51	8
993	Encapsulation of selenium in chitosan nanoparticles improves selenium availability and protects cells from selenium-induced DNA damage response. 2011 , 22, 1137-42	43
992	A comparison of two cell regulatory models entailing high dimensional attractors representing phenotype. 2011 , 106, 443-9	15
991	The neuro-glial-vascular interrelations in genomic instability symptoms. 2011 , 132, 395-404	13
990	KARP-1 works as a heterodimer with Ku70, but the function of KARP-1 cannot perfectly replace that of Ku80 in DSB repair. 2011 , 317, 2267-75	8
989	UV-induced histone H2AX phosphorylation and DNA damage related proteins accumulate and persist in nucleotide excision repair-deficient XP-B cells. 2011 , 10, 5-15	35
988	Persistence of unrepaired DNA double strand breaks caused by inhibition of ATM does not lead to radio-sensitisation in the absence of NF- κ B activation. 2011 , 10, 235-44	11
987	Poly(ADP-ribosyl)ation affects stabilization of Che-1 protein in response to DNA damage. 2011 , 10, 380-9	14
986	DNA damage response and transcription. 2011 , 10, 743-50	122
985	ATM protects against oxidative stress induced by oxidized low-density lipoprotein. 2011 , 10, 848-60	26
984	Inhibition of HBV replication by theophylline. 2011 , 89, 149-55	17
983	The aging effect of chemotherapy on cultured human mesenchymal stem cells. 2011 , 39, 1171-81	49
982	Beyond ATM: the protein kinase landscape of the DNA damage response. 2011 , 585, 1625-39	153
981	Histone tails: Directing the chromatin response to DNA damage. 2011 , 585, 2883-90	26

980	A novel N-hydroxy-N'-aminoguanidine derivative inhibits ribonucleotide reductase activity: Effects in human HL-60 promyelocytic leukemia cells and synergism with arabinofuranosylcytosine (Ara-C). 2011 , 81, 50-9	11
979	Inhibition of activated pericentromeric SINE/Alu repeat transcription in senescent human adult stem cells reinstates self-renewal. 2011 , 10, 3016-30	85
978	Thymidylate synthase (TYMS) enhancer region genotype-directed phase II trial of oral capecitabine for 2nd line treatment of advanced pancreatic cancer. 2011 , 29, 1057-65	8
977	Phenotype-genotype correlation in familial breast cancer. 2011 , 16, 27-40	28
976	Helicase-like transcription factor confers radiation resistance in cervical cancer through enhancing the DNA damage repair capacity. 2011 , 137, 629-37	14
975	EMSY overexpression disrupts the BRCA2/RAD51 pathway in the DNA-damage response: implications for chromosomal instability/recombination syndromes as checkpoint diseases. 2011 , 285, 325-40	38
974	hSMG-1 is a granzyme B-associated stress-responsive protein kinase. 2011 , 89, 411-21	6
973	Regulation of mammalian target of rapamycin complex 1 (mTORC1) by hypoxia: causes and consequences. 2011 , 6, 95-102	18
972	Chalcone-imidazolone conjugates induce apoptosis through DNA damage pathway by affecting telomeres. 2011 , 11, 11	10
971	Phosphorylation of SMC1 by ATR is required for desferrioxamine (DFO)-induced apoptosis. 2011 , 2, e128	10
970	Posttranscriptional regulation of miRNAs in the DNA damage response. 2011 , 8, 960-3	15
969	[Cell cycle, mitosis and therapeutic applications]. 2011 , 98, 1037-45	4
968	KAP1 depletion increases PML nuclear body number in concert with ultrastructural changes in chromatin. 2011 , 10, 308-22	27
967	Congenital bone marrow failure in DNA-PKcs mutant mice associated with deficiencies in DNA repair. 2011 , 193, 295-305	99
966	Endogenously induced DNA double strand breaks arise in heterochromatic DNA regions and require ataxia telangiectasia mutated and Artemis for their repair. 2011 , 39, 6986-97	91
965	Analysis of individual molecular events of DNA damage response by flow- and image-assisted cytometry. 2011 , 103, 115-47	19
964	Peroxiredoxin II restrains DNA damage-induced death in cancer cells by positively regulating JNK-dependent DNA repair. 2011 , 286, 8394-8404	44
963	Common genetic variants related to genomic integrity and risk of papillary thyroid cancer. 2011 , 32, 1231-7	31

962	The mef/elf4 transcription factor fine tunes the DNA damage response. 2011 , 71, 4857-65	12
961	Rapid and transient recruitment of DNMT1 to DNA double-strand breaks is mediated by its interaction with multiple components of the DNA damage response machinery. 2011 , 20, 126-40	81
960	hMSH2 recruits ATR to DNA damage sites for activation during DNA damage-induced apoptosis. 2011 , 286, 10411-8	65
959	RING finger and WD repeat domain 3 (RFWD3) associates with replication protein A (RPA) and facilitates RPA-mediated DNA damage response. 2011 , 286, 22314-22	45
958	Bacterial genotoxin triggers FEN1-dependent RhoA activation, cytoskeleton remodeling and cell survival. 2011 , 124, 2735-42	28
957	Encyclopedia of Cancer. 2011 , 29-32	
956	Studies on Renal Disorders. 2011 ,	3
955	Identification of dAven, a Drosophila melanogaster ortholog of the cell cycle regulator Aven. 2011 , 10, 989-98	11
954	Ionizing radiation-induced TAp63 phosphorylation at C-terminal S/TQ motifs requires the N-terminal transactivation (TA) domain. 2011 , 10, 840-9	6
953	A minimally invasive assay for individual assessment of the ATM/CHEK2/p53 pathway activity. 2011 , 10, 1152-61	23
952	Metformin activates an ataxia telangiectasia mutated (ATM)/Chk2-regulated DNA damage-like response. 2011 , 10, 1499-501	68
951	Unique and redundant functions of ATM and DNA-PKcs during V(D)J recombination. 2011 , 10, 1928-35	43
950	Wip1 contributes to cell homeostasis maintained by the steady-state level of Wtp53. 2011 , 10, 2574-82	11
949	Correct end use during end joining of multiple chromosomal double strand breaks is influenced by repair protein RAD50, DNA-dependent protein kinase DNA-PKcs, and transcription context. 2011 , 286, 42470-42482	81
948	BRCT domains: easy as one, two, three. 2011 , 10, 2461-70	104
947	Repair of chromosomal RAG-mediated DNA breaks by mutant RAG proteins lacking phosphatidylinositol 3-like kinase consensus phosphorylation sites. 2011 , 187, 1826-34	16
946	Apoptosis induced by persistent single-strand breaks in mitochondrial genome: critical role of EXOG (5'-EXO/endonuclease) in their repair. 2011 , 286, 31975-83	118
945	Hepatitis C virus NS5B protein delays s phase progression in human hepatocyte-derived cells by relocalizing cyclin-dependent kinase 2-interacting protein (CINP). 2011 , 286, 26603-15	14

944	UV-induced photolesions elicit ATR-kinase-dependent signaling in non-cycling cells through nucleotide excision repair-dependent and -independent pathways. 2011 , 124, 435-46	75
943	Hsp90 inhibitor-mediated disruption of chaperone association of ATR with hsp90 sensitizes cancer cells to DNA damage. 2011 , 10, 1194-206	51
942	Time-course analysis of DNA damage response-related genes after in vitro radiation in H460 and H1229 lung cancer cell lines. 2011 , 43, 419-26	17
941	Chk2 deficiency in Myc overexpressing lymphoma cells elicits a synergistic lethal response in combination with PARP inhibition. 2011 , 10, 3598-607	26
940	Phosphorylation of H2AX at Ser139 and a new phosphorylation site Ser16 by RSK2 decreases H2AX ubiquitination and inhibits cell transformation. 2011 , 71, 393-403	28
939	ATM-dependent cellular response to DNA double strand breaks plays a pivotal role in the maintenance of the integrity of the genome. 2011 , 143, 279-83	5
938	Bocavirus infection induces a DNA damage response that facilitates viral DNA replication and mediates cell death. 2011 , 85, 133-45	46
937	Chk2 and p53 are haploinsufficient with dependent and independent functions to eliminate cells after telomere loss. 2011 , 7, e1002103	15
936	Can a system approach help radiobiology?. 2011 , 143, 536-41	2
935	p53: the attractive tumor suppressor in the cancer research field. 2011 , 2011, 603925	71
934	Physiological relevance of cell cycle kinases. 2011 , 91, 973-1007	157
933	Aberrant signaling pathways in glioma. 2011 , 3, 3242-78	125
932	An E2F1-mediated DNA damage response contributes to the replication of human cytomegalovirus. 2011 , 7, e1001342	50
931	Pancreatic endocrine tumours: mutational and immunohistochemical survey of protein kinases reveals alterations in targetable kinases in cancer cell lines and rare primaries. 2012 , 23, 127-134	49
930	Ataksi telanjiektazi ve ikincil hastalıklar. 2012 , 47, 38-42	
929	Treatment and management issues in ataxic diseases. 2012 , 103, 635-54	6
928	Ccdc94 protects cells from ionizing radiation by inhibiting the expression of p53. 2012 , 8, e1002922	18
927	Recent progress in studies of arterivirus- and coronavirus-host interactions. 2012 , 4, 980-1010	42

926	Research on plants for the understanding of diseases of nuclear and mitochondrial origin. 2012 , 2012, 836196	5
925	Induction of cell cycle arrest by GL331 via triggering an ATM-dependent DNA damage response in HepG2 cells. 2012 , 14, 657-64	4
924	Sp1 facilitates DNA double-strand break repair through a nontranscriptional mechanism. 2012 , 32, 3790-9	43
923	Loss of ATM kinase activity leads to embryonic lethality in mice. 2012 , 198, 295-304	80
922	SPOC1 modulates DNA repair by regulating key determinants of chromatin compaction and DNA damage response. 2012 , 40, 11363-79	37
921	DNA interstrand cross-linking agents and their chemotherapeutic potential. 2012 , 19, 364-85	33
920	Biomarkers to assess the targeting of DNA repair pathways to augment tumor response to therapy. 2012 , 12, 788-803	4
919	Induction of ASAP (MAP9) contributes to p53 stabilization in response to DNA damage. 2012 , 11, 2380-90	10
918	The Roles of MDM2 and MDMX Phosphorylation in Stress Signaling to p53. 2012 , 3, 274-82	19
917	Integrated regulation of PIKK-mediated stress responses by AAA+ proteins RUVBL1 and RUVBL2. 2012 , 3, 29-43	29
916	Updated relevance of mammographic screening modalities in women previously treated with chest irradiation for Hodgkin disease. 2012 , 265, 669-76	9
915	Absence of Wip1 partially rescues Atm deficiency phenotypes in mice. 2012 , 31, 1155-65	7
914	ATR-ATRIP kinase complex triggers activation of the Fanconi anemia DNA repair pathway. 2012 , 72, 1149-56	48
913	Deoxycytidine kinase regulates the G2/M checkpoint through interaction with cyclin-dependent kinase 1 in response to DNA damage. 2012 , 40, 9621-32	19
912	PI3Ks-drug targets in inflammation and cancer. 2012 , 58, 111-81	7
911	Deficient DNA damage signaling leads to chemoresistance to cisplatin in oral cancer. 2012 , 11, 2401-9	50
910	A New Player in the Development of TRAIL Based Therapies for Hepatocarcinoma Treatment: ATM Kinase. 2012 , 4, 354-78	4
909	CUX1 transcription factor is required for optimal ATM/ATR-mediated responses to DNA damage. 2012 , 40, 4483-95	37

908	Functional Aspects of PARP1 in DNA Repair and Transcription. 2012 , 2, 524-48	99
907	Oxidative DNA damage in neurons: implication of ku in neuronal homeostasis and survival. 2012 , 2012, 752420	16
906	p53 Ser15 phosphorylation disrupts the p53-RPA70 complex and induces RPA70-mediated DNA repair in hypoxia. 2012 , 443, 811-20	29
905	Role of the translationally controlled tumor protein in DNA damage sensing and repair. 2012 , 109, E926-33	64
904	Disease severity in a mouse model of ataxia telangiectasia is modulated by the DNA damage checkpoint gene Hus1. 2012 , 21, 3408-20	10
903	Signaling pathways that regulate cell division. 2012 , 4,	105
902	Isolation of homozygous mutant mouse embryonic stem cells using a dual selection system. 2012 , 40, e21	18
901	Radiation-induced double strand breaks and subsequent apoptotic DNA fragmentation in human peripheral blood mononuclear cells. 2012 , 29, 769-80	20
900	Association of epigenetic inactivation of the WRN gene with anticancer drug sensitivity in cervical cancer cells. 2012 , 28, 1146-52	20
899	Chromatin remodeling, DNA damage repair and aging. 2012 , 13, 533-47	45
898	Posttranscriptional regulation of gene expression-adding another layer of complexity to the DNA damage response. 2012 , 3, 159	35
897	Tcl1 interacts with Atm and enhances NF- κ B activation in hematologic malignancies. 2012 , 119, 180-7	37
896	Process for immune defect and chromosomal translocation during early thymocyte development lacking ATM. 2012 , 120, 789-99	26
895	Establishment of hamster cell lines with EGFP-tagged human XRCC4 and protection from low-dose X-ray radiation. 2012 , 74, 1269-75	5
894	Preserving Yeast Genetic Heritage through DNA Damage Checkpoint Regulation and Telomere Maintenance. 2012 , 2, 505-23	3
893	Redox modulation of the DNA damage response. 2012 , 84, 1292-306	70
892	DNA hypermethylation biomarkers to predict response to cisplatin treatment, radiotherapy or chemoradiation: the present state of art. 2012 , 35, 231-41	17
891	Putting the brakes on p53-driven apoptosis. 2012 , 11, 4122-8	17

890	Present status and perspectives in functional analysis of p53 in chronic lymphocytic leukemia. 2012 , 53, 1445-51	7
889	DNA damage signaling assessed in individual cells in relation to the cell cycle phase and induction of apoptosis. 2012 , 49, 199-217	35
888	Classical and alternative end-joining pathways for repair of lymphocyte-specific and general DNA double-strand breaks. 2012 , 116, 1-49	188
887	Postmitotic neurons develop a p21-dependent senescence-like phenotype driven by a DNA damage response. 2012 , 11, 996-1004	299
886	Ack1-mediated androgen receptor phosphorylation modulates radiation resistance in castration-resistant prostate cancer. 2012 , 287, 22112-22	57
885	Molecular markers for cancer prognosis and treatment: have we struck gold?. 2012 , 327, 142-52	31
884	Ionizing radiation-induced metabolic oxidative stress and prolonged cell injury. 2012 , 327, 48-60	738
883	Human target validation of phosphoinositide 3-kinase (PI3K) effects on platelets and insulin sensitivity, using AZD6482 a novel PI3K inhibitor. 2012 , 10, 2127-36	86
882	MORC2 signaling integrates phosphorylation-dependent, ATPase-coupled chromatin remodeling during the DNA damage response. 2012 , 2, 1657-69	85
881	Downregulation of SMG-1 in HPV-positive head and neck squamous cell carcinoma due to promoter hypermethylation correlates with improved survival. 2012 , 18, 1257-67	67
880	The ATM-BID pathway regulates quiescence and survival of haematopoietic stem cells. 2012 , 14, 535-41	114
879	Activation of ATM-Chk2 by 16-dehydropregnenolone induces G1 phase arrest and apoptosis in HeLa cells. 2012 , 14, 817-25	5
878	Combination of quercetin with radiotherapy enhances tumor radiosensitivity in vitro and in vivo. 2012 , 104, 395-400	59
877	DNAPKcs-dependent arrest of RNA polymerase II transcription in the presence of DNA breaks. 2012 , 19, 276-82	155
876	The MRE11 GAR motif regulates DNA double-strand break processing and ATR activation. 2012 , 22, 305-20	55
875	FOXO3 signalling links ATM to the p53 apoptotic pathway following DNA damage. 2012 , 3, 1000	52
874	Mutant BRAF induces DNA strand breaks, activates DNA damage response pathway, and up-regulates glucose transporter-1 in nontransformed epithelial cells. 2012 , 180, 1179-1188	25
873	Proteomic profiling of ATM kinase proficient and deficient cell lines upon blockage of proteasome activity. 2012 , 75, 4632-46	17

872	O-GlcNAc modification affects the ATM-mediated DNA damage response. 2012 , 1820, 1678-85	21
871	Modulation of DNA repair by pharmacological inhibitors of the PIKK protein kinase family. 2012 , 22, 5352-9	30
870	The contribution of the ABCG2 C421A polymorphism to cancer susceptibility: a meta-analysis of the current literature. 2012 , 12, 383	13
869	Lymphocyte development: integration of DNA damage response signaling. 2012 , 116, 175-204	43
868	ATM and the molecular pathogenesis of ataxia telangiectasia. 2012 , 7, 303-21	168
867	Melatonin triggers p53Ser phosphorylation and prevents DNA damage accumulation. 2012 , 31, 2931-42	56
866	Bortezomib induces G2-M arrest in human colon cancer cells through ROS-inducible phosphorylation of ATM-CHK1. 2012 , 41, 76-82	25
865	Integrated signaling in developing lymphocytes: the role of DNA damage responses. 2012 , 11, 4129-34	12
864	New insights into the roles of ATM and DNA-PKcs in the cellular response to oxidative stress. 2012 , 327, 103-10	67
863	Transcriptional regulation by post-transcriptional modification--role of phosphorylation in Sp1 transcriptional activity. 2012 , 508, 1-8	75
862	The Cell Cycle. 2012 , 451-471	4
861	Inhibition of ATM blocks the etoposide-induced DNA damage response and apoptosis of resting human T cells. 2012 , 11, 864-73	43
860	The response to and repair of RAG-mediated DNA double-strand breaks. 2012 , 30, 175-202	129
859	Exploiting synthetic lethal interactions between DNA damage signaling, checkpoint control, and p53 for targeted cancer therapy. 2012 , 110, 289-314	34
858	Genomewide transcription profiles altered by BMI-1026 and Roscovitine and its implication in cellular senescence. 2012 , 6, 362-371	1
857	Neurocutaneous syndromes. 2012 , 108, 513-33	10
856	Human umbilical cord blood-derived mesenchymal stem cells undergo cellular senescence in response to oxidative stress. 2012 , 21, 1877-86	79
855	Phosphoinositides I: Enzymes of Synthesis and Degradation. 2012 ,	6

854	Kidney Cancer. 2012 ,	4
853	Oxidative Stress in Cancer Biology and Therapy. 2012 ,	3
852	CDK2 and PKA mediated-sequential phosphorylation is critical for p19INK4d function in the DNA damage response. 2012 , 7, e35638	17
851	Loss of CCDC6, the first identified RET partner gene, affects pH2AX S139 levels and accelerates mitotic entry upon DNA damage. 2012 , 7, e36177	27
850	Inactivation of ATM/ATR DNA damage checkpoint promotes androgen induced chromosomal instability in prostate epithelial cells. 2012 , 7, e51108	24
849	The role of the neuro-astro-vascular unit in the etiology of ataxia telangiectasia. 2012 , 3, 157	12
848	Secondary leukemia associated with the anti-cancer agent, etoposide, a topoisomerase II inhibitor. 2012 , 9, 2444-53	102
847	Coordinate to guard: crosstalk of phosphorylation, sumoylation, and ubiquitylation in DNA damage response. 2011 , 1, 61	2
846	New Concepts for Translational Head and Neck Oncology: Lessons from HPV-Related Oropharyngeal Squamous Cell Carcinomas. 2012 , 2, 36	31
845	Endogenous anticancer mechanisms (EACMs). 2012 , 4, 1017-30	6
844	Interaction between polymorphisms of DNA repair genes significantly modulated bladder cancer risk. 2012 , 9, 498-505	24
843	Genetic polymorphisms and cervical cancer development: ATM G5557A and p53bp1 C1236G. 2012 , 27, 1188-92	16
842	Expression pattern of ataxia telangiectasia mutated (ATM), p53, Akt, and glycogen synthase kinase-3 β in the striatum of rats treated with 3-nitropropionic acid. 2012 , 90, 1803-13	4
841	Functional analysis of promoter variants in KU70 and their role in cancer susceptibility. 2012 , 51, 1007-13	6
840	The role of ATM and 53BP1 as predictive markers in cervical cancer. 2012 , 131, 2056-66	27
839	Pathological neoangiogenesis depends on oxidative stress regulation by ATM. 2012 , 18, 1208-16	118
838	Transcription profile of DNA damage response genes at G β lymphocytes exposed to gamma radiation. 2012 , 364, 271-81	28
837	QS-ZYX-1-61 induces apoptosis through topoisomerase II in human non-small-cell lung cancer A549 cells. 2012 , 103, 80-7	13

836	Superaugmented eccentric distance sum connectivity indices: novel highly discriminating topological descriptors for QSAR/QSPR. 2012 , 79, 38-52	10
835	The p53 mRNA-Mdm2 interaction controls Mdm2 nuclear trafficking and is required for p53 activation following DNA damage. 2012 , 21, 25-35	118
834	Reactive oxygen species (ROS) homeostasis and redox regulation in cellular signaling. 2012 , 24, 981-90	2596
833	The role of Hsp90 in protein complex assembly. 2012 , 1823, 674-82	129
832	Post-translational modifications of TRF1 and TRF2 and their roles in telomere maintenance. 2012 , 133, 421-34	41
831	SCF ubiquitin ligases in the maintenance of genome stability. 2012 , 37, 66-73	73
830	The p53 network: cellular and systemic DNA damage responses in aging and cancer. 2012 , 28, 128-36	335
829	Maintenance of imaginal disc plasticity and regenerative potential in Drosophila by p53. 2012 , 361, 263-76	37
828	Non-thermal DNA damage of cancer cells using near-infrared irradiation. 2012 , 103, 1467-73	19
827	Malfunctioning DNA damage response (DDR) leads to the degeneration of nigro-striatal pathway in mouse brain. 2012 , 46, 554-68	11
826	Ionizing radiation induced signaling of DNA damage response molecules in RAW 264.7 and CD4+ T cells. 2012 , 363, 43-51	5
825	The Ku70 -1310C/G promoter polymorphism is associated with breast cancer susceptibility in Chinese Han population. 2012 , 39, 577-83	12
824	Association between ATM 5557G>A polymorphism and breast cancer risk: a meta-analysis. 2012 , 39, 1113-8	14
823	Inhibition of checkpoint kinase 1 abrogates G2/M checkpoint activation and promotes apoptosis under heat stress. 2012 , 17, 102-12	41
822	Promotion of DNA repair by nuclear IKK β phosphorylation of ATM in response to genotoxic stimuli. 2013 , 32, 1854-62	18
821	Working hard for recovery: mitotic kinases in the DNA damage checkpoint. 2013 , 3, 20	8
820	Mesenchymal stromal cells: radio-resistant members of the bone marrow. 2013 , 91, 5-11	43
819	Structural mechanisms underlying signaling in the cellular response to DNA double strand breaks. 2013 , 750, 15-22	19

818	The accumulation of DNA repair defects is the molecular origin of carcinogenesis. 2013 , 34, 3293-302	22
817	Apoptosis gene polymorphisms and risk of prostate cancer: a hospital-based study of German patients treated with brachytherapy. 2013 , 31, 74-81	21
816	Functional interplay between the DNA-damage-response kinase ATM and ARF tumour suppressor protein in human cancer. 2013 , 15, 967-77	104
815	1-substituted (Dibenzo[b,d]thiophen-4-yl)-2-morpholino-4H-chromen-4-ones endowed with dual DNA-PK/PI3-K inhibitory activity. 2013 , 56, 6386-401	34
814	UCN-01 induces S and G2/M cell cycle arrest through the p53/p21(waf1) or CHK2/CDC25C pathways and can suppress invasion in human hepatoma cell lines. 2013 , 13, 167	28
813	XCIND as a genetic disease of X-irradiation hypersensitivity and cancer susceptibility. 2013 , 97, 37-42	11
812	SIRT1 collaborates with ATM and HDAC1 to maintain genomic stability in neurons. 2013 , 16, 1008-15	165
811	rs189037, a functional variant in ATM gene promoter, is associated with idiopathic nonobstructive azoospermia. 2013 , 100, 1536-41.e1	11
810	7,12-Dimethylbenz[a]anthracene exposure induces the DNA repair response in neonatal rat ovaries. 2013 , 272, 690-6	16
809	ATM-mediated Snail Serine 100 phosphorylation regulates cellular radiosensitivity. 2013 , 108, 403-8	14
808	The role of ATM and DNA damage in neurons: upstream and downstream connections. 2013 , 12, 600-4	46
807	Long non-coding RNA ANRIL (CDKN2B-AS) is induced by the ATM-E2F1 signaling pathway. 2013 , 25, 1086-95	158
806	Multiple facets of the DNA damage response contribute to the radioresistance of mouse mesenchymal stromal cell lines. 2013 , 31, 137-45	54
805	A review of adaptive mechanisms in cell responses towards oxidative stress caused by dental resin monomers. 2013 , 34, 4555-63	195
804	Renal Cell Carcinoma. 2013 ,	3
803	Visualization of local DNA unwinding by Mre11/Rad50/Nbs1 using single-molecule FRET. 2013 , 110, 18868-73	44
802	Novel connections between DNA replication, telomere homeostasis, and the DNA damage response revealed by a genome-wide screen for TEL1/ATM interactions in <i>Saccharomyces cerevisiae</i> . 2013 , 193, 1117-33	8
801	Therapeutic targeting of a robust non-oncogene addiction to PRKDC in ATM-defective tumors. 2013 , 5, 189ra78	72

800	Evaluation of the gamma-H2AX assay for radiation biodosimetry in a swine model. 2013 , 14, 14119-35	39
799	Inhibition of Hsp27 radiosensitizes head-and-neck cancer by modulating deoxyribonucleic acid repair. 2013 , 87, 168-75	15
798	DNA damage drives accelerated bone aging via an NF- κ B-dependent mechanism. 2013 , 28, 1214-28	74
797	Manipulation of DNA damage checkpoint signaling in cancer cells by antioxidant biofactor (AOB). 2013 , 4, 63-73	2
796	Forkhead box(O) in control of reactive oxygen species and genomic stability to ensure healthy lifespan. 2013 , 19, 1400-19	9
795	mTORC1 and p53: clash of the gods?. 2013 , 12, 20-5	63
794	Downregulation of Wip1 phosphatase modulates the cellular threshold of DNA damage signaling in mitosis. 2013 , 12, 251-62	40
793	Cyclin-dependent kinase inhibitor p21 controls adult neural stem cell expansion by regulating Sox2 gene expression. 2013 , 12, 88-100	142
792	Oxidative stress and the DNA mismatch repair pathway. 2013 , 18, 2420-8	40
791	Redox molecular machines involved in tumor progression. 2013 , 19, 1828-45	39
790	Telomere, Regulation and Tumorigenesis. 2013 , 55-98	
789	Hard-metal (WC-Co) particles trigger a signaling cascade involving p38 MAPK, HIF-1 α /HMOX1, and p53 activation in human PBMC. 2013 , 87, 259-68	26
788	Transglutaminase 2 and NF- κ B: an odd couple that shapes breast cancer phenotype. 2013 , 137, 329-36	48
787	Primary microcephaly, impaired DNA replication, and genomic instability caused by compound heterozygous ATR mutations. 2013 , 34, 374-84	37
786	ATM-deficient human neural stem cells as an in vitro model system to study neurodegeneration. 2013 , 12, 605-11	16
785	Influence of MRE11, RAD50 and NIBRIN protein expression on survival in pancreatic carcinoma after curative resection. 2013 , 209, 635-9	2
784	RASSF1A: a potential novel therapeutic target against cardiac hypertrophy. 2013 , 113, 284-8	7
783	DNA damage response in microcephaly development of MCPH1 mouse model. 2013 , 12, 645-55	43

782	Expression of NSAID-activated gene-1 by EGCG in head and neck cancer: involvement of ATM-dependent p53 expression. 2013 , 24, 986-99	31
781	Molecular imaging of the ATM kinase activity. 2013 , 86, 969-77	11
780	Ataxia telangiectasia mutated impacts insulin-like growth factor 1 signalling in skeletal muscle. 2013 , 98, 526-35	16
779	Mammalian Target of Rapamycin in Renal Cell Carcinoma. 2013 , 317-337	
778	Global analysis of phosphorylation of tau by the checkpoint kinases Chk1 and Chk2 in vitro. 2013 , 12, 2654-65	29
777	Recent advances in microRNA-mediated gene regulation in chronic lymphocytic leukemia. 2013 , 46, 901-8	4
776	Autophagy, senescence, and apoptosis. 2013 , 962, 31-48	8
775	PKC signaling prevents irradiation-induced apoptosis of primary human fibroblasts. 2013 , 4, e498	33
774	The effect of ATM kinase inhibition on the initial response of human dental pulp and periodontal ligament mesenchymal stem cells to ionizing radiation. 2013 , 89, 501-11	13
773	ACK1 tyrosine kinase: targeted inhibition to block cancer cell proliferation. 2013 , 338, 185-92	42
772	Identification of lethal microRNAs specific for head and neck cancer. 2013 , 19, 5647-57	12
771	Graphene oxide can induce in vitro and in vivo mutagenesis. 2013 , 3, 3469	94
770	Keeping it quiet: chromatin control of gammaherpesvirus latency. 2013 , 11, 863-75	93
769	Post-mitotic role of the cell cycle machinery. 2013 , 25, 711-6	20
768	Caenorhabditis elegans ATR checkpoint kinase ATL-1 influences life span through mitochondrial maintenance. 2013 , 13, 729-35	7
767	Mechanistic insights into the cytotoxicity and genotoxicity induced by glycidamide in human mammary cells. 2013 , 28, 721-9	24
766	Zinc finger protein 668 interacts with Tip60 to promote H2AX acetylation after DNA damage. 2013 , 12, 2033-41	15
765	ATM-dependent phosphorylation of heterogeneous nuclear ribonucleoprotein K promotes p53 transcriptional activation in response to DNA damage. 2013 , 12, 698-704	48

764	Blockage of melatonin receptors impairs p53-mediated prevention of DNA damage accumulation. 2013 , 34, 1051-61	45
763	Response to DNA damage: why do we need to focus on protein phosphatases?. 2013 , 3, 8	26
762	Brain and induced pluripotent stem cell-derived neural stem cells as an in vitro model of neurodegeneration in ataxia-telangiectasia. 2013 , 238, 301-7	4
761	Repression of ATR pathway by miR-185 enhances radiation-induced apoptosis and proliferation inhibition. 2013 , 4, e699	67
760	The loss of the BH3-only Bcl-2 family member Bid delays T-cell leukemogenesis in Atm ^{-/-} mice. 2013 , 20, 869-77	12
759	DNA damage response: three levels of DNA repair regulation. 2013 , 5, a012724	163
758	BRIT1 regulates p53 stability and functions as a tumor suppressor in breast cancer. 2013 , 34, 2271-80	12
757	Tumor protein D52 represents a negative regulator of ATM protein levels. 2013 , 12, 3083-97	19
756	Functional intersection of ATM and DNA-dependent protein kinase catalytic subunit in coding end joining during V(D)J recombination. 2013 , 33, 3568-79	31
755	The RecQ helicase RECQL5 participates in psoralen-induced interstrand cross-link repair. 2013 , 34, 2218-30	9
754	Selenium, Selenoproteins, and Age-Related Disorders. 2013 , 227-239	0
753	Modulation of NKG2D ligand expression and metastasis in tumors by spironolactone via RXR α activation. 2013 , 210, 2675-92	41
752	ATM- and ATR-mediated phosphorylation of XRCC3 regulates DNA double-strand break-induced checkpoint activation and repair. 2013 , 33, 1830-44	44
751	UV-induced G2 checkpoint depends on p38 MAPK and minimal activation of ATR-Chk1 pathway. 2013 , 126, 1923-30	7
750	An autonomous chromatin/DNA-PK mechanism for localized DNA damage signaling in mammalian cells. 2013 , 41, 2894-906	7
749	Double-strand break repair by homologous recombination in primary mouse somatic cells requires BRCA1 but not the ATM kinase. 2013 , 110, 5564-9	71
748	The Arf/p53 protein module, which induces apoptosis, down-regulates histone H2AX to allow normal cells to survive in the presence of anti-cancer drugs. 2013 , 288, 13269-77	23
747	Genome stability of Arabidopsis atm, ku80 and rad51b mutants: somatic and transgenerational responses to stress. 2013 , 54, 982-9	17

746	Chromosome instability and oxidative stress markers in patients with ataxia telangiectasia and their parents. 2013 , 2013, 762048	9
745	Eroded human telomeres are more prone to remain uncapped and to trigger a G2 checkpoint response. 2013 , 41, 900-11	18
744	DNA damage sensing by the ATM and ATR kinases. 2013 , 5,	739
743	SMG-1 suppresses CDK2 and tumor growth by regulating both the p53 and Cdc25A signaling pathways. 2013 , 12, 3770-80	24
742	TCTP directly regulates ATM activity to control genome stability and organ development in <i>Drosophila melanogaster</i> . 2013 , 4, 2986	28
741	Ataxia telangiectasia mutated (ATM) is dispensable for endonuclease I-SceI-induced homologous recombination in mouse embryonic stem cells. 2013 , 288, 7086-95	22
740	Concurrent inhibition of enzymatic activity and NF-Y-mediated transcription of Topoisomerase-III β by bis-DemethoxyCurcumin in cancer cells. 2013 , 4, e756	20
739	Phosphorylated (pT371)TRF1 is recruited to sites of DNA damage to facilitate homologous recombination and checkpoint activation. 2013 , 41, 10268-82	14
738	Differential effect of schisandrin B stereoisomers on ATR-mediated DNA damage checkpoint signaling. 2013 , 122, 138-48	8
737	MicroRNA-18a upregulates autophagy and ataxia telangiectasia mutated gene expression in HCT116 colon cancer cells. 2013 , 7, 559-64	37
736	Activation of the phosphorylation of ATM contributes to radioresistance of glioma stem cells. 2013 , 30, 1793-801	20
735	The defect of Ku70 affects sensitivity to x-ray and radiation-induced caspase-dependent apoptosis in lung cells. 2013 , 75, 415-20	10
734	LIF Insensitivity and Expression of Proteins Activated by DNA Damage Response in Teratoma-Isolated Cells Derived from Mouse Embryonic Stem Cells. 2013 , 78, 195-202	
733	DNA-damage-induced apoptosis. 465-472	
732	DNA damage induced by oridonin involves cell cycle arrest at G2/M phase in human MCF-7 cells. 2013 , 17, 38-44	8
731	Systems modelling of NHEJ reveals the importance of redox regulation of Ku70/80 in the dynamics of dna damage foci. 2013 , 8, e55190	18
730	Phosphorylation of Daxx by ATM contributes to DNA damage-induced p53 activation. 2013 , 8, e55813	19
729	Identification of 5-Iodotubercidin as a genotoxic drug with anti-cancer potential. 2013 , 8, e62527	19

728	Zygotic G2/M cell cycle arrest induced by ATM/Chk1 activation and DNA repair in mouse embryos fertilized with hydrogen peroxide-treated epididymal mouse sperm. 2013 , 8, e73987	16
727	Nuclear survivin and its relationship to DNA damage repair genes in non-small cell lung cancer investigated using tissue array. 2013 , 8, e74161	19
726	Ribosomal S6 Kinase 2 (RSK2) maintains genomic stability by activating the Atm/p53-dependent DNA damage pathway. 2013 , 8, e74334	14
725	DNA-PK target identification reveals novel links between DNA repair signaling and cytoskeletal regulation. 2013 , 8, e80313	15
724	Genome maintenance and transcription integrity in aging and disease. 2013 , 4, 19	40
723	The ATM-mediated DNA-damage response. 403-422	
722	Molecular Bases of Ataxia Telangiectasia: One Kinase Multiple Functions. 2013 ,	1
721	Molecular Pathology of Chronic Lymphocytic Leukemia and Relevance to Novel Therapies. 2014 , 1664-1676	
720	Effect of single nucleotide polymorphism Rs189037 in ATM gene on risk of lung cancer in Chinese: a case-control study. 2014 , 9, e115845	21
719	Unraveling the DNA Damage Response Signaling Network Through RNA Interference Screening. 2014 , 35-54	
718	Identification of novel therapeutic targets in the PI3K/AKT/mTOR pathway in hepatocellular carcinoma using targeted next generation sequencing. 2014 , 5, 3012-22	67
717	Atm deletion with dual recombinase technology preferentially radiosensitizes tumor endothelium. 2014 , 124, 3325-38	54
716	Cell Cycle Checkpoints. 2014 , 753-777	
715	UBR5-mediated ubiquitination of ATMIN is required for ionizing radiation-induced ATM signaling and function. 2014 , 111, 12091-6	38
714	Wild-type p53-induced phosphatase 1 (Wip1) forestalls cellular premature senescence at physiological oxygen levels by regulating DNA damage response signaling during DNA replication. 2014 , 13, 1015-29	18
713	Novel targets for ATM-deficient malignancies. 2014 , 1, e29905	4
712	ATM-dependent phosphorylation of MEF2D promotes neuronal survival after DNA damage. 2014 , 34, 4640-53	19
711	Collaborator of ARF (CARF) regulates proliferative fate of human cells by dose-dependent regulation of DNA damage signaling. 2014 , 289, 18258-69	23

710	Kinase Inhibitors in Cancer. 2014 ,	2
709	p53 regulation upon genotoxic stress: intricacies and complexities. 2014 , 1, e969653	25
708	The RSF1 histone-remodelling factor facilitates DNA double-strand break repair by recruiting centromeric and Fanconi Anaemia proteins. 2014 , 12, e1001856	33
707	ATM regulates NF- κ B-dependent immediate-early genes via RelA Ser 276 phosphorylation coupled to CDK9 promoter recruitment. 2014 , 42, 8416-32	46
706	Tug of war between survival and death: exploring ATM function in cancer. 2014 , 15, 5388-409	23
705	Multifunctional role of ATM/Tel1 kinase in genome stability: from the DNA damage response to telomere maintenance. 2014 , 2014, 787404	22
704	The DNA damage response induced by infection with human cytomegalovirus and other viruses. 2014 , 6, 2155-85	46
703	TR4 nuclear receptor functions as a tumor suppressor for prostate tumorigenesis via modulation of DNA damage/repair system. 2014 , 35, 1399-406	23
702	Synthetic cytotoxicity: digenic interactions with TEL1/ATM mutations reveal sensitivity to low doses of camptothecin. 2014 , 197, 611-23	7
701	Distinct functions of human cohesin-SA1 and cohesin-SA2 in double-strand break repair. 2014 , 34, 685-98	55
700	ATM deficiency: revealing the pathways to cancer. 2014 , 13, 2992	1
699	DNA damage may drive nucleosomal reorganization to facilitate damage detection. 2014 , 89, 032708	2
698	Upregulation of the ATR-CHEK1 pathway in oral squamous cell carcinomas. 2014 , 53, 25-37	18
697	Synaptic activity bidirectionally regulates a novel sequence-specific S-Q phosphoproteome in neurons. 2014 , 128, 841-51	17
696	TGF- β cascade regulation by PPP1 and its interactors -impact on prostate cancer development and therapy. 2014 , 18, 555-67	10
695	Ataxia-telangiectasia-mutated protein expression with microsatellite instability in gastric cancer as prognostic marker. 2014 , 134, 72-80	34
694	Methotrexate inhibits NF- κ B activity via long intergenic (noncoding) RNA-p21 induction. 2014 , 66, 2947-57	99
693	ATM-dependent E2F1 accumulation in the nucleolus is an indicator of ribosomal stress in early response to DNA damage. 2014 , 13, 1627-38	9

692	miR-205 acts as a tumour radiosensitizer by targeting ZEB1 and Ubc13. 2014 , 5, 5671	125
691	Chemical strategies for development of ATR inhibitors. 2014 , 16, e10	15
690	MTA family of proteins in DNA damage response: mechanistic insights and potential applications. 2014 , 33, 993-1000	9
689	Combination of YM155, a survivin suppressant, with bendamustine and rituximab: a new combination therapy to treat relapsed/refractory diffuse large B-cell lymphoma. 2014 , 20, 1814-22	32
688	Phosphoproteomic analysis of protein phosphorylation networks in Tetrahymena thermophila, a model single-celled organism. 2014 , 13, 503-19	18
687	Radiation induced bystander effect and DNA damage. 2014 , 10, 819-33	14
686	Sinecatechins (Polyphenon E) ointment for treatment of external genital warts and possible future indications. 2014 , 14, 1033-43	21
685	Having pancreatic cancer with tumoral loss of ATM and normal TP53 protein expression is associated with a poorer prognosis. 2014 , 20, 1865-72	61
684	Stress-induced changes in gene interactions in human cells. 2014 , 42, 1757-71	16
683	Development of chitosan/heparin nanoparticle-encapsulated cytolethal distending toxin for gastric cancer therapy. 2014 , 9, 803-17	16
682	DNA damage response, redox status and hematopoiesis. 2014 , 52, 12-8	13
681	DNA damage dependent activation of checkpoint kinase-1 and mitogen-activated protein kinase-p38 are required in malabaricone C-induced mitochondrial cell death. 2014 , 1840, 1014-27	15
680	ATM signalling and cancer. 2014 , 33, 3351-60	129
679	Effects of DSP4 on the noradrenergic phenotypes and its potential molecular mechanisms in SH-SY5Y cells. 2014 , 25, 193-207	11
678	TAT-RasGAP317-326-mediated tumor cell death sensitization can occur independently of Bax and Bak. 2014 , 19, 719-33	7
677	Association of the ATM gene polymorphisms with papillary thyroid cancer. 2014 , 45, 454-61	22
676	c-Myc quadruplex-forming sequence Pu-27 induces extensive damage in both telomeric and nontelomeric regions of DNA. 2014 , 289, 8521-31	17
675	DNA double-strand break repair and induction of apoptosis in ex vivo irradiated blood lymphocytes in relation to late normal tissue reactions following breast radiotherapy. 2014 , 53, 355-64	25

674	The H(+)-ATP synthase: a gate to ROS-mediated cell death or cell survival. 2014 , 1837, 1099-112	70
673	MicroRNA in Development and in the Progression of Cancer. 2014 ,	6
672	Non-homologous end joining pathway is the major route of protection against 4Hydroxywithanolide E-induced DNA damage in MCF-7 cells. 2014 , 65, 205-12	13
671	Physiological aspects of UV-excitation of DNA. 2015 , 356, 203-48	28
670	Systemic DNA damage responses: organismal adaptations to genome instability. 2014 , 30, 95-102	39
669	Novel prognostic gene mutations identified in chronic lymphocytic leukemia and their impact on clinical practice. 2014 , 14, 271-6	13
668	Mitogen-activated protein kinase-activated protein kinase 2 in neuroinflammation, heat shock protein 27 phosphorylation, and cell cycle: role and targeting. 2014 , 85, 345-56	56
667	Modification of radiation-induced DNA double strand break repair pathways by chemicals extracted from Podophyllum hexandrum: an in vitro study in human blood leukocytes. 2014 , 55, 436-48	19
666	Habiterpenol, a novel abrogator of bleomycin-induced G2 arrest in Jurkat cells, produced by Phytohabitans suffuscus 3787_5. 2014 , 67, 777-81	6
665	Phosphoproteome dynamics in onset and maintenance of oncogene-induced senescence. 2014 , 13, 2089-100	8
664	Dynamics of polycomb proteins-mediated histone modifications during UV irradiation-induced DNA damage. 2014 , 55, 9-18	7
663	CBP-93872 inhibits NBS1-mediated ATR activation, abrogating maintenance of the DNA double-strand break-specific G2 checkpoint. 2014 , 74, 3880-9	12
662	ATM, ATR and DNA-PKcs expressions correlate to adverse clinical outcomes in epithelial ovarian cancers. 2014 , 2, 10-7	41
661	Quantitative high content imaging of cellular adaptive stress response pathways in toxicity for chemical safety assessment. 2014 , 27, 338-55	59
660	Dimer monomer transition and dimer re-formation play important role for ATM cellular function during DNA repair. 2014 , 452, 1034-9	5
659	The discovery and development of new potential antioxidant agents for the treatment of neurodegenerative diseases. 2014 , 9, 1205-22	35
658	Interaction of Ddc1 and RPA with single-stranded/double-stranded DNA junctions in yeast whole cell extracts: Proteolytic degradation of the large subunit of replication protein A in ddc1Δ strains. 2014 , 22, 30-40	3
657	Novel 3-arylethynyl-substituted thieno[3,4-b]pyrazine derivatives as human transglutaminase 2 inhibitors. 2014 , 12, 4932-40	6

656	Promoter methylation of tumor suppressor genes in pre-neoplastic lesions; potential marker of disease recurrence. 2014 , 33, 65	12
655	TRIM24 is a p53-induced E3-ubiquitin ligase that undergoes ATM-mediated phosphorylation and autodegradation during DNA damage. 2014 , 34, 2695-709	52
654	HuR posttranscriptionally regulates WEE1: implications for the DNA damage response in pancreatic cancer cells. 2014 , 74, 1128-40	72
653	TPP1 as a versatile player at the ends of chromosomes. 2014 , 9, 225-233	1
652	Generation and repair of AID-initiated DNA lesions in B lymphocytes. 2014 , 8, 201-16	24
651	Cancer cell resistance mechanisms: a mini review. 2014 , 16, 511-6	42
650	Repression of cyclin D1 expression is necessary for the maintenance of cell cycle exit in adult mammalian cardiomyocytes. 2014 , 289, 18033-44	31
649	Targeted inhibition of ATR or CHEK1 reverses radioresistance in oral squamous cell carcinoma cells with distal chromosome arm 11q loss. 2014 , 53, 129-43	33
648	ATM kinase promotes both caspase-8 and caspase-9 activation during TNF- α -induced apoptosis of HeLa cells. 2014 , 588, 929-35	13
647	Whole-exome sequence analysis of ataxia telangiectasia-like phenotype. 2014 , 340, 86-90	11
646	Mitochondria are required for ATM activation by extranuclear oxidative stress in cultured human hepatoblastoma cell line Hep G2 cells. 2014 , 443, 1286-90	23
645	Selective targeting of the G2/M cell cycle checkpoint to improve the therapeutic index of radiotherapy. 2014 , 26, 257-65	56
644	γ H2AX as a biomarker for DNA double-strand breaks in ecotoxicology. 2014 , 105, 13-21	44
643	Nonhomologous end joining: a good solution for bad ends. 2014 , 17, 39-51	81
642	Redox regulation by Pitx2 and Pitx3 is critical for fetal myogenesis. 2014 , 29, 392-405	50
641	ATM kinase activity modulates ITCH E3-ubiquitin ligase activity. 2014 , 33, 1113-23	27
640	DMAP1 is an essential regulator of ATM activity and function. 2014 , 33, 525-31	18
639	Molecular mechanisms of natural killer cell activation in response to cellular stress. 2014 , 21, 5-14	128

638	Expression and significance of the novel tumor-suppressor gene SMG-1 in hepatocellular carcinoma. 2014 , 31, 2569-78	16
637	Optimal Stress, Psychological Resilience, and the Sandpile Model. 2014 , 220-245	1
636	Purine receptor P2Y6 mediates cellular response to Uvray-induced DNA damage. 2014 , 39, 15-23	15
635	Hepatocyte growth factor and HER2/neu downregulate expression of apoptosis-inducing factor in non-small cell lung cancer. 2014 , 31, 597-604	9
634	Cell Cycle Regulation of Pluripotent Stem Cells. 2014 , 39-58	
633	ATM deficiency promotes development of murine B-cell lymphomas that resemble diffuse large B-cell lymphoma in humans. 2015 , 126, 2291-301	11
632	Effects of Scorpion venom peptide B5 on hematopoietic recovery in irradiated mice and the primary mechanisms. 2015 , 5, 15363	3
631	The mechanism of radiosensitization by YM155, a novel small molecule inhibitor of survivin expression, is associated with DNA damage repair. 2015 , 37, 1219-30	14
630	CDK1 inhibition targets the p53-NOXA-MCL1 axis, selectively kills embryonic stem cells, and prevents teratoma formation. 2015 , 4, 374-89	51
629	The associations between Parkinson's disease and cancer: the plot thickens. 2015 , 4, 20	61
628	Mechanisms and clinical applications of chromosomal instability in lymphoid malignancy. 2015 , 171, 13-28	22
627	Latex of <i>Euphorbia antiquorum</i> -induced S-phase arrest via active ATM kinase and MAPK pathways in human cervical cancer HeLa cells. 2015 , 30, 1205-15	10
626	Caffeine Suppresses Apoptosis of Bladder Cancer RT4 Cells in Response to Ionizing Radiation by Inhibiting Ataxia Telangiectasia Mutated-Chk2-p53 Axis. 2015 , 128, 2938-45	7
625	Programmed cell death in the skin. 2015 , 59, 73-8	14
624	HIV-1 Recruits UPF1 but Excludes UPF2 to Promote Nucleocytoplasmic Export of the Genomic RNA. 2015 , 5, 2808-39	35
623	A Novel Aspect of Tumorigenesis-BMI1 Functions in Regulating DNA Damage Response. 2015 , 5, 3396-415	24
622	Histone H2AX Is Involved in FoxO3a-Mediated Transcriptional Responses to Ionizing Radiation to Maintain Genome Stability. 2015 , 16, 29996-30014	12
621	Targeting ATM-deficient CLL through interference with DNA repair pathways. 2015 , 6, 207	22

620	Unstable chromosome aberrations do not accumulate in normal human fibroblast after fractionated x-irradiation. 2015 , 10, e0116645	3
619	Loss of DDB1 Leads to Transcriptional p53 Pathway Activation in Proliferating Cells, Cell Cycle Deregulation, and Apoptosis in Zebrafish Embryos. 2015 , 10, e0134299	11
618	Intra-Tumoral Heterogeneity of HER2, FGFR2, cMET and ATM in Gastric Cancer: Optimizing Personalized Healthcare through Innovative Pathological and Statistical Analysis. 2015 , 10, e0143207	17
617	Fisetin induces G2/M phase cell cycle arrest by inactivating cdc25C-cdc2 via ATM-Chk1/2 activation in human endometrial cancer cells. 2015 , 10, 279	4
616	FBXW7 and USP7 regulate CCDC6 turnover during the cell cycle and affect cancer drugs susceptibility in NSCLC. 2015 , 6, 12697-709	34
615	Ubiquitin-H2AX fusions render 53BP1 recruitment to DNA damage sites independent of RNF8 or RNF168. 2015 , 14, 1748-58	9
614	Influence of DNA repair genes polymorphism on the karyology of buccal epithelium cells in humans exposed to radon. 2015 , 5, 132-140	
613	Bacterial genotoxins. 2015 , 558-602	2
612	DNA repair mechanisms in cancer development and therapy. 2015 , 6, 157	169
611	Sterigmatocystin induces G1 arrest in primary human esophageal epithelial cells but induces G2 arrest in immortalized cells: key mechanistic differences in these two models. 2015 , 89, 2015-25	9
610	Serine-Threonine Kinase 38 regulates CDC25A stability and the DNA damage-induced G2/M checkpoint. 2015 , 27, 1569-75	17
609	Nuclear GIT2 is an ATM substrate and promotes DNA repair. 2015 , 35, 1081-96	22
608	Breast Cancer- It's All in the DNA. 2015 ,	
607	Kidney Cancer. 2015 ,	1
606	Special AT-rich sequence binding protein 1 expression correlates with response to preoperative radiotherapy and clinical outcome in rectal cancer. 2015 , 16, 1738-45	11
605	Telomere Repeat-Binding Factor 2 Is Responsible for the Telomere Attachment to the Nuclear Membrane. 2015 , 101, 67-96	9
604	Resveratrol analogue (E)-8-acetoxy-2-[2-(3,4-diacetoxyphenyl)ethenyl]-quinazoline induces G2/M cell cycle arrest through the activation of ATM/ATR in human cervical carcinoma HeLa cells. 2015 , 33, 2639-47	9
603	Jaridonin-induced G2/M phase arrest in human esophageal cancer cells is caused by reactive oxygen species-dependent Cdc2-tyr15 phosphorylation via ATM-Chk1/2-Cdc25C pathway. 2015 , 282, 227-36	36

602	DNA damage responses: beyond double-strand break repair. 2015 , 25, R45-6	3
601	Regulation of polo-like kinase 1 by DNA damage and PP2A/B55. 2015 , 14, 157-66	24
600	Assessment of DNA damage and mRNA/miRNA transcriptional expression profiles in hyperglycemic versus non-hyperglycemic patients with type 2 diabetes mellitus. 2015 , 776, 98-110	19
599	DNA replication stress as a hallmark of cancer. 2015 , 10, 425-48	389
598	Polo-like kinase 1 inhibits DNA damage response during mitosis. 2015 , 14, 219-31	43
597	The Mechanism of IgH Class Switch Recombination. 2015 , 345-362	
596	Photoinduced Phenomena in Nucleic Acids II. 2015 ,	10
595	Role of ataxia-telangiectasia mutated (ATM) in porcine oocyte in vitro maturation. 2015 , 39, 710-20	6
594	Limited mitochondrial permeabilization causes DNA damage and genomic instability in the absence of cell death. 2015 , 57, 860-872	220
593	Stemness factor Sall4 is required for DNA damage response in embryonic stem cells. 2015 , 208, 513-20	35
592	Tumor cells, but not endothelial cells, mediate eradication of primary sarcomas by stereotactic body radiation therapy. 2015 , 7, 278ra34	58
591	Ataxia telangiectasia mutated kinase mediates NF- κ B serine 276 phosphorylation and interferon expression via the IRF7-RIG-I amplification loop in paramyxovirus infection. 2015 , 89, 2628-42	26
590	Regulation of the DNA damage response by ubiquitin conjugation. 2015 , 6, 98	39
589	Principles of Redox Signaling. 2015 , 3-40	
588	An integrated on-line irradiation and in situ live cell imaging system. 2015 , 358, 26-31	1
587	Mechanism of the inhibition of leukemia cell growth and induction of apoptosis through the activation of ATR and PTEN by the topoisomerase inhibitor 3EZ, 20Ac-ingenol. 2015 , 39, 927-32	9
586	Oxygen in human health from life to death--An approach to teaching redox biology and signaling to graduate and medical students. 2015 , 5, 124-139	21
585	Stem Cell Aging: Mechanisms, Consequences, Rejuvenation. 2015 ,	

584	The Role of mTOR Inhibitors and PI3K Pathway Blockade in Renal Cell Cancer. 2015 , 295-314	
583	The interplay between DNA repair and autophagy in cancer therapy. 2015 , 16, 1005-13	70
582	DNA damage response in neonatal and adult stromal cells compared with induced pluripotent stem cells. 2015 , 4, 576-89	13
581	Investigation of the functional single-nucleotide polymorphisms in the transporter and susceptibility to colorectal cancer. 2015 , 3, 105-109	6
580	TRIM29 regulates the assembly of DNA repair proteins into damaged chromatin. 2015 , 6, 7299	30
579	Systems Biology of the DNA Damage Response. 2015 , 207-224	
578	Ataxia-Telangiectasia and the Biology of Ataxia-Telangiectasia Mutated (ATM). 2015 , 1025-1032	
577	DNA damage checkpoint recovery and cancer development. 2015 , 334, 350-8	62
576	Dampening DNA damage checkpoint signalling via coordinated BRCT domain interactions. 2015 , 34, 1704-17	35
575	Ataxia telangiectasia-mutated gene polymorphisms and acute normal tissue injuries in cancer patients after radiation therapy: a systematic review and meta-analysis. 2015 , 91, 1090-8	26
574	Changes in the response of MCF-7 cells to ionizing radiation after the combination of ATM and DNA-PK inhibition. 2015 , 32, 138	4
573	Involvement of ATM in homologous recombination after end resection and RAD51 nucleofilament formation. 2015 , 43, 3154-66	71
572	Caenorhabditis elegans Models to Study the Molecular Biology of Ataxias. 2015 , 1043-1059	
571	Truncating mutations of PPM1D are found in blood DNA samples of lung cancer patients. 2015 , 112, 1114-20	35
570	Increased oxidative stress in AOA3 cells disturbs ATM-dependent DNA damage responses. 2015 , 782, 42-50	8
569	Kaempferol induces DNA damage and inhibits DNA repair associated protein expressions in human promyelocytic leukemia HL-60 cells. 2015 , 43, 365-82	27
568	Cockayne syndrome group B protein regulates DNA double-strand break repair and checkpoint activation. 2015 , 34, 1399-416	41
567	Trial Watch: Targeting ATM-CHK2 and ATR-CHK1 pathways for anticancer therapy. 2015 , 2, e1012976	95

566	Receptor tyrosine kinase EphA5 is a functional molecular target in human lung cancer. 2015 , 290, 7345-59	29
565	Syncytial apoptosis signaling network induced by the HIV-1 envelope glycoprotein complex: an overview. 2015 , 6, e1846	15
564	Genomic integrity and the ageing brain. 2015 , 16, 672-84	126
563	Recruitment and activation of the ATM kinase in the absence of DNA-damage sensors. 2015 , 22, 736-43	42
562	Randomized, Double-Blind Phase II Trial With Prospective Classification by ATM Protein Level to Evaluate the Efficacy and Tolerability of Olaparib Plus Paclitaxel in Patients With Recurrent or Metastatic Gastric Cancer. 2015 , 33, 3858-65	202
561	D'Éresse respiratoire chez un enfant de 8 ans. 2015 , 55, 315-318	
560	TiO ₂ nanoparticles induce DNA double strand breaks and cell cycle arrest in human alveolar cells. 2015 , 56, 204-17	85
559	Sirtuin 7 promotes cellular survival following genomic stress by attenuation of DNA damage, SAPK activation and p53 response. 2015 , 331, 123-141	55
558	ATM and ATR as therapeutic targets in cancer. 2015 , 149, 124-38	361
557	Effects of DNA damage in smooth muscle cells in atherosclerosis. 2015 , 116, 816-26	57
556	TGF- β mediates the radiation response of prostate cancer. 2015 , 93, 73-82	17
555	DNA-PK/Chk2 induces centrosome amplification during prolonged replication stress. 2015 , 34, 1263-9	25
554	BMI1 attenuates etoposide-induced G2/M checkpoints via reducing ATM activation. 2015 , 34, 3063-75	24
553	Cancer. 2015 , 3-18.e1	
552	Infiltrating mast cells increase prostate cancer chemotherapy and radiotherapy resistances via modulation of p38/p53/p21 and ATM signals. 2016 , 7, 1341-53	27
551	Oxidative Stress in Cancer-Prone Genetic Diseases in Pediatric Age: The Role of Mitochondrial Dysfunction. 2016 , 2016, 4782426	10
550	Analysis of Residual DSBs in Ataxia-Telangiectasia Lymphoblast Cells Initiating Apoptosis. 2016 , 2016, 8279560	5
549	Cellular Pathways in Response to Ionizing Radiation and Their Targetability for Tumor Radiosensitization. 2016 , 17,	215

548	Real Estate in the DNA Damage Response: Ubiquitin and SUMO Ligases Home in on DNA Double-Strand Breaks. 2016 , 7, 58	7
547	DNA Damage Response and Immune Defense: Links and Mechanisms. 2016 , 7, 147	114
546	Homeodomain-Interacting Protein Kinase-2: A Critical Regulator of the DNA Damage Response and the Epigenome. 2016 , 17,	18
545	Chromosomal Translocations in the Parasite Leishmania by a MRE11/RAD50-Independent Microhomology-Mediated End Joining Mechanism. 2016 , 12, e1006117	19
544	Tumor Suppressor Genes within Common Fragile Sites Are Active Players in the DNA Damage Response. 2016 , 12, e1006436	24
543	Depletion of Paraspeckle Protein 1 Enhances Methyl Methanesulfonate-Induced Apoptosis through Mitotic Catastrophe. 2016 , 11, e0146952	4
542	Single Nucleotide Polymorphism rs1801516 in Ataxia Telangiectasia-Mutated Gene Predicts Late Fibrosis in Cancer Patients After Radiotherapy: A PRISMA-Compliant Systematic Review and Meta-Analysis. 2016 , 95, e3267	12
541	Effect of ATM-111 (G>A) Polymorphism on Cancer Risk: A Meta-Analysis. 2016 , 20, 359-66	3
540	The radioresistance of mesenchymal stromal cells and their potential role in the management of radiation injury. 2016 , 391-414	1
539	Silencing of ataxia-telangiectasia mutated by siRNA enhances the in vitro and in vivo radiosensitivity of glioma. 2016 , 35, 3303-12	6
538	Impact of single-nucleotide polymorphisms on radiation pneumonitis in cancer patients. 2016 , 4, 3-10	14
537	Spatiotemporal regulation of posttranslational modifications in the DNA damage response. 2016 , 35, 6-23	137
536	Induction of a Cellular DNA Damage Response by Porcine Circovirus Type 2 Facilitates Viral Replication and Mediates Apoptotic Responses. 2016 , 6, 39444	7
535	Activation of Checkpoint Kinase Chk1 by Reactive Oxygen Species Resulting from Disruption of wat1/pop3 in Schizosaccharomyces pombe. 2016 , 204, 1397-1406	3
534	Disease-specific protein complex detection in the human protein interaction network with a supervised learning method. 2016 ,	0
533	Phosphorylation-Dependent Regulation of the DNA Damage Response of Adaptor Protein KIBRA in Cancer Cells. 2016 , 36, 1354-65	9
532	Ataxia telangiectasia mutated in cardiac fibroblasts regulates doxorubicin-induced cardiotoxicity. 2016 , 110, 85-95	33
531	Stop pulling my strings - what telomeres taught us about the DNA damage response. 2016 , 17, 364-78	104

530	Cell response to extremely weak static magnetic fields. 2016 , 61, 435-439	6
529	Loss of CHD1 causes DNA repair defects and enhances prostate cancer therapeutic responsiveness. 2016 , 17, 1609-1623	58
528	Time to incorporate germline multigene panel testing into breast and ovarian cancer patient care. 2016 , 160, 393-410	45
527	Connecting Malfunctioning Glial Cells and Brain Degenerative Disorders. 2016 , 14, 155-165	18
526	Molecular signaling cascades involved in nonmelanoma skin carcinogenesis. 2016 , 473, 2973-94	26
525	Cell-Cycle Control and DNA-Damage Signaling in Mammals. 2016 , 227-242	1
524	Human Diseases Associated With Genome Instability. 2016 , 447-462	2
523	Telomeres and telomerase in head and neck squamous cell carcinoma: from pathogenesis to clinical implications. 2016 , 35, 457-74	38
522	Hereditary breast and ovarian cancer: new genes in confined pathways. <i>Nature Reviews Cancer</i> , 2016 , 16, 599-612	313 210
521	Molecular Pathology: Predictive, Prognostic, and Diagnostic Markers in Lymphoid Neoplasms. 2016 , 9, 489-521	3
520	Robust reprogramming of Ataxia-Telangiectasia patient and carrier erythroid cells to induced pluripotent stem cells. 2016 , 17, 296-305	5
519	Ataxia telangiectasia: a review. 2016 , 11, 159	263
518	ATM mutation and radiosensitivity: An opportunity in the therapy of mantle cell lymphoma. 2016 , 107, 14-19	12
517	Decreased IL7R α and TdT expression underlie the skewed immunoglobulin repertoire of human B-cell precursors from fetal origin. 2016 , 6, 33924	12
516	Curcumin counteracts cisplatin-induced nephrotoxicity by preventing renal tubular cell apoptosis. 2016 , 38, 1741-1748	40
515	ATR maintains chromosomal integrity during postnatal cerebellar neurogenesis and is required for medulloblastoma formation. 2016 , 143, 4038-4052	30
514	The Breast Cancer Tumor Suppressor TRIM29 Is Expressed via ATM-dependent Signaling in Response to Hypoxia. 2016 , 291, 21541-21552	14
513	Mitochondrial Dysfunction and Oxidative Stress in Pediatric Diseases. 2016 , 06, 79-87	

512	Opportunities for Radiosensitization in the Stereotactic Body Radiation Therapy (SBRT) Era. 2016 , 22, 267-73	8
511	Combined deletion of Xrcc4 and Trp53 in mouse germinal center B cells leads to novel B cell lymphomas with clonal heterogeneity. 2016 , 9, 2	6
510	Radiobiology of Glioblastoma. 2016 ,	2
509	Tumor Microenvironment, Hypoxia, and Stem Cell-Related Radiation Resistance. 2016 , 189-207	
508	TGF- β accelerates the DNA damage response in epithelial cells via Smad signaling. 2016 , 476, 420-425	16
507	TLK1B mediated phosphorylation of Rad9 regulates its nuclear/cytoplasmic localization and cell cycle checkpoint. 2016 , 17, 3	8
506	Molecular Mechanisms of Cell Differentiation in Gonad Development. 2016 ,	5
505	Mechanisms Regulating Spermatogonial Differentiation. 2016 , 58, 253-87	15
504	Loss of ataxia-telangiectasia-mutated protein expression correlates with poor prognosis but benefits from anthracycline-containing adjuvant chemotherapy in breast cancer. 2016 , 158, 233-41	7
503	The nucleotide excision repair protein XPC is essential for bulky DNA adducts to promote interleukin-6 expression via the activation of p38-SAPK. 2016 , 35, 908-18	6
502	ATM kinase: Much more than a DNA damage responsive protein. 2016 , 39, 1-20	98
501	Molecular Taxonomy and Tumorigenesis of Colorectal Cancer. 2016 , 28, 73-82	4
500	Defining ATM-Independent Functions of the Mre11 Complex with a Novel Mouse Model. 2016 , 14, 185-95	6
499	Optimization of a Novel Series of Ataxia-Telangiectasia Mutated Kinase Inhibitors as Potential Radiosensitizing Agents. 2016 , 59, 559-77	27
498	Novel caffeine derivatives with antiproliferative activity. 2016 , 6, 32534-32539	9
497	A flow cytometry assay that measures cellular sensitivity to DNA-damaging agents, customized for clinical routine laboratories. 2016 , 49, 566-72	5
496	Shelterin Protects Chromosome Ends by Compacting Telomeric Chromatin. 2016 , 164, 735-46	100
495	RAG-mediated DNA double-strand breaks activate a cell type-specific checkpoint to inhibit pre-B cell receptor signals. 2016 , 213, 209-23	31

494	Chk1 inhibitor synergizes quinacrine mediated apoptosis in breast cancer cells by compromising the base excision repair cascade. 2016 , 105, 23-33	17
493	Inside-Out Signaling Pathways from Nuclear Reactive Oxygen Species Control Pulmonary Innate Immunity. 2016 , 8, 143-55	27
492	Science in Focus: Combining Radiotherapy with Inhibitors of the DNA Damage Response. 2016 , 28, 279-82	9
491	Breaking the DNA damage response to improve cervical cancer treatment. 2016 , 42, 30-40	41
490	Molecular signature of pancreatic adenocarcinoma: an insight from genotype to phenotype and challenges for targeted therapy. 2016 , 20, 341-59	24
489	ATM-mediated KDM2A phosphorylation is required for the DNA damage repair. 2016 , 35, 301-13	47
488	DNA damage in protective and adverse inflammatory responses: Friend of foe?. 2017 , 165, 47-53	7
487	Ferulic acid (FA) abrogates γ radiation induced oxidative stress and DNA damage by up-regulating nuclear translocation of Nrf2 and activation of NHEJ pathway. 2017 , 51, 47-63	35
486	p53 and RAD9, the DNA Damage Response, and Regulation of Transcription Networks. 2017 , 187, 424-432	23
485	Biological determinants of radioresistance and their remediation in pancreatic cancer. 2017 , 1868, 69-92	43
484	The relationship of single-strand breaks in DNA to breast cancer risk and to tissue concentrations of oestrogens. 2017 , 22, 689-697	5
483	Mutations in the TP53 gene affected recruitment of 53BP1 protein to DNA lesions, but level of 53BP1 was stable after γ radiation that depleted MDC1 protein in specific TP53 mutants. 2017 , 148, 239-255	11
482	An HTRF Assay for the Protein Kinase ATM. 2017 , 1599, 43-56	1
481	The DNA Damage Response in Neurons: Die by Apoptosis or Survive in a Senescence-Like State?. 2017 , 60, S107-S131	56
480	Expanding perspectives on the significance of mitophagy in cancer. 2017 , 47, 110-124	94
479	Remodeling the Irradiated Tumor Microenvironment: The Fifth R of Radiobiology?. 2017 , 135-149	2
478	Subtype-Specific Radiation Response and Therapeutic Effect of FAS Death Receptor Modulation in Human Breast Cancer. 2017 , 188, 169-180	4
477	Deficiency Is Associated with Sensitivity to PARP1- and ATR Inhibitors in Lung Adenocarcinoma. 2017 , 77, 3040-3056	59

476	DNA damage response and hematological malignancy. 2017 , 106, 345-356	11
475	BTG3, a candidate tumor suppressor, promotes methylation of checkpoint kinase CHK1. 2017 , 7, 119-122	0
474	TET3-mediated DNA oxidation promotes ATR-dependent DNA damage response. 2017 , 18, 781-796	35
473	Self-inflicted DNA double-strand breaks sustain tumorigenicity and stemness of cancer cells. 2017 , 27, 764-783	51
472	Reviving the guardian of the genome: Small molecule activators of p53. 2017 , 178, 92-108	41
471	Geminin is an indispensable inhibitor of Cdt1 in mouse embryonic stem cells. 2017 , 22, 360-375	2
470	Metal Oxide Nanoparticles as Versatile Therapeutic Agents Modulating Cell Signaling Pathways: Linking Nanotechnology with Molecular Medicine. 2017 , 7, 91-103	46
469	DNA Repair Dysfunction in Pancreatic Cancer: A Clinically Relevant Subtype for Drug Development. 2017 , 15, 1063-1069	19
468	Genetic and Cellular Complexity of Brain Tumors. 2017 , 627-665	2
467	Sequential molecular changes and dynamic oxidative stress in high-grade serous ovarian carcinogenesis. 2017 , 51, 755-764	11
466	ID3 regulates the MDC1-mediated DNA damage response in order to maintain genome stability. 2017 , 8, 903	14
465	Ataxia telangiectasia syndrome: moonlighting ATM. 2017 , 13, 1155-1172	24
464	Radiation-Induced DNA Damage in Operators Performing Endovascular Aortic Repair. 2017 , 136, 2406-2416	52
463	Personalised Medicine: Genome Maintenance Lessons Learned from Studies in Yeast as a Model Organism. 2017 , 1007, 157-178	7
462	The role of poly ADP-ribosylation in the first wave of DNA damage response. 2017 , 45, 8129-8141	99
461	ATM is required for SOD2 expression and homeostasis within the mammary gland. 2017 , 166, 725-741	3
460	Genome maintenance functions of the INO80 chromatin remodeller. 2017 , 372,	20
459	ATM-deficiency increases genomic instability and metastatic potential in a mouse model of pancreatic cancer. 2017 , 7, 11144	26

458	Modulation of the DNA-Damage Response by Inhibitors of the Phosphatidylinositol 3-Kinase Related Kinase (PIKK) Family. 2017 , 189-189	
457	Resveratrol-3-O-glucuronide and resveratrol-4'-O-glucuronide reduce DNA strand breakage but not apoptosis in Jurkat T cells treated with camptothecin. 2017 , 14, 2517-2522	6
456	Germline mutation contribution to chromosomal instability. 2017 , 24, T33-T46	9
455	Two mouse models reveal an actionable PARP1 dependence in aggressive chronic lymphocytic leukemia. 2017 , 8, 153	29
454	The Translationally Controlled Tumor Protein and the Cellular Response to Ionizing Radiation-Induced DNA Damage. 2017 , 64, 227-253	4
453	Boosting Natural Killer Cell-Based Immunotherapy with Anticancer Drugs: a Perspective. 2017 , 23, 1156-1175	29
452	Inhibition of the HDAC/Suv39/G9a pathway restores the expression of DNA damage-dependent major histocompatibility complex class I-related chain 'A' and 'B' in cancer cells. 2017 , 38, 693-702	14
451	ASCIZ/ATMIN is dispensable for ATM signaling in response to replication stress. 2017 , 57, 29-34	7
450	Opposing activities of oncogenic MIR17HG and tumor suppressive MIR100HG clusters and their gene targets regulate replicative senescence in human adult stem cells. 2017 , 3, 7	14
449	Environmental exposure to human carcinogens in teenagers and the association with DNA damage. 2017 , 152, 165-174	26
448	MicroRNA-585 acts as a tumor suppressor in non-small-cell lung cancer by targeting hSMG-1. 2017 , 19, 546-552	15
447	DNA repair mechanisms in embryonic stem cells. 2017 , 74, 487-493	15
446	Neurocutaneous Syndromes and Associated CNS Tumors. 2017 , 237-271	
445	Proteomics insights into DNA damage response and translating this knowledge to clinical strategies. 2017 , 17, 1600018	10
444	Increasing the Therapeutic Ratio of Radiotherapy. 2017 ,	1
443	Studies on DNA Damage Repair and Precision Radiotherapy for Breast Cancer. 2017 , 1026, 105-123	4
442	Neuronal Cell Death Mechanisms Relevant to Humans. 21-35	
441	[Biomarkers of radiation-induced DNA repair processes]. 2017 , 104, 981-987	6

440	Targeting metabolism and AMP-activated kinase with metformin to sensitize non-small cell lung cancer (NSCLC) to cytotoxic therapy: translational biology and rationale for current clinical trials. 2017 , 8, 57733-57754	34
439	Ataxia Telangiectasia-Mutated ()Polymorphisms and Risk of Lung Cancer in a Chinese Population. 2017 , 5, 102	4
438	Discovery of AZD0156: The First Potent and Selective Inhibitor of ATM Kinase for Clinical Evaluation. 2017 , 161-177	4
437	The Complex Interplay between DNA Injury and Repair in Enzymatically Induced Mutagenesis and DNA Damage in B Lymphocytes. 2017 , 18,	10
436	Cancer's Achilles' Heel: Apoptosis and Necroptosis to the Rescue. 2016 , 18,	53
435	Evolution of Cancer Defense Mechanisms Across Species. 2017 , 99-110	9
434	Inflammation, DNA Damage, and Gastric Tumorigenesis. 2017 , 8, 20	43
433	Differential Response of Mouse Thymic Epithelial Cell Types to Ionizing Radiation-Induced DNA Damage. 2017 , 8, 418	10
432	Ataxia-Telangiectasia Mutated Modulation of Carbon Metabolism in Cancer. 2017 , 7, 291	18
431	A model of the onset of the senescence associated secretory phenotype after DNA damage induced senescence. 2017 , 13, e1005741	36
430	Association between ATM gene polymorphisms, lung cancer susceptibility and radiation-induced pneumonitis: a meta-analysis. 2017 , 17, 205	13
429	The complexity of TRIM28 contribution to cancer. 2017 , 24, 63	62
428	Role of ataxia-telangiectasia mutated in hydrogen peroxide preconditioning against oxidative stress in Neuro-2a cells. 2017 , 15, 4280-4285	1
427	Shining the Light on Senescence Associated LncRNAs. 2017 , 8, 149-161	8
426	Knockdown of homeobox containing 1 increases the radiosensitivity of cervical cancer cells through telomere shortening. 2017 , 38, 515-521	9
425	Maintenance of genome stability: the unifying role of interconnections between the DNA damage response and RNA-processing pathways. 2018 , 64, 971-983	36
424	Increased risk of hematologic malignancies in primary immunodeficiency disorders: opportunities for immunotherapy. 2018 , 190, 22-31	14
423	CCRK is a novel signalling hub exploitable in cancer immunotherapy. 2018 , 186, 138-151	25

422	Progress in low dose health risk research: Novel effects and new concepts in low dose radiobiology. 2018 , 776, 46-69	32
421	The Identification of Potent, Selective, and Orally Available Inhibitors of Ataxia Telangiectasia Mutated (ATM) Kinase: The Discovery of AZD0156 (8-{6-[3-(Dimethylamino)propoxy]pyridin-3-yl}-3-methyl-1-(tetrahydro-2 H-pyran-4-yl)-1,3-dihydro-2 H-imidazo[5,1-f]pyridin-2-yl}amine. 2018 , 14, 2003-2014	51
420	A New Way to Treat Brain Tumors: Targeting Proteins Coded by Microcephaly Genes?: Brain tumors and microcephaly arise from opposing derangements regulating progenitor growth. Drivers of microcephaly could be attractive brain tumor targets. 2018 , 40, e1700243	14
419	The association of single nucleotide polymorphism rs189037C>T in ATM gene with coronary artery disease in Chinese Han populations: A case control study. 2018 , 97, e9747	5
418	Low power lasers on genomic stability. 2018 , 180, 186-197	2
417	Nucleolus as an emerging hub in maintenance of genome stability and cancer pathogenesis. 2018 , 37, 2351-2366	101
416	Chronic Lymphocytic Leukemia. 2018 ,	2
415	H, N, and C chemical shift assignments of the micelle immersed FAT C-terminal (FATC) domains of the human protein kinases ataxia-telangiectasia mutated (ATM) and DNA-dependent protein kinase catalytic subunit (DNA-PKcs) fused to the B1 domain of streptococcal protein G (GB1). 2018 , 12, 149-154	1
414	Insight into the role of PIKK family members and NF- κ B in DNA damage-induced senescence and senescence-associated secretory phenotype of colon cancer cells. 2018 , 9, 44	24
413	ZEB1 confers chemotherapeutic resistance to breast cancer by activating ATM. 2018 , 9, 57	54
412	Transcriptional regulation of P63 on the apoptosis of male germ cells and three stages of spermatogenesis in mice. 2018 , 9, 76	11
411	AATF suppresses apoptosis, promotes proliferation and is critical for Kras-driven lung cancer. 2018 , 37, 1503-1518	16
410	Integrative genomic and transcriptomic analysis of leiomyosarcoma. 2018 , 9, 144	115
409	Wuho/WDR4 deficiency inhibits cell proliferation and induces apoptosis via DNA damage in mouse embryonic fibroblasts. 2018 , 47, 16-26	1
408	Inflammation, a significant player of Ataxia-Telangiectasia pathogenesis?. 2018 , 67, 559-570	26
407	The characterization of H2AX and p53 as biomarkers of genotoxic stress in a rainbow trout (<i>Oncorhynchus mykiss</i>) brain cell line. 2018 , 201, 850-858	8
406	Noncoding RNAs in DNA Damage Response: Opportunities for Cancer Therapeutics. 2018 , 1699, 3-21	11
405	Exiting prophase I: no clear boundary. 2018 , 64, 423-427	8

404 Cellular Responses to DNA Damage. **2018**, 498-529

403 Sporadic granular cell tumours lack recurrent mutations in and other cancer-related genes. **2018**, 71, 93-94 5

402 DNA damage responses and p53 in the aging process. **2018**, 131, 488-495 115

401 The Influence of Genetic Stability on Virulence and Azole Resistance. **2018**, 8, 265-278 8

400 HPV-driven oropharyngeal cancer: current knowledge of molecular biology and mechanisms of carcinogenesis. **2018**, 3, 12 56

399 Chronic low dose arsenic exposure preferentially perturbs mitotic phase of the cell cycle. **2019**, 10, 39-51 5

398 Purin-6-one and pyrrolo[2,3-d]pyrimidin-4-one derivatives as potentiating agents of doxorubicin cytotoxicity. **2018**, 10, 2029-2038

397 Combination of Proteasome and Histone Deacetylase Inhibitors Overcomes the Impact of Gain-of-Function p53 Mutations. **2018**, 2018, 3810108 11

396 Targeting 17q23 amplicon to overcome the resistance to anti-HER2 therapy in HER2+ breast cancer. **2018**, 9, 4718 29

395 Genetic Determinants of Cancer Susceptibility. **2018**, 330-360 2

394 The Multiple Functions of the PAQosome: An R2TP- and URI1 Prefoldin-Based Chaperone Complex. **2018**, 1106, 37-72 7

393 Lowering Etoposide Doses Shifts Cell Demise From Caspase-Dependent to Differentiation and Caspase-3-Independent Apoptosis via DNA Damage Response, Inducing AML Culture Extinction. **2018**, 9, 1307 9

392 An ATM/TRIM37/NEMO Axis Counteracts Genotoxicity by Activating Nuclear-to-Cytoplasmic NF- κ B Signaling. **2018**, 78, 6399-6412 20

391 Association of genetic variants in ATR-CHEK1 and ATM-CHEK2 pathway genes with risk of colorectal cancer in a Chinese population. **2018**, 9, 26616-26624 11

390 pRAD50: a novel and clinically applicable pharmacodynamic biomarker of both ATM and ATR inhibition identified using mass spectrometry and immunohistochemistry. **2018**, 119, 1233-1243 16

389 T Cell Senescence and Tumor Immunotherapy. **2018**, 1-24

388 Nucleolar residence of the seckel syndrome protein TRAP is coupled to ribosomal DNA transcription. **2018**, 46, 10119-10131 5

387 ANP32A regulates ATM expression and prevents oxidative stress in cartilage, brain, and bone. **2018**, 10, 14

386	The Protective Effect of New Compound XH-103 on Radiation-Induced GI Syndrome. 2018 , 2018, 3920147	5
385	DNA repair in trinucleotide repeat ataxias. 2018 , 285, 3669-3682	7
384	Established and Emerging Roles of the DNA-Dependent Protein Kinase Catalytic Subunit (DNA-PKcs). 2018 , 315-338	0
383	Targeting ATR for Cancer Therapy: ATR-Targeted Drug Candidates. 2018 , 99-127	1
382	Pre-clinical Profile and Expectations for Pharmacological ATM Inhibition. 2018 , 155-183	
381	Targeting ATM for Cancer Therapy: Prospects for Drugging ATM. 2018 , 185-208	1
380	Neuroblastoma Cell Lines Are Refractory to Genotoxic Drug-Mediated Induction of Ligands for NK Cell-Activating Receptors. 2018 , 2018, 4972410	4
379	Molecular and Clinical Insights into the Role and Significance of Mutated DNA Repair Genes in Bladder Cancer. 2018 , 4, 9-18	11
378	Ataxia-telangiectasia gene () mutation heterozygosity in breast cancer: a narrative review. 2018 , 25, e176-e18045	
377	The Cell Cycle. 2018 , 197-219	7
376	Expression of DNA doublestrand repair proteins in oral leukoplakia and the risk of malignant transformation. 2018 , 15, 9827-9835	4
375	Solar UV damage to cellular DNA: from mechanisms to biological effects. 2018 , 17, 1842-1852	59
374	Role of the DNA Damage Response in Human Papillomavirus RNA Splicing and Polyadenylation. 2018 , 19,	10
373	Clinically Applicable Inhibitors Impacting Genome Stability. 2018 , 23,	10
372	Cycling to Meet Fate: Connecting Pluripotency to the Cell Cycle. 2018 , 6, 57	14
371	Involvement of a coumarin analog AD-013 in the DNA damage response pathways in MCF-7 cells. 2018 , 45, 1187-1195	2
370	SMARCAD1 Phosphorylation and Ubiquitination Are Required for Resection during DNA Double-Strand Break Repair. 2018 , 2, 123-135	30
369	NAD+ consumption by PARP1 in response to DNA damage triggers metabolic shift critical for damaged cell survival. 2019 , 30, 2584-2597	39

368	Coix seed improves growth performance and productivity in post-weaning pigs by reducing gut pH and modulating gut microbiota. 2019 , 9, 115	6
367	Open source bioimage informatics tools for the analysis of DNA damage and associated biomarkers. 2019 , 21-21	7
366	Differential responses of epithelial cells from urinary and biliary tract to eggs of <i>Schistosoma haematobium</i> and <i>S. mansoni</i> . 2019 , 9, 10731	7
365	Metabolic features and regulation in cell senescence. 2019 , 52, 5-12	38
364	MLH1 deficiency leads to deregulated mitochondrial metabolism. 2019 , 10, 795	14
363	Differential redox-regulation and mitochondrial dynamics in normal and leukemic hematopoietic stem cells: A potential window for leukemia therapy. 2019 , 144, 102814	24
362	Evaluating Acalabrutinib In The Treatment Of Mantle Cell Lymphoma: Design, Development, And Place In Therapy. 2019 , 12, 8003-8014	3
361	Molecular Mechanisms Underlying Yatein-Induced Cell-Cycle Arrest and Microtubule Destabilization in Human Lung Adenocarcinoma Cells. 2019 , 11,	4
360	A novel DNA repair inhibitor, diallyl disulfide (DADS), impairs DNA resection during DNA double-strand break repair by reducing Sae2 and Exo1 levels. 2019 , 82, 102690	8
359	Ataxia-telangiectasia: A review of clinical features and molecular pathology. 2019 , 30, 277-288	70
358	ROS-Induced Activation of DNA Damage Responses Drives Senescence-Like State in Postmitotic Cochlear Cells: Implication for Hearing Preservation. 2019 , 56, 5950-5969	31
357	Epstein-Barr Virus (EBV)-Related Lymphoproliferative Disorders in Ataxia Telangiectasia: Does ATM Regulate EBV Life Cycle?. 2018 , 9, 3060	8
356	The protective effects of XH-105 against radiation-induced intestinal injury. 2019 , 23, 2238-2247	12
355	Modeling the interplay between DNA-PK, Artemis, and ATM in non-homologous end-joining repair in G1 phase of the cell cycle. 2019 , 45, 127-146	2
354	Surgery for Gastric Cancer. 2019 ,	1
353	Novel Agents and the Future Perspectives. 2019 , 367-378	
352	CRKL regulates alternative splicing of cancer-related genes in cervical cancer samples and HeLa cell. 2019 , 19, 499	14
351	Alterations in epigenetic regulation contribute to neurodegeneration of ataxia-telangiectasia. 2019 , 119-133	

350	Accumulation of Cytoplasmic DNA Due to ATM Deficiency Activates the Microglial Viral Response System with Neurotoxic Consequences. 2019 , 39, 6378-6394	38
349	Association between selenium, cadmium, and arsenic levels and genetic polymorphisms in DNA repair genes (XRCC5, XRCC6) in gastric cancerous and non-cancerous tissue. 2019 , 55, 89-95	4
348	Expression Signatures of Cisplatin- and Trametinib-Treated Early-Stage Medaka Melanomas. 2019 , 9, 2267-2276	5
347	hMOF reduction enhances radiosensitivity through the homologous recombination pathway in non-small-cell lung cancer. 2019 , 12, 3065-3075	6
346	Activation of Tel1 kinase requires Rad50 ATPase and long nucleosome-free DNA but no DNA ends. 2019 , 294, 10120-10130	19
345	Dephosphorylation of Plk1 occurs through PP2A-B55/ENSA/Greatwall pathway during mitotic DNA damage recovery. 2019 , 18, 1154-1167	8
344	Phosphorylation at S2053 in Murine (S2056 in Human) DNA-PKcs Is Dispensable for Lymphocyte Development and Class Switch Recombination. 2019 , 203, 178-187	14
343	Immunomodulatory Effects and Induction of Apoptosis by Different Molecular Weight Chitosan Oligosaccharides in Head Kidney Macrophages From Blunt Snout Bream (). 2019 , 10, 869	9
342	Prevalence and characteristics of likely-somatic variants in cancer susceptibility genes among individuals who had hereditary pan-cancer panel testing. 2019 , 235-236, 31-38	15
341	Cell Cycle. 2019 ,	1
340	Ataxia-Telangiectasia Mutated is located in cardiac mitochondria and impacts oxidative phosphorylation. 2019 , 9, 4782	19
339	Regulation of signaling pathways by Eelemene in cancer progression and metastasis. 2019 , 120, 12091-12100	8
338	Genotype-phenotype correlations in ataxia telangiectasia patients with c.3576G>A and c.8147T>C mutations. 2019 , 56, 308-316	22
337	ATM expression is attenuated by promoter hypermethylation in human ovarian endometriotic stromal cells. 2019 , 25, 295-304	3
336	Cis- and trans-factors affecting AID targeting and mutagenic outcomes in antibody diversification. 2019 , 141, 51-103	13
335	Casticin Induces DNA Damage and Impairs DNA Repair in Human Bladder Cancer TSGH-8301 Cells. 2019 , 39, 1839-1847	8
334	Phosphatase 1 Nuclear Targeting Subunit Mediates Recruitment and Function of Poly (ADP-Ribose) Polymerase 1 in DNA Repair. 2019 , 79, 2526-2535	6
333	Increased susceptibility of airway epithelial cells from ataxia-telangiectasia to <i>S. pneumoniae</i> infection due to oxidative damage and impaired innate immunity. 2019 , 9, 2627	14

332	Autosomal Recessive Cerebellar Ataxias: Paving the Way toward Targeted Molecular Therapies. 2019 , 101, 560-583	44
331	Research Progress of the Functional Role of ACK1 in Breast Cancer. 2019 , 2019, 1018034	5
330	Parkinsonism in neurodegenerative diseases predominantly presenting with ataxia. 2019 , 149, 277-298	2
329	Impact of ATM rs1801516 on late skin reactions of radiotherapy for breast cancer: Evidences from a cohort study and a trial sequential meta-analysis. 2019 , 14, e0225685	3
328	Somatic mutation signatures in primary liver tumors of workers exposed to ionizing radiation. 2019 , 9, 18199	4
327	Methodologies for Improving HDR Efficiency. 2018 , 9, 691	110
326	RNF8 mediates NONO degradation following UV-induced DNA damage to properly terminate ATR-CHK1 checkpoint signaling. 2019 , 47, 762-778	16
325	Gene expression patterns of <i>Glaciozyma antarctica</i> PI12 in response to cold, and freeze stress. 2019 , 20, 45-54	2
324	Human antigen R and drug resistance in tumors. 2019 , 37, 1107-1116	5
323	The crosstalk between trace elements with DNA damage response, repair, and oxidative stress in cancer. 2018 , 120, 1080	22
322	Novel quinazolin-4-one derivatives as potentiating agents of doxorubicin cytotoxicity. 2019 , 82, 204-210	2
321	Inhibitory effect of Korean Red Ginseng extract on DNA damage response and apoptosis in -infected gastric epithelial cells. 2020 , 44, 79-85	11
320	Ubiquitin and the DNA double-strand break repair pathway. 2020 , 1, 69-80	3
319	Targeting DNA repair in cancer: current state and novel approaches. 2020 , 77, 677-703	35
318	Hepatitis C Virus Mediated Inhibition of miR-181c Activates ATM Signaling and Promotes Hepatocyte Growth. 2020 , 71, 780-793	9
317	DNA Damage Response Pathways and Cancer. 2020 , 154-164.e4	4
316	Functional interplay between the oxidative stress response and DNA damage checkpoint signaling for genome maintenance in aerobic organisms. 2020 , 58, 81-91	6
315	Rotavirus activates a noncanonical ATM-Chk2 branch of DNA damage response during infection to positively regulate viroplasm dynamics. 2020 , 22, e13149	7

314	A Dual Role of ATM in Ischemic Preconditioning and Ischemic Injury. 2020 , 40, 785-799	4
313	DNA damage responses in murine Pre-B cells with genetic deficiencies in damage response genes. 2020 , 19, 67-83	2
312	NSCLC Mutated Isoforms of CCDC6 Affect the Intracellular Distribution of the Wild Type Protein Promoting Cisplatin Resistance and PARP Inhibitors Sensitivity in Lung Cancer Cells. 2019 , 12,	3
311	Cellular senescence in cancer: from mechanisms to detection. 2021 , 15, 2634-2671	18
310	Targeting SMYD3 to Sensitize Homologous Recombination-Proficient Tumors to PARP-Mediated Synthetic Lethality. 2020 , 23, 101604	5
309	Autosomal Recessive Cerebellar Ataxias With Elevated Alpha-Fetoprotein: Uncommon Diseases, Common Biomarker. 2020 , 35, 2139-2149	5
308	BxPC-3-Derived Small Extracellular Vesicles Induce FOXP3+ Treg through ATM-AMPK-Sirtuins-Mediated FOXOs Nuclear Translocations. 2020 , 23, 101431	8
307	Morphologic and Molecular Landscape of Pancreatic Cancer Variants as the Basis of New Therapeutic Strategies for Precision Oncology. 2020 , 21,	11
306	Radiation in Space: Relevance and Risk for Human Missions. 2020 ,	2
305	The Importance of ATM and ATR in DNA Damage Repair, Development, and Gene Targeting. 2020 , 11,	6
304	Inhibitors of DNA double-strand break repair at the crossroads of cancer therapy and genome editing. 2020 , 182, 114195	5
303	Targeting DNA Repair Pathways in Hematological Malignancies. 2020 , 21,	3
302	Genetic Variants in DNA Repair Pathways as Potential Biomarkers in Predicting Treatment Outcome of Intraperitoneal Chemotherapy in Patients With Colorectal Peritoneal Metastasis: A Systematic Review. 2020 , 11, 577968	1
301	Ru(II) Complexes Bearing O, O-Chelated Ligands Induced Apoptosis in A549 Cells through the Mitochondrial Apoptotic Pathway. 2020 , 2020, 8890950	6
300	Beyond and : Deleterious Variants in DNA Repair Pathway Genes in Italian Families with Breast/Ovarian and Pancreatic Cancers. 2020 , 9,	0
299	TiO Nanoparticles Caused DNA Damage in Lung and Extra-Pulmonary Organs Through ROS-Activated FOXO3a Signaling Pathway After Intratracheal Administration in Rats. 2020 , 15, 6279-6294	6
298	Predictive and Prognostic Value of DNA Damage Response Associated Kinases in Solid Tumors. 2020 , 10, 581217	5
297	Bone Marrow Transplantation as Therapy for Ataxia-Telangiectasia: A Systematic Review. 2020 , 12,	4

296	ATM-mediated DNA double-strand break response facilitated oncolytic Newcastle disease virus replication and promoted syncytium formation in tumor cells. 2020 , 16, e1008514	9
295	DNA Damage Response: A Molecular Lynchpin in the Pathobiology of Arteriosclerotic Calcification. 2020 , 40, e193-e202	10
294	Sequence specificity, energetics and mechanism of mismatch recognition by DNA damage sensing protein Rad4/XPC. 2020 , 48, 2246-2257	5
293	Attenuation of ataxia telangiectasia mutated signalling mitigates age-associated intervertebral disc degeneration. 2020 , 19, e13162	6
292	Cellular Senescence and Senotherapies in the Kidney: Current Evidence and Future Directions. 2020 , 11, 755	11
291	Mitochondria at the crossroads of ATM-mediated stress signaling and regulation of reactive oxygen species. 2020 , 32, 101511	22
290	Modulation of DNA Damage Response by Sphingolipid Signaling: An Interplay that Shapes Cell Fate. 2020 , 21,	4
289	Predicting breast cancer risk using interacting genetic and demographic factors and machine learning. 2020 , 10, 11044	12
288	Association between single nucleotide polymorphisms of DNA damage response pathway genes and increased risk in breast cancer. 2020 , 16, 1977-1995	1
287	H3K36me3, message from chromatin to DNA damage repair. 2020 , 10, 9	20
286	Upregulation of Circular RNA circATRNL1 to Sensitize Oral Squamous Cell Carcinoma to Irradiation. 2020 , 19, 961-973	25
285	Telomerase: Key regulator of inflammation and cancer. 2020 , 155, 104726	15
284	Effects of acute noise exposure on DNA damage response genes in the cochlea, cortex, heart and liver. 2020 , 114, 104401	2
283	Whole-exome sequencing identifies homozygous mutation in TTI2 in a child with primary microcephaly: a case report. 2020 , 20, 58	3
282	Correction of ATM mutations in iPS cells from two ataxia-telangiectasia patients restores DNA damage and oxidative stress responses. 2020 , 29, 990-1001	6
281	DNA Damage/Repair Management in Cancers. 2020 , 12,	50
280	Replication Stress, DNA Damage, Inflammatory Cytokines and Innate Immune Response. 2020 , 11,	28
279	The role of Sp1 in the detection and elimination of cells with persistent DNA strand breaks. 2020 , 2, zcaa004	1

278	Ataxia-telangiectasia mutated interacts with Parkin and induces mitophagy independent of kinase activity. Evidence from mantle cell lymphoma. 2021 , 106, 495-512	10
277	Advanced Prostate Cancer with ATM Loss: PARP and ATR Inhibitors. 2021 , 79, 200-211	24
276	Activation of ATM kinase by ROS generated during ionophore-induced mitophagy in human T and B cell malignancies. 2021 , 476, 417-423	6
275	2-Hydroxyalantolactone from <i>Pulicaria undulata</i> : activity against multidrug-resistant tumor cells and modes of action. 2021 , 81, 153409	7
274	The protective effect of oleuropein against radiation-induced cytotoxicity, apoptosis, and genetic damage in cultured human lymphocytes. 2021 , 97, 179-193	2
273	Human diseases associated with genome instability. 2021 , 479-493	
272	The Connection Between Cell Fate and Telomere. 2021 , 1275, 71-100	2
271	Activation of DNA damage response signaling in mammalian cells by ionizing radiation. 2021 , 55, 581-594	5
270	Timosaponin AIII Induces G2/M Arrest and Apoptosis in Breast Cancer by Activating the ATM/Chk2 and p38 MAPK Signaling Pathways. 2020 , 11, 601468	7
269	DNA folds threaten genetic stability and can be leveraged for chemotherapy.. 2021 , 2, 47-76	14
268	The Healing Art of Arsenic in Various Malignancies. 2021 , 301-324	0
267	The antiproliferative effects of ataxia-telangiectasia mutated and ATM- and Rad3-related inhibitions and their enhancements with the cytotoxicity of DNA damaging agents in cholangiocarcinoma cells. 2021 , 73, 40-51	2
266	Suppression of TopBP1 function increases the efficacy of chemotherapeutic treatments by enhancing the induction of apoptosis. 2021 , 18, 209-216	
265	Transcriptome Analysis of Caco-2 Cells upon the Exposure of Mycotoxin Deoxynivalenol and Its Acetylated Derivatives. 2021 , 13,	3
264	ATM inhibition enhances cancer immunotherapy by promoting mtDNA leakage and cGAS/STING activation. 2021 , 131,	34
263	Cooperative Blockade of CK2 and ATM Kinases Drives Apoptosis in VHL-Deficient Renal Carcinoma Cells through ROS Overproduction. 2021 , 13,	3
262	Crosstalk between Different DNA Repair Pathways Contributes to Neurodegenerative Diseases. 2021 , 10,	3
261	Emerging role of non-coding RNAs in response of cancer cells to radiotherapy. 2021 , 218, 153327	3

260	Elevated inflammatory responses and targeted therapeutic intervention in a preclinical mouse model of ataxia-telangiectasia lung disease. 2021 , 11, 4268	0
259	Molecular Mechanisms of Senescence and Implications for the Treatment of Myeloid Malignancies. 2021 , 13,	2
258	A Perspective of Epigenetic Regulation in Radiotherapy. 2021 , 9, 624312	4
257	Dissociation of DNA damage sensing by endoglycosidase HPSE. 2021 , 24, 102242	4
256	MYBL2 and ATM suppress replication stress in pluripotent stem cells. 2021 , 22, e51120	4
255	Phosphoproteomics reveals a distinctive Mec1/ATR signaling response upon DNA end hyper-resection. 2021 , 40, e104566	6
254	Poly-ADP-ribosylation drives loss of protein homeostasis in ATM and Mre11 deficiency. 2021 , 81, 1515-1533.e514	
253	Runx2 (Runt-Related Transcription Factor 2) Links the DNA Damage Response to Osteogenic Reprogramming and Apoptosis of Vascular Smooth Muscle Cells. 2021 , 41, 1339-1357	9
252	Persistent DNA Double-Strand Breaks After Repeated Diagnostic CT Scans in Breast Epithelial Cells and Lymphocytes. 2021 , 11, 634389	1
251	Ataxia Telangiectasia Mutated Protein Kinase: A Potential Master Puppeteer of Oxidative Stress-Induced Metabolic Recycling. 2021 , 2021, 8850708	1
250	Histone degradation by the proteasome regulates chromatin and cellular plasticity. 2021 ,	2
249	The ATM Gene in Breast Cancer: Its Relevance in Clinical Practice. 2021 , 12,	3
248	Mutant Single Nucleotide Polymorphism rs189037 in Ataxia-Telangiectasia Mutated Gene Is Significantly Associated With Ventricular Wall Thickness and Human Lifespan. 2021 , 8, 658908	4
247	Elucidation of the Molecular Pathways Involved in the Protective Effects of AUY-922 in LPS-Induced Inflammation in Mouse Lungs. 2021 , 14,	6
246	Decreased ATM Function Causes Delayed DNA Repair and Apoptosis in Common Variable Immunodeficiency Disorders. 2021 , 41, 1315-1330	2
245	The PTEN and ATM axis controls the G1/S cell cycle checkpoint and tumorigenesis in HER2-positive breast cancer. 2021 , 28, 3036-3051	0
244	ATM-Mediated Mitochondrial Radiation Responses of Human Fibroblasts. 2021 , 12,	6
243	Human Papillomaviruses Target the DNA Damage Repair and Innate Immune Response Pathways to Allow for Persistent Infection. 2021 , 13,	1

242	Genetic vulnerabilities upon inhibition of DNA damage response. 2021 , 49, 8214-8231	4
241	Loss of BCL-3 sensitises colorectal cancer cells to DNA damage, revealing a role for BCL-3 in double strand break repair by homologous recombination.	
240	ATM phosphorylates PP2A subunit A resulting in nuclear export and spatiotemporal regulation of the DNA damage response.	0
239	The Paradoxical Role of Cellular Senescence in Cancer. 2021 , 9, 722205	9
238	One-Two Punch Therapy for the Treatment of T-Cell Malignancies Involving p53-Dependent Cellular Senescence. 2021 , 2021, 5529518	3
237	Molecular mechanisms involved in DNA repair in human cancers: An overview of PI3k/Akt signaling and PIKKs crosstalk. 2021 ,	4
236	Genomic Changes Driven by Radiation-Induced DNA Damage and Microgravity in Human Cells. 2021 , 22,	2
235	A Novel Mechanism of Ataxia Telangiectasia Mutated Mediated Regulation of Chromatin Remodeling in Hypoxic Conditions. 2021 , 9, 720194	1
234	Stable maintenance of the Mre11-Rad50-Nbs1 complex is sufficient to restore the DNA double-strand break response in cells lacking RecQL4 helicase activity. 2021 , 297, 101148	1
233	Polo-like kinase 1 (PLK1) signaling in cancer and beyond. 2021 , 193, 114747	13
232	TGF-beta signaling in cancer radiotherapy. 2021 , 148, 155709	5
231	Cell cycle control and DNA-damage signaling in mammals. 2021 , 237-255	
230	Aging and Protein Kinases. 2021 , 1275, 35-69	
229	Lymphoid Malignancies.	3
228	Telomere structural dynamics in genome integrity control and carcinogenesis. 2005 , 570, 311-41	3
227	Atm and cellular response to DNA damage. 2005 , 570, 457-76	20
226	Genomic instability in cancer development. 2005 , 570, 175-97	6
225	Ion Irradiation as a Tool to Reveal the Spatiotemporal Dynamics of DNA Damage Response Processes. 2006 , 453-478	3

224	Abl and Cell Death. 2006 , 26-47	1
223	Telomere Biology and Biochemistry. 2010 , 3-43	1
222	H2AX in DNA Damage Response. 2011 , 3-33	3
221	Genetics and Epigenetics of Head and Neck Cancer. 2011 , 93-106	1
220	Familial Breast Cancer and Genetic Predisposition in Breast Cancer. 2015 , 15-37	2
219	Diagnosis of Ataxia-Telangiectasia. 2004 , 473-487	2
218	Interplay Between H2AX and 53BP1 Pathways in DNA Double-Strand Break Repair Response. 2007 , 243-263	2
217	Evasion of G1 Checkpoints in Cancer. 2010 , 3-26	1
216	Oxidative Stress in the Kidney: Proximal Tubule Disorders. 2011 , 179-203	2
215	Assessing G1-to-S-phase progression after genotoxic stress. 2011 , 782, 221-30	2
214	Ataxia-Telangiectasia. 2008 , 731-758	4
213	Cancer's Story on Fault Propagation in Gene-Cellular Networks. 2015 , 225-256	1
212	Lymphoproliferative Disorders Related to Immunodeficiencies. 2007 , 233-258	4
211	The cell biology of homologous recombination. 2007 , 335-362	1
210	Telomere Shortening Induces Cell Intrinsic Checkpoints and Environmental Alterations Limiting Adult Stem Cell Function. 2008 , 161-180	2
209	Repair of DNA Double-Strand Breaks. 2012 , 329-357	2
208	DNA Damage Response Pathways and Cancer. 2008 , 139-152	3
207	Immunodeficiency and Cancer. 2008 , 223-231	1

206	Zebrafish as Aging Models. 2006 , 317-338	2
205	Deubiquitinase USP47-stabilized splicing factor IK regulates the splicing of pre-mRNA. 2020 , 6, 34	6
204	Anthracycline-induced cardiomyopathy: cellular and molecular mechanisms. 2020 , 134, 1859-1885	3
203	Phosphoproteomics Reveals a Distinct Mode of Mec1/ATR Signaling in Response to DNA End Hyper-Resection.	1
202	MYBL2 regulates ATM to control replication initiation and prevent replication stress in pluripotent stem cells.	1
201	NAD consumption by PARP1 in response to DNA damage triggers metabolic shift critical for damaged cell survival.	3
200	Cytotoxic Distending Toxin: A Unique Variation on the AB Toxin Paradigm. 2014 , 2014, 1-26	5
199	Senescent T cells within suppressive tumor microenvironments: emerging target for tumor immunotherapy. 2020 , 130, 1073-1083	23
198	Early G2/M checkpoint failure as a molecular mechanism underlying etoposide-induced chromosomal aberrations. 2006 , 116, 80-9	37
197	Fanconi anemia pathway-deficient tumor cells are hypersensitive to inhibition of ataxia telangiectasia mutated. 2007 , 117, 1440-9	133
196	Ataxia-telangiectasia mutated kinase regulates ribonucleotide reductase and mitochondrial homeostasis. 2007 , 117, 2723-34	129
195	Antioxidant Strategies in Genetic Syndromes with High Neoplastic Risk in Infant Age. 2014 , 100, 590-599	2
194	Fishing for Links between the Circadian Clock and Cell Cycle. 2010 , 93-110	1
193	The parvovirus life cycle. 2005 , 143-156	7
192	A bacterial cytotoxin identifies the RhoA exchange factor Net1 as a key effector in the response to DNA damage. 2008 , 3, e2254	58
191	Critical involvement of the ATM-dependent DNA damage response in the apoptotic demise of HIV-1-elicited syncytia. 2008 , 3, e2458	32
190	Numerical analysis of etoposide induced DNA breaks. 2009 , 4, e5859	60
189	The <i>Schizosaccharomyces pombe</i> checkpoint kinases Chk1 and Cds1 are important for cell survival in response to cisplatin. 2009 , 4, e6181	2

188	The association between ATM IVS 22-77 T>C and cancer risk: a meta-analysis. 2012 , 7, e29479	9
187	Small fragment homologous replacement: evaluation of factors influencing modification efficiency in an eukaryotic assay system. 2012 , 7, e30851	4
186	Minichromosome maintenance 2 bound with retroviral Gp70 is localized to cytoplasm and enhances DNA-damage-induced apoptosis. 2012 , 7, e40129	14
185	Sterigmatocystin-induced DNA damage triggers G2 arrest via an ATM/p53-related pathway in human gastric epithelium GES-1 cells in vitro. 2013 , 8, e65044	12
184	Mutation at intronic repeats of the ataxia-telangiectasia mutated (ATM) gene and ATM protein loss in primary gastric cancer with microsatellite instability. 2013 , 8, e82769	24
183	Wat1/pop3, a conserved WD repeat containing protein acts synergistically with checkpoint kinase Chk1 to maintain genome ploidy in fission yeast <i>S. pombe</i> . 2014 , 9, e89587	9
182	ATM alters the otherwise robust chromatin mobility at sites of DNA double-strand breaks (DSBs) in human cells. 2014 , 9, e92640	27
181	ATM regulates insulin-like growth factor 1-secretory clusterin (IGF-1-sCLU) expression that protects cells against senescence. 2014 , 9, e99983	20
180	ATM inhibition enhances Auranofin-induced oxidative stress and cell death in lung cell lines. 2020 , 15, e0244060	3
179	Analysis of D1853N ATM polymorphism in radiosensitive patients with cervical carcinoma. 2011 , 54, 111-6	2
178	Cell Differentiation and Checkpoint. 2015 , 1,	3
177	Influence of DNA repair genes polymorphism on karyology of buccal epithelium cells in humans exposed to radon. 2014 , 12, 28	4
176	The DNA damage response: Balancing the scale between cancer and ageing. 2010 , 2, 900-7	48
175	Methylated TRF2 associates with the nuclear matrix and serves as a potential biomarker for cellular senescence. 2014 , 6, 248-63	11
174	Association of the insulin-like growth factor binding protein 3 (IGFBP-3) polymorphism with longevity in Chinese nonagenarians and centenarians. 2014 , 6, 944-56	20
173	Corrupting the DNA damage response: a critical role for Rad52 in tumor cell survival. 2017 , 9, 1647-1659	11
172	Synthetic lethal genetic interactions between Rad54 and PARP-1 in mouse development and oncogenesis. 2017 , 8, 100958-100974	2
171	Idelalisib and bendamustine combination is synergistic and increases DNA damage response in chronic lymphocytic leukemia cells. 2017 , 8, 16259-16274	7

170	BMI1 reduces ATR activation and signalling caused by hydroxyurea. 2017 , 8, 89707-89721	4
169	MicroRNA203a suppresses glioma tumorigenesis through an ATM-dependent interferon response pathway. 2017 , 8, 112980-112991	17
168	CDK8/19 inhibition induces premature G1/S transition and ATR-dependent cell death in prostate cancer cells. 2018 , 9, 13474-13487	17
167	DNA-PKCS binding to p53 on the p21WAF1/CIP1 promoter blocks transcription resulting in cell death. 2011 , 2, 1094-108	39
166	Transcriptional profiling of interleukin-2-primed human adipose derived mesenchymal stem cells revealed dramatic changes in stem cells response imposed by replicative senescence. 2015 , 6, 17938-57	16
165	Rh2E2, a novel metabolic suppressor, specifically inhibits energy-based metabolism of tumor cells. 2016 , 7, 9907-24	14
164	Key roles of necroptotic factors in promoting tumor growth. 2016 , 7, 22219-33	51
163	Cell fate determination in cisplatin resistance and chemosensitization. 2016 , 7, 23383-94	9
162	Tissue specificity of DNA damage response and tumorigenesis. 2019 , 16, 396-414	14
161	Evolving insights: how DNA repair pathways impact cancer evolution. 2020 , 17, 805-827	8
160	Repurposing DNA repair factors to eradicate tumor cells upon radiotherapy. 2017 , 6, S822-S839	10
159	Genetically engineered mouse models for studying radiation biology. 2017 , 6, S900-S913	16
158	Breaking the DNA Damage Response via Serine/Threonine Kinase Inhibitors to Improve Cancer Treatment. 2019 , 26, 1425-1445	6
157	Identification of Two Novel Mutations in the Gene from Patients with Ataxia-Telangiectasia by Whole Exome Sequencing. 2019 , 20, 531-534	5
156	Ataxia telangiectasia mutated nuclear localization in head and neck cancer cells is PPP2R2B-dependent. 2010 , 4, 373-383	3
155	Molecular genetics of breast and ovarian cancer: recent advances and clinical implications. 2012 , 15, 75-80	1
154	PHOSPHATIDYLINOSITOL-3-KINASE RELATED KINASES (PIKKS) IN RADIATION-INDUCED DNA DAMAGE. 2012 , 81, 177-187	2
153	Cellular DNA repair cofactors affecting hepatitis B virus infection and replication. 2008 , 14, 5059-65	17

152	Ataxia telangiectasia-mutated-Rad3-related DNA damage checkpoint signaling pathway triggered by hepatitis B virus infection. 2008 , 14, 6163-70	15
151	Loss of BRCA1 expression leads to worse survival in patients with gastric carcinoma. 2013 , 19, 1968-74	18
150	Role of some epigenetic factors in DNA damage response pathway. 2017 , 4, 69-83	3
149	The versatile functions of ATM kinase. 2014 , 37, 3-9	50
148	<i>In Vitro&/i> Investigation of DNA Damage Induced by the DNA Cross-Linking Agents Oxaliplatin and Satraplatin in Lymphocytes of Colorectal Cancer Patients. 2012 , 03, 78-89	5
147	Strategies for targeting the DNA damage response for cancer therapeutics. 2012 , 31, 359-63	4
146	Molecular Links between Alcohol and Tobacco Induced DNA Damage, Gene Polymorphisms and Patho-physiological Consequences: A Systematic Review of Hepatic Carcinogenesis. 2015 , 16, 4803-12	14
145	Distinct roles of ATM and ATR in the regulation of ARP8 phosphorylation to prevent chromosome translocations. 2018 , 7,	3
144	exploits host ATM kinase for survival advantage through SecA2 secretome. 2020 , 9,	3
143	: an R package for PTM site localization and motif extraction from proteomic datasets. 2019 , 7, e7046	7
142	A non-canonical, interferon-independent signaling activity of cGAMP triggers DNA damage response signaling. 2021 , 12, 6207	3
141	Prognostic significance of ATM mutations in chronic lymphocytic leukemia: A meta-analysis. 2021 , 111, 106729	
140	Recognition of DNA Damage as the Initial Step of Eukaryotic Checkpoint Arrest. 2005 ,	1
139	Non-Hodgkin's Lymphomas of Childhood. 2006 , 502-525	
138	The DNA Damage Response, DNA Repair, and AML. 2007 , 97-131	
137	Comparison of ataxia-telangiectasia mutated protein expression in diffuse large B-cell lymphomas of primary central nervous system and non-central nervous system origin. 2007 , 131, 457-67	3
136	Ocular findings in Norwegian patients with ataxia-telangiectasia: a 5 year prospective cohort study. 2007 , 85, 557-562	11
135	Regulation of the Cell Cycle, Cell Cycle Checkpoints, and Cancer.	

- 134 Molecular Genetics of Lung and Pleural Neoplasms. **2008**, 47-157 1
- 133 Initiation of Genomic Instability, Cellular Senescence, and Organismal Aging by Dysfunctional Telomeres. **2008**, 57-75
- 132 Acute and Late Biologic Effects of Radiation Therapy in the Management of Childhood Cancer. **2008**, 13-25
- 131 Receptors, Signaling Pathways, Cell Cycle, and DNA Damage Repair. **2008**, 11-21
- 130 Low Dose Hyper-Radiosensitivity: A Historical Perspective. **2008**, 329-347
- 129 Mouse Models of DNA Double Strand Break Repair Deficiency and Cancer. **2009**, 285-305
- 128 Ataxie-télangiectasie et syndromes apparentés. **2009**, 219-228
- 127 Circadian Clock, Cell Cycle and Cancer. **2010**, 139-155
- 126 Mantle Cell Lymphoma. **2010**, 257-265
- 125 Neurocutaneous Syndromes and Associated CNS Tumors. **2010**, 223-246 1
- 124 Immunodeficiency Disorders. **2010**, 575-588
- 123 Genetic Predispositions for Hematologic and Lymphoid Disorders. **2010**, 21-64
- 122 Chromatin: The Entry to and Exit from DNA Repair. **2011**, 387-409
- 121 Encyclopedia of Cancer. **2011**, 299-301
- 120 Inhibitors of DNA Repair and Response to Ionising Radiation. **2011**, 143-171
- 119 Radiation Protection by MnSOD-Plasmid Liposome Gene Therapy. **2012**, 387-406
- 118 DNA Damage Checkpoint Signaling Pathways in Human Cancer. **2012**, 23-37
- 117 106. **2012**, 118-118

- 116 Immunotherapy: CTLA4, PD-1, PD-L1, IL-18, and IL-21. **2013**, 343-358
- 115 DNA Damage Response Pathways and Cancer. **2014**, 142-153.e3 1
- 114 MicroRNA, DNA Repair, and Cancer. **2014**, 47-66
- 113 Immunodeficiency and Cancer. **2014**, 204-210.e2
- 112 The Generation, Detection, and Prevention of Genomic Instability During Cancer Progression and Metastasis. **2015**, 15-38
- 111 Genodermatoses with Premature Aging/Syndromes. **2015**, 1-19
- 110 Aging of Mammalian Intestinal Stem Cells. **2015**, 175-194
- 109 Neoplasia of the Gastrointestinal Tract. 587-616
- 108 Genetics and Epigenetics of Head and Neck Cancer. **2016**, 115-132
- 107 Detection of polymorphism of ATM gene in Leukemia. **2016**, 11, 100-105
- 106 Genodermatoses with Premature Aging/Syndromes. **2017**, 1529-1547
- 105 Prognostic Indicators in CLL: Clinical, Cytogenetics, Novel Mutations, MicroRNAs, Hierarchal Classification. **2018**, 35-60 1
- 104 Subjugation of TGF β Signaling by Human Papilloma Virus in Head and Neck Squamous Cell Carcinoma Shifts DNA Repair from Homologous Recombination to Alternative End-Joining.
- 103 Primary Immunodeficiencies and Cytokine Storm Syndromes. **2019**, 209-232
- 102 CARF: A Stress, Senescence, and Cancer Regulator. **2019**,
- 101 T Cell Senescence and Tumor Immunotherapy. **2019**, 2091-2114
- 100 Radiation in Space: The Biology. **2020**, 45-85
- 99 Targeting SMYD3 to Sensitize Homologous Recombination-Proficient Tumors to PARP-Mediated Synthetic Lethality.

98	Mutant rs189037 in the Ataxia-Telangiectasia Mutated Gene Significantly Associates With Ventricular Thickness and Human Lifespan.	
97	Combinatorial analysis of gene regulatory network reveals the causal genetic basis of breast cancer and gene-specific personalized drug treatments.	0
96	gene polymorphisms are associated with poor prognosis of non-small cell lung cancer receiving radiation therapy. 2020 , 12, 7465-7479	1
95	Iron Metabolism as a Potential Mechanism for Inducing TRAIL-Mediated Extrinsic Apoptosis Using Methylsulfonylmethane in Embryonic Cancer Stem Cells. 2021 , 10,	3
94	Pivotal Role of Iron Homeostasis in the Induction of Mitochondrial Apoptosis by 6-Gingerol Through PTEN Regulated PD-L1 Expression in Embryonic Cancer Cells. 2021 , 11, 781720	2
93	Posttranslational Modifications of p53: Upstream Signaling Pathways. 2005 , 95-114	
92	The Fanconi Anemia/BRCA Pathway. 2006 , 67-81	
91	Zellbiologie. 2006 , 454-470	
90	Genetic Skin Diseases With Neoplasia. 2006 , 998-1003	
89	DNA Repair Genes and Genomic Instability in Severe Male Factor Infertility. 2007 , 145-163	1
88	Aberrations of DNA Damage in Checkpoints in Cancer. 2007 , 119-136	
87	DNA-Dependent Protein Kinase in Repair, Apoptosis, Telomere Maintenance, and Chemotherapy. 2007 , 265-278	
86	PPM1D is a neuroblastoma oncogene and therapeutic target in childhood neural tumors.	1
85	Poly-ADP-ribosylation drives loss of protein homeostasis in ATM and Mre11 deficiency.	
84	Analysis of stress responsive genes induced by single-walled carbon nanotubes in BJ Foreskin cells. 2007 , 7, 584-92	17
83	Decision Making by p53: Life versus Death. 2010 , 2, 69-77	37
82	Radioprotection. 2009 , 23, 323-36	59
81	The radioprotective agent WR1065 protects cells from radiation damage by regulating the activity of the Tip60 acetyltransferase. 2011 , 2, 295-302	1

80	Telomere lengthening and other functions of telomerase. 2012 , 4, 44-61	21
79	Genetic studies of bone diseases: evidence for involvement of DNA damage response proteins in bone remodeling. 2007 , 3, 217-28	4
78	Mahanine, a novel mitochondrial complex-III inhibitor induces G0/G1 arrest through redox alteration-mediated DNA damage response and regresses glioblastoma multiforme. 2014 , 4, 629-47	23
77	A Novel Splice Site Mutation of the ATM Gene Associated with Ataxia Telangiectasia. 2018 , 12, 111-119	
76	Detection of double-stranded DNA breaks and apoptosis induced by bleomycin in mouse intestine. 2021 , 46, 611-618	
75	Structure of the Human TELO2-TTI1-TTI2 Complex. 2021 , 434, 167370	1
74	Is a Therapeutic Target in Childhood Neural Tumors. 2021 , 13,	0
73	RPRM negatively regulates ATM levels involving its phosphorylation mediated by CDK4/CDK6.	0
72	Dysfunction of cerebellar microglia in Ataxia-telangiectasia. 2021 ,	0
71	Yttrium chloride-induced cytotoxicity and DNA damage response via ROS generation and inhibition of Nrf2/PPAR α pathways in H9c2 cardiomyocytes.. 2022 , 96, 767	1
70	Altered Expression of TRIM Proteins-Inimical Outcome and Inimitable Oncogenic Function in Breast Cancer with Diverse Carcinogenic Hallmarks.. 2022 ,	0
69	Specific Human ATR and ATM Inhibitors Modulate Single Strand DNA Formation in Exposed to Oxidative Agent.. 2021 , 11, 802613	
68	POU4F3 Acts as a Tumor Suppressor in Lung Adenocarcinoma via the Endoplasmic Reticulum Stress Signaling Pathway.. 2022 , 13, 554-564	0
67	TOPORS-mediated RAD51 SUMOylation facilitates homologous recombination repair.. 2022 ,	1
66	Immediate-Early, Early, and Late Responses to DNA Double Stranded Breaks.. 2022 , 13, 793884	3
65	The Radiobiology of TGF β 2022 ,	2
64	Oncogenic c-Myc activity increases tolerance to proteotoxic and genotoxic stress through regulation of HSF1.	
63	Antitumor Effects of Natural Bioactive Ursolic Acid in Embryonic Cancer Stem Cells.. 2022 , 2022, 6737248	0

62	The Complex Mechanisms by Which Neurons Die Following DNA Damage in Neurodegenerative Diseases.. 2022 , 23,	1
61	Identification of dual binding mode of Orthodiffenes towards human topoisomerase-I and β -tubulin: exploring the potential role in anti-cancer activity via study.. 2022 , 1-15	1
60	Phosphorylation of MAD2 at Ser195 Promotes Spindle Checkpoint Defects and Sensitizes Cancer Cells to Radiotherapy in ATM Deficient Cells.. 2022 , 10, 817831	0
59	Discovery of novel ataxia telangiectasia mutated (ATM) kinase modulators: Computational simulation, biological evaluation and cancer combinational chemotherapy study.. 2022 , 233, 114196	0
58	DNA repair and response to sperm DNA damage in oocytes and embryos, and the potential consequences in ART: a systematic review.. 2021 ,	0
57	Function and Molecular Mechanism of the DNA Damage Response in Immunity and Cancer Immunotherapy.. 2021 , 12, 797880	3
56	Mantle cell lymphoma. 308-337	
55	Data_Sheet_1.ZIP. 2019 ,	
54	Data_Sheet_2.ZIP. 2019 ,	
53	Data_Sheet_3.ZIP. 2019 ,	
52	Data_Sheet_4.ZIP. 2019 ,	
51	Image_1.tif. 2019 ,	
50	Image_2.tif. 2019 ,	
49	Image_3.tif. 2019 ,	
48	Table_1.xls. 2019 ,	
47	DataSheet_1.docx. 2020 ,	
46	DataSheet_1.pdf. 2020 ,	
45	DNA Damage Response Inhibitors in Cholangiocarcinoma: Current Progress and Perspectives.. 2022 , 11,	0

44	Mdm2 in the Response to Radiation. 2004 , 2, 9-19	46
43	Molecular Cloning and Characterization of the Catalytic Domain of Zebrafish Homologue of the Ataxia-Telangiectasia Mutated Gene. 2004 , 2, 348-353	3
42	Protective mechanism of a novel aminothioliol compound on radiation-induced intestinal injury.. 2022 , 1-12	0
41	DNA damage response in neurodevelopment and neuromaintenance.	0
40	Transcriptional Dynamics of DNA Damage Responsive Genes in Circulating Leukocytes during Radiotherapy. 2022 , 14, 2649	1
39	Prolyl Isomerization-Mediated Conformational Changes Define ATR Subcellular Compartment-Specific Functions. 10,	0
38	Small-molecule enhancers of CRISPR-induced homology-directed repair in gene therapy: A medicinal chemist's perspective. 2022 ,	
37	Inhibition of PLK3 Attenuates Tubular Epithelial Cell Apoptosis after Renal Ischemia/Reperfusion Injury by Blocking the ATM/P53-Mediated DNA Damage Response. 2022 , 2022, 1-22	0
36	Higher ATM expression in lymphoblastoid cell lines from centenarian compared with younger women.	1
35	Architects of Pituitary Tumour Growth. 13,	
34	ATM rules neurodevelopment and glutamatergic transmission in the hippocampus but not in the cortex. 2022 , 13,	
33	Inhibition of DNA Repair by Inappropriate Activation of ATM, PARP, and DNA-PK with the Drug Agonist AsiDNA. 2022 , 11, 2149	
32	RING finger and WD repeat domain 3 regulates proliferation and metastasis through the Wnt/ β -catenin signalling pathways in hepatocellular carcinoma. 2022 , 28, 3435-3454	0
31	Combined Haploinsufficiency for ATM and RAD9 as a Factor in Cell Transformation, Apoptosis, and DNA Lesion Repair Dynamics. 2005 , 65, 933-938	9
30	CHK1 and CHK2 are differentially involved in mismatch repair-mediated 6-thioguanine-induced cell cycle checkpoint responses. 2004 , 3, 1147-1157	11
29	Role of non-coding RNAs in radiosensitivity of colorectal cancer: A narrative review. 12,	1
28	Topoisomerase poisons differentially activate DNA damage checkpoints through ataxia-telangiectasia mutated-dependent and independent mechanisms. 2004 , 3, 621-632	15
27	Adipocyte-mediated epigenomic instability in human T-ALL cells is cytotoxic and phenocopied by epigenetic-modifying drugs. 10,	

- 26 The regulatory roles of the E3 ubiquitin ligase NEDD4 family in DNA damage response. 13, 0
- 25 ROR2 regulates self-renewal and maintenance of hair follicle stem cells. **2022**, 13, 0
- 24 Molecular chaperones in DNA repair mechanisms: Role in genomic instability and proteostasis in cancer. **2022**, 306, 120852 0
- 23 RPRM negatively regulates ATM levels through its nuclear translocation on irradiation mediated by CDK4/6 and IPO11. **2022**, 25, 105115 0
- 22 The MASTL-ENSA-PP2A/B55 axis modulates cisplatin resistance in oral squamous cell carcinoma. 10, 0
- 21 ATM c. 7570G >C is a high-risk allele for breast cancer. 0
- 20 JNC-1043, a Novel Podophyllotoxin Derivative, Exerts Anticancer Drug and Radiosensitizer Effects in Colorectal Cancer Cells. **2022**, 27, 7008 0
- 19 Carcinogen-induced self-inflicted genome-wide DNA breaks in H₂O₂-induced oral cancer: A possible survival strategy by cancer cells. **2022**, 168, 110970 0
- 18 Insights into symbiotic interactions from metatranscriptome analysis of deep-sea mussel *Gigantidas platifrons* under long-term laboratory maintenance. 0
- 17 Oocytes can repair DNA damage during meiosis via a microtubule-dependent recruitment of CIP2A-MDC1-TOPBP1 complex from spindle pole to chromosomes. 0
- 16 ATM inhibition drives metabolic adaptation via induction of macropinocytosis. **2023**, 222, 2
- 15 Deubiquitinase USP2 stabilizes the MRE11A-BAD50-NBS1 complex at DNA double-strand break sites by counteracting the ubiquitination of NBS1. **2023**, 299, 102752 0
- 14 ATM phosphorylates PP2A subunit A resulting in nuclear export and spatiotemporal regulation of the DNA damage response. **2022**, 79, 0
- 13 Ataxia-Telangiectasia Mutated Loss of Heterozygosity in Melanoma. **2022**, 23, 16027 1
- 12 Unraveling the effect of the inflammatory microenvironment in spermatogenesis progression. 0
- 11 Therapeutic Strategies to Activate p53. **2023**, 16, 24 0
- 10 Genes Involved in DNA Repair and Mitophagy Protect Embryoid Bodies from the Toxic Effect of Methylmercury Chloride under Physioxia Conditions. **2023**, 12, 390 0
- 9 Bi-allelic TTI1 variants cause an autosomal-recessive neurodevelopmental disorder with microcephaly. **2023**, 0

8	Caregivers with Cancer Patients: Focus on Hispanics. 2023 , 15, 626	2
7	Unsteady gait. 2006 , 82, e8-e8	0
6	Liposomal ATM siRNA delivery for enhancing triple-negative breast cancer immune checkpoint blockade therapy. 088532822311621	0
5	DNA Damage Response Mechanisms in Head and Neck Cancer: Significant Implications for Therapy and Survival. 2023 , 24, 2760	1
4	The ATM-E6AP-MASTL axis mediates DNA damage checkpoint recovery.	0
3	Radiation and Diabetic Retinopathy: A Dark Synergy. 2023 , 3, 120-159	0
2	Mitochondrial Signaling Pathways Associated with DNA Damage Responses. 2023 , 24, 6128	0
1	ATM depletion induces proteasomal degradation of FANCD2 and sensitizes neuroblastoma cells to PARP inhibitors. 2023 , 23,	0