

CITATION REPORT

List of articles citing

Multi-dimensional liquid phase based separations in proteom

DOI: 10.1016/s1570-0232(02)00335-5

Journal of Chromatography B: Analytical Technologies
in the Biomedical and Life Sciences, 2003, 787, 11-8.

Source: <https://exaly.com/paper-pdf/35311521/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
185	Proteomics approaches to uncover the repertoire of circulating biomarkers for breast cancer. 2002 , 7, 407-13		33
184	Current Awareness on Comparative and Functional Genomics. 2003 , 4, 560-567		78
183	The quest for the mechanisms of life. 2003 , 84, 739-42		14
182	Two-dimensional nano-liquid chromatography-mass spectrometry system for applications in proteomics. <i>Journal of Chromatography A</i> , 2003 , 1009, 197-205	4.5	65
181	Characterization of protein variants and post-translational modifications: ESI-MSn analyses of intact proteins eluted from polyacrylamide gels. <i>Molecular and Cellular Proteomics</i> , 2003 , 2, 483-93	7.6	48
180	Advanced Capillary and Microchip Electrophoretic Techniques for Proteomics. 2004 , 1, 325-347		6
179	Eicosanomics: targeted lipidomics of eicosanoids in biological systems. 2004 , 73, 173-80		40
178	Separation and Quantification of Enkephalin and Vasopressin Related Peptides in Reversed-Phase Capillary Liquid Chromatography. 2004 , 60,		2
177	A Novel Method for the Separation and Purification of Human Serum Acid Alpha-1-Glycoprotein. Liquid Chromatographic and Mass Spectrometric Investigation of Tryptic Fragments. 2004 , 60, S213		5
176	Proteomics for nasal secretion analysis. 2004 , 4, 224-9		11
175	A polyamine coating for enhanced capillary electrophoresis-electrospray ionization-mass spectrometry of proteins and peptides. <i>Electrophoresis</i> , 2004 , 25, 2090-9	3.6	95
174	Two-dimensional liquid chromatography-capillary zone electrophoresis-sheathless electrospray ionization-mass spectrometry: evaluation for peptide analysis and protein identification. <i>Electrophoresis</i> , 2004 , 25, 1973-80	3.6	33
173	On-line capillary electrophoresis-mass spectrometry for the analysis of biomolecules. <i>Electrophoresis</i> , 2004 , 25, 2257-81	3.6	176
172	Factors that affect ion trap data-dependent MS/MS in proteomics. 2004 , 15, 150-7		30
171	Separation and identification of compounds in Rhizoma chuanxiong by comprehensive two-dimensional liquid chromatography coupled to mass spectrometry. <i>Journal of Chromatography A</i> , 2004 , 1040, 169-78	4.5	114
170	Photopolymerized monolithic capillary columns for rapid micro high-performance liquid chromatographic separation of proteins. <i>Journal of Chromatography A</i> , 2004 , 1051, 53-60	4.5	91
169	Fully automated online multi-dimensional protein profiling system for complex mixtures. <i>Journal of Chromatography A</i> , 2004 , 1057, 107-13	4.5	34

168	Optimization of two-dimensional off-line LC/MS separations to improve resolution of complex proteomic samples. <i>Analytical Chemistry</i> , 2004 , 76, 5180-5	7.8	75
167	Proteomics--application to the brain. 2004 , 61, 285-311		22
166	Development of natural protein microarrays for diagnosing cancer based on an antibody response to tumor antigens. <i>Journal of Proteome Research</i> , 2004 , 3, 261-7	5.6	116
165	Recent Developments of Achiral HPLC Methods in Pharmaceuticals Using Various Detection Modes. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2004 , 27, 1237-1316	1.3	9
164	Analysis of phosphorylated peptides by ion mobility-mass spectrometry. <i>Analytical Chemistry</i> , 2004 , 76, 6727-33	7.8	67
163	Microdeposition device interfacing capillary electrochromatography and microcolumn liquid chromatography with matrix-assisted laser desorption/ionization mass spectrometry. <i>Analytical Chemistry</i> , 2004 , 76, 6698-706	7.8	63
162	Two-dimensional separation method for analysis of Bacillus subtilis metabolites via hyphenation of micro-liquid chromatography and capillary electrophoresis. <i>Analytical Chemistry</i> , 2004 , 76, 1419-28	7.8	43
161	Proteomics: how to control highly dynamic patterns of millions of molecules and interpret changes correctly?. 2004 , 1, 1-8		17
160	Proteomics analysis in Alzheimer's disease: new insights into mechanisms of neurodegeneration. 2004 , 61, 159-88		16
159	2D-LC/MS techniques for the identification of proteins in highly complex mixtures. <i>Expert Review of Proteomics</i> , 2004 , 1, 37-46	4.2	70
158	Proteomic analysis of human ventricular cerebrospinal fluid from neurologically normal, elderly subjects using two-dimensional LC-MS/MS. <i>Journal of Proteome Research</i> , 2004 , 3, 97-103	5.6	62
157	Proteomics: a primer for otologists. 2004 , 25, 842-9		8
156	Two-Dimensional Maps. 2005 , 341-417		1
155	Analysis of protein fragmentation inhibition by an MMP-inhibitor in an in vivo model of heart failure using automated chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005 , 819, 219-28	3.2	
154	A hybrid LC-Gel-MS method for proteomics research and its application to protease functional pathway mapping. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005 , 822, 98-111	3.2	5
153	Ion mobility mass spectrometry: a new paradigm for proteomics. 2005 , 240, 301-315		262
152	Evaluation of multidimensional (ion-exchange/reversed-phase) protein separations using linear and step gradients in the first dimension. <i>Journal of Chromatography A</i> , 2005 , 1079, 287-98	4.5	17
151	Improved performance of comprehensive two-dimensional HPLC separation of traditional Chinese medicines by using a silica monolithic column and normalization of peak heights. <i>Journal of Chromatography A</i> , 2005 , 1092, 191-8	4.5	98

150	Two-dimensional separation system of coupling capillary liquid chromatography to capillary electrophoresis for analysis of Escherichia coli metabolites. <i>Electrophoresis</i> , 2005 , 26, 3468-78	3.6	24
149	The application of 2-D dual nanoscale liquid chromatography and triple quadrupole-linear ion trap system for the identification of proteins. <i>Journal of Separation Science</i> , 2005 , 28, 1704-11	3.4	11
148	Intact-protein based sample preparation strategies for proteome analysis in combination with mass spectrometry. 2005 , 24, 413-26		72
147	Sample preparation for peptides and proteins in biological matrices prior to liquid chromatography and capillary zone electrophoresis. <i>Analytical and Bioanalytical Chemistry</i> , 2005 , 382, 535-58	4.4	38
146	Specific molecule localization in microchannel laminar flow and its application for non-immobilized-probe analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2005 , 382, 1477-83	4.4	3
145	Utility of electrophoretically derived protein mass estimates as additional constraints in proteome analysis of human serum based on MS/MS analysis. 2005 , 5, 3376-85		28
144	Evaluation of prefractionation methods as a preparatory step for multidimensional based chromatography of serum proteins. 2005 , 5, 3367-75		59
143	. 2005 ,		44
142	Proteomics in cancer vaccine development. <i>Expert Review of Proteomics</i> , 2005 , 2, 229-41	4.2	8
141	Proteome analysis of prostate cancer. 2005 , 8, 14-21		22
140	Understanding the behaviour of pathogenic cells: proteome and metabolome analyses. 2005 , 3-52		
139	The application of proteomics to diabetes. 2005 , 2, 54-60		18
138	High throughput quantitative analysis of serum proteins using glycopeptide capture and liquid chromatography mass spectrometry. <i>Molecular and Cellular Proteomics</i> , 2005 , 4, 144-55	7.6	176
137	Mass spectrometry-based expression profiling of clinical prostate cancer. <i>Molecular and Cellular Proteomics</i> , 2005 , 4, 545-54	7.6	53
136	How proteomics reveals potential biomarkers in brain diseases. <i>Expert Review of Proteomics</i> , 2005 , 2, 901-13	4.2	12
135	Interfacing reversed-phase nanoHPLC with ICP-MS and on-line isotope dilution analysis for the accurate quantification of selenium-containing peptides in protein tryptic digests. 2005 , 20, 1101		77
134	Proteomic analysis with integrated multiple dimensional liquid chromatography/mass spectrometry based on elution of ion exchange column using pH steps. <i>Analytical Chemistry</i> , 2005 , 77, 5793-9	7.8	68
133	Profiling of myelin proteins by 2D-gel electrophoresis and multidimensional liquid chromatography coupled to MALDI TOF-TOF mass spectrometry. <i>Journal of Proteome Research</i> , 2005 , 4, 2283-93	5.6	79

132 LIQUID CHROMATOGRAPHY | Instrumentation. **2005**, 205-213

131 LIQUID CHROMATOGRAPHY | Multidimensional. **2005**, 197-205

130 PROTEOMICS. **2005**, 383-393

129 Fast, comprehensive two-dimensional HPLC separation of tryptic peptides based on high-temperature HPLC. **2005**, 127, 5034-5 145

128 Chapter 4 Two-dimensional gel electrophoresis: the state of the art. **2005**, 46, 253-274

127 Microchannel protein separation by electric field gradient focusing. **2005**, 5, 587-97 49

126 ELECTROPHORESIS | Two-Dimensional Gels. **2005**, 407-419 1

125 Selenopeptide mapping in a selenium yeast protein digest by parallel nanoHPLC-ICP-MS and nanoHPLC-electrospray-MS/MS after on-line preconcentration. **2006**, 21, 26-32 46

124 Two-dimensional microcolumn separation platform for proteomics consisting of on-line coupled capillary isoelectric focusing and capillary electrochromatography. 1. Evaluation of the capillary-based two-dimensional platform with proteins, peptides, and human serum. *Journal of Proteome Research*, **2006**, 5, 2001-8 5.6 56

123 Lumbar cerebrospinal fluid proteome in multiple sclerosis: characterization by ultrafiltration, liquid chromatography, and mass spectrometry. *Journal of Proteome Research*, **2006**, 5, 1647-57 5.6 67

122 Towards exposure of elusive metabolic mixed-culture processes: the application of metaproteomic analyses to activated sludge. **2006**, 54, 217-26 41

121 Proteome analysis of *Myxococcus xanthus* by off-line two-dimensional chromatographic separation using monolithic poly-(styrene-divinylbenzene) columns combined with ion-trap tandem mass spectrometry. *Journal of Proteome Research*, **2006**, 5, 2760-8 5.6 64

120 Capillary array reversed-phase liquid chromatography-based multidimensional separation system coupled with MALDI-TOF-TOF-MS detection for high-throughput proteome analysis. *Journal of Proteome Research*, **2006**, 5, 3186-96 5.6 38

119 Alignment and statistical difference analysis of complex peptide data sets generated by multidimensional LC-MS. **2006**, 6, 641-53 75

118 Expressed proteome analysis of human hepatocellular carcinoma in nude mice (LCI-D20) with high metastasis potential. **2006**, 6, 528-37 30

117 Proteomics for the early detection and treatment of hepatocellular carcinoma. **2006**, 25, 3810-7 60

116 Ion-interaction-capillary zone electrophoresis of cationic proteomic peptide standards. *Journal of Chromatography A*, **2006**, 1111, 192-9 4.5 12

115 Micro-separation toward systems biology. *Journal of Chromatography A*, **2006**, 1106, 19-28 4.5 35

114	Off-line comprehensive two-dimensional high-performance liquid chromatography system with size exclusion column and reverse phase column for separation of complex traditional Chinese medicine Qingkailing injection. <i>Journal of Chromatography A</i> , 2006 , 1127, 207-13	4.5	34
113	One-step purification of a recombinant protein from a whole cell extract by reversed-phase high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2006 , 1133, 248-53	4.5	23
112	Recent developments in proteomics: implications for the study of cardiac hypertrophy and failure. 2006 , 44, 11-29		25
111	Subcellular proteomics reveals neuromelanin granules to be a lysosome-related organelle. 2006 , 113, 741-9		34
110	Proteomics in neurodegeneration--disease driven approaches. 2006 , 113, 1055-73		27
109	Separation and identification of compounds in <i>Adinandra nitida</i> by comprehensive two-dimensional liquid chromatography coupled to atmospheric pressure chemical ionization source ion trap tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2006 , 386, 586-93	4.4	29
108	Recognition of terpenes using molecular imprinted polymer coated quartz crystal microbalance in air phase. 2006 , 7, 156-161		39
107	Determination of intrinsic hydrophilicity/hydrophobicity of amino acid side chains in peptides in the absence of nearest-neighbor or conformational effects. 2006 , 84, 283-97		98
106	Capillary electrophoresis-based separation techniques for the analysis of proteins. <i>Electrophoresis</i> , 2006 , 27, 3503-22	3.6	67
105	Comprehensive two-dimensional HPLC to study the interaction of multiple components in <i>Rheum palmatum</i> L. with HSA by coupling a silica-bonded HSA column to a silica monolithic ODS column. <i>Journal of Separation Science</i> , 2006 , 29, 881-8	3.4	38
104	Neuroproteomics in neurotrauma. 2006 , 25, 380-408		50
103	Proteome analysis of an aerobic hyperthermophilic crenarchaeon, <i>Aeropyrum pernix</i> K1. <i>Molecular and Cellular Proteomics</i> , 2006 , 5, 811-23	7.6	44
102	Genomic and proteomic biomarkers for diagnosis and prognosis of hepatocellular carcinoma. 2007 , 1, 273-84		17
101	Proteomics analysis of the developing fish oocyte. 2007 , 99-111		1
100	Mass Spectrometry in Bioanalysis [Methods, Principles and Instrumentation]. 2007 , 1-62		3
99	High throughput proteomic strategies for identifying tumour-associated antigens. 2007 , 249, 110-9		59
98	Two-dimensional reversed-phase x ion-pair reversed-phase HPLC: an alternative approach to high-resolution peptide separation for shotgun proteome analysis. <i>Journal of Proteome Research</i> , 2007 , 6, 4363-73	5.6	115
97	Redox stress proteins are involved in adaptation response of the hyperthermoacidophilic archaeon <i>Sulfolobus solfataricus</i> to nickel challenge. 2007 , 6, 25		8

96	Several new electrofocusing techniques. <i>Electrophoresis</i> , 2007 , 28, 15-25	3.6	31
95	A fully automated 2-D LC-MS method utilizing online continuous pH and RP gradients for global proteome analysis. <i>Electrophoresis</i> , 2007 , 28, 4311-9	3.6	43
94	Stability and repeatability of capillary columns based on porous monoliths of poly(butyl methacrylate-co-ethylene dimethacrylate). <i>Journal of Chromatography A</i> , 2007 , 1140, 140-6	4.5	104
93	Trends in sample preparation for classical and second generation proteomics. <i>Journal of Chromatography A</i> , 2007 , 1153, 235-58	4.5	150
92	Comprehensive two-dimensional liquid chromatography in analysis of Lamiaceae herbs: characterisation and quantification of antioxidant phenolic acids. <i>Journal of Chromatography A</i> , 2007 , 1145, 155-64	4.5	157
91	High-performance liquid chromatography with contactless conductivity detection for the determination of peptides and proteins using a monolithic capillary column. <i>Journal of Chromatography A</i> , 2007 , 1176, 185-91	4.5	27
90	Advances in hyphenated analytical techniques for shotgun proteome and peptidome analysis--a review. 2007 , 598, 193-204		51
89	Two dimensional liquid phase separations of proteins using online fractionation and concentration between chromatographic dimensions. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007 , 847, 103-13	3.2	23
88	Simultaneous detection of N-terminal fragment ions in a protein mixture using a ruthenium(II) complex. 2007 , 21, 2647-53		4
87	Structural protein analysis of the polyvalent staphylococcal bacteriophage 812. 2007 , 7, 64-72		31
86	Automation of nanoflow liquid chromatography-tandem mass spectrometry for proteome analysis by using a strong cation exchange trap column. 2007 , 7, 528-539		35
85	Multidimensional chromatography: a powerful tool for the analysis of membrane proteins in mouse brain. <i>Journal of Proteome Research</i> , 2007 , 6, 105-13	5.6	31
84	Evaluation and optimization of ZIC-HILIC-RP as an alternative MudPIT strategy. <i>Journal of Proteome Research</i> , 2007 , 6, 937-46	5.6	169
83	Hydrophilic interaction liquid chromatography (HILIC) in proteomics. <i>Analytical and Bioanalytical Chemistry</i> , 2008 , 391, 151-9	4.4	206
82	Comprehensive two-dimensional liquid chromatography in the analysis of antioxidant phenolic compounds in wines and juices. <i>Analytical and Bioanalytical Chemistry</i> , 2008 , 391, 373-80	4.4	46
81	Two-dimensional liquid chromatography coupled with mass spectrometry for the analysis of <i>Lobelia chinensis</i> Lour. using an ESI/APCI multimode ion source. <i>Journal of Separation Science</i> , 2008 , 31, 2388-94	3.4	30
80	Characterization of voltage degradation in dynamic field gradient focusing. <i>Electrophoresis</i> , 2008 , 29, 1013-25	3.6	16
79	Recent development of multi-dimensional chromatography strategies in proteome research. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008 , 866, 123-32	3.2	60

78	Trypsin immobilization on three monolithic disks for on-line protein digestion. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 48, 398-407	3.5	44
77	Comprehensive multidimensional liquid chromatography: theory and applications. <i>Journal of Chromatography A</i> , 2008 , 1184, 353-68	4.5	269
76	Proteomic analysis for the assessment of different lots of fetal bovine serum as a raw material for cell culture. Part IV. Application of proteomics to the manufacture of biological drugs. <i>Biotechnology Progress</i> , 2006 , 22, 1294-300	2.8	198
75	Biomolecule analysis by ion mobility spectrometry. <i>Annual Review of Analytical Chemistry</i> , 2008 , 1, 293-327.5	2.5	396
74	pH gradient reversed-phase liquid chromatography as a fractionation tool for the separation of peptides. <i>Talanta</i> , 2008 , 75, 76-82	6.2	5
73	On-line Method for Identification of Native Proteins using pH-Gradient SAX Chromatography and Reversed Phase Chromatography-Mass Spectrometry of Tryptic Peptides. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2008 , 31, 1387-1411	1.3	6
72	Evaluation of comprehensive multidimensional separations using reversed-phase, reversed-phase liquid chromatography/mass spectrometry for shotgun proteomics. <i>Journal of Proteome Research</i> , 2008 , 7, 1007-11	5.6	48
71	Identification and characterization of <i>Sulfolobus solfataricus</i> P2 proteome using multidimensional liquid phase protein separations. <i>Journal of Proteome Research</i> , 2008 , 7, 2253-61	5.6	13
70	Digestion of native proteins for proteomics using a thermocycler. <i>Analytical Chemistry</i> , 2008 , 80, 6093-97.8	7.8	28
69	Integral protein microarrays for the identification of lung cancer antigens in sera that induce a humoral immune response. <i>Molecular and Cellular Proteomics</i> , 2008 , 7, 268-81	7.6	50
68	Occurrence of autoantibodies to annexin I, 14-3-3 theta and LAMR1 in prediagnostic lung cancer sera. <i>Journal of Clinical Oncology</i> , 2008 , 26, 5060-6	2.2	159
67	. 2009 ,		4
66	Discriminating Among Co-monomer Sequence Distributions in Random Copolymers Using Interaction Chromatography. <i>Macromolecular Rapid Communications</i> , 2009 , 30, 1543-8	4.8	14
65	Microfluidic chips for mass spectrometry-based proteomics. <i>Journal of Mass Spectrometry</i> , 2009 , 44, 579-93	2.3	111
64	Separation with zwitterionic hydrophilic interaction liquid chromatography improves protein identification by matrix-assisted laser desorption/ionization-based proteomic analysis. <i>Biomedical Chromatography</i> , 2009 , 23, 607-14	1.7	21
63	Comparison of electrospray and matrix-assisted laser desorption ionization on the same hybrid quadrupole time-of-flight tandem mass spectrometer: application to bidimensional liquid chromatography of proteins from bovine milk fraction. <i>Journal of Chromatography A</i> , 2009 , 1216, 2424-32	4.5	24
62	Membrane Protein Preparation Using Aqueous Polymer Two-Phase Systems. <i>Springer Protocols</i> , 2009 , 159-164	0.3	
61	Updated biological roles for matrix metalloproteinases and new "intracellular" substrates revealed by degradomics. <i>Biochemistry</i> , 2009 , 48, 10830-45	3.2	172

60	Recent advances in proteolysis and peptide/protein separation by chromatographic strategies. <i>Science China Chemistry</i> , 2010 , 53, 685-694	7.9	5
59	Proteomic analysis of <i>Giardia</i> : studies from the pre- and post-genomic era. <i>Experimental Parasitology</i> , 2010 , 124, 26-30	2.1	8
58	Development of liquid chromatography/mass spectrometry methods for the quantitative analysis of herbal medicine in biological fluids: a review. <i>Biomedical Chromatography</i> , 2010 , 24, 91-103	1.7	37
57	Stable isotope labeling method targeting terminal tyrosine for relative peptide quantitation using mass spectrometry. <i>Analytical Biochemistry</i> , 2010 , 401, 15-21	3.1	5
56	Advances and challenges in biomarker development for type 1 diabetes prediction and prevention using omic technologies. <i>Expert Opinion on Medical Diagnostics</i> , 2010 , 4, 397-410		4
55	Deciphering proteins and their functions in the regenerating retina. <i>Expert Review of Proteomics</i> , 2010 , 7, 775-95	4.2	4
54	Authenticity Determination of Meat and Meat Products on the Protein and DNA Basis. <i>Food Reviews International</i> , 2010 , 27, 84-100	5.5	44
53	Pooling aqueous humor samples: bias in 2D-LC-MS/MS strategy?. <i>Journal of Proteome Research</i> , 2010 , 9, 789-97	5.6	22
52	Development of multidimensional liquid chromatography and application in proteomic analysis. <i>Expert Review of Proteomics</i> , 2010 , 7, 665-78	4.2	17
51	Sensitive and reproducible intact mass analysis of complex protein mixtures with superficially porous capillary reversed-phase liquid chromatography mass spectrometry. <i>Analytical Chemistry</i> , 2011 , 83, 9586-92	7.8	34
50	Integrated multifunctional microfluidics for automated proteome analyses. <i>Topics in Current Chemistry</i> , 2011 , 304, 261-94		7
49	Zwitterionic hydrophilic interaction liquid chromatography (ZIC-HILIC and ZIC-cHILIC) provide high resolution separation and increase sensitivity in proteome analysis. <i>Analytical Chemistry</i> , 2011 , 83, 3440-7	7.8	117
48	Understanding and optimizing electrospray ionization techniques for proteomic analysis. <i>Expert Review of Proteomics</i> , 2011 , 8, 197-209	4.2	19
47	Comprehensive chromatographic separations in proteomics. <i>Journal of Chromatography A</i> , 2011 , 1218, 8777-90	4.5	33
46	Separation of Proteins and Peptides. 2011 , 7-27		
45	Proteomic analysis of <i>Bacillus thuringiensis</i> at different growth phases by using an automated online two-dimensional liquid chromatography-tandem mass spectrometry strategy. <i>Applied and Environmental Microbiology</i> , 2012 , 78, 5270-9	4.8	18
44	Comprehensive multidimensional separations for the analysis of petroleum. <i>Journal of Chromatography A</i> , 2012 , 1255, 12-23	4.5	57
43	Robust two-dimensional separation of intact proteins for bottom-up tandem mass spectrometry of the human CSF proteome. <i>Journal of Proteome Research</i> , 2012 , 11, 3143-9	5.6	16

42	Multidimensional Separations by Ion Mobility-Mass Spectrometry. 2012 ,		1
41	The potential for clinical applications using a new ionization method combined with ion mobility spectrometry-mass spectrometry. <i>International Journal for Ion Mobility Spectrometry</i> , 2013 , 16, 145-159	1.5	29
40	Preparation and characterization of a novel dual-retention mechanism mixed-mode stationary phase with PEG 400 and succinic anhydride as ligand for protein separation in WCX and HIC modes. <i>Biomedical Chromatography</i> , 2013 , 27, 1741-53	1.7	11
39	Peptide-tight ESI/MS ⁿ analysis with segment of liquid chromatography effluent. <i>Analytical Methods</i> , 2013 , 5, 3371	3.2	2
38	Multimodal liquid chromatography of small molecules. <i>Analytical Methods</i> , 2013 , 5, 4955	3.2	25
37	Autoantibody signatures involving glycolysis and spliceosome proteins precede a diagnosis of breast cancer among postmenopausal women. <i>Cancer Research</i> , 2013 , 73, 1502-13	10.1	48
36	Special Applications. 2013 , 423-461		
35	Application of two-dimensional electrophoresis and mass spectrometry to screen endometriosis-related proteins. <i>Molecular Medicine Reports</i> , 2014 , 10, 95-100	2.9	2
34	Microfluidics for the analysis of membrane proteins: how do we get there?. <i>Electrophoresis</i> , 2014 , 35, 2253-66	3.6	2
33	Gel electrophoretic separation of proteins from cultured neuroendocrine tumor cell lines. <i>Molecular Medicine Reports</i> , 2015 , 11, 1407-15	2.9	6
32	An Autoimmune Response Signature Associated with the Development of Triple-Negative Breast Cancer Reflects Disease Pathogenesis. <i>Cancer Research</i> , 2015 , 75, 3246-54	10.1	29
31	Quantitative proteomics in <i>Giardia duodenalis</i> -Achievements and challenges. <i>Molecular and Biochemical Parasitology</i> , 2016 , 208, 96-112	1.9	6
30	Study of Separation and Identification of the Active Ingredients in <i>Gardenia jasminoides</i> Ellis Based on a Two-Dimensional Liquid Chromatography by Coupling Reversed Phase Liquid Chromatography and Hydrophilic Interaction Liquid Chromatography. <i>Journal of Chromatographic Science</i> , 2017 , 55, 75-81	1.4	5
29	Two-dimensional liquid chromatography consisting of twelve second-dimension columns for comprehensive analysis of intact proteins. <i>Talanta</i> , 2018 , 182, 225-229	6.2	11
28	Two-dimensional chromatographic analysis using three second-dimension columns for continuous comprehensive analysis of intact proteins. <i>Talanta</i> , 2018 , 179, 588-593	6.2	9
27	Comprehensive multidimensional liquid chromatography for advancing environmental and natural products research. <i>TrAC - Trends in Analytical Chemistry</i> , 2019 , 116, 186-197	14.6	18
26	Proteomic Analysis and Functional Validation of a Endochitinase Involved in Resistance to. <i>Frontiers in Plant Science</i> , 2019 , 10, 414	6.2	11
25	Multidimensional liquid chromatography and capillary electrophoresis coupled to high-resolution detectors applied to complex environmental samples. 2020 , 169-208		

24	Proteomic Characterization of Lingzhi. <i>Compendium of Plant Genomes</i> , 2021 , 117-129	0.8	
23	Harnessing the power of electrophoresis and chromatography: Offline coupling of reverse phase liquid chromatography-capillary zone electrophoresis-tandem mass spectrometry for analysis of host cell proteins in monoclonal antibody producing CHO cell line. <i>Electrophoresis</i> , 2021 , 42, 735-741	3.6	7
22	Proteomic Strategies of Therapeutic Individualization and Target Discovery in Acute Myeloid Leukemia. 2008 , 161-187		3
21	Analytical methods for proteome data obtained from SDS-PAGE multi-dimensional separation and mass spectrometry. <i>Journal of Analytical Science and Technology</i> , 2010 , 1, 1-14	3.4	5
20	Biomimetic MIP Terpene Sensors Adding Conductive Polymers. <i>Journal of Sensor Science and Technology</i> , 2012 , 21, 345-351	0.3	2
19	Front Matter. 2005 ,		
18	Middle-Out Proteomics. 2005 , 387-417		
17	Protein Analysis for Diagnostic Applications. 2006 , 7-21		2
16	Identification of Tumor Antigen Directed Autoantibodies. 533-547		
15	Techniques in Plant Proteomics. 2010 , 469-491		
14	Chromatography-Based Separation of Proteins, Peptides, and Amino Acids. 1		
13	Proteomics and Functional Proteomics. 2011 , 591-612		
12	Detection and Determination of Heteroatom-Containing Molecules by HPLC: Inductively Coupled Plasma Mass Spectrometry. 2011 , 161-186		
11	Emerging Concepts and Strategies for Genomics and Breeding. 2013 , 241-283		
10	Multistep mass tagging coupled with 2D LC-MS--an approach to increasing the number of identified proteins. <i>Journal of Biomolecular Techniques</i> , 2005 , 16, 190-6	1.1	3
9	Biometabolomics of Host Resistance to Hemi-biotrophs and Necrotrophs. 2021 , 495-584		
8	Nano liquid chromatography, an updated review.. <i>Biomedical Chromatography</i> , 2022 , e5317	1.7	2
7	Image_1.TIF. 2019 ,		

6 Image_2.TIF. 2019,

5 Image_3.TIF. 2019,

4 Image_4.TIF. 2019,

3 Table_1.DOCX. 2019,

2 Table_2.XLSX. 2019,

1 Table_3.XLSX. 2019,