Multi-dimensional liquid phase based separations in pr

Journal of Chromatography B: Analytical Technologies in the B
787, 11-18
DOI: 10.1016/s1570-0232(02)00335-5

Citation Report

#	Article	IF	Citations
1	Proteomics approaches to uncover the repertoire of circulating biomarkers for breast cancer. Journal of Mammary Gland Biology and Neoplasia, 2002, 7, 407-413.	1.0	37
2	Current Awareness on Comparative and Functional Genomics. Comparative and Functional Genomics, 2003, 4, 560-567.	2.0	0
3	The quest for the mechanisms of life. Biotechnology and Bioengineering, 2003, 84, 739-742.	1.7	18
4	Two-dimensional nano-liquid chromatographyâ€"mass spectrometry system for applications in proteomics. Journal of Chromatography A, 2003, 1009, 197-205.	1.8	71
5	Characterization of Protein Variants and Post-Translational Modifications: ESI-MSn Analyses of Intact Proteins Eluted from Polyacrylamide Gels. Molecular and Cellular Proteomics, 2003, 2, 483-493.	2.5	50
6	Advanced Capillary and Microchip Electrophoretic Techniques for Proteomics. Current Proteomics, 2004, 1, 325-347.	0.1	6
7	Eicosanomics: targeted lipidomics of eicosanoids in biological systems. Prostaglandins and Other Lipid Mediators, 2004, 73, 173-180.	1.0	46
8	Separation and Quantification of Enkephalin and Vasopressin Related Peptides in Reversed-Phase Capillary Liquid Chromatography. Chromatographia, 2004, 60, .	0.7	2
9	A Novel Method for the Separation and Purification of Human Serum Acid Alpha-1-Glycoprotein. Liquid Chromatographic and Mass Spectrometric Investigation of Tryptic Fragments. Chromatographia, 2004, 60, S213.	0.7	5
10	Proteomics for nasal secretion analysis. Current Allergy and Asthma Reports, 2004, 4, 224-229.	2.4	12
11	A polyamine coating for enhanced capillary electrophoresis-electrospray ionization-mass spectrometry of proteins and peptides. Electrophoresis, 2004, 25, 2090-2099.	1.3	97
12	Two-dimensional liquid chromatography-capillary zone electrophoresis-sheathless electrospray ionization-mass spectrometry: Evaluation for peptide analysis and protein identification. Electrophoresis, 2004, 25, 1973-1980.	1.3	37
13	On-line capillary electrophoresis-mass spectrometry for the analysis of biomolecules. Electrophoresis, 2004, 25, 2257-2281.	1.3	181
14	Factors that affect ion trap data-dependent MS/MS in proteomics. Journal of the American Society for Mass Spectrometry, 2004, 15, 150-157.	1.2	34
15	Separation and identification of compounds in Rhizoma chuanxiong by comprehensive two-dimensional liquid chromatography coupled to mass spectrometry. Journal of Chromatography A, 2004, 1040, 169-178.	1.8	120
16	Photopolymerized monolithic capillary columns for rapid micro high-performance liquid chromatographic separation of proteins. Journal of Chromatography A, 2004, 1051, 53-60.	1.8	94
17	Fully automated online multi-dimensional protein profiling system for complex mixtures. Journal of Chromatography A, 2004, 1057, 107-113.	1.8	36
18	Optimization of Two-Dimensional Off-Line LC/MS Separations To Improve Resolution of Complex Proteomic Samples. Analytical Chemistry, 2004, 76, 5180-5185.	3.2	80

#	Article	IF	Citations
19	Proteomicsâ€"Application to the Brain. International Review of Neurobiology, 2004, 61, 285-311.	0.9	25
20	Development of Natural Protein Microarrays for Diagnosing Cancer Based on an Antibody Response to Tumor Antigens. Journal of Proteome Research, 2004, 3, 261-267.	1.8	127
21	Recent Developments of Achiral HPLC Methods in Pharmaceuticals Using Various Detection Modes. Journal of Liquid Chromatography and Related Technologies, 2004, 27, 1237-1316.	0.5	10
22	Analysis of Phosphorylated Peptides by Ion Mobility-Mass Spectrometry. Analytical Chemistry, 2004, 76, 6727-6733.	3.2	72
23	Microdeposition Device Interfacing Capillary Electrochromatography and Microcolumn Liquid Chromatography with Matrix-Assisted Laser Desorption/Ionization Mass Spectrometry. Analytical Chemistry, 2004, 76, 6698-6706.	3.2	68
24	Two-Dimensional Separation Method for Analysis ofBacillus subtilisMetabolites via Hyphenation of Micro-Liquid Chromatography and Capillary Electrophoresis. Analytical Chemistry, 2004, 76, 1419-1428.	3.2	44
25	Proteomics: how to control highly dynamic patterns of millions of molecules and interpret changes correctly?. Drug Discovery Today: Technologies, 2004, 1, 1-8.	4.0	17
26	Proteomics Analysis in Alzheimer's Disease: New Insights into Mechanisms of Neurodegeneration. International Review of Neurobiology, 2004, 61, 159-188.	0.9	21
27	2D-LC/MS techniques for the identification of proteins in highly complex mixtures. Expert Review of Proteomics, 2004, 1, 37-46.	1.3	81
28	Proteomic Analysis of Human Ventricular Cerebrospinal Fluid from Neurologically Normal, Elderly Subjects Using Two-Dimensional LCâˆ'MS/MS. Journal of Proteome Research, 2004, 3, 97-103.	1.8	69
29	Proteomics: A Primer for Otologists. Otology and Neurotology, 2004, 25, 842-849.	0.7	8
31	Comparative proteomic analysis of mammalian animal tissues and body fluids: bovine proteome database. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 815, 157-168.	1.2	44
32	Analysis of protein fragmentation inhibition by an MMP-inhibitor in an in vivo model of heart failure using automated chromatography. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 819, 219-228.	1.2	0
33	Combination of two-dimensional electrophoresis and shotgun peptide sequencing in comparative proteomics. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 815, 3-9.	1.2	26
34	Dynamic electric field assisted multi-dimensional liquid chromatography of biological samples. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 817, 127-137.	1.2	4
35	Role of chromatographic techniques in proteomic analysis. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 815, 51-63.	1.2	90
36	On-line multidimensional liquid chromatography and capillary electrophoresis systems for peptides and proteins. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 817, 49-66.	1.2	62
37	A hybrid LCâ€"Gel-MS method for proteomics research and its application to protease functional pathway mapping. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 822, 98-111.	1.2	8

#	Article	IF	Citations
38	Ion mobilityâ€"mass spectrometry: a new paradigm for proteomics. International Journal of Mass Spectrometry, 2005, 240, 301-315.	0.7	282
39	Evaluation of multidimensional (ion-exchange/reversed-phase) protein separations using linear and step gradients in the first dimension. Journal of Chromatography A, 2005, 1079, 287-298.	1.8	17
40	Improved performance of comprehensive two-dimensional HPLC separation of traditional Chinese medicines by using a silica monolithic column and normalization of peak heights. Journal of Chromatography A, 2005, 1092, 191-198.	1.8	101
41	Two-dimensional separation system of coupling capillary liquid chromatography to capillary electrophoresis for analysis ofEscherichia coli metabolites. Electrophoresis, 2005, 26, 3468-3478.	1.3	24
42	The application of 2-D dual nanoscale liquid chromatography and triple quadrupole-linear ion trap system for the identification of proteins. Journal of Separation Science, 2005, 28, 1704-1711.	1.3	13
43	Intact-protein based sample preparation strategies for proteome analysis in combination with mass spectrometry. Mass Spectrometry Reviews, 2005, 24, 413-426.	2.8	79
44	Sample preparation for peptides and proteins in biological matrices prior to liquid chromatography and capillary zone electrophoresis. Analytical and Bioanalytical Chemistry, 2005, 382, 535-558.	1.9	42
45	Specific molecule localization in microchannel laminar flow and its application for non-immobilized-probe analysis. Analytical and Bioanalytical Chemistry, 2005, 382, 1477-1483.	1.9	4
46	Utility of electrophoretically derived protein mass estimates as additional constraints in proteome analysis of human serum based on MS/MS analysis. Proteomics, 2005, 5, 3376-3385.	1.3	30
47	Evaluation of prefractionation methods as a preparatory step for multidimensional based chromatography of serum proteins. Proteomics, 2005, 5, 3367-3375.	1.3	63
49	Proteomics in cancer vaccine development. Expert Review of Proteomics, 2005, 2, 229-241.	1.3	8
50	Proteome analysis of prostate cancer. Prostate Cancer and Prostatic Diseases, 2005, 8, 14-21.	2.0	27
51	Understanding the behaviour of pathogenic cells: proteome and metabolome analyses. , 2005, , 3-52.		0
52	The application of proteomics to diabetes. Diabetes and Vascular Disease Research, 2005, 2, 54-60.	0.9	21
53	High Throughput Quantitative Analysis of Serum Proteins Using Glycopeptide Capture and Liquid Chromatography Mass Spectrometry. Molecular and Cellular Proteomics, 2005, 4, 144-155.	2.5	187
54	Mass Spectrometry-based Expression Profiling of Clinical Prostate Cancer. Molecular and Cellular Proteomics, 2005, 4, 545-554.	2.5	61
55	How proteomics reveals potential biomarkers in brain diseases. Expert Review of Proteomics, 2005, 2, 901-913.	1.3	14
56	Interfacing reversed-phase nanoHPLC with ICP-MS and on-line isotope dilution analysis for the accurate quantification of selenium-containing peptides in protein tryptic digests. Journal of Analytical Atomic Spectrometry, 2005, 20, 1101.	1.6	79

#	Article	IF	Citations
57	Proteomic Analysis with Integrated Multiple Dimensional Liquid Chromatography/Mass Spectrometry Based on Elution of Ion Exchange Column Using pH Steps. Analytical Chemistry, 2005, 77, 5793-5799.	3.2	75
58	Profiling of Myelin Proteins by 2D-Gel Electrophoresis and Multidimensional Liquid Chromatography Coupled to MALDI TOFâ˜TOF Mass Spectrometry. Journal of Proteome Research, 2005, 4, 2283-2293.	1.8	90
59	LIQUID CHROMATOGRAPHY | Instrumentation. , 2005, , 205-213.		0
60	LIQUID CHROMATOGRAPHY | Multidimensional. , 2005, , 197-205.		0
62	Fast, Comprehensive Two-Dimensional HPLC Separation of Tryptic Peptides Based on High-Temperature HPLC. Journal of the American Chemical Society, 2005, 127, 5034-5035.	6.6	155
63	Chapter 4 Two-dimensional gel electrophoresis: the state of the art. Comprehensive Analytical Chemistry, 2005, 46, 253-274.	0.7	0
64	Microchannel protein separation by electric field gradient focusing. Lab on A Chip, 2005, 5, 587.	3.1	57
65	ELECTROPHORESIS | Two-Dimensional Gels. , 2005, , 407-419.		1
66	Selenopeptide mapping in a seleniumâ€“yeast protein digest by parallel nanoHPLC-ICP-MS and nanoHPLC-electrospray-MS/MS after on-line preconcentration. Journal of Analytical Atomic Spectrometry, 2006, 21, 26-32.	1.6	50
67	Two-Dimensional Microcolumn Separation Platform for Proteomics Consisting of On-Line Coupled Capillary Isoelectric Focusing and Capillary Electrochromatography. 1. Evaluation of the Capillary-Based Two-Dimensional Platform with Proteins, Peptides, and Human Serum. Journal of Proteome Research, 2006, 5, 2001-2008.	1.8	59
68	Lumbar Cerebrospinal Fluid Proteome in Multiple Sclerosis:Â Characterization by Ultrafiltration, Liquid Chromatography, and Mass Spectrometry. Journal of Proteome Research, 2006, 5, 1647-1657.	1.8	71
69	Towards exposure of elusive metabolic mixed-culture processes: the application of metaproteomic analyses to activated sludge. Water Science and Technology, 2006, 54, 217-226.	1.2	44
70	Proteome Analysis of Myxococcus xanthus by Off-Line Two-Dimensional Chromatographic Separation Using Monolithic Poly-(styrene-divinylbenzene) Columns Combined with Ion-Trap Tandem Mass Spectrometry. Journal of Proteome Research, 2006, 5, 2760-2768.	1.8	72
71	Capillary Array Reversed-Phase Liquid Chromatography-Based Multidimensional Separation System Coupled with MALDI-TOF-TOFâ˜MS Detection for High-Throughput Proteome Analysis. Journal of Proteome Research, 2006, 5, 3186-3196.	1.8	41
72	Alignment and statistical difference analysis of complex peptide data sets generated by multidimensional LC-MS. Proteomics, 2006, 6, 641-653.	1.3	81
73	Expressed proteome analysis of human hepatocellular carcinoma in nude mice (LCI-D20) with high metastasis potential. Proteomics, 2006, 6, 528-537.	1.3	30
74	Proteomics for the early detection and treatment of hepatocellular carcinoma. Oncogene, 2006, 25, 3810-3817.	2.6	69
75	Ion-interactionâ€“capillary zone electrophoresis of cationic proteomic peptide standards. Journal of Chromatography A, 2006, 1111, 192-199.	1.8	14

#	Article	IF	Citations
76	Micro-separation toward systems biology. Journal of Chromatography A, 2006, 1106, 19-28.	1.8	38
77	Off-line comprehensive two-dimensional high-performance liquid chromatography system with size exclusion column and reverse phase column for separation of complex traditional Chinese medicine Qingkailing injection. Journal of Chromatography A, 2006, 1127, 207-213.	1.8	36
78	One-step purification of a recombinant protein from a whole cell extract by reversed-phase high-performance liquid chromatography. Journal of Chromatography A, 2006, 1133, 248-253.	1.8	25
79	Recent Developments in Proteomics: Implications for the Study of Cardiac Hypertrophy and Failure. Cell Biochemistry and Biophysics, 2006, 44, 011-030.	0.9	29
80	Subcellular proteomics reveals neuromelanin granules to be a lysosome-related organelle. Journal of Neural Transmission, 2006, 113, 741-749.	1.4	42
81	Proteomics in neurodegeneration â€“ disease driven approaches. Journal of Neural Transmission, 2006, 113, 1055-1073.	1.4	31
82	Separation and identification of compounds in Adinandra nitida by comprehensive two-dimensional liquid chromatography coupled to atmospheric pressure chemical ionization source ion trap tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2006, 386, 586-593.	1.9	30
83	Recognition of terpenes using molecular imprinted polymer coated quartz crystal microbalance in air phase. Science and Technology of Advanced Materials, 2006, 7, 156-161.	2.8	45
84	Determination of intrinsic hydrophilicity/hydrophobicity of amino acid side chains in peptides in the absence of nearest-neighbor or conformational effects. Biopolymers, 2006, 84, 283-297.	1.2	123
85	Capillary electrophoresis-based separation techniques for the analysis of proteins. Electrophoresis, 2006, 27, 3503-3522.	1.3	72
86	Comprehensive two-dimensional HPLC to study the interaction of multiple components inRheum palmatum L. with HSA by coupling a silica-bonded HSA column to a silica monolithic ODS column. Journal of Separation Science, 2006, 29, 881-888.	1.3	40
87	Neuroproteomics in neurotrauma. Mass Spectrometry Reviews, 2006, 25, 380-408.	2.8	64
88	Proteome Analysis of an Aerobic Hyperthermophilic Crenarchaeon, Aeropyrum pernix K1. Molecular and Cellular Proteomics, 2006, 5, 811-823.	2.5	50
89	Genomic and proteomic biomarkers for diagnosis and prognosis of hepatocellular carcinoma. Biomarkers in Medicine, 2007, 1, 273-284.	0.6	19
90	Proteomics analysis of the developing fish oocyte. , 2007, , 99-111.		5
92	High throughput proteomic strategies for identifying tumour-associated antigens. Cancer Letters, 2007, 249, 110-119.	3.2	66
93	Two-Dimensional Reversed-Phase Ã— Ion-Pair Reversed-Phase HPLC:â€‰ An Alternative Approach to High-Resolution Peptide Separation for Shotgun Proteome Analysis. Journal of Proteome Research, 2007, 6, 4363-4373.	1.8	121
94	Redox stress proteins are involved in adaptation response of the hyperthermoacidophilic archaeon Sulfolobus solfataricus to nickel challenge. Microbial Cell Factories, 2007, 6, 25.	1.9	11

#	Article	IF	Citations
95	Several new electrofocusing techniques. Electrophoresis, 2007, 28, 15-25.	1.3	33
96	A fully automated 2â€D LCâ€MS method utilizing online continuous pH and RP gradients for global proteome analysis. Electrophoresis, 2007, 28, 4311-4319.	1.3	47
97	Stability and repeatability of capillary columns based on porous monoliths of poly(butyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 662 Td (m	1.8	113
98	Trends in sample preparation for classical and second generation proteomics. Journal of Chromatography A, 2007, 1153, 235-258.	1.8	167
99	Comprehensive two-dimensional liquid chromatography in analysis of Lamiaceae herbs: Characterisation and quantification of antioxidant phenolic acids. Journal of Chromatography A, 2007, 1145, 155-164.	1.8	175
100	High-performance liquid chromatography with contactless conductivity detection for the determination of peptides and proteins using a monolithic capillary column. Journal of Chromatography A, 2007, 1176, 185-191.	1.8	28
101	Advances in hyphenated analytical techniques for shotgun proteome and peptidome analysisâ€"A review. Analytica Chimica Acta, 2007, 598, 193-204.	2.6	54
102	Two dimensional liquid phase separations of proteins using online fractionation and concentration between chromatographic dimensions. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 847, 103-113.	1.2	23
103	Simultaneous detection of Nâ€terminal fragment ions in a protein mixture using a ruthenium(II) complex. Rapid Communications in Mass Spectrometry, 2007, 21, 2647-2653.	0.7	5
104	Structural protein analysis of the polyvalent staphylococcal bacteriophage 812. Proteomics, 2007, 7, 64-72.	1.3	33
105	Automation of nanoflow liquid chromatography-tandem mass spectrometry for proteome analysis by using a strong cation exchange trap column. Proteomics, 2007, 7, 528-539.	1.3	38
106	Multidimensional Chromatography:â€‰ a Powerful Tool for the Analysis of Membrane Proteins in Mouse Brain. Journal of Proteome Research, 2007, 6, 105-113.	1.8	37
107	Evaluation and Optimization of ZIC-HILIC-RP as an Alternative MudPIT Strategy. Journal of Proteome Research, 2007, 6, 937-946.	1.8	182
108	Hydrophilic interaction liquid chromatography (HILIC) in proteomics. Analytical and Bioanalytical Chemistry, 2008, 391, 151-159.	1.9	234
109	Comprehensive two-dimensional liquid chromatography in the analysis of antioxidant phenolic compounds in wines and juices. Analytical and Bioanalytical Chemistry, 2008, 391, 373-380.	1.9	50
110	Twoâ€dimensional liquid chromatography coupled with mass spectrometry for the analysis of Lobelia chinensis Lour. using an ESI/APCI multimode ion source. Journal of Separation Science, 2008, 31, 2388-2394.	1.3	35
111	Characterization of voltage degradation in dynamic field gradient focusing. Electrophoresis, 2008, 29, 1013-1025.	1.3	17
112	Recent development of multi-dimensional chromatography strategies in proteome research. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 866, 123-132.	1.2	73

#	Article	IF	Citations
113	Trypsin immobilization on three monolithic disks for on-line protein digestion. Journal of Pharmaceutical and Biomedical Analysis, 2008, 48, 398-407.	1.4	49
114	Comprehensive multidimensional liquid chromatography: Theory and applications. Journal of Chromatography A, 2008, 1184, 353-368.	1.8	299
115	Proteomic Analysis for the Assessment of Different Lots of Fetal Bovine Serum as a Raw Material for Cell Culture. Part IV. Application of Proteomics to the Manufacture of Biological Drugs. Biotechnology Progress, 2008, 22, 1294-1300.	1.3	258
116	Biomolecule Analysis by Ion Mobility Spectrometry. Annual Review of Analytical Chemistry, 2008, 1, 293-327.	2.8	437
117	pH gradient reversed-phase liquid chromatography as a fractionation tool for the separation of peptides. Talanta, 2008, 75, 76-82.	2.9	8
118	Onâ€line Method for Identification of Native Proteins using pHâ€Gradient SAX Chromatography and Reversed Phase Chromatographyâ€Mass Spectrometry of Tryptic Peptides. Journal of Liquid Chromatography and Related Technologies, 2008, 31, 1387-1411.	0.5	8
119	Evaluation of Comprehensive Multidimensional Separations Using Reversed-Phase, Reversed-Phase Liquid Chromatography/Mass Spectrometry for Shotgun Proteomics. Journal of Proteome Research, 2008, 7, 1007-1011.	1.8	55
120	Identification and Characterization of Sulfolobus solfataricus P2 Proteome Using Multidimensional Liquid Phase Protein Separations. Journal of Proteome Research, 2008, 7, 2253-2261.	1.8	14
121	Digestion of Native Proteins for Proteomics Using a Thermocycler. Analytical Chemistry, 2008, 80, 6093-6099.	3.2	30
122	Integral Protein Microarrays for the Identification of Lung Cancer Antigens in Sera That Induce a Humoral Immune Response. Molecular and Cellular Proteomics, 2008, 7, 268-281.	2.5	58
123	Occurrence of Autoantibodies to Annexin I, 14-3-3 Theta and LAMR1 in Prediagnostic Lung Cancer Sera. Journal of Clinical Oncology, 2008, 26, 5060-5066.	0.8	178
126	Discriminating Among Coâ€monomer Sequence Distributions in Random Copolymers Using Interaction Chromatography. Macromolecular Rapid Communications, 2009, 30, 1543-1548.	2.0	15
127	Microfluidic chips for mass spectrometryâ€based proteomics. Journal of Mass Spectrometry, 2009, 44, 579-593.	0.7	119
128	Separation with zwitterionic hydrophilic interaction liquid chromatography improves protein identification by matrixâ€assisted laser desorption/ionizationâ€based proteomic analysis. Biomedical Chromatography, 2009, 23, 607-614.	0.8	23
129	Comparison of electrospray and matrix-assisted laser desorption ionization on the same hybrid quadrupole time-of-flight tandem mass spectrometer. Journal of Chromatography A, 2009, 1216, 2424-2432.	1.8	27
130	Membrane Protein Preparation Using Aqueous Polymer Two-Phase Systems. Springer Protocols, 2009, , 159-164.	0.1	0
131	Updated Biological Roles for Matrix Metalloproteinases and New â€œIntracellularâ€•Substrates Revealed by Degradomics. Biochemistry, 2009, 48, 10830-10845.	1.2	195
132	Recent advances in proteolysis and peptide/protein separation by chromatographic strategies. Science China Chemistry, 2010, 53, 685-694.	4.2	6

#	Article	IF	Citations
133	Proteomic analysis of Giardia: Studies from the pre- and post-genomic era. Experimental Parasitology, 2010, 124, 26-30.	0.5	9
134	Development of liquid chromatography/mass spectrometry methods for the quantitative analysis of herbal medicine in biological fluids: a review. Biomedical Chromatography, 2010, 24, 91-103.	0.8	48
135	Stable isotope labeling method targeting terminal tyrosine for relative peptide quantitation using mass spectrometry. Analytical Biochemistry, 2010, 401, 15-21.	1.1	6
136	Advances and challenges in biomarker development for type 1 diabetes prediction and prevention using â€˜omicâ€™ technologies. Expert Opinion on Medical Diagnostics, 2010, 4, 397-410.	1.6	7
137	Deciphering proteins and their functions in the regenerating retina. Expert Review of Proteomics, 2010, 7, 775-795.	1.3	5
138	Authenticity Determination of Meat and Meat Products on the Protein and DNA Basis. Food Reviews International, 2010, 27, 84-100.	4.3	60
139	Pooling Aqueous Humor Samples: Bias in 2D-LC-MS/MS Strategy?. Journal of Proteome Research, 2010, 9, 789-797.	1.8	23
140	Development of multidimensional liquid chromatography and application in proteomic analysis. Expert Review of Proteomics, 2010, 7, 665-678.	1.3	18
141	Sensitive and Reproducible Intact Mass Analysis of Complex Protein Mixtures with Superficially Porous Capillary Reversed-Phase Liquid Chromatography Mass Spectrometry. Analytical Chemistry, 2011, 83, 9586-9592.	3.2	39
142	Integrated Multifunctional Microfluidics for Automated Proteome Analyses. Topics in Current Chemistry, 2011, 304, 261-294.	4.0	7
143	Zwitterionic Hydrophilic Interaction Liquid Chromatography (ZIC-HILIC and ZIC-cHILIC) Provide High Resolution Separation and Increase Sensitivity in Proteome Analysis. Analytical Chemistry, 2011, 83, 3440-3447.	3.2	128
144	Understanding and optimizing electrospray ionization techniques for proteomic analysis. Expert Review of Proteomics, 2011, 8, 197-209.	1.3	25
145	Comprehensive chromatographic separations in proteomics. Journal of Chromatography A, 2011, 1218, 8777-8790.	1.8	39
147	Proteomic Analysis of Bacillus thuringiensis at Different Growth Phases by Using an Automated Online Two-Dimensional Liquid Chromatography-Tandem Mass Spectrometry Strategy. Applied and Environmental Microbiology, 2012, 78, 5270-5279.	1.4	28
148	Comprehensive multidimensional separations for the analysis of petroleum. Journal of Chromatography A, 2012, 1255, 12-23.	1.8	61
149	Robust Two-Dimensional Separation of Intact Proteins for Bottom-Up Tandem Mass Spectrometry of the Human CSF Proteome. Journal of Proteome Research, 2012, 11, 3143-3149.	1.8	16
151	The potential for clinical applications using a new ionization method combined with ion mobility spectrometry-mass spectrometry. International Journal for Ion Mobility Spectrometry, 2013, 16, 145-159.	1.4	33
152	Preparation and characterization of a novel dualâ€retention mechanism mixedâ€mode stationary phase with PEG 400 and succinic anhydride as ligand for protein separation in WCX and HIC modes. Biomedical Chromatography, 2013, 27, 1741-1753.	0.8	12

#	Article	IF	Citations
153	Peptide-tight ESI/MSn analysis with segment of liquid chromatography effluent. Analytical Methods, 2013, 5, 3371.	1.3	2
154	Multimodal liquid chromatography of small molecules. Analytical Methods, 2013, 5, 4955.	1.3	30
155	Autoantibody Signatures Involving Glycolysis and Splicesome Proteins Precede a Diagnosis of Breast Cancer among Postmenopausal Women. Cancer Research, 2013, 73, 1502-1513.	0.4	57
157	Application of two-dimensional electrophoresis and mass spectrometry to screen endometriosis-related proteins. Molecular Medicine Reports, 2014, 10, 95-100.	1.1	2
158	Microfluidics for the analysis of membrane proteins: How do we get there?. Electrophoresis, 2014, 35, 2253-2266.	1.3	2
159	Gel electrophoretic separation of proteins from cultured neuroendocrine tumor cell lines. Molecular Medicine Reports, 2015, 11, 1407-1415.	1.1	9
160	An Autoimmune Response Signature Associated with the Development of Triple-Negative Breast Cancer Reflects Disease Pathogenesis. Cancer Research, 2015, 75, 3246-3254.	0.4	33
161	Quantitative proteomics in Giardia duodenalis â€"Achievements and challenges. Molecular and Biochemical Parasitology, 2016, 208, 96-112.	0.5	20
162	Study of Separation and Identification of the Active Ingredients inGardenia jasminoidesEllis Based on a Two-Dimensional Liquid Chromatography by Coupling Reversed Phase Liquid Chromatography and Hydrophilic Interaction Liquid Chromatography. Journal of Chromatographic Science, 2017, 55, 75-81.	0.7	8
163	Two-dimensional liquid chromatography consisting of twelve second-dimension columns for comprehensive analysis of intact proteins. Talanta, 2018, 182, 225-229.	2.9	15
164	Two-dimensional chromatographic analysis using three second-dimension columns for continuous comprehensive analysis of intact proteins. Talanta, 2018, 179, 588-593.	2.9	13
165	Comprehensive multidimensional liquid chromatography for advancing environmental and natural products research. TrAC - Trends in Analytical Chemistry, 2019, 116, 186-197.	5.8	29
166	Proteomic Analysis and Functional Validation of a Brassica oleracea Endochitinase Involved in Resistance to Xanthomonas campestris. Frontiers in Plant Science, 2019, 10, 414.	1.7	13
168	Multidimensional liquid chromatography and capillary electrophoresis coupled to high-resolution detectors applied to complex environmental samples. , 2020, , 169-208.		0
169	Proteomic Characterization of Lingzhi. Compendium of Plant Genomes, 2021, , 117-129.	0.3	0
170	Harnessing the power of electrophoresis and chromatography: Offline coupling of reverse phase liquid chromatographyâ€capillary zone electrophoresisâ€tandem mass spectrometry for analysis of host cell proteins in monoclonal antibody producing CHO cell line. Electrophoresis, 2021, 42, 735-741.	1.3	13
171	Proteomic Strategies of Therapeutic Individualization and Target Discovery in Acute Myeloid Leukemia. , 2008, , 161-187.		3
172	The role of liquid chromatography in proteomics. Journal of Chromatography A, 2004, 1053, 27-36.	1.8	59

#	Article	IF	Citations
174	Analytical methods for proteome data obtained from SDS-PAGE multi-dimensional separation and mass spectrometry. Journal of Analytical Science and Technology, 2010, 1, 1-14.	1.0	6
175	Biomimetic MIP Terpene Sensors Adding Conductive Polymers. Journal of Sensor Science and Technology, 2012, 21, 345-351.	0.1	4
177	Middle-Out Proteomics. , 2005, , 387-417.		0
180	Techniques in Plant Proteomics. , 2010, , 469-491.		0
182	Proteomics and Functional Proteomics. , 2011, , 591-612.		0
183	Detection and Determination of Heteroatom-Containing Molecules by HPLC: Inductively Coupled Plasma Mass Spectrometry. , 2011, , 161-186.		0
184	Emerging Concepts and Strategies for Genomics and Breeding. , 2013, , 241-283.		0
186	Multistep mass tagging coupled with 2D LC-MS--an approach to increasing the number of identified proteins. Journal of Biomolecular Techniques, 2005, 16, 190-6.	0.8	3
188	Nanoâ€LC: An updated review. Biomedical Chromatography, 2022, 36, e5317.	0.8	10
196	Comparing Offline Hplc Fractionation of Peptides Versus Intact Proteins to Enhance Detection of Low Abundance Proteins in Liquid Chromatographyâ€"Tandem MassÂSpectrometry. SSRN Electronic Journal, 0, , .	0.4	0