

CITATION REPORT

List of articles citing

On-line clean-up by multidimensional liquid chromatography-electrospray ionization tandem mass spectrometry for high throughput quantification of primary and secondary phthalate metabolites in human urine

DOI: 10.1016/s1570-0232(02)00785-7

Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2003, 784, 169-82.

Source: <https://exaly.com/paper-pdf/35311561/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
169	Current literature in mass spectrometry. 2003 , 38, 588-95		
168	Internal exposure of the general population to DEHP and other phthalates--determination of secondary and primary phthalate monoester metabolites in urine. <i>Environmental Research</i> , 2003 , 93, 177-85	7.9	264
167	Urinary levels of seven phthalate metabolites in the U.S. population from the National Health and Nutrition Examination Survey (NHANES) 1999-2000. <i>Environmental Health Perspectives</i> , 2004 , 112, 331-8	8.4	708
166	NTP center for the evaluation of risks to human reproduction reports on phthalates: addressing the data gaps. 2004 , 18, 759-60; author reply 761-4		7
165	Response to Dr. Koch's letter. 2004 , 18, 761-764		1
164	DEHP metabolites in urine of children and DEHP in house dust. <i>International Journal of Hygiene and Environmental Health</i> , 2004 , 207, 409-17	6.9	260
163	Di(2-ethylhexyl)phthalate (DEHP) metabolites in human urine and serum after a single oral dose of deuterium-labelled DEHP. <i>Archives of Toxicology</i> , 2004 , 78, 123-30	5.8	296
162	Sensitive biomonitoring of phthalate metabolites in human urine using packed capillary column switching liquid chromatography coupled to electrospray ionization ion-trap mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2004 , 378, 1762-8	4.4	23
161	Automated solid phase extraction and quantitative analysis of human milk for 13 phthalate metabolites. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004 , 805, 49-56	3.2	167
160	Analysis of human urine for fifteen phthalate metabolites using automated solid-phase extraction. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004 , 805, 161-7	3.2	144
159	High-throughput chromatographic approaches to liquid chromatographic/tandem mass spectrometric bioanalysis to support drug discovery and development. <i>Analytica Chimica Acta</i> , 2004 , 509, 1-9	6.6	35
158	Internal exposure of nursery-school children and their parents and teachers to di(2-ethylhexyl)phthalate (DEHP). <i>International Journal of Hygiene and Environmental Health</i> , 2004 , 207, 15-22	6.9	148
157	Phthalate Esters. 2005 , 1103-1153		
156	Chromatographic Analysis of Endocrine Disrupting Chemicals in the Environment. 2005 , 1241-1267		
155	Biological monitoring of the five major metabolites of di(2-ethylhexyl)phthalate (DEHP) in human urine using column-switching liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005 , 816, 269-80	3.2	131
154	Di(2-ethylhexyl)phthalate (DEHP) exposure of voluntary plasma and platelet donors. <i>International Journal of Hygiene and Environmental Health</i> , 2005 , 208, 489-98	6.9	53
153	Ion/molecule reactions in a miniature RIT mass spectrometer. 2005 , 40, 1403-11		17

152	New metabolites of di(2-ethylhexyl)phthalate (DEHP) in human urine and serum after single oral doses of deuterium-labelled DEHP. <i>Archives of Toxicology</i> , 2005 , 79, 367-76	5.8	393
151	Intravenous exposure to di(2-ethylhexyl)phthalate (DEHP): metabolites of DEHP in urine after a voluntary platelet donation. <i>Archives of Toxicology</i> , 2005 , 79, 689-93	5.8	42
150	Exposure of nursery school children and their parents and teachers to di-n-butylphthalate and butylbenzylphthalate. 2005 , 78, 223-9		58
149	Isolation of antifouling active pyroglutamic acid, triethyl citrate and di-n-octylphthalate from the brown seaweed <i>Ishige okamurae</i> . 2005 , 17, 431-435		17
148	Automated solid-phase extraction and quantitative analysis of 14 phthalate metabolites in human serum using isotope dilution-high-performance liquid chromatography-tandem mass spectrometry. <i>Journal of Analytical Toxicology</i> , 2005 , 29, 819-24	2.9	44
147	Phthalates and human health. 2005 , 62, 806-18		619
146	Human monitoring of phthalates and risk assessment. 2005 , 68, 1379-92		52
145	Determination of 16 phthalate metabolites in urine using automated sample preparation and on-line preconcentration/high-performance liquid chromatography/tandem mass spectrometry. <i>Analytical Chemistry</i> , 2005 , 77, 2985-91	7.8	184
144	Mono-(3-carboxypropyl) phthalate, a metabolite of di-n-octyl phthalate. 2006 , 69, 215-27		44
143	Urinary oxidative metabolites of di(2-ethylhexyl) phthalate in humans. 2006 , 219, 22-32		91
142	Di(2-ethylhexyl)phthalate (DEHP): human metabolism and internal exposure-- an update and latest results. 2006 , 29, 155-65; discussion 181-5		392
141	A environmentally friendly reversed-phase liquid chromatography method for phthalates determination in nail cosmetics. <i>Analytica Chimica Acta</i> , 2006 , 555, 238-241	6.6	59
140	Automated on-line liquid chromatography-photodiode array-mass spectrometry method with dilution line for the determination of bisphenol A and 4-octylphenol in serum. <i>Journal of Chromatography A</i> , 2006 , 1133, 142-8	4.5	62
139	Development of restricted-access media supports and their application to the direct analysis of biological fluid samples via high-performance liquid chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2006 , 384, 1462-9	4.4	95
138	Two-dimensional reverse phase-reverse phase chromatography: A simple and robust platform for sensitive quantitative analysis of peptides by LC/MS. Hardware design. 2006 , 29, 538-46		17
137	Integrating biomonitoring exposure data into the risk assessment process: phthalates [diethyl phthalate and di(2-ethylhexyl) phthalate] as a case study. <i>Environmental Health Perspectives</i> , 2006 , 114, 1783-9	8.4	149
136	Antifouling properties of plasticizers BPBG and DNOP against algal spore and mussel attachment. 2006 , 49,		
135	Hershberger assay for antiandrogenic effects of phthalates. 2007 , 70, 1365-70		58

134	Metabolism of phthalates in humans. 2007 , 51, 899-911		350
133	Determination of secondary, oxidised di-iso-nonylphthalate (DINP) metabolites in human urine representative for the exposure to commercial DINP plasticizers. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007 , 847, 114-25	3.2	88
132	Di-n-butylphthalate and butylbenzylphthalate - urinary metabolite levels and estimated daily intakes: pilot study for the German Environmental Survey on children. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2007 , 17, 378-87	6.7	119
131	Di-iso-nonylphthalate (DINP) metabolites in human urine after a single oral dose of deuterium-labelled DINP. <i>International Journal of Hygiene and Environmental Health</i> , 2007 , 210, 9-19	6.9	125
130	Daily intake of di(2-ethylhexyl)phthalate (DEHP) by German children -- A comparison of two estimation models based on urinary DEHP metabolite levels. <i>International Journal of Hygiene and Environmental Health</i> , 2007 , 210, 35-42	6.9	122
129	Internal phthalate exposure over the last two decades--a retrospective human biomonitoring study. <i>International Journal of Hygiene and Environmental Health</i> , 2007 , 210, 319-33	6.9	226
128	Phthalates: toxicology and exposure. <i>International Journal of Hygiene and Environmental Health</i> , 2007 , 210, 623-34	6.9	965
127	Ableitung von Human-Biomonitoring-(HBM-) Werten auf der Basis tolerabler Aufnahmemengen Teil III: HBM-Werte für Di(2-ethylhexyl)phthalat (DEHP). 2007 , 50, 255-259		12
126	Fast determination of urinary S-phenylmercapturic acid (S-PMA) and S-benzylmercapturic acid (S-BMA) by column-switching liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008 , 863, 283-92	3.2	55
125	Biological monitoring of occupational exposure to di(2-ethylhexyl) phthalate: survey of workers exposed to plastisols. 2008 , 81, 959-66		14
124	Urinary metabolite concentrations of organophosphorous pesticides, bisphenol A, and phthalates among pregnant women in Rotterdam, the Netherlands: the Generation R study. <i>Environmental Research</i> , 2008 , 108, 260-7	7.9	243
123	Time- and dose-related effects of di-(2-ethylhexyl) phthalate and its main metabolites on the function of the rat fetal testis in vitro. <i>Environmental Health Perspectives</i> , 2009 , 117, 515-21	8.4	94
122	Automated solid-phase extraction approaches for large scale biomonitoring studies. 2009 , 47, 12-8		24
121	Advances in chromatography coupled to mass spectrometry-related techniques for analysis of endocrine disruptors in food. 2009 , 149-182		1
120	Fetal exposure to phthalates--a pilot study. <i>International Journal of Hygiene and Environmental Health</i> , 2009 , 212, 492-8	6.9	121
119	Urinary di(2-ethylhexyl)phthalate (DEHP)--metabolites and male human markers of reproductive function. <i>International Journal of Hygiene and Environmental Health</i> , 2009 , 212, 648-53	6.9	49
118	GerES IV: phthalate metabolites and bisphenol A in urine of German children. <i>International Journal of Hygiene and Environmental Health</i> , 2009 , 212, 685-92	6.9	235
117	Determination of di-(2-ethylhexyl)phthalate in environmental samples by liquid chromatography coupled with mass spectrometry. 2009 , 32, 1383-9		7

116	Lactational exposure to phthalates in Southern Italy. <i>Environment International</i> , 2009 , 35, 236-9	12.9	62
115	Determination of total and free mono-n-butyl phthalate in human urine samples after medication of a di-n-butyl phthalate containing capsule. 2009 , 188, 33-7		38
114	Ultra-trace determination of phthalate ester metabolites in seawater, sediments, and biota from an urbanized marine inlet by LC/ESI-MS/MS. <i>Environmental Science & Technology</i> , 2009 , 43, 6262-8	10.3	99
113	Phthalates Biomarker Identification and Exposure Estimates in a Population of Pregnant Women. 2009 , 15, 565-578		32
112	Phthalates in house dust. <i>Environment International</i> , 2009 , 35, 965-70	12.9	135
111	Exposure patterns of UV filters, fragrances, parabens, phthalates, organochlor pesticides, PBDEs, and PCBs in human milk: correlation of UV filters with use of cosmetics. 2010 , 81, 1171-83		300
110	Plasma phthalate levels in pubertal gynecomastia. 2010 , 125, e122-9		101
109	A twenty-volunteer study using deuterium labelling to determine the kinetics and fractional excretion of primary and secondary urinary metabolites of di-2-ethylhexylphthalate and di-iso-nonylphthalate. 2011 , 49, 2022-9		107
108	Estimated daily intake of phthalates in occupationally exposed groups. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2011 , 21, 133-41	6.7	49
107	Exposure to phthalates in 5-6 years old primary school starters in Germany--a human biomonitoring study and a cumulative risk assessment. <i>International Journal of Hygiene and Environmental Health</i> , 2011 , 214, 188-95	6.9	132
106	Trends of the internal phthalate exposure of young adults in Germany--follow-up of a retrospective human biomonitoring study. <i>International Journal of Hygiene and Environmental Health</i> , 2011 , 215, 36-45	6.9	70
105	Phthalate exposure in pregnant women and their children in central Taiwan. 2011 , 82, 947-55		168
104	Biological monitoring of exposure to di(2-ethylhexyl) phthalate in six French factories: a field study. 2011 , 84, 523-31		18
103	Rapid determination of urinary di(2-ethylhexyl) phthalate metabolites based on liquid chromatography/tandem mass spectrometry as a marker for blood transfusion in sports drug testing. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 401, 517-28	4.4	31
102	Gas-chromatography mass-spectrometry determination of phthalic acid in human urine as a biomarker of folpet exposure. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 400, 493-502	4.4	6
101	Presence of phthalates in contact lens and cleaning solutions. <i>Microchemical Journal</i> , 2011 , 99, 108-113	4.8	14
100	Bisphenol A in 24 h urine and plasma samples of the German Environmental Specimen Bank from 1995 to 2009: a retrospective exposure evaluation. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2012 , 22, 610-6	6.7	127
99	Accuracy investigation of phthalate metabolite standards. <i>Journal of Analytical Toxicology</i> , 2012 , 36, 270-9	2.9	19

98	Exposure to di(2-ethylhexyl) phthalate in premature neonates in a neonatal intensive care unit in Taiwan. 2012 , 13, 671-7		32
97	Die Verwendung der Flüssigkeitschromatographie / Massenspektrometrie (LC/MS) im biologischen Monitoring [Biomonitoring Methods in German language, 2008]. 2012 , 411-470		
96	The use of liquid chromatography/mass spectrometry (LC/MS) in biological monitoring [Biomonitoring Methods, 2007]. 2012 , 3-52		2
95	Phthalate exposure during cold plastisol application--a human biomonitoring study. 2012 , 213, 100-6		29
94	Pharmacokinetics of bisphenol A in serum and adipose tissue following intravenous administration to adult female CD-1 mice. 2012 , 211, 114-9		37
93	Endocrine disrupting chemicals affect the adipogenic differentiation of mesenchymal stem cells in distinct ontogenetic windows. 2012 , 417, 747-52		55
92	Analytical method for the sensitive determination of major di-(2-propylheptyl)-phthalate metabolites in human urine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 908, 128-36	3.2	37
91	Determination of five di-(2-ethylhexyl)phthalate metabolites in urine by UPLC-MS/MS, markers of blood transfusion misuse in sports. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 908, 113-21	3.2	25
90	Di(2-ethylhexyl)phthalat (DEHP)-Metabolite: 2-Ethyl-5-hydroxyhexyl-phthalat (5OH-MEHP), 2-Ethyl-5-oxohexylphthalat (5oxo-MEHP), Mono(2-ethylhexyl)-phthalat (MEHP) [Biomonitoring Methods in German language, 2008]. 2012 , 1-21		1
89	Di(2-ethylhexyl) phthalate (DEHP) metabolites (2-ethyl-5-hydroxyhexyl phthalate (5OH-MEHP), 2-ethyl-5-oxohexyl phthalate (5oxo-MEHP), mono(2-ethylhexyl) phthalate (MEHP)) [Biomonitoring Methods, 2007]. 2012 , 73-95		
88	Analytical methods for selected emerging contaminants in human matrices-a review. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 404, 2555-81	4.4	28
87	Sampling and analytical methods for assessing the levels of organic pollutants in the atmosphere: PAH, phthalates and psychotropic substances: a short review. 2012 , 19, 1915-26		26
86	Levels of phthalate metabolites in urine among mother-child-pairs - results from the Duisburg birth cohort study, Germany. <i>International Journal of Hygiene and Environmental Health</i> , 2012 , 215, 373-82	6.9	100
85	Quantification of biomarkers of environmental exposure to di(isononyl)cyclohexane-1,2-dicarboxylate (DINCH) in urine via HPLC-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 895-896, 123-30	3.2	58
84	Metabolism of the plasticizer and phthalate substitute diisononyl-cyclohexane-1,2-dicarboxylate (DINCH(□)) in humans after single oral doses. <i>Archives of Toxicology</i> , 2013 , 87, 799-806	5.8	77
83	Direct analysis of phthalate ester biomarkers in urine without preconcentration: method validation and monitoring. <i>Journal of Chromatography A</i> , 2013 , 1294, 25-32	4.5	33
82	Identifying sources of phthalate exposure with human biomonitoring: results of a 48h fasting study with urine collection and personal activity patterns. <i>International Journal of Hygiene and Environmental Health</i> , 2013 , 216, 672-81	6.9	213
81	Exposure to brominated flame retardants, perfluorinated compounds, phthalates and phenols in European birth cohorts: ENRIECO evaluation, first human biomonitoring results, and recommendations. <i>International Journal of Hygiene and Environmental Health</i> , 2013 , 216, 230-42	6.9	62

80	The concentration of bisphenol A in urine is affected by specimen collection, a preservative, and handling. <i>Environmental Research</i> , 2013 , 126, 211-4	7.9	24
79	Phthalate exposure in pregnant women and newborns - the urinary metabolite excretion pattern differs distinctly. <i>International Journal of Hygiene and Environmental Health</i> , 2013 , 216, 735-42	6.9	46
78	Polythiophene-coated Fe ₃ O ₄ superparamagnetic nanocomposite: synthesis and application as a new sorbent for solid-phase extraction. <i>Analytica Chimica Acta</i> , 2013 , 770, 68-74	6.6	114
77	Separation of phthalates by cyclodextrin modified micellar electrokinetic chromatography: quantitation in perfumes. <i>Analytica Chimica Acta</i> , 2013 , 782, 67-74	6.6	16
76	Magnetic solid-phase extraction based on magnetic multi-walled carbon nanotubes for the determination of phthalate monoesters in urine samples. <i>Journal of Chromatography A</i> , 2013 , 1286, 22-84	4.5	91
75	Di 2-ethylhexylphthalate in the aquatic and terrestrial environment: a critical review. 2013 , 127, 36-49		81
74	Rapid determination of N-acetyl-4-aminophenol (paracetamol) in urine by tandem mass spectrometry coupled with on-line clean-up by two dimensional turbulent flow/reversed phase liquid chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013 , 925, 33-9	3.2	28
73	Restricted access media as a streamlined approach toward on-line sample preparation: recent advancements and applications. 2013 , 36, 2922-38		50
72	Exposure to phthalic acid, phthalate diesters and phthalate monoesters from foodstuffs: UK total diet study results. 2013 , 30, 735-42		43
71	Effects of the environmental contaminants DEHP and TCDD on estradiol synthesis and aryl hydrocarbon receptor and peroxisome proliferator-activated receptor signalling in the human granulosa cell line KGN. 2014 , 20, 919-28		43
70	The European COPHES/DEMOCOPHES project: towards transnational comparability and reliability of human biomonitoring results. <i>International Journal of Hygiene and Environmental Health</i> , 2014 , 217, 653-61	6.9	71
69	Analysis of phthalate acid esters in environmental water by magnetic graphene solid phase extraction coupled with gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2014 , 1329, 24-9	4.5	104
68	Simultaneous determination of some phthalate metabolites, parabens and benzophenone-3 in urine by ultra high pressure liquid chromatography tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 949-950, 37-47	3.2	66
67	Phthalate metabolites and bisphenol A in urines from German school-aged children: results of the Duisburg birth cohort and Bochum cohort studies. <i>International Journal of Hygiene and Environmental Health</i> , 2014 , 217, 830-8	6.9	46
66	Determinants of bisphenol A and phthalate metabolites in urine of Flemish adolescents. <i>Environmental Research</i> , 2014 , 134, 110-7	7.9	42
65	Rapid determination of nine parabens and seven other environmental phenols in urine samples of German children and adults. <i>International Journal of Hygiene and Environmental Health</i> , 2014 , 217, 845-53	6.9	56
64	Transdermal Uptake of Diethyl Phthalate and Di(n-butyl) Phthalate Directly from Air: Experimental Verification. <i>Environmental Health Perspectives</i> , 2015 , 123, 928-34	8.4	126
63	Prenatal and postnatal exposure to phthalate esters and asthma: a 9-year follow-up study of a taiwanese birth cohort. <i>PLoS ONE</i> , 2015 , 10, e0123309	3.7	62

62	Fetal and Childhood Exposure to Phthalate Diesters and Cognitive Function in Children Up to 12 Years of Age: Taiwanese Maternal and Infant Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0131910	3.7	52
61	Age and Gender Differences in Urinary Levels of Eleven Phthalate Metabolites in General Taiwanese Population after a DEHP Episode. <i>PLoS ONE</i> , 2015 , 10, e0133782	3.7	28
60	Human biomonitoring of phthalate exposure in Austrian children and adults and cumulative risk assessment. <i>International Journal of Hygiene and Environmental Health</i> , 2015 , 218, 489-99	6.9	82
59	On-line solid-phase extraction and HPLC determination of phthalic acid monoesters including desorption with subcritical water. <i>Moscow University Chemistry Bulletin</i> , 2015 , 70, 237-241	0.5	5
58	Determination of 18 phthalate metabolites in human urine using a liquid chromatography-tandem mass spectrometer equipped with a core-shell column for rapid separation. <i>Analytical Methods</i> , 2015 , 7, 8048-8059	3.2	13
57	Case study: Possible differences in phthalates exposure among the Czech, Hungarian, and Slovak populations identified based on the DEMOCOPHES pilot study results. <i>Environmental Research</i> , 2015 , 141, 118-24	7.9	23
56	Determination of 12 urinary phthalate metabolites in Norwegian pregnant women by core-shell high performance liquid chromatography with on-line solid-phase extraction, column switching and tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 1002, 343-52	3.2	30
55	Insight into the retention processes of phthalate metabolites on different liquid chromatography stationary phases for the development of improved separation methods. <i>Journal of Chromatography A</i> , 2015 , 1423, 86-95	4.5	2
54	Simultaneous determination of polyvinylchloride plasticizers di(2-ethylhexyl) phthalate and tri(2-ethylhexyl) trimellitate and its degradation products in blood by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2015 , 1410, 173-80	4.5	27
53	Prenatal exposure to phthalate ester and pubertal development in a birth cohort in central Taiwan: a 12-year follow-up study. <i>Environmental Research</i> , 2015 , 136, 324-30	7.9	29
52	Feasibility of ultra-high performance liquid and gas chromatography coupled to mass spectrometry for accurate determination of primary and secondary phthalate metabolites in urine samples. <i>Analytica Chimica Acta</i> , 2015 , 853, 625-636	6.6	29
51	Phthalate Metabolites, Consumer Habits and Health Effects. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	16
50	Association of diethylhexyl phthalate with obesity-related markers and body mass change from birth to 3 months of age. <i>Journal of Epidemiology and Community Health</i> , 2016 , 70, 466-72	5.1	55
49	Removal of endocrine disruptor di-(2-ethylhexyl)phthalate by modified polythiophene-coated magnetic nanoparticles: characterization, adsorption isotherm, kinetic study, thermodynamics. <i>RSC Advances</i> , 2016 , 6, 44655-44667	3.7	14
48	Metabolism and urinary excretion kinetics of di(2-ethylhexyl) terephthalate (DEHTP) in three male volunteers after oral dosage. <i>Archives of Toxicology</i> , 2016 , 90, 1659-67	5.8	40
47	Rapid, automated online SPE-LC-QTRAP-MS/MS method for the simultaneous analysis of 14 phthalate metabolites and 5 bisphenol analogues in human urine. <i>Talanta</i> , 2016 , 151, 224-233	6.2	79
46	Determination of metabolites of di(2-ethylhexyl) terephthalate (DEHTP) in human urine by HPLC-MS/MS with on-line clean-up. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1011, 196-203	3.2	37
45	Analytical methods for the determination of biomarkers of exposure to phthalates in human urine samples. <i>TrAC - Trends in Analytical Chemistry</i> , 2016 , 75, 151-161	14.6	26

44	Role of clothing in both accelerating and impeding dermal absorption of airborne SVOCs. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2016 , 26, 113-8	6.7	97
43	Solid phase extraction using molecular imprinted polymers for phthalate determination in water and wine samples by HPLC-ESI-MS. <i>Microchemical Journal</i> , 2017 , 132, 233-237	4.8	50
42	Wastewater-Based Epidemiology as a New Tool for Estimating Population Exposure to Phthalate Plasticizers. <i>Environmental Science & Technology</i> , 2017 , 51, 3902-3910	10.3	60
41	Exposure to the plasticizer di(2-ethylhexyl) terephthalate (DEHTP) in Portuguese children - Urinary metabolite levels and estimated daily intakes. <i>Environment International</i> , 2017 , 104, 25-32	12.9	29
40	Estimated Daily Intake and Cumulative Risk Assessment of Phthalates in the General Taiwanese after the 2011 DEHP Food Scandal. <i>Scientific Reports</i> , 2017 , 7, 45009	4.9	36
39	Analytical method for urinary metabolites as biomarkers for monitoring exposure to phthalates by gas chromatography/mass spectrometry. <i>Biomedical Chromatography</i> , 2017 , 31, e3910	1.7	4
38	Analytical Methodologies for the Assessment of Phthalate Exposure in Humans. <i>Critical Reviews in Analytical Chemistry</i> , 2017 , 47, 279-297	5.2	17
37	Hollow fiber liquid-phase microextraction-gas chromatography-mass spectrometry method to analyze bisphenol A and other plasticizer metabolites. <i>Journal of Chromatography A</i> , 2017 , 1481, 31-36	4.5	44
36	Phthalate metabolites in 24-h urine samples of the German Environmental Specimen Bank (ESB) from 1988 to 2015 and a comparison with US NHANES data from 1999 to 2012. <i>International Journal of Hygiene and Environmental Health</i> , 2017 , 220, 130-141	6.9	116
35	Obesity or diet? Levels and determinants of phthalate body burden - A case study on Portuguese children. <i>International Journal of Hygiene and Environmental Health</i> , 2018 , 221, 519-530	6.9	30
34	Erfassung der Humanexposition mit organischen Verbindungen in Innenraumumgebungen. <i>Angewandte Chemie</i> , 2018 , 130, 12406-12443	3.6	6
33	Association of phthalate exposures with urinary free cortisol and 8-hydroxy-2'-deoxyguanosine in early childhood. <i>Science of the Total Environment</i> , 2018 , 627, 506-513	10.2	14
32	Comprehensive monitoring of specific metabolites of tri-(2-ethylhexyl) trimellitate (TEHTM) in urine by column-switching liquid chromatography-tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 4343-4357	4.4	11
31	Assessing Human Exposure to Organic Pollutants in the Indoor Environment. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 12228-12263	16.4	98
30	Determination of Urinary Metabolites of the Emerging UV Filter Octocrylene by Online-SPE-LC-MS/MS. <i>Analytical Chemistry</i> , 2018 , 90, 944-951	7.8	21
29	De-novo identification of specific exposure biomarkers of the alternative plasticizer di(2-ethylhexyl) terephthalate (DEHTP) after low oral dosage to male volunteers by HPLC-Q-Orbitrap-MS. <i>Biomarkers</i> , 2018 , 23, 196-206	2.6	11
28	Bisphenol A distribution in serum, urine, placenta, breast milk, and umbilical cord serum in a birth panel of mother-neonate pairs. <i>Science of the Total Environment</i> , 2018 , 626, 1494-1501	10.2	110
27	Analyzing terephthalate metabolites in human urine as biomarkers of exposure: Importance of selection of metabolites and deconjugation enzyme. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1100-1101, 91-92	3.2	10

26	Unexpected, ubiquitous exposure of pregnant Brazilian women to diisopentyl phthalate, one of the most potent antiandrogenic phthalates. <i>Environment International</i> , 2018 , 119, 447-454	12.9	6
25	Phthalate exposure and neurodevelopmental outcomes in early school age children from Poland. <i>Environmental Research</i> , 2019 , 179, 108829	7.9	13
24	Bisphenol A in infant urine and baby-food samples among 9- to 15-month-olds. <i>Science of the Total Environment</i> , 2019 , 697, 133861	10.2	8
23	Determination of human urinary metabolites of the plasticizer di(2-ethylhexyl) adipate (DEHA) by online-SPE-HPLC-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019 , 1124, 239-246	3.2	13
22	Development and Interlaboratory Validation of Two Fast UPLC-MS-MS Methods Determining Urinary Bisphenols, Parabens and Phthalates. <i>Journal of Analytical Toxicology</i> , 2019 , 43, 452-464	2.9	11
21	Determinants of phthalate exposure and risk assessment in children from Poland. <i>Environment International</i> , 2019 , 127, 742-753	12.9	24
20	New SPE-LC-MS/MS method for the simultaneous determination in urine of 22 metabolites of DEHP and alternative plasticizers from PVC medical devices. <i>Talanta</i> , 2019 , 198, 377-389	6.2	21
19	Reconstruction of phthalate exposure and DINCH metabolites from biomonitoring data from the EXHES cohort of Tarragona, Spain: A case study on estimated vs reconstructed DEHP using the PBPK model. <i>Environmental Research</i> , 2020 , 186, 109534	7.9	3
18	Biomonitoring of occupational exposure to phthalates: A systematic review. <i>International Journal of Hygiene and Environmental Health</i> , 2020 , 229, 113548	6.9	15
17	Multidimensional liquid chromatography and capillary electrophoresis coupled to high-resolution detectors applied to complex environmental samples. 2020 , 169-208		
16	Phthalate metabolites in urine of children and adolescents in Germany. Human biomonitoring results of the German Environmental Survey GerES V, 2014-2017. <i>International Journal of Hygiene and Environmental Health</i> , 2020 , 225, 113444	6.9	36
15	Determination of di-n-butyl adipate (DnBA) metabolites as possible biomarkers of exposure in human urine by online-SPE-LC-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020 , 1141, 122029	3.2	4
14	Advancement in Determination of Phthalate Metabolites by Gas Chromatography Eliminating Derivatization Step. <i>Frontiers in Chemistry</i> , 2019 , 7, 928	5	3
13	Determination of specific urinary nonylphenol metabolites by online-SPE-LC-MS/MS as novel human exposure biomarkers. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021 , 1177, 122794	3.2	1
12	Substitutes mimic the exposure behaviour of REACH regulated phthalates - A review of the German HBM system on the example of plasticizers. <i>International Journal of Hygiene and Environmental Health</i> , 2021 , 236, 113780	6.9	3
11	Preliminary study on bisphenol A levels and possible exposure history of mother and exclusively breastfed infant pairs. <i>European Journal of Pediatrics</i> , 2019 , 178, 541-550	4.1	9
10	Sex steroid hormone levels and reproductive development of eight-year-old children following in utero and environmental exposure to phthalates. <i>PLoS ONE</i> , 2014 , 9, e102788	3.7	20
9	Environmental Phthalate Exposure in Relation to Reproductive Outcomes and Other Health Endpoints in Humans. <i>Advances in Environmental Engineering and Green Technologies Book Series</i> , 2020 , 288-313	0.4	2

8	Simultaneous Determination of Phthalates(DMP, DEP, DBP, BBP, DEHP, DnOP) by Solid Phase Microextraction-GC/MS. <i>Journal of the Korean Chemical Society</i> , 2004 , 48, 17-27		1
7	Determination of Phthalate Metabolites in Korean Children's Urine by High Performance Liquid Chromatography with Triple Quadrupole Tandem Mass Spectrometry. <i>Korean Journal of Environmental Health Sciences</i> , 2008 , 34, 271-278		7
6	Proficiency and Interlaboratory Variability in the Determination of Phthalate and DINCH Biomarkers in Human Urine: Results from the HBM4EU Project.. <i>Toxics</i> , 2022 , 10,	4-7	1
5	Lactic acid bacteria alleviate di-(2-ethylhexyl) phthalate-induced liver and testis toxicity via their bio-binding capacity, antioxidant capacity and regulation of the gut microbiota.. <i>Environmental Pollution</i> , 2022 , 119197	9-3	0
4	Data_Sheet_1.pdf. 2020 ,		
3	Urinary excretion of phthalates and the substitutes DINCH and DEHP in Danish young men and German young adults between 2000 and 2017 A time trend analysis. 2023 , 248, 114080		1
2	Phthalate Exposure Levels and Related Factors in the Urban Low-Income Group: Focus on a Residential Disadvantaged Community. 2022 , 48, 315-323		0
1	Structural basis of the activation of PPAR β by the plasticizer metabolites MEHP and MINCH. 2023 , 173, 107822		0