

CITATION REPORT

List of articles citing

Simultaneous screening for 238 drugs in blood by liquid chromatography-ion spray tandem mass spectrometry with multiple-reaction monitoring

DOI: 10.1016/s1570-0232(03)00498-7

Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2003, 795, 41-53.

Source: <https://exaly.com/paper-pdf/35311689/citation-report.pdf>

Version: 2024-04-17

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
149	Toward high-throughput drug screening using mass spectrometry. 2005 , 27, 686-8		37
148	High performance liquid chromatographic and thin layer densitometric methods for the determination of risperidone in the presence of its degradation products in bulk powder and in tablets. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005 , 36, 975-81	3.5	17
147	Automated 96-well solid phase extraction and hydrophilic interaction liquid chromatography-tandem mass spectrometric method for the analysis of cetirizine (ZYRTEC) in human plasma—with emphasis on method ruggedness. <i>Journal of Chromatography B: Analytical</i>	3.2	46
146	Multi-analyte procedures for screening for and quantification of drugs in blood, plasma, or serum by liquid chromatography-single stage or tandem mass spectrometry (LC-MS or LC-MS/MS) relevant to clinical and forensic toxicology. 2005 , 38, 310-8		151
145	Extractive spectrophotometric methods for the determination of doxepin hydrochloride in pharmaceutical preparations using titanium (IV) and iron (III) thiocyanate complexes. 2005 , 60, 61-9		14
144	Comparison of methanol and acetonitrile as solvents for the separation of sertindole and its major metabolites by capillary zone electrophoresis. 2005 , 26, 3315-24		18
143	Simultaneous determination of phenytoin and dextromethorphan in urine by solid-phase extraction and HPLC-DAD. <i>Journal of Separation Science</i> , 2005 , 28, 1157-62	3.4	22
142	Critical review of the application of liquid chromatography/mass spectrometry to the determination of pesticide residues in biological samples. 2005 , 382, 934-46		186
141	Development of a multi-target screening analysis for 301 drugs using a QTrap liquid chromatography/tandem mass spectrometry system and automated library searching. <i>Rapid Communications in Mass Spectrometry</i> , 2005 , 19, 1332-8	2.2	203
140	Applications of liquid chromatography-mass spectrometry in doping control. <i>Journal of Analytical Toxicology</i> , 2005 , 29, 1-14	2.9	37
139	Investigation of an LC-MS-MS (QTrap) method for the rapid screening and identification of drugs in postmortem toxicology whole blood samples. <i>Journal of Analytical Toxicology</i> , 2005 , 29, 599-606	2.9	63
138	Application of accurate mass measurement to urine drug screening. <i>Journal of Analytical Toxicology</i> , 2005 , 29, 34-40	2.9	58
137	Forensic science. <i>Analytical Chemistry</i> , 2005 , 77, 3839-60	7.8	41
136	Determination of Citalopram in Tablets by HPLC, Densitometric HPTLC, and Videodensitometric HPTLC Methods. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2005 , 28, 313-324	1.3	13
135	Integration of metabolite with transcript and enzyme activity profiling during diurnal cycles in <i>Arabidopsis</i> rosettes. 2006 , 7, R76		269
134	Interference by venlafaxine ingestion in the detection of tramadol by liquid chromatography linked to tandem mass spectrometry for the screening of illicit drugs in human urine. 2006 , 44, 147-53		48
133	GC-MS?????????????????????????????????????. 2006 , 11, 53-75		0

132	Recent applications of liquid chromatography-mass spectrometry in forensic science. <i>Journal of Chromatography A</i> , 2006 , 1130, 3-15	4.5	93
131	A method for screening for various sedative-hypnotics in serum by liquid chromatography/single quadrupole mass spectrometry. <i>Forensic Science International</i> , 2006 , 157, 57-70	2.6	42
130	Application of LC-ESI-MS-MS for detection of synthetic adulterants in herbal remedies. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 41, 554-64	3.5	135
129	Electrospray-ionization MS/MS library of drugs as database for method development and drug identification. <i>Forensic Science International</i> , 2006 , 161, 86-91	2.6	50
128	Hyphenated mass spectrometric techniques-indispensable tools in clinical and forensic toxicology and in doping control. 2006 , 41, 1399-413		89
127	Ultrapformance liquid chromatography-tandem mass spectrometry analysis of stimulatory drugs of abuse in wastewater and surface waters. <i>Analytical Chemistry</i> , 2007 , 79, 3821-9	7.8	175
126	The Analyses of Neurotransmitters, Other Neuroactive Substances, and Their Metabolites Using Mass Spectrometry. 2007 , 149-176		
125	Precolumn fluorescence labeling method for simultaneous determination of hydroxyzine and cetirizine in human serum. 2007 , 21, 1030-5		23
124	LC-based analysis of drugs of abuse and their metabolites in urine. <i>TrAC - Trends in Analytical Chemistry</i> , 2007 , 26, 609-624	14.6	45
123	Liquid chromatography/atmospheric pressure ionization mass spectrometry with post-column liquid mixing for the efficient determination of partially oxidized polycyclic aromatic hydrocarbons. <i>Journal of Chromatography A</i> , 2007 , 1139, 75-83	4.5	38
122	Trace determination of cannabinoids and opiates in wastewater and surface waters by ultra-performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2007 , 1175, 38-48	4.5	172
121	Simultaneous determination of nikethamide and lidocaine in human blood and cerebrospinal fluid by high performance liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 43, 1757-62	3.5	18
120	Simultaneous determination of 6 beta-blockers, 3 calcium-channel antagonists, 4 angiotensin-II antagonists and 1 antiarrhythmic drug in post-mortem whole blood by automated solid phase extraction and liquid chromatography mass spectrometry. Method development and robustness testing by experimental design. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007 , 852, 147-60	3.2	121
119	Quantitative analysis of cocaine and its metabolites in whole blood and urine by high-performance liquid chromatography coupled with tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007 , 852, 338-44	3.2	64
118	Employing atmospheric pressure photoionization in liquid chromatography/tandem mass spectrometry to minimize ion suppression and matrix effects for the quantification of venlafaxine and O-desmethylvenlafaxine. <i>Rapid Communications in Mass Spectrometry</i> , 2007 , 21, 1680-6	2.2	36
117	Temporal responses of transcripts, enzyme activities and metabolites after adding sucrose to carbon-deprived Arabidopsis seedlings. 2007 , 49, 463-91		234
116	Determination of loratadine and pseudoephedrine sulfate in pharmaceuticals based on non-linear second-order spectrophotometric data generated by a pH-gradient flow injection technique and artificial neural networks. 2007 , 389, 2217-25		17
115	Rapid analysis of sertraline, fluvoxamine, and paroxetine in serum specimens by LC-MS-MS using a new polymer column. 2007 , 25, 100-103		11

114	Succinylmonocholine analytics as an example for selectivity problems in high-performance liquid chromatography/tandem mass spectrometry, and resulting implications for analytical toxicology. <i>Rapid Communications in Mass Spectrometry</i> , 2008 , 22, 1965-70	2.2	12
113	HPLC method for the simultaneous determination of atenolol and chlorthalidone in human breast milk. <i>Journal of Separation Science</i> , 2008 , 31, 677-82	3.4	17
112	Non-destructive quantitative analysis of risperidone in film-coated tablets. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 47, 631-5	3.5	19
111	Assessment of hand-held Raman instrumentation for in situ screening for potentially counterfeit artesunate antimalarial tablets by FT-Raman spectroscopy and direct ionization mass spectrometry. 2008 , 623, 178-86		76
110	Pitfalls and prevention strategies for liquid chromatography-tandem mass spectrometry in the selected reaction-monitoring mode for drug analysis. 2008 , 54, 1519-27		91
109	Chapter 12 Forensic screening with GC-MS. 2008 , 6, 425-445		3
108	Chapter 14 Forensic screening with liquid chromatography-mass spectrometry. 2008 , 491-511		3
107	Multiple reaction monitoring-based, multiplexed, absolute quantitation of 45 proteins in human plasma. 2009 , 8, 1860-77		433
106	Determination of opiates and cocaine in urine by high pH mobile phase reversed phase UPLC-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 421-32	3.2	102
105	ESI-MS/MS library of 1,253 compounds for application in forensic and clinical toxicology. 2009 , 395, 2521-6		89
104	The detection of various opiates and benzodiazepines by comprehensive two-dimensional gas chromatography/time-of-flight mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2009 , 23, 340-8	2.2	14
103	Implementation of a data repository-driven approach for targeted proteomics experiments by multiple reaction monitoring. 2009 , 72, 838-52		35
102	Sensitive, Selective, Precise and Accurate LCMS Method for Determination of Clonidine in Human Plasma. 2009 , 69, 1227-1232		10
101	Validation of a liquid chromatography-tandem mass spectrometry screening method to monitor 58 antibiotics in milk: a qualitative approach. 2009 , 26, 1459-71		66
100	Chapter 4 fexofenadine hydrochloride. 2009 , 34, 153-92		11
99	Development of an information-rich LC-MS/MS database for the analysis of drugs in postmortem specimens. <i>Analytical Chemistry</i> , 2009 , 81, 9002-11	7.8	30
98	High-throughput and multiplexed LC/MS/MRM method for targeted metabolomics. <i>Analytical Chemistry</i> , 2010 , 82, 5527-33	7.8	150
97	Detection and identification of 700 drugs by multi-target screening with a 3200 Q TRAP LC-MS/MS system and library searching. 2010 , 396, 2425-34		143

96	Anabolic, doping, and lifestyle drugs, and selected metabolites in wastewater--detection, quantification, and behaviour monitored by high-resolution MS and MS(n) before and after sewage treatment. 2010 , 398, 1207-29		48
95	Simultaneous screening for and determination of 128 date-rape drugs in urine by gas chromatography-electron ionization-mass spectrometry. <i>Forensic Science International</i> , 2010 , 198, 39-45 ^{2.6}		66
94	An automated screening method for drugs and toxic compounds in human serum and urine using liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 2726-32	3.2	30
93	Qualitative drug analysis of hair extracts by comprehensive two-dimensional gas chromatography/time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2010 , 1217, 4402-10	4.5	45
92	Comprehensive identification of active compounds in tablets by flow-injection data-dependent tandem mass spectrometry combined with library search. <i>Forensic Science International</i> , 2010 , 197, 40-7 ^{2.6}		28
91	Rapid screening and confirmation of drugs and toxic compounds in biological specimens using liquid chromatography/ion trap tandem mass spectrometry and automated library search. <i>Rapid Communications in Mass Spectrometry</i> , 2010 , 24, 75-84	2.2	39
90	Performance evaluation of three liquid chromatography mass spectrometry methods for broad spectrum drug screening. 2010 , 411, 1474-81		42
89	Detection and quantitation of β blockers in plasma and urine. <i>Bioanalysis</i> , 2010 , 2, 263-76	2.1	17
88	The Herbicide Saflufenacil (Kixor) [®] is a New Inhibitor of Protoporphyrinogen IX Oxidase Activity. 2010 , 58, 1-9		112
87	Simple analytical method for determination of pesticide residues in human serum by liquid chromatography tandem mass spectrometry. 2010 , 45, 242-8		9
86	Current role of liquid chromatography coupled to mass spectrometry in clinical toxicology screening methods. 2011 , 49, 1091-103		18
85	Efficient use of retention time for the analysis of 302 drugs in equine plasma by liquid chromatography-MS/MS with scheduled multiple reaction monitoring and instant library searching for doping control. <i>Analytical Chemistry</i> , 2011 , 83, 6834-41	7.8	35
84	Poor quality drugs: grand challenges in high throughput detection, countrywide sampling, and forensics in developing countries. 2011 , 136, 3073-82		55
83	Determination of β blockers and β agonists using gas chromatography and gas chromatography-mass spectrometry--a comparative study of the derivatization step. <i>Journal of Chromatography A</i> , 2011 , 1218, 8110-22	4.5	85
82	Development and practical application of a library of CID accurate mass spectra of more than 2,500 toxic compounds for systematic toxicological analysis by LC-QTOF-MS with data-dependent acquisition. 2011 , 400, 101-17		155
81	Use of benchtop exactive high resolution and high mass accuracy orbitrap mass spectrometer for screening in horse doping control. 2011 , 700, 126-36		50
80	Energy-dependent collision-induced dissociation study of buprenorphine and its synthetic precursors. <i>Rapid Communications in Mass Spectrometry</i> , 2011 , 25, 41-9	2.2	1
79	Fragmentation of toxicologically relevant drugs in positive-ion liquid chromatography-tandem mass spectrometry. <i>Mass Spectrometry Reviews</i> , 2011 , 30, 626-63	11	66

78	LC-MS in analytical toxicology: some practical considerations. 2011 , 25, 100-23		45
77	A multi-target screening analysis in human plasma using fast liquid chromatography-hybrid tandem mass spectrometry (Part II). 2011 , 44, 45-53		20
76	A multi-target screening analysis in human plasma using fast liquid chromatography-hybrid tandem mass spectrometry (Part I). 2011 , 44, 32-44		34
75	A new mixed mode solid phase extraction strategy for opioids, cocaines, amphetamines and adulterants in human blood with hybrid liquid chromatography tandem mass spectrometry detection. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 54, 1136-45	3.5	31
74	Advances in proteomic strategies toward the early detection of lung cancer. 2011 , 8, 183-8		30
73	Postmortem drug screening by non-targeted and targeted ultra-performance liquid chromatography-mass spectrometry technology. <i>Journal of Analytical Toxicology</i> , 2011 , 35, 411-23	2.9	33
72	Systems analysis of a maize leaf developmental gradient redefines the current C4 model and provides candidates for regulation. 2011 , 23, 4208-20		138
71	Screening analysis for medicinal drugs and drugs of abuse in whole blood using ultra-performance liquid chromatography time-of-flight mass spectrometry (UPLC-TOF-MS)--toxicological findings in cases of alleged sexual assault. <i>Forensic Science International</i> , 2012 , 222, 154-61	2.6	42
70	Synthesis and characterization of molecularly imprinted polymers for the selective extraction of cocaine and its metabolite benzoylecgonine from hair extract before LC-MS analysis. 2012 , 88, 412-9		34
69	LC-MS vs. GC-MS, online extraction systems, advantages of technology for drug screening assays. 2012 , 902, 15-27		16
68	LC-MS/MS screen for xenobiotics and metabolites. 2012 , 902, 129-38		1
67	MRM-based multiplexed quantitation of 67 putative cardiovascular disease biomarkers in human plasma. 2012 , 12, 1222-43		179
66	Aspects of matrix effects in applications of liquid chromatography-mass spectrometry to forensic and clinical toxicology--a review. 2012 , 403, 2155-72		115
65	Inhibition of saturated very-long-chain fatty acid biosynthesis by mefluidide and perfluidone, selective inhibitors of 3-ketoacyl-CoA synthases. 2012 , 76, 162-71		40
64	Peculiarities of determining the content of 3-substituted 4-hydroxycoumarins in disinfectants and drugs. 2013 , 47, 109-117		2
63	An LC-MS assay for the screening of cardiovascular medications in human samples. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013 , 937, 44-53	3.2	32
62	Application of electrospray ionization product ion spectra for identification with atmospheric pressure matrix-assisted laser desorption/ionization mass spectrometry - a case study with seized drugs. 2013 , 5, 68-73		2
61	New challenges and innovation in forensic toxicology: focus on the "New Psychoactive Substances". <i>Journal of Chromatography A</i> , 2013 , 1287, 84-95	4.5	116

60	Qualitative confirmation of 9 synthetic cannabinoids and 20 metabolites in human urine using LC-MS/MS and library search. <i>Analytical Chemistry</i> , 2013 , 85, 3730-8	7.8	102
59	Detection and identification of drugs and toxicants in human body fluids by liquid chromatography-tandem mass spectrometry under data-dependent acquisition control and automated database search. 2013 , 770, 121-31		30
58	Forensic Toxicology. 2013 , 249-293		3
57	Multiplexed evaluation of serum and CSF pharmacokinetics of brain-targeting single-domain antibodies using a NanoLC-SRM-ILIS method. 2013 , 10, 1542-56		40
56	Drug screening in medical examiner casework by high-resolution mass spectrometry (UPLC-MSE-TOF). <i>Journal of Analytical Toxicology</i> , 2013 , 37, 580-93	2.9	43
55	Tear fluid protein biomarkers. 2013 , 62, 151-96		28
54	Development and Validation of RP-LC Method for the Determination of Cinnarizine/Piracetam and Cinnarizine/Heptaminol Acefyllinate in Presence of Cinnarizine Reported Degradation Products. 2013 , 8, 99-106		8
53	The development and assessment of high-throughput mass spectrometry-based methods for the quantification of a nanoparticle drug delivery agent in cellular lysate. 2014 , 49, 1171-80		12
52	Proteomics for breast cancer urine biomarkers. 2014 , 63, 123-67		19
51	Liquid chromatography, in combination with a quadrupole time-of-flight instrument (LC QTOF), with sequential window acquisition of all theoretical fragment-ion spectra (SWATH) acquisition: systematic studies on its use for screenings in clinical and forensic toxicology and comparison with information-dependent acquisition (IDA). <i>Analytical Chemistry</i> , 2014 , 86, 11742-9	7.8	97
50	Technological advances for deciphering the complexity of psychiatric disorders: merging proteomics with cell biology. 2014 , 17, 1327-41		10
49	Validation of a method for the targeted analysis of 96 drugs in hair by UPLC-MS/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 88, 295-306	3.5	66
48	Molecularly imprinted polymer for the selective extraction of cocaine and its metabolites, benzoylecgonine and ecgonine methyl ester, from biological fluids before LC-MS analysis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 949-950, 16-23	3.2	21
47	DEVELOPMENT AND VALIDATION OF A STABILITY-INDICATING HPLC METHOD FOR THE DETERMINATION OF PIZOTIFEN, METHYLPARABEN, AND PROPYLPARABEN IN SYRUP. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2014 , 37, 988-1003	1.3	2
46	Comprehensive ESI-MS and MS/MS analysis of aromatic hydrazones derived from nicotinic acid hydrazide. <i>International Journal of Mass Spectrometry</i> , 2014 , 371, 54-64	1.9	10
45	New Method Development for Hydroxyzine Determination: Application in Stability Studies, Pharmaceutical Formulations, and Humane Serum. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2015 , 38, 911-918	1.3	9
44	Liquid chromatography with tandem mass spectrometry for the simultaneous identification and quantification of cardiovascular drugs applied to the detection of substandard and falsified drugs. <i>Journal of Separation Science</i> , 2015 , 38, 562-70	3.4	13
43	Simultaneous analysis of 210 prohibited substances in human urine by ultrafast liquid chromatography/tandem mass spectrometry in doping control. <i>Rapid Communications in Mass Spectrometry</i> , 2015 , 29, 367-84	2.2	17

42	Liquid chromatography, in combination with a quadrupole time-of-flight instrument, with sequential window acquisition of all theoretical fragment-ion spectra acquisition: validated quantification of 39 antidepressants in whole blood as part of a simultaneous screening and identification procedure. <i>Analytical Chemistry</i> , 2015 , 87, 9291-301	7.8	39
41	Solving signal instability to maintain the second-order advantage in the resolution and determination of multi-analytes in complex systems by modeling liquid chromatography-mass spectrometry data using alternating trilinear decomposition method assisted with piecewise direct standardization. <i>Journal of Chromatography A</i> , 2015 , 1467, 157-68	4.5	9
40	Comparison of drug detection by three quadrupole time-of-flight mass spectrometry platforms. <i>Journal of Analytical Toxicology</i> , 2015 , 39, 89-95	2.9	16
39	Cardiovascular drug determination in bioanalysis: an update. <i>Bioanalysis</i> , 2015 , 7, 2399-2417	2.1	7
38	Simultaneous extraction and determination of trace amounts of olanzapine and fluoxetine from biological fluids: comparison of conventional hollow fiber supported liquid phase microextraction and pulsed electrically assisted liquid-phase microextraction techniques. <i>Analytical Methods</i> , 2015 , 7, 7840-7851	3.2	12
37	Screening of drugs of abuse and toxic compounds in human whole blood using online solid-phase extraction and high-performance liquid chromatography with time-of-flight mass spectrometry. <i>Journal of Separation Science</i> , 2015 , 38, 50-9	3.4	18
36	Development of a preparation method to produce a single sample that can be applied to both LC-MS/MS and GC-MS for the screening of postmortem specimens. <i>Legal Medicine</i> , 2016 , 21, 85-92	1.9	14
35	The detection of multiple illicit street drugs in liquid samples by direct analysis in real time (DART) coupled to Q-orbitrap tandem mass spectrometry. <i>Forensic Science International</i> , 2016 , 267, 1-6	2.6	16
34	Chromatographic considerations in the standardization of liquid chromatographic methods used for extractables screening. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2016 , 39, 613-619	1.3	6
33	Broad Screening and Identification of Novel Psychoactive Substances in Plasma by High-Performance Liquid Chromatography-High-Resolution Mass Spectrometry and Post-run Library Matching. <i>Journal of Analytical Toxicology</i> , 2016 , 40, 519-28	2.9	21
32	Data analysis strategies for targeted and untargeted LC-MS metabolomic studies: Overview and workflow. <i>TrAC - Trends in Analytical Chemistry</i> , 2016 , 82, 425-442	14.6	172
31	Impact of Serum and Plasma Matrices on the Titration of Human Inflammatory Biomarkers Using Analytically Validated SRM Assays. <i>Journal of Proteome Research</i> , 2016 , 15, 2366-78	5.6	8
30	Development of SPME-LC-MS method for screening of eight beta-blockers and bronchodilators in plasma and urine samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 127, 147-55	3.5	19
29	Micelle enhanced and native spectrofluorimetric methods for determination of sertindole using sodium dodecyl sulfate as sensitizing agent. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2016 , 153, 422-7	4.4	3
28	Monitoring utilizations of amino acids and vitamins in culture media and Chinese hamster ovary cells by liquid chromatography tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 117, 163-72	3.5	7
27	Forensic Analytics. 2016 , 281-329		2
26	A timeline of stable isotopes and mass spectrometry in the life sciences. <i>Mass Spectrometry Reviews</i> , 2017 , 36, 58-85	11	47
25	Identification Strategies. 2017 , 351-379		

24	Developing a UHPLC-QTOF-MS and Automated Library Search Method for Screening Drugs and Toxic Compounds in Postmortem Specimens. <i>Journal of Analytical Toxicology</i> , 2017 , 41, 421-430	2.9	10
23	Forensic toxicology. 2017 , 301-358		3
22	Development of techniques for determination of primary components of dental medicament paste mixtures for root canal treatment. <i>Journal of Investigative and Clinical Dentistry</i> , 2018 , 9, e12294	2.3	0
21	A Critical Review of Physicochemical Properties and Analytical Methods Applied to Quantitative Determination of Ebastine. <i>Critical Reviews in Analytical Chemistry</i> , 2018 , 48, 102-109	5.2	5
20	LC-MS/MS method for screening of intoxication and drug adherence of angiotensin-converting enzyme inhibitors in plasma. <i>Bioanalysis</i> , 2018 ,	2.1	1
19	Determination of cocaine, metabolites and a crack cocaine biomarker in whole blood by liquid-liquid extraction and UHPLC-MS/MS. <i>Forensic Science International</i> , 2018 , 289, 165-174	2.6	12
18	A comparative investigation on phenolic composition, antioxidant and antimicrobial potentials of <i>Salvia heldreichiana</i> Boiss. ex Bentham extracts. <i>South African Journal of Botany</i> , 2019 , 125, 72-80	2.9	6
17	Application of Factorial and Doehlert Designs for the Optimization of the Simultaneous Separation and Determination of Antimigraine Drugs in Pharmaceutical Formulations by RP-HPLC-UV. <i>International Journal of Analytical Chemistry</i> , 2019 , 2019, 9685750	1.4	3
16	Seizures of illicit substances for personal use in two Italian provinces: analysis of trends by type and purity from 2008 to 2017. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2019 , 14, 41	3.4	3
15	Multiplexed LC-ESI-MRM-MS-based Assay for Identification of Coronary Artery Disease Biomarkers in Human Plasma. <i>Proteomics - Clinical Applications</i> , 2019 , 13, e1700111	3.1	7
14	Magnetic Solid-Phase Extraction of Drugs and Pesticides from Human Plasma Using COOH-mMWCNTs. <i>Journal of Analytical Toxicology</i> , 2021 , 44, 968-975	2.9	1
13	First-Line Toxicological Screening with Fully Automated Extraction. <i>Journal of Analytical Toxicology</i> , 2021 , 45, 252-268	2.9	1
12	Determination of the alcohol biomarker phosphatidylethanol 16:0/18:1 and 33 compounds from eight different drug classes in whole blood by LC-MS/MS. <i>Journal of Pharmacological and Toxicological Methods</i> , 2021 , 107, 106939	1.7	2
11	Clinical Toxicology. 2012 , 1109-1188		2
10	HPTLC method development and validation for analysis of risperidone in formulations, and in-vitro release study. <i>Acta Chromatographica</i> , 2010 , 22, 549-567	1.5	6
9	[Rapid simultaneous determination of 42 psychoactive drugs and their metabolites in human plasma and urine by ultra performance liquid chromatography-tandem mass spectrometry]. <i>Chinese Journal of Chromatography (Se Pu)</i> , 2010 , 28, 23-33	0.2	1
8	Application of Mass Spectrometry to Forensic Chemistry. <i>Journal of the Mass Spectrometry Society of Japan</i> , 2004 , 52, 93-101	0.2	2
7	Development of a LC.MS/MS method for simultaneous analysis of 20 antihistamines in dietary supplements. <i>Analytical Science and Technology</i> , 2015 , 28, 86-97		1

6 Malathion. **2010**, 2318-2324

5 New Developments in Mass Chromatography-spectrometry Research for Forensic Toxicology. *Nihon Ika Daigaku Igakkai Zasshi*, **2011**, 7, 8-15 0

4 Principles and applications of liquid chromatography-mass spectrometry in clinical biochemistry. *Clinical Biochemist Reviews*, **2009**, 30, 19-34 7.3 205

3 Qualitative and semi-quantitative screening of selected psychoactive substances in blood: Usefulness of liquid chromatography-triple quadrupole and quadrupole time-of-flight mass spectrometry in routine toxicological analyses. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, **2022**, 123279 3.2 0

2 Profiling of naturally occurring proanthocyanidins and other phenolic compounds in a diverse peach germplasm by LC-MS/MS. **2023**, 403, 134471 1

1 Comprehensive characterization of amino acids and water-soluble vitamins in a pentylenetetrazole-induced seizures rat model. 2201004 0