

# CITATION REPORT

List of articles citing

## Modeling, Identification and Compensation of Complex Hysteretic Nonlinearities: A Modified Prandtl-Ishlinskii Approach

DOI: 10.3166/ejc.9.407-418

European Journal of Control, 2003, 9, 407-418.

**Source:** <https://exaly.com/paper-pdf/35343530/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
423	Hysteresis parameter identification with limited experimental data. <b>2004</b> , 40, 3227-3239		42
422	Embedded hysteresis compensation and control on a magnetostrictive actuator. <b>2006</b> ,		
421	Efficient Modeling of Ferroelectric Behavior for the Finite Element Analysis of Piezoelectric Actuators. <b>2006</b> ,		
420	Regelung adaptronischer Systeme, Teil I: Piezoelektrische Strukturen (Control of Adaptronic Systems, Part I: Piezoelectric Structures). <b>2006</b> , 54, 259-269		2
419	INVERSE FILTER DESIGN FOR COMPLEX HYSTERETIC ACTUATOR NONLINEARITIES - A NEW PREISACH MODELING APPROACH. <b>2006</b> , 39, 565-571		
418	An infinite-dimensional control concept for piezoelectric structures with complex hysteresis. <b>2006</b> , 13, 1099-1119		28
417	Embedded Hysteresis Compensation and Control on a Magnetostrictive Actuator. <b>2006</b> , 42, 3443-3445		14
416	Integral feedback control of a self-sensing magnetostrictive actuator. <i>Smart Materials and Structures</i> , <b>2007</b> , 16, 1098-1108	3-4	15
415	Precision tracking control of a piezoelectric-actuated system. <b>2007</b> ,		
414	Modeling Rate-Dependent Hysteresis for Magnetostrictive Actuator. <b>2007</b> , 546-549, 2251-2256		2
413	Two-way shape memory effect of a Ti rich NiTi alloy: experimental measurements and numerical simulations. <i>Smart Materials and Structures</i> , <b>2007</b> , 16, 771-778	3-4	14
412	Control of Unknown Dynamic Hysteretic Systems Using Slow Adaptation: Preliminary Results. <b>2007</b> ,		15
411	Modelling and control of a smart auxiliary mass damper equipped with a bragg grating. <b>2007</b> ,		2
410	Real-time calibration of open-loop piezoelectric actuators for interferometric applications. <b>2008</b> , 4, 97-103		2
409	Hysteresis modeling of two-way shape memory effect in NiTi alloys. <b>2008</b> , 43, 165-172		9
408	Adaptronic gantry machine tool with piezoelectric actuator for active error compensation of structural oscillations at the tool centre point. <b>2008</b> , 18, 426-433		11
407	Precision tracking control of a piezoelectric-actuated system. <b>2008</b> , 32, 71-78		73

406	Hysteresis modelling and compensation for smart sensors and actuators. <b>2008</b> , 138, 012028		46
405	. <b>2008</b> , 13, 112-116		29
404	Modeling of stress dependent hysteresis nonlinearity based on fuzzy tree for GMA. <b>2008</b> ,		1
403	Self-sensing force control of a piezoelectric actuator. <b>2008</b> , 55, 2571-81		30
402	A new simple asymmetric hysteresis operator and its application to inverse control of piezoelectric actuators. <b>2008</b> , 55, 1086-94		22
401	Tracking control of a giant magnetostrictive actuator with stress-dependent hysteresis compensation. <b>2008</b> ,		3
400	A new modeling method for nonlinear rate-dependent hysteresis system based on LS-SVM. <b>2008</b> ,		2
399	Compensation of Parameter-dependent Complex Hysteretic Actuator Nonlinearities In Smart Material Systems. <i>Journal of Intelligent Material Systems and Structures</i> , <b>2008</b> , 19, 1411-1424	2.3	11
398	Compensation of Hysteresis Nonlinearities in Smart Actuators. <b>2008</b> ,		1
397	Adaptive rate-dependent feedforward controller for hysteretic piezoelectric actuator. <b>2008</b> ,		2
396	Fast inverse compensation of Preisach-type hysteresis operators using field-programmable gate arrays. <b>2008</b> ,		22
395	Echtzeitfähiger Hysterese kompensator für Festkörperaktoren (Real-time Hysteresis Compensator for Solid-State Actuators). <b>2008</b> , 56, 146-154		1
394	Festkörperaktoren mit Sensor-Eigenschaften (Solid-state Actuators with Sensory Capabilities). <b>2008</b> , 75, 268-278		
393	A Magnetostrictive Model With Stress Dependence for Real-Time Applications. <b>2008</b> , 44, 3193-3196		7
392	Modeling and control for giant magnetostrictive actuators with stress-dependent hysteresis. <b>2008</b> ,		
391	Stress-Dependent Hysteresis Modeling and Tracking Control of Giant Magnetostrictive Actuator for Periodic Reference Input. <b>2008</b> , 41, 2288-2293		2
390	Control of a Five-Degrees-of-Freedom Nanopositioner. <b>2008</b> , 41, 11817-11822		
389	Tracking control of a distributed-parameter piezoelectric stack actuator. <b>2009</b> ,		

388	Hysteresis modeling and compensation for an XY micropositioning stage with model reference adaptive control. <b>2009</b> ,		3
387	Inverse generalized asymmetric Prandtl-Ishlinskii model for compensation of hysteresis nonlinearities in smart actuators. <b>2009</b> ,		9
386	Model reference control with adaptive inverse compensation for systems preceded by stress-dependent hysteresis of GMA. <b>2009</b> ,		1
385	A multipass model for rate-independent and rate-dependent hysteresis with nonlocal memory. <b>2009</b> ,		2
384	Global sliding mode-based tracking control of a piezo-driven XY micropositioning stage with unmodeled hysteresis. <b>2009</b> ,		7
383	. <b>2009</b> , 29, 26-28		34
382	Magnetostrictive Actuator Modeling and Placement. <b>2009</b> , 83-86, 281-288		
381	Active vibration control by a smart auxiliary mass damper equipped with a fiber Bragg grating sensor. <i>Sensors and Actuators A: Physical</i> , <b>2009</b> , 153, 180-186	3-9	10
380	A modified Prandtl-Ishlinskii modeling method for hysteresis. <b>2009</b> , 404, 1336-1342		30
379	Modeling hysteresis in piezoelectric actuators using NARMAX models. <i>Sensors and Actuators A: Physical</i> , <b>2009</b> , 149, 106-112	3-9	40
378	Tracking Control of Hysteretic Piezoelectric Actuator using Adaptive Rate-Dependent Controller. <i>Sensors and Actuators A: Physical</i> , <b>2009</b> , 150, 116-123	3-9	47
377	Adaptive control of system involving complex hysteretic nonlinearities: a generalised Prandtl-Ishlinskii modelling approach. <b>2009</b> , 82, 1786-1793		32
376	. <b>2009</b> , 29, 83-99		111
375	Two-time-scale averaging of systems involving operators and its application to adaptive control of hysteretic systems. <b>2009</b> ,		15
374	Repetitive control with Prandtl-Ishlinskii hysteresis inverse for piezo-based nanopositioning. <b>2009</b> ,		15
373	A generalized Prandtl-Ishlinskii model for characterizing the hysteresis and saturation nonlinearities of smart actuators. <i>Smart Materials and Structures</i> , <b>2009</b> , 18, 045001	3-4	109
372	Realtime compensation methods for hysteresis based magnetorheological actuators. <b>2009</b> ,		1
371	Inverse rate-dependent prandtl-ishlinskii model for hysteresis nonlinearities compensation. <b>2009</b> ,		4

370	Feedforward Controller of Ill-Conditioned Hysteresis Using Singularity-Free Prandtl-Ishlinskii Model. <b>2009</b> , 14, 598-605		60
369	Motion Planning for a Flexible Link Manipulator with Macro-fiber Composite Actuators. <b>2010</b> , 43, 486-491		
368	Idle Stroke Detection for a Fuel Injection Control Valve. <b>2010</b> , 43, 499-504		2
367	Position Control for a Magnetic Shape Memory Actuator. <b>2010</b> , 43, 478-485		2
366	The Modelling of Hysteresis in Magnetorheological Dampers Using a Generalised Prandtl-Ishlinskii Approach. <b>2010</b> ,		
365	. <b>2010</b> ,		3
364	Design and Test of a Stress-Dependent Compensator for Magnetostrictive Actuators. <b>2010</b> , 46, 646-649		11
363	Adaptive Compensation of Hysteretic and Creep Non-linearities in Solid-state Actuators. <i>Journal of Intelligent Material Systems and Structures</i> , <b>2010</b> , 21, 1437-1446	2.3	22
362	Adaptive output feedback control with feedback-feedforward compensator for piezoactuator-driven stages. <b>2010</b> ,		
361	Magnetorheological Actuators with Currentless Bias Torque for Automotive Applications. <i>Journal of Intelligent Material Systems and Structures</i> , <b>2010</b> , 21, 1575-1585	2.3	8
360	Dahl Model-Based Hysteresis Compensation and Precise Positioning Control of an XY Parallel Micromanipulator With Piezoelectric Actuation. <b>2010</b> , 132,		86
359	High-speed and Large-range scanning control of a piezoelectric stack actuated platform *. <b>2010</b> ,		
358	Control of systems with hysteresis via servocompensation and its application to nanopositioning. <b>2010</b> ,		11
357	A robust adaptive servocompensator for nanopositioning control. <b>2010</b> ,		6
356	Experimental tests of a stress-dependent controller for magnetostrictive transducers. <b>2010</b> ,		
355	A modified Prandtl-Ishlinskii model for modeling asymmetric hysteresis of piezoelectric actuators. <b>2010</b> , 57, 1200-10		91
354	Design and development of a 3-axis MRI-compatible force sensor. <b>2010</b> ,		
353	Precise tracking control of a piezoactuated micropositioning stage based on modified Prandtl-Ishlinskii hysteresis model. <b>2010</b> ,		

352	Ellipse-based modelling of hysteresis in a smart actuator. <b>2010</b> ,		3
351	Adaptive approximation-based control of hysteretic unconventional actuators. <b>2011</b> ,		5
350	Adaptive modified Prandtl-Ishlinskii model for compensation of hysteretic nonlinearities in magnetic shape memory actuators. <b>2011</b> ,		4
349	Robust Feedforward-Feedback Control of a Nonlinear and Oscillating 2-DOF Piezocantilever. <b>2011</b> , 8, 506-519		50
348	A Totally Decoupled Piezo-Driven XYZ Flexure Parallel Micropositioning Stage for Micro/Nanomanipulation. <b>2011</b> , 8, 265-279		156
347	A dynamic linearization concept for piezoelectric actuators. <b>2011</b> , 58, 689-97		1
346	A Novel Piezoactuated XY Stage With Parallel, Decoupled, and Stacked Flexure Structure for Micro-/Nanopositioning. <i>IEEE Transactions on Industrial Electronics</i> , <b>2011</b> , 58, 3601-3615	8.9	122
345	Tri-Axial MRI Compatible Fiber-optic Force Sensor. <b>2011</b> , 27, 65-74		47
344	Compensation and control of two-inputs systems with hysteresis. <b>2011</b> , 268, 012005		6
343	Hysteresis modeling and compensation of a piezostage using least squares support vector machines. <b>2011</b> , 21, 1239-1251		66
342	A neural networks based model of inverse hysteresis. <b>2011</b> , 406, 4109-4114		5
341	An Analytical Generalized Prandtl-Ishlinskii Model Inversion for Hysteresis Compensation in Micropositioning Control. <b>2011</b> , 16, 734-744		263
340	Why are some hysteresis loops shaped like a butterfly?. <b>2011</b> , 47, 2658-2664		21
339	Parameter identification and hysteresis compensation of embedded piezoelectric stack actuators. <b>2011</b> , 21, 329-338		59
338	Adaptive sliding mode control of a piezo-actuated bilateral teleoperated micromanipulation system. <b>2011</b> , 35, 309-317		15
337	Tracking an unknown two-frequency reference using a frequency estimator-based servocompensator. <b>2011</b> ,		
336	Control of a flexible beam actuated by macro-fiber composite patches: II. Hysteresis and creep compensation, experimental results. <i>Smart Materials and Structures</i> , <b>2011</b> , 20, 015016	3-4	20
335	Research on positioning of GMA based on improved Prandtl-Ishlinskii model. <b>2011</b> ,		

334	Hysteretic neural network modeling of spring-coupled piezoelectric actuators. <i>Smart Materials and Structures</i> , <b>2011</b> , 20, 065007	3-4	3
333	Robust adaptive control of a Magnetic Shape Memory actuator for precise positioning. <b>2011</b> ,		5
332	Hysteresis compensation and high-performance tracking control of piezoelectric actuators. <b>2012</b> , 226, 1050-1059		3
331	Modeling and Control of Rate-Dependent Hysteresis for PEA with MPI Model-Based Hammerstein System. <b>2012</b> ,		
330	PID control of linear systems with an input hysteresis described by Prandtl-Ishlinskii models. <b>2012</b> ,		7
329	Harmonic analysis for hysteresis operators with application to control design for systems with hysteresis. <b>2012</b> ,		2
328	A compact 3-DOF compliant serial mechanism for trajectory tracking with flexures made by rapid prototyping. <b>2012</b> ,		3
327	Motion control of a 2-DOF decoupled compliant mechanism using H <sub>∞</sub> synthesis. <b>2012</b> ,		
326	Modeling and compensation of asymmetric hysteresis nonlinearity for magnetostrictive actuators with an asymmetric shifted Prandtl-Ishlinskii model. <b>2012</b> ,		1
325	Robust performance enhancement using disturbance observers for hysteresis compensation based on generalized Prandtl-Ishlinskii model. <b>2012</b> ,		3
324	Sliding-mode tracking control of piezo-actuated nanopositioners. <b>2012</b> ,		13
323	Compensation of play operator-based Prandtl-Ishlinskii hysteresis model using a stop operator with application to piezoelectric actuators. <b>2012</b> , 4, 25		11
322	Model Predictive Discrete-Time Sliding Mode Control of a Nanopositioning Piezostage Without Modeling Hysteresis. <b>2012</b> , 20, 983-994		73
321	Modeling of Rate-Dependent Hysteresis for Piezoelectric Actuator with MPI Model-Based Hammerstein System. <b>2012</b> , 281-290		2
320	Precise tracking control of piezoelectric actuators based on a hysteresis observer. <i>Nonlinear Dynamics</i> , <b>2012</b> , 70, 1969-1976	5	12
319	On PID control of dynamic systems with hysteresis using a Prandtl-Ishlinskii model. <b>2012</b> ,		11
318	Inverse compensation error of the Prandtl-Ishlinskii model. <b>2012</b> ,		3
317	Robust performance enhancement using disturbance observers for inverse-based hysteresis compensation: Preliminary results. <b>2012</b> ,		

316	Tracking error analysis for singularly perturbed systems preceded by piecewise linear hysteresis. <b>2012,</b>	2
315	Robust intelligent modeling for giant magnetostrictive actuators with rate-dependent hysteresis. <b>2012, 5, 500-514</b>	
314	Generating periodic forces with the pendulum actuator. <b>2012, 18, 3-16</b>	2
313	Real-time inverse hysteresis compensation of piezoelectric actuators with a modified Prandtl-Ishlinskii model. <b>2012, 83, 065106</b>	114
312	Inverse open-loop control of a nano-positioner based on piezo-electric actuators. <b>2012,</b>	
311	A precise positioning actuator based on feedback-controlled magnetic shape memory alloys. <b>2012, 22, 568-576</b>	46
310	Position control of shape memory alloy actuator based on the generalized Prandtl-Ishlinskii inverse model. <b>2012, 22, 945-957</b>	45
309	Invited review article: high-speed flexure-guided nanopositioning: mechanical design and control issues. <b>2012, 83, 121101</b>	318
308	Adaptive Kalman filter and dynamic recurrent neural networks-based control design of macro-micro manipulator. <b>2012, 10, 504-510</b>	3
307	Experimental comparison of some phenomenological hysteresis models in characterizing hysteresis behavior of shape memory alloy actuators. <i>Journal of Intelligent Material Systems and Structures</i> , <b>2012, 23, 1287-1309</b>	2,3 12
306	Advances in Neural Networks – ISNN 2012. <b>2012,</b>	1
305	Development of a Compact 1-D Micromanipulator with Flexure Manufactured Using Rapid Prototyping. <b>2012, 2, 47-57</b>	3
304	MSM Actuators: Design Rules and Control Strategies. <b>2012, 14, 668-681</b>	28
303	SVD-based Preisach hysteresis identification and composite control of piezo actuators. <b>2012, 51, 430-8</b>	30
302	Dual-stage repetitive control with Prandtl-Ishlinskii hysteresis inversion for piezo-based nanopositioning. <b>2012, 22, 271-281</b>	33
301	Prandtl-Ishlinskii hysteresis models for complex time dependent hysteresis nonlinearities. <b>2012, 407, 1365-1367</b>	26
300	Rate-Dependent Hysteresis Modeling and Control of a Piezostage Using Online Support Vector Machine and Relevance Vector Machine. <i>IEEE Transactions on Industrial Electronics</i> , <b>2012, 59, 1988-2001</b> 8.9	111
299	Automatic Hysteresis Modeling of Piezoelectric Micromanipulator in Vision-Guided Micromanipulation Systems. <b>2012, 17, 547-553</b>	37

298	Motion Control of Piezoelectric Positioning Stages: Modeling, Controller Design, and Experimental Evaluation. <b>2013</b> , 18, 1459-1471		161
297	Inverse Rate-Dependent Prandtl-Bhlinkii Model for Feedforward Compensation of Hysteresis in a Piezomicropositioning Actuator. <b>2013</b> , 18, 1498-1507		135
296	A Novel Direct Inverse Modeling Approach for Hysteresis Compensation of Piezoelectric Actuator in Feedforward Applications. <b>2013</b> , 18, 981-989		156
295	Modeling and High Dynamic Compensating the Rate-Dependent Hysteresis of Piezoelectric Actuators via a Novel Modified Inverse Preisach Model. <b>2013</b> , 21, 1549-1557		118
294	Design issues in a decoupled XY stage: Static and dynamics modeling, hysteresis compensation, and tracking control. <i>Sensors and Actuators A: Physical</i> , <b>2013</b> , 194, 95-105	3.9	82
293	Robust Performance Enhancement Using Disturbance Observers for Hysteresis Compensation Based on Generalized Prandtl-Bhlinkii Model. <b>2013</b> , 135,		17
292	Design and Control for High-Speed Nanopositioning: Serial-Kinematic Nanopositioners and Repetitive Control for Nanofabrication. <b>2013</b> , 33, 86-105		41
291	LMI-based design of linear controllers for a magnetic shape memory push-push actuator. <b>2013</b> ,		3
290	. <b>2013</b> , 21, 725-738		70
289	Adaptive Control of Positioning Systems With Hysteresis Based on Magnetic Shape Memory Alloys. <b>2013</b> , 21, 2011-2023		33
288	A Survey of Modeling and Control of Piezoelectric Actuators. <b>2013</b> , 03, 1-20		45
287	Application of Laguerre based adaptive predictive control to Shape Memory Alloy (SMA) Actuator. <b>2013</b> , 52, 469-79		14
286	Identification and Compensation of Piezoelectric Hysteresis Without Modeling Hysteresis Inverse. <i>IEEE Transactions on Industrial Electronics</i> , <b>2013</b> , 60, 3927-3937	8.9	144
285	Piezoelectric self sensing actuators for high voltage excitation. <i>Smart Materials and Structures</i> , <b>2013</b> , 22, 065018	3.4	22
284	An indirect adaptive servocompensator for signals of unknown frequencies with application to nanopositioning. <b>2013</b> , 49, 2006-2016		25
283	Experimental characterization and modeling of stress-dependent hysteresis of a giant magnetostrictive actuator. <b>2013</b> , 56, 656-665		7
282	Parameter identification of the generalized Prandtl-Bhlinkii model for piezoelectric actuators using modified particle swarm optimization. <i>Sensors and Actuators A: Physical</i> , <b>2013</b> , 189, 254-265	3.9	61
281	Identification of a dynamic model for shape memory alloy actuator using Hammerstein-Wiener gray box and mutable smart bee algorithm. <b>2013</b> , 6, 328-357		20

280	Optimal Compression of a Generalized Prandtl-Ishlinskii Operator in Hysteresis Modeling. <b>2013</b> ,		2
279	Design and Kinematics Modeling of a Novel 3-DOF Monolithic Manipulator Featuring Improved Scott-Russell Mechanisms. <b>2013</b> , 135,		57
278	Compensation of rate-dependent hysteresis nonlinearities in a magnetostrictive actuator using an inverse Prandtl-Ishlinskii model. <i>Smart Materials and Structures</i> , <b>2013</b> , 22, 025027	3-4	30
277	. <b>2013</b> ,		1
276	Closed-loop analysis for systems with fast linear dynamics preceded by hysteresis. <b>2013</b> ,		1
275	Piezoelectric actuator design with micro positioning capability and its practical implementation: Fuzzy approach. <b>2013</b> ,		
274	Self-excited limit cycles in an integral-controlled system with backlash. <b>2013</b> ,		1
273	Comparison of Cascaded Backstepping Control Approaches with Hysteresis Compensation for a Linear Axis with Pneumatic Muscles. <b>2013</b> , 46, 773-778		3
272	On-site simultaneous calibration of hysteric and structural parameters for self-sensing robotic tweezers with strain amplified piezoelectric actuators. <b>2014</b> ,		
271	Modeling and inverse compensation of hysteresis in vanadium dioxide using an extended generalized Prandtl-Ishlinskii model. <i>Smart Materials and Structures</i> , <b>2014</b> , 23, 125017	3-4	24
270	Modified Prandtl-Ishlinskii Model for GMA of High-Load Pinhole Boring System. <b>2014</b> , 701-702, 826-831		
269	A closed-loop position control scheme for SMA-actuated joints. <b>2014</b> ,		1
268	Hysteresis modeling and compensation of PZT milliactuator in hard disk drives. <b>2014</b> ,		2
267	Improving scanning speed of the AFMs with inversion-based feedforward control. <b>2014</b> ,		1
266	An improved direct inverse modeling approach for high-speed feedforward tracking control of a piezoelectric tube actuator. <b>2014</b> ,		3
265	Tracking Error Analysis for Feedback Systems With Hysteresis Inversion and Fast Linear Dynamics1. <b>2014</b> , 136,		4
264	Modeling and control of innovative smart materials and actuators: A tutorial. <b>2014</b> ,		5
263	Rate-dependent modeling and adaptive inverse control of Giant Magnetostrictive Actuators. <b>2014</b> ,		

262	The generalized Prandtl-Ishlinskii model: Relation with the Preisach nonlinearity and inverse compensation error. <b>2014,</b>		2
261	Comparison of Model-Based Approaches to the Compensation of Hysteresis in the Force Characteristic of Pneumatic Muscles. <i>IEEE Transactions on Industrial Electronics</i> , <b>2014</b> , 61, 3620-3629	8.9	60
260	A Modified Prandtl-Ishlinskii Model for Rate-dependent Hysteresis Nonlinearity Using mth-power Velocity Damping Mechanism. <b>2014</b> , 11, 163		14
259	Precise positioning and active vibration isolation using piezoelectric actuator with hysteresis compensation. <i>Journal of Intelligent Material Systems and Structures</i> , <b>2014</b> , 25, 155-163	2.3	9
258	Modified rate-dependent hysteresis modeling of piezoelectric actuator. <b>2014,</b>		1
257	Electromechanical modelling for piezoelectric flextensional actuators. <i>Smart Materials and Structures</i> , <b>2014</b> , 23, 025005	3.4	11
256	Robust dahl model based Sliding Mode Control for micro/nano positioning applications. <b>2014,</b>		2
255	High-bandwidth tracking control of piezo-actuated nanopositioning stages using closed-loop input shaper. <b>2014</b> , 24, 724-733		29
254	Inversion-free stabilization and regulation of systems with hysteresis via integral action. <b>2014</b> , 50, 1017-1025		21
253	Design, Modeling and Control of Nanopositioning Systems. <b>2014,</b>		83
252	Inversion of an extended generalized Prandtl-Ishlinskii hysteresis model: Theory and experimental results. <b>2014,</b>		1
251	Characteristics of the direct inverse modeling approach for hysteresis compensation of piezoelectric actuators. <b>2014,</b>		
250	Design of Linear Feedback Controllers for Dynamic Systems With Hysteresis. <b>2014</b> , 22, 1268-1280		33
249	Modeling and inverse adaptive control of asymmetric hysteresis systems with applications to magnetostrictive actuator. <i>Control Engineering Practice</i> , <b>2014</b> , 33, 148-160	3.9	35
248	Experimental characterization and modeling of rate-dependent asymmetric hysteresis of magnetostrictive actuators. <i>Smart Materials and Structures</i> , <b>2014</b> , 23, 035002	3.4	25
247	Analytical solution for a class of network dynamics with mechanical and financial applications. <b>2014</b> , 90, 032822		11
246	Modeling and Compensation of Asymmetric Hysteresis Nonlinearity for Piezoceramic Actuators With a Modified Prandtl-Ishlinskii Model. <i>IEEE Transactions on Industrial Electronics</i> , <b>2014</b> , 61, 1583-1595	8.9	232
245	A Force and Displacement Self-Sensing Piezoelectric MRI-Compatible Tweezer End Effector With an On-Site Calibration Procedure. <b>2014</b> , 19, 755-764		42

244	Modeling and compensation for hysteresis properties in piezoelectric actuators. <b>2014,</b>	6
243	Compensation of Hysteresis Nonlinearity in Magnetostrictive Actuators With Inverse Multiplicative Structure for Preisach Model. <b>2014,</b> 11, 613-619	75
242	Prescribed adaptive control of unknown hysteresis in smart material actuated systems. <b>2014,</b> 2, 712-724	3
241	Adaptive sliding model control for linear actuator with hysteresis using a Prandtl-Ishlinskii model. <b>2014,</b>	3
240	An inversion-free model predictive control with error compensation for piezoelectric actuators. <b>2015,</b>	7
239	H $\infty$ control design for systems approximated by piecewise linearity. <b>2015,</b>	
238	State machine based nonlinear hysteresis model. <b>2015,</b> 31, 215-221	
237	Modeling of Hysteresis in Piezoelectric Actuator Based on Segment Similarity. <b>2015,</b> 6, 1805-1824	6
236	Modeling and creep compensation control of bellow-driven positioning stage. <b>2015,</b>	
235	Neural sliding-mode tracking control for a class of nonlinear-actuators. <b>2015,</b>	
234	Experimental model inverse-based hysteresis compensation on a piezoelectric actuator. <b>2015,</b>	6
233	Hysteresis compensation of piezoelectric actuator using direct inverse modeling approach and adaptive projection algorithm. <b>2015,</b>	1
232	Combined control for GMA with modified P-I model and hysteresis phase compensation. <b>2015,</b>	
231	Modeling and compensating the dynamic hysteresis of piezoelectric actuators via a modified rate-dependent Prandtl-Ishlinskii model. <i>Smart Materials and Structures</i> , <b>2015,</b> 24, 125006	3-4 30
230	. <b>2015,</b>	1
229	Multi-arm robotic swimmer actuated by antagonistic SMA springs. <b>2015,</b>	5
228	An Inversion-Free Predictive Controller for Piezoelectric Actuators Based on a Dynamic Linearized Neural Network Model. <b>2015,</b> 1-1	36
227	Design and Analysis of Sliding Mode Controller Under Approximate Hysteresis Compensation. <b>2015</b> , 23, 598-608	31

226	A Circuit Model of Hysteresis and Creep. <b>2015</b> , 62, 501-505		10
225	A rate-dependent Prandtl-Ishlinskii model for piezoelectric actuators using the dynamic envelope function based play operator. <b>2015</b> , 10, 37-42		7
224	Comparison of Model-free and Model-based Control Techniques for a Positioning Actuator based on Magnetic Shape Memory Alloys. <b>2015</b> ,		2
223	Optimal compression of generalized Prandtl-Ishlinskii hysteresis models. <b>2015</b> , 57, 170-179		33
222	Identification Methods of Modified Prandtl-Ishlinskii Model for Giant Magnetostrictive Actuator. <b>2015</b> , 740, 572-575		
221	Improved direct inverse tracking control of a piezoelectric tube scanner for high-speed AFM imaging. <b>2015</b> , 31, 189-195		10
220	Rate-Dependent Modeling and $H_{\infty}$ Robust Control of GMA Based on Hammerstein Model With Preisach Operator. <b>2015</b> , 23, 2432-2439		14
219	A novel nonlinear adaptive filter for modeling of rate-dependent hysteresis in Giant Magnetostrictive Actuators. <b>2015</b> ,		3
218	. <i>IEEE Transactions on Industrial Electronics</i> , <b>2015</b> , 62, 7717-7727	8.9	146
217	Experimental comparison of disturbance observer and inverse-based hysteresis compensation in 3D nanopositioning piezoactuation. <i>Sensors and Actuators A: Physical</i> , <b>2015</b> , 236, 190-205	3.9	3
216	Design and control methodology of a 3-DOF flexure-based mechanism for micro/nano-positioning. <b>2015</b> , 32, 93-105		64
215	Adaptive control of Hammerstein systems with unknown Prandtl-Ishlinskii hysteresis. <b>2015</b> , 229, 149-157		7
214	Fundamentals of Systems with Hysteresis. <b>2016</b> , 5-35		
213	Modeling of Rate-Dependent Hysteresis Using a GPO-Based Adaptive Filter. <b>2016</b> , 16, 205		2
212	Robust homoclinic orbits in planar systems with Preisach hysteresis operator. <b>2016</b> , 727, 012012		1
211	Robust high-precision control of a piezoelectric-actuated nano-positioner with hysteresis compensation. <b>2016</b> ,		
210	Dual-piezoelectric ceramic micro-positioning control based on the modified Prandtl-Ishlinskii model. <b>2016</b> ,		0
209	Development of a sub-shift control algorithm for an agricultural tractor with hydro-mechanical transmission. <b>2016</b> , 8, 168781401667694		2

208	Rate-dependent Prandtl-Ishlinskii hysteresis compensation using inverse-multiplicative feedforward control in magnetostrictive Terfenol-D based actuators. <b>2016,</b>		1
207	Neural Networks based modeling and robust control of hysteresis. <b>2016,</b>		5
206	A 2-DOF H <sub>∞</sub> control strategy for a 3 axes robotic system operating at the nanometer scale. <b>2016,</b>		2
205	Experimental comparison of LQG/LTR and robust control approaches in 2D piezoactuation. <b>2016,</b>		
204	. <b>2016,</b> 63, 413-422		16
203	Hysteresis and creep: Comparison between a power-law model and KuhnenQ model. <b>2016,</b> 486, 2-6		5
202	Dynamic hysteresis modeling and control of piezoelectric actuator based on H <sub>∞</sub> robust disturbance observer. <b>2016,</b>		2
201	Energy-saving control strategies for a ferromagnetic shape memory alloy based actuator. <i>Sensors and Actuators A: Physical</i> , <b>2016,</b> 249, 112-121	3-9	2
200	Periodic reference tracking control approach for smart material actuators with complex hysteretic characteristics. <i>Smart Materials and Structures</i> , <b>2016,</b> 25, 105029	3-4	12
199	Frequency response analysis for closed-loop systems with hysteresis using incremental harmonic balance. <b>2016,</b>		
198	Master-slave control with hysteresis inversion for dual-stage nanopositioning systems. <b>2016,</b>		8
197	Elliptical modelling of hysteresis operating characteristics in a dielectric elastomer tubular actuator. <i>Smart Materials and Structures</i> , <b>2016,</b> 25, 075038	3-4	2
196	Sliding mode disturbance observer-based adaptive integral backstepping control of a piezoelectric nano-manipulator. <i>Smart Materials and Structures</i> , <b>2016,</b> 25, 125011	3-4	6
195	Design, modelling and control of a micro-positioning actuator based on magnetic shape memory alloys. <i>Smart Materials and Structures</i> , <b>2016,</b> 25, 075005	3-4	14
194	. <b>2016,</b> 21, 2405-2417		20
193	Nanopositioning Technologies. <b>2016,</b>		29
192	Feedforward Control Based on Inverse Hysteresis Models. <b>2016,</b> 23-55		3
191	Rate-bias-dependent hysteresis modeling of a magnetostrictive transducer. <b>2016,</b> 22, 883-892		10

190	Modeling and Control of Piezo-Actuated Nanopositioning Stages: A Survey. <b>2016</b> , 13, 313-332		306
189	A new congruency-based hysteresis modeling and compensating of a piezoactuator incorporating an adaptive neuron fuzzy inference system. <b>2017</b> , 231, 1712-1724		1
188	Non-linear control of a hydraulic piezo-valve using a generalised Prandtl-Ishlinskii hysteresis model. <b>2017</b> , 82, 412-431		51
187	Low stiffness design and hysteresis compensation torque control of SEA for active exercise rehabilitation robots. <b>2017</b> , 41, 1221-1242		16
186	Structure of cellular actuators. <b>2017</b> , 1-44		
185	The design, hysteresis modeling and control of a novel SMA-fishing-line actuator. <i>Smart Materials and Structures</i> , <b>2017</b> , 26, 037004	3.4	42
184	Asymmetric Hysteresis Modeling and Compensation Approach for Nanomanipulation System Motion Control Considering Working-Range Effect. <i>IEEE Transactions on Industrial Electronics</i> , <b>2017</b> , 64, 5513-5523	8.9	35
183	Contour accuracy improvement of a flexure-based micro-motion stage for tracking repetitive trajectory. <b>2017</b> , 7, 015026		2
182	Parameter identification of Jiles-Atherton model for magnetostrictive actuator using hybrid niching coral reefs optimization algorithm. <i>Sensors and Actuators A: Physical</i> , <b>2017</b> , 261, 184-195	3.9	15
181	Modeling and compensation control of asymmetric hysteresis in a pneumatic artificial muscle. <i>Journal of Intelligent Material Systems and Structures</i> , <b>2017</b> , 28, 2769-2780	2.3	15
180	Dynamic modelling of magnetostrictive actuator with fully coupled magneto-mechanical effects and various eddy-current losses. <i>Sensors and Actuators A: Physical</i> , <b>2017</b> , 258, 163-173	3.9	15
179	Modeling and tracking control for piezoelectric actuator based on a new asymmetric hysteresis model. <b>2017</b> , 4, 782-791		8
178	Systematic Hysteresis Compensator Design based on Extended Unparallel Prandtl-Ishlinskii Model for SPM Imaging Rectification. <b>2017</b> , 50, 10901-10906		4
177	Generalized Play Hysteresis Operators in Limits of Fast-Slow Systems. <b>2017</b> , 16, 1650-1685		9
176	Adaptive sliding mode control with linear matrix inequality based on a DEAP flexible actuator. <b>2017</b> , ,		2
175	An adaptive weighted least square support vector regression for hysteresis in piezoelectric actuators. <i>Sensors and Actuators A: Physical</i> , <b>2017</b> , 263, 423-429	3.9	11
174	A rate-dependent hysteresis model for giant magnetostrictive actuators using the dynamic weight and dynamic threshold based modified Prandtl-Ishlinskii model. <b>2017</b> ,		
173	Grasping force hysteresis compensation of a piezoelectric-actuated wire clamp with a modified inverse Prandtl-Ishlinskii model. <b>2017</b> , 88, 115101		20

172	Disturbance Observer-Based Sliding Mode Control of a Piezoelectric Nano-Manipulator. <b>2017,</b>		
171	Advanced Mechatronics and MEMS Devices II. <b>2017,</b>		4
170	Inverse Adaptive Controller Design for Magnetostrictive-Actuated Dynamic Systems. <b>2017,</b> 687-714		
169	Adaptive hysteresis compensation on an experimental nanopositioning platform. <b>2017,</b> 90, 765-778		11
168	Modeling, identification and compensation of hysteresis nonlinearity for a piezoelectric nano-manipulator. <i>Journal of Intelligent Material Systems and Structures</i> , <b>2017,</b> 28, 907-922	2-3	9
167	System identification of a class of Wiener systems with hysteretic nonlinearities. <b>2017,</b> 31, 332-359		9
166	An adaptive conditional servocompensator design for nanopositioning control. <b>2017,</b>		3
165	Contouring performance-oriented cross-coupled desired compensation adaptive robust control for a flexure-based stage. <b>2017,</b>		
164	Modeling and compensation of the hysteretic nonlinearity of piezoelectric actuators. <b>2017,</b>		
163	Adaptive rate-dependent feedforward control for piezoelectric actuator. <b>2017,</b>		1
162	. <b>2017,</b>		2
161	Integrated asymmetric stop operator based model for strain stress hysteresis characteristics of cable driven robots loaded longitudinally. <b>2017,</b>		4
160	. <b>2017,</b>		1
159	Acceleration sensors based dynamic hysteresis modeling and vibration control of PEAs. <b>2017,</b>		
158	Model reference adaptive control based on kp model for magnetically controlled shape memory alloy actuators. <b>2017,</b> 15, e31-e37		4
157	Hammerstein system identification in the presence of threshold-discrete Prandtl-Ishlinskii operator and its application in piezoelectric actuator. <b>2017,</b>		0
156	Modeling and Identification of the Rate-Dependent Hysteresis of Piezoelectric Actuator Using a Modified Prandtl-Ishlinskii Model. <b>2017,</b> 8, 114		34
155	Nano-Scale Positioning Design with Piezoelectric Materials. <b>2017,</b> 8,		3

154	Learning-Based Optimal Desired Compensation Adaptive Robust Control for a Flexure-Based Micro-Motion Manipulator. <b>2017</b> , 7, 406		9
153	Modeling of hysteresis nonlinearity in piezoelectric ceramic micro-positioning platform based on generalized rate-dependent Prandtl-Ishlinskii model. <b>2017</b> ,		0
152	Discrete nonlinear contraction theory based adaptive control strategy for a class of hammerstein systems with saturated hysteresis. <b>2017</b> ,		0
151	Dispenser printing of piezo-resistive nanocomposite on woven elastic fabric and hysteresis compensation for skin-mountable stretch sensing. <i>Smart Materials and Structures</i> , <b>2018</b> , 27, 025017	3-4	9
150	A review of giant magnetostrictive injector (GMI). <i>Sensors and Actuators A: Physical</i> , <b>2018</b> , 273, 159-181	3.9	24
149	Adaptive trajectory tracking of magnetostrictive actuator based on preliminary hysteresis compensation and further adaptive filter controller. <i>Nonlinear Dynamics</i> , <b>2018</b> , 92, 1109-1118	5	10
148	Modeling and compensation of asymmetric hysteresis for pneumatic artificial muscles with a modified generalized Prandtl-Ishlinskii model. <b>2018</b> , 52, 49-57		39
147	Adaptive robust tracking control of a proportional pressure-reducing valve with dead zone and hysteresis. <b>2018</b> , 40, 2151-2166		13
146	Application of a low-cost piezoelectric displacement estimation technique based on laser interferometry for hysteresis open-loop compensation in an AFM scanner. <b>2018</b> , 549, 43-46		2
145	Hysteresis modeling and trajectory tracking control of the pneumatic muscle actuator using modified Prandtl-Ishlinskii model. <b>2018</b> , 120, 213-224		36
144	A hybrid dynamic model of shape memory alloy spring actuators. <b>2018</b> , 114, 340-353		8
143	An incremental harmonic balance-based approach for harmonic analysis of closed-loop systems with Prandtl-Ishlinskii operator. <b>2018</b> , 88, 48-56		5
142	Texture and Electromagnetic Coupling Properties. <b>2018</b> , 20, 1700827		
141	Systematic investigation and modeling of piezoelectric interaction with loading structures. <b>2018</b> , 25, 714-721		
140	Efficient piecewise-affine coupled-system feed-forward control of a nonlinear elastomer coupling. <b>2018</b> , 51, 861-866		0
139	Accurate piecewise-affine time-discrete modeling of hysteresis-coupled system dynamics. <b>2018</b> , 51, 156-161		1
138	Hysteresis Compensation Using Extended High-Gain Observer and Dynamic Inversion. <b>2018</b> ,		1
137	Active Vibration Control of a Dynamic Hysteresis System Using $\mu$ -Synthesis. <b>2018</b> , 6, 76831-76837		3

136	Modeling and identification of magnetostrictive hysteresis with a modified rate-independent Prandtl-Ishlinskii model. <b>2018</b> , 27, 098503		3
135	Tracking control for systems with slope-restricted hysteresis nonlinearities. <b>2018</b> , 28, 6038-6052		2
134	Improved Adaptive Filter-Based Control of a Magnetostrictive Vibration Isolator. <b>2018</b> ,		0
133	A Simple Asymmetric Hysteresis Model for Displacement-Force Control of Piezoelectric Actuators. <b>2018</b> ,		2
132	Modeling and compensation of hysteresis and creep: The HysTool toolbox. <b>2018</b> ,		2
131	Hybrid Frequency-dependent Hysteresis Model of Magnetostrictive Actuator. <b>2018</b> , 378, 012013		
130	. <b>2018</b> , 17, 994-1005		7
129	Microvibration isolation by adaptive feedforward control with asymmetric hysteresis compensation. <b>2019</b> , 114, 644-657		22
128	A piezoresistive flexible sensor to detect soft actuator deformation. <b>2019</b> ,		0
127	A novel hysteresis modelling method with improved generalization capability for pneumatic artificial muscles. <i>Smart Materials and Structures</i> , <b>2019</b> , 28, 105014	3.4	11
126	Design of Adaptive Voltage Dither Control Framework Based on Spectral Analysis for Nonlinear Piezoelectric Actuator. <b>2019</b> , 30, 954-969		2
125	Modeling and Discrete-Time Terminal Sliding Mode Control of a DEAP Actuator with Rate-Dependent Hysteresis Nonlinearity. <b>2019</b> , 9, 2625		5
124	Controllable micrometer positioning design of piezoelectric actuators using a robust fuzzy eliminator. <b>2019</b> , 103, 113497		3
123	Asymmetrically Dynamic Coupling Hysteresis in Piezoelectric Actuators: Modeling Identification and Experimental Assessments. <b>2019</b> , 11, 1950051		2
122	Review of Modeling and Control of Magnetostrictive Actuators. <i>Actuators</i> , <b>2019</b> , 8, 45	2.4	39
121	Decoupling and control of micromotion stage based on hysteresis of piezoelectric actuation. <b>2019</b> , 25, 3299-3309		5
120	A direct approach to modelling the complex response of magnesium AZ31 alloy sheets to variable strain amplitude loading using Prandtl-Ishlinskii operators. <b>2019</b> , 127, 291-304		9
119	A Toolchain for Open-Loop Compensation of Hysteresis and Creep in Atomic Force Microscopes. <b>2019</b> ,		

118	Modeling and compensation of symmetric hysteresis in piezoceramic actuators. <b>2019</b> , 13, 102095		3
117	A review of nonlinear hysteresis modeling and control of piezoelectric actuators. <b>2019</b> , 9, 040702		28
116	Ill-conditioned dynamic hysteresis compensation for a low-frequency magnetostrictive vibration shaker. <i>Nonlinear Dynamics</i> , <b>2019</b> , 96, 535-551	5	3
115	Hammerstein model for hysteresis characteristics of pneumatic muscle actuators. <b>2019</b> , 3, 33-44		11
114	Development of a field dependent Prandtl-Ishlinskii model for magnetorheological elastomers. <b>2019</b> , 166, 107608		25
113	Modeling of Rate-Independent and Symmetric Hysteresis Based on Madelung@ Rules. <b>2019</b> , 19,		3
112	Control, Measurement and Estimation of Piezoelectric Actuator Driven System for Precision Positioning. <b>2019</b> ,		
111	Inverse Hysteresis Control of Stick-Slip SEM Integrated Nano-Robotic Systems. <b>2019</b> ,		2
110	A Hybrid Hysteresis and Dynamics Model for Piezo-Driven Flexure-Based Mechanisms. <b>2019</b> ,		
109	A direct inverse hysteresis model and its application in reluctance actuators.. <b>2019</b> ,		1
108	Adaptive Control for Pure-Feedback Nonlinear Systems Preceded by Asymmetric Hysteresis. <b>2019</b> , 12, 4675		1
107	Analysis of an optimization problem for a piezoelectric energy harvester. <b>2019</b> , 89, 1103-1122		3
106	Inversion-free force tracking control of piezoelectric actuators using fast finite-time integral terminal sliding-mode. <b>2019</b> , 57, 39-50		19
105	Oscillations of a temperature-dependent piezoelectric rod. <b>2019</b> , 46, 403-420		
104	Mixed stepping/scanning mode control of stick-slip SEM-integrated nano-robotic systems. <i>Sensors and Actuators A: Physical</i> , <b>2019</b> , 285, 258-268	3.9	18
103	Stability analysis and controller design for Lur@ system with hysteresis nonlinearities: a negative-imaginary theory based approach. <b>2019</b> , 92, 1903-1913		6
102	Integral Control of Stable Negative-Imaginary Systems Preceded by Hysteresis Nonlinearity. <b>2020</b> , 65, 1333-1339		5
101	Active dynamic vibration absorber for flutter suppression. <b>2020</b> , 469, 115110		15

100	Compensation of Hysteresis in the Piezoelectric Nanopositioning Stage under Reciprocating Linear Voltage Based on a Mark-Segmented PI Model. <b>2019</b> , 11,		2
99	Hysteresis modeling and compensation of a pneumatic end-effector based on Gaussian process regression. <i>Sensors and Actuators A: Physical</i> , <b>2020</b> , 315, 112227	3.9	2
98	A fast and increment independent technique for continuous calculation of the strain energy dissipated during cyclic loading applied to magnesium alloy AZ31. <b>2020</b> , 139, 105779		2
97	Iterative Learning and Fractional Order PID Hybrid Control for a Piezoelectric Micro-Positioning Platform. <b>2020</b> , 8, 144654-144664		2
96	Active Handheld Flexible Fetoscope Design and Control Based on a Modified Generalized Prandtl-Ishlinski Model. <b>2020</b> ,		5
95	The hysteresis modeling of pneumatic artificial muscles using least squares support vector machine approach. <i>Journal of Intelligent Material Systems and Structures</i> , <b>2020</b> , 31, 1358-1370	2.3	2
94	Review of vibration devices for vibration-assisted machining. <b>2020</b> , 108, 1631-1651		13
93	Adaptive Tracking Control for the Piezoelectric Actuated Stage Using the Krasnosel'skii-Pokrovskii Operator. <b>2020</b> , 11,		4
92	Improving the Image Acquisition Rate of an Atomic Force Microscope Through Spatial Subsampling and Reconstruction. <b>2020</b> , 25, 570-580		5
91	Force feedback control for bilateral teleoperation system with unknown Prandtl-Ishlinskii hysteresis. <b>2020</b> , 357, 8321-8341		1
90	Composite proportional-integral sliding mode control with feedforward control for cell puncture mechanism with piezoelectric actuation. <b>2020</b> ,		9
89	A modified asymmetric generalized Prandtl-Ishlinskii model for characterizing the irregular asymmetric hysteresis of self-made pneumatic muscle actuators. <b>2020</b> , 149, 103836		5
88	A method for the length-pressure hysteresis modeling of pneumatic artificial muscles. <b>2020</b> , 63, 829-837		9
87	A Trajectory Tracking Control of a Robot Actuated With Pneumatic Artificial Muscles Based on Hysteresis Compensation. <b>2020</b> , 8, 80964-80977		5
86	Modeling of Dynamic Hysteresis Characters for the Lithium-Ion Battery. <b>2020</b> , 167, 090532		7
85	Research on Asymmetric Hysteresis Modeling and Compensation of Piezoelectric Actuators with PMPI Model. <b>2020</b> , 11,		3
84	Improved Sliding Mode Control With Time Delay Estimation for Motion Tracking of Cell Puncture Mechanism. <b>2020</b> , 67, 3199-3210		8
83	Inversion-Free Hysteresis Compensation via Adaptive Conditional Servomechanism With Application to Nanopositioning Control. <b>2021</b> , 29, 1922-1935		4

82	Second-order adaptive discrete-time fast terminal sliding mode control of a DEAP actuator with hysteresis nonlinearity. <b>2021</b> , 52, 468-492		1
81	Modeling and Compensation Algorithms of Asymmetric Nonlinearity for Piezoelectric Actuators Based on Madelung's Rules. <i>IEEE Transactions on Industrial Electronics</i> , <b>2021</b> , 68, 11359-11368	8.9	1
80	A Review of Extrusion-Based 3D Printing for the Fabrication of Electro- and Biomechanical Sensors. <b>2021</b> , 21, 12900-12912		14
79	Nonlinear control design of piezoelectric actuators with micro positioning capability. <b>2021</b> , 27, 1589-1599		3
78	Hysteresis modeling and feedforward compensation of a flexible structure actuated by macro fiber composites using bias bipolar Prandtl-Ishlinskii model. <i>Journal of Intelligent Material Systems and Structures</i> , 1045389X2199588	2.3	1
77	Preisach-model-based position control of a shape-memory alloy linear actuator in the presence of time-varying stress. <b>2021</b> , 73, 102452		1
76	High-bandwidth modeling for rate-dependent hysteresis nonlinearity using a standard Prandtl-Ishlinskii model. <b>2021</b> , 11, 045121		
75	Precision motion control of a piezoelectric cantilever positioning system with rate-dependent hysteresis nonlinearities. <i>Nonlinear Dynamics</i> , <b>2021</b> , 104, 3385	5	3
74	Modeling and control of a novel pneumatic two-stage piezoelectric-actuated valve. <b>2021</b> , 75, 102529		1
73	A holistic survey on mechatronic Systems in Micro/Nano scale with challenges and applications. <b>2021</b> , 17, 1		0
72	Hysteresis Modeling and Compensation of Fast Steering Mirrors with Hysteresis Operator Based Back Propagation Neural Networks. <b>2021</b> , 12,		1
71	Dynamic modeling for soft dielectric elastomer actuator considering different input frequencies and external loads. <i>Journal of Intelligent Material Systems and Structures</i> , 1045389X2110411	2.3	
70	A Digitized Representation of the Modified Prandtl-Ishlinskii Hysteresis Model for Modeling and Compensating Piezoelectric Actuator Hysteresis. <b>2021</b> , 12,		0
69	Inversion-Based Hysteresis Compensation Using Adaptive Conditional Servocompensator for Nanopositioning Systems. <b>2021</b> , 143,		0
68	Adaptive control and disturbance compensation for gear transmission servo systems with large-range inertia variation. 014233122110471		
67	Attaining Ultraprecision Machining by Feed Drive System Stability Control with Piezoelectric Preloading Actuators. <b>2021</b> , 11, 8491		1
66	Precision tracking of a 2-DOF stick-slip positioner using modeling-free inversion-based iterative control and modified inverse hysteresis compensator. <i>Sensors and Actuators A: Physical</i> , <b>2021</b> , 331, 112939	3.9	2
65	Numerical optimization based control design for a ferromagnetic shape memory alloy actuator. <i>Sensors and Actuators A: Physical</i> , <b>2021</b> , 331, 112835	3.9	0

64	Hysteresis Feedforward Compensation: A Direct Tuning Approach Using Hybrid-MEM-Elements. <b>2022</b> , 6, 1070-1075	0
63	Modeling of the dynamic hysteresis in DEAP actuator using an empirical mode decomposition based long-short term memory network. <i>Journal of Intelligent Material Systems and Structures</i> , 1045389X23098699	23
62	Adaptive Estimation of Play Radii for a Prandtl-Ishlinskii Hysteresis Operator. <b>2021</b> , 1-9	5
61	Hysteresis Modelling of a Piezoelectric Tube Actuator. <b>2015</b> , 283-291	3
60	Modeling of Piezoelectric-Actuated Nanopositioning Stages Involving with the Hysteresis. <b>2016</b> , 183-212	2
59	Actuators in Adaptronics. <b>2007</b> , 95-300	2
58	On PSO Based Bouc-Wen Modeling for Piezoelectric Actuator. <b>2010</b> , 125-134	5
57	Modeling of Hysteresis Nonlinearity Based on Generalized Bouc-Wen Model for GMA. <b>2010</b> , 147-158	2
56	Modeling Rate-Dependent and Thermal-Drift Hysteresis through Preisach Model and Neural Network Optimization Approach. <b>2012</b> , 179-187	1
55	A Prandtl-Ishlinskii Model for Characterizing Asymmetric and Saturated Hysteresis of Smart Material Actuators. <b>2013</b> , 635-643	3
54	Asymmetric Prandtl-Ishlinskii Hysteresis Model for Giant Magnetostrictive Actuator. <b>2016</b> , 20, 223-230	2
53	Modelling, Identification, and Compensation of Complex Hysteretic and log(t)-Type Creep Nonlinearities. <b>2005</b> , 33,	28
52	Kurzweil integral representation of interacting Prandtl-Ishlinskii operators. <b>2015</b> , 20, 2949-2965	5
51	On Implementation of the Preisach Model: Identification and Inversion for Hysteresis Compensation. <b>2015</b> , 36, 133-142	26
50	A Modified Prandtl-Ishlinskii Hysteresis Modeling Method with Load-dependent Delay for Characterizing Magnetostrictive Actuated Systems. <b>2018</b> , 9, 177-188	4
49	3D Periodic Magnetic Servoing System for Microrobot Actuation Using Decoupled Asynchronous Repetitive Control Approach. <b>2021</b> ,	0
48	Adaptive Fuzzy Control Scheme With Guaranteed Performance For Uncertain Nonlinear Systems Preceded By Preisach Operator. <b>2021</b> ,	
47	Experimental Characterization and Modeling of Dynamic Hysteresis for Magnetostrictive Actuator. <b>2021</b> ,	

- 46 A Self-Sensing Method for Electromagnetic Actuators with Hysteresis Compensation. **2021**, 14, 6706
- 45 Implementation Issues. **2010**, 123-151
- 44 Rate-Dependent Hysteresis Modeling and Compensation Using Least Squares Support Vector Machines. **2011**, 85-93 ○
- 43 Identification of Prandtl-Ishlinskii Hysteresis Models Using Modified Particle Swarm Optimization. **2012**, 291-300
- 42 Compensation of Rate-Dependent Hysteresis in a Piezomicropositioning Actuator. **2013**, 187-206
- 41 Introduction: Smart Materials as Essential Base for Actuators in Micro/Nanopositioning. **2013**, 1-14 ○
- 40 Nonlinear Dynamics and Modeling. **2013**, 11-19
- 39 Identification and Compensation of Preisach Hysteresis in Piezoelectric Actuators. **2013**, 21-62
- 38 Hysteresis Modeling and Control. **2014**, 299-316 1
- 37 Analysis and Design of Disturbance Observer for Piezoelectric Hysteresis Nonlinear System. **2015**, 521-532
- 36 Tracking Control for Nanopositioning Systems. **2016**, 213-244 ○
- 35 Appendix. **2017**, 287-317
- 34 Continuity properties of Prandtl-Ishlinskii operators in the space of regulated functions. **2017**, 22, 3783-3795
- 33 Bibliography. **2017**, 319-334
- 32 Notice of Removal: Hybrid Frequency-Dependent Hysteresis Model of Magnetostrictive Actuator. **2017**,
- 31 Accuracy of Hysteresis Modeling in Smart Actuator with MSMA. **2018**, 743-752 1
- 30 Nonlinear Characterization of a Compact Series Visco-Elastic Element for Tendon-Driven Actuation. **2021**, 378-385
- 29 Experimental characterization and modular modeling of hystereses for smart material actuators. *Smart Materials and Structures*, 3.4 1

28	Dynamic inversion-based hysteresis compensation using extended high-gain observer. <b>2022</b> , 135, 109977		1
27	Rational Function Approximation of the Relay with Hysteresis Nonlinear Element. <b>2021</b> , 54, 19-24		0
26	A Maxwell-Slip Based Hysteresis Model for Nonlinear Stiffness Compliant Actuators. <i>IEEE Transactions on Industrial Electronics</i> , <b>2021</b> , 1-1	8.9	0
25	A comparison of tracking step inputs with a piezo stage using model predictive control and saturated linear quadratic Gaussian control. <i>Control Engineering Practice</i> , <b>2022</b> , 118, 104972	3.9	
24	Tracking control of dielectric elastomer actuators for soft robots based on inverse dynamic compensation method. <b>2022</b> , 583, 202-218		0
23	Hysteresis Modeling of Magnetic Shape Memory Alloy using a NARMAX Structure Model. <b>2020</b> ,		0
22	Hysteresis Modeling of Lithium Silicon Half Cells Using Prandtl-Bhinskii Model. <b>2020</b> ,		
21	Development of a Butterfly Fractional-order Backlash-like Hysteresis Model in Dielectric Elastomer Actuators. <i>IEEE Transactions on Industrial Electronics</i> , <b>2022</b> , 1-1	8.9	0
20	Self-sensing magnetostrictive actuator based on $\mathbf{E}$ effect: design, theoretical modeling and experiment. <i>Smart Materials and Structures</i> , <b>2022</b> , 31, 055007	3.4	1
19	Iteration-Based Adaptive Inverse Control of Uncertain Nonlinear Systems With Hysteresis Modeled By Preisach Operator. <b>2021</b> ,		
18	Coupling Model of Hysteresis, Dynamics and Creep Effects in Piezoelectric-Actuated Positioning Stage. <b>2021</b> ,		
17	Hysteresis Modeling and Compensation of Piezoelectric Actuators Using Gaussian Process with High-Dimensional Input. <i>Actuators</i> , <b>2022</b> , 11, 115	2.4	1
16	Intelligent feedforward hysteresis compensation and tracking control of dielectric electro-active polymer actuator. <i>Sensors and Actuators A: Physical</i> , <b>2022</b> , 341, 113581	3.9	
15	Compensation method for complex hysteresis characteristics on piezoelectric actuator based on separated level-loop Prandtl-Bhinskii model. <i>Nonlinear Dynamics</i> ,	5	
14	Design and control of an x-y-z parallel piezoelectric nanopositioning stage with a large moving platform. <i>Journal of Intelligent Material Systems and Structures</i> , 1045389X2211058	2.3	
13	Modelling and compound control of intelligently dielectric elastomer actuator. <i>Control Engineering Practice</i> , <b>2022</b> , 126, 105261	3.9	1
12	Robust Global Asymptotic Stabilization of Linear Cascaded Systems With Hysteretic Interconnection. <b>2023</b> , 7, 337-342		
11	LSTM-Based Model Predictive Control of Piezoelectric Motion Stages for High-speed Autofocus. <b>2022</b> , 1-10		0

- 10 An Easily Used Phenomenological Magnetization Model and Its Empirical Expressions Based on Jiles-Atherton Parameters. **2022**, 15, 7592
- 9 EM Servo Control for Axial Force Balance of Scroll Compressors Without Online Force Sensors. **2022**, 1-11
- 8 Towards the Design and Development of a Robotic Transcatheter Delivery System for Mitral Valve Implant. **2022**, 1-1
- 7 A Modified Prandtl-Bhinskii Hysteresis Model for Modeling and Compensating Asymmetric Hysteresis of Piezo-Actuated Flexure-Based Systems. **2022**, 22, 8763
- 6 Improved PI hysteresis model with one-sided dead-zone operator for soft joint actuator. **2023**, 349, 114072
- 5 Modeling of dynamic hysteresis nonlinearity for piezo-positioning actuators. **2022**,
- 4 The Prandtl-Bhinskii Hysteresis Model: Fundamentals of the Model and Its Inverse Compensator [Lecture Notes]. **2023**, 43, 66-84
- 3 Experimental Study and Modular Modeling of Magnetostrictive Hysteresis With Data-Driven Approach. **2022**,
- 2 Review of Play and Preisach Models for Hysteresis in Magnetic Materials. **2023**, 16, 2422
- 1 Compensation Method for the Nonlinear Characteristics with Starting Error of a Piezoelectric Actuator in Open-Loop Controls Based on the DSPI Model. **2023**, 14, 742